

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Questionnaire for Wave 5: Youth/Parent Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.



PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Date: June 1, 2021

Contract Number: HHSN271201600001C
Reference Number: N01DA-16-5582

Submitted To:

Brian O'laughlin
Contracting Officer, PATH Study
National Institute on Drug Abuse
National Institutes of Health
Office of Acquisitions
3WFN MSC 6012
301 N Stonestreet Ave
Bethesda, Maryland 20892

Submitted by:

Westat
An Employee-Owned Research Corporation®
1600 Research Boulevard
Rockville, MD 20850
(301) 251-1500

Table of Contents

PATH Study Wave 5 Annotated Instrument – Explanatory Notes.....	iii
PARENT INTERVIEW.....	1
YOUTH AGE CONFIRMATION.....	2
FAMILY COMPOSITION.....	4
SCHOOL, HOME, AND TOBACCO USE.....	31
HEALTH.....	37
RESPONDENT CHARACTERISTICS.....	67
ADMINISTRATIVE DATA.....	81
APPENDIX – PARENT SHOWCARDS.....	82
APPENDIX – PARENT DERIVED VARIABLES.....	89
YOUTH INTERVIEW.....	90
ADMINISTRATIVE DATA.....	91
INTRODUCTORY DEMOGRAPHICS.....	92
CIGARETTE.....	99
ELECTRONIC NICOTINE PRODUCTS (ENPs).....	124
CIGAR.....	169
PIPE.....	260
HOOKAH.....	269
SNUS.....	303
SMOKELESS TOBACCO.....	333
DISSOLVABLE TOBACCO.....	361
BIDIS AND KRETEKS.....	365
OTHER TOBACCO.....	371
FIRST TOBACCO PRODUCT.....	372
NICOTINE DEPENDENCE AND CESSATION / QUITTER.....	377
PACKAGING AND HEALTH WARNINGS.....	403
RISK PERCEPTIONS AND ATTITUDES.....	429
MEDIA USE.....	458
SECONDHAND SMOKE EXPOSURE.....	463
HEALTH.....	466

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

MARKETING, ADVERTISING, AND PROMOTION.....	490
SOCIAL NORMS, PEER AND FAMILY INFLUENCES.....	498
ACCESSIBILITY.....	508
PSYCHOSOCIAL.....	510
SUBSTANCE USE.....	516
ADDITIONAL DEMOGRAPHICS.....	547
CLOSING ADMINISTRATIVE DATA.....	554
APPENDIX – YOUTH GENERIC IMAGES.....	555
APPENDIX – YOUTH USER GROUP DEFINITIONS.....	566
APPENDIX – YOUTH INSTRUMENT SKIP ERROR SUMMARY.....	585
APPENDIX – YOUTH INSTRUMENT DATA ERROR SUMMARY.....	586

PATH Study Wave 5 Annotated Instrument – Explanatory Notes

BOX ID: R05_PMD07

(1) Structure of Question Boxes. Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a "choose all that apply" structure, the top row states "SEE BELOW:" and the variable names are displayed next to the corresponding response options. All variable names are displayed in bolded red font. The second row includes the question text, including any instructions for the respondent (for example, "Choose all that apply"). The next several rows display the response options. The last rows specify which respondents were asked the question, followed in many instances by special instructions used in programming. The rows that specify which respondents were asked the question are split into two parts: The first part (the "ASK Description") provides a general description of which respondents were asked; the second part (the "ASK Specification") identifies which respondents were asked as a logic statement using specific variables.

(2) Non-Question Boxes. Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.

(3) Question Routing. The instrument was designed with the assumption that all respondents to a question would be asked the next question, unless there are specific instructions routing a subgroup of respondents to a different question. The phrase "GO TO" precedes such routing instructions. Complex routing instructions are split into two parts: The first part (the "GO TO Description") provides a general description of the routing instructions; the second part (the "GO TO Specification") reiterates the instructions as a set of logic statements, using specific variables. Non-response values ("DON'T KNOW" and "REFUSED") are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. ("IF ____, GO TO ____.") Subsequent statements use the word "else" to indicate that the conditions given in previous statements have not been met. ("ELSE, IF ____, GO TO ____.") This means that the first statement fulfilled by the respondent always indicates the next question asked.

(4) Randomized Question Order. Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does not reflect the actual order in which the questions were displayed for respondents.

(5) Iterative Loops. There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified a single time, with programming instructions identifying the beginning and ending of the loop, how it is to be changed for each iteration, and the order in which each iteration should be presented. Looped items utilize iteration indicators to provide precise ASK Specifications and GO TO Specifications for each iteration of the item. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for traditional cigars end in TC, the variables for cigarillos end in CL, and the variables for filtered cigars end in FC. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) ASK Specifications and GO TO Specifications address each iteration separately, with the particular variable identified at the start of the specification. (For example, "FOR R05_YG1005TC:" precedes the ASK specification that applies to the traditional cigar iteration of R05_YG1005; "IF LOOP = GTRAD" precedes the GO TO Specifications that apply to the traditional cigar iteration of routing instructions.)

However, the ASK Descriptions and GO TO Descriptions do not address the iterations separately. Instead, the overall description is given a single time and the iterated products are combined by slashes. (For example, "respondents who have ever smoked traditional cigars/cigarillos/filtered cigars" indicates that one iteration of the question applies to respondents who have ever smoked traditional cigars, another applies to those who have ever smoked cigarillos, and another to those who have ever smoked filtered cigars.) When GO TO Descriptions and response-level GO TO statements indicate routing to a variable within a loop, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. (For example, "go to R05_YG1005[TC/CL/FC].") This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a different iteration. For example, if a question about cigars refers to a variable that ends in [TC/CL/FC], only the TC variable applies to the traditional cigar iteration, only the CL variable applies to the cigarillo iteration, and only the FC variable applies to the filtered cigar iteration.

(6) Variables For Multiple Components. Some questions contain separate variables for multiple components. Examples of such items include "choose all that apply" questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix _NN and unit variables are indicated by _UN); and questions that ask for a price, where data are recorded in separate variables as dollar (_D) and cent (_C) combinations. (Variables with the suffix _D, _C or _NN are open-field variables that allow respondents to enter any numeric value. As such, no discrete values are indicated for these variables. However, variables with the suffix _UN have values corresponding to set options from which the respondent must choose. Because _NN/_UN questions combine these two variable types, item-level notes are utilized to clarify that the discrete values presented in the instrument refer only to the _UN variable.) Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent's answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

(7) Logic Checks. Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question. These logic checks are presented in the annotated instrument as probe questions, immediately following the question they check. Respondents are routed to the logic check and a program note specifies the conditions that trigger the prompt to be shown. If the respondent did not meet the trigger conditions, they proceeded to the next question without being shown the prompt. Logic checks are identified by the suffix _LC1 (or _LC2, etc.) added to the root variable name of the question they check. Although similar to actual questions, logic checks do not capture data. Logic checks are presented with ASK specifications, but without ASK descriptions to help distinguish them from actual questions.

(8) Never Users. The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.

(9) Images. All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.

(10) Conditional Display Text. Many questions include text that varies in what is displayed under different condition. The conditional text is always enclosed by brackets in the question. In certain cases, a text fill is described for a set of words that will be used repeatedly prior to their use. For example, [EPRODFILL2] is used for several questions in the Electronic Nicotine Products (ENP)s section and a box beforehand describes the conditions in which that text is filled as "electronic nicotine products", "electronic nicotine cartridges", or "e-liquid". However, the majority of conditional text is detailed within the question box - all the text options are shown in brackets and the different conditions are explained in display instructions. For example, "Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?" has instructions to display "usually smoke" for smokers who have a regular brand, but to otherwise display "last smoked". In some questions, a portion of text is shown in certain conditions, with nothing displayed in other conditions. For example, "On average, how long is one hookah session for you[and the people you share it with]? displays " and the people you share it with" for smokers who usually share a hookah, but not if they usually do not share. The brackets include the space between "you" and "and", because there should not be a space between "you" and the question mark when the conditional text is not displayed.

(11) New Product Placeholder section. In the Wave 5 Youth data collection instrument, a placeholder section was included in the questionnaire to allow the possibility of adding new tobacco products to the survey during the data collection period. No product warranted activation of the section during data collection, so there are no data or variables associated with the section. Given that, the "New Product - Placeholder" section has been excluded from the Wave 5 Youth annotated instrument.

(12) References to Preload Data. As continuing respondent cases are prepared for data collection, data from prior waves are preloaded into the instruments for the current wave for longitudinal reference. For example, in the Wave 5 Youth instrument, identification of youth who have ever smoked a cigarette is based on the tobacco users groups and item responses from Waves 1 - 4 as well as responses to the Wave 5 instrument. Variables for this preloaded data are indicated by the prefix "R04_", signifying the most recent data at the close of Wave 4. (Wave 4 includes the nested Wave 4.5 youth study.) When referencing data from previous waves, the instrument describes it as the respondents' answers "as of their last completed interview". For example, "continuing youth respondents who have ever smoked a cigarette as of their last completed interview".

(13) **/ Notation.** The **/** notation on some item IDs is indicative of a Wave 5 instrument error. The "***" represents an instrument SKIP ERROR which resulted in missing data for some respondents. See Appendix - Youth Instrument Skip Error Summary for more information. The "****" notation on some item IDs is indicative of a Wave 5 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Youth Instrument Data Error Summary for more information.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF.

Questionnaire Variable	Questionnaire Variable Description
R05_CPT05	Confirm DOB for Wave 4.5 shadow youth who is expected to be a youth at Wave 5
R05_CPT05C	Confirm DOB for Wave 4.5 youth who is expected to be a youth at Wave 5
R05_CPT05D	Confirm DOB for shadow youth who is expected to be a shadow youth at Wave 5
R05_CPT07	Corrected Youth DOB
R05_E_YOUTH	Emancipated youth
R05_LCPT01	Language in which the CAPI portions of the interview was completed (interviewer report)
R05_LCYS01	Language in which CAPI portions of youth interview were conducted
R05_LEY01	Emancipated Youth's preferred language to complete ACASI interview
R05_LYH01	Youth's preferred language to complete ACASI interview
R05_PARENT_PERSONID	Wave 5 Parent/guardian Participant ID Number
R05_PM0016_NB	Youth was identified as a twin or part of a multiple birth
R05_PM0017_NB	Youth and sibling are identical twins
R05_PM0019_NB	Any sibling in multiple birth identical to youth
R05_PM0021_NB	First names of siblings in multiple birth that are identical to youth
R05_PM0030_NB	First name of sibling that youth is a twin of
R05_PM0035_NB	First names of siblings that are in the multiple birth with youth
R05_PM0052	Confirm parent's spouse is same as reported in previous wave(s)
R05_PM0053	Confirm parent's relationship to youth
R05_PM0058_NEW_AGE	Age of other parental figure/guardian
R05_PM0058_NEW_FNAME	First name of other parental figure or guardian
R05_PM0058_NEW_LNAME	Last name of other parental figure or guardian
R05_PM0058_PERSONID	Other parental figure/guardian PERSONID
R05_PM0059_OS_1	Other parental figure/guardian's relationship to sampled youth: Other relative - specify
R05_PM0059_OS_2	Other parental figure/guardian's relationship to sampled youth: Other non-relative - specify
R05_PM0061_NEW_AGE	Age of second other parental figure/guardian
R05_PM0061_NEW_FNAME	First name of the second other parental figure or guardian
R05_PM0061_NEW_LNAME	Last name of the second other parental figure or guardian
R05_PM0061_PERSONID	Second other parental figure/guardian PERSONID
R05_PM0062_OS_1	Second other parental figure/guardian's relationship to youth: Other relative - specify
R05_PM0062_OS_2	Second other parental figure/guardian's relationship to youth: Other non-relative - specify
R05_PM0067	Parent respondent is currently enrolled in high school
R05_PM0068	Parent respondent grade (if currently enrolled in high school)
R05_PM0072_OS	Other language spoken at home: Some other language - specify (parent respondent)
R05_PT0001_OS_1	Parent or guardian relationship to youth: Other relative - specify
R05_PT0001_OS_2	Parent or guardian relationship to youth: Other non-relative - specify

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_PT0002_OS_1	Parent's spouse or partner relationship to youth: Other relative - specify
R05_PT0002_OS_2	Parent's spouse or partner relationship to youth: Non-relative - specify
R05_PT0046_NEW_AGE	Age of new spouse/partner
R05_PT0046_NEW_FNAME	First name of spouse/partner
R05_PT0046_NEW_LNAME	Last name of spouse/partner
R05_PX0186_NB	Youth has serious difficulty walking or climbing stairs
R05_PX0190_NB	Youth is deaf or has serious difficulty hearing
R05_PX0191_NB	Youth is blind or has serious difficulty seeing even when wearing glasses
R05_YC1033_OS	Retail location where your cigarettes are purchased most of the time: Somewhere else - specify
R05_YC1049	Brand of cigarettes usually/last smoked - Specify
R05_YC1071	Sub-brand of cigarette product usually/last smoked - Specify
R05_YC1118_OS	In past 30 days, how you usually got your own cigarettes - specify
R05_YG1011CL_OS	Flavor of first cigarillo smoked: Some other flavor - specify
R05_YG1011FC_OS	Flavor of first filtered cigar smoked: Some other flavor - specify
R05_YG1011TC_OS	Flavor of first traditional cigar smoked: Some other flavor - specify
R05_YG1033CL_OS	Retail location where your cigarillos are purchased most of the time: Somewhere else - specify
R05_YG1033FC_OS	Retail location where your filtered cigars are purchased most of the time: Somewhere else - specify
R05_YG1033TC_OS	Retail location where your traditional cigars are purchased most of the time: Somewhere else - specify
R05_YG1049CL	Brand of cigarillos usually / last smoked - Specify
R05_YG1049FC	Brand of filtered cigars usually/last smoked - Specify
R05_YG1049TC	Brand of traditional cigars usually/last smoked - Specify
R05_YG1071CL	Sub-brand of cigarillo product usually/last smoked - Specify
R05_YG1071FC	Sub-brand of filtered cigar product usually/last smoked - Specify
R05_YG1071TC	Sub-brand of traditional cigar product usually/last smoked - Specify
R05_YG1118CL_OS	In past 30 days, how you usually got your own cigarillos - specify
R05_YG1118FC_OS	In past 30 days, how you usually got your own filtered cigars - specify
R05_YG1118TC_OS	In past 30 days, how you usually got your own traditional cigars - specify
R05_YG1131CL_OS	In past 30 days, smoked cigarillos flavored to taste like: Some other flavor - specify
R05_YG1131FC_OS	In past 30 days, smoked filtered cigars flavored to taste like: Some other flavor - specify
R05_YG1131TC_OS	In past 30 days, smoked traditional cigars flavored to taste like: Some other flavor - specify
R05_YG1133CL_OS	In past 30 days, flavor of cigarillos smoked most often: Some other flavor - specify
R05_YG1133FC_OS	In past 30 days, flavor of filtered cigars smoked most often: Some other flavor - specify
R05_YG1133TC_OS	In past 30 days, flavor of traditional cigars smoked most often: Some other flavor - specify

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_YH1011_OS	Flavor of first shisha or hookah tobacco smoked: Some other flavor - specify
R05_YH1033_OS	Retail location where your shisha or hookah tobacco is purchased most of the time: Somewhere else - specify
R05_YH1049	Brand of hookah tobacco usually/last smoked - Specify
R05_YH1071	Sub-brand of hookah tobacco product usually/last smoked - Specify
R05_YH1073	Smoke hookah because: It is part of my cultural tradition
R05_YH1118_OS	In past 30 days, how you usually got your own shisha or hookah tobacco - specify
R05_YH1131_OS	In past 30 days, smoked hookah tobacco flavored to taste like: Some other flavor - specify
R05_YH1133_OS	In past 30 days, flavor of hookah smoked most often: Some other flavor - specify
R05_YH9011_OS	Usually smoke a hookah: Somewhere else - specify
R05_YH9045_OS	Where you were when you first tried a hookah, even one or two puffs - specify
R05_YJ1011CG_OS	Flavor of first cigarillo smoked as a blunt: Some other flavor - specify
R05_YJ1011FC_OS	Flavor of first filtered cigar smoked as a blunt: Some other flavor - specify
R05_YJ1011TC_OS	Flavor of first traditional cigar smoked as a blunt: Some other flavor - specify
R05_YJ1033CG_OS	Retail location where your cigarillos for blunts are purchased most of the time: Somewhere else - specify
R05_YJ1033FC_OS	Retail location where your filtered cigars for blunts are purchased most of the time: Somewhere else - specify
R05_YJ1033TC_OS	Retail location where your traditional cigars for blunts are purchased most of the time: Somewhere else - specify
R05_YJ1049CG	Brand of cigarillos usually/last smoked as a blunt - Specify
R05_YJ1049FC	Brand of filtered cigars usually/last smoked as a blunt - Specify
R05_YJ1049TC	Brand of traditional cigars usually/last smoked as a blunt - Specify
R05_YJ1071CG	Sub-brand of cigarillo product usually/last smoked as a blunt - Specify
R05_YJ1071FC	Sub-brand of filtered cigar product usually/last smoked as a blunt - Specify
R05_YJ1071TC	Sub-brand of traditional cigar product usually/last smoked as a blunt - Specify
R05_YJ1118CG_OS	In past 30 days, how you usually got your own cigarillo as a blunt - specify
R05_YJ1118FC_OS	In past 30 days, how you usually got your own filtered cigars as a blunt - specify
R05_YJ1118TC_OS	In past 30 days, how you usually got your own traditional cigars as a blunt - specify
R05_YJ1131CG_OS	In past 30 days, smoked cigarillos as blunts flavored to taste like: Some other flavor - specify
R05_YJ1131FC_OS	In past 30 days, smoked filtered cigars as blunts flavored to taste like: Some other flavor - specify
R05_YJ1131TC_OS	In past 30 days, smoked traditional cigars as blunts flavored to taste like: Some other flavor - specify
R05_YJ1133CG_OS	In past 30 days, flavor of cigarillos smoked as blunts most often: Some other flavor - specify

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_YJ1133FC_OS	In past 30 days, flavor of filtered cigars smoked as blunts most often: Some other flavor - specify
R05_YJ1133TC_OS	In past 30 days, flavor of traditional cigars smoked as blunts most often: Some other flavor - specify
R05_YM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R05_YM0011_01	Branch served when on active duty: Army
R05_YM0011_02	Branch served when on active duty: Navy
R05_YM0011_03	Branch served when on active duty: Air Force
R05_YM0011_04	Branch served when on active duty: Marine Corps
R05_YM0011_05	Branch served when on active duty: Coast Guard
R05_YM0020	Last grade/year in school completed
R05_YM0021	Sexual attraction to gender
R05_YM0061	Consider yourself to be transgender
R05_YM0062	Transgender category
R05_YM0063	Sexual orientation
R05_YM0066	How well you speak English (youth)
R05_YM0069	Youth respondent is a citizen of the United States
R05_YM0070	How well you read English (youth)
R05_YM0072_OS	Other language spoken at home: Some other language - specify (youth respondent)
R05_YM0073	How well you write in English (youth)
R05_YN0129_OS	In past 12 months, tried to completely stop using: Other - specify
R05_YN0336_OS	Main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users) - Specify
R05_YN0349_OS	Strength of nicotine patch last used (past year tobacco users): Some other strength - specify
R05_YN0349H_OS	Strength of nicotine patch last used (past year tobacco non-users): Some other strength - specify
R05_YP1033_OS	Retail location where your pipe tobacco is purchased most of the time: Somewhere else - specify
R05_YP1118_OS	In past 30 days, how you usually got your own pipe tobacco - specify
R05_YS1011_OS	Flavor of first smokeless tobacco product used: Some other flavor - specify
R05_YS1033_OS	Retail location where your smokeless tobacco is purchased most of the time: Somewhere else - specify
R05_YS1049	Brand of smokeless tobacco usually/last used - Specify
R05_YS1071	Sub-brand of smokeless tobacco product usually/last used - Specify
R05_YS1118_OS	In past 30 days, how you usually got your own smokeless tobacco - specify
R05_YS1131_OS	In past 30 days, used smokeless tobacco flavored to taste like: Some other flavor - specify
R05_YS1133_OS	In past 30 days, flavor of smokeless tobacco used most often: Some other flavor - specify

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_YU1011_OS	Flavor of first snus used: Some other flavor - specify
R05_YU1033_OS	Retail location where your snus is purchased most of the time: Somewhere else - specify
R05_YU1049	Brand of snus usually / last used - Specify
R05_YU1071	Sub-brand of snus usually / last used - Specify
R05_YU1118_OS	In past 30 days, how you usually got your own snus - specify
R05_YU1131_OS	In past 30 days, used snus flavored to taste like: Some other flavor - specify
R05_YU1133_OS	In past 30 days, flavor of snus used most often: Some other flavor - specify
R05_YV1011_OS	Flavor of first electronic nicotine product used: Some other flavor - specify
R05_YV1033_OS	Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time: Somewhere else - specify
R05_YV1049	Brand of electronic nicotine products/electronic nicotine cartridges/e-liquid usually/last used - specify
R05_YV1118_OS	In past 30 days, how you usually got your own [electronic nicotine products/electronic nicotine cartridges/e-liquid] - specify
R05_YV1131_OS	In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Some other flavor - specify
R05_YV1133_OS	In past 30 days, flavor of electronic nicotine product / cartridges / e-liquid used most often: Some other flavor - specify
R05_YV9001_OS	Type of electronic nicotine product used most often - specify
R05_YV9035_OS	Ever used some other electronic nicotine product - specify
R05_YX0136	Currently pregnant
R05_YX0137_NN	Number of weeks/months pregnant - Number
R05_YX0137_UN	Number of weeks/months pregnant - Unit
R05_YX0203_OS	In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else - specify
R05_YX0677_OS	In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else - specify
R05_YX0686_OS	In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Some other brand - specify
R05_YY0601_OS	First type of tobacco you tried - specify
R05_YZ1002_OS	Ever used any other tobacco products - specify

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_PT0001	R05R_Y_PT0001_V2	Recoded parent or guardian relationship to youth (3 levels)
R05_PT0047	R05R_Y_PT0047	Recoded parent or guardian marital status (3 levels)
R05_PT0045	R05R_P_OTHPAR_INHH	Recoded youth has any parental figures/guardians other than the parent/guardian in the house (2 levels)
R05_PM0057		
R05_PM0060		
R05_PT0002	R05R_Y_PT0002_V2	Recoded parent's spouse or partner relationship to youth (3 levels)
R05_PM0059	R05R_Y_PM0059_V2	Recoded other parental figure/guardian's relationship to youth (3 levels)
R05_PM0062	R05R_Y_PM0062_V2	Second other parental figure/guardian's relationship to youth (3 levels)
R05_PT0041_NB	R05R_Y_PT0041_NB	Age range youth was first told he/she had high blood pressure (3 levels)
R05_PT0253_NB		
R05_PT0043_NB	R05R_Y_PT0043_NB	Age range youth was first told he/she has high cholesterol (3 levels)
R05_PT0254_NB		
R05_PT0038_NB	R05R_Y_PT0038_NB	Age range youth was first told he/she has asthma (3 levels)
R05_PT0260_NB		
R05_PT0042_NB	R05R_Y_PT0042_NB	Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)
R05_PT0263_NB		
R05_PM0069	R05R_Y_PM0069	Recoded parent respondent is a citizen of the United States (2 levels)
R05_PM0065	R05R_Y_PM0065_V2	Recoded number of years parents lived in the United States (2 levels)
R05_PM0065_NN		
R05_PM0001	R05R_P_PARSP_EDUC	Recoded highest grade or year of school completed by parent/spouse/guardian (6 levels)
R05_PM0118		
R05_PM0130	R05R_Y_PM0130	Recoded total household income in past 12 months (5 levels)
R05_PL0040	R05R_Y_PL0040	Recoded home is owned or rented (2 levels)
R05_PM0072_02	R05R_Y_PM0072_02	Recoded other language spoken at home from parent respondent: Other language (2 levels)
R05_PM0072_03		
R05_PM0072_04		
R05_PM0072_05		
R05_PM0072_06		
R05_PM0072_07		
R05_PM0072_08		
R05_PM0072_09		
R05_PM0072_10		
R05_PX0757_NB	R05R_Y_PX0757_NB	Age range when youth was first told by a doctor, therapist or other mental health professional that he/she had schizophrenia, schizoaffective disorder or psychosis (3 levels)
R05_PX0758_NB		

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_PX0762_NB	R05R_Y_PX0762_NB	Age range when youth was first told by a doctor, therapist or other mental health professional that he/she had a psychotic illness or episode (3 levels)
R05_PX0772_NB		
R05_YM0065	R05R_Y_YM0065_V2	Recoded number of years youth lived in the United States (2 levels)
R05_YC1006_NB	R05R_Y_YC1006_NB	Age range when first tried cigarette smoking, even one or two puffs (3 levels)
R05_YC1120_NB		
R05_YC1007	R05R_Y_YC1007	Age range when first started smoking cigarettes fairly regularly (3 levels)
R05_YC1121		
R05_YV1006_NB	R05R_Y_YV1006_NB	Age range when first tried [primary electronic nicotine product], even one or two times, even one or two puffs (3 levels)
R05_YV1120_NB		
R05_YV1007	R05R_Y_YV1007	Age range when first started using [primary electronic nicotine product]s fairly regularly (3 levels)
R05_YV1121		
R05_YG1006TC_NB	R05R_Y_YG1006TC_NB	Age range when first tried a traditional cigar, even one or two puffs (3 levels)
R05_YG1120TC_NB		
R05_YG1007TC	R05R_Y_YG1007TC	Age range when first started smoking traditional cigars fairly regularly (3 levels)
R05_YG1121TC		
R05_YG1006CL_NB	R05R_Y_YG1006CL_NB	Age range when first tried a cigarillo, even one or two puffs (3 levels)
R05_YG1120CL_NB		
R05_YG1007CL	R05R_Y_YG1007CL	Age range when first started smoking cigarillos fairly regularly (3 levels)
R05_YG1121CL		
R05_YG1006FC_NB	R05R_Y_YG1006FC_NB	Age range when first tried a filtered cigar, even one or two puffs (3 levels)
R05_YG1120FC_NB		
R05_YG1007FC	R05R_Y_YG1007FC	Age range when first started smoking filtered cigars fairly regularly (3 levels)
R05_YG1121FC		
R05_YH1006_NB	R05R_Y_YH1006_NB	Age range when first tried smoking hookah, even one or two puffs (3 levels)
R05_YH1120_NB		
R05_YH1007	R05R_Y_YH1007	Age range when first started smoking a hookah fairly regularly (3 levels)
R05_YH1121		
R05_YU1006_NB	R05R_Y_YU1006_NB	Age range when first tried snus pouches, even one or two times (3 levels)
R05_YU1120_NB		
R05_YU1007	R05R_Y_YU1007	Age range when first started using snus pouches fairly regularly (3 levels)
R05_YU1121		
R05_YS1006_NB	R05R_Y_YS1006_NB	Age range when first tried smokeless tobacco, even one or two times (3 levels)
R05_YS1120_NB		
R05_YS1007	R05R_Y_YS1007	Age range when first started using smokeless tobacco fairly regularly (3 levels)
R05_YS1121		

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_YX0671_01	R05R_Y_YX0671	Recoded anyone who lives with you now use tobacco (4 levels)
R05_YX0671_02		
R05_YX0671_03		
R05_YX0671_04		
R05_YX0671_05		
R05_YX0671_06		
R05_YX0671_07		
R05_YX0671_08		
R05_YT0038_NB	R05R_Y_YT0038_NB	Age range when you were first told you had asthma (3 levels)
R05_YT0260_NB		
R05_YX0086_NB	R05R_Y_YX0086_NB	Age range when first drank alcohol at all, counting small tastes or sips (3 levels)
R05_YX0087_NB		
R05_YX0074_NB	R05R_Y_YX0074_NB	Age range when had first alcoholic drink, other than small tastes or sips (3 levels)
R05_YX0270_NB		
R05_YX0079_NB	R05R_Y_YX0079_NB	Age range when first used marijuana, hash, THC or grass (3 levels)
R05_YX0271_NB		
R05_YX0082_NB_01	R05R_Y_YX0082_NB_01	Age range when first used: Ritalin or Adderall (3 levels)
R05_YX0272_NB_01		
R05_YX0082_NB_02	R05R_Y_YX0082_NB_02	Age range when first used: Painkillers, sedatives or tranquilizers (3 levels)
R05_YX0272_NB_02		
R05_YX0082_NB_03	R05R_Y_YX0082_NB_03	Age range when first used: Cocaine or crack (3 levels)
R05_YX0272_NB_03		
R05_YX0082_NB_04	R05R_Y_YX0082_NB_04	Age range when first used: Stimulants like methamphetamine or speed (3 levels)
R05_YX0272_NB_04		
R05_YX0082_NB_05	R05R_Y_YX0082_NB_05	Age range when first used: Any other drugs like heroin, inhalants, solvents or hallucinogens (3 levels)
R05_YX0272_NB_05		
R05_YM0019	R05R_Y_YM0018_V2	Recoded grade level (If on holiday or break - grade level entering when returning to school) (6 levels)
R05_YM0018		
R05_YM0004_NB	R05R_Y_SEX	Gender
R05_YM0005_NB_01	R05R_Y_HISP	DERIVED - Hispanic origin from the interview (2 levels)
R05_YM0005_NB_02		
R05_YM0005_NB_03		
R05_YM0005_NB_04		
R05_YM0005_NB_05		

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_YM0006_NB_01	R05R_Y_RACECAT3	Recoded Race from the interview (3 levels)
R05_YM0006_NB_02		
R05_YM0006_NB_03		
R05_YM0006_NB_04		
R05_YM0006_NB_05		
R05_YM0006_NB_06		
R05_YM0006_NB_07		
R05_YM0006_NB_08		
R05_YM0006_NB_09		
R05_YM0006_NB_10		
R05_YM0006_NB_11		
R05_YM0006_NB_12		
R05_YM0006_NB_13		
R05_YM0006_NB_14		
R05_PT0007_FT	R05R_Y_BMI	Body mass index
R05_PT0007_IN		
R05_PT0007_MT		
R05_PT0008_LB		
R05_PT0008_KG		
R05_YX0310		
R05_YT0007_FT		
R05_YT0007_IN		
R05_YX0311		
R05_YT0008		
R05_YX0312		
R05_YM0072_02	R05R_Y_YM0072_02	Recoded other language spoken at home from youth respondent: Other language (2 levels)
R05_YM0072_03		
R05_YM0072_04		
R05_YM0072_05		
R05_YM0072_06		
R05_YM0072_07		
R05_YM0072_08		
R05_YM0072_09		
R05_YM0072_10		

PARENT INTERVIEW

YOUTH AGE CONFIRMATION

BOX ID: R05_CPTBOX1

PROGRAM ROUTING INSTRUCTION:

IF CURRENT_AGE_LD >= 12 AND Y_PWAVE_COMP = 2, GO TO R05_CPT05.
 ELSE IF CURRENT_AGE_LD >= 12 AND Y_PWAVE_COMP = 1, GO TO R05_CPT05C.
 ELSE IF CURRENT_AGE_LD < 12, GO TO R05_CPT05C.

PROGRAM: Link the Parent Consent Parent selected to the Youth SP.
 Use calculated age based on current date and most recent wave data.

Link = The link set from the Parent/Guardian selected.

Variable(s): R05_CPT05

Last time we visited, we invited {PROGRAM: INSERT Youth FirstName} to participate in the study when [he/she] turned 12. To get started, I'd like to confirm that {PROGRAM: INSERT Youth FirstName} is now 12 years of age or older. Our records show that {PROGRAM: INSERT Youth FirstName}'s date of birth is {PROGRAM: INSERT Youth's DOB}. Is that correct?

- | | |
|--------------------------------|---------------------|
| 1 YES, YOUTH DOB IS CORRECT | GO TO BOX R05_PXV01 |
| 2 NO, YOUTH DOB IS NOT CORRECT | GO TO R05_CPT07 |

ASK: Expected Aged-Up Youth SP.

DISPLAY: IF R04_GENDER = 1, DISPLAY "he".
 ELSE, IF R04_GENDER = 2 DISPLAY "she".

Variable(s): R05_CPT05C

{{As we did in the last interview, we'd/We'd} like to ask you a few questions about {PROGRAM: INSERT Youth FirstName}, and then {with your permission} ask {PROGRAM: INSERT Youth FirstName} to participate in an interview.
 }

To get started, I'd like to confirm that {PROGRAM: INSERT Youth FirstName}'s date of birth is {PROGRAM: INSERT Youth's DOB}. Is that correct?

- | | |
|--------------------------------|---------------------|
| 1 YES, YOUTH DOB IS CORRECT | GO TO BOX R05_PXV01 |
| 2 NO, YOUTH DOB IS NOT CORRECT | GO TO R05_CPT07 |

ASK: Expected Continuing Youth SP or Youth less than 12 years old.

DISPLAY: IF R04_CURRENT_AGE_LD < 12, DO NOT DISPLAY FIRST PARAGRAPH.
 ELSE, DISPLAY FIRST PARAGRAPH.

IF NEW WAVE 4.5 PARENT, DISPLAY "with your permission".

ELSE, DO NOT DISPLAY THIS TEXT.

IF NEW WAVE 4.5 PARENT, DISPLAY "We'd".

ELSE, DISPLAY "As we did in the last interview, we'd".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_CPT07 (R05R_Y_AGE)

May I please have {{PROGRAM: INSERT Youth FirstName}'s/your} date of birth?

I _ _ I _ _ I MONTH I _ _ I _ _ I DAY
I _ _ I _ _ I _ _ I YEAR

GO TO R05_CPTBOX_LC

-7 REFUSED

END INTERVIEW AND RETURN TO IMS

ASK: All instances when the Wave 5 DOB was not confirmed as correct or where date of birth is missing.

ASK Specification: IF R05_CPT05 = 2 OR R05_CPT05C = 2.

DISPLAY: IF EMANCIPATED YOUTH, DISPLAY "your".

ELSE, DISPLAY YOUTH FIRST NAME FILL UNDERLINED AND BOLDED.

PROGRAM: Show Text Field - MM/DD/YYYY format.

NOTES: R05R_Y_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R05_CPT07 is not included in the dataset, but the question is included here for reference.

BOX ID: R05_CPTBOX_LC

DISPLAY ERROR MESSAGE:

I have recorded that {{PROGRAM: INSERT Youth FirstName}'s/your} date of birth is {R05_CPT07 ANSWER}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

S SUPPRESS

GO TO R05_PXV01

G GO BACK

GO TO R05_CPT07

IF EMACNIPATED YOUTH, DISPLAY "your".

ELSE, DISPLAY YOUTH FIRST NAME FILL UNDERLINED AND BOLDED.

FAMILY COMPOSITION

BOX ID: R05_PXV01

PROGRAM: LOAD THE FOLLOWING VARIABLES

R04_PT0001 = Parent's/guardian's relationship to youth as of their last completed interview.

R04_PARSPOUSE_PID = ID of parent's/guardian's spouse as of their last completed interview.

R04_PARREPT_ADHD = Parent/guardian reported youth being diagnosed with ADD/ADHD as of their last completed interview.

R04_PARREPT_ASTHMA = Parent/guardian reported youth being diagnosed with asthma as of their last completed interview.

R04_PARREPT_DIABETES = Parent/guardian reported youth being diagnosed with diabetes as of their last completed interview.

TWINMULT = Youth identified as a twin or part of a multiple birth in the Household Screener (Wave 1 or Wave 4 HH Screener).

CONTACTFLAG_LD = Parent/guardian has already provided contact information in a another completed interview.

R05_ADULT_COMPLETE_LD = Adult respondent has completed the adult questionnaire.

R05_PARENT_COMPLETE_LD = Parent/guardian has completed one or more parent questionnaire(s).

R05_AX0691 = Type of living space young adult respondent reported currently living in in completed adult questionnaire.

R05_PT0047_LD = Marital status parent/guardian respondent reported in a completed parent questionnaire, if they have completed one or more parent questionnaire(s).

LinkedAddress1 = Best street address from IMS.

LinkedAddress2 = Best apartment/unit number from IMS.

LinkedCity = Best city from IMS.

LinkedState = Best state from IMS.

LinkedZip = Best zip code from IMS.

PHONE1 = Best phone number from IMS.

PHONE2 = Second phone number from IMS.

EMAIL = Email address from IMS.

PROGRAM - LOAD THE FOLLOWING VARIABLES FROM CONSENT WRAPPER:

R05_YOUTHTYPE

(1) Continuing Youth = Youth completed a youth interview in a previous wave and will do a youth interview this wave.

(2) New Baseline Youth = Youth was a shadow youth in previous wave, but will do a youth interview this wave.

(4) Shadow Youth = Youth was a shadow youth in previous wave and is still a shadow youth.

R05_LASTWVPARENTCOMP

For the parent/guardian associated with this youth:

(1) Wave 1 = the last time this parent/guardian completed a parent interview for this youth was in wave 1.

(2) Wave 2 = the last time this parent/guardian completed a parent interview for this youth was in wave 2.

(3) Wave 3 = the last time this parent/guardian completed a parent interview for this youth was in wave 3.

(4) Wave 4 = the last time this parent/guardian completed a parent interview for this youth was in wave 4.

(45) Wave 4.5 = the last time this parent/guardian completed a parent interview for this youth was in wave 4.5.

(null) this parent/guardian has never completed a parent interview for this youth.

R05_PARENTTYPE

(1) PriorParent = This parent/guardian has completed a parent interview for this youth in a previous wave.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

(2) NewParent = This parent/guardian has not completed a parent interview for this youth in a previous wave.

CURRENT_AGE = Age of youth at time of parent consent.

Program Note: In the following specifications, "!=" represents "not equal to".

"Sampled youth" represents all Youth SPs, including continuing youth respondents, new baseline youth respondents, AND shadow youth.

"Youth respondents" represents Youth SPs who are continuing or new baseline youth respondents; it excludes shadow youth.

BOX ID: R05_PXR03

Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who previously reported their relationship to the youth as NOT an "other relative" or "non-relative", go to R05_PM0053.

Else, go to R05_PT0001.

IF R05_YOUTHTYPE = 1, 2, 4 AND R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 != -1, 91, 92, -8, -7, GO TO R05_PM0053.

ELSE, GO TO R05_PT0001.

Variable(s): R05_PM0053

I have that you are {Child's first name}'s {parent's relationship to sampled youth}, is that correct?

1 YES

GO TO BOX R05_PTR01

2 NO

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_PTR01

ASK: Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who previously reported their relationship to the youth as NOT an "other relative" or "non-relative".

ASK Specification: IF R05_YOUTHTYPE = 1, 2, 4 AND R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 != -1, 91, 92, -8, -7.

PROGRAM: Fill {parent's relationship to sampled youth} with relationship selected in R04_PT0001. Display in lowercase letters.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0001

What is your relationship to {Child's first name}? In other words, you are {Child's first name}'s...

[Would you say biological, adoptive, or step mother / father?]

- | | |
|-----------------------------|-----------------------|
| 1 BIOLOGICAL MOTHER | GO TO BOX R05_PTR01 |
| 2 BIOLOGICAL FATHER | GO TO BOX R05_PTR01 |
| 3 ADOPTIVE MOTHER | GO TO BOX R05_PTR01 |
| 4 ADOPTIVE FATHER | GO TO BOX R05_PTR01 |
| 5 STEP MOTHER | GO TO BOX R05_PTR01 |
| 6 STEP FATHER | GO TO BOX R05_PTR01 |
| 7 FOSTER MOTHER | GO TO BOX R05_PTR01 |
| 8 FOSTER FATHER | GO TO BOX R05_PTR01 |
| 9 GRANDMOTHER | GO TO BOX R05_PTR01 |
| 10 GRANDFATHER | GO TO BOX R05_PTR01 |
| 11 AUNT | GO TO BOX R05_PTR01 |
| 12 UNCLE | GO TO BOX R05_PTR01 |
| 13 SISTER | GO TO BOX R05_PTR01 |
| 14 BROTHER | GO TO BOX R05_PTR01 |
| 91 OTHER RELATIVE (SPECIFY) | |
| 92 NON RELATIVE (SPECIFY) | GO TO R05_PT0001_OS_2 |
| -8 DON'T KNOW | GO TO BOX R05_PTR01 |
| -7 REFUSED | GO TO BOX R05_PTR01 |

ASK: Parent/guardian respondents of all sampled youth who were not the same parent/guardian respondent for that youth in Wave 4.5, or

Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who had not previously reported their relationship to the youth or previously reported their relationship to the youth as an "other relative" or "non-relative", or

Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who previously reported their relationship to the youth as NOT an "other relative" or "non-relative" and need to correct the relationship they previously reported.

ASK Specification: IF R05_YOUTHTYPE = 1, 2, 4 AND (R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 = -1, 91, 92, -8, -7) OR (R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 != -1, 91, 92, -8, -7 AND R05_PM0053 = 2, -8)).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0001_OS_1

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_PTR01

GO TO BOX R05_PTR01

GO TO BOX R05_PTR01

ASK: Parent/guardian respondents of all sampled youth who were not the same parent/guardian respondent for that youth in Wave 4.5 whose relationship is "other relative", or
Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who had not previously reported their relationship to the youth or previously reported their relationship to the youth as an "other relative" or "non-relative" whose relationship is "other relative", or

Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who previously reported their relationship to the youth as NOT an "other relative" or "non-relative" and need to correct the relationship they previously reported whose relationship is "other relative".

ASK Specification: IF R05_YOUTHTYPE = 1, 2, 4 AND (R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 = -1, 91, 92, -8, -7) OR (R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 != -1, 91, 92, -8, -7 AND R05_PM0053 = 2, -8)) AND R05_PT0001 = 91.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PT0001_OS_2

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of all sampled youth who were not the same parent/guardian respondent for that youth in Wave 4.5 whose relationship is "non-relative", or
Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who had not previously reported their relationship to the youth or previously reported their relationship to the youth as an "other relative" or "non-relative" whose relationship is "non-relative", or

Parent/guardian respondents of all sampled youth who were the same parent/guardian respondent for that youth in Wave 4.5 and who previously reported their relationship to the youth as NOT an "other relative" or "non-relative" and need to correct the relationship they previously reported whose relationship is "non-relative".

ASK Specification: IF R05_YOUTHTYPE = 1, 2, 4 AND (R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND R04_PT0001 = -1, 91, 92, -8, -7) OR (R05_LASTWVPARENTCOMP = 45 AND R05_PT0001 != -1, 91, 92, -8, -7 AND R05_PM0053 = 2, -8)) AND R05_PT0001 = 92.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR01

Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent or have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview, go to R05_PT0047.

Else, parent/guardian respondents of all youth respondents who have already completed a parent interview for another youth respondent and whose spouse is confirmed or reported and whose spouse lives in the household, go to R05_PT0002.

Else, parent/guardian respondents of all youth respondents who have already completed a parent interview for another youth respondent, go to R05_PM0057.

Else, go to Box R05_PLV03.

IF R05_YOUTHTYPE = 1, 2 AND (R05_PARENT_COMPLETE_LD != 1 OR (R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1)), GO TO R05_PT0047.

ELSE, IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD = 1 AND (R05_PM0052 = 1 OR (SPOUSE_NAME PROVIDED IN (R05_PT0046_PID OR R05_PT0046_NEW_FNAME))), GO TO R05_PT0002.

ELSE, IF IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD = 1, GO TO R05_PM0057.

ELSE, GO TO BOX R05_PLV03.

Variable(s): R05_PT0047

What is your marital status? Are you currently married, widowed, divorced, separated, or never married?

- 1 MARRIED
- 2 WIDOWED
- 3 DIVORCED
- 4 SEPARATED
- 5 NEVER MARRIED
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent or have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PARENT_COMPLETE_LD != 1 OR (R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1)).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR03

Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and were the same parent/guardian respondent for that youth in Wave 4.5 and reported being married as of their last completed interview and are currently married, or parent/guardian respondents of all youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and were the same parent/guardian respondent for that youth in Wave 4.5 and provided the name of their spouse as of their last completed interview and are currently married, go to R05_PM0052.

Else, parent/guardian respondents of new baseline youth respondents who have not already completed a parent interview for another youth respondent and are currently married, or parent/guardian respondents of new baseline youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married, or parent/guardian respondents of continuing youth respondents who have not already completed a parent interview for another youth respondent and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview, or parent/guardian respondents of continuing youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview, go to R05_PT0046.

Else, go to R05_PM0057.

IF (R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID != -1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID != -1 AND R05_PT0047 = 1), GO TO R05_PM0052.

ELSE, IF (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID = -1))) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID = -1))), GO TO R05_PT0046.

ELSE, GO TO R05_PM0057.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0052

I have that your spouse is {Spouse's first name/AGE}, is that correct?

- | | |
|---------------|------------------|
| 1 YES | GO TO R05_PT0045 |
| 2 NO | |
| -8 DON'T KNOW | |
| -7 REFUSED | GO TO R05_PM0057 |

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and were the same parent/guardian respondent for that youth in Wave 4.5 and provided the name of their spouse as of their last completed interview and are currently married, or

Parent/guardian respondents of all youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and were the same parent/guardian respondent for that youth in Wave 4.5 and provided the name of their spouse as of their last completed interview and are currently married.

ASK Specification: IF (R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID != -1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_LASTWVPARENTCOMP = 45 AND R04_PARSPOUSE_PID != -1 AND R05_PT0047 = 1).

DISPLAY: FILL {Spouse's first name/AGE} WITH NAME SELECTED IN R04_PARSPOUSE_PID.
DISPLAY AS FIRST NAME/AGE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0046_PID

What is your spouse's name?

SELECT NAME AMONG THE LIST. READ NAMES IF NECESSARY. IF SPOUSE'S NAME IS NOT LISTED, SELECT SPECIFY.

- | | |
|---|------------------|
| 1 [First Name and age of person #1] | GO TO R05_PT0045 |
| 2 [First Name and age of person #2] | GO TO R05_PT0045 |
| 3 [First Name and age of person #3] | GO TO R05_PT0045 |
| 4 [First Name and age of person #4] | GO TO R05_PT0045 |
| 5 [First Name and age of person #5] | GO TO R05_PT0045 |
| -6 SPECIFY: [ENTER FIRST AND LAST NAME AND AGE OF SPOUSE] | |
| -8 DON'T KNOW | GO TO R05_PM0057 |
| -7 REFUSED | GO TO R05_PM0057 |

ASK: Parent/guardian respondents of new baseline youth respondents who have not already completed a parent interview for another youth respondent and are currently married, or
Parent/guardian respondents of new baseline youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married, or

Parent/guardian respondents of continuing youth respondents who have not already completed a parent interview for another youth respondent and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name, or

Parent/guardian respondents of continuing youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7)))) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))))).

DISPLAY: LIST FIRST NAMES OF EVERYONE IN THE GRID WHO IS AGED 18 YEARS OLD OR OLDER IN THE HH SCREENER AND NOT DECEASED WITH THEIR AGE, ORDERED BY OLDEST TO YOUNGEST AND THEN NEW PEOPLE THAT WERE ADDED EARLIEST TO MOST RECENT BELOW.

FOR RESPONSE OPTIONS, DISPLAY ONE ROW FOR EACH PERSON ON THE GRID.

DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PROGRAM: If a new person's name is entered in option -6, create a new IP and IP ID. [NOTE: Follow OPs Follow-up Screener procedure for entering new IPs into grid].

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0046_NEW_FNAME

What is your spouse's first name?

ENTER THE SPOUSE'S FIRST NAME.

-8 DON'T KNOW

GO TO R05_PT0045

-7 REFUSED

GO TO R05_PT0045

ASK: Parent/guardian respondents of new baseline youth respondents who have not already completed a parent interview for another youth respondent and are currently married and need to specify the name of their spouse, or

Parent/guardian respondents of new baseline youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and need to specify the name of their spouse, or

Parent/guardian respondents of continuing youth respondents who have not already completed a parent interview for another youth respondent and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse, or

Parent/guardian respondents of continuing youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6) OR (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0046_NEW_LNAME

What is your spouse's last name?

ENTER THE SPOUSE'S LAST NAME.

-8 DON'T KNOW

GO TO R05_PT0045

-7 REFUSED

GO TO R05_PT0045

ASK: Parent/guardian respondents of new baseline youth respondents who have not already completed a parent interview for another youth respondent and are currently married and need to specify the name of their spouse and reported their spouse's first name, or

Parent/guardian respondents of new baseline youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and need to specify the name of their spouse and reported their spouse's first name, or

Parent/guardian respondents of continuing youth respondents who have not already completed a parent interview for another youth respondent and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse and reported their spouse's first name, or

Parent/guardian respondents of continuing youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse and reported their spouse's first name.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7) OR (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND (R05_PARENTPYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND (R05_PARENTPYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0046_NEW_AGE

What is your spouse's age?

ENTER THE SPOUSE'S AGE.

-8 DON'T KNOW

GO TO R05_PT0045

-7 REFUSED

GO TO R05_PT0045

ASK: Parent/guardian respondents of new baseline youth respondents who have not already completed a parent interview for another youth respondent and are currently married and need to specify the name of their spouse and reported their spouse's first name and reported their spouse's last name, or Parent/guardian respondents of new baseline youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and need to specify the name of their spouse and reported their spouse's first name and reported their spouse's last name, or

Parent/guardian respondents of continuing youth respondents who have not already completed a parent interview for another youth respondent and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse and reported their spouse's first name and reported their spouse's last name, or

Parent/guardian respondents of continuing youth respondents who have already completed a parent interview for another youth respondent and were not asked their marital status in the other interview and are currently married and have not completed a parent interview for that youth in a previous wave or were not the same parent/guardian respondent for that youth in Wave 4.5 or were the same parent/guardian respondent for that youth in Wave 4.5 and did not provide the name of their spouse as of their last completed interview or need to correct their spouse's name and need to specify the name of their spouse and reported their spouse's first name and reported their spouse's last name.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7 AND R05_PT0046_NEW_LNAME != -8, -7) OR (R05_YOUTHTYPE = 2 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7 AND R05_PT0046_NEW_LNAME != -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7 AND R05_PT0046_NEW_LNAME != -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_PARENT_COMPLETE_LD = 1 AND R05_PT0047_LD = -1 AND R05_PT0047 = 1 AND (R05_PARENTTYPE = 2 OR R05_LASTWVPARENTCOMP != 45 OR (R05_LASTWVPARENTCOMP = 45 AND (R04_PARSPOUSE_PID = -1 OR R05_PM0052 != 1, -7))) AND R05_PT0046_PID = -6 AND R05_PT0046_NEW_FNAME != -8, -7 AND R05_PT0046_NEW_LNAME != -8, -7).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0045

Does {Spouse's first name / your spouse}/AGE live here?

[If your spouse or partner is deployed for military active duty, please consider them as living here.]

1 YES

2 NO

GO TO R05_PM0057

-8 DON'T KNOW

GO TO R05_PM0057

-7 REFUSED

GO TO R05_PM0057

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and whose spouse is confirmed or reported.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1 AND (R05_PM0052 = 1 OR (SPOUSE NAME PROVIDED IN (R05_PT0046_PID OR R05_PT0046_NEW_FNAME))).

DISPLAY: IF R05_PT0046_NEW_FNAME = -8, -7, DISPLAY "your spouse".

ELSE, DISPLAY FILL WITH {Spouse's first name/AGE}.

PROGRAM: If R05_PM0052 = 1, fill {Spouse's first name/AGE} with R04_PARSPOUSE_PID. Else, fill {Spouse's first name/AGE} with name selected/entered in R05_PT0046[_NEW_AGE/_PID]. Only display the first name/AGE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0002

What is {Spouse's First name's / their}/AGE relationship to {Child's first name}? In other words, {Spouse's First name / they}/AGE {is / are} {Child's first name}'s...

[Would you say biological, step, adoptive, or foster mother / father?]

- | | |
|-----------------------------|-----------------------|
| 1 BIOLOGICAL MOTHER | GO TO R05_PM0057 |
| 2 BIOLOGICAL FATHER | GO TO R05_PM0057 |
| 3 ADOPTIVE MOTHER | GO TO R05_PM0057 |
| 4 ADOPTIVE FATHER | GO TO R05_PM0057 |
| 5 STEP MOTHER | GO TO R05_PM0057 |
| 6 STEP FATHER | GO TO R05_PM0057 |
| 7 FOSTER MOTHER | GO TO R05_PM0057 |
| 8 FOSTER FATHER | GO TO R05_PM0057 |
| 9 GRANDMOTHER | GO TO R05_PM0057 |
| 10 GRANDFATHER | GO TO R05_PM0057 |
| 11 AUNT | GO TO R05_PM0057 |
| 12 UNCLE | GO TO R05_PM0057 |
| 91 OTHER RELATIVE (SPECIFY) | |
| 92 NON RELATIVE (SPECIFY) | GO TO R05_PT0002_OS_2 |
| -8 DON'T KNOW | GO TO R05_PM0057 |
| -7 REFUSED | GO TO R05_PM0057 |

ASK: Parent/guardian respondents of all youth respondents whose spouse is confirmed or reported and whose spouse lives in the household.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND ((R05_PM0052 = 1 OR (SPOUSE NAME PROVIDED IN (R05_PT0046_PID OR R05_PT0046_NEW_FNAME))) OR (R05_PARENT_COMPLETE_LD = 1 AND (R05_PM0052_LD = 1 OR (SPOUSE IS SELECTED OR SPECIFIED IN R05_PT0046_LD)))) AND R05_PT0045 != 2, -8, -7.

DISPLAY: IF SPOUSE'S FIRST NAME IS KNOWN, DISPLAY "{Spouse's First name's}", {Spouse's First name}", AND "is".

ELSE, IF SPOUSE'S FIRST NAME IS UNKNOWN, DISPLAY "their", "they", AND "are".

IF R05_PM0052 = 1, FILL {Spouse's First name/AGE} WITH R04_PARSPOUSE_PID.

ELSE, IF R05_PT0046_PID != -6, FILL {Spouse's First name/AGE} WITH NAME SELECTED IN R05_PT0046_PID.

ELSE, FILL {Spouse's First name/AGE} WITH NAME ENTERED IN R05_PT0046_NEW_FNAME AND AGE ENTERED IN R05_PT0046_NEW_AGE.

ONLY DISPLAY THE FIRST NAME AND AGE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0002_OS_1

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

GO TO R05_PM0057

GO TO R05_PM0057

GO TO R05_PM0057

ASK: Parent/guardian respondents of all youth respondents whose spouse is confirmed in R05_PM0052 or provided in R05_PT0046_PID or R05_PT0046_NEW_FNAME and the spouse is an "other relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND ((R05_PM0052 = 1 OR (SPOUSE NAME PROVIDED IN (R05_PT0046_NEW_FNAME OR R05_PT0046_PID))) OR (R05_PARENT_COMPLETE_LD = 1 AND (R05_PM0052_LD = 1 OR (SPOUSE IS SELECTED OR SPECIFIED IN R05_PT0046_LD)))) AND R05_PT0045 != 2, -8, -7 AND R05_PT0002 = 91.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PT0002_OS_2

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of all youth respondents whose spouse is confirmed in R05_PM0052 or provided in R05_PT0046_PID or R05_PT0046_NEW_FNAME spouse is a "non-relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND ((R05_PM0052 = 1 OR (SPOUSE NAME PROVIDED IN (R05_PT0046_NEW_FNAME OR R05_PT0046_PID))) OR (R05_PARENT_COMPLETE_LD = 1 AND (R05_PM0052_LD = 1 OR (SPOUSE IS SELECTED OR SPECIFIED IN R05_PT0046_LD)))) AND R05_PT0045 != 2, -8, -7 AND R05_PT0002 = 92.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0057

Does {Childs' first name} have any other parental figures or guardians who live here?

[If the parental figure or guardian is deployed for military active duty, please consider them as living here.]

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0058_PID

What is the other parental figure or guardian's name?

IF NEEDED, CLARIFY THAT YOU ARE ASKING ABOUT THE PARENTAL FIGURE OR GUARDIAN WHO LIVES IN THE HOME. READ NAMES IF NECESSARY. IF HOUSEHOLD MEMBER IS NOT LISTED, SELECT SPECIFY.

- | | |
|--|---------------------|
| 1 [First Name and age of person #1] | GO TO R05_PM0059 |
| 2 [First Name and age of person #2] | GO TO R05_PM0059 |
| 3 [First Name and age of person #3] | GO TO R05_PM0059 |
| 4 [First Name and age of person #4] | GO TO R05_PM0059 |
| 5 [First Name and age of person #5] | GO TO R05_PM0059 |
| -6 SPECIFY: [ENTER FIRST AND LAST NAME AND AGE OF PARENTAL FIGURE/ GUARDIAN] | |
| -8 DON'T KNOW | GO TO BOX R05_PTR05 |
| -7 REFUSED | GO TO BOX R05_PTR05 |

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives in the household.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PM0057 = 1.

DISPLAY: LIST FIRST NAMES OF EVERYONE IN THE GRID WHO IS 18 YEARS OLD OR OLDER IN THE HH SCREENER WITH THEIR AGE, ORDERED BY OLDEST TO YOUNGEST AND THEN NEW PEOPLE THAT WERE ADDED EARLIEST TO MOST RECENT BELOW.
FOR RESPONSE OPTIONS, DISPLAY ONE ROW FOR EACH PERSON ON THE GRID WHO IS 18 YEARS OLD OR OLDER.

DISPLAY "IF NEEDED..." STATEMENT IN BLUE.

PROGRAM: If a spouse is confirmed in R05_PM0052 or identified in R05_PT0046_PID OR R05_PT0046_NEW_FNAME, do not include them in the grid. If a new person(s) is entered in option -6 create a new IP and IP ID for each new person entered. [NOTE: Follow Ops Follow-up Screener procedure for entering new IPs into grid].

Variable(s): R05_PM0058_NEW_FNAME

What is the other parental figure or guardian's first name?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S FIRST NAME.

- | | |
|---------------|---------------------|
| _____ | |
| -8 DON'T KNOW | GO TO BOX R05_PTR05 |
| -7 REFUSED | GO TO BOX R05_PTR05 |

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives in the household and need to specify the other parent/guardian.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PM0057 = 1 AND R05_PM0058_PID = -6.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0058_NEW_LNAME

What is the other parental figure or guardian's last name?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S LAST NAME.

-8 DON'T KNOW

GO TO BOX R05_PTR05

-7 REFUSED

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives in the household and need to specify the other parent/guardian and reported the other parent's/guardian's first name.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PM0057 = 1 AND R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -8, -7.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0058_NEW_AGE

What is the other parental figure or guardian's age?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S AGE.

-8 DON'T KNOW

GO TO BOX R05_PTR05

-7 REFUSED

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives in the household and need to specify the other parent/guardian and reported the other parent's/guardian's first name and reported the other parent's/guardian's last name.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PM0057 = 1 AND R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0059

What is {Parental figure/guardian's first name/AGE}'s relationship to {Child's first name}? In other words, {Parental figure/guardian's first name/AGE} is {Child's first name}'s...

[Would you say biological, adoptive, or step mother / father?]

- | | |
|-----------------------------|-----------------------|
| 1 BIOLOGICAL MOTHER | GO TO R05_PM0060 |
| 2 BIOLOGICAL FATHER | GO TO R05_PM0060 |
| 3 ADOPTIVE MOTHER | GO TO R05_PM0060 |
| 4 ADOPTIVE FATHER | GO TO R05_PM0060 |
| 5 STEP MOTHER | GO TO R05_PM0060 |
| 6 STEP FATHER | GO TO R05_PM0060 |
| 7 FOSTER MOTHER | GO TO R05_PM0060 |
| 8 FOSTER FATHER | GO TO R05_PM0060 |
| 9 GRANDMOTHER | GO TO R05_PM0060 |
| 10 GRANDFATHER | GO TO R05_PM0060 |
| 11 AUNT | GO TO R05_PM0060 |
| 12 UNCLE | GO TO R05_PM0060 |
| 13 SISTER | GO TO R05_PM0060 |
| 14 BROTHER | GO TO R05_PM0060 |
| 91 OTHER RELATIVE (SPECIFY) | |
| 92 NON RELATIVE (SPECIFY) | GO TO R05_PM0059_OS_2 |
| -8 DON'T KNOW | GO TO R05_PM0060 |
| -7 REFUSED | GO TO R05_PM0060 |

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))).

PROGRAM: Fill {Parental figure/guardian first name/AGE}'s with first name selected in R05_PM0058_PID or entered in R05_PM0058_NEW_FNAME.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0059_OS_1

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

GO TO R05_PM0060

GO TO R05_PM0060

GO TO R05_PM0060

ASK: Parent/guardian respondents who report another parental figure or guardian in R05_PM0058 or R05_PM0058_NEW_FNAME and the other parental figure or guardian is an "other relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -1, -8, -7 OR (R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0059 = 91.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0059_OS_2

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents who report another parental figure or guardian in R05_PM0058 or R05_PM0058_NEW_FNAME and the other parental figure or guardian is a "non-relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -1, -8, -7 OR (R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0059 = 92.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0060

Does {Childs' first name} have any other parental figures or guardians who live here?

[If the parental figure or guardian is deployed for military active duty, please consider them as living here.]

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0061_PID

What is the other parental figure or guardian's name?

IF NEEDED, CLARIFY THAT YOU ARE ASKING ABOUT THE PARENTAL FIGURE OR GUARDIAN WHO LIVES IN THE HOME. READ NAMES IF NECESSARY. IF HOUSEHOLD MEMBER IS NOT LISTED, SELECT SPECIFY.

- | | | |
|----|---|---------------------|
| 1 | [First Name and age of person #1] | GO TO R05_PM0062 |
| 2 | [First Name and age of person #2] | GO TO R05_PM0062 |
| 3 | [First Name and age of person #3] | GO TO R05_PM0062 |
| 4 | [First Name and age of person #4] | GO TO R05_PM0062 |
| 5 | [First Name and age of person #5] | GO TO R05_PM0062 |
| -6 | SPECIFY: [ENTER FIRST AND LAST NAME AND AGE OF PARENTAL FIGURE/ GUARDIAN] | |
| -8 | DON'T KNOW | GO TO BOX R05_PTR05 |
| -7 | REFUSED | GO TO BOX R05_PTR05 |

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian and have a second other parent/guardian who live in the household.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1.

DISPLAY: LIST FIRST NAMES OF EVERYONE IN THE GRID WHO IS 18 YEARS OLD OR OLDER IN THE HH SCREENER WITH THEIR AGE, ORDERED BY OLDEST TO YOUNGEST AND THEN NEW PEOPLE THAT WERE ADDED EARLIEST TO MOST RECENT BELOW.

FOR RESPONSE OPTIONS, DISPLAY ONE ROW FOR EACH PERSON ON THE GRID WHO IS 18 YEARS OLD OR OLDER.

DISPLAY "IF NEEDED..." STATEMENT IN BLUE.

PROGRAM: If a spouse is confirmed in R05_PM0052 or identified in R05_PT0046_PID OR R05_PT0046_NEW_FNAME, do not include them in the grid. If a new person(s) is entered in option -6 create a new IP and IP ID for each new person entered. [NOTE: Follow Ops Follow-up Screener procedure for entering new IPs into grid].

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0061_NEW_FNAME

What is the other parental figure or guardian's first name?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S FIRST NAME.

-8 DON'T KNOW

GO TO BOX R05_PTR05

-7 REFUSED

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian and have a second other parent/guardian who live in the household and need to specify the second other parent/guardian.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND R05_PM0061_PID = -6.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0061_NEW_LNAME

What is the other parental figure or guardian's last name?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S LAST NAME.

-8 DON'T KNOW

GO TO BOX R05_PTR05

-7 REFUSED

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian and have a second other parent/guardian who live in the household and need to specify the second other parent/guardian and reported the second other parent's/guardian's first name.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND R05_PM0061_PID = -6 AND R05_PM0061_NEW_FNAME != -8, -7.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0061_NEW_AGE

What is the other parental figure or guardian's age?

ENTER THE OTHER PARENTAL FIGURE OR GUARDIAN'S AGE.

-8 DON'T KNOW

GO TO BOX R05_PTR05

-7 REFUSED

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian and have a second other parent/guardian who live in the household and need to specify the second other parent/guardian and reported the second other parent's/guardian's first name and reported the second other parent's/guardian's last name.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND R05_PM0061_PID = -6 AND R05_PM0061_NEW_FNAME != -8, -7 AND R05_PM0061_NEW_LNAME != -8, -7.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0062

What is {Parental figure/guardian's first name/AGE}'s relationship to {Child's first name}? In other words, {Parental figure/guardian's first name/AGE} is {Child's first name}'s...

[Would you say biological, adoptive, or step mother / father?]

- | | |
|-----------------------------|-----------------------|
| 1 BIOLOGICAL MOTHER | GO TO BOX R05_PTR05 |
| 2 BIOLOGICAL FATHER | GO TO BOX R05_PTR05 |
| 3 ADOPTIVE MOTHER | GO TO BOX R05_PTR05 |
| 4 ADOPTIVE FATHER | GO TO BOX R05_PTR05 |
| 5 STEP MOTHER | GO TO BOX R05_PTR05 |
| 6 STEP FATHER | GO TO BOX R05_PTR05 |
| 7 FOSTER MOTHER | GO TO BOX R05_PTR05 |
| 8 FOSTER FATHER | GO TO BOX R05_PTR05 |
| 9 GRANDMOTHER | GO TO BOX R05_PTR05 |
| 10 GRANDFATHER | GO TO BOX R05_PTR05 |
| 11 AUNT | GO TO BOX R05_PTR05 |
| 12 UNCLE | GO TO BOX R05_PTR05 |
| 13 SISTER | GO TO BOX R05_PTR05 |
| 14 BROTHER | GO TO BOX R05_PTR05 |
| 91 OTHER RELATIVE (SPECIFY) | |
| 92 NON RELATIVE (SPECIFY) | GO TO R05_PM0062_OS_2 |
| -8 DON'T KNOW | GO TO BOX R05_PTR05 |
| -7 REFUSED | GO TO BOX R05_PTR05 |

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian and have a second other parent/guardian who lives in the household and reported the second other parent/guardian.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -6, -1, -8, -7 OR (R05_PM0058_PID = -6 AND R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND (R05_PM0061_PID != -6, -1, -8, -7 OR (R05_PM0061_PID = -6 AND R05_PM0061_NEW_FNAME != -8, -7 AND R05_PM0061_NEW_LNAME != -8, -7 AND R05_PM0061_NEW_AGE != -8, -7)).

PROGRAM: Fill {Parental figure/guardian name/AGE}'s with first name selected in R05_PM0061_PID or entered in R05_PM0061_NEW_FNAME.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0062_OS_1

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

GO TO BOX R05_PTR05

ASK: Parent/guardian respondents who report another parental figure or guardian in R05_PM0061 or R05_PM0061_NEW_FNAME and the other parental figure or guardian is an "other relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -1, -8, -7 OR (R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND R05_PM0061_PID != -1, -8, -7 AND R05_PM0061_NEW_FNAME != -8, -7 AND R05_PM0061_NEW_LNAME != -8, -7 AND R05_PM0062 = 91.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

Variable(s): R05_PM0062_OS_2

ENTER THE RELATIONSHIP.

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents who report another parental figure or guardian in R05_PM0061 or R05_PM0061_NEW_FNAME and the other parental figure or guardian is a "non-relative" of the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R05_PM0057 = 1 AND (R05_PM0058_PID != -1, -8, -7 OR (R05_PM0058_NEW_FNAME != -1, -8, -7 AND R05_PM0058_NEW_LNAME != -8, -7 AND R05_PM0058_NEW_AGE != -8, -7))) AND R05_PM0060 = 1 AND R05_PM0061_PID != -1, -8, -7 AND R05_PM0061_NEW_FNAME != -8, -7 AND R05_PM0061_NEW_LNAME != -8, -7 AND R05_PM0062 = 92.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

BOX ID: R05_PTR05

Parent/guardian respondents of all youth respondents who are not a biological parent or are a biological parent and no spouse or other parental figures or guardians who live in the household are the other biological parent, go to R05_PT0003.
Else, go to Box R05_PXR01.

IF R05_YOUTHTYPE = 1, 2 AND (((R04_PT0001 != 1, 2 OR (R04_PT0001 = 1, 2 AND R05_PM0053 = 2, -8, -7)) AND R05_PT0001 != 1, 2) OR (((R04_PT0001 = 1, 2 AND R05_PM0053 = 1) OR R05_PT0001 = 1, 2) AND (R05_PT0002 != 1, 2 AND R05_PM0059 != 1, 2 AND R05_PM0062 != 1, 2))), GO TO R05_PT0003.
ELSE, GO TO BOX R05_PXR01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0003***

Does {Child's first name} have another parent who lives somewhere else?

- 1 YES
- 2 NO GO TO BOX R05_PXR01
- 8 DON'T KNOW GO TO BOX R05_PXR01
- 7 REFUSED GO TO BOX R05_PXR01

ASK: Parent/guardian respondents of all youth respondents who are not a biological parent or are a biological parent and no spouse or other parental figures or guardians who live in the household are the other biological parent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (((R04_PT0001 != 1, 2 OR (R04_PT0001 = 1, 2 AND R05_PM0053 = 2, -8, -7)) AND R05_PT0001 != 1, 2) OR (((R04_PT0001 = 1, 2 AND R05_PM0053 = 1) OR R05_PT0001 = 1, 2) AND (R05_PT0002 != 1, 2 AND R05_PM0059 != 1, 2 AND R05_PM0062 != 1, 2))).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PT0006***

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

- 1 NEVER
- 2 LESS THAN HALF THE TIME
- 3 ABOUT HALF THE TIME
- 4 MORE THAN HALF THE TIME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who are not a biological parent or are a biological parent and no spouse or other parental figures or guardians who live in the household are the other biological parent and report another parent/guardian who lives somewhere else.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (((R04_PT0001 != 1, 2 OR (R04_PT0001 = 1, 2 AND R05_PM0053 = 2, -8, -7)) AND R05_PT0001 != 1, 2) OR (((R04_PT0001 = 1, 2 AND R05_PM0053 = 1) OR R05_PT0001 = 1, 2) AND (R05_PT0002 != 1, 2 AND R05_PM0059 != 1, 2 AND R05_PM0062 != 1, 2))) AND R05_PT0003 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_PXR01

Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the Household Screener, go to R05_PTWININTRO_NB.
Else, go to R05_PT0009.

IF R05_YOUTHTYPE = 2 AND TWINMULT = 1, GO TO R05_PTWININTRO_NB.
ELSE, GO TO R05_PT0009.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PTWININTRO_NB

{CHILD'S FIRST NAME} WAS IDENTIFIED IN THE HOUSEHOLD SCREENER AS PART OF A SET OF TWINS OR MULTIPLE BIRTHS. THE NEXT SET OF QUESTIONS IS SPECIFIC TO THESE TWINS OR MULTIPLE BIRTHS.

PRESS 1 TO CONTINUE.

1 CONTINUE

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the Household Screener.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1.

DISPLAY: FILL {Child's first name} WITH FIRST NAME OF SAMPLED YOUTH THAT WAS IDENTIFIED AS A TWIN OR MULTIPLE BIRTH.

DISPLAY "{CHILD'S FIRST NAME} WAS IDENTIFIED..." STATEMENT IN BLUE.

Variable(s): R05_PM0016_NB

In an earlier interview, {Child's first name} was identified as a **twin** or part of a **multiple birth**. Is that correct?

PROBE, IF NEEDED: [Is {Child's first name} a twin or a multiple?]

1 YES, TWIN

2 YES, PART OF MULTIPLE BIRTH GO TO R05_PM0035_NB

3 NO GO TO R05_PT0009

-8 DON'T KNOW GO TO R05_PT0009

-7 REFUSED GO TO R05_PT0009

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1.

DISPLAY: DISPLAY QxQ WORDS "twin" AND "multiple birth" IN BOLD/GREEN.

DISPLAY "PROBE, IF NEEDED:" IN BLUE.

QxQ: Load QxQ #P1.

Variable(s): R05_PM0030_NB

What is the first name of the child that {Child's first name} is a **twin** of?

NAME _____

-8 DON'T KNOW GO TO R05_PT0009

-7 REFUSED GO TO R05_PT0009

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener and are confirmed as a twin.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1 AND R05_PM0016_NB = 1.

DISPLAY: DISPLAY QxQ WORD "twin" IN BOLD/GREEN.

DISPLAY "NAME" IN BLUE.

QxQ: Load QxQ #P20.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0017_NB

Are {Child's first name} and {Twin's first name from R05_PM0030_NB} **identical twins?**

- | | |
|---------------|------------------|
| 1 YES | GO TO R05_PT0009 |
| 2 NO | GO TO R05_PT0009 |
| -8 DON'T KNOW | GO TO R05_PT0009 |
| -7 REFUSED | GO TO R05_PT0009 |

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener and are confirmed as a twin and their twin is reported.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1 AND R05_PM0016_NB = 1 AND R05_PM0030_NB != -8, -7.

DISPLAY: FILL "Twin's first name" WITH THE OTHER TWIN'S NAME THAT WAS IDENTIFIED IN R05_PM0030_NB.

DISPLAY QxQ WORDS "identical twins" IN BOLD/GREEN.

QxQ: Load QxQ #P2.

Variable(s): R05_PM0035_NB

What are the first names of the other children in the **multiple birth** with {Child's first name}?

- NAMES _____
- | | |
|---------------|------------------|
| -8 DON'T KNOW | GO TO R05_PT0009 |
| -7 REFUSED | GO TO R05_PT0009 |

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener and are confirmed as part of a multiple birth.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1 AND R05_PM0016_NB = 2.

DISPLAY: DISPLAY QxQ WORDS "multiple birth" IN BOLD/GREEN.

DISPLAY "NAMES" IN BLUE.

QxQ: Load QxQ #P3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0019_NB

Are any of them **identical** to {Child's first name}?

IF AT LEAST ONE PERSON IN THE MULTIPLE BIRTH IS IDENTICAL TO THE SP YOUTH, CODE THIS QUESTION AS 'YES'.

1 YES

2 NO

GO TO R05_PT0009

-8 DON'T KNOW

GO TO R05_PT0009

-7 REFUSED

GO TO R05_PT0009

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener and are confirmed as part of a multiple birth and their siblings in the multiple birth are reported.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1 AND R05_PM0016_NB = 2 AND R05_PM0035_NB != -8, -7.

DISPLAY: DISPLAY QxQ WORD "identical" IN BOLD/GREEN.

DISPLAY "IF AT LEAST ONE PERSON..." STATEMENT IN BLUE.

QxQ: Load QxQ #P4.

Variable(s): R05_PM0021_NB

Who is **identical** to {Child's first name}?

NAME(S) _____

-8 DON'T KNOW

GO TO R05_PT0009

-7 REFUSED

GO TO R05_PT0009

ASK: Parent/guardian respondents of new baseline youth respondents who were identified as a twin or part of a multiple birth in the HH Screener and are confirmed as part of a multiple birth and their siblings in the multiple birth are reported and at least one of the siblings in the multiple birth is identical to the youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 2 AND TWINMULT = 1 AND R05_PM0016_NB = 2 AND R05_PM0035_NB != -8, -7 AND R05_PM0019_NB = 1.

DISPLAY: DISPLAY QxQ WORD "identical" IN BOLD/GREEN.

DISPLAY "NAME(S)" IN BLUE.

QxQ: Load QxQ #P5.

SCHOOL, HOME, AND TOBACCO USE

Variable(s): R05_PT0009 The next series of questions ask about {Child's first name}'s life at home and in school. In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on <u>school</u> nights? IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME. 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: All parent/guardian respondents of all youth respondents. ASK Specification: IF R05_YOUTHTYPE = 1, 2. DISPLAY: DISPLAY "IF THE RESPONDENT IS..." STATEMENT IN BLUE. UNDERLINE "school".

Variable(s): R05_PT0011 In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on <u>weekend</u> nights? IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME. 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: All parent/guardian respondents of all youth respondents. ASK Specification: IF R05_YOUTHTYPE = 1, 2. DISPLAY: DISPLAY "IF THE RESPONDENT IS..." STATEMENT IN BLUE. UNDERLINE "weekend".
--

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0019

Please look at this list. How would you describe how {Child's first name} has performed at school in the past 12 months? Would you say {Child's first name}'s grades are...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 MOSTLY A'S,
- 2 A'S AND B'S,
- 3 MOSTLY B'S,
- 4 B'S AND C'S,
- 5 MOSTLY C'S,
- 6 C'S AND D'S,
- 7 MOSTLY D'S,
- 8 D'S AND F'S,
- 9 MOSTLY F'S, OR
- 10 YOUR CHILD'S SCHOOL IS UNGRADED
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD" IN BLUE.

UNDERLINE "past 12 months".

SHOWCARD: Load digital showcard #1.

Variable(s): R05_PT0021

As far as you know, has {Child's first name} ever smoked a cigarette, used e-cigarettes or other **electronic nicotine products**, smoked cigars, a pipe, a hookah, or used snus or other smokeless tobacco?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 YOU KNOW THAT {SHE/HE/HE OR SHE} HAS,
- 2 YOU STRONGLY SUSPECT {SHE/HE/HE OR SHE} HAS,
- 3 YOU DON'T THINK {SHE/HE/HE OR SHE} HAS, OR
- 4 YOU ARE CONFIDENT {SHE/HE/HE OR SHE} HAS NOT?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY QxQ WORDS "electronic nicotine products" IN BOLD/GREEN.

DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD" IN BLUE.

QxQ: Load QxQ #P21.

SHOWCARD: Load digital showcard #2M/#2F/#2O.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PXR02
Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview, go to R05_PR1045. Else, go to R05_PT0029.
IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_PR1045. ELSE, GO TO R05_PT0029.
Variable(s): R05_PR1045***
These next few questions ask about the rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers. For tobacco products that are <u>burned</u>, such as cigarettes, cigars, pipes, or hookah, which statement best describes the rules about smoking these products <u>inside</u> your home? Please look at this list. Would you say... IF NEEDED, READ RESPONSE OPTIONS ALOUD. 1 IT IS NOT ALLOWED ANYWHERE OR AT ANY TIME INSIDE MY HOME, 2 IT IS ALLOWED IN SOME PLACES OR AT SOME TIMES INSIDE MY HOME, OR 3 IT IS ALLOWED ANYWHERE AND AT ANY TIME INSIDE MY HOME? -8 DON'T KNOW -7 REFUSED ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview. ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1. DISPLAY: UNDERLINE "burned" AND "inside". DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE. SHOWCARD: Load digital showcard #3. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_PR1051*****

Now think about e-cigarettes and other **electronic nicotine products**.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 IT IS NOT ALLOWED ANYWHERE OR AT ANY TIME INSIDE MY HOME,
- 2 IT IS ALLOWED IN SOME PLACES OR AT SOME TIMES INSIDE MY HOME, OR
- 3 IT IS ALLOWED ANYWHERE AND AT ANY TIME INSIDE MY HOME?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY QxQ WORDS "electronic nicotine products" IN BOLD/GREEN.
UNDERLINE "inside".

DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

QxQ: Load QxQ #P22.

SHOWCARD: Load digital showcard #6.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_PR1050*****

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 IT IS NOT ALLOWED ANYWHERE OR AT ANY TIME INSIDE MY HOME,
- 2 IT IS ALLOWED IN SOME PLACES OR AT SOME TIMES INSIDE MY HOME, OR
- 3 IT IS ALLOWED ANYWHERE AND AT ANY TIME INSIDE MY HOME?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "not" AND "inside".

DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #4.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R05_PT0029**

Do you think any tobacco products or **electronic nicotine products** (such as e-cigarettes) might be available to {Child's first name} at your home?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY QxQ WORDS "electronic nicotine products" IN BOLD/GREEN.

QxQ: Load QxQ #P23.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR04
Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household, go to R05_PT0005. Else, go to R05_PT0035.
IF R05_YOUTHTYPE = 1, 2 AND R05_PT0003 = 1 AND R05_PT0006 > 1, GO TO R05_PT0005. ELSE, GO TO R05_PT0035.

Variable(s): R05_PT0005
Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} when {he/she} is at the other parent's home? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household. ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PT0003 = 1 AND R05_PT0006 > 1. DISPLAY: DISPLAY QxQ WORDS "electronic nicotine products" IN BOLD/GREEN. QxQ: Load QxQ #P24.

HEALTH

Variable(s): R05_PT0035

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s **overall health** is excellent, very good, good, fair, or poor?

- 1 EXCELLENT
- 2 VERY GOOD
- 3 GOOD
- 4 FAIR
- 5 POOR
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY QxQ WORDS "overall health" IN BOLD/GREEN.

QxQ: Load QxQ #P7.

Variable(s): R05_PT0007_FT; R05_PT0007_IN; R05_PT0007_MT

About how tall is {Child's first name} without shoes? Please answer in either feet and inches or meters.

|_|_| FEET

|_|_| INCHES

|_|.|_|_| METERS

-8 DON'T KNOW

GO TO R05_PT0008

-7 REFUSED

GO TO R05_PT0008

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY "FEET", "INCHES" AND "METERS" AS TITLES.

PROGRAM: Allow entry for either feet and inches or meters - not both. A response is required for feet/inches OR meters - not both.

Range check: Feet (3 to 8).

Range check: Inches (0 to 11).

Range check: Meters (0.9 to 2.7).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PT0007_LC1

I have that {CHILD'S FIRST NAME}'s current height is {[R05_PT0007_FT] feet{ and [R05_PT0007_IN] inches}/[R05_PT0007_MT] meters} tall.

Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO GO TO R05_PT0007

2 SUPPRESS GO TO R05_PT0008

ASK: IF R05_YOUTHTYPE = 1, 2 AND (R05_PT0007_FT < 5 OR (R05_PT0007_FT = 6 AND R05_PT0007_IN > 0) OR R05_PT0007_FT > 6 OR R05_PT0007_MT < 1.5 OR R05_PT0007_MT > 1.8).

DISPLAY: IF R05_PT0007_FT > 0 AND R05_PT0007_IN = 0, DISPLAY "[R05_PT0007_FT] feet". ELSE, IF R05_PT0007_FT > 0 AND R05_PT0007_IN > 0, DISPLAY "[R05_PT0007_FT] feet and [R05_PT0007_IN] inches".

ELSE, IF R05_PT0007_MT > 0, DISPLAY "[R05_PT0007_MT] meters".

PROGRAM: TRIGGER CHECK IF R05_PT0007_FT < 5 OR (R05_PT0007_FT = 6 AND R05_PT0007_IN > 0) OR R05_PT0007_FT > 6 OR R05_PT0007_MT < 1.5 OR R05_PT0007_MT > 1.8. ELSE, GO TO R05_PT0008 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PT0008_KG; R05_PT0008_LB

About how much does {Child's first name} weigh without clothes or shoes? Please answer in either pounds or kilograms.

|_|_|_| POUNDS

|_|_|_|.|_|_| KILOGRAMS

-8 DON'T KNOW GO TO BOX R05_PXR04

-7 REFUSED GO TO BOX R05_PXR04

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY "POUNDS" AND "KILOGRAMS" AS TITLES.

PROGRAM: Allow entry for either pounds or kilograms - not both. Require entry for either pounds or kilograms - R05_PT0008 cannot be blank.

Allow 3 digits for pounds.

Allow 3 digits before the decimal for kilograms; allow 2 digits after the decimal.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PT0008_LC1

I have that {CHILD'S FIRST NAME}'s current weight is [R05_PT0008] {pounds/kilograms}.

Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO

GO TO R05_PT0008

2 SUPPRESS

GO TO BOX R05_PXR04

ASK: IF R05_YOUTHTYPE = 1, 2 AND ((R05R_Y_AGE < 15 AND ((R05_PT0008_LB < 85 OR R05_PT0008_LB > 170) OR (R05_PT0008_KG < 38.6 OR R05_PT0008_KG > 77.1))) OR (R05R_Y_AGE >= 15 AND ((R05_PT0008_LB < 105 OR R05_PT0008_LB > 200) OR (R05_PT0008_KG < 47.6 OR R05_PT0008_KG > 90.7)))).

PROGRAM: TRIGGER CHECK IF (R05R_Y_AGE < 15 AND ((R05_PT0008_LB < 85 OR R05_PT0008_LB > 170) OR (R05_PT0008_KG < 38.6 OR R05_PT0008_KG > 77.1))) OR (R05R_Y_AGE >= 15 AND ((R05_PT0008_LB < 105 OR R05_PT0008_LB > 200) OR (R05_PT0008_KG < 47.6 OR R05_PT0008_KG > 90.7))).

ELSE, GO TO BOX R05_PXR04 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_PXR04

Parent/guardian respondents of new baseline youth respondents, go to R05_PX0186_NB.

Else, go to R05_PT0050_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_PX0186_NB.

ELSE, GO TO R05_PT0050_12M.

Variable(s): R05_PX0186_NB

The next set of questions is about limitations caused by any long-term physical, mental, or emotional problem or illness. Please do not include temporary conditions, such as a cold or broken limbs.

Does {Child's first name} have serious difficulty walking or climbing stairs?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PX0188_NB

Does {Child's first name} have difficulty dressing or bathing?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Variable(s): R05_PX0191_NB

Is {Child's first name} blind or does {he/she} have serious difficulty seeing, even when wearing glasses?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Variable(s): R05_PX0190_NB

Is {Child's first name} deaf or does {he/she} have serious difficulty hearing?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Variable(s): R05_PX0189_NB

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PXR05
Parent/guardian respondents of new baseline youth respondents who are 15 years old or older, go to R05_PX0187_NB. Else, go to R05_PT0050_NB.
IF R05_YOUTHTYPE = 2 AND R05R_Y_AGE >= 15, GO TO R05_PX0187_NB. ELSE, GO TO R05_PT0050_NB.

Variable(s): R05_PX0187_NB	
Because of a physical, mental, or emotional condition, does {Child's first name} have difficulty doing errands alone such as visiting a doctor's office or shopping?	
1 YES	GO TO R05_PT0050_NB
2 NO	GO TO R05_PT0050_NB
-8 DON'T KNOW	GO TO R05_PT0050_NB
-7 REFUSED	GO TO R05_PT0050_NB
ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.	
ASK Specification: IF R05_YOUTHTYPE = 2 AND R05R_Y_AGE >= 15.	

Variable(s): R05_PT0050_12M	
In the <u>past 12 months</u> , has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?	
1 YES	GO TO R05_PT0051_12M
2 NO	GO TO R05_PT0051_12M
-8 DON'T KNOW	GO TO R05_PT0051_12M
-7 REFUSED	GO TO R05_PT0051_12M
ASK: Parent/guardian respondents of continuing youth respondents.	
ASK Specification: IF R05_YOUTHTYPE = 1.	
DISPLAY: UNDERLINE "past 12 months".	

Variable(s): R05_PT0050_NB
Has {Child's first name} <u>ever</u> been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?
1 YES
2 NO GO TO R05_PT0051_NB
-8 DON'T KNOW GO TO R05_PT0051_NB
-7 REFUSED GO TO R05_PT0051_NB
ASK: Parent/guardian respondents of new baseline youth respondents.
ASK Specification: IF R05_YOUTHTYPE = 2.
DISPLAY: UNDERLINE "ever".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0041_NB	
How old was {Child's first name} when {he/she} was first told {he/she} had high blood pressure?	
I ___ I ___ YEARS OLD	
-8 DON'T KNOW	GO TO R05_PT0253_NB
-7 REFUSED	GO TO R05_PT0253_NB
ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had high blood pressure.	
ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0050_NB = 1.	
DISPLAY: DISPLAY "YEARS OLD" AS TITLE.	
PROGRAM: Range check: 0-17.	

CHECK ID: R05_PT0041_NB_LC1	
I have that {CHILD'S FIRST NAME} was diagnosed with high blood pressure at age [R05_PT0041_NB]. That is older than {he/she} is now. Is that correct?	
YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.	
NO: PRESS GOTO TO CORRECT THE ANSWER.	
1 GOTO	GO TO R05_PT0041_NB
2 SUPPRESS	GO TO R05_PT0051_NB
ASK: IF R05_YOUTHTYPE = 2 AND R05_PT0050_NB = 1 AND (R05_PT0041_NB > R05R_Y_AGE).	
PROGRAM: TRIGGER CHECK IF R05_PT0041_NB > R05R_Y_AGE.	
ELSE, GO TO R05_PT0051_NB AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): R05_PT0253_NB	
Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?	
1 LESS THAN 12 YEARS OLD	GO TO R05_PT0051_NB
2 12 TO 14 YEARS OLD	GO TO R05_PT0051_NB
3 15 TO 17 YEARS OLD	GO TO R05_PT0051_NB
-8 DON'T KNOW	GO TO R05_PT0051_NB
-7 REFUSED	GO TO R05_PT0051_NB
ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had high blood pressure and did not know or refused to report the age when the youth respondent was told they had high blood pressure.	
ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0050_NB = 1 AND R05_PT0041_NB = -8, -7.	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0051_12M

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

- | | |
|---------------|----------------------|
| 1 YES | GO TO R05_PT0031_12M |
| 2 NO | GO TO R05_PT0031_12M |
| -8 DON'T KNOW | GO TO R05_PT0031_12M |
| -7 REFUSED | GO TO R05_PT0031_12M |

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY "IF NEEDED:" IN BLUE.

Variable(s): R05_PT0051_NB

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

- | | |
|---------------|---------------------|
| 1 YES | |
| 2 NO | GO TO R05_PT0031_NB |
| -8 DON'T KNOW | GO TO R05_PT0031_NB |
| -7 REFUSED | GO TO R05_PT0031_NB |

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.

UNDERLINE "ever".

Variable(s): R05_PT0043_NB

How old was {Child's first name} when {he/she} was first told {he/she} had high cholesterol?

- | | |
|-----------------------|---------------------|
| I ___ I ___ YEARS OLD | |
| -8 DON'T KNOW | GO TO R05_PT0254_NB |
| -7 REFUSED | GO TO R05_PT0254_NB |

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had high cholesterol.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0051_NB = 1.

DISPLAY: DISPLAY "YEARS OLD" AS TITLE.

PROGRAM: Range check: 0-17.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PT0043_NB_LC1

I have that {CHILD'S FIRST NAME} was diagnosed with high cholesterol at age [R05_PT0043_NB]. That is older than {he/she} is now. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

- | | |
|------------|---------------------|
| 1 GOTO | GO TO R05_PT0043_NB |
| 2 SUPPRESS | GO TO R05_PT0031_NB |

ASK: IF R05_YOUTHTYPE = 2 AND R05_PT0051_NB = 1 AND (R05_PT0043_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_PT0043_NB > R05R_Y_AGE.

ELSE, GO TO R05_PT0031_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PT0254_NB

Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?

- | | |
|--------------------------|---------------------|
| 1 LESS THAN 12 YEARS OLD | GO TO R05_PT0031_NB |
| 2 12 TO 14 YEARS OLD | GO TO R05_PT0031_NB |
| 3 15 TO 17 YEARS OLD | GO TO R05_PT0031_NB |
| -8 DON'T KNOW | GO TO R05_PT0031_NB |
| -7 REFUSED | GO TO R05_PT0031_NB |

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had high cholesterol and did not know or refused to report the age when the youth respondent was told they had high cholesterol.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0051_NB = 1 AND R05_PT0043_NB = -8, -7.

Variable(s): R05_PT0031_12M

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...**asthma**?

- | |
|---------------|
| 1 YES |
| 2 NO |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

DISPLAY: DISPLAY " IF NEEDED:" IN BLUE.

UNDERLINE "In the past 12 months".

DISPLAY QxQ WORD "asthma" IN BOLD/GREEN.

QxQ: Load QxQ #P10.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR06

Parent/guardian respondents of continuing youth respondents who have ever been told they had asthma, go to R05_PT0022.
Else, go to R05_PT0033.

IF R05_YOUTHTYPE = 1 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1), GO TO R05_PT0022.
ELSE, GO TO R05_PT0033.

Variable(s): R05_PT0031_NB

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...**asthma**?

1 YES

2 NO

GO TO R05_PT0033

-8 DON'T KNOW

GO TO R05_PT0033

-7 REFUSED

GO TO R05_PT0033

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: DISPLAY " IF NEEDED:" IN BLUE.

UNDERLINE "ever".

DISPLAY QxQ WORD "asthma" IN BOLD/GREEN.

QxQ: Load QxQ #P10.

Variable(s): R05_PT0038_NB

How old was {Child's first name} when {he/she} was first told {he/she} had **asthma**?

I ___ I ___ YEARS OLD

-8 DON'T KNOW

GO TO R05_PT0260_NB

-7 REFUSED

GO TO R05_PT0260_NB

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had asthma.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0031_NB = 1.

DISPLAY: DISPLAY QxQ WORD "asthma" IN BOLD/GREEN.

DISPLAY "YEARS OLD" AS TITLE.

PROGRAM: Range check: 0-17.

QxQ: Load QxQ #P11.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PT0038_NB_LC1

I have that {CHILD'S FIRST NAME} was diagnosed with asthma at age [R05_PT0038_NB]. That is older than {he/she} is now. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

- | | |
|------------|---------------------|
| 1 GOTO | GO TO R05_PT0038_NB |
| 2 SUPPRESS | GO TO R05_PT0022 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_PT0031_NB = 1 AND (R05_PT0038_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_PT0038_NB > R05R_Y_AGE.

ELSE, GO TO R05_PT0022 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PT0260_NB

Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?

- 1 LESS THAN 12 YEARS OLD
- 2 12 TO 14 YEARS OLD
- 3 15 TO 17 YEARS OLD
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had asthma and did not know or refused to report the age when the youth respondent was told they had asthma.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0031_NB = 1 AND R05_PT0038_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0022

[In a previous interview, it was reported that {Child's first name} had asthma.

]In the past 12 months, has {Child's first name} taken medications regularly for **asthma**?

[Taken regularly means according to a health care provider's instructions.]

1 YES

2 NO

GO TO R05_PT0125

3 YOUTH SP HAS NEVER HAD ASTHMA

GO TO R05_PT0033

-8 DON'T KNOW

GO TO R05_PT0125

-7 REFUSED

GO TO R05_PT0125

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1).

DISPLAY: DISPLAY QxQ WORD "asthma" IN BOLD/GREEN.

IF R04_PARREPT_ASTHMA = 1 AND R05_PT0031_12M != 1, DISPLAY "In a previous interview, it was reported that {Child's first name} had asthma."

ELSE, DO NOT DISPLAY THIS TEXT.

UNDERLINE "past 12 months".

QxQ: Load QxQ #P12.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Please look at this list. In the past 12 months, which of the following **medications** did {Child's first name} regularly take for **asthma**? Choose all that apply.

IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD.

- | | |
|----------------------|---|
| R05_PT0036_01 | 1 QUICK-RELIEF INHALER - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX), IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT) |
| R05_PT0036_02 | 2 CONTROLLER OR LONG-ACTING INHALER INCLUDING STEROID INHALER – FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR) |
| R05_PT0036_03 | 3 OTHER CONTROLLING MEDICATION – FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP) |
| R05_PT0036_04 | 4 OTHER ASTHMA MEDICATION |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "medications" AND "asthma" IN BOLD/GREEN.

DISPLAY "IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD." IN BLUE.

PROGRAM: Allow respondent to choose all that apply.

QxQ: Load QxQ #P13.

SHOWCARD: Load digital showcard #5.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0125

In the past 12 months, has {Child's first name} had an **asthma attack** that required use of an oral or injected steroid medication at the time of the attack?

[Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).]

1 YES

2 NO

GO TO R05_PT0127

-8 DON'T KNOW

GO TO R05_PT0127

-7 REFUSED

GO TO R05_PT0127

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "asthma attack" IN BOLD/GREEN.

QxQ: Load QxQ #P14.

Variable(s): R05_PT0039

In the past 12 months, how many **asthma attacks** has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0125 = 1.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "asthma attacks" IN BOLD/GREEN.

PROGRAM: Allow 3 digits.

QxQ: Load QxQ #P15.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PT0039_LC1

I have that in the past 12 months {CHILD'S FIRST NAME} had [R05_PT0039] asthma attacks that required use of an oral or injected steroid medication at the time of the attack. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

- | | |
|------------|------------------|
| 1 GOTO | GO TO R05_PT0039 |
| 2 SUPPRESS | GO TO R05_PT0127 |

ASK: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0125 = 1 AND R05_PT0039 > 20.

PROGRAM: TRIGGER CHECK IF R05_PT0039 > 20.

ELSE, GO TO R05_PT0127 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PT0127

In the past 12 months, has {Child's first name} had to visit an emergency room or **urgent care center** because of **asthma**?

- | | |
|---------------|------------------|
| 1 YES | |
| 2 NO | GO TO R05_PT0033 |
| -8 DON'T KNOW | GO TO R05_PT0033 |
| -7 REFUSED | GO TO R05_PT0033 |

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "urgent care center" AND "asthma" IN BOLD/GREEN.

QxQ: Load QxQ #P16.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0282

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or **urgent care center** because of **asthma**?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_PXR07

-7 REFUSED

GO TO BOX R05_PXR07

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "urgent care center" AND "asthma" IN BOLD/GREEN.

PROGRAM: Allow 3 digits.

QxQ: Load QxQ #P17.

CHECK ID: R05_PT0282_LC1

I have that in the past 12 months {CHILD'S FIRST NAME} had to visit the emergency room or urgent care center [R05_PT0282] times because of asthma. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO

GO TO R05_PT0282

2 SUPPRESS

GO TO BOX R05_PXR07

ASK: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 > 10.

PROGRAM: TRIGGER CHECK IF R05_PT0282 > 10.

ELSE, GO TO BOX R05_PXR07 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PXR07

Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months, go to R05_PX0692.

Else, parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months, go to R05_PX0720.

Else, go to R05_PT0033.

IF R05_YOUTHTYPE = 1, 2 AND ((R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 = 1), GO TO R05_PX0692.

ELSE, IF R05_YOUTHTYPE = 1, 2 AND ((R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 > 1), GO TO R05_PX0720.

ELSE, GO TO R05_PT0033.

Variable(s): R05_PX0692

Was that visit due to an asthma attack?

- | | |
|---------------|------------------|
| 1 YES | GO TO R05_PT0033 |
| 2 NO | GO TO R05_PT0033 |
| -8 DON'T KNOW | GO TO R05_PT0033 |
| -7 REFUSED | GO TO R05_PT0033 |

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PX0720

How many of those visits were due to an asthma attack?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 > 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_PX0720_LC1

I have that in the past 12 months {CHILD'S FIRST NAME} had to visit the emergency room or urgent care center [R05_PX0720] times because of an asthma attack. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO

GO TO R05_PX0720

2 SUPPRESS

GO TO R05_PT0033

ASK: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 > 1 AND R05_PX0720 > R05_PT0282.

PROGRAM: TRIGGER CHECK IF R05_PX0720 > R05_PT0282.
ELSE, GO TO R05_PT0033 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PT0033

In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: UNDERLINE "past 12 months".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR07
Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in the past 12 months or did not know if they have been told they had bronchitis in the past 12 months, go to R05_PT0040_NB. Else, go to R05_PT0052_12M.
IF R05_YOUTHTYPE = 2 AND R05_PT0033 = 2, -8, GO TO R05_PT0040_NB. ELSE, GO TO R05_PT0052_12M.

Variable(s): R05_PT0040_NB
Has {Child's first name} <u>ever</u> been told by a doctor, nurse, or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in past 12 months or did not know if they have been told they had bronchitis in the past 12 months. ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0033 = 2, -8. DISPLAY: UNDERLINE "ever".

Variable(s): R05_PT0052_12M
IF NEEDED: [In the <u>past 12 months</u> , has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...] ... ADHD or ADD ? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: All parent/guardian respondents of all youth respondents. ASK Specification: IF R05_YOUTHTYPE = 1, 2. DISPLAY: DISPLAY "IF NEEDED:" IN BLUE. UNDERLINE "past 12 months". DISPLAY QxQ WORDS "ADHD" AND "ADD" IN BOLD/GREEN. QxQ: Load QxQ #P18.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR08 Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months or did not know if they have been told they had ADD/ADHD in the past 12 months, go to R05_PT0052_NB. Else, parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD, go to R05_PT0048. Else, go to Box R05_PTR12. IF R05_YOUTHTYPE = 2 AND R05_PT0052_12M = 2, -8, GO TO R05_PT0052_NB. ELSE, IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ADHD = 1 OR R05_PT0052_12M = 1), GO TO R05_PT0048. ELSE, GO TO BOX R05_PTR12.								
Variable(s): R05_PT0052_NB Has {Child's first name} <u>ever</u> been told by a doctor, nurse, or other health professional that {he/she} has ADHD or ADD? <table> <tr> <td>1 YES</td> <td></td> </tr> <tr> <td>2 NO</td> <td>GO TO BOX R05_PTR12</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_PTR12</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_PTR12</td> </tr> </table> ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months or did not know if they have been told they had ADD/ADHD in the past 12 months. ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0052_12M = 2, -8. DISPLAY: UNDERLINE "ever". DISPLAY QxQ WORDS "ADHD" AND "ADD" IN BOLD/GREEN. QxQ: Load QxQ #P18.	1 YES		2 NO	GO TO BOX R05_PTR12	-8 DON'T KNOW	GO TO BOX R05_PTR12	-7 REFUSED	GO TO BOX R05_PTR12
1 YES								
2 NO	GO TO BOX R05_PTR12							
-8 DON'T KNOW	GO TO BOX R05_PTR12							
-7 REFUSED	GO TO BOX R05_PTR12							

Variable(s): R05_PT0048

[In a previous interview, it was reported that {Child's first name} had ADHD or ADD.

]In the past 12 months, has {Child's first name} taken medications regularly for **ADHD** or **ADD**?

[Taken regularly means according to a health care provider's instructions.]

1 YES

2 NO

3 YOUTH SP HAS NEVER HAD ADHD OR ADD

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of youth respondents who have ever had ADD/ADHD.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ADHD = 1 OR R05_PT0052_12M = 1 OR R05_PT0052_NB = 1).

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "ADHD" AND "ADD" IN BOLD/GREEN.

IF R04_PARREPT_ADHD = 1 AND R05_PT0052_12M != 1, DISPLAY "In a previous interview, it was reported that {Child's first name} had ADHD or ADD."

ELSE, DO NOT DISPLAY THIS TEXT.

QxQ: Load QxQ #P19.

Parent/guardian respondents of continuing youth respondents, go to R05_PT0281_12M. Else, go to R05_PT0281_NB.
IF R05_YOUTHTYPE = 1, GO TO R05_PT0281_12M. ELSE, GO TO R05_PT0281_NB.

```

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health
professional that {he/she} has...]

...diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

1 YES GO TO BOX R05_PTR10
2 NO GO TO BOX R05_PTR10
-8 DON'T KNOW GO TO BOX R05_PTR10
-7 REFUSED GO TO BOX R05_PTR10

ASK: Parent/guardian respondents of continuing youth respondents.
ASK Specification: IF R05_YOUTHTYPE = 1.
DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.
UNDERLINE "past 12 months".

```

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0281_NB

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

1 YES

2 NO

GO TO BOX R05_PTR10

-8 DON'T KNOW

GO TO BOX R05_PTR10

-7 REFUSED

GO TO BOX R05_PTR10

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: UNDERLINE "ever".

Variable(s): R05_PT0042_NB

How old was {Child's first name} when {he/she} was first told {he/she} had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

I ___ I ___ YEARS OLD

-8 DON'T KNOW

GO TO R05_PT0263_NB

-7 REFUSED

GO TO R05_PT0263_NB

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had diabetes.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0281_NB = 1.

DISPLAY: DISPLAY "YEARS OLD" AS TITLE.

PROGRAM: Range check: 0-17.

CHECK ID: R05_PT0042_NB_LC1

I have that {CHILD'S FIRST NAME} was diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes at age [R05_PT0042_NB] That is older than {he/she} is now. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO

GO TO R05_PT0042_NB

2 SUPPRESS

GO TO BOX R05_PTR10

ASK: IF R05_YOUTHTYPE = 2 AND R05_PT0281_NB = 1 AND (R05_PT0042_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_PT0042_NB > R05R_Y_AGE.

ELSE, GO TO BOX R05_PTR10 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0263_NB

Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?

- 1 LESS THAN 12 YEARS OLD
- 2 12 TO 14 YEARS OLD
- 3 15 TO 17 YEARS OLD
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had diabetes and did not know or refused to report the age when the youth respondent was told they had diabetes.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0281_NB = 1 AND R05_PT0042_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR10
Parent/guardian respondents of youth respondents who have ever been told they had diabetes, go to R05_PX0721. Else, go to R05_PT0049.
IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_DIABETES = 1 OR R05_PT0281_12M = 1 OR R05_PT0281_NB = 1), GO TO R05_PX0721. ELSE, GO TO R05_PT0049.

Variable(s): R05_PX0721
[In a previous interview, it was reported that {Child's first name} had diabetes.]Does [Child's first name] have Type 1 or Type 2 diabetes? 1 TYPE 1 2 TYPE 2 3 YOUTH SP HAS NEVER HAD DIABETES -8 DON'T KNOW -7 REFUSED ASK: Parent/guardian respondents of youth respondents who have ever been told they had diabetes. ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_DIABETES = 1 OR R05_PT0281_12M = 1 OR R05_PT0281_NB = 1). DISPLAY: IF R04_PARREPT_DIABETES = 1 AND R05_PT0281_12M != 1, DISPLAY "In a previous interview, it was reported that {Child's first name} had diabetes." ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_PT0049
In the <u>past 12 months</u> , has {Child's first name} been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains? [Dental health issues do NOT include orthodontia or braces.] 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: All parent/guardian respondents of all youth respondents. ASK Specification: IF R05_YOUTHTYPE = 1, 2. DISPLAY: UNDERLINE "past 12 months".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PTR09

Parent/guardian respondents of new baseline youth respondents who have not been told they had dental issues in the past 12 months or did not know or refused to report whether they had dental issues in the past 12 months, go to R05_PT0044_NB.
Else, go to Box R05_PTR11.

IF R05_YOUTHTYPE = 2 AND R05_PT0049 = 2, -8, -7, GO TO R05_PT0044_NB.
ELSE, GO TO BOX R05_PTR11.

Variable(s): R05_PT0044_NB

Has {Child's first name} ever been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had dental issues in the past 12 months or did not know or refused to report whether they had dental issues in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0049 = 2, -8, -7.

DISPLAY: UNDERLINE "ever".

BOX ID: R05_PTR11

Parent/guardian respondents of continuing youth respondents, go to R05_PX0756_12M.
Else, go to R05_PX0756_NB.

IF R05_YOUTHTYPE = 1, GO TO R05_PX0756_12M.
ELSE, GO TO R05_PX0756_NB.

Variable(s): R05_PX0756_12M

In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had **schizophrenia, schizoaffective disorder, or psychosis**?

- | | |
|---------------|----------------------|
| 1 YES | GO TO R05_PX0221 |
| 2 NO | GO TO R05_PX0761_12M |
| -8 DON'T KNOW | GO TO R05_PX0761_12M |
| -7 REFUSED | GO TO R05_PX0761_12M |

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "schizophrenia, schizoaffective disorder, or psychosis" IN BOLD/GREEN.

QxQ: Load QxQ #P27.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PX0756_NB

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had **schizophrenia, schizoaffective disorder, or psychosis**?

1 YES

2 NO

GO TO R05_PX0761_NB

-8 DON'T KNOW

GO TO R05_PX0761_NB

-7 REFUSED

GO TO R05_PX0761_NB

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: UNDERLINE "ever".

DISPLAY QxQ WORDS "schizophrenia, schizoaffective disorder, or psychosis" IN BOLD/GREEN.

QxQ: Load QxQ #P27.

Variable(s): R05_PX0757_NB

How old was {Child's first name} when {he/she} was first told that {he/she} had **schizophrenia, schizoaffective disorder, or psychosis**?

I ___ I ___ YEARS OLD

-8 DON'T KNOW

GO TO R05_PX0758_NB

-7 REFUSED

GO TO R05_PX0758_NB

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 1.

DISPLAY: DISPLAY QxQ WORDS "schizophrenia, schizoaffective disorder, or psychosis" IN BOLD/GREEN.

DISPLAY "YEARS OLD" AS TITLE.

PROGRAM: Range check: 0-17.

QxQ: Load QxQ #P28.

CHECK ID: R05_PX0757_NB_LC1

I have that {CHILD'S FIRST NAME} was diagnosed with schizophrenia, schizoaffective disorder, or psychosis at age [R05_PX0757_NB]. That is older than {he/she} is now. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

1 GOTO

GO TO R05_PX0757_NB

2 SUPPRESS

GO TO R05_PX0221

ASK: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 1 AND (R05_PX0757_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_PX0757_NB > R05R_Y_AGE.

ELSE, GO TO R05_PX0221 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PX0758_NB

Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?

- | | | |
|----|------------------------|------------------|
| 1 | LESS THAN 12 YEARS OLD | GO TO R05_PX0221 |
| 2 | 12 TO 14 YEARS OLD | GO TO R05_PX0221 |
| 3 | 15 TO 17 YEARS OLD | GO TO R05_PX0221 |
| -8 | DON'T KNOW | GO TO R05_PX0221 |
| -7 | REFUSED | GO TO R05_PX0221 |

ASK: Parent/guardian respondents of new baseline youth respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and did not know or refused to report the age when the youth respondent was told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 1 AND R05_PX0757_NB = -8, -7.

Variable(s): R05_PX0761_12M

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had...]

...a **psychotic illness or episode**?

- | | | |
|----|------------|------------------|
| 1 | YES | GO TO R05_PX0221 |
| 2 | NO | GO TO R05_PX0221 |
| -8 | DON'T KNOW | GO TO R05_PX0221 |
| -7 | REFUSED | GO TO R05_PX0221 |

ASK: Parent/guardian respondents of continuing youth respondents who have not been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report if they have been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1 AND R05_PX0756_12M = 2, -8, -7.

DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.

UNDERLINE "past 12 months".

DISPLAY QxQ WORDS "psychotic illness or episode" IN BOLD/GREEN.

QxQ: Load QxQ #P29.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_PX0761_NB**

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had a **psychotic illness or episode**?

1 YES

2 NO

GO TO R05_PX0221

-8 DON'T KNOW

GO TO R05_PX0221

-7 REFUSED

GO TO R05_PX0221

ASK: Parent/guardian respondents of new baseline youth respondents who have never been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 2, -8, -7.

DISPLAY: UNDERLINE "ever".

DISPLAY QxQ WORDS "psychotic illness or episode" IN BOLD/GREEN.

QxQ: Load QxQ #P29.

Variable(s): **R05_PX0762_NB**

How old was {Child's first name} when {he/she} was first told that {he/she} had a **psychotic illness or episode**?

I ___ I ___ YEARS OLD

-8 DON'T KNOW

GO TO R05_PX0772_NB

-7 REFUSED

GO TO R05_PX0772_NB

ASK: Parent/guardian respondents of new baseline youth respondents who have never been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 2, -8, -7 AND R05_PX0761_NB = 1.

DISPLAY: DISPLAY QxQ WORDS "psychotic illness or episode" IN BOLD/GREEN.

DISPLAY "YEARS OLD" AS TITLE.

PROGRAM: Range check: 0-17.

QxQ: Load QxQ #P30.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_PX0762_NB_LC1

I have that {CHILD'S FIRST NAME} was first told that {he/she} had a psychotic illness or episode at age [R05_PX0762_NB]. That is older than {he/she} is now. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

- | | |
|------------|---------------------|
| 1 GOTO | GO TO R05_PX0762_NB |
| 2 SUPPRESS | GO TO R05_PX0221 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 2, -8, -7 AND R05_PX0761_NB = 1 AND (R05_PX0762_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_PX0762_NB > R05R_Y_AGE.
ELSE, GO TO R05_PX0221 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_PX0772_NB

Was {Child's first name} less than 12 years old, 12 to 14 years old, or 15 to 17 years old?

- 1 LESS THAN 12 YEARS OLD
- 2 12 TO 14 YEARS OLD
- 3 15 TO 17 YEARS OLD
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of new baseline youth respondents who have never been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode and did not know or refused to report the age when the youth respondent was told they had a psychotic illness or episode.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 2, -8, -7 AND R05_PX0761_NB = 1 AND R05_PX0762_NB = -8, -7.

Variable(s): R05_PX0221

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his/her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PX0222

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

BOX ID: R05_PXD02

For R05_PX0225, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Please look at this list and tell me which ones apply.

Have any of {Child's first name}'s close biological or blood relatives ever...

IF NEEDED: [You can answer by pointing to the list or by telling me which apply.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- | | |
|----------------------|---|
| R05_PX0225_01 | 1 USED ANY TOBACCO PRODUCTS? (BY THIS WE MEAN CIGARETTES, E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS , CIGARS, PIPE, HOOKAH, SNUS OR OTHER TYPES OF SMOKELESS TOBACCO (SUCH AS DIP, SPIT OR CHEW), AND DISSOLVABLE TOBACCO.) |
| R05_PX0225_02 | 2 BEEN AN ALCOHOLIC OR PROBLEM DRINKER? (BY THIS WE MEAN A PERSON WHOSE DRINKING CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.) |
| R05_PX0225_03 | 3 HAD PROBLEMS WITH DRUGS? (BY THIS WE MEAN A PERSON WHOSE DRUG USE CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

DISPLAY: DISPLAY "IF NEEDED:" AND "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

IN RESPONSE OPTION 1, DISPLAY WORDS "ELECTRONIC NICOTINE PRODUCTS" IN BOLD/ GREEN.

QxQ: Load QxQ #P25.

SHOWCARD: Load digital showcard #15.

RESPONDENT CHARACTERISTICS

BOX ID: R05_PMR02

Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, go to R05_PM0069.

Else, parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent, go to Box R05_PMR03.

Else, parent/guardian respondents of all youth respondents who have already completed an adult interview and were not asked what type of living space they currently live in and have not already completed a parent interview for another youth respondent, go to R05_PX0691.

Else, go to Box R05_PLR01.

IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_PM0069.

ELSE, IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1, GO TO BOX R05_PMR03.

ELSE, IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD = 1 AND R05_AX0691 = -1 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_PX0691.

ELSE, GO TO BOX R05_PLR01.

Variable(s): R05_PM0069***

The next few questions are about you and your household.

Are you a citizen of the United States? Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 YES, BORN IN THE UNITED STATES
- 2 YES, BORN IN PUERTO RICO, GUAM, THE U.S. VIRGIN ISLANDS, OR NORTHERN MARIANAS
- 3 YES, BORN ABROAD OF U.S. CITIZEN PARENT OR PARENTS
- 4 YES, U.S. CITIZEN BY NATURALIZATION
- 5 NO, NOT A U.S. CITIZEN
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0065***

About how many years have you lived in the United States?

- 1 RESPONDENT HAS LIVED IN US THEIR WHOLE LIFE GO TO R05_PM0066
- 2 ENTER NUMBER OF YEARS
- 8 DON'T KNOW GO TO R05_PM0066
- 7 REFUSED GO TO R05_PM0066

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PM0065_NN

ENTER THE NUMBER OF YEARS. IF LESS THAN 1 YEAR, ENTER 1.

- I _ _ | _ _ | _ _ | NUMBER OF YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and reported the number of years they have lived in the United States.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0065 = 2.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PROGRAM: Allow 3 digits.

Variable(s): R05_PM0066***

How well do you speak English? Would you say very well, well, not well, or not at all?

- 1 VERY WELL
- 2 WELL
- 3 NOT WELL
- 4 NOT AT ALL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0070***

How well do you read English? IF NEEDED: [Would you say very well, well, not well, or not at all?]

- 1 VERY WELL
- 2 WELL
- 3 NOT WELL
- 4 NOT AT ALL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PM0073***

How well do you write in English? IF NEEDED: [Would you say very well, well, not well, or not at all?]

- 1 VERY WELL
- 2 WELL
- 3 NOT WELL
- 4 NOT AT ALL
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0071***

Do you speak a language other than English at home?

- | | | |
|----|------------|------------------|
| 1 | YES | |
| 2 | NO | GO TO R05_PM0001 |
| -8 | DON'T KNOW | GO TO R05_PM0001 |
| -7 | REFUSED | GO TO R05_PM0001 |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): SEE BELOW:

What other languages do you speak at home?

CODE ALL THAT APPLY.

- | | | |
|---------------|----|-------------------------------|
| R05_PM0072_01 | 1 | SPANISH |
| R05_PM0072_02 | 2 | CHINESE |
| R05_PM0072_03 | 3 | TAGALOG |
| R05_PM0072_04 | 4 | VIETNAMESE |
| R05_PM0072_05 | 5 | FRENCH |
| R05_PM0072_06 | 6 | KOREAN |
| R05_PM0072_07 | 7 | GERMAN |
| R05_PM0072_08 | 8 | ARABIC |
| R05_PM0072_09 | 9 | RUSSIAN |
| R05_PM0072_10 | 10 | SOME OTHER LANGUAGE (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and speak a language other than English at home.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0071 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PROGRAM: Allow interviewer to code all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PMR05

Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview and speak another language at home and speak "some other language" at home, go to R05_PM0072_OS.
Else, go to R05_PM0001.

IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND
R05_PARENT_COMPLETE_LD != 1 AND R05_PM0071 = 1 AND R05_PM0072_10 = 1, GO TO
R05_PM0072_OS.
ELSE, GO TO R05_PM0001.

Variable(s): R05_PM0072_OS

ENTER THE OTHER LANGUAGE(S) SPOKEN AT HOME.

-8 DON'T KNOW

-7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview and speak another language at home and speak "some other language" at home.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND
R05_PARENT_COMPLETE_LD != 1 AND R05_PM0071 = 1 AND R05_PM0072_10 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0001***

What is the highest grade or level of school that you have completed?

- | | | |
|----|--|---------------------|
| 1 | LESS THAN HIGH SCHOOL | |
| 2 | SOME HIGH SCHOOL, NO DIPLOMA | |
| 3 | GED | GO TO BOX R05_PMR03 |
| 4 | HIGH SCHOOL GRADUATE-DIPLOMA | GO TO BOX R05_PMR03 |
| 5 | SOME COLLEGE BUT NO DEGREE | GO TO BOX R05_PMR03 |
| 6 | ASSOCIATE DEGREE-OCCUPATIONAL/
VOCATIONAL | GO TO BOX R05_PMR03 |
| 7 | ASSOCIATE DEGREE-ACADEMIC
PROGRAM | GO TO BOX R05_PMR03 |
| 8 | BACHELOR'S DEGREE (EX: BA, AB, BS) | GO TO BOX R05_PMR03 |
| 9 | MASTER'S DEGREE (EX: MA, MS, MENG,
MED, MSW) | GO TO BOX R05_PMR03 |
| 10 | PROFESSIONAL SCHOOL DEGREE (EX:
MD, DDS, DVM, JD) | GO TO BOX R05_PMR03 |
| 11 | DOCTORATE DEGREE (EX: PHD, EDD) | GO TO BOX R05_PMR03 |
| -8 | DON'T KNOW | GO TO BOX R05_PMR03 |
| -7 | REFUSED | GO TO BOX R05_PMR03 |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "you".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PM0067

Are you currently enrolled in high school?

- | | | |
|----|------------|---------------------|
| 1 | YES | |
| 2 | NO | GO TO BOX R05_PMR03 |
| -8 | DON'T KNOW | GO TO BOX R05_PMR03 |
| -7 | REFUSED | GO TO BOX R05_PMR03 |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and whose highest level of education is less than high school or some high school, no diploma.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0001 = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0068***

What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

- 6 9TH
- 7 10TH
- 8 11TH
- 9 12TH
- 12 HOME-SCHOOLED
- 13 SCHOOL DOES NOT SEPARATE STUDENTS INTO GRADES
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and whose highest level of education is less than high school or some high school, no diploma and are currently enrolled in high school.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0001 = 1, 2 AND R05_PM0067 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_PMR03

Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and report having a spouse or another guardian living in the household, go to R05_PM0118.

Else, go to Box R05_PMR06.

IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1 AND (R05_PT0045 = 1 OR (R05_PM0057 = 1 AND R05_PM0059 = 1, 2)), GO TO R05_PM0118.
ELSE, GO TO BOX R05_PMR06.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0118***

What is the highest grade or level of school that [Spouse/Guardian's first name/AGE/your spouse] has completed?

- 1 LESS THAN HIGH SCHOOL
- 2 SOME HIGH SCHOOL, NO DIPLOMA
- 3 GED
- 4 HIGH SCHOOL GRADUATE-DIPLOMA
- 5 SOME COLLEGE BUT NO DEGREE
- 6 ASSOCIATE DEGREE-OCCUPATIONAL/VOCATIONAL
- 7 ASSOCIATE DEGREE-ACADEMIC PROGRAM
- 8 BACHELOR'S DEGREE (EX: BA, AB, BS)
- 9 MASTER'S DEGREE (EX: MA, MS, MENG, MED, MSW)
- 10 PROFESSIONAL SCHOOL DEGREE (EX: MD, DDS, DVM, JD)
- 11 DOCTORATE DEGREE (EX: PHD, EDD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and report having a spouse or another guardian living in the household.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1 AND (R05_PT0045 = 1 OR (R05_PM0057 = 1 AND R05_PM0059 = 1, 2)).

DISPLAY: FILL "[Spouse/Guardian's first name/AGE/your spouse]" AS FOLLOWS:

IF R05_PM0052 = 1, FILL WITH SPOUSE NAME LOADED FROM R04_PARSPOUSE_PID.
ELSE, FILL WITH NAME OF SPOUSE SELECTED IN R05_PT0046_PID OR ENTERED IN R05_PT0046_NEW_FNAME.

ELSE, IF R05_PT0046_NEW_FNAME = -8, -7, FILL WITH "your spouse".

ELSE, IF R05_PM0057 = 1 AND R05_PM0059 = 1, 2, FILL WITH NAME OF OTHER PARENT/GUARDIAN SELECTED IN R05_PM0058_PID OR ENTERED IN R05_PM0058_NEW_FNAME.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_PMR06

Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, go to R05_PM0130.

Else, parent/guardian respondents of all youth respondents who have already completed an adult interview and were not asked what type of living space they currently live in and have not already completed a parent interview for another youth respondent, go to R05_PX0691.

Else, go to R05_PT0060.

IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND

R05_PARENT_COMPLETE_LD != 1, GO TO R05_PM0130.

ELSE, R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD = 1 AND R05_AX0691 = -1 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_PX0691.

ELSE, GO TO R05_PT0060.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PM0130***

Please look at this list. Which of the following categories best describes your total household income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- | | | |
|----|------------------------|------------------|
| 1 | LESS THAN \$10,000 | GO TO R05_PL0040 |
| 2 | \$10,000 TO \$14,999 | GO TO R05_PL0040 |
| 3 | \$15,000 TO \$24,999 | GO TO R05_PL0040 |
| 4 | \$25,000 TO \$34,999 | GO TO R05_PL0040 |
| 5 | \$35,000 TO \$49,999 | GO TO R05_PL0040 |
| 6 | \$50,000 TO \$74,999 | GO TO R05_PL0040 |
| 7 | \$75,000 TO \$99,999 | GO TO R05_PL0040 |
| 8 | \$100,000 TO \$149,999 | GO TO R05_PL0040 |
| 9 | \$150,000 TO \$199,999 | GO TO R05_PL0040 |
| 10 | \$200,000 OR MORE | GO TO R05_PL0040 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "total household income" AND "all persons in your household combined".
DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #9.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PM0031

Is your total household income during the past 12 months above or below \$50,000?

- 1 ABOVE \$50,000
- 2 BELOW \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and did not know or refused to report their total household income.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0130 = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PL0040***

Do you own or rent your home?

IF NEEDED: [Ownership includes having a mortgage or loan.]

- 1 OWN
- 2 RENT
- 3 OTHER
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PX0691***

Please look at this list. In what type of living space do you currently live?

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- 1 SINGLE FAMILY HOME
- 2 DUPLEX
- 3 DOUBLE OR MULTI-FAMILY HOME
- 4 CONDOMINIUM
- 5 TOWNHOUSE
- 6 APARTMENT BUILDING
- 7 NONE OF THE ABOVE
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, or parent/guardian respondents of all youth respondents who have already completed an adult interview and were not asked what type of living space they currently live in and have not already completed a parent interview for another youth respondent.

ASK Specification: IF (R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1) OR (R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD = 1 AND R05_AX0691_LD = -1 AND R05_PARENT_COMPLETE_LD != 1).

DISPLAY: DISPLAY "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #10.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_PMR07

Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, go to Box R05_PMD04.

Else, parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent, go to R05_PT0060.

Else, go to Box R05_PLR01.

IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1, GO TO BOX R05_PMD04.

ELSE, IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_PT0060.

ELSE, GO TO BOX R05_PLR01.

BOX ID: R05_PMD04

For R05_PN0335, display as a stem and leaf question. For each leaf, display a yes/no response.

Variable(s): SEE BELOW:

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- | | |
|------------------|----------------------|
| R05_PN0335_01*** | 1 CIGARETTES |
| R05_PN0335_02*** | 2 TRADITIONAL CIGARS |
| R05_PN0335_03*** | 3 CIGARILLOS |
| R05_PN0335_04*** | 4 FILTERED CIGARS |
| R05_PN0335_05*** | 5 PIPE |
| R05_PN0335_06*** | 6 HOOKAH |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED" AND "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #11.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_PMD05

For R05_PN0336, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- R05_PN0336_01*** 1 SNUS
- R05_PN0336_02*** 2 OTHER TYPES OF SMOKELESS TOBACCO (SUCH AS
MOIST SNUFF, DIP, SPIT, CHEWING TOBACCO, OR
SMOKELESS TOBACCO POUCHES)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED" AND "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE.

SHOWCARD: Load digital showcard #12.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_PMD06

For R05_PN0337, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

- R05_PN0337_01***** 1 E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS (IF NEEDED: [ELECTRONIC NICOTINE PRODUCTS INCLUDE E-CIGARETTES, VAPE PENS, PERSONAL VAPORIZERS AND MODS, E-CIGARS, E-PIPES, E-HOOKAHS AND HOOKAH PENS.])
- R05_PN0337_02***** 2 DISSOLVABLE TOBACCO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED" AND "IF NEEDED, READ RESPONSE OPTIONS ALOUD." IN BLUE. IN RESPONSE OPTION 1, DISPLAY WORDS "IF NEEDED:" IN BLUE.

SHOWCARD: Load digital showcard #13.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PT0060***

How much do you think people harm themselves when they smoke tobacco products that are burned (such as cigarettes, cigars, pipes, or hookah)?

Would you say no harm, a little harm, some harm, or a lot of harm?

- 1 NO HARM
- 2 A LITTLE HARM
- 3 SOME HARM
- 4 A LOT OF HARM
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_PT0061***

Now think about e-cigarettes and other **electronic nicotine products**. How much do you think people harm themselves when they use these products?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

- 1 NO HARM
- 2 A LITTLE HARM
- 3 SOME HARM
- 4 A LOT OF HARM
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY QxQ WORDS "electronic nicotine products" IN BOLD/GREEN.

DISPLAY "IF NEEDED:" IN BLUE.

QxQ: Load QxQ #P26.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_PT0062***

And finally, how much do you think people harm themselves when they use smokeless tobacco products (products in which you chew, suck, or spit such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco)?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

- 1 NO HARM
- 2 A LITTLE HARM
- 3 SOME HARM
- 4 A LOT OF HARM
- 8 DON'T KNOW
- 7 REFUSED

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY "IF NEEDED:" IN BLUE.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

ADMINISTRATIVE DATA

Variable(s): R05_LCPT01	
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?	
1 ENGLISH	END INTERVIEW AND RETURN TO IMS
2 SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: Parent/guardian of sampled youth (asked of Interviewer).	
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.	
PROGRAM: Blaise sets Parent Survey status to CPI (Completed Parent Interview).	

APPENDIX – PARENT SHOWCARDS

Section	PATH ID	Showcard Image
School, Home and Tobacco Use	R05_PT0019	1. Mostly A's 2. A's and B's 3. Mostly B's 4. B's and C's 5. Mostly C's 6. C's and D's 7. Mostly D's 8. D's and F's 9. Mostly F's or 10. Child's school is ungraded
School, Home and Tobacco Use	R05_PT0021 (Male)	1. You know that he has 2. You strongly suspect he has 3. You don't think he has or 4. You are confident he has not

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
School, Home and Tobacco Use	R05_PT0021 (Female)	1. You know that she has 2. You strongly suspect she has 3. You don't think she has or 4. You are confident she has not
School, Home and Tobacco Use	R05_PT0021 (Other)	1. You know that he or she has 2. You strongly suspect he or she has 3. You don't think he or she has or 4. You are confident he or she has not

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
School, Home and Tobacco Use	R05_PR1045	1. It is not allowed anywhere or at any time inside my home. 2. It is allowed in some places or at some times inside my home. 3. It is allowed anywhere and at any time inside my home.
School, Home and Tobacco Use	R05_PR1051	
School, Home and Tobacco Use	R05_PR1050	
Health	R05_PT0036	1. Quick-relief inhaler – <i>for example:</i> albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) 2. Controller or long-acting inhaler including steroid inhaler – <i>for example:</i> beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) 3. Other controlling medication – <i>for example:</i> montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) 4. Other asthma medication

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
Health	R05_PX0225	1. Used any tobacco products? (By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.) 2. Been an alcoholic or problem drinker? (By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.) 3. Had problems with drugs? (By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.)
Respondent Characteristics	R05_PM0069	1. Yes, born in the United States 2. Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas 3. Yes, born abroad of U.S. citizen parent or parents 4. Yes, U.S. citizen by naturalization 5. No, not a U.S. citizen

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
Respondent Characteristics	R05_PM0130	1. Less than \$10,000 2. \$10,000 to \$14,999 3. \$15,000 to \$24,999 4. \$25,000 to \$34,999 5. \$35,000 to \$49,999 6. \$50,000 to \$74,999 7. \$75,000 to \$99,999 8. \$100,000 to \$149,999 9. \$150,000 to \$199,999 10. \$200,000 or more
Respondent Characteristics	R05_PX0691	1. Single family home 2. Duplex 3. Double or multi-family home 4. Condominium 5. Townhouse 6. Apartment building 7. None of the above

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
Respondent Characteristics	R05_PN0335	 Cigarettes Traditional Cigars Cigarillos Filtered Cigars Pipe Hookah
Respondent Characteristics	R05_PN0336	 Snus Other Types of Smokeless Tobacco (such as moist snuff, dip, spit, chewing tobacco, or smokeless tobacco pouches)

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Showcard Image
Respondent Characteristics	R05_PN0337	 E-Cigarettes or other Electronic Nicotine Products  Dissolvable Tobacco

APPENDIX – PARENT DERIVED VARIABLES

NOTE: The Derived Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

Variable Name	Variable Description	Variable Definition
CONTACTFLAG	The PID (as a Wave 5 parent/guardian respondent of one or more Wave 5 sampled youth) has completed the CI section.	IF R05_PL0034 = 1, CONTACTFLAG = 1. ELSE, CONTACTFLAG = 2.
R05_PARENT_COMPLETE_LD	The Wave 5 parent/guardian respondent completed a parent survey about a youth respondent.	IF Int451_ParentID != Int451_ParentID In Int451_BFOSStatus = {CPI}, THEN SET R05_PARENT_COMPLETE_LD = 1 AT R05_PLV03. ELSE, R05_PARENT_COMPLETE_LD = 2.
R05_PARENTTYPE	(1) Prior parent = This parent has completed a parent interview for this youth in a previous wave. (2) New parent = This parent has not completed a parent interview for this youth in a previous wave.	IF R05_LASTWVPARENTCOMP = (1, 2, 3, 4, 45), THEN SET R05_PARENTTYPE = 1 (PriorParent). IF R05_LASTWVPARENTCOMP = NULL, THEN SET R05_PARENTTYPE = 2 (NewParent).
R05_YOUTHTYPE	(1) Continuing youth respondents = Youth respondents whose last completed interview in a previous wave was in the Youth cohort, and they continue to be in the Youth cohort. This is not their first interview in the Youth cohort or the PATH Study. (2) Aged-Up youth respondents = Youth respondents who in the previous wave was a shadow youth and they have now aged-up into the Youth cohort. This is their first interview in the Youth cohort and in the PATH Study. (4) Continuing Shadow youth = Shadow youth respondents who have not aged into the PATH Study Youth cohort as of the current wave.	IF CURRENT_AGE >= 12 AND CURRENT_AGE <= 17 AND Y_PWAVE_COMP = 1, THEN SET R05_YOUTHTYPE = 1 (ContinuingYouth). ELSE, IF CURRENT_AGE >= 12 AND CURRENT_AGE <= 17 AND Y_PWAVE_COMP = 2, THEN SET R05_YOUTHTYPE = 2 (Aged-UpYouth). ELSE, IF CURRENT_AGE = (10, 11) AND Y_PWAVE_COMP = 2, THEN SET R05_YOUTHTYPE = 4 (ContinuingShadowYouth).

YOUTH INTERVIEW

ADMINISTRATIVE DATA

Variable(s): R05_LYH01
I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?
1 ENGLISH
2 SPANISH
ASK: All non-emancipated youth respondents who signed the assent.

Variable(s): R05_LEY01
I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?
1 ENGLISH
2 SPANISH
ASK: All emancipated youth respondents who signed the emancipated youth consent.

INTRODUCTORY DEMOGRAPHICS

BOX ID: R05_YMV01

PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.

R04_EVER_NEVER_CIGS - Ever or never user of cigarettes as of the last completed interview.

R04_EVER_NEVER_EPRODS - Ever or never user of ENPs as of the last completed interview.

R04_EVER_NEVER_GTRAD - Ever or never user of traditional cigars as of the last completed interview.

R04_EVER_NEVER_GRILLO - Ever or never user of cigarillos as of the last completed interview.

R04_EVER_NEVER_GFILTR - Ever or never user of filtered cigars as of the last completed interview.

R04_EVER_NEVER_BTRAD - Ever or never user of traditional cigars as blunts as of the last completed interview.

R04_EVER_NEVER_BRILLO - Ever or never user of cigarillos as blunts as of the last completed interview.

R04_EVER_NEVER_BFILTR - Ever or never user of filtered cigars as blunts as of the last completed interview.

R04_EVER_NEVER_PIPE - Ever or never user of pipes as of the last completed interview.

R04_EVER_NEVER_HOOK - Ever or never user of hookah as of the last completed interview.

R04_EVER_NEVER_SNUS - Ever or never user of snus as of the last completed interview.

R04_EVER_NEVER_SMKLS - Ever or never user of smokeless tobacco as of the last completed interview.

R04_EVER_NEVER_DISSBL - Ever or never user of dissolvable tobacco as of the last completed interview.

R04_EVER_NEVER_BIDI - Ever or never user of bidis as of the last completed interview.

R04_EVER_NEVER_KRETEK - Ever or never user of kreteks as of the last completed interview.

R04_NUMLIFE_CIGS - The respondent reported smoking 100+ cigarettes in their lifetime as of their last completed interview.

R04_NUMLIFE_EPROD - The respondent reported using ENPs 100+ times in their lifetime as of their last completed interview.

R04_NUMLIFE_GTRAD - The respondent reported smoking 100+ traditional cigars in their lifetime as of their last completed interview.

R04_NUMLIFE_GRILLO - The respondent reported smoking 100+ cigarillos in their lifetime as of their last completed interview.

R04_NUMLIFE_GFILTR - The respondent reported smoking 100+ filtered cigars in their lifetime as of their last completed interview.

R04_NUMLIFE_HOOK - The respondent reported smoking hookah 100+ times in their lifetime as of their last completed interview.

R04_NUMLIFE_SNUS - The respondent reported using 100+ snus pouches in their lifetime as of their last completed interview.

R04_NUMLIFE_SMKLS - The respondent reported using smokeless tobacco 100+ times as of their last completed interview.

R04_REGUSE_CIGS - The respondent reported smoking cigarettes fairly regularly as of their last completed interview.

R04_REGUSE_EPROD - The respondent reported using ENPs fairly regularly as of their last completed interview.

R04_REGUSE_GTRAD - The respondent reported smoking traditional cigars fairly regularly as of their last completed interview.

R04_REGUSE_GRILLO - The respondent reported smoking cigarillos fairly regularly as of their last completed interview.

R04_REGUSE_GFILTR - The respondent reported smoking filtered cigars fairly regularly as of their last completed interview.

R04_REGUSE_HOOK - The respondent reported smoking hookah fairly regularly as of their last completed interview.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

R04_REGUSE_SNUS - The respondent reported using snus fairly regularly as of their last completed interview.

R04_REGUSE_SMKLS - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R04_GENDER - Respondent reported gender.

R04_ASTHMA - Respondent reported being diagnosed with asthma as of their last completed interview.

R04_EVER_USER_ALCOHOL - Respondent reported ever using alcohol as of their last completed interview.

R04_EVER_USER_MARIJUANA - Respondent reported ever using marijuana as of their last completed interview.

R04_EVER_USER_RITALIN - Respondent reported ever using ritalin as of their last completed interview.

R04_EVER_USER_PAINKILLERS - Respondent reported ever using painkillers as of their last completed interview.

R04_EVER_USER_COCAINE - Respondent reported ever using cocaine as of their last completed interview.

R04_EVER_USER_STIMULANTS - Respondent reported ever using stimulants as of their last completed interview.

R04_USCITIZEN - Respondent reported US citizenship as of their last completed interview.

LinkedAddress1 - Best street address from IMS.

LinkedAddress2 - Best apartment/unit number from IMS.

LinkedCity - Best city from IMS.

LinkedState - Best state from IMS.

LinkedZip - Best zip code from IMS.

PHONE1 - Emancipated youth respondents' best phone number from IMS.

PHONE2 - Emancipated youth respondents' second phone number from IMS.

EMAIL - Emancipated youth respondents' email address from IMS.

E_YOUTH - Youth respondents that are emancipated.

R05_WNR - Respondents who are previous wave non-responders.

R05_IQOS_AVAILABLE - Whether IQOS has become available in US markets.

R05_HNBBRAND1 - Whether an additional heated tobacco brand has become available in US markets.

R05_HNBBRAND2 - Whether a second additional heated tobacco brand has become available in US markets.

R05_HNBBRAND3 - Whether a third additional heated tobacco brand has become available in US markets.

BOX ID: R05_YMV02

PROGRAM: DERIVE THE FOLLOWING VARIABLE (SEE APPENDIX).

R05_YOUTHAGE = Age verified by parent or age derived from emancipated youth's birthdate.

BOX ID: R05_YMR03

New baseline youth respondents, go to R05_YM0004_NB.

Else, continuing youth respondents who did not report US citizenship as of their last completed interview, go to R05_YM0069.

Else, go to R05_YM0065.

IF R05_YOUTHTYPE = 2, GO TO R05_YM0004_NB.

ELSE, IF R04_USCITIZEN != 1, GO TO R05_YM0069.

ELSE, GO TO R05_YM0065.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0004_NB (R05R_Y_SEX)

What is your sex?

- 1 Male
- 2 Female
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: R05R_Y_SEX was created after data collection. The variable R05_YM0004_NB is not included in the dataset, but the question is included in this questionnaire for reference.

Variable(s): SEE BELOW:

Are you Hispanic, [Latino/Latina/Latino or Latina], or of Spanish origin? Choose all that apply.

- R05_YM0005_NB_01 1 No, not of Hispanic, [Latino/Latina/Latino or Latina], or Spanish origin
- R05_YM0005_NB_02 2 Yes, Mexican, Mexican American, [Chicano/Chicana/Chicano or Chicana]
- R05_YM0005_NB_03 3 Yes, Puerto Rican
- R05_YM0005_NB_04 4 Yes, Cuban
- R05_YM0005_NB_05 5 Yes, another Hispanic, [Latino/Latina/Latino or Latina], or Spanish origin
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: IF R05_YM0004_NB = 1, DISPLAY "Latino" AND "Chicano".

ELSE, IF R05_YM0004_NB = 2, DISPLAY "Latina" AND "Chicana".

ELSE, IF R05_YM0004_NB = -8, -7, DISPLAY "Latino or Latina" AND "Chicano or Chicana".

PROGRAM: Allow respondent to choose all that apply. Option 1 cannot be selected if options 2, 3, 4, or 5 are also selected.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What is your race? Choose all that apply.

- R05_YM0006_NB_01 1 White
- R05_YM0006_NB_02 2 Black or African American
- R05_YM0006_NB_03 3 American Indian or Alaska Native
- R05_YM0006_NB_04 4 Asian Indian
- R05_YM0006_NB_05 5 Chinese
- R05_YM0006_NB_06 6 Filipino
- R05_YM0006_NB_07 7 Japanese
- R05_YM0006_NB_08 8 Korean
- R05_YM0006_NB_09 9 Vietnamese
- R05_YM0006_NB_10 10 Other Asian
- R05_YM0006_NB_11 11 Native Hawaiian
- R05_YM0006_NB_12 12 Guamanian or Chamorro
- R05_YM0006_NB_13 13 Samoan
- R05_YM0006_NB_14 14 Other Pacific Islander
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_YM0069

Are you a citizen of the United States?

- 1 Yes, born in the United States
- 2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas
- 3 Yes, born abroad of U.S. citizen parent or parents
- 4 Yes, U.S. citizen by naturalization
- 5 No, not a U.S. citizen
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents, or continuing youth respondents who did not report US citizenship as of their last completed interview.

ASK Specification: IF R05_YOUTHTYPE = 2 OR (R05_YOUTHTYPE = 1 AND R04_USCITIZEN != 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0065

About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.)

-2 I have lived in the United States my whole life GO TO BOX R05_YMD03

I__I__I__I YEARS

-8 DON'T KNOW GO TO BOX R05_YMD03

-7 REFUSED GO TO BOX R05_YMD03

ASK: All youth respondents.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "I have lived in the United States my whole life" ON RIGHT.

DISPLAY "YEARS" AS A TITLE.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YM0065_LC1

The computer recorded that you have lived in the United States for [R05_YM0065] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_YM0065

2 NEXT GO TO BOX R05_YMD03

ASK: IF R05_YM0065 > R05R_Y_AGE

PROGRAM: TRIGGER CHECK IF R05_YM0065 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YMD03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YMD03

Display questions R05_YM0066 through R05_YM0073 using the expanded WVB stem-leaf screen. The introduction text from R05_YM0066 is the stem. Show all leaves on the screen at once.

Variable(s): R05_YM0066***

How well do you...

speak English?

1 Very well

2 Well

3 Not well

4 Not at all

-8 DON'T KNOW

-7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0070***

read English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YM0073***

write in English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YM0071

Do you speak a language other than English at home?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_YCT01 |
| -8 DON'T KNOW | GO TO BOX R05_YCT01 |
| -7 REFUSED | GO TO BOX R05_YCT01 |

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What other languages do you speak at home? Choose all that apply.

- | | | |
|---|----|-------------------------------|
| R05_YM0072_01 | 1 | Spanish |
| R05_YM0072_02 | 2 | Chinese |
| R05_YM0072_03 | 3 | Tagalog |
| R05_YM0072_04 | 4 | Vietnamese |
| R05_YM0072_05 | 5 | French |
| R05_YM0072_06 | 6 | Korean |
| R05_YM0072_07 | 7 | German |
| R05_YM0072_08 | 8 | Arabic |
| R05_YM0072_09 | 9 | Russian |
| R05_YM0072_10;
R05_YM0072_OS | 10 | Some other language (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who speak a language other than English at home.

ASK Specification: IF R05_YM0071 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

CIGARETTE

BOX ID: R05_YCT01

The next questions are about your experience with **cigarettes**.

BOLD "cigarettes".

BOX ID: R05_YCR02

New baseline youth respondents, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview, go to R05_YC1002_NB.

Else, go to R05_YC1002_12M.

IF R05_YOUTHTYPE = 2 OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2), GO TO R05_YC1002_NB.
ELSE, GO TO R05_YC1002_12M.

Variable(s): R05_YC1002_NB

Have you ever tried cigarette smoking, even one or two puffs?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YCV02

GO TO BOX R05_YCV02

GO TO BOX R05_YCV02

ASK: New baseline youth respondents, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview.

ASK Specification: IF R05_YOUTHTYPE = 2 OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2).

BOX ID: R05_YCR26

Continuing youth respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette, go to R05_YC1002_12M.

Else, go to box R05_YCV02.

IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_YC1002_NB = 1, GO TO R05_YC1002_12M.
ELSE, GO TO BOX R05_YCV02.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1002_12M

In the past 12 months, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_CIGS = 1 OR (R04_EVER_NEVER_CIGS = 2 AND R05_YC1002_NB = 1))).

BOX ID: R05_YCV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_CIGS_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a cigarette.

R05_EVER_NEVER_CIGS_YOUTH = 2 (Never user) Youth respondents who have never smoked a cigarette.

R05_INIT_CIGS_YOUTH = 1 (Initiator) Continuing youth respondents who initiated cigarette smoking since their last completed interview or new baseline youth respondents who have ever smoked a cigarette.

R05_EVER_NEVER_CIGS_YOUTH = 1:

IF R05_YC1002_NB = 1 OR R05_YC1002_12M = 1 OR (R04_EVER_NEVER_CIGS = 1 AND R05_YC1002_NB != 2), THEN R05_EVER_NEVER_CIGS_YOUTH = 1.

R05_EVER_NEVER_CIGS_YOUTH = 2:

ELSE, R05_EVER_NEVER_CIGS_YOUTH = 2.

R05_INIT_CIGS_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS != 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1), THEN R05_INIT_CIGS_YOUTH = 1.
ELSE, R05_INIT_CIGS_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YCR01

Youth respondents who have never smoked a cigarette, go to R05_YC1103.
 Else, new baseline youth respondents who have ever smoked a cigarette, go to R05_YC1006_NB.
 Else, continuing youth respondents who initiated cigarette smoking since their last completed interview, go to R05_YC1108.
 Else, continuing youth respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview, go to R05_YC1005.
 Else, go to Box R05_YCR21.

IF R05_EVER_NEVER_CIGS_YOUTH = 2, GO TO R05_YC1103.
 ELSE, IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1, GO TO R05_YC1006_NB.
 ELSE, IF R05_INIT_CIGS_YOUTH = 1, GO TO R05_YC1108.
 ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_NUMLIFE_CIGS !=1, GO TO R05_YC1005.
 ELSE, GO TO BOX R05_YCR21.

Variable(s): R05_YC1103

Have you ever been curious about smoking a cigarette?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Variable(s): R05_YC1206

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1104

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Variable(s): R05_YC1105

If one of your best friends were to offer you a cigarette, would you smoke it?

- | | |
|------------------|---------------------|
| 1 Definitely yes | GO TO BOX R05_YVT01 |
| 2 Probably yes | GO TO BOX R05_YVT01 |
| 3 Probably not | GO TO BOX R05_YVT01 |
| 4 Definitely not | GO TO BOX R05_YVT01 |
| -8 DON'T KNOW | GO TO BOX R05_YVT01 |
| -7 REFUSED | GO TO BOX R05_YVT01 |

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Variable(s): R05_YC1006_NB

How old were you when you first tried cigarette smoking, even one or two puffs?

- I ___|___| Years old
- | | |
|---------------|---------------------|
| -8 DON'T KNOW | GO TO R05_YC1120_NB |
| -7 REFUSED | GO TO R05_YC1120_NB |

ASK: New baseline youth respondents who have ever smoked a cigarette.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YC1006_NB_LC1

The computer recorded that you first tried cigarette smoking at age [R05_YC1006_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YC1006_NB

2 NEXT

GO TO R05_YC1006_NB_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1006_NB <= 5.

PROGRAM: TRIGGER CHECK IF R05_YC1006_NB <= 5.
ELSE, GO TO R05_TC1002_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YC1006_NB_LC2

The computer recorded that you first tried cigarette smoking at age [R05_YC1006_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YC1006_NB

2 NEXT

GO TO R05_YC1108

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_YC1006_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YC1006_NB > R05R_Y_AGE.
ELSE, GO TO R05_YC1108 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YC1120_NB

When you first tried cigarette smoking, even one or two puffs, were you...

1 Less than 12 years old,

2 12 to 14 years old, or

3 15 to 17 years old?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette and did not know or refused to report the age they first tried cigarette smoking.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1006_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1108

Was the first cigarette you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Variable(s): R05_YC9104

How much did you experience pleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

DISPLAY: UNDERLINE "pleasant".

Variable(s): R05_YC9105

How much did you experience unpleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

DISPLAY: UNDERLINE "unpleasant".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC9106

How much did you feel sick to your stomach the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Variable(s): R05_YC1005

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

- 1 1 or more puffs but never a whole cigarette
- 2 1 cigarette
- 3 2 to 10 cigarettes (about ½ pack total)
- 4 11 to 20 cigarettes (about ½ pack to 1 pack)
- 5 21 to 50 cigarettes (more than 1 pack but less than 3 packs)
- 6 51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)
- 7 100 or more cigarettes (5 packs or more)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and have initiated cigarette smoking since their last completed interview or had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_INIT_CIGS_YOUTH = 1 OR R04_NUMLIFE_CIGS != 1)).

BOX ID: R05_YCR21

New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R05_YC1100.
Else, go to R05_YC9022.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1), GO TO R05_YC1100.
ELSE, GO TO R05_YC9022.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1100

Have you ever smoked cigarettes fairly regularly?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YC9022 |
| -8 DON'T KNOW | GO TO R05_YC9022 |
| -7 REFUSED | GO TO R05_YC9022 |

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1).

Variable(s): R05_YC1007

How old were you when you first started smoking cigarettes fairly regularly?

- | | |
|-------------------|------------------|
| I__ __ Years old | |
| -8 DON'T KNOW | GO TO R05_YC1121 |
| -7 REFUSED | GO TO R05_YC1121 |

ASK: New baseline youth respondents who have ever smoked a cigarette and have ever smoked cigarettes fairly regularly, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1 AND R05_YC1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YC1007_LC1

The computer recorded that you started smoking cigarettes fairly regularly at age [R05_YC1007]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_YC1007 |
| 2 NEXT | GO TO R05_YC1007_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1 AND R05_YC1100 = 1)) AND (R05_YC1007 <= 5 OR R05_YC1007 < R05_YC1006_NB).

PROGRAM: TRIGGER CHECK IF R05_YC1007 <= 5 OR R05_YC1007 < R05_YC1006_NB. ELSE, GO TO R05_YC1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YC1007_LC2

The computer recorded that you started smoking cigarettes fairly regularly at age [R05_YC1007]. This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YC1007 |
| 2 NEXT | GO TO R05_YC9022 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1 AND R05_YC1100 = 1)) AND (R05_YC1007 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YC1007 > R05R_Y_AGE.
ELSE, GO TO R05_YC9022 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YC1121

When you first started smoking cigarettes fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked a cigarette and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1100 = 1 AND R05_YC1007 = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1 AND R05_YC1100 = 1 AND R05_YC1007 = -8, -7).

Variable(s): R05_YC9022

Do you consider yourself a smoker?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1112

When was the last time you smoked a cigarette, even one or two puffs?

- | | | |
|----|---|---------------------|
| 1 | Earlier today | |
| 2 | Not today but sometime in the past 7 days | |
| 3 | Not in the past 7 days but sometime in the past 30 days | GO TO BOX R05_YCV01 |
| 4 | Not in the past 30 days but sometime in the past 6 months | GO TO BOX R05_YCV01 |
| 5 | Not in the past 6 months but sometime in the past year | GO TO BOX R05_YCV01 |
| 6 | 1 to 4 years ago | GO TO BOX R05_YCV01 |
| 7 | 5 or more years ago | GO TO BOX R05_YCV01 |
| -8 | DON'T KNOW | GO TO BOX R05_YCV01 |
| -7 | REFUSED | GO TO BOX R05_YCV01 |

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1.

PROGRAM: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YC1002_12M = 1).

Variable(s): R05_YC0100

When did you last smoke a cigarette?

- | | | |
|----|---|---------------------|
| 1 | In the past hour | GO TO R05_YC0103 |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R05_YCV01 |
| -8 | DON'T KNOW | GO TO BOX R05_YCV01 |
| -7 | REFUSED | GO TO BOX R05_YCV01 |

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YC0102**

When you last smoked a cigarette [FILL BASED ON R05_YC0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2 AND R05_YC0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YC0100]:

IF R05_YC0100 = 2, DISPLAY "today".

ELSE, IF R05_YC0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YC0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R05_YC0103**

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R05_YC0100]? A pack usually has 20 cigarettes in it.

|_|_|_|_| Number of cigarettes

-8 DON'T KNOW

GO TO BOX R05_YCV01

-7 REFUSED

GO TO BOX R05_YCV01

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2 AND R05_YC0100 = 1, 2, 3, 4.

DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE.

IF R05_YC0100 = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_YC0100 = 3, 4, DISPLAY, "did" AND "smoke".

FOR [FILL BASED ON R05_YC0100]:

IF R05_YC0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YC0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YC0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YC0103_LC1

The computer recorded that you smoked [R05_YC0103] cigarettes [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YC0103

2 NEXT

GO TO BOX R05_YCV01

ASK: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2 AND R05_YC0100 = 1, 2, 3, 4 AND (R05_YC0103 > 60 OR R05_YC0103 = 11, 22, 33, 44, 55).

DISPLAY: IF R05_YC0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YC0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YC0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YC0103 > 60 OR R05_YC0103 = 11, 22, 33, 44, 55.

ELSE, GO TO BOX R05_YCV01 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YCV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_PAST30DAY_CIGS = 1 (Past 30 day cigarette smoker) Youth respondents who have smoked a cigarette in the past 30 days.

R05_PAST30DAY_CIGS_LEVEL = 1 (Past 30 day "Very-Light" cigarette smokers) Youth respondents who have smoked a cigarette in the past 30 days, and have smoked 10 or fewer cigarettes in their lifetime.

R05_PAST30DAY_CIGS_LEVEL = 2 (Past 30 day "Not-Light" cigarette smokers) Youth respondents who have smoked a cigarette in the past 30 days, and have smoked more than 10 cigarettes in their lifetime.

R05_PAST30DAY_CIGS = 1:

IF R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS = 1.

ELSE, R05_PAST30DAY_CIGS = 2.

R05_PAST30DAY_CIGS_LEVEL = 1:

IF R05_YC1005 = 1, 2, 3 AND R04_NUMLIFE_CIGS != 1 AND R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS_LEVEL = 1.

R05_PAST30DAY_CIGS_LEVEL = 2:

ELSE, IF (R05_YC1005 > 3 OR R05_YC1005 = -8, -7 OR R04_NUMLIFE_CIGS = 1) AND R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS_LEVEL = 2.

BOX ID: R05_YCR22

Youth respondents who are past 30 day cigarette smokers, go to R05_YC1022.

Else, go to Box R05_YVT01.

IF R05_PAST30DAY_CIGS = 1, GO TO R05_YC1022.

ELSE, GO TO BOX R05_YVT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1022

In the past 30 days, on how many days did you smoke cigarettes?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

Variable(s): R05_YC1023

In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? A pack usually has 20 cigarettes in it.

1 Less than 1 cigarette per day

2 1 cigarette per day

3 2 to 5 cigarettes per day

4 6 to 10 cigarettes per day

5 11 to 20 cigarettes per day

6 More than 20 cigarettes per day

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Variable(s): R05_YC9048

In the past 30 days, did you smoke manufactured cigarettes or did you smoke roll-your-own cigarettes?

1 Manufactured cigarettes

2 Roll-your-own cigarettes

GO TO BOX R05_YCR20

3 Both manufactured and roll-your-own cigarettes

4 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1130

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers and smoked manufactured cigarettes in the past 30 days or did not know or refused to report the type of cigarettes they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC9048 = 1, 3, 4, -8, -7.

BOX ID: R05_YCR20

Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days, go to R05_YC9045.
Else, go to R05_YC1142.

IF R05_PAST30DAY_CIGS = 1 AND R05_YC9048 = 2, 3, GO TO R05_YC9045.
ELSE, GO TO R05_YC1142.

Variable(s): R05_YC9045

In the past 30 days, was any of the roll-your-own tobacco you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC9048 = 2, 3.

Variable(s): R05_YC1142

In the past 30 days, did anyone sell you cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1123

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Variable(s): R05_YC1118; R05_YC1118_OS

In the past 30 days, how did you usually get your own cigarettes?

- 1 I gave someone else money to buy cigarettes for me
- 2 I bought cigarettes myself from a store
- 3 I asked someone to give me a cigarette
- 4 Someone offered me a cigarette
- 5 I bought cigarettes from another person
- 6 I took cigarettes from a store or another person
- 7 I got cigarettes some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YCR03

Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store, go to R05_YC1030.
Else, go to Box R05_YCR23.

IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2, GO TO R05_YC1030.
ELSE, GO TO BOX R05_YCR23.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1030***

[When you give money to someone else, how do they/How do you] usually buy your cigarettes?

- | | | |
|----|-------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R05_YCR24 |
| 3 | By telephone | GO TO BOX R05_YCR24 |
| -8 | DON'T KNOW | GO TO BOX R05_YCR24 |
| -7 | REFUSED | GO TO BOX R05_YCR24 |

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2.

DISPLAY: IF R05_YC1118 = 1, DISPLAY "When you give money to someone else, how do they".
ELSE, IF R05_YC1118 = 2, DISPLAY "How do you".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YC1032

Do [you/they] usually buy cigarettes...

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2 AND R05_YC1030 = 1.

DISPLAY: IF R05_YC1118 = 1, DISPLAY "they".
ELSE, IF R05_YC1118 = 2, DISPLAY "you".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1033; R05_YC1033_OS

Where do [you/they] buy your cigarettes most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A store on an Indian reservation
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2 AND R05_YC1030 = 1.

DISPLAY: IF R05_YC1118 = 1, DISPLAY "they".

ELSE, IF R05_YC1118 = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YCR24

Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store, go to R05_YC1039.
Else, go to Box R05_YCR23.

IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2, GO TO R05_YC1039.
ELSE, GO TO BOX R05_YCR23.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1039

Think about the last time you [bought/gave money to someone else to buy you] cigarettes. Did you buy them by the carton, pack, or as a single cigarette?

1 Carton

2 Pack

3 Single cigarette

-8 DON'T KNOW

GO TO BOX R05_YCR23

-7 REFUSED

GO TO BOX R05_YCR23

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2.

DISPLAY: IF R05_YC1118 = 2, DISPLAY "bought".

ELSE, IF R05_YC1118 = 1, DISPLAY "gave money to someone else to buy you".

Variable(s): R05_YC1034_D; R05_YC1034_C

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

\$ | | | | Dollars . | | | Cents

-8 DON'T KNOW

GO TO BOX R05_YCR23

-7 REFUSED

GO TO BOX R05_YCR23

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2 AND R05_YC1039 = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YC1039 = 1, DISPLAY "carton of cigarettes".

ELSE, IF R05_YC1039 = 2, DISPLAY "pack of cigarettes".

ELSE, IF R05_YC1039 = 3, DISPLAY "single cigarette".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YC1034_LC1

The computer recorded that you paid \$[R05_YC1034_D].[R05_YC1034_C] for a [carton of cigarettes/ pack of cigarettes/single cigarette]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YC1034

2 NEXT

GO TO BOX R05_YCR23

ASK: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2 AND R05_YC1039 = 1, 2, 3 AND (((R05_YC1034_D > 125 OR R05_YC1034_D < 25) AND R05_YC1039 = 1) OR ((R05_YC1034_D > 15 OR R05_YC1034_D < 4) AND R05_YC1039 = 2) OR ((R05_YC1034_D > 3 OR (R05_YC1034_D = 0 AND R05_YC1034_C < 50)) AND R05_YC1039 = 3)).

DISPLAY: IF R05_YC1039 = 1, DISPLAY "carton of cigarettes".

ELSE, IF R05_YC1039 = 2, DISPLAY "pack of cigarettes".

ELSE, IF R05_YC1039 = 3, DISPLAY "single cigarette".

PROGRAM: TRIGGER CHECK IF ((R05_YC1034_D > 125 OR R05_YC1034_D < 25) AND R05_YC1039 = 1) OR ((R05_YC1034_D > 15 OR R05_YC1034_D < 4) AND R05_YC1039 = 2) OR ((R05_YC1034_D > 3 OR (R05_YC1034_D = 0 AND R05_YC1034_C < 50)) AND R05_YC1039 = 3). ELSE, GO TO BOX R05_YCR23 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YCR23

Youth respondents who are past 30 day "not-light" cigarette smokers, go to R05_YC1047.

Else, youth respondents who are past 30 day cigarette smokers, go to R05_YC1945.

Else, go to Box R05_YVT01.

IF R05_PAST30DAY_CIGS_LEVEL = 2, GO TO R05_YC1047.

ELSE, IF R05_PAST30DAY_CIGS = 1, GO TO R05_YC1945.

ELSE, GO TO BOX R05_YVT01.

Variable(s): R05_YC1047

Do you have a regular brand of cigarettes that you usually smoke?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1945

Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?

- 1 Yes
- 2 No GO TO BOX R05_YCR07
- 8 DON'T KNOW GO TO BOX R05_YCR07
- 7 REFUSED GO TO BOX R05_YCR07

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

DISPLAY: IF R05_YC1047 = 1, DISPLAY "usually smoke".

ELSE, DISPLAY "last smoked".

UNDERLINE "name of the brand".

Variable(s): R05_YC1048_BRAND

What brand of cigarette [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

- 9995 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1.

DISPLAY: IF R05_YC1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R05_YCR04

Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected "Something else" for their brand of cigarettes, go to R05_YC1049.

Else, youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes, go to

R05_YC1070_PRODUCT.

Else, go to Box R05_YCR07.

IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND = 9995, GO TO R05_YC1049.

ELSE, IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7, GO TO R05_YC1070_PRODUCT.

ELSE, GO TO BOX R05_YCR07.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1049

You said that your brand was not listed. What is it?

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YCR07

GO TO BOX R05_YCR07

GO TO BOX R05_YCR07

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected "Something else" for their brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND = 9995.

Variable(s): R05_YC1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YC1048_BRAND.

IF R05_YC1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

BOX ID: R05_YCR05

Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes and selected "Something else" for their subbrand of cigarettes, go to R05_YC1071.
Else, go to Box R05_YCR07.

IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT = 99995, GO TO R05_YC1071.
ELSE, GO TO BOX R05_YCR07

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YC1071**

You said that the type of [BRANDFILL]s that you smoke was not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes and selected "Something else" for their subbrand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT = 99995.

BOX ID: **R05_YCR07**

Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes, go to R05_YC1051.

Else, youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and subbrand of cigarettes, go to R05_YC0104.

Else, go to Box R05_YVT01.

IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1, GO TO R05_YC1051.

ELSE, IF R05_PAST30DAY_CIGS = 1 AND R05_YC0100 = 1, 2, 3, 4 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YC0104.

ELSE, GO TO BOX R05_YVT01.

Variable(s): **R05_YC1051_NN; R05_YC1051_UN**

About how long have you been smoking your regular brand of cigarettes?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_YC9019

-7 REFUSED

GO TO R05_YC9019

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_YC1051_UN = Days; the value "2" refers to R05_YC1051_UN = Months; the value "3" refers to R05_YC1051_UN = Years.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YC1051_LC1

The computer recorded that you have been smoking your regular brand for [R05_YC1051]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_YC1051 |
| 2 NEXT | GO TO R05_YC1051_LC2 |

ASK: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1 AND (R05_YC1051_NN > R05R_Y_AGE) AND R05_YC1051_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_YC1051_NN > R05R_Y_AGE) AND R05_YC1051_UN = 3.
ELSE, GO TO R05_YC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YC1051_LC2

The computer recorded "0" for how long you have been smoking your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YC1051 |
| 2 NEXT | GO TO R05_YC9019 |

ASK: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1 AND R05_YC1051_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_YC1051_NN = 0.
ELSE, GO TO R05_YC9019 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YC9019

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

BOX ID: R05_YCD01

PROGRAM: Display questions R05_YC9010 and R05_YC9014 on one screen. Show the intro/transition text from R05_YC9010 first, then show each item with a Yes/No response. As each item is answered, show the next one.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC9010

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?
It is affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

Variable(s): R05_YC9014

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

BOX ID: R05_YCR08

Youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and subbrand of cigarettes, go to R05_YC0104.
Else, go to Box R05_YVT01.

IF R05_PAST30DAY_CIGS = 1 AND R05_YC0100 = 1, 2, 3, 4 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YC0104.
ELSE, GO TO BOX R05_YVT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC0104

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and subbrand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC0100 = 1, 2, 3, 4 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: UNDERLINE "your regular brand" AND "the last brand" IN THE QUESTION TEXT.

IF R05_YC1047 = 1, DISPLAY "your regular brand".

ELSE, DISPLAY "the last brand" AND "you smoked".

IF R05_YC0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_YC0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_YC0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_YC0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R05_YC1070_PRODUCT RESPONSE.

ELECTRONIC NICOTINE PRODUCTS (ENPs)

BOX ID: R05_YVT01

The next questions are about **electronic nicotine products**, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.

These products are battery-powered and produce vapor or aerosol instead of smoke. They contain nicotine liquid, sometimes called "e-liquid" or "e-juice," although the amount of nicotine can vary and some may not contain any nicotine at all.

Some can be bought as one-time, disposable products, while others can be bought as re-usable kits that are rechargeable. Some common brands include Vuse, Blu, Logic, MarkTen, JUUL, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

BOLD "electronic nicotine products".

BOX ID: R05_YVR03

New baseline youth respondents, go to R05_YV1001_NB.

Else, continuing youth respondents who are previous wave non-responders and have never used ENPs as of their last completed interview, go to R05_YV1002_NB.

Else, go to R05_YV1002_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YV1001_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2, GO TO R05_YV1002_NB.

ELSE, GO TO R05_YV1002_12M.

Variable(s): R05_YV1001_NB

Have you ever seen or heard of electronic nicotine products before this study? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YVV02

GO TO BOX R05_YVV02

GO TO BOX R05_YVV02

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1002_NB

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YVV02 |
| -8 | DON'T KNOW | GO TO BOX R05_YVV02 |
| -7 | REFUSED | GO TO BOX R05_YVV02 |

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents who are previous wave non-responders and have never used ENPs as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

BOX ID: R05_YVR26

Continuing youth respondents who are previous wave non-responders and have never used ENPs as of their last completed interview and have ever used ENPs, go to R05_YV1002_12M.
Else, go to Box R05_YVV02.

IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_YV1002_NB = 1, GO TO R05_YV1002_12M.
ELSE, GO TO BOX R05_YVV02.

Variable(s): R05_YV1002_12M

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YVV02 |
| -8 | DON'T KNOW | GO TO BOX R05_YVV02 |
| -7 | REFUSED | GO TO BOX R05_YVV02 |

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or have never used ENPs as of their last completed interview and have ever used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_EPRODS = 1 OR (R04_EVER_NEVER_EPRODS = 2 AND R05_YV1002_NB = 1))).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YV02

PROGRAM - CREATE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):

R05_EVER_NEVER_EPRODS_YOUTH = 1 (Ever user) Youth respondents who have ever used an ENP.

R05_EVER_NEVER_EPRODS_YOUTH = 2 (Never user) Youth respondents who have never used an ENP.

R05_INIT_EPRODS_YOUTH = 1 (Initiator) Continuing youth respondents who initiated ENP use since their last completed interview or new baseline youth respondents who have ever used an ENP.

R05_EVER_NEVER_EPRODS_YOUTH = 1:

IF (R04_EVER_NEVER_EPRODS = 1 AND R05_YV1002_NB != 2) OR R05_YV1002_NB = 1 OR R05_YV1002_12M = 1, THEN R05_EVER_NEVER_EPRODS_YOUTH = 1.

R05_EVER_NEVER_EPRODS_YOUTH = 2:

ELSE, R05_EVER_NEVER_EPRODS_YOUTH = 2.

R05_INIT_EPRODS_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS != 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1), THEN R05_INIT_EPRODS_YOUTH = 1.
ELSE, R05_INIT_EPRODS_YOUTH = 2.

BOX ID: R05_YVR01

New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs, go to R05_YV1103.
Else, youth respondents who have ever used an ENP, go to Box R05_YVR02.
Else, go to Box R05_YGT01.

IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2), GO TO R05_YV1103.
ELSE, IF R05_EVER_NEVER_EPRODS_YOUTH = 1, GO TO BOX R05_YVR02.
ELSE, GO TO BOX R05_YGT01.

Variable(s): R05_YV1103

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1206

Do you think you will try an electronic nicotine product in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

Variable(s): R05_YV1104

Do you think that you will try an electronic nicotine product soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1105

If one of your best friends were to offer you an electronic nicotine product, would you try it?

- | | | |
|----|----------------|------------------|
| 1 | Definitely yes | GO TO R05_YV9041 |
| 2 | Probably yes | GO TO R05_YV9041 |
| 3 | Probably not | GO TO R05_YV9041 |
| 4 | Definitely not | GO TO R05_YV9041 |
| -8 | DON'T KNOW | GO TO R05_YV9041 |
| -7 | REFUSED | GO TO R05_YV9041 |

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

BOX ID: R05_YVR02

New baseline youth respondents who have ever used an ENP, go to R05_YV1006_NB.
Else, continuing youth respondents who initiated ENP use since their last completed interview, go to R05_YV1011.

Else, continuing youth respondents who have ever used an ENP and had not used ENPs 100 or more times in their lifetime as of their last completed interview, go to R05_YV1005.

Else, go to Box R05_YVR37.

IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1, GO TO R05_YV1006_NB.
ELSE, IF R05_INIT_EPRODS_YOUTH = 1, GO TO R05_YV1011.
ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_NUMLIFE_EPROD != 1, GO TO R05_YV1005.
ELSE, GO TO BOX R05_YVR37.

Variable(s): R05_YV1006_NB

How old were you when you first tried an electronic nicotine product, even one or two times?

- | | | |
|-------------|------------|---------------------|
| I ___ ___ | Years old | |
| -8 | DON'T KNOW | GO TO R05_YV1120_NB |
| -7 | REFUSED | GO TO R05_YV1120_NB |

ASK: New baseline youth respondents who have ever used an ENP.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YV1006_NB_LC1

The computer recorded that you first tried an electronic nicotine product at age [R05_YV1006_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------------|
| 1 BACK | GO TO R05_YV1006_NB |
| 2 NEXT | GO TO R05_YV1006_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1006_NB <= 5.

PROGRAM: TRIGGER CHECK IF R05_YV1006_NB <= 5.
ELSE, GO TO R05_YV1006_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YV1006_NB_LC2

The computer recorded that you first tried an electronic nicotine product at age [R05_YV1006_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YV1006_NB |
| 2 NEXT | GO TO R05_YV1011 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_YV1006_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YV1006_NB > R05R_Y_AGE.
ELSE, GO TO R05_YV1011 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YV1120_NB

When you first tried an electronic nicotine product, even one or two times, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used an ENP and did not know or refused to report the age they first tried ENPs.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1006_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

- | | |
|---|---|
| R05_YV1011_01 | 1 Tobacco-flavored |
| R05_YV1011_02 | 2 Menthol or mint |
| R05_YV1011_03 | 3 Clove or spice |
| R05_YV1011_04 | 4 Fruit |
| R05_YV1011_05 | 5 Chocolate |
| R05_YV1011_06 | 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YV1011_07 | 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R05_YV1011_08 | 8 Candy, desserts, or other sweets |
| R05_YV1011_09;
R05_YV1011_OS | 9 Some other flavor (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_YV1005

How many times have you used an electronic nicotine product in your entire life?

- | | |
|----|-------------------------------|
| 1 | 1 time, even just a few puffs |
| 2 | 2 to 10 times |
| 3 | 11 to 20 times |
| 4 | 21 to 50 times |
| 5 | 51 to 99 times |
| 6 | 100 or more times |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: New baseline youth respondents who have ever used ENPs, or continuing youth respondents who have ever used an ENP and initiated ENP use since their last completed interview or had not used ENPs 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_INIT_EPRODS_YOUTH = 1 OR R04_NUMLIFE_EPROD != 1)).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR37

New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview, go to R05_YV1100.
Else, go to R05_YV1112.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1), GO TO R05_YV1100.
ELSE, GO TO R05_YV1112.

Variable(s): R05_YV1100

Have you ever used electronic nicotine products fairly regularly?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YV1112 |
| -8 | DON'T KNOW | GO TO R05_YV1112 |
| -7 | REFUSED | GO TO R05_YV1112 |

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1).

Variable(s): R05_YV1007

How old were you when you first started using electronic nicotine products fairly regularly?

- | | | |
|----|-------------------|------------------|
| | I__I__I Years old | |
| -8 | DON'T KNOW | GO TO R05_YV1121 |
| -7 | REFUSED | GO TO R05_YV1121 |

ASK: New baseline youth respondents who have ever used an ENP and have ever used ENPs fairly regularly, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and have ever used ENPs fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1 AND R05_YV1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YV1007_LC1

The computer recorded that you started using electronic nicotine products fairly regularly at age [R05_YV1007]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1007

2 NEXT

GO TO R05_YV1007_LC2

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1 AND R05_YV1100 = 1)) AND (R05_YV1007 <= 5 OR (R05_YV1007 < R05_YV1006_NB)).

PROGRAM: TRIGGER CHECK IF R05_YV1007 <= 5 OR (R05_YV1007 < R05_YV1006_NB).
ELSE, GO TO R05_YV1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YV1007_LC2

The computer recorded that you started using electronic nicotine products fairly regularly at age [R05_YV1007]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1007

2 NEXT

GO TO R05_YV1112

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1 AND R05_YV1100 = 1)) AND (R05_YV1007 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YV1007 > R05R_Y_AGE.
ELSE, GO TO R05_YV1112 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1121

When you first started using electronic nicotine products fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used an ENP and have ever used ENPs fairly regularly and did not know or refused to report the age they started using ENPs fairly regularly, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and have ever used ENPs fairly regularly and did not know or refused to report the age they started using ENPs fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1100 = 1 AND R05_YV1007 = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1 AND R05_YV1100 = 1 AND R05_YV1007 = -8, -7).

Variable(s): R05_YV1112

When was the last time you used an electronic nicotine product, even one or two times?

- 1 Earlier today
- 2 Not today but sometime in the past 7 days
- 3 Not in the past 7 days but sometime in the past 30 days GO TO BOX R05_YVV01
- 4 Not in the past 30 days but sometime in the past 6 months GO TO BOX R05_YVV01
- 5 Not in the past 6 months but sometime in the past year GO TO BOX R05_YVV01
- 6 1 to 4 years ago GO TO BOX R05_YVV01
- 7 5 or more years ago GO TO BOX R05_YVV01
- 8 DON'T KNOW GO TO BOX R05_YVV01
- 7 REFUSED GO TO BOX R05_YVV01

ASK: Youth respondents who have ever used an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1.

PROGRAM: Suppress options 6 & 7 for respondents who have used in the past year (R05_YV1002_12M = 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV0100

When did you last use an electronic nicotine product?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_YV0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R05_YVV01 |
| -8 DON'T KNOW | GO TO BOX R05_YVV01 |
| -7 REFUSED | GO TO BOX R05_YVV01 |

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2.

Variable(s): R05_YV0102

When you last used an electronic nicotine product [FILL BASED ON R05_YV0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2 AND R05_YV0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YV0100]:

IF R05_YV0100 = 2, DISPLAY "today".

ELSE, IF R05_YV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YV0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV0103

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R05_YV0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_YVV01

-7 REFUSED

GO TO BOX R05_YVV01

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2 AND R05_YV0100 = 1, 2, 3, 4.

DISPLAY: IF R05_YV0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R05_YV0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_YV0100]:

IF R05_YV0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YV0103_LC1

The computer recorded that you took [R05_YV0103] puffs from an electronic nicotine product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV0103

2 NEXT

GO TO BOX R05_YVV01

ASK: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2 AND R05_YV0100 = 1, 2, 3, 4 AND (R05_YV0103 > 200 OR R05_YV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_YV0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YV0103 > 200 OR R05_YV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO BOX R05_YVV01 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YV01
<u>PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):</u> R05_PAST30DAY_EPRODS = 1 (Past 30 day ENP user) Youth respondents who have used an ENP in the past 30 days. R05_PAST30DAY_EPRODS_LEVEL = 1 (Past 30 day "Very-Light" ENP user) Youth respondents who have used an ENP in the past 30 days, and have used an ENP only once in their lifetime. R05_PAST30DAY_EPRODS_LEVEL = 2 (Past 30 day "Not-Light" ENP user) Youth respondents who have used an ENP in the past 30 days, and have used ENPs more than once in their lifetime. R05_PAST30DAY_EPRODS = 1: IF R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS = 1. ELSE, R05_PAST30DAY_EPRODS = 2. R05_PAST30DAY_EPRODS_LEVEL = 1: IF R05_YV1005 = 1 AND R04_NUMLIFE_EPROD != 1 AND R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS_LEVEL = 1. R05_PAST30DAY_EPRODS_LEVEL = 2: ELSE, IF (R05_YV1005 > 1 OR R05_YV1005 = -8, -7 OR R04_NUMLIFE_EPROD = 1) AND R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS_LEVEL = 2.

Variable(s): R05_YV9041
Not including yourself, does anyone living in your home own an e-cigarette or other electronic nicotine product? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents. ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR R05_YOUTHTYPE = 1.

BOX ID: R05_YVR54
New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months, go to R05_YV9035. Else, go to Box R05_YVR04. IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1, GO TO R05_YV9035. ELSE, GO TO BOX R05_YVR04.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- | | | |
|---|----|--|
| R05_YV9035_01 | 1 | E-cigarette including a vape pen, personal vaporizer, or mod |
| R05_YV9035_02 | 2 | E-cigar |
| R05_YV9035_03 | 3 | E-pipe |
| R05_YV9035_04 | 4 | E-hookah including a hookah pen |
| R05_YV9035_05;
R05_YV9035_OS | 5 | Something else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR55

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R05_YVR04.
Else, repeat R05_YV9060 for each device type selected, except "Something else".
When all loops complete, go to Box R05_YVV04.

IF (R05_YV9035_01 != 1 AND R05_YV9035_02 != 1 AND R05_YV9035_03 != 1 AND R05_YV9035_04 != 1) AND R05_YV9035_05 = 1, -8, -7, GO TO BOX R05_YVR04.

ELSE, IF R05_YV9035_01 = 1, GO TO R05_YV9060_01.
ELSE, IF R05_YV9035_02 = 1, GO TO R05_YV9060_02.
ELSE, IF R05_YV9035_03 = 1, GO TO R05_YV9060_03.
ELSE, IF R05_YV9035_04 = 1, GO TO R05_YV9060_04.
WHEN ALL LOOPS COMPLETE, GO TO BOX R05_YVV04.

Variable(s): R05_YV9060_01*; R05_YV9060_02; R05_YV9060_03; R05_YV9060_04**

Do you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R05_YV9035]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used an ENP and selected the types of ENPs they have used, or continuing youth respondents who have used an ENP in the past 12 months and selected the types of ENPs they have used.

ASK Specification: FOR R05_YV9060_01: IF (R05_YV1002_NB = 1 AND R05_YV9035_01 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_01 = 1).

FOR R05_YV9060_02: IF (R05_YV1002_NB = 1 AND R05_YV9035_02 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_02 = 1).

FOR R05_YV9060_03: IF (R05_YV1002_NB = 1 AND R05_YV9035_03 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_03 = 1).

FOR R05_YV9060_04: IF (R05_YV1002_NB = 1 AND R05_YV9035_04 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_04 = 1).

DISPLAY: FOR R05_YV9060_01, DISPLAY "e-cigarette".

FOR R05_YV9060_02, DISPLAY "e-cigar".

FOR R05_YV9060_03, DISPLAY "e-pipe".

FOR R05_YV9060_04, DISPLAY "e-hookah".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR59
If there are remaining device types, go back to Box R05_YVR55 and complete loop for all remaining device types. Else, if all loops are complete, go to Box R05_YVV04.
IF R05_YV9035_02 = 1 AND R05_YV9060_02 = -1, GO BACK TO BOX R05_YVR55. ELSE, IF R05_YV9035_03 = 1 AND R05_YV9060_03 = -1, GO BACK TO BOX R05_YVR55. ELSE, IF R05_YV9035_04 = 1 AND R05_YV9060_04 = -1, GO BACK TO BOX R05_YVR55. ELSE, IF ALL LOOPS ARE COMPLETE, GO TO BOX R05_YVV04.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YV04
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):
R05_EPRODCOUNT = Number of different types of ENPs used.
R05_EPRODCOUNT: R05_EPRODCOUNT = 0; IF R05_YV9035_01 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_02 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_03 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_04 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_05 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1.

BOX ID: R05_YVR56
Youth respondents who have used more than one type of ENP, go to R05_YV9044. Else, go to Box R05_YVR04.
IF R05_EPRODCOUNT > 1, GO TO R05_YV9044. ELSE, GO TO BOX R05_YVR04.

Variable(s): R05_YV9044***
You mentioned that you have used more than one type of electronic nicotine product. Which type of electronic nicotine product do you use <u>most often</u>? [SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE] 1 E-cigarette including a vape pen, personal vaporizer, or mod 2 E-cigar 3 E-pipe 4 E-hookah including a hookah pen -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who have used more than one type of ENP. ASK Specification: IF R05_EPRODCOUNT > 1. DISPLAY: BOLD AND UNDERLINE "most often". IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YVR04
Youth respondents who are past 30 day ENP users, go to R05_YV9140. Else, go to Box R05_YVR58.
IF R05_PAST30DAY_EPRODS = 1, GO TO R05_YV9140. ELSE, GO TO BOX R05_YVR58.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YV9140**

Please look at this picture. Which group is most like the electronic nicotine product you use **most often**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 5 Group 5
- 6 Group 6
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: BOLD AND UNDERLINE "most often".

IMAGE: SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS

Note: Group 1 is tank system 'box style' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is disposable 'cig-a-like' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.

Variable(s): **R05_YV9001; R05_YV9001_OS**

For the following questions, please think about the electronic nicotine product you use **most often**.

What kind of electronic nicotine product is it?

- 1 A disposable device
- 2 A device that uses replaceable prefilled cartridges
- 3 A device with a tank that you refill with liquids
- 4 A mod system
- 5 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: BOLD AND UNDERLINE "most often".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_EDEVICETYPE (ENP device type):

R05_EDEVICETYPE = 1 (Disposable device type).

R05_EDEVICETYPE = 2 (Prefilled Cartridge device type).

R05_EDEVICETYPE = 3 (Refillable Tank device type).

R05_EDEVICETYPE = 4 (Mod System device type).

R05_EDEVICETYPE = 5 (Unknown device type).

R05_EDEVICETYPE:

IF R05_YV9001 = 1, THEN R05_EDEVICETYPE = 1 (Disposable device type).

ELSE, IF R05_YV9001 = 2, THEN R05_EDEVICETYPE = 2 (Prefilled Cartridge device type).

ELSE, IF R05_YV9001 = 3, THEN R05_EDEVICETYPE = 3 (Refillable Tank device type).

ELSE, IF R05_YV9001 = 4, THEN R05_EDEVICETYPE = 4 (Mod System device type).

ELSE, R05_EDEVICETYPE = 5 (Unknown).

BOX ID: R05_YVR58

Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type, go to R05_YV9046.

Else, youth respondents who are past 30 day ENP users, go to Box R05_YVT04.

Else, go to R05_YV9042.

IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_EDEVICETYPE = 3, 4, GO TO R05_YV9046.

ELSE, IF R05_PAST30DAY_EPRODS = 1, GO TO BOX R05_YVT04.

ELSE, GO TO R05_YV9042.

Variable(s): R05_YV9046

How often do you refill your electronic nicotine product with e-liquid?

1 At least once a day

2 Once every couple of days

3 Once a week

4 A few times a month

5 Once a month

6 A few times a year

7 Once a year

8 Never

GO TO BOX R05_YVT04

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_EDEVICETYPE = 3, 4.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV9036

Who refills it with e-liquid?

- 1 I refill it myself
- 2 I get it refilled at a vape shop or vapor lounge
- 3 I buy it already filled
- 4 I get it refilled some other way
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_EDEVICETYPE = 3, 4 AND R05_YV9046 != 8.

BOX ID: R05_YVT04

PROGRAM - CREATE [EPRODFILL1-3]:

EPRODFILL1:

IF R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".
IF R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL1 = "electronic nicotine cartridges".
IF R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".

EPRODFILL2:

IF R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".
IF R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL2 = "electronic nicotine cartridges".
IF R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL2 = "e-liquid".

EPRODFILL3:

IF R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL3 = "electronic nicotine product".
IF R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL3 = "electronic nicotine cartridge".
IF R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL3 = "e-liquid".

Variable(s): R05_YV9010

Please think about the [EPRODFILL3] you use **most often**.

Does it contain nicotine?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: BOLD AND UNDERLINE "most often".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1022

In the past 30 days, on how many days did you use an electronic nicotine product?

I__|__| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

Variable(s): R05_YV9040

In the past 30 days, on the days you used an electronic nicotine product, how many [EPRODFILL1] did you use per day?

-2 Less than 1 per day

GO TO R05_YV1026

I__|__|

-8 DON'T KNOW

GO TO R05_YV1026

-7 REFUSED

GO TO R05_YV1026

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 per day" ON RIGHT.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YV9040_LC1

The computer recorded that on the days you used in the past 30 days, you used [R05_YV9040] [EPRODFILL1] a day.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV9040

2 NEXT

GO TO R05_YV1026

ASK: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV9040 > 5.

PROGRAM: TRIGGER CHECK IF R05_YV9040 > 5.

ELSE, GO TO R05_YV1026 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1026

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_YV1027

-7 REFUSED

GO TO R05_YV1027

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YV1026_LC1

The computer recorded that on the days you use, you pick up your electronic nicotine product to use it [R05_YV1026] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1026

2 NEXT

GO TO R05_YV1027

ASK: IF R05_PAST30DAY_EPRODS = 1 AND (R05_YV1026 > 50 OR R05_YV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

PROGRAM: TRIGGER CHECK IF R05_YV1026 > 50 OR R05_YV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R05_YV1027 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YV1027

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_YV1131

-7 REFUSED

GO TO R05_YV1131

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YV1027_LC1

The computer recorded that you take [R05_YV1027] puffs from your electronic nicotine product each time you use it, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1027

2 NEXT

GO TO R05_YV1131

ASK: IF R05_PAST30DAY_EPRODS = 1 AND (R05_YV1027 > 50 OR R05_YV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

PROGRAM: TRIGGER CHECK IF R05_YV1027 > 50 OR R05_YV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R05_YV1131 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): SEE BELOW:

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

- | | |
|---|---|
| R05_YV1131_01 | 1 Tobacco-flavored |
| R05_YV1131_02 | 2 Menthol or mint |
| R05_YV1131_03 | 3 Clove or spice |
| R05_YV1131_04 | 4 Fruit |
| R05_YV1131_05 | 5 Chocolate |
| R05_YV1131_06 | 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YV1131_07 | 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R05_YV1131_08 | 8 Candy, desserts, or other sweets |
| R05_YV1131_09;
R05_YV1131_OS | 9 Some other flavor (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR30

Youth respondents who are past 30 day ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_YV1133. Else, go to Box R05_YVR38.

IF R05_PAST30DAY_EPRODS = 1 AND (R05_YV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_YV1131_[01/.../09] = -8, -7), GO TO R05_YV1133.
ELSE, GO TO BOX R05_YVR38.

Variable(s): R05_YV1133*; R05_YV1133_OS**

In the past 30 days, which flavor of [EPRODFILL2] have you used most often?

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts, or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND (R05_YV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_YV1131_[01/.../09] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YVR38

Youth respondents who are past 30 day ENP users and used menthol or mint flavored ENPs in the past 30 days, go to R05_YV1147.

Else, youth respondents who are past 30 day ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored, menthol or mint, or "Some other flavor", go to R05_YV1157.
Else, go to R05_YV1142.

IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131_02 = 1, GO TO R05_YV1147.
ELSE, IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131[03/_04/_05/_06/_07/_08/] = 1, GO TO R05_YV1157.
ELSE, GO TO R05_YV1142.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1147***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and used menthol or mint flavored ENPs in the past 30 days.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131_02 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YVR40

Youth respondents who are past 30 day ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored, menthol or mint, or "Some other flavor", go to R05_YV1157.
Else, go to R05_YV1142.

IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131[_03/_04/_05/_06/_07/_08] = 1, GO TO R05_YV1157.
ELSE, GO TO R05_YV1142.

Variable(s): R05_YV1157***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts, or other sweets?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored, menthol or mint, or "Some other flavor".

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131[_03/_04/_05/_06/_07/_08] = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1142

In the past 30 days, did anyone sell you [EPRODFILL2]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1123

In the past 30 days, did anyone refuse to sell you [EPRODFILL2] because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1118; R05_YV1118_OS

In the past 30 days, how did you usually get your own [EPRODFILL2]?

- 1 I gave someone else money to buy [it/them] for me
- 2 I bought [it/them] myself from a store (including a vape shop or vapor lounge)
- 3 I asked someone to give me [some/one]
- 4 Someone offered [it/them] to me
- 5 I bought [it/them] from another person
- 6 I took [it/them] from a store or another person
- 7 I got [it/them] some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: IF R05_EDEVICETYPE = 3, 4, DISPLAY "it" AND "some" IN RESPONSE OPTIONS. ELSE, DISPLAY "them" AND "one".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR05

Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by buying themselves from a store, go to R05_YV1098.
 Else, youth respondents who are past 30 day ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store, go to R05_YV1030.
 Else, go to Box R05_YVR57.

IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 2, GO TO R05_YV1098.
 ELSE, IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1118 = 1, 2, GO TO R05_YV1030.
 ELSE, GO TO BOX R05_YVR57.

Variable(s): R05_YV1098***

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

- 1 Always
- 2 Sometimes
- 3 Rarely
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YV1030***

[When you give money to someone else, how do they/How do you] usually buy your [EPRODFILL2]?

- 1 In person
- 2 From the internet GO TO BOX R05_YVR06
- 3 By telephone GO TO BOX R05_YVR06
- 8 DON'T KNOW GO TO BOX R05_YVR06
- 7 REFUSED GO TO BOX R05_YVR06

ASK: Youth respondents who are past 30 day ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1118 = 1, 2.

DISPLAY: IF R05_YV1118 = 1, DISPLAY "When you give money to someone else, how do they".
 ELSE, IF R05_YV1118 = 2, DISPLAY "How do you".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1033; R05_YV1033_OS

Where do [you/they] buy your [EPRODFILL2] most of the time?

- 11 A vape shop or vapor lounge
- 1 A mall kiosk
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1118 = 1, 2 AND R05_YV1030 = 1.

DISPLAY: IF R05_YV1118 = 1, DISPLAY "they".

ELSE, IF R05_YV1118 = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YVR06

Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type, go to R05_YV1136.

Else, youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a refillable tank device type or a mod system device type, go to R05_YV1041.

Else, youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type, go to R05_YV1039.

Else, go to Box R05_YVR57.

IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5, GO TO R05_YV1136.

ELSE, IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 3, 4, GO TO R05_YV1041.

ELSE, IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2, GO TO R05_YV1039.

ELSE, GO TO BOX R05_YVR57.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1136

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine products. Did you buy them by the box or pack, or as single electronic nicotine products?

- | | | |
|----|-------------------------------------|------------------|
| 1 | Box or pack | |
| 2 | Single electronic nicotine products | GO TO R05_YV1034 |
| -8 | DON'T KNOW | GO TO R05_YV1034 |
| -7 | REFUSED | GO TO R05_YV1034 |

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5.

DISPLAY: IF R05_YV1118 = 1, DISPLAY "gave money to someone else to buy you".
ELSE, IF R05_YV1118 = 2, DISPLAY "bought".

Variable(s): R05_YV1137

How many electronic nicotine products came in the box or pack that you last bought?

- I _ _ I _ _ I
- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1138_D; R05_YV1138_C

How much did you pay for a box or pack of electronic nicotine products?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO BOX R05_YVR57

-7 REFUSED

GO TO BOX R05_YVR57

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YV1138_LC1

The computer recorded that you paid \$[R05_YV1138_D].[R05_YV1138_C] for a box or pack of electronic nicotine products. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1138

2 NEXT

GO TO BOX R05_YVR57

ASK: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1 AND (R05_YV1138_D < 10 OR R05_YV1138_D > 75).

PROGRAM: TRIGGER CHECK IF R05_YV1138_D < 10 OR R05_YV1138_D > 75.

ELSE, GO TO BOX R05_YVR57 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1034_D; R05_YV1034_C

How much did you pay for a single electronic nicotine product?

\$ | | | Dollars . | | Cents

-8 DON'T KNOW

GO TO BOX R05_YVR57

-7 REFUSED

GO TO BOX R05_YVR57

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 2, -8, -7.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YV1034_LC1

The computer recorded that you paid \$[R05_YV1034_D].[R05_YV1034_C] for a single electronic nicotine product. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1034

2 NEXT

GO TO BOX R05_YVR57

ASK: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 2, -8, -7 AND R05_YV1034_D > 50.

PROGRAM: TRIGGER CHECK IF R05_YV1034_D > 50.

ELSE, GO TO BOX R05_YVR57 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1041_D***; R05_YV1041_C***

Think about the last time you [bought/gave money to someone else to buy you] e-liquid.

How much did you pay for a bottle or container of e-liquid?

\$ | | | | Dollars . | | | Cents

-8 DON'T KNOW

GO TO BOX R05_YVR57

-7 REFUSED

GO TO BOX R05_YVR57

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a refillable tank device type or a mod system device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 3, 4.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YV1118 = 1, DISPLAY "gave money to someone else to buy you".

ELSE, IF R05_YV1118 = 2, DISPLAY "bought".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

CHECK ID: R05_YV1041_LC1

The computer recorded that you paid \$[R05_YV1041_D].[R05_YV1041_C] for a bottle or container of e-liquid. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1041

2 NEXT

GO TO BOX R05_YVR57

ASK: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 3, 4 AND (R05_YV1041_D > 50 OR (R05_YV1041_D = 50 AND R05_YV1041_C > 00)).

PROGRAM: TRIGGER CHECK IF R05_YV1041_D > 50 OR (R05_YV1041_D = 50 AND R05_YV1041_C > 00).

ELSE, GO TO BOX R05_YVR57 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1039

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine product cartridges.

Did you buy them by the box or pack, or as single cartridges?

- | | | |
|----|-------------------|------------------|
| 1 | Box or pack | |
| 2 | Single cartridges | GO TO R05_YV1043 |
| -8 | DON'T KNOW | GO TO R05_YV1043 |
| -7 | REFUSED | GO TO R05_YV1043 |

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2.

DISPLAY: IF R05_YV1118 = 1, DISPLAY "gave money to someone else to buy you".
ELSE, IF R05_YV1118 = 2, DISPLAY "bought".

Variable(s): R05_YV1040

How many electronic nicotine product cartridges came in the box or pack that you last bought?

- |_|_|_|
- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1042_D; R05_YV1042_C

How much did you pay for a box or pack of electronic nicotine product cartridges?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO BOX R05_YVR57

-7 REFUSED

GO TO BOX R05_YVR57

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YV1042_LC1

The computer recorded that you paid \$[R05_YV1042_D].[R05_YV1042_C] for a box or pack of [EPRODFILL1]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1042

2 NEXT

GO TO BOX R05_YVR57

ASK: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1 AND (R05_YV1042_D > 50 OR (R05_YV1042_D = 50 AND R05_YV1042_C > 00)).

PROGRAM: TRIGGER CHECK IF R05_YV1042_D > 50 OR (R05_YV1042_D = 50 AND R05_YV1042_C > 00).

ELSE, GO TO BOX R05_YVR57 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1043_D; R05_YV1043_C

How much did you pay for a single electronic nicotine product cartridge?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO BOX R05_YVR57

-7 REFUSED

GO TO BOX R05_YVR57

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 2, -8, -7.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YV1043_LC1

The computer recorded that you paid \$[R05_YV1043_D].[R05_YV1043_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YV1043

2 NEXT

GO TO BOX R05_YVR57

ASK: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 2, -8, -7 AND (R05_YV1043_D > 50 OR (R05_YV1043_D = 50 AND R05_YV1043_C > 00)).

PROGRAM: TRIGGER CHECK IF R05_YV1043_D > 50 OR (R05_YV1043_D = 50 AND R05_YV1043_C > 00).

ELSE, GO TO R05_YV1043 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YVR57

Youth respondents who are past 30 day "not-light" ENP users, go to R05_YV1047.
Else, go to R05_YV1945.

IF R05_PAST30DAY_EPRODS_LEVEL = 2, GO TO R05_YV1047.

ELSE, GO TO R05_YV1945.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1047

Do you have a regular brand of [EPRODFILL2] that you usually use?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2.

Variable(s): R05_YV1945

Do you know the name of the brand of [EPRODFILL2] you [usually use/last used]?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_YVD02 |
| -8 DON'T KNOW | GO TO BOX R05_YVD02 |
| -7 REFUSED | GO TO BOX R05_YVD02 |

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: IF R05_YV1047 = 1, DISPLAY "usually use".

ELSE, DISPLAY "last used".

UNDERLINE "name of the brand".

Variable(s): R05_YV1048_BRAND

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day ENP users who know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1945 = 1.

DISPLAY: IF R05_YV1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

Youth respondents who are past 30 day ENP users who know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs, go to R05_YV1049. Else, youth respondents who are past 30 day ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs, go to R05_YV0104. Else, go to Box R05_YVD02.

You said that your brand was not listed. What is it?

ASK: Youth respondents who are past 30 day ENP users who know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs.

160

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV0104***

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV0100 = 1, 2, 3, 4 AND R05_YV1945 = 1 AND R05_YV1048_BRAND != 9995, -8, -7.

DISPLAY: IF R05_YV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_YV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_YV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_YV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH SELECTION MADE IN R05_YV1048_BRAND.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YVD02

Display question R05_YV1060, R05_YV1085, R05_YV1062, R05_YV1075, R05_YV1063, R05_YV1064, R05_YV1065, R05_YV1066, R05_YV1067 and R05_YV1077 on one screen. Show the intro/transition text from R05_YV1060 first, then show each item with a Yes/No response. As each item is answered, show the next one.

PROGRAM: Randomize order of R05_YV1060 through R05_YV1077.

Variable(s): R05_YV1060

The next questions are about the reasons people use electronic nicotine products. Please select which reasons apply to you.

I use electronic nicotine products because...

They are affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1085

I can use electronic nicotine products at times when or in places where smoking cigarettes isn't allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1062

They might be less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1075

They might be less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1063

E-liquid comes in flavors I like.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YVR13

Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YV1064. Else, go to R05_YV1065.

IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YV1064.
ELSE, GO TO R05_YV1065.

Variable(s): R05_YV1064

Using electronic nicotine products helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YV1065

Electronic nicotine products don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Variable(s): R05_YV1066

Using an electronic nicotine product feels like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1067
Electronic nicotine products don't bother non-tobacco users.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day ENP users.
ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

BOX ID: R05_YVR60
Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YV1077. Else, go to Box R05_YVR14.
IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YV1077. ELSE, GO TO BOX R05_YVR14.

Variable(s): R05_YV1077
Using electronic nicotine products satisfies my cravings for cigarettes.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.
ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

BOX ID: R05_YVR14
Youth respondents who are past 30 day ENP users and are past 30 day cigarette smokers, go to R05_YV1086. Else, youth respondents who are past 30 day ENP users, go to R05_YV1139. Else, go to R05_YV9042.
IF R05_PAST30DAY_EPRODS = 1 AND R05_PAST30DAY_CIGS = 1, GO TO R05_YV1086. ELSE, IF R05_PAST30DAY_EPRODS = 1, GO TO R05_YV1139. ELSE, GO TO R05_YV9042.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1086

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users and are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_PAST30DAY_CIGS = 1.

Variable(s): R05_YV1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using an electronic nicotine product.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YV1139-1141 SERIES.

Variable(s): R05_YV1140

While using an electronic nicotine product, I feel more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YV1139-1141 SERIES.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1141

I use electronic nicotine products much more when I am with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YV1139-1141 SERIES.

Variable(s): R05_YV9042

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No GO TO BOX R05_YGT01
- 8 DON'T KNOW GO TO BOX R05_YGT01
- 7 REFUSED GO TO BOX R05_YGT01

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "electronic product".

Variable(s): R05_YV9106

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP, or continuing youth respondents who have ever used marijuana in an ENP.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0100

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_YM0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R05_YGT01 |
| -8 DON'T KNOW | GO TO BOX R05_YGT01 |
| -7 REFUSED | GO TO BOX R05_YGT01 |

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP, or continuing youth respondents who have ever used marijuana in an ENP.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1).

DISPLAY: UNDERLINE "electronic product".

Variable(s): R05_YM0102

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R05_YM0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP and have used marijuana in an ENP sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have ever used marijuana in an ENP and have used marijuana in an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 2, 3, 4) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_YM0100]:

IF R05_YM0100 = 2, DISPLAY "today".

ELSE, IF R05_YM0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0103

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R05_YM0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_YGT01

-7 REFUSED

GO TO BOX R05_YGT01

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP and have used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have ever used marijuana in an ENP and last used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4).

DISPLAY: IF R05_YM0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R05_YM0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_YM0100]:

IF R05_YM0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YM0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YM0103_LC1

The computer recorded that you took [R05_YM0103] puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oil from an electronic product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YM0103

2 NEXT

GO TO BOX R05_YGT01

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4)) AND (R05_YM0103 > 200 OR R05_YM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_YM0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YM0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YM0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YM0103 > 200 OR R05_YM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO BOX R05_YGT01 AND DO NOT DISPLAY THIS SCREEN.

CIGAR

BOX ID: R05_YGT01

The next questions are about **traditional cigars, cigarillos, and filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

BOLD "traditional cigars, cigarillos, and filtered cigars" AND "Traditional cigars".

BOX ID: R05_YGT02

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

BOLD "Cigarillos" AND "filtered cigars".

BOX ID: R05_YGR03

New baseline youth respondents, go to R05_YG9101_NB.

Else, continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview, go to R05_YG1002_NB. Else, go to R05_YG1002_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YG9101_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2), GO TO R05_YG1002_NB. ELSE, GO TO R05_YG1002_12M.

Variable(s): R05_YG9101_NB

Have you ever seen or heard of a traditional cigar, cigarillo, or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YGV04

GO TO BOX R05_YGV04

GO TO BOX R05_YGV04

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1002_NB	
Have you ever smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?	
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]	
1 Yes	
2 No	GO TO BOX R05_YGV04
-8 DON'T KNOW	GO TO BOX R05_YGV04
-7 REFUSED	GO TO BOX R05_YGV04
ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview.	
ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2)).	
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS	

BOX ID: R05_YGD02
DISPLAY INSTRUCTIONS
For R05_YG9104_NB, display a "Yes" and "No" column with options for each response category.

Variable(s): SEE BELOW:	
Which type of cigar have you ever smoked?	
R05_YG9104_NB_01	1 Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others
R05_YG9104_NB_02	2 Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.	
ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1).	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR19

New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, go to R05_YG9009_NB.
Else, go to Box R05_YGV04.

IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1), GO TO R05_YG9009_NB.
ELSE, GO TO BOX R05_YGV04.

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- | | | | |
|-------------------------|----|---|---------------------|
| R05_YG9009_NB_01 | 1 | With a plastic or wooden tip | |
| R05_YG9009_NB_02 | 2 | With a filter (like a cigarette filter) | |
| R05_YG9009_NB_03 | 3 | Without a tip or filter | |
| | -8 | DON'T KNOW | GO TO BOX R05_YGV04 |
| | -7 | REFUSED | GO TO BOX R05_YGV04 |

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR26
Continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar, go to R05_YG1002_12M. Else, go to Box R05_YGV04.
IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1, GO TO R05_YG1002_12M. ELSE, GO TO BOX R05_YGV04.

Variable(s): R05_YG1002_12M								
In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?								
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]								
<table border="0"> <tr> <td>1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R05_YGV04</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_YGV04</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_YGV04</td> </tr> </table>	1 Yes		2 No	GO TO BOX R05_YGV04	-8 DON'T KNOW	GO TO BOX R05_YGV04	-7 REFUSED	GO TO BOX R05_YGV04
1 Yes								
2 No	GO TO BOX R05_YGV04							
-8 DON'T KNOW	GO TO BOX R05_YGV04							
-7 REFUSED	GO TO BOX R05_YGV04							
ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.								
ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1).								
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS								

BOX ID: R05_YGD05
DISPLAY INSTRUCTIONS For R05_YG9104_12M, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which type of cigar have you smoked in the past 12 months?

- R05_YG9104_12M_01** 1 Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others
- R05_YG9104_12M_02** 2 Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1).

BOX ID: R05_YGR20

Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, go to R05_YG9009_12M.

Else, go to Box R05_YGV04.

IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1), GO TO R05_YG9009_12M. ELSE, GO TO BOX R05_YGV04.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months?
Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- R05_YG9009_12M_01** 1 With a plastic or wooden tip
- R05_YG9009_12M_02** 2 With a filter (like a cigarette filter)
- R05_YG9009_12M_03** 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID: R05_YGV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_GTRAD_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a traditional cigar.

R05_EVER_NEVER_GTRAD_YOUTH = 2 (Never user) Youth respondents who have never smoked a traditional cigar.

R05_INIT_GTRAD_YOUTH = 1 (Initiator) Continuing youth respondents who initiated traditional cigar smoking since their last completed interview or new baseline youth respondents who have ever smoked a traditional cigar.

R05_EVER_NEVER_GRILLO_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a cigarillo.

R05_EVER_NEVER_GRILLO_YOUTH = 2 (Never user) Youth respondents who have never smoked a cigarillo.

R05_INIT_GRILLO_YOUTH = 1 (Initiator) Continuing youth respondents who initiated cigarillo smoking since their last completed interview or new baseline youth respondents who have ever smoked a cigarillo.

R05_EVER_NEVER_GFILTR_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a filtered cigar.

R05_EVER_NEVER_GFILTR_YOUTH = 2 (Never user) Youth respondents who have never smoked a filtered cigar.

R05_INIT_GFILTR_YOUTH = 1 (Initiator) Continuing youth respondents who initiated filtered cigar smoking since their last completed interview or new baseline youth respondents who have ever smoked a filtered cigar.

R05_EVER_NEVER_GTRAD_YOUTH = 1:

IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_01 = 1) OR R05_YG9104_12M_01 = 1 OR (R04_EVER_NEVER_GTRAD = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_01 != 2, -8, -7), THEN R05_EVER_NEVER_GTRAD_YOUTH = 1.

R05_EVER_NEVER_GTRAD_YOUTH = 2:

ELSE, R05_EVER_NEVER_GTRAD_YOUTH = 2.

R05_INIT_GTRAD_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD != 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1), THEN R05_INIT_GTRAD_YOUTH = 1.
ELSE, R05_INIT_GTRAD_YOUTH = 2.

R05_EVER_NEVER_GRILLO_YOUTH = 1:

IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1 AND (R05_YG9009_NB_01 = 1 OR R05_YG9009_NB_03 = 1)) OR R05_YG9009_12M_01 = 1 OR R05_YG9009_12M_03 = 1 OR (R04_EVER_NEVER_GRILLO = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_02 != 2, -8, -7 AND (R05_YG9009_NB_01 != 2, -8, -7 OR R05_YG9009_NB_03 != 2, -8, -7)), THEN R05_EVER_NEVER_GRILLO_YOUTH = 1.

R05_EVER_NEVER_GRILLO_YOUTH = 2:

ELSE, R05_EVER_NEVER_GRILLO_YOUTH = 2.

R05_INIT_GRILLO_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO != 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1), THEN R05_INIT_GRILLO_YOUTH = 1.
ELSE, R05_INIT_GRILLO_YOUTH = 2.

R05_EVER_NEVER_GFILTR_YOUTH = 1:

IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1 AND R05_YG9009_NB_02 = 1) OR

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

R05_YG9009_12M_02 = 1 OR (R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_02 != 2, -8, -7 AND R05_YG9009_NB_02 != 2, -8, -7), THEN
R05_EVER_NEVER_GFILTR_YOUTH = 1.
R05_EVER_NEVER_GFILTR_YOUTH = 2:
ELSE, R05_EVER_NEVER_GFILTR_YOUTH = 2.
R05_INIT_GFILTR_YOUTH = 1:
IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR != 1 AND
R05_EVER_NEVER_GFILTR_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND
R05_EVER_NEVER_GFILTR_YOUTH = 1), THEN R05_INIT_GFILTR_YOUTH = 1.
ELSE, R05_INIT_GFILTR_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR04

New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars, go to R05_YG9010.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos, go to R05_YG9011.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars, go to R05_YG9012.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R05_YG9105_NB.

Else, continuing youth respondents, go to R05_YG9107.

Else, go to Box R05_YPT01.

IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2), GO TO R05_YG9010.

ELSE, IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2), GO TO R05_YG9011.

ELSE, IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2), GO TO R05_YG9012.

ELSE, IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1, GO TO R05_YG9105_NB.

ELSE, IF R05_YOUTHTYPE = 1, GO TO R05_YG9107.

ELSE, GO TO BOX R05_YPT01.

Variable(s): R05_YG9010

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9020

Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R05_YG9013

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9016

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R05_YGR12

New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos, go to R05_YG9011.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars, go to R05_YG9012.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R05_YG9105_NB.

Else, continuing youth respondents, go to R05_YG9107.

IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2), GO TO R05_YG9011.

ELSE, IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2), GO TO R05_YG9012.

ELSE, IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1, GO TO R05_YG9105_NB.

ELSE, IF R05_YOUTHTYPE = 1, GO TO R05_YG9107.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9011

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R05_YG9021

Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9014

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R05_YG9017

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR13

New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars, go to R05_YG9012.

Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R05_YG9105_NB.

Else, continuing youth respondents, go to R05_YG9107.

IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2), GO TO R05_YG9012.

ELSE, IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1, GO TO R05_YG9105_NB.

ELSE, IF R05_YOUTHTYPE = 1, GO TO R05_YG9107.

Variable(s): R05_YG9012

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9022

Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): R05_YG9015

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9018 If one of your best friends were to offer you a filtered cigar, would you smoke it? [SHOW GENERIC IMAGE OF FILTERED CIGARS] 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars. ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2). IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: R05_YGR14 New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R05_YG9105_NB. Else, go to R05_YG9107. IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1, GO TO R05_YG9105_NB. ELSE, GO TO R05_YG9107.

Variable(s): R05_YG9105_NB Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt". Have you <u>ever</u> smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.) 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R05_YGV01 GO TO BOX R05_YGV01 GO TO BOX R05_YGV01 ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars. ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1. DISPLAY: UNDERLINE "ever".
--

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9107

[Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

1 Yes

2 No

GO TO BOX R05_YGV01

-8 DON'T KNOW

GO TO BOX R05_YGV01

-7 REFUSED

GO TO BOX R05_YGV01

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1) OR R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "past 12 months".

IF R05_YOUTHTYPE = 1, DISPLAY "Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt"." AND "(Remember all the information you give to the PATH Study will be kept private.)".

ELSE, DO NOT DISPLAY THIS TRANSITION TEXT.

Variable(s): SEE BELOW:

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

R05_YG1095_01

1 Group 1

R05_YG1095_02

2 Group 2

R05_YG1095_03

3 Group 3

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1 AND R05_YG9107 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 3 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips and cigarillos without tips; group 3 is filtered cigars.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9106_01; R05_YG9106_02; R05_YG9106_03

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R05_YG9106_01: IF R05_YG9107 = 1 AND R05_YG1095_01 = 1.

FOR R05_YG9106_02: IF R05_YG9107 = 1 AND R05_YG1095_02 = 1.

FOR R05_YG9106_03: IF R05_YG9107 = 1 AND R05_YG1095_03 = 1.

PROGRAM: Repeat this question for every cigar type identified in R05_YG1095[_01/_02/_03].

If R05_YG1095_01 = 1, show image of traditional cigars.

If R05_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R05_YG1095_03 = 1, show image of filtered cigars.

IMAGE: SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]

BOX ID: R05_YGV01

DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

BLUNT-ONLY USER GROUPS:

R05_12MBLUNT_ONLY_BTRAD = 1 (Past 12-month blunt-only smoker) Youth respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R05_12MBLUNT_ONLY_BRILLO = 1 (Past 12-month blunt-only smoker) Youth respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R05_12MBLUNT_ONLY_BFILTR = 1 (Past 12-month blunt-only smoker) Youth respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R05_INIT_BLUNT_BTRAD_YOUTH = 1 (Initiator - Blunt only) Continuing youth respondents who initiated smoking traditional cigars as blunts since their last completed interview and have smoked traditional cigars as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked traditional cigars as blunts and have smoked traditional cigars as blunts every time in the past 12 months.

R05_INIT_BLUNT_BRILLO_YOUTH = 1 (Initiator - Blunt only) Continuing youth respondents who initiated smoking cigarillos as blunts since their last completed interview and have smoked cigarillos as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked cigarillos as blunts and have smoked cigarillos as blunts every time in the past 12 months.

R05_INIT_BLUNT_BFILTR_YOUTH = 1 (Initiator - Blunt only) Continuing youth respondents who initiated smoking filtered cigars as blunts since their last completed interview and have smoked filtered cigars as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked filtered cigars as blunts and have smoked filtered cigars as blunts every time in the past 12 months.

DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

CIGAR LOOPS**Cigars as Non-Blunts:**

GTRAD = Youth respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months.

GRILLO = Youth respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.

GFILTR = Youth respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months.

Cigars as Blunts-Only:

BTRAD = Youth respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

BRILLO = Youth respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

BFILTR = Youth respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R05_12MBLUNT_ONLY_BTRAD = 1:

IF R05_YG9106_01 = 1 AND R05_YG1095_01 = 1, THEN R05_12MBLUNT_ONLY_BTRAD = 1.
ELSE, R05_12MBLUNT_ONLY_BTRAD = 2.

R05_INIT_BLUNT_BTRAD_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BTRAD != 1 AND R05_YG1095_01 = 1 AND R05_YG9106_01 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG1095_01 = 1 AND R05_YG9106_01 = 1), THEN R05_INIT_BLUNT_BTRAD_YOUTH = 1.
ELSE, R05_INIT_BLUNT_BTRAD_YOUTH = 2.

R05_12MBLUNT_ONLY_BRILLO = 1:

IF R05_YG9106_02 = 1 AND R05_YG1095_02 = 1, THEN R05_12MBLUNT_ONLY_BRILLO = 1.
ELSE, R05_12MBLUNT_ONLY_BRILLO = 2.

R05_INIT_BLUNT_BRILLO_YOUTH = 1:

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BRILLO != 1 AND R05_YG1095_02 = 1 AND R05_YG9106_02 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG1095_02 = 1 AND R05_YG9106_02 = 1), THEN R05_INIT_BLUNT_BRILLO_YOUTH = 1.
ELSE, R05_INIT_BLUNT_BRILLO_YOUTH = 2.

R05_12MBLUNT_ONLY_BFILTR = 1:

IF R05_YG9106_03 = 1 AND R05_YG1095_03 = 1, THEN R05_12MBLUNT_ONLY_BFILTR = 1.
ELSE, R05_12MBLUNT_ONLY_BFILTR = 2.

R05_INIT_BLUNT_BFILTR_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BFILTR != 1 AND R05_YG9106_03 = 1 AND R05_YG1095_03 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG9106_03 = 1 AND R05_YG1095_03 = 1), THEN R05_INIT_BLUNT_BFILTR_YOUTH = 1.
ELSE, R05_INIT_BLUNT_BFILTR_YOUTH = 2.

BOX ID: R05_YGR02PROGRAM: CREATE LOOPS FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:**Blunt/Cigar Loops**

If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, repeat R05_YJ1108[TC/CG/FC] through R05_YJ0104[TC/CG/FC] in a loop for each cigar type smoked as blunts. See Box R05_YJT04 for transition text shown at the start of each loop.

After all blunt loops are complete, items from R05_YG1006[TC/CL/FC]_NB through R05_YG1141[TC/CL/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R05_YGT04 for transition text shown at the start of each loop.

GO TO

If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, go to Box R05_YJT04.

Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R05_YGT04.

Else, if the respondent is not a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, and has never smoked traditional cigars, cigarillos, or filtered cigars, go to Box R05_YPT01.

[CIGARFILL]

If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar".

If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo".

If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar".

IF R05_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD, GO TO BOX R05_YJT04 AND LOOP THROUGH R05_YJ1108TC - R05_YJ0104TC FOR TRADITIONAL CIGARS AS BLUNTS.

ELSE, IF R05_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO, GO TO BOX R05_YJT04 AND LOOP THROUGH R05_YJ1108CG - R05_YJ0104CG FOR CIGARILLOS AS BLUNTS.

ELSE, IF R05_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR, GO TO BOX R05_YJT04 AND LOOP THROUGH R05_YJ1108FC - R05_YJ0104FC FOR FILTERED CIGARS AS BLUNTS.

ELSE, IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD, GO TO BOX R05_YGT04 AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS.

ELSE, IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO, GO TO BOX R05_YGT04 AND LOOP THROUGH SECTION FOR CIGARILLOS.

ELSE, IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR, GO TO BOX R05_YGT04 AND LOOP THROUGH SECTION FOR FILTERED CIGARS.

ELSE, IF R05_12MBLUNT_ONLY_BTRAD = 2 AND R05_12MBLUNT_ONLY_BRILLO = 2 AND R05_12MBLUNT_ONLY_BFILTR = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 2 AND R05_EVER_NEVER_GFILTR = 2, GO TO BOX R05_YPT01.

BOX ID: R05_YJT04

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD Traditional Cigars (as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=BRILLO Cigarillos (as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF CIGARILLOS]

IF LOOP=BFILTR Filtered Cigars (as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

IF LOOP = BRILLO AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT.

IF LOOP = BFILTR AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2 AND R05_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YJR09		
New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their previous wave, go to R05_YJ1108[TC/CG/FC]. Else, youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YJ1112[TC/CG/FC].		
FOR LOOP = BTRAD: IF R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1) OR R05_INIT_BLUNT_BTRAD_YOUTH = 1, GO TO R05_YJ1108TC. ELSE, IF R05_12MBLUNT_ONLY_BTRAD = 1, GO TO R05_YJ1112TC.		
FOR LOOP = BRILLO: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1) OR R05_INIT_BLUNT_BRILLO_YOUTH = 1, GO TO R05_YJ1108CG. ELSE, IF R05_12MBLUNT_ONLY_BRILLO = 1, GO TO R05_YJ1112CG.		
FOR LOOP = BFILTR: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1) OR R05_INIT_BLUNT_BFILTR_YOUTH = 1, GO TO R05_YJ1108FC. ELSE, IF R05_12MBLUNT_ONLY_BFILTR = 1, GO TO R05_YJ1112FC.		
Variable(s): R05_YJ1108TC; R05_YJ1108CG; R05_YJ1108FC		
Was the first [CIGARFILL] you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?		
1	Yes	
2	No	GO TO R05_YJ1112[TC/CG/FC]
3	I don't know	GO TO R05_YJ1112[TC/CG/FC]
-8	DON'T KNOW	GO TO R05_YJ1112[TC/CG/FC]
-7	REFUSED	GO TO R05_YJ1112[TC/CG/FC]
ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.		
ASK Specification: FOR R05_YJ1108TC: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1) OR R05_INIT_BLUNT_BTRAD_YOUTH = 1. FOR R05_YJ1108CG: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1) OR R05_INIT_BLUNT_BRILLO_YOUTH = 1. FOR R05_YJ1108FC: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1) OR R05_INIT_BLUNT_BFILTR_YOUTH = 1.		

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

What flavor was that first [CIGARFILL] you smoked as a blunt? Choose all that apply.

- | | | |
|---|----|--|
| R05_YJ1011TC_01;
R05_YJ1011CG_01;
R05_YJ1011FC_01 | 1 | Menthol or mint |
| R05_YJ1011TC_02;
R05_YJ1011CG_02;
R05_YJ1011FC_02 | 2 | Clove or spice |
| R05_YJ1011TC_03;
R05_YJ1011CG_03;
R05_YJ1011FC_03 | 3 | Fruit |
| R05_YJ1011TC_04;
R05_YJ1011CG_04;
R05_YJ1011FC_04 | 4 | Chocolate |
| R05_YJ1011TC_05;
R05_YJ1011CG_05;
R05_YJ1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YJ1011TC_06;
R05_YJ1011CG_06;
R05_YJ1011FC_06 | 6 | Candy or other sweets |
| R05_YJ1011TC_07;
R05_YJ1011TC_OS;
R05_YJ1011CG_07;
R05_YJ1011CG_OS;
R05_YJ1011FC_07;
R05_YJ1011FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R05_YJ1011TC: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).
FOR R05_YJ1011CG: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1) OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).
FOR R05_YJ1011FC: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1) OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1112TC; R05_YJ1112CG; R05_YJ1112FC	
When was the last time you smoked a [CIGARFILL] as a blunt, even one or two puffs?	
1 Earlier today	
2 Not today but sometime in the past 7 days	
3 Not in the past 7 days but sometime in the past 30 days	GO TO BOX R05_YJV02
4 Not in the past 30 days but sometime in the past 6 months	GO TO BOX R05_YJV02
5 Not in the past 6 months but sometime in the past year	GO TO BOX R05_YJV02
-8 DON'T KNOW	GO TO BOX R05_YJV02
-7 REFUSED	GO TO BOX R05_YJV02
ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R05_YJ1112TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.	
FOR R05_YJ1112CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.	
FOR R05_YJ1112FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.	

Variable(s): R05_YJ0100TC; R05_YJ0100CG; R05_YJ0100FC	
When did you last smoke a [CIGARFILL] as a blunt?	
1 In the past hour	GO TO R05_YJ0103[TC/CG/FC]
2 Sometime today, but more than an hour ago	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO BOX R05_YJV02
-8 DON'T KNOW	GO TO BOX R05_YJV02
-7 REFUSED	GO TO BOX R05_YJV02
ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or sometime in the past 7 days.	
ASK Specification: FOR R05_YJ0100TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2.	
FOR R05_YJ0100CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2.	
FOR R05_YJ0100FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2.	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ0102TC; R05_YJ0102CG; R05_YJ0102FC

When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R05_YJ0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_YJ0102TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 2, 3, 4.

FOR R05_YJ0102CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 2, 3, 4.

FOR R05_YJ0102FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YJ0100[TC/CG/FC]]: IF R05_YJ0100[TC/CG/FC] = 2, DISPLAY "today".

ELSE, IF R05_YJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R05_YJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ0103TC; R05_YJ0103CG; R05_YJ0103FC

How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05_YJ0100[TC/CG/FC]]? (If less than 1, enter 1.)

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_YJV02[TC/CL/FC]

-7 REFUSED

GO TO BOX R05_YJV02[TC/CL/FC]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_YJ0103TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 1, 2, 3, 4.

FOR R05_YJ0103CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 1, 2, 3, 4.

FOR R05_YJ0103FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4.

DISPLAY: IF R05_YJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_YJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_YJ0100[TC/CG/FC]]:

IF R05_YJ0100[TC/CG/FC] = 1, 2, DISPLAY "today".

ELSE, IF R05_YJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R05_YJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YJ0103TC_LC1

The computer recorded that you smoked [R05_YJ0103TC] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YJ0103TC

2 NEXT

GO TO BOX R05_YJV02

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 1, 2, 3, 4 AND (R05_YJ0103TC > 15 OR R05_YJ0103TC = 11).

DISPLAY: IF R05_YJ0100TC = 1, 2, DISPLAY "today".

ELSE, IF R05_YJ0100TC = 3, DISPLAY "yesterday".

ELSE, IF R05_YJ0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YJ0103TC > 15 OR R05_YJ0103TC = 11.

ELSE, GO TO BOX R05_YJV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YJ0103CG_LC1

The computer recorded that you smoked [R05_YJ0103CG] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YJ0103CG

2 NEXT

GO TO BOX R05_YJV02

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 1, 2, 3, 4 AND (R05_YJ0103CG > 15 OR R05_YJ0103CG = 11).

DISPLAY: IF R05_YJ0100CG = 1, 2, DISPLAY "today".

ELSE, IF R05_YJ0100CG = 3, DISPLAY "yesterday".

ELSE, IF R05_YJ0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YJ0103CG > 15 OR R05_YJ0103CG = 11.

ELSE, GO TO BOX R05_YJV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YJ0103FC_LC1

The computer recorded that you smoked [R05_YJ0103FC] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YJ0103FC

2 NEXT

GO TO BOX R05_YJV02

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4 AND (R05_YJ0103FC > 15 OR R05_YJ0103FC = 11).

DISPLAY: IF R05_YJ0100FC = 1, 2, DISPLAY "today".

ELSE, IF R05_YJ0100FC = 3, DISPLAY "yesterday".

ELSE, IF R05_YJ0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YJ0103FC > 15 OR R05_YJ0103FC = 11.

ELSE, GO TO BOX R05_YJV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YJV02
<u>PROGRAM - CREATE THE FOLLOWING VARIABLES FOR EACH CIGAR TYPE (SEE APPENDIX):</u> R05_30DBLUNT_ONLY_BTRAD = 1 (Past 30 day blunt-only smoker) Youth respondents who are past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar as a blunt in the past 30 days. R05_30DBLUNT_ONLY_BRILLO = 1 (Past 30 day blunt-only smoker) Youth respondents who are past 12 month blunt-only cigarillo smokers and have smoked a cigarillo as a blunt in the past 30 days. R05_30DBLUNT_ONLY_BFILTR = 1 (Past 30 day blunt-only smoker) Youth respondents who are past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar as a blunt in the past 30 days. R05_30DBLUNT_ONLY_BTRAD = 1: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BTRAD = 1. ELSE, R05_30DBLUNT_ONLY_BTRAD = 2. R05_30DBLUNT_ONLY_BRILLO = 1: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BRILLO = 1. ELSE, R05_30DBLUNT_ONLY_BRILLO = 2. R05_30DBLUNT_ONLY_BFILTR = 1: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BFILTR = 1. ELSE, R05_30DBLUNT_ONLY_BFILTR = 2.
BOX ID: R05_YJR06
Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YJ1022[TC/CG/FC]. Else, go to R05_YJ1047[TC/CG/FC]. FOR LOOP = BTRAD: IF R05_30DBLUNT_ONLY_BTRAD = 1, GO TO R05_YJ1022TC. ELSE, GO TO R05_YJ1047TC. FOR LOOP = BRILLO: IF R05_30DBLUNT_ONLY_BRILLO = 1, GO TO R05_YJ1022CG. ELSE, GO TO R05_YJ1047CG. FOR LOOP = BFILTR: IF R05_30DBLUNT_ONLY_BFILTR = 1, GO TO R05_YJ1022FC. ELSE, GO TO R05_YJ1047FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1022TC; R05_YJ1022CG; R05_YJ1022FC

In the past 30 days, on how many days did you smoke a [CIGARFILL] as a blunt?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1022TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1022CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1022FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

Variable(s): R05_YJ1023TC; R05_YJ1023CG; R05_YJ1023FC

In the past 30 days, on the days you smoked [CIGARFILL]s as blunts, how many [CIGARFILL]s did you smoke as a blunt per day?

1 Less than 1 [CIGARFILL] per day

2 1 [CIGARFILL] per day

3 2 to 5 [CIGARFILL]s per day

4 6 to 10 [CIGARFILL]s per day

5 11 to 20 [CIGARFILL]s per day

6 More than 20 [CIGARFILL]s per day

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1023TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1023CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1023FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1130TC; R05_YJ1130CG; R05_YJ1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YJ1142[TC/CG/FC] |
| 3 | I don't know | GO TO R05_YJ1142[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_YJ1142[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_YJ1142[TC/CG/FC] |

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1130TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1130CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1130FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_YJ1131TC_01;
R05_YJ1131CG_01;
R05_YJ1131FC_01 | 1 | Menthol or mint |
| R05_YJ1131TC_02;
R05_YJ1131CG_02;
R05_YJ1131FC_02 | 2 | Clove or spice |
| R05_YJ1131TC_03;
R05_YJ1131CG_03;
R05_YJ1131FC_03 | 3 | Fruit |
| R05_YJ1131TC_04;
R05_YJ1131CG_04;
R05_YJ1131FC_04 | 4 | Chocolate |
| R05_YJ1131TC_05;
R05_YJ1131CG_05;
R05_YJ1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YJ1131TC_06;
R05_YJ1131CG_06;
R05_YJ1131FC_06 | 6 | Candy or other sweets |
| R05_YJ1131TC_07;
R05_YJ1131TC_OS;
R05_YJ1131CG_07;
R05_YJ1131CG_OS;
R05_YJ1131FC_07;
R05_YJ1131FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05_YJ1131TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

FOR R05_YJ1131CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

FOR R05_YJ1131FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YJR30

Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days, go to R05_YJ1133[TC/CG/FC].
Else, go to R05_YJ1147[TC/CG/FC].

FOR LOOP = BTRAD:

IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1 AND (R05_YJ1131TC_[01/.../07] = 1
FOR 2 OR MORE FLAVORS OR R05_YJ1131TC_[01/.../07] = -8, -7), GO TO R05_YJ1133TC.
ELSE, GO TO R05_YJ1147TC.

FOR LOOP = BRILLO:

IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1 AND (R05_YJ1131CG_[01/.../07] = 1
FOR 2 OR MORE FLAVORS OR R05_YJ1131CG_[01/.../07] = -8, -7), GO TO R05_YJ1133CG.
ELSE, GO TO R05_YJ1147CG.

FOR LOOP = BFILTR:

IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1 AND (R05_YJ1131FC_[01/.../07] = 1
FOR 2 OR MORE FLAVORS OR R05_YJ1131FC_[01/.../07] = -8, -7), GO TO R05_YJ1133FC.
ELSE, GO TO R05_YJ1147FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1133TC; R05_YJ1133TC_OS; R05_YJ1133CG; R05_YJ1133CG_OS; R05_YJ1133FC; R05_YJ1133FC_OS
In the past 30 days, which flavor of [CIGARFILL]s have you smoked as blunts most often? 1 Menthol or mint 2 Clove or spice 3 Fruit 4 Chocolate 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) 6 Candy or other sweets 7 Some other flavor (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days. ASK Specification: FOR R05_YJ1133TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1 AND (R05_YJ1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131TC_[01/.../07] = -8, -7). FOR R05_YJ1133CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1 AND (R05_YJ1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131CG_[01/.../07] = -8, -7). FOR R05_YJ1133FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1 AND (R05_YJ1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131FC_[01/.../07] = -8, -7). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1147TC; R05_YJ1147CG; R05_YJ1147FC

On the days you smoked [CIGARFILL]s as blunts in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05_YJ1147TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

FOR R05_YJ1147CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

FOR R05_YJ1147FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

DISPLAY: UNDERLINE "flavored".

Variable(s): R05_YJ1142TC; R05_YJ1142CG; R05_YJ1142FC

In the past 30 days, did anyone sell you [CIGARFILL]s?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1142TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1142CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1142FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Variable(s): R05_YJ1123TC; R05_YJ1123CG; R05_YJ1123FC

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1123TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1123CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1123FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1118TC; R05_YJ1118TC_OS; R05_YJ1118CG; R05_YJ1118CG_OS; R05_YJ1118FC; R05_YJ1118FC_OS	
In the past 30 days, how did you usually get your own [CIGARFILL]s for when you smoke blunts?	
1 I gave someone else money to buy them for me	
2 I bought them myself from a store (including a cigar bar)	
3 I asked someone to give me one	GO TO R05_YJ1047[TC/CG/FC]
4 Someone offered it to me	GO TO R05_YJ1047[TC/CG/FC]
5 I bought them from another person	GO TO R05_YJ1047[TC/CG/FC]
6 I took them from a store or another person	GO TO R05_YJ1047[TC/CG/FC]
7 I got them some other way (SPECIFY)	GO TO R05_YJ1047[TC/CG/FC]
-8 DON'T KNOW	GO TO R05_YJ1047[TC/CG/FC]
-7 REFUSED	GO TO R05_YJ1047[TC/CG/FC]
ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R05_YJ1118TC: IF R05_30DBLUNT_ONLY_BTRAD = 1.	
FOR R05_YJ1118CG: IF R05_30DBLUNT_ONLY_BRILLO = 1.	
FOR R05_YJ1118FC: IF R05_30DBLUNT_ONLY_BFILTR = 1.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

Variable(s): R05_YJ1030TC; R05_YJ1030CG; R05_YJ1030FC	
How do [you/they] usually buy your [CIGARFILL]s for when you smoke blunts?	
1 In person (such as at a store or cigar bar)	
2 From the internet	GO TO R05_YJ1039[TC/CG/FC]
3 By telephone	GO TO R05_YJ1039[TC/CG/FC]
-8 DON'T KNOW	GO TO R05_YJ1039[TC/CG/FC]
-7 REFUSED	GO TO R05_YJ1039[TC/CG/FC]
ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.	
ASK Specification: FOR R05_YJ1030TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2.	
FOR R05_YJ1030CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2.	
FOR R05_YJ1030FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2.	
DISPLAY: IF R05_YJ1118[TC/CG/FC] = 1, DISPLAY "they".	
ELSE, IF R05_YJ1118[TC/CG/FC] = 2, DISPLAY "you".	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1033TC; R05_YJ1033TC_OS; R05_YJ1033CG***; R05_YJ1033CG_OS; R05_YJ1033FC; R05_YJ1033FC_OS

Where do [you/they] buy your [CIGARFILL]s for blunts most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: FOR R05_YJ1033TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1030TC = 1.

FOR R05_YJ1033CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1030CG = 1.

FOR R05_YJ1033FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1030FC = 1.

DISPLAY: IF R05_YJ1118[TC/CG/FC] = 1, DISPLAY "they".

ELSE, IF R05_YJ1118[TC/CG/FC] = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1039TC; R05_YJ1039CG***; R05_YJ1039FC

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s for blunts. Did you buy them by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s GO TO R05_YJ1034[TC/CG/FC]
- 8 DON'T KNOW GO TO R05_YJ1047[TC/CG/FC]
- 7 REFUSED GO TO R05_YJ1047[TC/CG/FC]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: FOR R05_YJ1039TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2.

FOR R05_YJ1039CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2.

FOR R05_YJ1039FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2.

DISPLAY: IF R05_YJ1118[TC/CG/FC] = 2, DISPLAY "bought".

ELSE, IF R05_YJ1118[TC/CG/FC] = 1, DISPLAY "gave money to someone else to buy you".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YJ1040TC; R05_YJ1040CG; R05_YJ1040FC

How many [CIGARFILL]s came in the box or pack that you last bought for blunts?

- 1 1
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05_YJ1040TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1039TC = 1.

FOR R05_YJ1040CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1.

FOR R05_YJ1040FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1034TC_D; R05_YJ1034TC_C; R05_YJ1034CG_D; R05_YJ1034CG_C; R05_YJ1034FC_D; R05_YJ1034FC_C	
How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]] for blunts?	
\$ __ __ __ Dollars . __ __ Cents	
-8 DON'T KNOW	GO TO R05_YJ1047[TC/CG/FC]
-7 REFUSED	GO TO R05_YJ1047[TC/CG/FC]
ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.	
ASK Specification: FOR R05_YJ1034TC: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1039TC = 1, 2.	
FOR R05_YJ1034CG: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1, 2.	
FOR R05_YJ1034FC: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1, 2.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL.	
DISPLAY "Dollars" AND "Cents" AS TITLES.	
IF R05_YJ1039[TC/CG/FC] = 1, DISPLAY "box or pack of [CIGARFILL]s".	
ELSE, IF R05_YJ1039[TC/CG/FC] = 2, DISPLAY "single [CIGARFILL]".	
PROGRAM: Display as Quantity/Quantity.	
Allow 3 digits for dollars; allow 2 digits for cents.	

CHECK ID: R05_YJ1034TC_LC1	
The computer recorded that you paid \$[R05_YJ1034TC_D].[R05_YJ1034TC_C] for a [box or pack of traditional cigars for blunts/single traditional cigar for blunts]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R05_YJ1034TC
2 NEXT	GO TO R05_YJ1047TC
ASK: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1039TC = 1, 2 AND (((R05_YJ1034TC_D > 300 OR R05_YJ1034TC_D < 10) AND R05_YJ1039TC = 1) OR ((R05_YJ1034TC_D > 15 OR R05_YJ1034TC_D < 1) AND R05_YJ1039TC = 2)).	
DISPLAY: IF R05_YJ1039TC = 1, DISPLAY "box or pack of traditional cigars for blunts".	
ELSE, IF R05_YJ1039TC = 2, DISPLAY "single traditional cigar for blunts".	
PROGRAM: TRIGGER CHECK IF ((R05_YJ1034TC_D > 300 OR R05_YJ1034TC_D < 10) AND R05_YJ1039TC = 1) OR ((R05_YJ1034TC_D > 15 OR R05_YJ1034TC_D < 1) AND R05_YJ1039TC = 2).	
ELSE, GO TO R05_YJ1047TC AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YJ1034CG_LC1

The computer recorded that you paid \$[R05_YJ1034CG_D].[R05_YJ1034CG_C] for a [box or pack of cigarillos for blunts/single cigarillo for blunts]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YJ1034CG

2 NEXT

GO TO R05_YJ1047CG

ASK: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1, 2 AND (((R05_YJ1034CG_D > 11 OR R05_YJ1034CG_D < 1) AND R05_YJ1039CG = 1) OR ((R05_YJ1034CG_D > 3 OR (R05_YJ1034CG_D = 0 AND R05_YJ1034CG_C < 50)) AND R05_YJ1039CG = 2)).

DISPLAY: IF R05_YJ1039CG = 1, DISPLAY "box or pack of cigarillos for blunts".

ELSE, IF R05_YJ1039CG = 2, DISPLAY "single cigarillo for blunts".

PROGRAM: TRIGGER CHECK IF ((R05_YJ1034CG_D > 11 OR R05_YJ1034CG_D < 1) AND R05_YJ1039CG = 1) OR ((R05_YJ1034CG_D > 3 OR (R05_YJ1034CG_D = 0 AND R05_YJ1034CG_C < 50)) AND R05_YJ1039CG = 2).

ELSE, GO TO R05_YJ1047CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YJ1034FC_LC1

The computer recorded that you paid \$[R05_YJ1034FC_D].[R05_YJ1034FC_C] for a [box or pack of filtered cigars for blunts/single filtered cigar for blunts]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YJ1034FC

2 NEXT

GO TO R05_YJ1047FC

ASK: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1, 2 AND (((R05_YJ1034FC_D > 100 OR R05_YJ1034FC_D < 1) AND R05_YJ1039FC = 1) OR ((R05_YJ1034FC_D > 3 OR (R05_YJ1034FC_D = 0 AND R05_YJ1034FC_C < 50)) AND R05_YJ1039FC = 2)).

DISPLAY: IF R05_YJ1039FC = 1, DISPLAY "box or pack of filtered cigars for blunts".

ELSE, IF R05_YJ1039FC = 2, DISPLAY "single filtered cigar for blunts".

PROGRAM: TRIGGER CHECK IF ((R05_YJ1034FC_D > 100 OR R05_YJ1034FC_D < 1) AND R05_YJ1039FC = 1) OR ((R05_YJ1034FC_D > 3 OR (R05_YJ1034FC_D = 0 AND R05_YJ1034FC_C < 50)) AND R05_YJ1039FC = 2).

ELSE, GO TO R05_YJ1047FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1047TC; R05_YJ1047CG; R05_YJ1047FC

Do you have a regular brand of [CIGARFILL]s that you usually smoke as blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1047TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1047CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1047FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

Variable(s): R05_YJ1945TC; R05_YJ1945CG; R05_YJ1945FC

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked] as blunts?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_YJR08 |
| -8 DON'T KNOW | GO TO BOX R05_YJR08 |
| -7 REFUSED | GO TO BOX R05_YJR08 |

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YJ1945TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_YJ1945CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_YJ1945FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R05_YJ1047[TC/CG/FC] = 1, DISPLAY "usually smoke".

ELSE, IF R05_YJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1048TC_BRAND; R05_YJ1048CG_BRAND; R05_YJ1048FC_BRAND

What brand of [CIGARFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R05_YJ1048TC_BRAND: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1.

FOR R05_YJ1048CG_BRAND: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1.

FOR R05_YJ1048FC_BRAND: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1.

DISPLAY: IF R05_YJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually".
ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YJR01

Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_YJ1049[TC/CG/FC].

Else, youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_YJ1070[TC/CG/FC]_PRODUCT.
Else, go to Box R05_YJR08.

FOR LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND = 9995, GO TO R05_YJ1049TC.

ELSE, IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7, GO TO R05_YJ1070TC_PRODUCT.
ELSE, GO TO BOX R05_YJR08.

FOR LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND = 9995, GO TO R05_YJ1049CG.

ELSE, IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7, GO TO R05_YJ1070CG_PRODUCT.
ELSE, GO TO BOX R05_YJR08.

FOR LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND = 9995, GO TO R05_YJ1049FC.

ELSE, IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7, GO TO R05_YJ1070FC_PRODUCT.
ELSE, GO TO BOX R05_YJR08.

Variable(s): R05_YJ1049TC; R05_YJ1049CG; R05_YJ1049FC

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_YJR08
-8 DON'T KNOW	GO TO BOX R05_YJR08
-7 REFUSED	GO TO BOX R05_YJR08

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_YJ1049TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND = 9995.

FOR R05_YJ1049CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND = 9995.

FOR R05_YJ1049FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND = 9995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1070TC_PRODUCT; R05_YJ1070CG_PRODUCT; R05_YJ1070FC_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_YJ1070TC_PRODUCT: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND (R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7).

FOR R05_YJ1070CG_PRODUCT: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND (R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7).

FOR R05_YJ1070FC_PRODUCT: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND (R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7).

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YJ1048[TC/CG/FC]_BRAND.

IF R05_YJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_YJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else".

BOX ID: R05_YJR02

Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_YJ1071[TC/CG/FC].

Else, go to Box R05_YJR05.

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7 AND R05_YJ1070TC_PRODUCT = 99995, GO TO R05_YJ1071TC.

ELSE, GO TO BOX R05_YJR05.

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7 AND R05_YJ1070CG_PRODUCT = 99995, GO TO R05_YJ1071CG.

ELSE, GO TO BOX R05_YJR05.

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7 AND R05_YJ1070FC_PRODUCT = 99995, GO TO R05_YJ1071FC.

ELSE, GO TO BOX R05_YJR05.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ1071TC; R05_YJ1071CG; R05_YJ1071FC

You said that the type of [BRANDFILL]s that you smoke as blunts was not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_YJ1071TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7 AND R05_YJ1070TC_PRODUCT = 99995.

FOR R05_YJ1071CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7 AND R05_YJ1070CG_PRODUCT = 99995.

FOR R05_YJ1071FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7 AND R05_YJ1070FC_PRODUCT = 99995.

BOX ID: R05_YJR05

Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_YJ0104[TC/CG/FC]. Else, go to Box R05_YJR08.

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 1, 2, 3, 4 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7 AND R05_YJ1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YJ0104TC. ELSE, GO TO BOX R05_YJR08.

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 1, 2, 3, 4 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7 AND R05_YJ1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YJ0104CG. ELSE, GO TO BOX R05_YJR08.

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7 AND R05_YJ1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YJ0104FC. ELSE, GO TO BOX R05_YJR08.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YJ0104TC; R05_YJ0104CG; R05_YJ0104FC

You said earlier that you smoked a [CIGARFILL] as a blunt [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked as a blunt. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_YJ0104TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 1, 2, 3, 4 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7 AND R05_YJ1070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R05_YJ0104CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 1, 2, 3, 4 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7 AND R05_YJ1070CG_PRODUCT != 99990, 99995, -8, -7.

FOR R05_YJ0104FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7 AND R05_YJ1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_YJ0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".
 ELSE, IF R05_YJ0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".
 ELSE, IF R05_YJ0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".
 ELSE, IF R05_YJ0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".
 FILL [NEQBRAND] WITH RESPONSE TO R05_YJ1070[TC/CG/FC]_PRODUCT.

BOX ID: R05_YJR08

END BLUNT LOOP:

If respondent has loops to complete for other blunt types, return to Box R05_YJT04 and loop through subsection for any other blunt types.

Else, if respondent has loops to complete for non-blunt cigar types, go to Box R05_YGT04.

Else, if respondent has no more remaining loops to complete, go to Box R05_YPT01.

IF THERE ARE REMAINING BLUNT-ONLY LOOPS TO BE COMPLETED, GO BACK TO BOX R05_YJT04 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES.
 ELSE, IF THERE ARE NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO TO BOX R05_YGT04.
 ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR BLUNTS OR CIGARS, GO TO BOX R05_YPT01.

BOX ID: R05_YGT04

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD Traditional Cigars (non-blunts)

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=GRILLO Cigarillos (non-blunts)

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARILLOS].

IF LOOP=GFILTR Filtered Cigars (non-blunts)

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF FILTERED CIGARS].

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR05

New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1006[TC/CL/FC]_NB.

Else, continuing youth respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since the previous wave and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1108[TC/CL/FC].

Else, continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1005[TC/CL/FC].

Else, go to R05_YG9040[TC/CL/FC].

FOR LOOP = GTRAD:

IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND

R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_YG1006TC_NB.

ELSE, IF R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_YG1108TC.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND

R04_NUMLIFE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_YG1005TC.

ELSE, GO TO R05_YG9040TC.

FOR LOOP = GRILLO:

IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND

R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_YG1006CL_NB.

ELSE, IF R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_YG1108CL.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND

R04_NUMLIFE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_YG1005CL.

ELSE, GO TO R05_YG9040CL.

FOR LOOP = GFILTR:

IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND

R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_YG1006FC_NB.

ELSE, IF R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_YG1108FC.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND

R04_NUMLIFE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_YG1005FC.

ELSE, GO TO R05_YG9040FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1006TC_NB; R05_YG1006CL_NB; R05_YG1006FC_NB

How old were you when you first tried a [CIGARFILL], even one or two puffs?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_YG1120[TC/CL/FC]_NB

-7 REFUSED

GO TO R05_YG1120[TC/CL/FC]_NB

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1006TC_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_YG1006CL_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_YG1006FC_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YG1006TC_NB_LC1

The computer recorded that you first smoked a traditional cigar at age [R05_YG1006TC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1006TC_NB

2 NEXT

GO TO R05_YG1006TC_NB_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_YG1006TC_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1006TC_NB > R05R_Y_AGE.
ELSE, GO TO R05_YG1006TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1006TC_NB_LC2

The computer recorded that you started smoking traditional cigars at age [R05_YG1006TC_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1006TC_NB

2 NEXT

GO TO R05_YG1108TC

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1006TC < 5.

PROGRAM: TRIGGER CHECK IF R05_YG1006TC < 5.
ELSE, GO TO R05_YG1108TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1006CL_NB_LC1

The computer recorded that you first smoked a cigarillo at age [R05_YG1006CL_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------------|
| 1 BACK | GO TO R05_YG1006CL_NB |
| 2 NEXT | GO TO R05_YG1006CL_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_YG1006CL_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1006CL_NB > R05R_Y_AGE.
ELSE, GO TO R05_YG1006CL_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1006CL_NB_LC2

The computer recorded that you started smoking cigarillos at age [R05_YG1006CL_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-----------------------|
| 1 BACK | GO TO R05_YG1006CL_NB |
| 2 NEXT | GO TO R05_YG1108CL |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1006CL < 5.

PROGRAM: TRIGGER CHECK IF R05_YG1006CL < 5.
ELSE, GO TO R05_YG1108CL AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1006FC_NB_LC1

The computer recorded that you first smoked a filtered cigar at age [R05_YG1006FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------------|
| 1 BACK | GO TO R05_YG1006FC_NB |
| 2 NEXT | GO TO R05_YG1006FC_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_YG1006FC_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1006FC_NB > R05R_Y_AGE.
ELSE, GO TO R05_YG1006FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1006FC_NB_LC2

The computer recorded that you started smoking filtered cigars at age [R05_YG1006FC_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1006FC_NB

2 NEXT

GO TO R05_YG1108FC

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1006FC < 5.

PROGRAM: TRIGGER CHECK IF R05_YG1006FC < 5.
ELSE, GO TO R05_YG1108FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YG1120TC_NB; R05_YG1120CL_NB; R05_YG1120FC_NB

When you first tried a [CIGARFILL], even one or two puffs, were you...

1 Less than 12 years old,

2 12 to 14 years old, or

3 15 to 17 years old?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age when they first tried smoking traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG1120TC_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1006TC_NB = -8, -7.

FOR R05_YG1120CL_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1006CL_NB = -8, -7.

FOR R05_YG1120FC_NB: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1006FC_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1108TC; R05_YG1108CL; R05_YG1108FC

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YGR09 |
| 3 | I don't know | GO TO BOX R05_YGR09 |
| -8 | DON'T KNOW | GO TO BOX R05_YGR09 |
| -7 | REFUSED | GO TO BOX R05_YGR09 |

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1108TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1).

FOR R05_YG1108CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1).

FOR R05_YG1108FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

What flavor was that first [CIGARFILL] you smoked? Choose all that apply.

- | | | |
|---|----|--|
| R05_YG1011TC_01;
R05_YG1011CL_01;
R05_YG1011FC_01 | 1 | Menthol or mint |
| R05_YG1011TC_02;
R05_YG1011CL_02;
R05_YG1011FC_02 | 2 | Clove or spice |
| R05_YG1011TC_03;
R05_YG1011CL_03;
R05_YG1011FC_03 | 3 | Fruit |
| R05_YG1011TC_04;
R05_YG1011CL_04;
R05_YG1011FC_04 | 4 | Chocolate |
| R05_YG1011TC_05;
R05_YG1011CL_05;
R05_YG1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YG1011TC_06;
R05_YG1011CL_06;
R05_YG1011FC_06 | 6 | Candy or other sweets |
| R05_YG1011TC_07;
R05_YG1011TC_OS;
R05_YG1011CL_07;
R05_YG1011CL_OS;
R05_YG1011FC_07;
R05_YG1011FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R05_YG1011TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).
FOR R05_YG1011CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).
FOR R05_YG1011FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR09

New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1005[TC/CL/FC]. Else, go to R05_YG9040[TC/CL/FC].

FOR LOOP = GTRAD:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND (R05_INIT_GTRAD_YOUTH = 1 OR R04_NUMLIFE_GTRAD != 1) AND R05_12MBLUNT_ONLY_BTRAD != 1), GO TO R05_YG1005TC. ELSE, GO TO R05_YG9040TC.

FOR LOOP = GRILLO:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND (R05_INIT_GRILLO_YOUTH = 1 OR R04_NUMLIFE_GRILLO != 1) AND R05_12MBLUNT_ONLY_BRILLO != 1), GO TO R05_YG1005CL. ELSE, GO TO R05_YG9040CL.

FOR LOOP = GFILTR:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND (R05_INIT_GFILTR_YOUTH = 1 OR R04_NUMLIFE_GFILTR != 1) AND R05_12MBLUNT_ONLY_BFILTR != 1), GO TO R05_YG1005FC. ELSE, GO TO R05_YG9040FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1005TC; R05_YG1005CL; R05_YG1005FC

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1
- 3 2 to 10
- 4 11 to 20
- 5 21 to 50
- 6 51 to 99
- 7 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1005TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND (R05_INIT_GTRAD_YOUTH = 1 OR R04_NUMLIFE_GTRAD != 1) AND R05_12MBLUNT_ONLY_BTRAD != 1).

FOR R05_YG1005CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND (R05_INIT_GRILLO_YOUTH = 1 OR R04_NUMLIFE_GRILLO != 1) AND R05_12MBLUNT_ONLY_BRILLO != 1).

FOR R05_YG1005FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND (R05_INIT_GFILTR_YOUTH = 1 OR R04_NUMLIFE_GFILTR != 1) AND R05_12MBLUNT_ONLY_BFILTR != 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9040TC; R05_YG9040CL; R05_YG9040FC

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG9040TC: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_YG9040CL: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_YG9040FC: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR18

New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked cigars and had never smoked fairly regularly in the previous wave and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1100 [TC/CL/FC].

Else, go to R05_YG1112[TC/CL/FC].

FOR LOOP = GTRAD:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1), GO TO R05_YG1100TC.
ELSE, GO TO R05_YG1112TC.

FOR LOOP = GRILLO:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1), GO TO R05_YG1100CL.
ELSE, GO TO R05_YG1112CL.

FOR LOOP = GFILTR:

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1), GO TO R05_YG1100FC.
ELSE, GO TO R05_YG1112FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1100TC; R05_YG1100CL; R05_YG1100FC

Have you ever smoked [CIGARFILL]s fairly regularly?

- | | | |
|----|------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YG1112[TC/CL/FC] |
| -8 | DON'T KNOW | GO TO R05_YG1112[TC/CL/FC] |
| -7 | REFUSED | GO TO R05_YG1112[TC/CL/FC] |

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1100TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1).
 FOR R05_YG1100CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1).
 FOR R05_YG1100FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1007TC; R05_YG1007CL; R05_YG1007FC

How old were you when you first started smoking [CIGARFILL]s fairly regularly?

I ___|___| Years old

-8 DON'T KNOW

GO TO R05_YG1121[TC/CL/FC]

-7 REFUSED

GO TO R05_YG1121[TC/CL/FC]

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R05_YG1007TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1).
FOR R05_YG1007CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1).
FOR R05_YG1007FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1).
EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_YG1100FC = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YG1007TC_LC1

The computer recorded that you started smoking traditional cigars fairly regularly at age [R05_YG1007TC]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1007TC

2 NEXT

GO TO R05_YG1007TC_LC2

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1)) AND (R05_YG1007TC <= 12 OR R05_YG1007TC < R05_YG1006TC_NB).

PROGRAM: TRIGGER CHECK IF R05_YG1007TC <= 12 OR R05_YG1007TC < R05_YG1006TC_NB. ELSE, GO TO R05_YG1007TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1007TC_LC2

The computer recorded that you started smoking traditional cigars fairly regularly at age [R05_YG1007TC]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R05_YG1007TC |
| 2 NEXT | GO TO R05_YG1112TC |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1)) AND (R05_YG1007TC > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1007TC > R05R_Y_AGE.
ELSE, GO TO R05_YG1112TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1007CL_LC1

The computer recorded that you started smoking cigarillos fairly regularly at age [R05_YG1007CL]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------------|
| 1 BACK | GO TO R05_YG1007CL |
| 2 NEXT | GO TO R05_YG1007CL_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1)) AND (R05_YG1007CL <= 5 OR R05_YG1007CL < R05_YG1006CL_NB).

PROGRAM: TRIGGER CHECK IF R05_YG1007CL <= 5 OR R05_YG1007CL < R05_YG1006CL_NB.
ELSE, GO TO R05_YG1007CL_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1007CL_LC2

The computer recorded that you started smoking cigarillos fairly regularly at age [R05_YG1007CL]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R05_YG1007CL |
| 2 NEXT | GO TO R05_YG1112CL |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1)) AND (R05_YG1007CL > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1007CL > R05R_Y_AGE.
ELSE, GO TO R05_YG1112CL AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1007FC_LC1

The computer recorded that you started smoking filtered cigars fairly regularly at age [R05_YG1007FC]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------------|
| 1 BACK | GO TO R05_YG1007FC |
| 2 NEXT | GO TO R05_YG1007FC_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1)) AND (R05_YG1007FC <= 10 OR R05_YG1007FC < R05_YG1006FC_NB).

PROGRAM: TRIGGER CHECK IF R05_YG1007FC <= 10 OR R05_YG1007FC < R05_YG1006FC_NB.
ELSE, GO TO R05_YG1007FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1007FC_LC2

The computer recorded that you started smoking filtered cigars fairly regularly at age [R05_YG1007FC]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1007FC

2 NEXT

GO TO R05_YG1112FC

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTER_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTER != 1 AND R05_YG1100FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTER_YOUTH = 1 AND R04_REGUSE_GFILTER != 1 AND R05_12MBLUNT_ONLY_BFILTER != 1 AND R05_YG1100FC = 1)) AND (R05_YG1007FC > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YG1007FC > R05R_Y_AGE.
ELSE, GO TO R05_YG1112FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1121TC; R05_YG1121CL; R05_YG1121FC

When you first started smoking [CIGARFILL]s fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars fairly regularly, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age they started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R05_YG1121TC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1 AND R05_YG1007TC = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1100TC = 1 AND R05_YG1007TC = -8, -7).
 FOR R05_YG1121CL: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1 AND R05_YG1007CL = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1100CL = 1 AND R05_YG1007CL = -8, -7).
 FOR R05_YG1121FC: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1 AND R05_YG1007FC = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1100FC = 1 AND R05_YG1007FC = -8, -7).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1112TC; R05_YG1112CL; R05_YG1112FC

When was the last time you smoked a [CIGARFILL], even one or two puffs?

- | | | |
|----|---|---------------------|
| 1 | Earlier today | |
| 2 | Not today but sometime in the past 7 days | |
| 3 | Not in the past 7 days but sometime in the past 30 days | GO TO BOX R05_YGV02 |
| 4 | Not in the past 30 days but sometime in the past 6 months | GO TO BOX R05_YGV02 |
| 5 | Not in the past 6 months but sometime in the past year | GO TO BOX R05_YGV02 |
| 6 | 1 to 4 years ago | GO TO BOX R05_YGV02 |
| 7 | 5 or more years ago | GO TO BOX R05_YGV02 |
| -8 | DON'T KNOW | GO TO BOX R05_YGV02 |
| -7 | REFUSED | GO TO BOX R05_YGV02 |

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1112TC: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_YG1112CL: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_YG1112FC: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

PROGRAM: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YG1002_12M = 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG0100TC; R05_YG0100CL; R05_YG0100FC

When did you last smoke a [CIGARFILL]?

- | | | |
|----|---|----------------------------|
| 1 | In the past hour | GO TO R05_YG0103[TC/CL/FC] |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R05_YGV02 |
| -8 | DON'T KNOW | GO TO BOX R05_YGV02 |
| -7 | REFUSED | GO TO BOX R05_YGV02 |

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days.

ASK Specification: FOR R05_YG0100TC: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2.
 FOR R05_YG0100CL: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2.
 FOR R05_YG0100FC: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2.

Variable(s): R05_YG0102TC; R05_YG0102CL; R05_YG0102FC

When you last smoked a [CIGARFILL] [FILL BASED ON R05_YG0100[TC/CL/FC]], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_YG0102TC: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2 AND R05_YG0100TC = 2, 3, 4.
 FOR R05_YG0102CL: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2 AND R05_YG0100CL = 2, 3, 4.
 FOR R05_YG0102FC: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2 AND R05_YG0100FC = 2, 3, 4.
 DISPLAY: FOR [FILL BASED ON R05_YG0100[TC/CL/FC]]:
 IF R05_YG0100[TC/CL/FC] = 2, DISPLAY "today".
 ELSE, IF R05_YG0100[TC/CL/FC] = 3, DISPLAY "yesterday".
 ELSE, IF R05_YG0100[TC/CL/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG0103TC; R05_YG0103CL; R05_YG0103FC

How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R05_YG0100[TC/CL/FC]]? (If less than 1, enter 1.)

I _ _ I _ _ I _ _

-8 DON'T KNOW

GO TO BOX R05_YGV02

-7 REFUSED

GO TO BOX R05_YGV02

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_YG0103TC: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2 AND R05_YG0100TC = 1, 2, 3, 4. FOR R05_YG0103CL: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2 AND R05_YG0100CL = 1, 2, 3, 4. FOR R05_YG0103FC: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2 AND R05_YG0100FC = 1, 2, 3, 4.

DISPLAY: IF R05_YG0100[TC/CL/FC] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_YG0100[TC/CL/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_YG0100[TC/CL/FC]]:

IF R05_YG0100[TC/CL/FC] = 1, 2, DISPLAY "today".

ELSE, IF R05_YG0100[TC/CL/FC] = 3, DISPLAY "yesterday".

ELSE, IF R05_YG0100[TC/CL/FC] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YG0103TC_LC1

The computer recorded that you smoked [R05_YG0103TC] traditional cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG0103TC

2 NEXT

GO TO BOX R05_YGV02

ASK: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2 AND R05_YG0100TC = 1, 2, 3, 4 AND (R05_YG0103TC > 15 OR R05_YG0103TC = 11).

DISPLAY: IF R05_YG0100TC = 1, 2, DISPLAY "today".

ELSE, IF R05_YG0100TC = 3, DISPLAY "yesterday".

ELSE, IF R05_YG0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YG0103TC > 15 OR R05_YG0103TC = 11.

ELSE, GO TO BOX R05_YGV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG0103CL_LC1

The computer recorded that you smoked [R05_YG0103CL] cigarillos [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG0103CL

2 NEXT

GO TO BOX R05_YGV02

ASK: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2 AND R05_YG0100CL = 1, 2, 3, 4 AND (R05_YG0103CL > 15 OR R05_YG0103CL = 11).

DISPLAY: IF R05_YG0100CL = 1, 2, DISPLAY "today".

ELSE, IF R05_YG0100CL = 3, DISPLAY "yesterday".

ELSE, IF R05_YG0100CL = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YG0103CL > 15 OR R05_YG0103CL = 11.

ELSE, GO TO BOX R05_YGV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG0103FC_LC1

The computer recorded that you smoked [R05_YG0103FC] filtered cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG0103FC

2 NEXT

GO TO BOX R05_YGV02

ASK: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2 AND R05_YG0100FC = 1, 2, 3, 4 AND (R05_YG0103FC > 15 OR R05_YG0103FC = 11).

DISPLAY: IF R05_YG0100FC = 1, 2, DISPLAY "today".

ELSE, IF R05_YG0100FC = 3, DISPLAY "yesterday".

ELSE, IF R05_YG0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YG0103FC > 15 OR R05_YG0103FC = 11.

ELSE, GO TO BOX R05_YGV02 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YGV02

PROGRAM - CREATE THE FOLLOWING VARIABLES FOR EACH CIGAR TYPE (SEE APPENDIX):

R05_PAST30DAY_GTRAD = 1 (Past 30 day traditional cigar smoker) Youth respondents who have smoked a traditional cigar in the past 30 days.

R05_PAST30DAY_GTRAD_LEVEL = 1 (Past 30 day "Very-Light" traditional cigar smoker) Youth respondents who have smoked a traditional cigar in the past 30 days, and have smoked 10 or fewer traditional cigars in their lifetime.

R05_PAST30DAY_GTRAD_LEVEL = 2 (Past 30 day "Not-Light" traditional cigar smoker) Youth respondents who have smoked a traditional cigar in the past 30 days, and have smoked more than 10 traditional cigars in their lifetime.

R05_PAST30DAY_GRILLO = 1 (Past 30 day cigarillo smoker) Youth respondents who have smoked a cigarillo in the past 30 days.

R05_PAST30DAY_GRILLO_LEVEL = 1 (Past 30 day "Very-Light" cigarillo smoker) Youth respondents who have smoked a cigarillo in the past 30 days, and have smoked 10 or fewer cigarillos in their lifetime.

R05_PAST30DAY_GRILLO_LEVEL = 2 (Past 30 day "Not-Light" cigarillo smoker) Youth respondents who have smoked a cigarillo in the past 30 days, and have smoked more than 10 cigarillos in their lifetime.

R05_PAST30DAY_GFILTR = 1 (Past 30 day filtered cigar smoker) Youth respondents who have smoked a filtered cigar in the past 30 days.

R05_PAST30DAY_GFILTR_LEVEL = 1 (Past 30 day "Very-Light" filtered cigar smoker) Youth respondents who have smoked a filtered cigar in the past 30 days, and have smoked 10 or fewer filtered cigars in their lifetime.

R05_PAST30DAY_GFILTR_LEVEL = 2 (Past 30 day "Not-Light" filtered cigar smoker) Youth respondents who have smoked a filtered cigar in the past 30 days, and have smoked more than 10 filtered cigars in their lifetime.

R05_PAST30DAY_GTRAD = 1:

IF R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD = 1.

ELSE, R05_PAST30DAY_GTRAD = 2.

R05_PAST30DAY_GTRAD_LEVEL = 1:

IF R05_YG1005TC = 1, 2, 3 AND R04_NUMLIFE_GTRAD != 1 AND R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD_LEVEL = 1.

R05_PAST30DAY_GTRAD_LEVEL = 2:

ELSE, IF (R05_YG1005TC > 3 OR R05_YG1005TC = -8, -7 OR R04_NUMLIFE_GTRAD = 1) AND R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD_LEVEL = 2.

R05_PAST30DAY_GRILLO = 1:

IF R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO = 1.

ELSE, R05_PAST30DAY_GRILLO = 2.

R05_PAST30DAY_GRILLO_LEVEL = 1:

IF R05_YG1005CL = 1, 2, 3 AND R04_NUMLIFE_GRILLO != 1 AND R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO_LEVEL = 1.

R05_PAST30DAY_GRILLO_LEVEL = 2:

ELSE, IF (R05_YG1005CL > 3 OR R05_YG1005CL = -8, -7 OR R04_NUMLIFE_GRILLO = 1) AND R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO_LEVEL = 2.

R05_PAST30DAY_GFILTR = 1:

IF R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR = 1.

ELSE, R05_PAST30DAY_GFILTR = 2.

R05_PAST30DAY_GFILTR_LEVEL = 1:

IF R05_YG1005FC = 1, 2, 3 AND R04_NUMLIFE_GFILTR != 1 AND R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR_LEVEL = 1.

R05_PAST30DAY_GFILTR_LEVEL = 2:

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

ELSE, IF (R05_YG1005FC > 3 OR R05_YG1005FC = -8, -7 OR R04_NUMLIFE_GFILTR = 1) AND R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR_LEVEL = 2.

BOX ID: R05_YGR06

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1022[TC/CL/FC].
Else, go to Box R05_YGR16.

FOR LOOP = GTRAD:
IF R05_PAST30DAY_GTRAD = 1, GO TO R05_YG1022TC.
ELSE, GO TO BOX R05_YGR16.

FOR LOOP = GRILLO:
IF R05_PAST30DAY_GRILLO = 1, GO TO R05_YG1022CL.
ELSE, GO TO BOX R05_YGR16.

FOR LOOP = GFILTR:
IF R05_PAST30DAY_GFILTR = 1, GO TO R05_YG1022FC.
ELSE, GO TO BOX R05_YGR16.

Variable(s): R05_YG1022TC; R05_YG1022CL; R05_YG1022FC

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

I ___ | ___ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1022TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1022CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1022FC: IF R05_PAST30DAY_GFILTR = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1023TC; R05_YG1023CL; R05_YG1023FC

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

- 1 Less than 1 [CIGARFILL] per day
- 2 1 [CIGARFILL] per day
- 3 2 to 5 [CIGARFILL]s per day
- 4 6 to 10 [CIGARFILL]s per day
- 5 11 to 20 [CIGARFILL]s per day
- 6 More than 20 [CIGARFILL]s per day
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1023TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1023CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1023FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1130TC; R05_YG1130CL; R05_YG1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R05_YG1142[TC/CL/FC]
- 3 I don't know GO TO R05_YG1142[TC/CL/FC]
- 8 DON'T KNOW GO TO R05_YG1142[TC/CL/FC]
- 7 REFUSED GO TO R05_YG1142[TC/CL/FC]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1130TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1130CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1130FC: IF R05_PAST30DAY_GFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_YG1131TC_01;
R05_YG1131CL_01;
R05_YG1131FC_01 | 1 | Menthol or mint |
| R05_YG1131TC_02;
R05_YG1131CL_02;
R05_YG1131FC_02 | 2 | Clove or spice |
| R05_YG1131TC_03;
R05_YG1131CL_03;
R05_YG1131FC_03 | 3 | Fruit |
| R05_YG1131TC_04;
R05_YG1131CL_04;
R05_YG1131FC_04 | 4 | Chocolate |
| R05_YG1131TC_05;
R05_YG1131CL_05;
R05_YG1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YG1131TC_06;
R05_YG1131CL_06;
R05_YG1131FC_06 | 6 | Candy or other sweets |
| R05_YG1131TC_07;
R05_YG1131TC_OS;
R05_YG1131CL_07;
R05_YG1131CL_OS;
R05_YG1131FC_07;
R05_YG1131FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R05_YG1131TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

FOR R05_YG1131CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

FOR R05_YG1131FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR30

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R05_YG1133[TC/CL/FC].
Else, go to R05_YG1147[TC/CL/FC].

FOR LOOP = GTRAD:

IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1 AND (R05_YG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131TC_[01/.../07] = -8, -7), GO TO R05_YG1133TC.
ELSE, GO TO R05_YG1147TC.

FOR LOOP = GRILLO:

IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1 AND (R05_YG1131CL_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131CL_[01/.../07] = -8, -7), GO TO R05_YG1133CL.
ELSE, GO TO R05_YG1147CL.

FOR LOOP = GFILTR:

IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1 AND (R05_YG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131FC_[01/.../07] = -8, -7), GO TO R05_YG1133FC.
ELSE, GO TO R05_YG1147FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1133TC; R05_YG1133TC_OS; R05_YG1133CL; R05_YG1133CL_OS; R05_YG1133FC; R05_YG1133FC_OS
In the past 30 days, which flavor of [CIGARFILL]s have you smoked most often? 1 Menthol or mint 2 Clove or spice 3 Fruit 4 Chocolate 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) 6 Candy or other sweets 7 Some other flavor (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days. ASK Specification: FOR R05_YG1133TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1 AND (R05_YG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131TC_[01/.../07] = -8, -7). FOR R05_YG1133CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1 AND (R05_YG1131CL_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131CL_[01/.../07] = -8, -7). FOR R05_YG1133FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1 AND (R05_YG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131FC_[01/.../07] = -8, -7). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_YG1147TC; R05_YG1147CL; R05_YG1147FC
On the days you smoked [CIGARFILL]s in the past 30 days, how often did you smoke <u>flavored</u> [CIGARFILL]s? 1 All of the time 2 Most of the time 3 Sometimes 4 Rarely 5 Never -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days. ASK Specification: FOR R05_YG1147TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1. FOR R05_YG1147CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1. FOR R05_YG1147FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1. DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1142TC; R05_YG1142CL; R05_YG1142FC

In the past 30 days, did anyone sell you [CIGARFILL]s?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1142TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1142CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1142FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1123TC; R05_YG1123CL; R05_YG1123FC

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1123TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1123CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1123FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1118TC; R05_YG1118TC_OS; R05_YG1118CL; R05_YG1118CL_OS;
R05_YG1118FC; R05_YG1118FC_OS

In the past 30 days, how did you usually get your own [CIGARFILL]s?

- 1 I gave someone else money to buy them for me
- 2 I bought them myself from a store (including a cigar bar)
- 3 I asked someone to give me one
- 4 Someone offered it to me
- 5 I bought them from another person
- 6 I took them from a store or another person
- 7 I got them some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1118TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1118CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1118FC: IF R05_PAST30DAY_GFILTR = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR07

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R05_YG1030[TC/CL/FC].
 Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1047[TC/CL/FC].
 Else, youth respondents who are past 30 day "very-light" traditional cigar/cigarillo/filtered cigar smokers, go to R05_YG1945[TC/CL/FC]
 Else, go to Box R05_YGR16.

FOR LOOP = GTRAD:
 IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1118TC = 1, 2, GO TO R05_YG1030TC.
 ELSE, IF R05_PAST30DAY_GTRAD_LEVEL = 2, GO TO R05_YG1047TC.
 ELSE, IF R05_PAST30DAY_GTRAD_LEVEL = 1, GO TO R05_YG1945TC.
 ELSE, GO TO BOX R05_YGR16.

FOR LOOP = GRILLO:
 IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1118CL = 1, 2, GO TO R05_YG1030CL.
 ELSE, IF R05_PAST30DAY_GRILLO_LEVEL = 2, GO TO R05_YG1047CL.
 ELSE, IF R05_PAST30DAY_GRILLO_LEVEL = 1, GO TO R05_YG1945CL.
 ELSE, GO TO BOX R05_YGR16.

FOR LOOP = GFILTR:
 IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1118FC = 1, 2, GO TO R05_YG1030FC.
 ELSE, IF R05_PAST30DAY_GFILTR_LEVEL = 2, GO TO R05_YG1047FC.
 ELSE, IF R05_PAST30DAY_GFILTR_LEVEL = 1, GO TO R05_YG1945FC.
 ELSE, GO TO BOX R05_YGR16.

Variable(s): R05_YG1030TC; R05_YG1030CL; R05_YG1030FC

How do [you/they] usually buy your [CIGARFILL]s?

- | | |
|---|---------------------|
| 1 In person (such as at a store or cigar bar) | |
| 2 From the internet | GO TO BOX R05_YGR22 |
| 3 By telephone | GO TO BOX R05_YGR22 |
| -8 DON'T KNOW | GO TO BOX R05_YGR22 |
| -7 REFUSED | GO TO BOX R05_YGR22 |

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: FOR R05_YG1030TC: IF R05_YG1118TC = 1, 2 AND R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1030CL: IF R05_YG1118CL = 1, 2 AND R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1030FC: IF R05_YG1118FC = 1, 2 AND R05_PAST30DAY_GFILTR = 1.

DISPLAY: IF R05_YG1118[TC/CL/FC] = 1, DISPLAY "they".

ELSE, IF R05_YG1118[TC/CL/FC] = 2, DISPLAY "you".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1033TC; R05_YG1033TC_OS; R05_YG1033CL; R05_YG1033CL_OS;
R05_YG1033FC; R05_YG1033FC_OS

Where do [you/they] buy your [CIGARFILL]s most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: FOR R05_YG1033TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1118TC = 1, 2 AND R05_YG1030TC = 1.

FOR R05_YG1033CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1118CL = 1, 2 AND R05_YG1030CL = 1.

FOR R05_YG1033FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1118FC = 1, 2 AND R05_YG1030FC = 1.

DISPLAY: IF R05_YG1118[TC/CL/FC] = 1, DISPLAY "they".

ELSE, IF R05_YG1118[TC/CL/FC] = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR22

Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R05_YG1039[TC/CL/FC].
Else, youth respondents who are past 30 day "very-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R05_YG1945[TC/CL/FC].

FOR LOOP = GTRAD:
IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2, GO TO R05_YG1039TC.
ELSE, IF R05_PAST30DAY_GTRAD_LEVEL = 1 AND R05_YG1118TC = 1, 2, GO TO R05_YG1945TC.

FOR LOOP = GRILLO:
IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2, GO TO R05_YG1039CL.
ELSE, IF R05_PAST30DAY_GRILLO_LEVEL = 1 AND R05_YG1118CL = 1, 2, GO TO R05_YG1945CL.

FOR LOOP = GFILTR:
IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2, GO TO R05_YG1039FC.
ELSE, IF R05_PAST30DAY_GFILTR_LEVEL = 1 AND R05_YG1118FC = 1, 2, GO TO R05_YG1945FC.

Variable(s): R05_YG1039TC; R05_YG1039CL; R05_YG1039FC

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s. Did you buy them by the box or pack, or as single [CIGARFILL]s?

- | | | |
|----|---------------------|----------------------------|
| 1 | Box or pack | |
| 2 | Single [CIGARFILL]s | GO TO R05_YG1034[TC/CL/FC] |
| -8 | DON'T KNOW | GO TO R05_YG1047[TC/CL/FC] |
| -7 | REFUSED | GO TO R05_YG1047[TC/CL/FC] |

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: FOR R05_YG1039TC: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2.

FOR R05_YG1039CL: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2.

FOR R05_YG1039FC: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2.

DISPLAY: IF R05_YG1118[TC/CL/FC] = 2, DISPLAY "bought".

ELSE, IF R05_YG1118[TC/CL/FC] = 1, DISPLAY "gave money to someone else to buy you".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1040TC; R05_YG1040CL; R05_YG1040FC

How many [CIGARFILL]s came in the box or pack that you last bought?

I _ _ | _ _ |

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R05_YG1040TC: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2 AND R05_YG1039TC = 1.

FOR R05_YG1040CL: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1.

FOR R05_YG1040FC: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1.

PROGRAM: Allow 2 digits.

Variable(s): R05_YG1034TC_D; R05_YG1034TC_C; R05_YG1034CL_D; R05_YG1034CL_C; R05_YG1034FC_D; R05_YG1034FC_C

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

\$ I _ _ | _ _ | Dollars . I _ _ | _ _ | Cents

-8 DON'T KNOW

GO TO R05_YG1047[TC/CL/FC]

-7 REFUSED

GO TO R05_YG1047[TC/CL/FC]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG1034TC: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2 AND R05_YG1039TC = 1, 2.

FOR R05_YG1034CL: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1, 2.

FOR R05_YG1034FC: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1, 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YG1039[TC/CL/FC] = 1, DISPLAY "box or pack of [CIGARFILL]s".

ELSE, IF R05_YG1039[TC/CL/FC] = 2, DISPLAY "single [CIGARFILL]".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1034TC_LC1

The computer recorded that you paid \$[R05_YG1034TC_D].[R05_YG1034TC_C] for a [box or pack of traditional cigars/single traditional cigar]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1034TC

2 NEXT

GO TO R05_YG1047TC

ASK: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2 AND R05_YG1039TC = 1, 2 AND (((R05_YG1034TC_D > 300 OR R05_YG1034TC_D < 10) AND R05_YG1039TC = 1) OR ((R05_YG1034TC_D > 15 OR R05_YG1034TC_D < 1) AND R05_YG1039TC = 2)).

DISPLAY: IF R05_YG1039TC = 1, DISPLAY "box or pack of traditional cigars".

ELSE, IF R05_YG1039TC = 2, DISPLAY "single traditional cigar".

PROGRAM: TRIGGER CHECK ((R05_YG1034TC_D > 300 OR R05_YG1034TC_D < 10) AND R05_YG1039TC = 1) OR ((R05_YG1034TC_D > 15 OR R05_YG1034TC_D < 1) AND R05_YG1039TC = 2).

ELSE, GO TO R05_YG1047TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YG1034CL_LC1

The computer recorded that you paid \$[R05_YG1034CL_D].[R05_YG1034CL_C] for a [box or pack of cigarillos/single cigarillo]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1034CL

2 NEXT

GO TO R05_YG1047CL

ASK: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1, 2 AND (((R05_YG1034CL_D > 11 OR R05_YG1034CL_D < 1) AND R05_YG1039CL = 1) OR ((R05_YG1034CL_D > 3 OR (R05_YG1034CL_D = 0 AND R05_YG1034CL_C < 50)) AND R05_YG1039CL = 2)).

DISPLAY: IF R05_YG1039CL = 1, DISPLAY "box or pack of cigarillos".

ELSE, IF R05_YG1039CL = 2, DISPLAY "single cigarillo".

PROGRAM: TRIGGER CHECK IF ((R05_YG1034CL_D > 11 OR R05_YG1034CL_D < 1) AND R05_YG1039CL = 1) OR ((R05_YG1034CL_D > 3 OR (R05_YG1034CL_D = 0 AND R05_YG1034CL_C < 50)) AND R05_YG1039CL = 2).

ELSE, GO TO R05_YG1047CL AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YG1034FC_LC1

The computer recorded that you paid \$[R05_YG1034FC_D].[R05_YG1034FC_C] for a [box or pack of filtered cigars/single filtered cigar]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YG1034FC

2 NEXT

GO TO R05_YG1047FC

ASK: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1, 2 AND (((R05_YG1034FC_D > 100 OR R05_YG1034FC_D < 1) AND R05_YG1039FC = 1) OR ((R05_YG1034FC_D > 3 OR (R05_YG1034FC_D = 0 AND R05_YG1034FC_C < 50)) AND R05_YG1039FC = 2)).

DISPLAY: IF R05_YG1039FC = 1, DISPLAY "box or pack of filtered cigars".

ELSE, IF R05_YG1039FC = 2, DISPLAY "single filtered cigar".

PROGRAM: TRIGGER CHECK IF ((R05_YG1034FC_D > 100 OR R05_YG1034FC_D < 1) AND R05_YG1039FC = 1) OR ((R05_YG1034FC_D > 3 OR (R05_YG1034FC_D = 0 AND R05_YG1034FC_C < 50)) AND R05_YG1039FC = 2).

ELSE, GO TO R05_YG1047FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YG1047TC; R05_YG1047CL; R05_YG1047FC

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1047TC: IF R05_PAST30DAY_GTRAD_LEVEL = 2.

FOR R05_YG1047CL: IF R05_PAST30DAY_GRILLO_LEVEL = 2.

FOR R05_YG1047FC: IF R05_PAST30DAY_GFILTR_LEVEL = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1945TC; R05_YG1945CL; R05_YG1945FC	
Do you know the <u>name of the brand</u> of [CIGARFILL]s you [usually smoke/last smoked]?	
1 Yes	
2 No	GO TO BOX R05_YGR11
-8 DON'T KNOW	GO TO BOX R05_YGR11
-7 REFUSED	GO TO BOX R05_YGR11
ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R05_YG1945TC: IF R05_PAST30DAY_GTRAD = 1.	
FOR R05_YG1945CL: IF R05_PAST30DAY_GRILLO = 1.	
FOR R05_YG1945FC: IF R05_PAST30DAY_GFILTR = 1.	
DISPLAY: IF R05_YG1047[TC/CL/FC] = 1, DISPLAY "usually smoke".	
ELSE, DISPLAY "last smoked".	
UNDERLINE "name of the brand".	

Variable(s): R05_YG1048TC_BRAND; R05_YG1048CL_BRAND; R05_YG1048FC_BRAND	
What brand of [CIGARFILL] [do/did] you [usually/last] smoke?	
Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]	
9995 Something else	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.	
ASK Specification: FOR R05_YG1048TC_BRAND: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1.	
FOR R05_YG1048CL_BRAND: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1.	
FOR R05_YG1048FC_BRAND: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1.	
DISPLAY: IF R05_YG1047[TC/CL/FC] = 1, DISPLAY "do" AND "usually".	
ELSE, DISPLAY "did" AND "last".	
IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."	
ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."	
PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR10

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R05_YG1049[TC/CL/FC].

Else, youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R05_YG1070[TC/CL/FC] _PRODUCT.

Else, go to Box R05_YGR11.

FOR LOOP = GTRAD:

IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND = 9995, GO TO R05_YG1049TC.

ELSE, IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7, GO TO R05_YG1070TC_PRODUCT.

ELSE, GO TO BOX R05_YGR11.

FOR LOOP = GRILLO:

IF 04_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND = 9995, GO TO R05_YG1049CL.

ELSE, IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7, GO TO R05_YG1070CL_PRODUCT.

ELSE, GO TO BOX R05_YGR11.

FOR LOOP = GFILTR:

IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND = 9995, GO TO R05_YG1049FC.

ELSE, IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7, GO TO R05_YG1070FC_PRODUCT.

ELSE, GO TO BOX R05_YGR11.

Variable(s): R05_YG1049TC; R05_YG1049CL; R05_YG1049FC

You said that your brand was not listed. What is it?

-8 DON'T KNOW

GO TO BOX R05_YGR11

-7 REFUSED

GO TO BOX R05_YGR11

GO TO BOX R05_YGR11

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG1049TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND = 9995.

FOR R05_YG1049CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND = 9995.

FOR R05_YG1049FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND = 9995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1070TC_PRODUCT; R05_YG1070CL_PRODUCT; R05_YG1070FC_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG1070TC_PRODUCT: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7.

FOR R05_YG1070CL_PRODUCT: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7.

FOR R05_YG1070FC_PRODUCT: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YG1048[TC/CL/FC]_BRAND.

IF R05_YG1047[TC/CL/FC] = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

BOX ID: R05_YGR21

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R05_YG1071[TC/CL/FC].
Else, go to Box R05_YGR11.

FOR LOOP = GTRAD:

IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7 AND R05_YG1070TC_PRODUCT = 99995, GO TO R05_YG1071TC.

ELSE, GO TO BOX R05_YGR11.

FOR LOOP = GRILLO:

IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7 AND R05_YG1070CL_PRODUCT = 99995, GO TO R05_YG1071CL.

ELSE, GO TO BOX R05_YGR11.

FOR LOOP = GFILTR:

IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7 AND R05_YG1070FC_PRODUCT = 99995, GO TO R05_YG1071FC.

ELSE, GO TO BOX R05_YGR11.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1071TC; R05_YG1071CL; R05_YG1071FC

You said that the type of [BRANDFILL]s that you smoke was not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG1071TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7 AND R05_YG1070TC_PRODUCT = 99995.

FOR R05_YG1071CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND

R05_YG1048CL_BRAND != 9995, -8, -7 AND R05_YG1070CL_PRODUCT = 99995.

FOR R05_YG1071FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND

R05_YG1048FC_BRAND != 9995, -8, -7 AND R05_YG1070FC_PRODUCT = 99995.

BOX ID: R05_YGR11

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars, go to R05_YG0104[TC/CL/FC].

Else, go to Box R05_YGD04.

FOR LOOP = GTRAD:

IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG0100TC = 1, 2, 3, 4 AND R05_YG1048TC_BRAND != 9995, -8, -7 AND R05_YG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YG0104TC.

ELSE, GO TO BOX R05_YGD04.

FOR LOOP = GRILLO:

IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG0100CL = 1, 2, 3, 4 AND R05_YG1048CL_BRAND != 9995, -8, -7 AND R05_YG1070CL_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YG0104CL.

ELSE, GO TO BOX R05_YGD04.

FOR LOOP = GFILTR:

IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG0100FC = 1, 2, 3, 4 AND R05_YG1048FC_BRAND != 9995, -8, -7 AND R05_YG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YG0104FC.

ELSE, GO TO BOX R05_YGD04.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG0104TC; R05_YG0104CL***; R05_YG0104FC

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_YG0104TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG0100TC = 1, 2, 3, 4 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7 AND R05_YG1070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R05_YG0104CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG0100CL = 1, 2, 3, 4 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7 AND R05_YG1070CL_PRODUCT != 99990, 99995, -8, -7.

FOR R05_YG0104FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG0100FC = 1, 2, 3, 4 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7 AND R05_YG1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_YG0100[TC/CL/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".
ELSE, IF R05_YG0100[TC/CL/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".
ELSE, IF R05_YG0100[TC/CL/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".
ELSE, IF R05_YG0100[TC/CL/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".
FILL [NEQBRAND] WITH RESPONSE TO R05_YG1070[TC/CL/FC]_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YGD04

Display question R05_YG1060[TC/CL/FC], R05_YG1085[TC/CL/FC], R05_YG1062[TC/CL/FC], R05_YG1075[TC/CL/FC], R05_YG1063[TC/CL/FC], R05_YG1064[TC/CL/FC], R05_YG1066[TC/CL/FC], and R05_YG1077[TC/CL/FC] on one screen. Show the intro/transition text from R05_YG1060[TC/CL/FC] first, then show each item with a Yes/No response. As each item is answered, show the next one.

Randomize order of R05_YG1060[TC/CL/FC] through R05_YG1077[TC/CL/FC].

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1060TC; R05_YG1060CL; R05_YG1060FC

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because...

They are affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1060TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1060CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1060FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1085TC; R05_YG1085CL; R05_YG1085FC

I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1085TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1085CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1085FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1062TC; R05_YG1062CL; R05_YG1062FC

They might be less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1062TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1062CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1062FC: IF R05_PAST30DAY_GFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1075TC; R05_YG1075CL; R05_YG1075FC

They might be less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1075TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1075CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1075FC: IF R05_PAST30DAY_GFILTR = 1.

Variable(s): R05_YG1063TC; R05_YG1063CL; R05_YG1063FC

[CIGARFILL]s come in flavors I like.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1063TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1063CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1063FC: IF R05_PAST30DAY_GFILTR = 1.

BOX ID: R05_YGR15

Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YG1064[TC/CL/FC].

Else, go to R05_YG1066[TC/CL/FC].

FOR LOOP = GTRAD:

IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1064TC.

ELSE, GO TO R05_YG1066TC.

FOR LOOP = GRILLO:

IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1064CL.

ELSE, GO TO R05_YG1066CL.

FOR LOOP = GFILTR:

IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1064FC.

ELSE, GO TO R05_YG1066FC.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1064TC; R05_YG1064CL; R05_YG1064FC

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R05_YG1064TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

FOR R05_YG1064CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

FOR R05_YG1064FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YG1066TC; R05_YG1066CL; R05_YG1066FC

Smoking a [CIGARFILL] feels like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1066TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1066CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1066FC: IF R05_PAST30DAY_GFILTR = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YGR23 Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YG1077[TC/CL/FC]. Else, go to R05_YG1139[TC/CL/FC]. FOR LOOP = GTRAD: IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1077TC. ELSE, GO TO R05_YG1139TC. FOR LOOP = GRILLO: IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1077CL. ELSE, GO TO R05_YG1139CL. FOR LOOP = GFILTR: IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YG1077FC. ELSE, GO TO R05_YG1139FC.
Variable(s): R05_YG1077TC; R05_YG1077CL; R05_YG1077FC Smoking [CIGARFILL]s satisfies my cravings for cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year. ASK Specification: FOR R05_YG1077TC: IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5. FOR R05_YG1077CL: IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5. FOR R05_YG1077FC: IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1139TC; R05_YG1139CL; R05_YG1139FC

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1139TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1139CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1139FC: IF R05_PAST30DAY_GFILTR = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YG1139[TC/CL/FC]-1141[TC/CL/FC] SERIES.

Variable(s): R05_YG1140TC; R05_YG1140CL; R05_YG1140FC

While smoking a [CIGARFILL], I feel more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1140TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1140CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1140FC: IF R05_PAST30DAY_GFILTR = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YG1139[TC/CL/FC]-1141[TC/CL/FC] SERIES.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1141TC; R05_YG1141CL; R05_YG1141FC

I smoke [CIGARFILL]s much more when I am with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_YG1141TC: IF R05_PAST30DAY_GTRAD = 1.

FOR R05_YG1141CL: IF R05_PAST30DAY_GRILLO = 1.

FOR R05_YG1141FC: IF R05_PAST30DAY_GFILTR = 1.

DISPLAY: DISPLAY SCALE FOR THE R05_YG1139[TC/CL/FC]-1141[TC/CL/FC] SERIES.

BOX ID: R05_YGR16

If youth respondent has remaining loops to complete for non-blunt cigar types, return to R05_YGT04 and repeat section.

Else, if youth respondent has no more remaining loops to complete for cigars, go to Box R05_YPT01.

IF LOOP = GTRAD, GRILLO, GFILTR, AND THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R05_YGT04 AND REPEAT SECTION.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR CIGARS, GO TO BOX R05_YPT01.

PIPE

BOX ID: R05_YPT01

The next questions are about smoking tobacco in a **pipe**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

BOLD "pipe".

BOX ID: R05_YPR02

New baseline youth respondents, go to R05_YP1001_NB.

Else, continuing youth respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview, go to R05_YP1002_NB.

Else, go to R05_YP1002_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YP1001_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2, GO TO R05_YP1002_NB.

ELSE, GO TO R05_YP1002_12M.

Variable(s): R05_YP1001_NB

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YPV01

GO TO BOX R05_YPV01

GO TO BOX R05_YPV01

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP1002_NB

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

1 Yes

2 No

GO TO BOX R05_YPV01

-8 DON'T KNOW

GO TO BOX R05_YPV01

-7 REFUSED

GO TO BOX R05_YPV01

ASK: New baseline youth respondents who have seen or heard of a pipe, or continuing youth respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YP1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2).

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

BOX ID: R05_YPR26

Continuing youth respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe, go to R05_YP1002_12M. Else, go to Box R05_YPV01.

IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_YP1002_NB = 1, GO TO R05_YP1002_12M.
ELSE, GO TO BOX R05_YPV01.

Variable(s): R05_YP1002_12M

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview, or have never smoked a pipe as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_PIPE = 1 OR (R04_EVER_NEVER_PIPE = 2 AND R05_YP1002_NB = 1))).

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YPV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R05_EVER_NEVER_PIPE_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a pipe. R05_EVER_NEVER_PIPE_YOUTH = 2 (Never user) Youth respondents who have never smoked a pipe. R05_INIT_PIPE_YOUTH = 1 (Initiator) Continuing youth respondents who initiated pipe smoking since their last completed interview or new baseline youth respondents who have ever smoked a pipe. R05_EVER_NEVER_PIPE_YOUTH = 1: IF R05_YP1002_NB = 1 OR R05_YP1002_12M = 1 OR (R04_EVER_NEVER_PIPE = 1 AND R05_YP1002_NB != 2), THEN R05_EVER_NEVER_PIPE_YOUTH = 1. R05_EVER_NEVER_PIPE_YOUTH = 2: ELSE, R05_EVER_NEVER_PIPE_YOUTH = 2. R05_INIT_PIPE_YOUTH = 1: IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_PIPE != 1 AND R05_EVER_NEVER_PIPE_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_PIPE_YOUTH = 1), THEN R05_INIT_PIPE_YOUTH = 1. ELSE, R05_INIT_PIPE_YOUTH = 2.

BOX ID: R05_YPR01
Youth respondents who have ever smoked a pipe, go to R05_YP1112. Else, go to Box R05_YHT01. IF R05_EVER_NEVER_PIPE_YOUTH = 1, GO TO R05_YP1112. ELSE, GO TO BOX R05_YHT01.

Variable(s): R05_YP1112																											
When was the last time you smoked a pipe, even one or two puffs? <table border="0"> <tr> <td>1</td> <td>Earlier today</td> <td></td> </tr> <tr> <td>2</td> <td>Not today but sometime in the past 7 days</td> <td></td> </tr> <tr> <td>3</td> <td>Not in the past 7 days but sometime in the past 30 days</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>4</td> <td>Not in the past 30 days but sometime in the past 6 months</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>5</td> <td>Not in the past 6 months but sometime in the past year</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>6</td> <td>1 to 4 years ago</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>7</td> <td>5 or more years ago</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R05_YPV02</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R05_YPV02</td> </tr> </table> ASK: Youth respondents who have ever smoked a pipe. ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 PROGRAM: Suppress options 6 & 7 for respondents who have smoked a pipe in the past year (R05_YP1002_12M = 1).	1	Earlier today		2	Not today but sometime in the past 7 days		3	Not in the past 7 days but sometime in the past 30 days	GO TO BOX R05_YPV02	4	Not in the past 30 days but sometime in the past 6 months	GO TO BOX R05_YPV02	5	Not in the past 6 months but sometime in the past year	GO TO BOX R05_YPV02	6	1 to 4 years ago	GO TO BOX R05_YPV02	7	5 or more years ago	GO TO BOX R05_YPV02	-8	DON'T KNOW	GO TO BOX R05_YPV02	-7	REFUSED	GO TO BOX R05_YPV02
1	Earlier today																										
2	Not today but sometime in the past 7 days																										
3	Not in the past 7 days but sometime in the past 30 days	GO TO BOX R05_YPV02																									
4	Not in the past 30 days but sometime in the past 6 months	GO TO BOX R05_YPV02																									
5	Not in the past 6 months but sometime in the past year	GO TO BOX R05_YPV02																									
6	1 to 4 years ago	GO TO BOX R05_YPV02																									
7	5 or more years ago	GO TO BOX R05_YPV02																									
-8	DON'T KNOW	GO TO BOX R05_YPV02																									
-7	REFUSED	GO TO BOX R05_YPV02																									

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP0100

When did you last smoke a pipe filled with tobacco?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_YP0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R05_YPV02 |
| -8 DON'T KNOW | GO TO BOX R05_YPV02 |
| -7 REFUSED | GO TO BOX R05_YPV02 |

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2.

Variable(s): R05_YP0102

When you last smoked a pipe filled with tobacco [FILL BASED ON R05_YP0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2 AND R05_YP0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YP0100]:

IF R05_YP0100 = 2, DISPLAY "today".

ELSE, IF R05_YP0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YP0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP0103

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R05_YP0100]? (If less than 1, enter 1.)

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_YPV02

-7 REFUSED

GO TO BOX R05_YPV02

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2 AND R05_YP0100 = 1, 2, 3, 4.

DISPLAY: IF R05_YP0100 = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_YP0100 = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_YP0100]:

IF R05_YP0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YP0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YP0103_LC1

The computer recorded that you smoked [R05_YP0103] bowls filled with pipe tobacco [today/yesterday/ the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YP0103

2 NEXT

GO TO BOX R05_YPV02

ASK: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2 AND R05_YP0100 = 1, 2, 3, 4 AND R05_YP0103 > 10.

DISPLAY: IF R05_YP0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YP0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YP0103 > 10.

ELSE, GO TO BOX R05_YPV02 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YPV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_PAST30DAY_PIPE = 1 (Past 30 day pipe smokers) Youth respondents who have smoked a pipe in the past 30 days.

R05_PAST30DAY_PIPE = 1:

IF R05_YP1112 = 1, 2, 3, THEN R05_PAST30DAY_PIPE = 1.

ELSE, R05_PAST30DAY_PIPE = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YPR04

Youth respondents who are past 30 day pipe smokers, go to R05_YP1022.
Else, go to Box R05_YHT01.

IF R05_PAST30DAY_PIPE = 1, GO TO R05_YP1022.
ELSE, GO TO BOX R05_YHT01.

Variable(s): R05_YP1022

In the past 30 days, on how many days did you smoke a pipe?

I ___ | ___ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

Variable(s): R05_YP1023

In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

1 Less than 1 bowl per day

2 1 bowl per day

3 2 to 5 bowls per day

4 6 to 10 bowls per day

5 11 to 20 bowls per day

6 More than 20 bowls per day

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Variable(s): R05_YP1142

In the past 30 days, did anyone sell you pipe tobacco?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP1123

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Variable(s): R05_YP1118; R05_YP1118_OS

In the past 30 days, how did you usually get your own pipe tobacco?

- 1 I gave someone else money to buy it for me
- 2 I bought it myself from a store
- 3 I asked someone to give me some
- 4 Someone offered it to me
- 5 I bought it from another person
- 6 I took it from a store or another person
- 7 I got it some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YPR03

Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store, go to R05_YP1030.
Else, go to Box R05_YHT01.

IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2, GO TO R05_YP1030.
ELSE, GO TO BOX R05_YHT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP1030

[When you give money to someone else, how do they/How do you] usually buy your pipe tobacco?

- 1 In person
- 2 From the internet GO TO R05_YP1034
- 3 By telephone GO TO R05_YP1034
- 8 DON'T KNOW GO TO R05_YP1034
- 7 REFUSED GO TO R05_YP1034

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2.

DISPLAY: IF R05_YP1118 = 1, DISPLAY "When you give money to someone else, how do they".
ELSE, IF R05_YP1118 = 2, DISPLAY "How do you".

Variable(s): R05_YP1033; R05_YP1033_OS

Where do [you/they] buy your pipe tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2 AND R05_YP1030 = 1.

DISPLAY: IF R05_YP1118 = 1, DISPLAY "they".

ELSE, IF R05_YP1118 = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YP1034_D; R05_YP1034_C

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco. How much did you pay for it?

\$ I ___ I ___ I ___ Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R05_YHT01

-7 REFUSED

GO TO R05_YHT01

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YP1118 = 1, DISPLAY "gave money to someone else to buy you".

ELSE, IF R05_YP1118 = 2, DISPLAY "bought".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YP1034_LC1

The computer recorded that you paid \$[R05_YP1034_D].[R05_YP1034_C] for a pouch of pipe tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YP1034

2 NEXT

GO TO BOX R05_YHT01

ASK: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2 AND R05_YP1034_D > 50.

PROGRAM: TRIGGER CHECK IF R05_YP1034_D > 50.

ELSE, GO TO BOX R05_YHT01 AND DO NOT DISPLAY THIS SCREEN.

HOOKAH

BOX ID: R05_YHT01

The next questions are about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars.

People smoke **shisha** or **hookah tobacco** in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

BOLD "hookah", "shisha" AND "hookah tobacco".

BOX ID: R05_YHR01

New baseline youth respondents, go to R05_YH1001_NB.

Else, continuing youth respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview, go to R05_YH1002_NB.

Else, go to R05_YH1002_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YH1001_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2, GO TO R05_YH1002_NB

ELSE, GO TO R05_YH1002_12M.

Variable(s): R05_YH1001_NB

Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YHV01

GO TO BOX R05_YHV01

GO TO BOX R05_YHV01

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1002_NB	
Have you ever smoked tobacco in a hookah, even one or two puffs?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1 Yes	
2 No	GO TO BOX R05_YHV01
-8 DON'T KNOW	GO TO BOX R05_YHV01
-7 REFUSED	GO TO BOX R05_YHV01
ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview.	
ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2).	
IMAGE: SHOW GENERIC IMAGE OF HOOKAH	

BOX ID: R05_YHR26
Continuing youth respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah, go to R05_YH1002_12M. Else, go to Box R05_YHV01.
IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_YH1002_NB = 1, GO TO R05_YH1002_12M. ELSE, GO TO BOX R05_YHV01.

Variable(s): R05_YH1002_12M
In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?
[SHOW GENERIC IMAGE OF HOOKAH]
1 Yes
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview, or have never smoked hookah as of their last completed interview and have ever smoked hookah.
ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_HOOK = 1 OR (R04_EVER_NEVER_HOOK = 2 AND R05_YH1002_NB = 1))).
IMAGE: SHOW GENERIC IMAGE OF HOOKAH.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_HOOK_YOUTH = 1 (Ever user) Youth respondents who have ever smoked hookah.

R05_EVER_NEVER_HOOK_YOUTH = 2 (Never user) Youth respondents who have never smoked hookah.

R05_INIT_HOOK_YOUTH = 1 (Initiator) Continuing youth respondents who initiated hookah smoking since their last completed interview or new baseline youth respondents who have ever smoked hookah.

R05_EVER_NEVER_HOOK_YOUTH = 1:

IF R05_YH1002_NB = 1 OR R05_YH1002_12M = 1 OR (R04_EVER_NEVER_HOOK = 1 AND R05_YH1002_NB != 2), THEN R05_EVER_NEVER_HOOK_YOUTH = 1.

R05_EVER_NEVER_HOOK_YOUTH = 2:

ELSE, R05_EVER_NEVER_HOOK_YOUTH = 2.

R05_INIT_HOOK_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK != 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1), THEN R05_INIT_HOOK_YOUTH = 1.
ELSE, R05_INIT_HOOK_YOUTH = 2.

BOX ID: R05_YHR02

New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah, go to R05_YH1103.

Else, new baseline youth respondents who have ever smoked hookah, go to R05_YH1006_NB.

Else, continuing youth respondents who have initiated hookah smoking since their last completed interview, go to R05_YH1108.

Else, continuing youth respondents who have ever smoked hookah and had not smoked hookah 100 or more times in their lifetime as of their last completed interview, go to R05_YH1005.

Else, continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, go to Box R05_YH1100.

Else, continuing youth respondents who have ever smoked hookah, go to R05_YH1112.

Else, continuing youth respondents, go to Box R05_YHV02.

Else, go to Box R05_YUT01.

IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2), GO TO R05_YH1103.

ELSE, IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1, GO TO R05_YH1006_NB.

ELSE, IF R05_INIT_HOOK_YOUTH = 1, GO TO R05_YH1108.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_NUMLIFE_HOOK != 1, GO TO R05_YH1005.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1, GO TO R05_YH1100.

ELSE, IF R05_EVER_NEVER_HOOK_YOUTH = 1, GO TO R05_YH1112.

ELSE, IF R05_YOUTHTYPE = 1, GO TO BOX R05_YHV02.

ELSE, GO TO BOX R05_YUT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1103

Have you ever been curious about smoking tobacco in a hookah?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Variable(s): R05_YH1206

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Variable(s): R05_YH1104

Do you think you will try smoking tobacco in a hookah soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YH1105**

If one of your best friends were to offer you a hookah, would you try it?

- | | | |
|----|----------------|------------------|
| 1 | Definitely yes | GO TO R05_YH9041 |
| 2 | Probably yes | GO TO R05_YH9041 |
| 3 | Probably not | GO TO R05_YH9041 |
| 4 | Definitely not | GO TO R05_YH9041 |
| -8 | DON'T KNOW | GO TO R05_YH9041 |
| -7 | REFUSED | GO TO R05_YH9041 |

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Variable(s): **R05_YH1006_NB**

How old were you when you first tried smoking tobacco in a hookah, even one or two puffs?

- I ___|___| Years old
- | | | |
|----|------------|---------------------|
| -8 | DON'T KNOW | GO TO R05_YH1120_NB |
| -7 | REFUSED | GO TO R05_YH1120_NB |

ASK: New baseline youth respondents who have ever smoked hookah.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: **R05_YH1006_NB_LC1**

The computer recorded that you first tried smoking tobacco in a hookah at age [R05_YH1006_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R05_YH1006_NB |
| 2 | NEXT | GO TO R05_YH1006_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1006_NB <=12.

PROGRAM: TRIGGER CHECK IF R05_YH1006_NB <=12.

ELSE, GO TO R05_YH1006_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YH1006_NB_LC2

The computer recorded that you first tried smoking tobacco in a hookah at age [R05_YH1006_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YH1006_NB |
| 2 NEXT | GO TO R05_YH1108 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND (R05_YH1006_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YH1006_NB > R05R_Y_AGE.
ELSE, GO TO R05_YH1108 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YH1120_NB

When you first tried smoking tobacco in a hookah, even one or two puffs, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked hookah and did not know or refused to report the age when they first tried smoking hookah.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1006_NB = -8, -7.

Variable(s): R05_YH1108

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YH9045 |
| 3 I don't know | GO TO R05_YH9045 |
| -8 DON'T KNOW | GO TO R05_YH9045 |
| -7 REFUSED | GO TO R05_YH9045 |

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR R05_INIT_HOOK_YOUTH = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

- | | | |
|---|----|--|
| R05_YH1011_01 | 1 | Menthol or mint |
| R05_YH1011_02 | 2 | Clove or spice |
| R05_YH1011_03 | 3 | Fruit |
| R05_YH1011_04 | 4 | Chocolate |
| R05_YH1011_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YH1011_06 | 6 | Candy or other sweets |
| R05_YH1011_07;
R05_YH1011_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_YH9045; R05_YH9045_OS

Where were you when you first tried a hookah, even one or two puffs?

- | | | |
|--|----|---------------------------|
| | 1 | In your home |
| | 2 | In someone else's home |
| | 3 | In a hookah bar or café |
| | 4 | In a dance club or lounge |
| | 5 | Somewhere else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR R05_INIT_HOOK_YOUTH = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR13

New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and have initiated hookah smoking since their last completed interview or had not smoked hookah 100 or more times in their lifetime as of their last completed interview, go to R05_YH1005.

Else, go to Box R05_YHR10.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND (R05_INIT_HOOK_YOUTH = 1 OR R04_NUMLIFE_HOOK != 1)), GO TO R05_YH1005.
ELSE, GO TO BOX R05_YHR10.

Variable(s): R05_YH1005

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 1
- 2 2 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and have initiated hookah smoking since their last completed interview or had not smoked hookah 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND (R05_INIT_HOOK_YOUTH = 1 OR R04_NUMLIFE_HOOK != 1)).

BOX ID: R05_YHR10

New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, go to R05_YH1100.

Else, go to R05_YH1112.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1), GO TO R05_YH1100.
ELSE, GO TO R05_YH1112.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1100

Have you ever smoked tobacco in a hookah fairly regularly?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YH1112 |
| -8 | DON'T KNOW | GO TO R05_YH1112 |
| -7 | REFUSED | GO TO R05_YH1112 |

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1).

Variable(s): R05_YH1007

How old were you when you first started smoking tobacco in a hookah fairly regularly?

- | | | |
|----|-------------------------|------------------|
| | I ___ ___ Years old | |
| -8 | DON'T KNOW | GO TO R05_YH1121 |
| -7 | REFUSED | GO TO R05_YH1121 |

ASK: New baseline youth respondents who have ever smoked hookah and have ever smoked hookah fairly regularly, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1 AND R05_YH1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YH1007_LC1

The computer recorded that you first started smoking tobacco in a hookah fairly regularly at age [R05_YH1007]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R05_YH1007 |
| 2 | NEXT | GO TO R05_YH1007_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1 AND R05_YH1100 = 1)) AND (R05_YH1007 <= 5 OR R05_YH1007 < R05_YH1006_NB).

PROGRAM: TRIGGER CHECK IF R05_YH1007 <= 5 OR R05_YH1007 < R05_YH1006_NB. ELSE, GO TO R05_YH1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YH1007_LC2

The computer recorded that you first started smoking tobacco in a hookah fairly regularly at age [R05_YH1007]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YH1007 |
| 2 NEXT | GO TO R05_YH1112 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1 AND R05_YH1100 = 1)) AND (R05_YH1007 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YH1007 > R05R_Y_AGE.
ELSE, GO TO R05_YH1112 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YH1121

When you first started smoking tobacco in a hookah fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever smoked hookah and have ever smoked hookah fairly regularly and did not know or refused to report the age they started smoking hookah fairly regularly, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly and did not know or refused to report the age they started smoking hookah fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1100 = 1 AND R05_YH1007 = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1 AND R05_YH1100 = 1 AND R05_YH1007 = -8, -7).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1112

When was the last time you smoked tobacco in a hookah, even one or two puffs?

- 1 Earlier today
- 2 Not today but sometime in the past 7 days
- 3 Not in the past 7 days but sometime in the past 30 days
- 4 Not in the past 30 days but sometime in the past 6 months
- 5 Not in the past 6 months but sometime in the past year
- 6 1 to 4 years ago
- 7 5 or more years ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

PROGRAM: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YH1002_12M = 1).

BOX ID: R05_YHV02

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_PAST30DAY_HOOK = 1 (Past 30 day hookah smokers) Youth respondents who have smoked hookah in the past 30 days.

R05_PAST30DAY_HOOK = 1:

IF R05_YH1112 = 1, 2, 3, THEN R05_PAST30DAY_HOOK = 1.

ELSE, R05_PAST30DAY_HOOK = 2.

BOX ID: R05_YHR12

Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days, go to R05_YH0100.

Else, youth respondents who have ever smoked hookah and last smoked hookah sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah, go to R05_YH9003.

Else, youth respondents who have ever smoked hookah, go to R05_YH1090.

Else, go to R05_YH9041.

IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, GO TO R05_YH0100.

ELSE, IF R05_YH1112 = 3, 4, 5, -8, -7, GO TO R05_YH9003.

ELSE, IF R05_EVER_NEVER_HOOK_YOUTH = 1, GO TO R05_YH1090.

ELSE, GO TO R05_YH9041.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH0100

When did you last smoke tobacco in a hookah?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_YH0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_YH9003 |
| -8 DON'T KNOW | GO TO R05_YH9003 |
| -7 REFUSED | GO TO R05_YH9003 |

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2.

Variable(s): R05_YH0102

When you last smoked tobacco in a hookah [FILL BASED ON R05_YH0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2 AND R05_YH0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YH0100]:

IF R05_YH0100 = 2, DISPLAY "today".

ELSE, IF R05_YH0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YH0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH0103

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R05_YH0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_YH9003

-7 REFUSED

GO TO R05_YH9003

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2 AND R05_YH0100 = 1, 2, 3, 4.

DISPLAY: IF R05_YH0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R05_YH0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_YH0100]:

IF R05_YH0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YH0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_YH0103_LC1

The computer recorded that you took [R05_YH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YH0103

2 NEXT

GO TO R05_YH9003

ASK: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2 AND R05_YH0100 = 1, 2, 3, 4 AND (R05_YH0103 > 50 OR R05_YH0103 = 11, 22, 33, 44).

DISPLAY: IF R05_YH0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YH0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YH0103 > 50 OR R05_YH0103 = 11, 22, 33, 44.

ELSE, GO TO R05_YH9003 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9003

Which of the following choices best describes your hookah smoking? Usually I smoke hookah tobacco in a hookah...

- | | |
|--------------------------|------------------|
| 1 Every day | |
| 2 Weekly | GO TO R05_YH9005 |
| 3 Monthly | GO TO R05_YH9004 |
| 4 Every couple of months | GO TO R05_YH1090 |
| 5 About once a year | GO TO R05_YH1090 |
| -8 DON'T KNOW | GO TO R05_YH1090 |
| -7 REFUSED | GO TO R05_YH1090 |

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7.

Variable(s): R05_YH9006

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 2 3 4 5
- | | |
|---------------|------------------|
| -8 DON'T KNOW | GO TO R05_YH1090 |
| -7 REFUSED | GO TO R05_YH1090 |

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah every day.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YH9006_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_YH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YH9006 |
| 2 NEXT | GO TO R05_YH1090 |

ASK: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 1 AND R05_YH9006 > 2.

PROGRAM: TRIGGER CHECK IF R05_YH9006 > 2.

ELSE, GO TO R05_YH1090 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9005

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_YH1090

-7 REFUSED

GO TO R05_YH1090

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah weekly.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 2.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YH9005_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_YH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YH9005

2 NEXT

GO TO R05_YH1090

ASK: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 2 AND R05_YH9005 > 15.

PROGRAM: TRIGGER CHECK IF R05_YH9005 > 15.

ELSE, GO TO R05_YH1090 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YH9004

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_YH1090

-7 REFUSED

GO TO R05_YH1090

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah monthly.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 3.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YH9004_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_YH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R05_YH9004 |
| 2 | NEXT | GO TO R05_YH1090 |

ASK: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 3 AND R05_YH9004 > 50.

PROGRAM: TRIGGER CHECK IF R05_YH9004 > 50.
ELSE, GO TO R05_YH1090 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YH1090

Do you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

Variable(s): R05_YH9041

Does anyone[else] living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

DISPLAY: IF R05_EVER_NEVER_HOOK_YOUTH = 1, DISPLAY " else".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR03
Youth respondents who are past 30 day hookah smokers, go to R05_YH9048. Else, youth respondents who have ever smoked hookah, go to R05_YH9042. Else, go to R05_YH9031.
IF R05_PAST30DAY_HOOK = 1, GO TO R05_YH9048. ELSE, IF R05_EVER_NEVER_HOOK_YOUTH = 1, GO TO R05_YH9042. ELSE, GO TO R05_YH9031.

Variable(s): R05_YH9048
When you smoke a hookah, how often do you experience unpleasant sensations such as headache, dizziness, nausea or difficulty breathing?
1 Every time 2 Most of the time 3 Some of the time 4 Rarely 5 Never -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day hookah smokers.
ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH9012
Do you usually share a hookah with others when you smoke?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO R05_YH9014 GO TO R05_YH9014 GO TO R05_YH9014
ASK: Youth respondents who are past 30 day hookah smokers.
ASK Specification: IF R05_PAST30DAY_HOOK = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9013

How many people do you usually share a hookah with?

- 1 1 other person
- 2 2 other people
- 3 3 other people
- 4 4 or more other people
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with other when they smoke.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH9012 = 1.

Variable(s): R05_YH9014

On average, how long is one hookah session for you[and the people you share it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1

DISPLAY: IF R05_YH9012 = 1, DISPLAY " and the people you share it with".

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_YH9015

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

DISPLAY: IF R05_YH9012 = 1, DISPLAY "share a".

ELSE, DISPLAY "smoke".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9016

How often do you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always sets it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): SEE BELOW:

Where do you usually smoke hookah? Choose all that apply.

- R05_YH9011_01** 1 In your home
- R05_YH9011_02** 2 In someone else's home
- R05_YH9011_03** 3 In a hookah bar or hookah café
- R05_YH9011_04** 4 In a dance club or lounge
- R05_YH9011_05;** 5 Somewhere else (SPECIFY)
- R05_YH9011_OS**
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_YH1022

In the past 30 days, on how many days did you smoke hookah?

- I__I__I DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1130

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YH1142 |
| 3 | I don't know | GO TO R05_YH1142 |
| -8 | DON'T KNOW | GO TO R05_YH1142 |
| -7 | REFUSED | GO TO R05_YH1142 |

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---------------------------------|----|--|
| R05_YH1131_01 | 1 | Menthol or mint |
| R05_YH1131_02 | 2 | Clove or spice |
| R05_YH1131_03 | 3 | Fruit |
| R05_YH1131_04 | 4 | Chocolate |
| R05_YH1131_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YH1131_06 | 6 | Candy or other sweets |
| R05_YH1131_07;
R05_YH1131_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondents to choose all that apply.

BOX ID: R05_YHR30

Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R05_YH1133.
Else, go to R05_YH1147.

IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1 AND (R05_YH1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YH1131_[01/.../07] = -8, -7), GO TO R05_YH1133.
ELSE, GO TO R05_YH1147.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1133; R05_YH1133_OS

In the past 30 days, which flavor of hookah have you smoked most often?

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1 AND (R05_YH1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YH1131_[01/.../07] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_YH1147

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1142

In the past 30 days, did anyone sell you shisha or hookah tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1123

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1118; R05_YH1118_OS

In the past 30 days, how did you usually get your own shisha or hookah tobacco?

- 1 I gave someone else money to buy it for me
- 2 I bought it myself from a store (including a hookah bar or cafe)
- 3 I asked someone to give me some
- 4 Someone offered it to me
- 5 I bought it from another person
- 6 I took it from a store or another person
- 7 I got it some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR04

Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store, go to R05_YH1030. Else, go to R05_YH1047.

IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2, GO TO R05_YH1030.
ELSE, GO TO R05_YH1047.

Variable(s): R05_YH1030

[When you give money to someone else, how do they/How do you] usually buy your shisha or hookah tobacco?

- | | |
|--|------------------|
| 1 In person (such as at a store or hookah bar) | |
| 2 From the internet | GO TO R05_YH1036 |
| 3 By telephone | GO TO R05_YH1036 |
| -8 DON'T KNOW | GO TO R05_YH1036 |
| -7 REFUSED | GO TO R05_YH1036 |

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2.

DISPLAY: IF R05_YH1118 = 1, DISPLAY "When you give money to someone else, how do they".
ELSE, IF R05_YH1118 = 2, DISPLAY "How do you".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1033; R05_YH1033_OS

Where do [you/they] buy your shisha or hookah tobacco most of the time?

- | | | |
|----|--|------------------|
| 1 | A hookah bar or cafe | |
| 2 | A convenience store or gas station | GO TO R05_YH1036 |
| 3 | A supermarket, grocery store, or drug store | GO TO R05_YH1036 |
| 4 | A warehouse club, such as Sam's or Costco | GO TO R05_YH1036 |
| 5 | A smoke shop, tobacco specialty store, or tobacco outlet store | GO TO R05_YH1036 |
| 6 | A duty free shop or military commissary | GO TO R05_YH1036 |
| 7 | A bar, pub, restaurant, or casino | GO TO R05_YH1036 |
| 8 | A friend or relative | GO TO R05_YH1036 |
| 9 | A swap meet or flea market | GO TO R05_YH1036 |
| 10 | Or from somewhere else (SPECIFY) | GO TO R05_YH1036 |
| -8 | DON'T KNOW | GO TO R05_YH1036 |
| -7 | REFUSED | GO TO R05_YH1036 |

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1.

DISPLAY: IF R05_YH1118 = 2, DISPLAY "you".

ELSE, IF R05_YH1118 = 1, DISPLAY "they".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_YH1035_D; R05_YH1035_C

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

\$ | | | | Dollars . | | | Cents

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R05_YH1036 |
| -7 | REFUSED | GO TO R05_YH1036 |

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person and buy at a hookah bar or cafe.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1 AND R05_YH1033 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1037

You reported that the last time you smoked hookah at a hookah bar or café, it cost \$[R05_YH1035]. How many refills of shisha or hookah tobacco did that include?

- 1 None
- 2 1
- 3 2
- 4 3
- 5 4
- 6 More than 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person and buy at a hookah bar or cafe and reported how much a single session cost the last time they smoked hookah at a hookah bar or cafe.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1 AND R05_YH1033 = 1 AND R05_YH1035_D != -8, -7.

Variable(s): R05_YH1036_D; R05_YH1036_C

Think about the last time you [bought/gave money to someone else to buy you] a container of shisha or hookah tobacco. How much did you pay for it?

- \$I__I__I__I Dollars . I__I__I Cents
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YH1118 = 1, DISPLAY "gave money to someone else to buy you".

ELSE, IF R05_YH1118 = 2, DISPLAY "bought".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1047

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1945

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/last smoked]?

- 1 Yes
- 2 No GO TO BOX R05_YHD01
- 8 DON'T KNOW GO TO BOX R05_YHD01
- 7 REFUSED GO TO BOX R05_YHD01

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

DISPLAY: IF R05_YH1047 = 1, DISPLAY "usually smoke".

ELSE, IF R05_YH1047 = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

Variable(s): R05_YH1048_BRAND

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

- 9995 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1.

DISPLAY: IF R05_YH1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR05

Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco, go to R05_YH1049.

If youth respondent selects brand in R05_YH1048_BRAND, go to R05_YH1070_PRODUCT.
Else, go to Box R05_YHD01.

IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND = 9995, GO TO R05_YH1049.

IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7, GO TO R05_YH1070_PRODUCT.

ELSE, GO TO BOX R05_YHD01.

Variable(s): R05_YH1049

You said that your brand was not listed. What is it?

-8 DON'T KNOW

GO TO R05_YH9108

GO TO BOX R05_YHD01

-7 REFUSED

GO TO BOX R05_YHD01

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND = 9995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YH1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YH1048_BRAND.

IF R05_YH1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_YH1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

BOX ID: **R05_YHR06**

Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R05_YH1071.

Else, go to R05_YH9108.

IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995 -8, -7 AND R05_YH1070_PRODUCT = 99995, GO TO R05_YH1071.

ELSE, GO TO R05_YH9108.

Variable(s): **R05_YH1071**

You said that the type of [BRANDFILL]s that you smoke was not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7 AND R05_YH1070_PRODUCT = 99995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9108
Does this brand of shisha contain tobacco? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is. ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND (R05_YH1048_BRAND != 9995, -8, -7 OR (R05_YH1048_BRAND = 9995 AND R05_YH1049 != -1, -8, -7)).

BOX ID: R05_YHR08
Youth respondents who are past 30 day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and subbrand of shisha or hookah tobacco, go to R05_YH0104. Else, go to Box R05_YHD01. IF R05_PAST30DAY_HOOK = 1 AND R05_YH0100 = 1, 2, 3, 4 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7 AND R05_YH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YH0104. ELSE, GO TO BOX R05_YHD01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH0104

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH0100 = 1, 2, 3, 4 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7 AND R05_YH1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_YH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_YH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_YH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_YH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_YH1070_PRODUCT.

BOX ID: R05_YHD01

Display question R05_YH1060, R05_YH1085, R05_YH1062, R05_YH1075, R05_YH1063, R05_YH1064, R05_YH1069, R05_YH1073 and R05_YH1077 on one screen. Show the intro/transition text from R05_YH1060 first, then show each item with a Yes/No response. As each item is answered, show the next one.

PROGRAM: Randomize order of R05_YH1060 through R05_YH1077.

Variable(s): R05_YH1060

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

It is affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1085

I can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1062

It might be less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1075

It might be less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1063

Shisha or hookah tobacco comes in flavors I like.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR07
Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YH1064. Else, go to R05_YH1069.
IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YH1064. ELSE, GO TO R05_YH1069.

Variable(s): R05_YH1064
Smoking hookah helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year. ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YH1069
I like socializing while smoking hookah. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day hookah smokers. ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Variable(s): R05_YH1073
Smoking hookah is part of my cultural tradition. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day hookah smokers. ASK Specification: IF R05_PAST30DAY_HOOK = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YHR14
Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YH1077. Else, go to R05_YH9042.
IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YH1077. ELSE, GO TO R05_YH9042.

Variable(s): R05_YH1077
Smoking hookah satisfies my cravings for cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year. ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YH9042
Have you ever used another liquid besides water in the bowl of the hookah? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who have ever smoked hookah. ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

BOX ID: R05_YHR09
New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents, go to R05_YH9031. Else, go to Box R05_YUT01.
IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1, GO TO R05_YH9031. ELSE, GO TO BOX R05_YUT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9031

Have you ever smoked marijuana in a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

Variable(s): R05_YH9040

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

SNUS

BOX ID: R05_YUT01
Smokeless tobacco is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to. There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are. [SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO] BOLD "Smokeless tobacco".

BOX ID: R05_YUT03
Snus is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus, and General Snus. Please think about snus as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco, and smokeless tobacco pouches). [SHOW GENERIC IMAGE OF SNUS] BOLD "Snus". UNDERLINE "Please think about snus as you answer the following questions" AND BOLD "snus".

BOX ID: R05_YUR14
New baseline youth respondents, go to R05_YU1001_NB. Else, continuing youth respondents who are previous wave non-responders and have never used snus as of their last completed interview, go to R05_YU1002_NB. Else, go to R05_YU1002_12M. IF R05_YOUTHTYPE = 2, GO TO R05_YU1001_NB. ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2, GO TO R05_YU1002_NB. ELSE, GO TO R05_YU1002_12M.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1001_NB	
Have you ever seen or heard of snus, before this study?	
[SHOW GENERIC IMAGE OF SNUS]	
1 Yes	
2 No	GO TO R05_YUV03
-8 DON'T KNOW	GO TO R05_YUV03
-7 REFUSED	GO TO R05_YUV03
ASK: New baseline youth respondents.	
ASK Specification: IF R05_YOUTHTYPE = 2.	
IMAGE: SHOW GENERIC IMAGE OF SNUS	

Variable(s): R05_YU1002_NB	
Have you ever used snus, even one or two times?	
[SHOW GENERIC IMAGE OF SNUS]	
1 Yes	
2 No	GO TO BOX R05_YUV03
-8 DON'T KNOW	GO TO BOX R05_YUV03
-7 REFUSED	GO TO BOX R05_YUV03
ASK: New baseline youth respondents who have ever seen or heard of snus, or continuing youth respondents who are previous wave non-responders and have never used snus as of their last completed interview.	
ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2).	
IMAGE: SHOW GENERIC IMAGE OF SNUS	

BOX ID: R05_YUR26
Continuing youth respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus, go to R05_YU1002_12M. Else, go to Box R05_YUV03.
IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_YU1002_NB = 1, GO TO R05_YU1002_12M. ELSE, GO TO BOX R05_YUV03.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1002_12M

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or have never used snus as of their last completed interview and have ever used snus.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_SNUS = 1 OR (R04_EVER_NEVER_SNUS = 2 AND R05_YU1002_NB = 1))).

IMAGE: SHOW GENERIC IMAGE OF SNUS

BOX ID: R05_YUV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_SNUS_YOUTH = 1 (Ever user) Youth respondents who have ever used snus.

R05_EVER_NEVER_SNUS_YOUTH = 2 (Never user) Youth respondents who have never used snus.

R05_INIT_SNUS_YOUTH = 1 (Initiator) Continuing youth respondents who initiated snus use since their last completed interview or new baseline youth respondents who have ever used snus.

R05_EVER_NEVER_SNUS_YOUTH = 1:

IF R05_YU1002_NB = 1 OR R05_YU1002_12M = 1 OR (R04_EVER_NEVER_SNUS = 1 AND R05_YU1002_NB != 2), THEN R05_EVER_NEVER_SNUS_YOUTH = 1.

R05_EVER_NEVER_SNUS_YOUTH = 2:

ELSE, R05_EVER_NEVER_SNUS_YOUTH = 2.

R05_INIT_SNUS_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS != 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1), THEN R05_INIT_SNUS_YOUTH = 1.
ELSE, R05_INIT_SNUS_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR02

New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus, go to R05_YU1103.
 Else, new baseline youth respondents who have ever used snus, go to R05_YU1006_NB.
 Else, continuing youth respondents who have initiated snus use since their last completed interview, go to R05_YU1108.
 Else, continuing youth respondents, go to Box R05_YUR16.
 Else, go to Box R05_YST01.

IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2), GO TO R05_YU1103.
 ELSE, IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1, GO TO R05_YU1006_NB.
 ELSE, IF R05_INIT_SNUS_YOUTH = 1, GO TO R05_YU1108.
 ELSE, IF R05_YOUTHTYPE = 1, GO TO BOX R05_YUR16.
 ELSE, GO TO BOX R05_YST01.

Variable(s): R05_YU1103

Have you ever been curious about using snus?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Variable(s): R05_YU1206

Do you think you will try snus in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YU1104**

Do you think you will try snus soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Variable(s): **R05_YU1105**

If one of your best friends were to offer you snus, would you try it?

- | | |
|------------------|---------------------|
| 1 Definitely yes | GO TO BOX R05_YST01 |
| 2 Probably yes | GO TO BOX R05_YST01 |
| 3 Probably not | GO TO BOX R05_YST01 |
| 4 Definitely not | GO TO BOX R05_YST01 |
| -8 DON'T KNOW | GO TO BOX R05_YST01 |
| -7 REFUSED | GO TO BOX R05_YST01 |

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Variable(s): **R05_YU1006_NB**

How old were you when you first tried snus, even one or two times?

- I ___ | ___ | Years old
- | | |
|---------------|---------------------|
| -8 DON'T KNOW | GO TO R05_YU1120_NB |
| -7 REFUSED | GO TO R05_YU1120_NB |

ASK: New baseline youth respondents who have ever used snus.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YU1006_NB_LC1

The computer recorded that you first tried snus at age [R05_YU1006_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------------|
| 1 BACK | GO TO R05_YU1006_NB |
| 2 NEXT | GO TO R05_YU1006_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND (R05_YU1006_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YU1006_NB > R05R_Y_AGE.
ELSE, GO TO R05_YU1006_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YU1006_NB_LC2

The computer recorded that you first tried snus at age [R05_YU1006_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YU1006_NB |
| 2 NEXT | GO TO R05_YU1108 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1006_NB < 8.

PROGRAM: TRIGGER CHECK IF R05_YU1006_NB < 8.
ELSE, GO TO R05_YU1108 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YU1120_NB

When you first tried snus, even one or two times, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used snus and did not know or refused to report the age they first tried snus.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1006_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1108

Was the first snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YUR16 |
| 3 | I don't know | GO TO BOX R05_YUR16 |
| -8 | DON'T KNOW | GO TO BOX R05_YUR16 |
| -7 | REFUSED | GO TO BOX R05_YUR16 |

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have initiated snus use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR R05_INIT_SNUS_YOUTH = 1.

Variable(s): SEE BELOW:

What flavor was that first snus you used? Choose all that apply.

- | | | |
|---------------------------------|----|--|
| R05_YU1011_01 | 1 | Menthol or mint |
| R05_YU1011_02 | 2 | Wintergreen, spearmint, or frost |
| R05_YU1011_03 | 3 | Clove or spice |
| R05_YU1011_04 | 4 | Fruit |
| R05_YU1011_05 | 5 | Chocolate |
| R05_YU1011_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YU1011_07 | 7 | Candy or other sweets |
| R05_YU1011_08;
R05_YU1011_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR16

New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and have initiated snus use since their last completed interview or had not used snus 100 or more times in their lifetime as of their last completed interview, go to R05_YU1005.
Else, go to Box R05_YUR06.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND (R05_INIT_SNUS_YOUTH = 1 OR R04_NUMLIFE_SNUS != 1)), GO TO R05_YU1005.
ELSE, GO TO BOX R05_YUR06.

Variable(s): R05_YU1005

How many times have you used snus in your entire life?

- 1 1
- 2 2 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and have initiated snus use since their last completed interview or had not used snus 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND (R05_INIT_SNUS_YOUTH = 1 OR R04_NUMLIFE_SNUS != 1)).

BOX ID: R05_YUR06

New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, go to R05_YU1100.
Else, go to R05_YU1112.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1), GO TO R05_YU1100.
ELSE, GO TO R05_YU1112.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1100

Have you ever used snus fairly regularly?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YU1112 |
| -8 | DON'T KNOW | GO TO R05_YU1112 |
| -7 | REFUSED | GO TO R05_YU1112 |

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1).

Variable(s): R05_YU1007

How old were you when you first started using snus fairly regularly?

- | | | |
|----|-------------------|------------------|
| | I__I__I Years old | |
| -8 | DON'T KNOW | GO TO R05_YU1121 |
| -7 | REFUSED | GO TO R05_YU1121 |

ASK: New baseline youth respondents who have ever used snus and have ever used snus fairly regularly, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1 AND R05_YU1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YU1007_LC1

The computer recorded that you started using snus fairly regularly at age [R05_YU1007]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R05_YU1007 |
| 2 | NEXT | GO TO R05_YU1007_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1 AND R05_YU1100 = 1)) AND (R05_YU1007 <= 8 OR R05_YU1007 < R05_YU1006_NB).

PROGRAM: TRIGGER CHECK IF R05_YU1007 <= 8 OR R05_YU1007 < R05_YU1006_NB. ELSE, GO TO R05_YU1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YU1007_LC2

The computer recorded that you started using snus fairly regularly at age [R05_YU1007]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YU1007 |
| 2 NEXT | GO TO R05_YU1112 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1 AND R05_YU1100 = 1)) AND (R05_YU1007 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YU1007 > R05R_Y_AGE.
ELSE, GO TO R05_YU1112 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YU1121

When you first started using snus fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used snus and have ever used snus fairly regularly and did not know or refused to report the age they started using snus fairly regularly, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly and did not know or refused to report the age they started using snus fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1100 = 1 AND R05_YU1007 = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1 AND R05_YU1100 = 1 AND R05_YU1007 = -8, -7).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1112

When did you last use snus even one or two times?

- | | | |
|----|---|---------------------|
| 1 | Earlier today | |
| 2 | Not today but sometime in the past 7 days | |
| 3 | Not in the past 7 days but sometime in the past 30 days | GO TO BOX R05_YUV04 |
| 4 | Not in the past 30 days but sometime in the past 6 months | GO TO BOX R05_YST01 |
| 5 | Not in the past 6 months but sometime in the past year | GO TO BOX R05_YST01 |
| 6 | 1 to 4 years ago | GO TO BOX R05_YST01 |
| 7 | 5 or more years ago | GO TO BOX R05_YST01 |
| -8 | DON'T KNOW | GO TO BOX R05_YST01 |
| -7 | REFUSED | GO TO BOX R05_YST01 |

ASK: Youth respondents who have ever used snus.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1.

PROGRAM: Suppress options 6 & 7 for respondents who have used in the past year (R05_YU1002_12M = 1).

Variable(s): R05_YU0100

When did you last use snus?

- | | | |
|----|---|---------------------|
| 1 | In the past hour | GO TO R05_YU0103 |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R05_YUV04 |
| -8 | DON'T KNOW | GO TO BOX R05_YUV04 |
| -7 | REFUSED | GO TO BOX R05_YUV04 |

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YU0102**

When you last used snus [FILL BASED ON R05_YU0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2 AND R05_YU0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YU0100]: IF R05_YU0100 = 2, DISPLAY "today".
ELSE, IF R05_YU0100 = 3, DISPLAY "yesterday".
ELSE, IF R05_YU0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R05_YU0103**

How many times [have/did] you [used/use] snus [FILL BASED ON R05_YU0100]?

|_|_|_|_|

- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R05_YUV04

GO TO BOX R05_YUV04

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2 AND R05_YU0100 = 1, 2, 3, 4.

DISPLAY: IF R05_YU0100 = 1, 2, DISPLAY "have" AND "used".
ELSE, IF R05_YU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R05_YU0100]:

IF R05_YU0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YU0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YU0103_LC1

The computer recorded that you used snus [R05_YU0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YU0103

2 NEXT

GO TO BOX R05_YUV04

ASK: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2 AND R05_YU0100 = 1, 2, 3, 4 AND (R05_YU0103 > 20 OR R05_YU0103 = 11).

DISPLAY: IF R05_YU0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YU0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YU0103 > 20 OR R05_YU0103 = 11.

ELSE, GO TO BOX R05_YUV04 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R05_PAST30DAY_SNUS = 1 (Past 30 day snus users) Youth respondents who have used snus in the past 30 days. R05_PAST30DAY_SNUS_LEVEL = 1 (Past 30 day "Very-Light" users) Youth respondents who have used snus in the past 30 days, and have used snus 10 or fewer times in their lifetime. R05_PAST30DAY_SNUS_LEVEL = 2 (Past 30 day "Not-Light" users) Youth respondents who have used snus in the past 30 days, and have used snus more than 10 times in their lifetime.
R05_PAST30DAY_SNUS = 1: IF R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS = 1. ELSE, R05_PAST30DAY_SNUS = 2. R05_PAST30DAY_SNUS_LEVEL = 1: IF R05_YU1005 = 1, 2 AND R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS_LEVEL = 1. R05_PAST30DAY_SNUS_LEVEL = 2: ELSE, IF (R05_YU1005 > 2 OR R05_YU1005 = -8, -7 OR R04_NUMLIFE_SNUS = 1) AND R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS_LEVEL = 2.

Variable(s): R05_YU1022
In the past 30 days, on how many days did you use snus? _ _ DAYS -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day snus users. ASK Specification: IF R05_PAST30DAY_SNUS = 1. DISPLAY: DISPLAY "DAYS" AS A TITLE. PROGRAM: Range check: 1-30 days.

Variable(s): R05_YU1023
In the past 30 days, on the days you used snus, how many times did you use snus per day? _ _ -8 DON'T KNOW -7 REFUSED GO TO R05_YU1130 GO TO R05_YU1130 ASK: Youth respondents who are past 30 day snus users. ASK Specification: IF R05_PAST30DAY_SNUS = 1. PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YU1023_LC1

The computer recorded that on the days you used in the past 30 days, you used snus (R05_YU1023) times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YU1023 |
| 2 NEXT | GO TO R05_YU1130 |

ASK: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1023 > 20.

PROGRAM: TRIGGER CHECK IF R05_YU1023 > 20.

ELSE, GO TO R05_YU1130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YU1130

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YU1142 |
| 3 I don't know | GO TO R05_YU1142 |
| -8 DON'T KNOW | GO TO R05_YU1142 |
| -7 REFUSED | GO TO R05_YU1142 |

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_YU1131_01 | 1 | Menthol or mint |
| R05_YU1131_02 | 2 | Wintergreen, spearmint, or frost |
| R05_YU1131_03 | 3 | Clove or spice |
| R05_YU1131_04 | 4 | Fruit |
| R05_YU1131_05 | 5 | Chocolate |
| R05_YU1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YU1131_07 | 7 | Candy or other sweets |
| R05_YU1131_08;
R05_YU1131_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_YUR30

Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_YU1133.
Else, go to R05_YU1147.

IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1 AND (R05_YU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YU1131_[01/.../08] = -8, -7), GO TO R05_YU1133.
ELSE, GO TO R05_YU1147.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1133; R05_YU1133_OS

In the past 30 days, which flavor of snus have you used most often?

- 1 Menthol or mint
- 2 Wintergreen, spearmint, or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1 AND (R05_YU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YU1131_[01/.../08] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_YU1147

On the days you used snus in the past 30 days, how often did you use flavored snus?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1142

In the past 30 days, did anyone sell you snus?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU1123

In the past 30 days, did anyone refuse to sell you snus because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU9041

In the past 30 days, what type of snus have you used?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

- | | |
|------------------------------------|------------------|
| 1 Snus pouches | GO TO R05_YU1118 |
| 2 Loose snus | GO TO R05_YU1118 |
| 3 Both snus pouches and loose snus | |
| -8 DON'T KNOW | GO TO R05_YU1118 |
| -7 REFUSED | GO TO R05_YU1118 |

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU9042

You mentioned you have used both loose snus and snus pouches. Which type of snus do you use most often?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

- 1 Snus pouches
- 2 Loose snus
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and have used both snus pouches and loose snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU9041 = 3.

IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS

Variable(s): R05_YU1118; R05_YU1118_OS

[Please think of the type of snus you use most often when answering these questions.

]In the past 30 days, how did you usually get your own snus?

- 1 I gave someone else money to buy it for me
- 2 I bought it myself from a store
- 3 I asked someone to give me some
- 4 Someone offered it to me
- 5 I bought it from another person
- 6 I took it from a store or another person
- 7 I got it some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

DISPLAY: IF R05_YU9041 = 3, DISPLAY "Please think of the type of snus you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YUR04

Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store, go to R05_YU1030.
Else, go to Box R05_YUR17.

IF R05_PAST30DAY_SNUS = 1 AND R05_YU1118 = 1, 2, GO TO R05_YU1030.
ELSE, GO TO BOX R05_YUR17.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1030

[When you give money to someone else, how do they/How do you] usually buy your snus?

- | | | |
|----|-------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R05_YUR20 |
| 3 | By telephone | GO TO BOX R05_YUR20 |
| -8 | DON'T KNOW | GO TO BOX R05_YUR20 |
| -7 | REFUSED | GO TO BOX R05_YUR20 |

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1118 = 1, 2.

DISPLAY: IF R05_YU1118 = 1, DISPLAY "When you give money to someone else, how do they".
ELSE, DISPLAY "How do you".

Variable(s): R05_YU1033; R05_YU1033_OS

Where do [you/they] buy your snus most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1118 = 1, 2 AND R05_YU1030 = 1.

DISPLAY: IF R05_YU1118 = 1, DISPLAY "they".

ELSE, IF R05_YU1118 = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR20
Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store, go to R05_YU1034. Else, go to Box R05_YUR17.
IF R05_PAST30DAY_SNUS_LEVEL = 2 AND R05_YU1118 = 1, 2, GO TO R05_YU1034. Else, go to Box R05_YUR17.

Variable(s): R05_YU1034_D; R05_YU1034_C
Think about the last time you [bought/gave money to someone else to buy you] snus. How much did you pay for a container of snus? \$ Dollars . Cents -8 DON'T KNOW GO TO BOX R05_YUR18 -7 REFUSED GO TO BOX R05_YUR18 ASK: Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store. ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND R05_YU1118 = 1, 2. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. IF R05_YU1118 = 1, DISPLAY "gave money to someone else to buy you". ELSE, IF YU1118 = 2, DISPLAY "bought". PROGRAM: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YU1034_LC1
The computer recorded that you paid \$[R05_YU1034_D].[R05_YU1034_C] for a container of snus. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R05_YU1034 2 NEXT GO TO BOX R05_YUR18 ASK: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND R05_YU1118 = 1, 2 AND (R05_YU1034_D > 6 OR R05_YU1034_D < 1). PROGRAM: TRIGGER CHECK IF R05_YU1034_D > 6 OR R05_YU1034_D < 1. ELSE, GO TO BOX R05_YUR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR18
Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually get snus by giving someone else money to buy for them or buying themselves from a store, go to R05_YU9001. Else, go to Box R05_YUR17.
IF R05_PAST30DAY_SNUS_LEVEL = 2 AND (R05_YU9041 = 1 OR R05_YU9042 = 1) AND R05_YU1118 = 1, 2, GO TO R05_YU9001. ELSE, GO TO BOX R05_YUR17.

Variable(s): R05_YU9001
How many pouches are in the container of snus that you usually buy? _ _ _ _ -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually get snus by giving someone else money to buy for them or buying themselves from a store. ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND (R05_YU9041 = 1 OR R05_YU9042 = 1) AND R05_YU1118 = 1, 2. PROGRAM: Allow 2 digits.

BOX ID: R05_YUR17
Youth respondents who are past 30 day "not-light" snus users, go to R05_YU1047. Else, youth respondents who are past 30 day snus users, go to R05_YU1945. Else, go to Box R05_YUD02.
IF R05_PAST30DAY_SNUS_LEVEL = 2, GO TO R05_YU1047. ELSE, IF R05_PAST30DAY_SNUS = 1, GO TO R05_YU1945. ELSE, GO TO BOX R05_YUD02.

Variable(s): R05_YU1047
Do you have a regular brand of snus that you usually use? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day "not-light" snus users. ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1945

Do you know the name of the brand of snus you [usually use/last used]?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YUD02 |
| -8 | DON'T KNOW | GO TO BOX R05_YUD02 |
| -7 | REFUSED | GO TO BOX R05_YUD02 |

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

DISPLAY: IF R05_YU1047 = 1, DISPLAY "usually use".

ELSE, DISPLAY "last used".

UNDERLINE "name of the brand".

Variable(s): R05_YU1048_BRAND

What brand of snus [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

- | | |
|------|----------------|
| 9995 | Something else |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1.

DISPLAY: IF R05_YU1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R05_YUR09

Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus, go to R05_YU1049.
Else, youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus, go to R05_YU1070_PRODUCT.
Else, go to Box R05_YUD02.

IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND = 9995, GO TO R05_YU1049.

ELSE, IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7, GO TO R05_YU1070_PRODUCT.

ELSE, GO TO BOX R05_YUD02.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1049

You said that your brand was not listed. What is it?

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YUD02

GO TO BOX R05_YUD02

GO TO BOX R05_YUD02

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND = 9995.

Variable(s): R05_YU1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YU1048_BRAND.

IF R05_YU1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR10

Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus, go to R05_YU1071.

Else, youth respondents who are past 30 day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus, go to R05_YU0104.

Else, go to Box R05_YUD02.

IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7 AND R05_YU1070_PRODUCT = 99995, GO TO R05_YU1071.

ELSE, IF R05_PAST30DAY_SNUS = 1 AND R05_YU0100 = 1, 2, 3, 4 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7 AND R05_YU1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YU0104.

ELSE, GO TO BOX R05_YUD02.

Variable(s): R05_YU1071

You said that the type of [BRANDFILL]s that you use was not listed. What type is it?

- | | |
|---------------|---------------------|
| _____ | GO TO BOX R05_YUD02 |
| -8 DON'T KNOW | GO TO BOX R05_YUD02 |
| -7 REFUSED | GO TO BOX R05_YUD02 |

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7 AND R05_YU1070_PRODUCT = 99995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU0104***

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU0100 = 1, 2, 3, 4 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7 AND R05_YU1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_YU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_YU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_YU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_YU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_YU1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YUD02

Display question R05_YU1060, R05_YU1085, R05_YU1062, R05_YU1075, R05_YU1063, R05_YU1064, R05_YU1065, R05_YU1067, R05_YU1076 and R05_YU1077 on one screen. Show the intro/transition text from R05_YU1060 first, then show each item with a Yes/No response. As each item is answered, show the next one.

PROGRAM: Randomize order of R05_YU1060 through R05_YU1077.

Variable(s): R05_YU1060

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

It is affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1085

I can use snus at times when or in places where smoking cigarettes isn't allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU1062

They might be less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU1075

They might be less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU1063

Snus comes in flavors I like.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YUR11

Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YU1064. Else, go to R05_YU1065.

IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YU1064.
ELSE, GO TO R05_YU1065.

Variable(s): R05_YU1064

Using snus helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YU1065

Snus doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Variable(s): R05_YU1067

Snus doesn't bother non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1076
No one can tell when I am using snus. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day snus users. ASK Specification: IF R05_PAST30DAY_SNUS = 1.

BOX ID: R05_YUR21
Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YU1077. Else, go to Box R05_YUR12. IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YU1077. ELSE, GO TO BOX R05_YUR12.

Variable(s): R05_YU1077
Using snus satisfies my cravings for cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year. ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

BOX ID: R05_YUR12
Youth respondents who are past 30 day snus users and are past 30 day cigarette smokers, go to R05_YU1086. Else, go to Box R05_YST01. IF R05_PAST30DAY_SNUS = 1 AND R05_PAST30DAY_CIGS = 1, GO TO R05_YU1086. ELSE, GO TO BOX R05_YST01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1086

In the past 30 days, have you used snus at times when or in places where you could not smoke cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day snus users and are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_PAST30DAY_CIGS = 1.

SMOKELESS TOBACCO

BOX ID: R05_YST01

The next questions are about **smokeless tobacco**other than snus.

Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches, and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett.

The questions will use the phrase "**smokeless tobacco**" to refer to these products. Please think about smokeless tobacco products, not including snus, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

BOLD "smokeless tobacco".

UNDERLINE "other than snus".

BOLD "smokeless tobacco".

BOX ID: R05_YSR01

New baseline youth respondents, go to R05_YST01_NB.

Else, continuing youth respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview, go to R05_YST02_NB.

Else, go to R05_YST02_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YST01_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2, GO TO R05_YST02_NB.

ELSE, GO TO R05_YST02_12M.

Variable(s): R05_YST01_NB

Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YST03

GO TO BOX R05_YST03

GO TO BOX R05_YST03

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1002_NB

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R05_YSV03
GO TO BOX R05_YSV03
GO TO BOX R05_YSV03

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

BOX ID: R05_YSR26

Continuing youth respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco, go to R05_YS1002_12M.

Else, go to Box R05_YSV03.

IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_YS1002_NB = 1, GO TO R05_YS1002_12M.
ELSE, GO TO BOX R05_YSV03.

Variable(s): R05_YS1002_12M

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_SMKLS = 1 OR (R04_EVER_NEVER_SMKLS = 2 AND R05_YS1002_NB = 1))).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_SMKLS_YOUTH = 1 (Ever user) Youth respondents who have ever used smokeless tobacco.

R05_EVER_NEVER_SMKLS_YOUTH = 2 (Never user) Youth respondents who have never used smokeless tobacco.

R05_INIT_SMKLS_YOUTH = 1 (Initiator) Continuing youth respondents who initiated smokeless tobacco use since their last completed interview or new baseline youth respondents who have ever used smokeless tobacco.

R05_EVER_NEVER_SMKLS_YOUTH = 1:

IF R05_YS1002_NB = 1 OR R05_YS1002_12M = 1 OR (R04_EVER_NEVER_SMKLS = 1 AND R05_YS1002_NB != 2), THEN R05_EVER_NEVER_SMKLS_YOUTH = 1.

R05_EVER_NEVER_SMKLS_YOUTH = 2:

ELSE, R05_EVER_NEVER_SMKLS_YOUTH = 2.

R05_INIT_SMKLS_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS != 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1), THEN R05_INIT_SMKLS_YOUTH = 1.
ELSE, R05_INIT_SMKLS_YOUTH = 2.

BOX ID: R05_YSR02

New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco, go to R05_YS1103.

Else, new baseline youth respondents who have ever used smokeless tobacco, go to R05_YS1006_NB.

Else, continuing youth respondents who initiated smokeless tobacco use since their last completed interview, go to R05_YS1108.

Else, continuing youth respondents, go to Box R05_YSR13.

Else, go to Box R05_YDT01.

IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2), GO TO R05_YS1103.

ELSE, IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1, GO TO R05_YS1006_NB.

ELSE, IF R05_INIT_SMKLS_YOUTH = 1, GO TO R05_YS1108.

ELSE, IF R05_YOUTHTYPE = 1, GO TO BOX R05_YSR13.

ELSE, GO TO BOX R05_YDT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1103

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Variable(s): R05_YS1206

Do you think you will try smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YS1104**

Do you think you will try smokeless tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Variable(s): **R05_YS1105**

If one of your best friends were to offer you smokeless tobacco, would you try it?

- | | |
|------------------|---------------------|
| 1 Definitely yes | GO TO BOX R05_YDT01 |
| 2 Probably yes | GO TO BOX R05_YDT01 |
| 3 Probably not | GO TO BOX R05_YDT01 |
| 4 Definitely not | GO TO BOX R05_YDT01 |
| -8 DON'T KNOW | GO TO BOX R05_YDT01 |
| -7 REFUSED | GO TO BOX R05_YDT01 |

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Variable(s): **R05_YS1006_NB**

How old were you when you first tried smokeless tobacco, even one or two times?

- | | |
|-----------------------|---------------------|
| I ___ I ___ Years old | |
| -8 DON'T KNOW | GO TO R05_YS1120_NB |
| -7 REFUSED | GO TO R05_YS1120_NB |

ASK: New baseline youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YS1006_NB_LC1

The computer recorded that you first tried smokeless tobacco at age [R05_YS1006_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------------|
| 1 BACK | GO TO R05_YS1006_NB |
| 2 NEXT | GO TO R05_YS1006_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND (R05_YS1006_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YS1006_NB > R05R_Y_AGE.
ELSE, GO TO R05_YS1006_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YS1006_NB_LC2

The computer recorded that you first tried smokeless tobacco at age [R05_YS1006_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YS1006_NB |
| 2 NEXT | GO TO R05_YS1108 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1006_NB < 8.

PROGRAM: TRIGGER CHECK IF R05_YS1006_NB < 8.
ELSE, GO TO R05_YS1108 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YS1120_NB

When you first tried smokeless tobacco, even one or two times, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used smokeless tobacco and did not know or refused to report the age they first tried smokeless tobacco.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1006_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1108

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YSR13 |
| 3 | I don't know | GO TO BOX R05_YSR13 |
| -8 | DON'T KNOW | GO TO BOX R05_YSR13 |
| -7 | REFUSED | GO TO BOX R05_YSR13 |

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR R05_INIT_SMKLS_YOUTH = 1.

Variable(s): SEE BELOW:

What flavor was that first smokeless tobacco product you used? Choose all that apply.

- | | | |
|---------------------------------|----|--|
| R05_YS1011_01 | 1 | Menthol or mint |
| R05_YS1011_02 | 2 | Wintergreen, spearmint, or frost |
| R05_YS1011_03 | 3 | Clove or spice |
| R05_YS1011_04 | 4 | Fruit |
| R05_YS1011_05 | 5 | Chocolate |
| R05_YS1011_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YS1011_07 | 7 | Candy or other sweets |
| R05_YS1011_08;
R05_YS1011_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR13

New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and have initiated smokeless tobacco use since their last completed interview or had not used smokeless tobacco 100 or more times as of their last completed interview, go to R05_YS1005.
Else, go to Box R05_YSR06.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND (R05_INIT_SMKLS_YOUTH = 1 OR R04_NUMLIFE_SMKLS != 1)), GO TO R05_YS1005.
ELSE, GO TO BOX R05_YSR06.

Variable(s): R05_YS1005

How many times have you used smokeless tobacco in your entire life?

- 1 1
- 2 2 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and have initiated smokeless tobacco use since their last completed interview or had not used smokeless tobacco 100 or more times as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND (R05_INIT_SMKLS_YOUTH = 1 OR R04_NUMLIFE_SMKLS != 1)).

BOX ID: R05_YSR06

New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R05_YS1100.
Else, go to R05_YS1112.

IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1), GO TO R05_YS1100.
ELSE, GO TO R05_YS1112.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1100

Have you ever used smokeless tobacco fairly regularly?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YS1112 |
| -8 DON'T KNOW | GO TO R05_YS1112 |
| -7 REFUSED | GO TO R05_YS1112 |

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1).

Variable(s): R05_YS1007

How old were you when you first started using smokeless tobacco fairly regularly?

- | | |
|-------------------|------------------|
| I__ __ Years old | |
| -8 DON'T KNOW | GO TO R05_YS1121 |
| -7 REFUSED | GO TO R05_YS1121 |

ASK: New baseline youth respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1 AND R05_YS1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YS1007_LC1

The computer recorded that you started using smokeless tobacco fairly regularly at age [R05_YS1007]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_YS1007 |
| 2 NEXT | GO TO R05_YS1007_LC2 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1 AND R05_YS1100 = 1)) AND (R05_YS1007 <= 8 OR R05_YS1007 < R05_YS1006_NB).

PROGRAM: TRIGGER CHECK IF R05_YS1007 <= 8 OR R05_YS1007 < R05_YS1006_NB. ELSE, GO TO R05_YS1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YS1007_LC2

The computer recorded that you started using smokeless tobacco fairly regularly at age [R05_YS1007]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YS1007 |
| 2 NEXT | GO TO R05_YS1112 |

ASK: IF ((R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1100 = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1 AND R05_YS1100 = 1)) AND (R05_YS1007 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YS1007 > R05R_Y_AGE.
ELSE, GO TO R05_YS1112 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YS1121

When you first started using smokeless tobacco fairly regularly, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they started using smokeless tobacco fairly regularly, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they started using smokeless tobacco fairly regularly.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1100 = 1 AND R05_YS1007 = -8, -7) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1 AND R05_YS1100 = 1 AND R05_YS1007 = -8, -7).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1112

When did you last use smokeless tobacco, even one or two times?

- | | | |
|----|---|---------------------|
| 1 | Earlier today | |
| 2 | Not today but sometime in the past 7 days | |
| 3 | Not in the past 7 days but sometime in the past 30 days | GO TO BOX R05_YSV04 |
| 4 | Not in the past 30 days but sometime in the past 6 months | GO TO BOX R05_YDT01 |
| 5 | Not in the past 6 months but sometime in the past year | GO TO BOX R05_YDT01 |
| 6 | 1 to 4 years ago | GO TO BOX R05_YDT01 |
| 7 | 5 or more years ago | GO TO BOX R05_YDT01 |
| -8 | DON'T KNOW | GO TO BOX R05_YDT01 |
| -7 | REFUSED | GO TO BOX R05_YDT01 |

ASK: Youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1.

PROGRAM: Suppress options 6 & 7 for respondents who have used in the past year (R05_YS1002_12M = 1).

Variable(s): R05_YS0100

When did you last use smokeless tobacco (not including snus)?

- | | | |
|----|---|---------------------|
| 1 | In the past hour | GO TO R05_YS0103 |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R05_YSV04 |
| -8 | DON'T KNOW | GO TO BOX R05_YSV04 |
| -7 | REFUSED | GO TO BOX R05_YSV04 |

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS0102

When you last used smokeless tobacco (not including snus) [FILL BASED ON R05_YS0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2 AND R05_YS0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YS0100]:

IF R05_YS0100 = 2, DISPLAY "today".

ELSE, IF R05_YS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YS0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R05_YS0103

How many times [have/did] you [used/use] smokeless tobacco (not including snus) [FILL BASED ON R05_YS0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_YSV04

-7 REFUSED

GO TO BOX R05_YSV04

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2 AND R05_YS0100 = 1, 2, 3, 4.

DISPLAY: IF R05_YS0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R05_YS0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R05_YS0100]:

IF R05_YS0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YS0103_LC1

The computer recorded that you used smokeless tobacco [R05_YS0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YS0103

2 NEXT

GO TO BOX R05_YSV04

ASK: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2 AND R05_YS0100 = 1, 2, 3, 4 AND (R05_YS0103 > 20 OR R05_YS0103 = 11).

DISPLAY: IF R05_YS0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_YS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_YS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YS0103 > 20 OR R05_YS0103 = 11.

ELSE, GO TO BOX R05_YSV04 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YSV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_PAST30DAY_SMKLS = 1 ("Past 30 day users") Youth respondents who have used smokeless tobacco in the past 30 days.

R05_PAST30DAY_SMKLS_LEVEL = 1 (Past 30 day "Very-Light" users) Youth respondents who have used smokeless tobacco in the past 30 days, and have used 10 times or less in their lifetime.

R05_PAST30DAY_SMKLS_LEVEL = 2 (Past 30 day "Not-Light" users) Youth respondents who have used smokeless tobacco in the past 30 days, and have used more than 10 times in their lifetime.

R05_PAST30DAY_SMKLS = 1:

IF R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS = 1.

ELSE, R05_PAST30DAY_SMKLS = 2.

R05_PAST30DAY_SMKLS_LEVEL = 1:

IF R05_YS1005 = 1, 2 AND R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS_LEVEL = 1.

R05_PAST30DAY_SMKLS_LEVEL = 2:

ELSE, IF (R05_YS1005 > 2 OR R05_YS1005 = -8, -7 OR R04_NUMLIFE_SMKLS = 1) AND R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS_LEVEL = 2.

Variable(s): R05_YS1022

In the past 30 days, on how many days did you use smokeless tobacco?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 1-30 days.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1023

In the past 30 days, on the days you used smokeless tobacco, how many times did you use smokeless tobacco per day?

- | | |
|---------------|------------------|
| _ _ _ | |
| -8 DON'T KNOW | GO TO R05_YS1130 |
| -7 REFUSED | GO TO R05_YS1130 |

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YS1023_LC1

The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco (R05_YS1023) times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YS1023 |
| 2 NEXT | GO TO R05_YS1130 |

ASK: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1023 > 10.

PROGRAM: TRIGGER CHECK IF R05_YS1023 > 10.

ELSE, GO TO R05_YS1130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YS1130

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YS1142 |
| 3 I don't know | GO TO R05_YS1142 |
| -8 DON'T KNOW | GO TO R05_YS1142 |
| -7 REFUSED | GO TO R05_YS1142 |

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_YS1131_01 | 1 | Menthol or mint |
| R05_YS1131_02 | 2 | Wintergreen, spearmint, or frost |
| R05_YS1131_03 | 3 | Clove or spice |
| R05_YS1131_04 | 4 | Fruit |
| R05_YS1131_05 | 5 | Chocolate |
| R05_YS1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_YS1131_07 | 7 | Candy or other sweets |
| R05_YS1131_08;
R05_YS1131_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_YSR30

Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_YS1133.
Else, go to R05_YS1147.

IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1 AND (R05_YS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YS1131_[01/.../08] = -8, -7), GO TO R05_YS1133.
ELSE, GO TO R05_YS1147.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1133; R05_YS1133_OS

In the past 30 days, which flavor of smokeless tobacco have you used most often?

- 1 Menthol or mint
- 2 Wintergreen, spearmint, or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1 AND (R05_YS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YS1131_[01/.../08] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_YS1147

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1142

In the past 30 days, did anyone sell you smokeless tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YS1123

In the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YS9041

In the past 30 days, what type of smokeless tobacco have you used?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit, or chewing tobacco) GO TO R05_YS1118
- 2 Smokeless tobacco pouches (not including snus) GO TO R05_YS1118
- 3 Both loose and pouched smokeless tobacco
- 8 DON'T KNOW GO TO R05_YS1118
- 7 REFUSED GO TO R05_YS1118

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS9042

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco do you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit, or chewing tobacco)
- 2 Smokeless tobacco pouches (not including snus)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have used both loose smokeless tobacco and pouched smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS9041 = 3.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

Variable(s): R05_YS1118; R05_YS1118_OS

In the past 30 days, how did you usually get your own smokeless tobacco?

- 1 I gave someone else money to buy it for me
- 2 I bought it myself from a store
- 3 I asked someone to give me some
- 4 Someone offered it to me
- 5 I bought it from another person
- 6 I took it from a store or another person
- 7 I got it some other way (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YSR04

Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store, go to R05_YS1030. Else, go to Box R05_YSR16.

IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1118 = 1, 2, GO TO R05_YS1030.
ELSE, GO TO BOX R05_YSR16.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1030

[When you give money to someone else, how do they/How do you] usually buy your smokeless tobacco?

- | | | |
|----|-------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R05_YSR20 |
| 3 | By telephone | GO TO BOX R05_YSR20 |
| -8 | DON'T KNOW | GO TO BOX R05_YSR20 |
| -7 | REFUSED | GO TO BOX R05_YSR20 |

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1118 = 1, 2.

DISPLAY: IF R05_YS1118 = 1, DISPLAY "When you give money to someone else, how do they".
ELSE, IF R05_YS1118 = 2, DISPLAY "How do you".

Variable(s): R05_YS1033; R05_YS1033_OS

Where do [you/they] buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1118 = 1, 2 AND R05_YS1030 = 1.

DISPLAY: IF R05_YS1118 = 1, DISPLAY "they".

ELSE, IF R05_YS1118 = 2, DISPLAY "you".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR20

Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store, go to R05_YSR1034.

Else, go to Box R05_YSR16.

IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND R05_YSR118 = 1, 2, GO TO R05_YSR1034.

ELSE, GO TO BOX R05_YSR16.

Variable(s): R05_YSR1034_D; R05_YSR1034_C

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

\$ | | | | Dollars . | | | | Cents

-8 DON'T KNOW

GO TO BOX R05_YSR18

-7 REFUSED

GO TO BOX R05_YSR18

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND R05_YSR118 = 1, 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_YSR118 = 1, DISPLAY "gave money to someone else to buy you".

ELSE, IF YSR118 = 2, DISPLAY "bought".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_YSR1034_LC1

The computer recorded that you paid \$[R05_YSR1034_D].[R05_YSR1034_C] for a container of smokeless tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YSR1034

2 NEXT

GO TO BOX R05_YSR18

ASK: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND R05_YSR118 = 1, 2 AND (R05_YSR1034_D > 6 OR R05_YSR1034_D < 1).

PROGRAM: TRIGGER CHECK IF R05_YSR1034_D > 6 OR R05_YSR1034_D < 1.

ELSE, GO TO BOX R05_YSR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR18
Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used pouched smokeless tobacco in the past 30 days and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store, go to R05_YS9001. Else, go to Box R05_YSR16.
IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND (R05_YS9041 = 2 OR R05_YS9042 = 2) AND R05_YS1118 = 1, 2, GO TO R05_YS9001. ELSE, GO TO BOX R05_YSR16.

Variable(s): R05_YS9001
How many pouches are in the container of smokeless tobacco that you usually buy?
_ _ _ _
-8 DON'T KNOW
-7 REFUSED
ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used pouched smokeless tobacco in the past 30 days and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.
ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND (R05_YS9041 = 2 OR R05_YS9042 = 2) AND R05_YS1118 = 1, 2.
PROGRAM: Allow 2 digits.

BOX ID: R05_YSR16
Youth respondents who are past 30 day "not-light" smokeless tobacco users, go to R05_YS1047. Else, youth respondents who are past 30 day smokeless tobacco users, go to R05_YS1945. Else, go to Box R05_YSD02.
IF R05_PAST30DAY_SMKLS_LEVEL = 2, GO TO R05_YS1047. ELSE, IF R05_PAST30DAY_SMKLS = 1, GO TO R05_YS1945. ELSE, GO TO BOX R05_YSD02.

Variable(s): R05_YS1047
Do you have a regular brand of smokeless tobacco that you usually use?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users.
ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1945

Do you know the name of the brand of smokeless tobacco you [usually use/last used]?

- 1 Yes
- 2 No GO TO BOX R05_YSD02
- 8 DON'T KNOW GO TO BOX R05_YSD02
- 7 REFUSED GO TO BOX R05_YSD02

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

DISPLAY: IF R05_YS1047 = 1, DISPLAY "usually use".

ELSE, DISPLAY "last used".

UNDERLINE "name of the brand".

Variable(s): R05_YS1048_BRAND

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

- 9995 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1.

DISPLAY: IF R05_YS1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R05_YSR09

Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco, go to R05_YS1049.

Else, youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to R05_YS1070_PRODUCT.

Else, go to Box R05_YSD02.

IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1 AND R05_YS1048_BRAND = 9995, GO TO R05_YS1049.

ELSE, IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1 AND R05_YS1048_BRAND != 9995, -8, -7, GO TO R05_YS1070_PRODUCT.

ELSE, GO TO BOX R05_YSD02.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1049

You said that your brand was not listed. What is it?

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YSD02

GO TO BOX R05_YSD02

GO TO BOX R05_YSD02

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1 AND R05_YS1048_BRAND = 9995.

Variable(s): R05_YS1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1 AND R05_YS1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_YS1048_BRAND.

IF R05_YS1047 = 1, DISPLAY "do" AND "usually".

ELSE, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR10

Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco, go to R05_YSR1071.
 Else, youth respondents who are past 30 day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco, go to R05_YSR104.
 Else, go to Box R05_YSD02.

IF R05_PAST30DAY_SMKLS = 1 AND R05_YSR1945 = 1 AND R05_YSR1048_BRAND != 9995, -8, -7 AND R05_YSR1070_PRODUCT = 99995, GO TO R05_YSR1071.
 ELSE, IF R05_PAST30DAY_SMKLS = 1 AND R05_YSR100 = 1, 2, 3, 4 AND R05_YSR1945 = 1 AND R05_YSR1048_BRAND != 9995, -8, -7 AND R05_YSR1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_YSR104.
 ELSE, GO TO BOX R05_YSD02.

Variable(s): R05_YSR1071

You said that the type of [BRANDFILL]s that you use was not listed. What type is it?

_____	GO TO BOX R05_YSD02
-8 DON'T KNOW	GO TO BOX R05_YSD02
-7 REFUSED	GO TO BOX R05_YSD02

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YSR1945 = 1 AND R05_YSR1048_BRAND != 9995, -8, -7 AND R05_YSR1070_PRODUCT = 99995.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS0104

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS0100 = 1, 2, 3, 4 AND R05_YS1945 = 1 AND R05_YS1048_BRAND != 9995, -8, -7 AND R05_YS1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_YS0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".
ELSE, IF R05_YS0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".
ELSE, IF R05_YS0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".
ELSE, IF R05_YS0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".
FILL [NEQBRAND] WITH RESPONSE TO R05_YS1070_PRODUCT.

BOX ID: R05_YSD02

Display question R05_YS1060, R05_YS1085, R05_YS1062, R05_YS1075, R05_YS1063, R05_YS1064, R05_YS1065, R05_YS1067 and R05_YS1077 on one screen. Show the intro/transition text from R05_YS1060 first, then show each item with a Yes/No response. As each item is answered, show the next one.

PROGRAM: Randomize order of R05_YS1060 through R05_YS1077.

Variable(s): R05_YS1060

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because...

It is affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1085

I can use smokeless tobacco at times when or in places where smoking cigarettes isn't allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YS1062

It might be less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YS1075

It might be less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YS1063

Smokeless tobacco comes in flavors I like.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR11

Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YSR1064.

Else, go to R05_YSR1065.

IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YSR1064.
ELSE, GO TO R05_YSR1065.

Variable(s): R05_YSR1064

Using smokeless tobacco helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Variable(s): R05_YSR1065

Smokeless tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Variable(s): R05_YSR1067

Smokeless tobacco doesn't bother non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YSR21
Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R05_YS1077. Else, go to Box R05_YSR12.
IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5, GO TO R05_YS1077. ELSE, GO TO BOX R05_YSR12.

Variable(s): R05_YS1077
Using smokeless tobacco satisfies my cravings for cigarettes.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year. ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

BOX ID: R05_YSR12
Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers, go to R05_YS1086. Else, go to Box R05_YDT01.
IF R05_PAST30DAY_SMKLS = 1 AND R05_PAST30DAY_CIGS = 1, GO TO R05_YS1086. ELSE, GO TO BOX R05_YDT01.

Variable(s): R05_YS1086
In the past 30 days, have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers. ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_PAST30DAY_CIGS = 1.

DISSOLVABLE TOBACCO

BOX ID: R05_YDT01

The next questions ask about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks, and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks, or Strips.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

BOLD "dissolvable tobacco".

BOX ID: R05_YDR01

New baseline youth respondents, go to R05_YD1001_NB.

Else, continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview, go to R05_YD1002_NB.

Else, go to R05_YD1002_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YD1001_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2, GO TO R05_YD1002_NB.

ELSE, GO TO R05_YD1002_12M.

Variable(s): R05_YD1001_NB

Have you ever seen or heard of dissolvable tobacco before this study?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YDV01

GO TO BOX R05_YDV01

GO TO BOX R05_YDV01

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YD1002_NB

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

1 Yes

2 No

GO TO BOX R05_YDV01

-8 DON'T KNOW

GO TO BOX R05_YDV01

-7 REFUSED

GO TO BOX R05_YDV01

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco, or continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER DISSBL = 2).

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

Variable(s): R05_YD1002_12M

In the past 12 months, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

1 Yes

2 No

GO TO BOX R05_YDV01

-8 DON'T KNOW

GO TO BOX R05_YDV01

-7 REFUSED

GO TO BOX R05_YDV01

ASK: Continuing youth respondents who are not previous wave non-responders, or Continuing youth respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview, or New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco, or Continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER DISSBL = 1) OR (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1 AND R05_YD1002_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER DISSBL = 2 AND R05_YD1002_NB = 1).

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YD1002_30D

In the past 30 days, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing youth respondents who are not previous wave non-responders who have used dissolvable tobacco in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview and have used dissolvable tobacco in the past 12 months, or

New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco and have used dissolvable tobacco in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco and have used dissolvable tobacco in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YD1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 1 AND R05_YD1002_12M = 1) OR (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1 AND R05_YD1002_NB = 1 AND R05_YD1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2 AND R05_YD1002_NB = 1 AND R05_YD1002_12M = 1).

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YDV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_DISSBL_YOUTH = 1 (Ever user) Youth respondents who have ever used dissolvable tobacco.

R05_EVER_NEVER_DISSBL_YOUTH = 2 (Never user) Youth respondents who have never used dissolvable tobacco.

R05_INIT_DISSBL_YOUTH = 1 (Initiator) Continuing youth respondents who initiated dissolvable tobacco use since their last completed interview or new baseline youth respondents who have ever used dissolvable tobacco.

R05_PAST30DAY_DISS = 1 (Past 30 day dissolvable users) Youth respondents who have used dissolvable tobacco in the past 30 days.

R05_EVER_NEVER_DISSBL_YOUTH = 1:

IF R05_YD1002_NB = 1 OR R05_YD1002_12M = 1 OR (R04_EVER_NEVER_DISSBL = 1 AND R05_YD1002_NB != 2), THEN R05_EVER_NEVER_DISSBL_YOUTH = 1.

R05_EVER_NEVER_DISSBL_YOUTH = 2:

ELSE, R05_EVER_NEVER_DISSBL_YOUTH = 2.

R05_INIT_DISSBL_YOUTH = 1:

IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_DISSBL != 1 AND R05_EVER_NEVER_DISSBL_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_DISSBL_YOUTH = 1), THEN R05_INIT_DISSBL_YOUTH = 1.

ELSE, R05_INIT_DISSBL_YOUTH = 2.

R05_PAST30DAY_DISS = 1:

IF R05_YD1002_30D = 1, THEN R05_PAST30DAY_DISS = 1.

ELSE, R05_PAST30DAY_DISS = 2.

BIDIS AND KRETEKS

BOX ID: R05_YBT01

The next questions are about **bidis or kreteks**. Bidis are small brown cigarettes wrapped in a leaf and typically tied on one or both ends with string. Kreteks are clove cigarettes.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

BOLD "bidis or kreteks".

BOX ID: R05_YBR01

New baseline youth respondents, go to R05_YB9101_NB.

Else, go to Box R05_YBR03.

IF R05_YOUTHTYPE = 2, GO TO R05_YB9101_NB.

ELSE, GO TO BOX R05_YBR03.

Variable(s): SEE BELOW:

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

- | | | |
|-------------------------|----|---|
| R05_YB9101_NB_01 | 1 | Bidis |
| R05_YB9101_NB_02 | 2 | Kreteks |
| R05_YB9101_NB_03 | 3 | Never seen or heard of either of these products |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

PROGRAM: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.

IMAGE: SHOW GENERIC IMAGE OF BIDIS AND KRETEKS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YBR03

New baseline youth respondents who have ever seen or heard of bidis, or continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview, go to R05_YB1002BD_NB.

Else, continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview, go to R05_YB1002BD_12M.
Else, go to Box R05_YBR04.

IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2), GO TO R05_YB1002BD_NB.
ELSE, IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 1), GO TO R05_YB1002BD_12M.
ELSE, GO TO BOX R05_YBR04.

Variable(s): R05_YB1002BD_NB

Have you ever smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YBR04

GO TO BOX R05_YBR04

GO TO BOX R05_YBR04

ASK: New baseline youth respondents who have ever seen or heard of bidis, or continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2).

IMAGE: SHOW GENERIC IMAGE OF BIDIS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YB1002BD_12M

In the past 12 months, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YBR04 |
| -8 | DON'T KNOW | GO TO BOX R05_YBR04 |
| -7 | REFUSED | GO TO BOX R05_YBR04 |

ASK: Continuing youth respondents who are not previous wave non-responders, or
Continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview, or
New baseline youth respondents who have ever seen or heard of bidis and have ever smoked bidis, or
Continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview and have ever smoked bidis.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1 AND R05_YB1002BD_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2 AND R05_YB1002BD_NB = 1).

IMAGE: SHOW GENERIC IMAGE OF BIDIS

Variable(s): R05_YB1002BD_30D

In the past 30 days, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Continuing youth respondents who are not previous wave non-responders who have smoked bidis in the past 12 months, or
Continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview and have smoked bidis in the past 12 months, or
New baseline youth respondents who have ever seen or heard of bidis and have ever smoked bidis and have smoked bidis in the past 12 months, or
Continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview and have ever smoked bidis and have smoked bidis in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YB1002BD_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 1 AND R05_YB1002BD_12M = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1 AND R05_YB1002BD_NB = 1 AND R05_YB1002BD_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2 AND R05_YB1002BD_NB = 1 AND R05_YB1002BD_12M = 1).

IMAGE: SHOW GENERIC IMAGE OF BIDIS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YBR04

New baseline youth respondents who have ever seen or heard of kreteks, or continuing youth respondents who are previous wave non-responders and have never smoked kreteks as of their last completed interview, go to R05_YB1002KK_NB.

Else, continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked kreteks as of their last completed interview, go to R05_YB1002KK_12M.
Else, go to Box R05_YBV01.

IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 2), GO TO R05_YB1002KK_NB.
ELSE, IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 1), GO TO R05_YB1002KK_12M.
ELSE, GO TO BOX R05_YBV01.

Variable(s): R05_YB1002KK_NB

Have you ever smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

1 Yes

2 No

GO TO BOX R05_YBV01

-8 DON'T KNOW

GO TO BOX R05_YBV01

-7 REFUSED

GO TO BOX R05_YBV01

ASK: New baseline youth respondents who have ever seen or heard of kreteks, or continuing youth respondents who are previous wave non-responders and have never smoked kreteks as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 2).

IMAGE: SHOW GENERIC IMAGE OF KRETEKS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YB1002KK_12M

In the past 12 months, have you smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YBV01 |
| -8 | DON'T KNOW | GO TO BOX R05_YBV01 |
| -7 | REFUSED | GO TO BOX R05_YBV01 |

ASK: Continuing youth respondents who are not previous wave non-responders, or
Continuing youth respondents who are previous wave non-responders and have ever smoked kreteks
as of their last completed interview, or
New baseline youth respondents who have ever seen or heard of kreteks and have ever smoked
kreteks, or

Continuing youth respondents who are previous wave non-responders and have never smoked kreteks
as of their last completed interview and have ever smoked kreteks.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND
R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 1) OR (R05_YOUTHTYPE = 2 AND
R05_YB9101_NB_02 = 1 AND R05_YB1002KK_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR =
1 AND R04_EVER_NEVER_KRETEK = 2 AND R05_YB1002KK_NB = 1).

IMAGE: SHOW GENERIC IMAGE OF KRETEKS

Variable(s): R05_YB1002KK_30D

In the past 30 days, have you smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Continuing youth respondents who are not previous wave non-responders who have smoked
kreteks in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have ever smoked kreteks
as of their last completed interview and have smoked kreteks in the past 12 months, or

New baseline youth respondents who have ever seen or heard of kreteks and have ever smoked
kreteks and have smoked kreteks in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never smoked kreteks
as of their last completed interview and have ever smoked kreteks and have smoked kreteks in the past
12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YB1002KK_12M = 1) OR
(R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 1 AND
R05_YB1002KK_12M = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_02 = 1 AND
R05_YB1002KK_NB = 1 AND R05_YB1002KK_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR =
1 AND R04_EVER_NEVER_KRETEK = 2 AND R05_YB1002KK_NB = 1 AND R05_YB1002KK_12M =
1).

IMAGE: SHOW GENERIC IMAGE OF KRETEKS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YBV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_BIDI_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a bidi.
R05_EVER_NEVER_BIDI_YOUTH = 2 (Never user) Youth respondents who have never smoked a bidi.
R05_INIT_BIDI_YOUTH = 1 (Initiator) Continuing youth respondents who initiated bidi smoking since their last completed interview or new baseline youth respondents who have ever smoked a bidi.
R05_PAST30DAY_BIDI = 1 (Past 30 day bidi smoker) Youth respondents who have smoked a bidi in the past 30 days.

R05_EVER_NEVER_KRETEK_YOUTH = 1 (Ever user) Youth respondents who have ever smoked a kretek.
R05_EVER_NEVER_KRETEK_YOUTH = 2 (Never user) Youth respondents who have never smoked a kretek.
R05_INIT_KRETEK_YOUTH = 1 (Initiator) Continuing youth respondents who initiated kretek smoking since their last completed interview or new baseline youth respondents who have ever smoked a kretek.
R05_PAST30DAY_KRETEK = 1 (Past 30 day kretek smoker) Youth respondents who have smoked a kretek in the past 30 days.

R05_EVER_NEVER_BIDI_YOUTH = 1:
IF R05_YB1002BD_NB = 1 OR R05_YB1002BD_12M = 1 OR (R04_EVER_NEVER_BIDI = 1 AND R05_YB1002BD_NB != 2), THEN R05_EVER_NEVER_BIDI_YOUTH = 1.
R05_EVER_NEVER_BIDI_YOUTH = 2:
ELSE, R05_EVER_NEVER_BIDI_YOUTH = 2.
R05_INIT_BIDI_YOUTH = 1:
IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BIDI != 1 AND R05_EVER_NEVER_BIDI_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_BIDI_YOUTH = 1), THEN
R05_INIT_BIDI_YOUTH = 1.
ELSE, R05_INIT_BIDI_YOUTH = 2.
R05_PAST30DAY_BIDI = 1:
IF R05_YB1002BD_30D = 1, THEN R05_PAST30DAY_BIDI = 1.
ELSE, R05_PAST30DAY_BIDI = 2.

R05_EVER_NEVER_KRETEK_YOUTH = 1:
IF R05_YB1002KK_NB = 1 OR R05_YB1002KK_12M = 1 OR (R04_EVER_NEVER_KRETEK = 1 AND R05_YB1002KK_NB != 2), THEN R05_EVER_NEVER_KRETEK_YOUTH = 1.
R05_EVER_NEVER_KRETEK_YOUTH = 2:
ELSE, R05_EVER_NEVER_KRETEK_YOUTH = 2.
R05_INIT_KRETEK_YOUTH = 1:
IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_KRETEK != 1 AND R05_EVER_NEVER_KRETEK_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_INIT_KRETEK_YOUTH = 1.
ELSE, R05_INIT_KRETEK_YOUTH = 2.
R05_PAST30DAY_KRETEK = 1:
IF R05_YB1002KK_30D = 1, THEN R05_PAST30DAY_KRETEK = 1.
ELSE, R05_PAST30DAY_KRETEK = 2.

OTHER TOBACCO

Variable(s): R05_YZ1002; R05_YZ1002_OS

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco, dissolvable tobacco, bidis, [and]kreteks[LIST ALL AVAILABLE HEATED TOBACCO BRANDS].

Besides these products, have you ever used any other tobacco products? Please **do not include** products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

- 1 Yes (SPECIFY)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "do not include".

IF IQOS AND OTHER HEATED TOBACCO BRANDS HAVE NOT BECOME AVAILABLE, DISPLAY "and ".

ELSE, DO NOT DISPLAY.

IF IQOS OR OTHER HEATED TOBACCO BRANDS HAVE BECOME AVAILABLE, DISPLAY THE LIST OF ALL AVAILABLE HEATED TOBACCO BRANDS.

ELSE, DO NOT DISPLAY.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Which other products have you ever used? Please type your answer using the computer keyboard."

PROGRAM: If IQOS or other heated tobacco brands have become available on the US market, then list the available brands after kreteks. Include all the heated tobacco brands that have been made available. Separate with commas with ", and" preceding the last brand for English. Separate with commas with "y" preceding the last brand for Spanish.

FIRST TOBACCO PRODUCT

BOX ID: R05_YYV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_USE_TOB = Youth respondents who have ever used any type of tobacco product(s) in lifetime.

R05_EVER_USE_CIGSONLY = Youth respondents who have ever used only cigarettes, and no other products, in lifetime.

R05_EVER_USE_DUAL = Youth respondents who have ever used cigarettes and at least one other tobacco product in lifetime.

R05_EVER_USE_TOBXCIGS = Youth respondents who have ever used any tobacco products, excluding cigarettes, in lifetime.

R05_PAST30DAY_TOB = Youth respondents who have used any tobacco product(s) in the past 30 days.

R05_PASTYEAR_TOB_USE = 1 (Past year users of non-electronic tobacco only) Youth respondents who have used any tobacco product(s) in the past 12 months, but have not used any ENPs in the past 12 months.

R05_PASTYEAR_TOB_USE = 2 (Past year users of ENPs only) Youth respondents who have used any ENP in the past 12 months, but have not used any other tobacco product(s) in the past 12 months.

R05_PASTYEAR_TOB_USE = 3 (Past year users of both non-electronic tobacco and ENPs) Youth respondents who have used any ENP in the past 12 months and have used at least one other tobacco product in the past 12 months.

R05_PASTYEAR_TOB_USE = 4 (Past year non-users of any tobacco or ENP) Youth respondents who have not used any ENP in the past 12 months and have not used any other tobacco product in the past 12 months.

R05_EVER_USE_TOB:

IF R05_EVER_NEVER_CIGS_YOUTH = 1 OR R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1, THEN R05_EVER_USE_TOB = 1.

ELSE, R05_EVER_USE_TOB = 2.

R05_EVER_USE_CIGSONLY:

IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_EVER_NEVER_EPRODS_YOUTH != 1 AND R05_EVER_NEVER_GTRAD_YOUTH != 1 AND R05_EVER_NEVER_GRILLO_YOUTH != 1 AND R05_EVER_NEVER_GFILTR_YOUTH != 1 AND R05_EVER_NEVER_PIPE_YOUTH != 1 AND R05_EVER_NEVER_HOOK_YOUTH != 1 AND R05_EVER_NEVER_SMKLS_YOUTH != 1 AND R05_EVER_NEVER_SNUS_YOUTH != 1 AND R05_EVER_NEVER_DISSBL_YOUTH != 1 AND R05_EVER_NEVER_BIDI_YOUTH != 1 AND R05_EVER_NEVER_KRETEK_YOUTH != 1, THEN R05_EVER_USE_CIGSONLY = 1.

ELSE, R05_EVER_USE_CIGSONLY = 2.

R05_EVER_USE_DUAL:

IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_EVER_USE_DUAL = 1.

ELSE, R05_EVER_USE_DUAL = 2.

R05_EVER_USE_TOBXCIGS:

IF R05_EVER_NEVER_CIGS_YOUTH = 2 AND (R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_EVER_USE_TOBXCIGS = 1.
ELSE, R05_EVER_USE_TOBXCIGS = 2.

R05_PAST30DAY_TOB:

IF R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_EPRODS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1, THEN R05_PAST30DAY_TOB = 1.
ELSE, R05_PAST30DAY_TOB = 2.

R05_PASTYEAR_TOB_USE = 1:

IF (R05_YV1112 != 1, 2, 3, 4, 5 OR R05_YV9106 = 1) AND (R05_YC1112 = 1, 2, 3, 4, 5 OR R05_YG1112TC = 1, 2, 3, 4, 5 OR R05_YG1112CL = 1, 2, 3, 4, 5 OR R05_YG1112FC = 1, 2, 3, 4, 5 OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR R05_YU1112 = 1, 2, 3, 4, 5 OR R05_YS1112 = 1, 2, 3, 4, 5 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1 OR R05_YD1002_12M = 1), THEN R05_PASTYEAR_TOB_USE = 1.

R05_PASTYEAR_TOB_USE = 2:

ELSE, IF R05_YV1112 = 1, 2, 3, 4, 5 AND R05_YV9106 != 1 AND R05_YC1112 != 1, 2, 3, 4, 5 AND R05_YG1112TC != 1, 2, 3, 4, 5 AND R05_YG1112CL != 1, 2, 3, 4, 5 AND R05_YG1112FC != 1, 2, 3, 4, 5 AND R05_YP1112 != 1, 2, 3, 4, 5 AND R05_YH1112 != 1, 2, 3, 4, 5 AND R05_YU1112 != 1, 2, 3, 4, 5 AND R05_YS1112 != 1, 2, 3, 4, 5 AND R05_YB1002BD_12M != 1 AND R05_YB1002KK_12M != 1 AND R05_YD1002_12M != 1, THEN R05_PASTYEAR_TOB_USE = 2.

R05_PASTYEAR_TOB_USE = 3:

ELSE, IF R05_YV1112 = 1, 2, 3, 4, 5 AND R05_YV9106 != 1 AND (R05_YC1112 = 1, 2, 3, 4, 5 OR R05_YG1112TC = 1, 2, 3, 4, 5 OR R05_YG1112CL = 1, 2, 3, 4, 5 OR R05_YG1112FC = 1, 2, 3, 4, 5 OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR R05_YU1112 = 1, 2, 3, 4, 5 OR R05_YS1112 = 1, 2, 3, 4, 5 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1 OR R05_YD1002_12M = 1), THEN R05_PASTYEAR_TOB_USE = 3.

R05_PASTYEAR_TOB_USE = 4:

ELSE, IF (R05_YV1112 != 1, 2, 3, 4, 5 OR R05_YV9106 = 1) AND R05_YC1112 != 1, 2, 3, 4, 5 AND R05_YG1112TC != 1, 2, 3, 4, 5 AND R05_YG1112CL != 1, 2, 3, 4, 5 AND R05_YG1112FC != 1, 2, 3, 4, 5 AND R05_YP1112 != 1, 2, 3, 4, 5 AND R05_YH1112 != 1, 2, 3, 4, 5 AND R05_YU1112 != 1, 2, 3, 4, 5 AND R05_YS1112 != 1, 2, 3, 4, 5 AND R05_YB1002BD_12M != 1 AND R05_YB1002KK_12M != 1 AND R05_YD1002_12M != 1, THEN R05_PASTYEAR_TOB_USE = 4.

BOX ID: R05_YYR03

Youth respondents who have ever used tobacco, go to R05_YY0600.
Else, go to Box R05_YNR04E.

IF R05_EVER_USE_TOB = 1, GO TO R05_YY0600.
ELSE, GO TO BOX R05_YNR04E.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YY0600

Some tobacco products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets.

In thinking of the first tobacco product you ever tried, was it flavored?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

BOX ID: R05_YYR01

New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, or continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products since their last completed interview, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, go to R05_YY0601.
Else, go to Box R05_YNR04E.

IF (R05_YOUTHTYPE = 2 AND MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_Y\$1006_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_DISSBL != 1 AND R04_EVER_NEVER_BIDI != 1 AND R04_EVER_NEVER_KRETEK != 1 AND R05_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO), GO TO R05_YY0601.
ELSE, GO TO BOX R05_YNR04E.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YY0601; R05_YY0601_OS

You mentioned that you started using [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

- 1 Cigarettes
- 2 E-cigarettes or other electronic nicotine products
- 3 Traditional cigars
- 4 Cigarillos
- 5 Filtered cigars
- 7 Shisha or hookah tobacco
- 9 Snus
- 8 Smokeless tobacco (other than snus)
- 14 Other (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, or continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products since their last completed interview, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_DISSBL != 1 AND R04_EVER_NEVER_BIDI != 1 AND R04_EVER_NEVER_KRETEK != 1 AND R05_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO).

DISPLAY: LIST OF ALL PRODUCTS MAY ONLY INCLUDE CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO.

IF R05_YOUTHTYPE = 1, DISPLAY "in the past 12 months"; AND [LIST OF ALL PRODUCTS INITIATED], FOR ALL PRODUCTS FOR WHICH R05_INIT_[PRODUCT]_YOUTH = 1. (R05_INIT_CIGS_YOUTH, R05_INIT_EPRODS_YOUTH, R05_INIT_GTRAD_YOUTH, R05_INIT_GRILLO_YOUTH, R05_INIT_GFILTR_YOUTH, R05_INIT_HOOK_YOUTH, R05_INIT_SNUS_YOUTH, R05_INIT_SMKLS_YOUTH).

ELSE, IF R05_YOUTHTYPE = 2, DISPLAY "at age {EARLIEST AGE}" AND FILL {EARLIEST AGE} WITH THE AGE THE RESPONDENT FIRST STARTED USING TOBACCO; FOR [LIST OF ALL PRODUCTS USED AT EARLIEST AGE], LIST ALL THE PRODUCTS FOR WHICH R05_Y*1006_NB = EARLIEST AGE OF TOBACCO USE. (R05_YC1006_NB, R05_YV1006_NB, R05_YG1006TC_NB, R05_YG1006CL_NB, R05_YG1006FC_NB, R05_YH1006_NB, R05_YU1006_NB, R05_YS1006_NB).

IF [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] HAS TWO PRODUCTS,

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CONNECT THE PRODUCTS WITH "and".

ELSE, IF [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] HAS THREE OR MORE PRODUCTS, CONNECT THE PRODUCTS WITH COMMAS AND INCLUDE "and" BEFORE THE FINAL PRODUCT.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Make response options a dynamic list with fills based on the products that were used at MIN VALID AGE or initiated. Always include the unspecified other.

NICOTINE DEPENDENCE AND CESSATION / QUITTER

BOX ID: R05_YNR04E

Youth respondents who are past 12 month ENP users, go to Box R05_YNT03.
Else, youth respondents who are past 12 month non-electronic tobacco users, go to Box R05_YNT02.
Else, go to Box R05_YRT01.

IF R05_PASTYEAR_TOB_USE = 2, 3, GO TO BOX R05_YNT03.
ELSE, IF R05_PASTYEAR_TOB_USE = 1, GO TO BOX R05_YNT02.
ELSE, GO TO BOX R05_YRT01.

BOX ID: R05_YNT03
IF R05_PASTYEAR_TOB_USE = 2, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with electronic nicotine products.

IF R05_PASTYEAR_TOB_USE = 3, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with electronic nicotine products. Please think only about electronic nicotine products as you answer these questions. We will ask you questions about other products later.

Variable(s): R05_YN0703E

How soon after you wake up do you want to use electronic nicotine products?

- 1 Within 5 minutes
- 2 From 6 to 30 minutes
- 3 From more than 30 minutes to 1 hour
- 4 After more than 1 hour but less than 24 hours
- 5 I rarely want to use electronic nicotine products
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Variable(s): R05_YN0704E

Do you ever have strong cravings to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0705E

Have you ever felt like you really needed to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Variable(s): R05_YN0055E

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

BOX ID: R05_YND02E

PROGRAM: Randomize order of items R05_YN0025E - R05_YN0080E.

Variable(s): R05_YN0025E

I frequently crave electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0045E

My electronic nicotine product use is out of control.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Variable(s): R05_YN0070E

Using electronic nicotine products really helps me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Variable(s): R05_YN0075E

Using electronic nicotine products helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0080E

I would feel alone without my electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

BOX ID: R05_YNR03E

Youth respondents who are past 12 month ENP users and did not report that they rarely want to use ENPs after waking up, go to R05_YN0060E.

Else, go to Box R05_YNR06.

IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_YN0703E = 1, 2, 3, 4, -8, -7, GO TO R05_YN0060E.
ELSE, GO TO BOX R05_YNR06.

Variable(s): R05_YN0060E

I usually want to use electronic nicotine products right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users and did not report that they rarely want to use ENPs after waking up.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_YN0703E = 1, 2, 3, 4, -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YNR06

Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users, go to R05_YN0126E.

Else, youth respondents who are past 12 month non-electronic tobacco users, go to Box R05_YNT02.
Else, go to R05_YN0330_12M.

IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2, GO TO R05_YN0126E.

ELSE, IF R05_PASTYEAR_TOB_USE = 3, GO TO BOX R05_YNT02.

ELSE, GO TO R05_YN0330_12M.

Variable(s): R05_YN0126E

Have you tried to completely stop using electronic nicotine products within the past 12 months?

1 Yes

2 No

GO TO R05_YN0127E

-8 DON'T KNOW

GO TO R05_YN0127E

-7 REFUSED

GO TO R05_YN0127E

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2.

Variable(s): R05_YN0120E

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit for good?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users and have tried to completely stop using ENPs within the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YN0126E = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YN0127E**

Are you seriously thinking about quitting electronic nicotine products?

- 1 Yes, within the next 30 days
- 2 Yes, within the next 6 months
- 3 Yes, within the year
- 4 Yes, but not within the year
- 5 No, I am not seriously thinking about quitting
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2.

BOX ID: **R05_YNR02E**

Youth respondents who are past 12 month non-electronic tobacco users, go to Box R05_YNT02.
Else, go to R05_YN0330_12M.

IF R05_PASTYEAR_TOB_USE = 3, GO TO BOX R05_YNT02.
ELSE, GO TO R05_YN0330_12M.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YNT02

You mentioned that you use [TOBACCO PRODUCT LIST]. Please think about [all of these products/ both of these products/this product] as you answer the following questions.

DISPLAY: FOR [TOBACCO PRODUCT LIST] EMBEDDED IN THE QUESTION TEXT, DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS.

IF [TOBACCO PRODUCT LIST] HAS ONLY ONE PRODUCT, DISPLAY "this product".

IF [TOBACCO PRODUCT LIST] HAS TWO PRODUCTS, CONNECT THE PRODUCTS WITH "and"; DISPLAY "both of these products".

IF [TOBACCO PRODUCT LIST] HAS THREE OR MORE PRODUCTS, CONNECT THE PRODUCTS WITH COMMAS AND INCLUDE "and" BEFORE THE FINAL PRODUCT IN THE LIST; DISPLAY "all of these products".

DISPLAY:

IF R05_YC1002_12M = 1 OR R05_YC1112 = 1, 2, 3, 4, 5, INCLUDE "cigarettes" IN THE TOBACCO PRODUCT LIST.

IF R05_YG9104_12M_01 = 1 OR R05_YG1112TC = 1, 2, 3, 4, 5, INCLUDE "traditional cigars" IN THE TOBACCO PRODUCT LIST.

IF R05_YG9009_12M_01 = 1 OR R05_YG9009_12M_03 = 1 OR R05_YG1112CL = 1, 2, 3, 4, 5, INCLUDE "cigarillos" IN THE TOBACCO PRODUCT LIST.

IF R05_YG9009_12M_02 = 1 OR R05_YG1112FC = 1, 2, 3, 4, 5, INCLUDE "filtered cigars" IN THE TOBACCO PRODUCT LIST.

IF R05_YP1002_12M = 1 OR R05_YP1112 = 1, 2, 3, 4, 5, INCLUDE "a pipe" IN THE TOBACCO PRODUCT LIST.

IF R05_YH1002_12M = 1 OR R05_YH1112 = 1, 2, 3, 4, 5, INCLUDE "hookah" IN THE TOBACCO PRODUCT LIST.

IF R05_YU1002_12M = 1 OR R05_YU1112 = 1, 2, 3, 4, 5, INCLUDE "snus" IN THE TOBACCO PRODUCT LIST.

IF R05_YS1002_12M = 1 OR R05_YS1112 = 1, 2, 3, 4, 5, INCLUDE "smokeless tobacco" IN THE TOBACCO PRODUCT LIST.

IF R05_YD1002_12M = 1, INCLUDE "dissolvable tobacco" IN THE TOBACCO PRODUCT LIST.

IF R05_YB1002BD_12M = 1, INCLUDE "bidis" IN THE TOBACCO PRODUCT LIST.

IF R05_YB1002KK_12M = 1, INCLUDE "kreteks" IN THE TOBACCO PRODUCT LIST.

Variable(s): R05_YN0703

How soon after you wake up do you want to use tobacco?

- 1 Within 5 minutes
- 2 From 6 to 30 minutes
- 3 From more than 30 minutes to 1 hour
- 4 After more than 1 hour but less than 24 hours
- 5 I rarely want to use tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0704

Do you ever have strong cravings to use tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Variable(s): R05_YN0705

Have you ever felt like you really needed to use tobacco?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Variable(s): R05_YN0055

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for a tobacco product without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

BOX ID: R05_YND04

PROGRAM: Randomize order of items R05_YN0025 - R05_YN0080.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0025

I frequently crave tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Variable(s): R05_YN0045

My tobacco use is out of control.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Variable(s): R05_YN0070

Using tobacco really helps me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0075

Using tobacco helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Variable(s): R05_YN0080

I would feel alone without my tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

BOX ID: R05_YNR03

Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up, go to R05_YN0060.
Else, go to Box R05_YNR05.

IF R05_PASTYEAR_TOB_USE = 1, 3 AND R05_YN0703 = 1, 2, 3, 4, -8, -7, GO TO R05_YN0060.
ELSE, GO TO BOX R05_YNR05.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0060

I usually want to use tobacco right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3 AND R05_YN0703 = 1, 2, 3, 4, -8, -7.

BOX ID: R05_YNR05

Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, go to R05_YN0126.

Else, youth respondents who are past 30 day tobacco users and are past 30 day "not-light" users of cigarettes, go to R05_YN0127.

Else, go to R05_YN0330_12M.

IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1), GO TO R05_YN0126.
ELSE, IF R05_PAST30DAY_TOB = 1 AND R05_PAST30DAY_CIGS_LEVEL = 2, GO TO R05_YN0127.
ELSE, GO TO R05_YN0330_12M.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0126

Have you tried to completely stop using all tobacco products within the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YN0128 |
| -8 | DON'T KNOW | GO TO R05_YN0128 |
| -7 | REFUSED | GO TO R05_YN0128 |

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

Variable(s): R05_YN0120

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R05_YN0127 |
| 2 | No | GO TO R05_YN0127 |
| -8 | DON'T KNOW | GO TO R05_YN0127 |
| -7 | REFUSED | GO TO R05_YN0127 |

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0128

In the past 12 months, have you tried to completely stop using ANY tobacco product?

1 Yes

2 No

GO TO R05_YN0127

-8 DON'T KNOW

GO TO R05_YN0127

-7 REFUSED

GO TO R05_YN0127

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

- | | |
|---|--|
| R05_YN0129_01 | 1 Cigarettes |
| R05_YN0129_02 | 2 E-cigarettes or other electronic nicotine products |
| R05_YN0129_03 | 3 Traditional cigars |
| R05_YN0129_04 | 4 Cigarillos |
| R05_YN0129_05 | 5 Filtered cigars |
| R05_YN0129_06 | 6 Pipes |
| R05_YN0129_07 | 7 Shisha or hookah tobacco |
| R05_YN0129_08 | 8 Snus |
| R05_YN0129_09 | 9 Smokeless tobacco (other than snus) |
| R05_YN0129_10 | 10 Dissolvable tobacco |
| R05_YN0129_11 | 11 Bidis |
| R05_YN0129_12 | 12 Kreteks |
| R05_YN0129_13;
R05_YN0129_OS | 13 Other (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0127

Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

- 1 Yes, within the next 30 days
- 2 Yes, within the next 6 months
- 3 Yes, within the year
- 4 Yes, but not within the year
- 5 No, I am not seriously thinking about quitting
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, or youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS_LEVEL = 2 OR R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

DISPLAY: IF CIGARETTE SMOKER ONLY (R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_PAST30DAY_GTRAD = 2 AND R05_PAST30DAY_GRILLO = 2 AND R05_PAST30DAY_GFILTR = 2 AND R05_PAST30DAY_PIPE = 2 AND R05_PAST30DAY_HOOK = 2 AND R05_PAST30DAY_SNUS = 2 AND R05_PAST30DAY_SMKLS = 2 AND R05_PAST30DAY_DISS = 2 AND R05_PAST30DAY_BIDI = 2 AND R05_PAST30DAY_KRETEK = 2)), DISPLAY "cigarettes".

IF NON-CIGARETTE TOBACCO USER (R05_PAST30DAY_CIGS = 2 OR R05_PAST30DAY_CIGS_LEVEL = 1) AND R05_PAST30DAY_TOB = 1, DISPLAY "all tobacco products".

IF CIGARETTE AND OTHER TOBACCO PRODUCT USER (R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1)) DISPLAY "cigarettes and tobacco products".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YNR02

Youth respondents who are past 30 day "not-light" cigarette smokers and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smoker or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, go to Box R05_YNT05.

Else, youth respondents who are past 30 day "not-light" cigarette smokers, go to R05_YC1210.
Else, go to R05_YN0330_12M.

IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1), GO TO BOX R05_YNT05.
ELSE IF R05_PAST30DAY_CIGS_LEVEL = 2, GO TO R05_YC1210.
ELSE, GO TO R05_YN0330_12M.

BOX ID: R05_YNT05

The next questions ask about your experience with cigarettes. Please think only about cigarettes as you answer these questions.

Variable(s): R05_YC1210

Do you want to completely stop smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

BOX ID: R05_YNR01

Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months, go to R05_YC1215.
Else, go to R05_YC1220.

IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YN0126 != 1, GO TO R05_YC1215.
ELSE, GO TO R05_YC1220.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1215

In the past 12 months, have you tried to completely stop smoking cigarettes?

- 1 Yes
- 2 No GO TO R05_YC1230
- 8 DON'T KNOW GO TO R05_YC1230
- 7 REFUSED GO TO R05_YC1230

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YN0126 != 1.

Variable(s): R05_YC1220

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

- |_|_|_|_|
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_YN0126 = 1 OR (R05_YN0126 != 1 AND R05_YC1215 = 1)).

PROGRAM: Allow 3 digits.

CHECK ID: R05_YC1220_LC1

The computer recorded that you stopped smoking for one day or longer [R05_YC1220] times in the past 12 months because you were trying to quit smoking cigarettes for good. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R05_YC1220
- 2 NEXT GO TO R05_YC1225

ASK: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_YN0126 = 1 OR (R05_YN0126 != 1 AND R05_YC1215 = 1)) AND R05_YC1220 > 100.

PROGRAM: TRIGGER CHECK IF R05_YC1220 > 100.

ELSE, GO TO R05_YC1225 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1225

When you last tried to quit for good, how long did you stay off cigarettes? Please choose the first answer that fits.

- 1 Less than 1 day
- 2 1 to 7 days
- 3 More than 7 days but less than 30 days
- 4 More than 30 days but less than 6 months
- 5 More than 6 months but less than 1 year
- 6 1 year or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_YN0126 = 1 OR (R05_YN0126 != 1 AND R05_YC1215 = 1)).

Variable(s): R05_YC1230

If you decided to quit cigarettes for good, how likely is it that you would succeed?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

Variable(s): R05_YN0330_12M

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R05_YN0331_12M
- GO TO R05_YN0331_12M
- GO TO R05_YN0331_12M

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which product did you use in the past 12 months? Choose all that apply.

- | | | |
|----------------------|----|----------------------|
| R05_YN0161_01 | 1 | Nicotine patch |
| R05_YN0161_02 | 2 | Nicotine gum |
| R05_YN0161_03 | 3 | Nicotine inhaler |
| R05_YN0161_04 | 4 | Nicotine nasal spray |
| R05_YN0161_05 | 5 | Nicotine lozenge |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

BOX ID: R05_YNR08

Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months, go to R05_YN0347.
Else, go to Box R05_YNR07.

IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1, GO TO R05_YN0347.
ELSE, GO TO BOX R05_YNR07.

Variable(s): R05_YN0347

When you last used a **nicotine patch**, when did you remove it?

- | | | |
|----|---|---------------------|
| 1 | I am currently wearing a nicotine patch | GO TO R05_YN0349 |
| 2 | In the past hour | GO TO R05_YN0349 |
| 3 | Sometime today, but more than an hour ago | |
| 4 | Yesterday | |
| 5 | Day before yesterday | GO TO R05_YN0349 |
| 6 | Three or more days ago | GO TO BOX R05_YNR07 |
| -8 | DON'T KNOW | GO TO BOX R05_YNR07 |
| -7 | REFUSED | GO TO BOX R05_YNR07 |

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine patch".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0348

How many hours has it been since you removed a nicotine patch?

- 1 1 to 4 hours
- 2 5 to 11 hours
- 3 More than 12 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1 AND R05_YN0347 = 3, 4.

Variable(s): R05_YN0349; R05_YN0349_OS

When you last used a nicotine patch [FILL BASED ON R05_YN0347], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

- 1 21 mg (Step 1)
- 2 14 mg (Step 2)
- 3 7 mg (Step 3)
- 4 Some other strength (SPECIFY)
- 5 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1 AND R05_YN0347 = 1, 2, 3, 4, 5.

DISPLAY: FOR [FILL BASED ON R05_YN0347]:

IF R05_YN0347 = 1, 2, 3, DISPLAY "today".

ELSE, IF R05_YN0347 = 4, DISPLAY "yesterday".

ELSE, IF R05_YN0347 = 5, DISPLAY "the day before yesterday".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YNR07

Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, go to R05_YN0357.

Else, youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months, go to R05_YN0336.

Else, go to R05_YN0331_12M.

IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1, GO TO R05_YN0357.

ELSE, IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1, GO TO R05_YN0336.

ELSE, GO TO R05_YN0331_12M.

Variable(s): R05_YN0357

When did you last use **nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?**

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_YN0359 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_YN0336 |
| -8 DON'T KNOW | GO TO R05_YN0336 |
| -7 REFUSED | GO TO R05_YN0336 |

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YN0358**

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1 AND R05_YN0357 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0357]:

IF R05_YN0357 = 2, DISPLAY "sometime today".

ELSE, IF R05_YN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357 = 4, DISPLAY "the day before yesterday".

Variable(s): **R05_YN0359**

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357], how many did you use?

- | | |
|---------------|------------------|
| _ _ _ | |
| -8 DON'T KNOW | GO TO R05_YN0336 |
| -7 REFUSED | GO TO R05_YN0336 |

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1 AND R05_YN0357 = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0357]:

IF R05_YN0357 = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YN0359_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_YN0359] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YN0359

2 NEXT

GO TO R05_YN0336

ASK: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1 AND R05_YN0357 = 1, 2, 3, 4 AND (R05_YN0359 = 0 OR R05_YN0359 > 5).

DISPLAY: IF R05_YN0357 = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YN0359 = 0 OR R05_YN0359 > 5.

ELSE, GO TO R05_YN0336 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YN0336; R05_YN0336_OS

What was the main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge?

- 1 To stop using [tobacco/electronic nicotine products] completely
- 2 To reduce the amount of [tobacco/electronic nicotine products] you use
- 3 To cope with times when you could not or were not allowed to use [tobacco/electronic nicotine products]
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year tobacco users and have used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

DISPLAY: IF R05_PASTYEAR_TOB_USE = 1, 3, DISPLAY "tobacco".

ELSE, IF R05_PASTYEAR_TOB_USE = 2, DISPLAY "electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0331_12M

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YRT01 |
| -8 | DON'T KNOW | GO TO BOX R05_YRT01 |
| -7 | REFUSED | GO TO BOX R05_YRT01 |

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3.

Variable(s): R05_YN0327

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|---|---------------------|
| 1 | In the past hour | GO TO R05_YN0329 |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R05_YRT01 |
| -8 | DON'T KNOW | GO TO BOX R05_YRT01 |
| -7 | REFUSED | GO TO BOX R05_YRT01 |

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YN0328**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_YN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1 AND R05_YN0327 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0327]:

IF R05_YN0327 = 2, DISPLAY "today".

ELSE, IF R05_YN0327 = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0327 = 4, DISPLAY "the day before yesterday".

Variable(s): **R05_YN0329**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_YN0327], how many did you take?

- | | |
|---------------|---------------------|
| _ _ _ | |
| -8 DON'T KNOW | GO TO BOX R05_YRT01 |
| -7 REFUSED | GO TO BOX R05_YRT01 |

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1 AND R05_YN0327 = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0327]:

IF R05_YN0327 = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0327 = 3, DISPLAY "yesterday"

ELSE, IF R05_YN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YN0329_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R05_YN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YN0329

2 NEXT

GO TO BOX R05_YRT01

ASK: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1 AND R05_YN0327 = 1, 2, 3, 4 AND (R05_YN0329 = 0 OR R05_YN0329 > 5).

DISPLAY: IF R05_YN0327 = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0327 = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YN0329 = 0 OR R05_YN0329 > 5.

ELSE, GO TO BOX R05_YRT01 AND DO NOT DISPLAY THIS SCREEN.

PACKAGING AND HEALTH WARNINGS

BOX ID: R05_YRT01

The next questions ask about things you may have seen or read about tobacco products.

Variable(s): R05_YR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YR0005

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0259

In the past 30 days, how often, if at all, have you talked to anyone about the warning labels on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

BOX ID: R05_YRR01

Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days, go to R05_YR0202.

Else, youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days, go to R05_YR0055.
Else, go to R05_YR0110.

IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1, GO TO R05_YR0202.
ELSE, IF R05_EVER_NEVER_CIGS_YOUTH = 2 AND R05_YR0005 > 1, GO TO R05_YR0055.
ELSE, GO TO R05_YR0110.

Variable(s): R05_YR0202

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0010

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Variable(s): R05_YR0015

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Variable(s): R05_YR0025

How believable do you consider the health warnings on cigarette packs to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0035

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Variable(s): R05_YR0203

To what extent, if at all, do the health warnings on cigarette packs make you never want to smoke again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0110 |
| 2 A little | GO TO R05_YR0110 |
| 3 Somewhat | GO TO R05_YR0110 |
| 4 A lot | GO TO R05_YR0110 |
| -8 DON'T KNOW | GO TO R05_YR0110 |
| -7 REFUSED | GO TO R05_YR0110 |

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Variable(s): R05_YR0055

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2 AND R05_YR0005 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0110

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

BOX ID: R05_YRR16

Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days, go to R05_YR0222.

Else, youth respondents who have never used an ENP and have noticed health warnings on ENP packages in the past 30 days, go to R05_YR0228.
Else, go to R05_YR0115.

IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1, GO TO R05_YR0222.
ELSE, IF R05_EVER_NEVER_EPRODS_YOUTH = 2 AND R05_YR0110 > 1, GO TO R05_YR0228.
ELSE, GO TO R05_YR0115.

Variable(s): R05_YR0222

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0223

In the past 30 days, how often, if at all, have the health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Variable(s): R05_YR0224

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Variable(s): R05_YR0263

How believable do you consider the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0226

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you think about the health risks of using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Variable(s): R05_YR0227

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you never want to use them again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0115 |
| 2 A little | GO TO R05_YR0115 |
| 3 Somewhat | GO TO R05_YR0115 |
| 4 A lot | GO TO R05_YR0115 |
| -8 DON'T KNOW | GO TO R05_YR0115 |
| -7 REFUSED | GO TO R05_YR0115 |

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Variable(s): R05_YR0228

To what extent, if at all, have the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 2 AND R05_YR0110 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0115

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R05_YRR17

Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days, go to R05_YR0229.
Else, youth respondents who have never smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days, go to R05_YR0235.
Else, go to R05_YR0120.

IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1, GO TO R05_YR0229.
ELSE, IF R05_EVER_NEVER_GTRAD_YOUTH = 2 AND R05_YR0115 > 1, GO TO R05_YR0235.
ELSE, GO TO R05_YR0120.

Variable(s): R05_YR0229

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0264

In the past 30 days, how often, if at all, have the health warnings stopped you from having a traditional cigar when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Variable(s): R05_YR0231

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of traditional cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Variable(s): R05_YR0232

How believable do you consider the health warnings on packages of traditional cigars to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0233

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Variable(s): R05_YR0234

To what extent, if at all, do the health warnings on packages of traditional cigars make you never want to smoke again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0120 |
| 2 A little | GO TO R05_YR0120 |
| 3 Somewhat | GO TO R05_YR0120 |
| 4 A lot | GO TO R05_YR0120 |
| -8 DON'T KNOW | GO TO R05_YR0120 |
| -7 REFUSED | GO TO R05_YR0120 |

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Variable(s): R05_YR0235

To what extent, if at all, have the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 2 AND R05_YR0115 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0120

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

BOX ID: R05_YRR18

Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days, go to R05_YR0236.

Else, youth respondents who have never smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days, go to R05_YR0242.

Else, go to R05_YR0125.

IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1, GO TO R05_YR0236.

ELSE, IF R05_EVER_NEVER_GRILLO_YOUTH = 2 AND R05_YR0120 > 1, GO TO R05_YR0242.

ELSE, GO TO R05_YR0125.

Variable(s): R05_YR0236

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0237

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarillo when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Variable(s): R05_YR0238

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of cigarillos - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Variable(s): R05_YR0239

How believable do you consider the health warnings on packages of cigarillos to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0240

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Variable(s): R05_YR0241

To what extent, if at all, do the health warnings on packages of cigarillos make you never want to smoke again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0125 |
| 2 A little | GO TO R05_YR0125 |
| 3 Somewhat | GO TO R05_YR0125 |
| 4 A lot | GO TO R05_YR0125 |
| -8 DON'T KNOW | GO TO R05_YR0125 |
| -7 REFUSED | GO TO R05_YR0125 |

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Variable(s): R05_YR0242

To what extent, if at all, have the health warnings on packages of cigarillos made you less likely to start smoking cigarillos?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 2 AND R05_YR0120 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0125

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: R05_YRR19

Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days, go to R05_YR0243.

Else, youth respondents who have never smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days, go to R05_YR0249.

Else, go to R05_YR0130.

IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1, GO TO R05_YR0243.

ELSE, IF R05_EVER_NEVER_GFILTR_YOUTH = 2 AND R05_YR0125 > 1, GO TO R05_YR0249.

ELSE, GO TO R05_YR0130.

Variable(s): R05_YR0243

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0244

In the past 30 days, how often, if at all, have the health warnings stopped you from having a filtered cigar when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Variable(s): R05_YR0245

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of filtered cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Variable(s): R05_YR0246

How believable do you consider the health warnings on packages of filtered cigars to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0247

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Variable(s): R05_YR0248

To what extent, if at all, do the health warnings on packages of filtered cigars make you never want to smoke again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0130 |
| 2 A little | GO TO R05_YR0130 |
| 3 Somewhat | GO TO R05_YR0130 |
| 4 A lot | GO TO R05_YR0130 |
| -8 DON'T KNOW | GO TO R05_YR0130 |
| -7 REFUSED | GO TO R05_YR0130 |

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Variable(s): R05_YR0249

To what extent, if at all, have the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 2 AND R05_YR0125 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0130

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

Variable(s): R05_YR0135

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA

BOX ID: R05_YRR20

Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days, go to R05_YR0250.
Else, youth respondents who have never smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days, go to R05_YR0256.
Else, go to R05_YR0206.

IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1, GO TO R05_YR0250.
ELSE, IF R05_EVER_NEVER_HOOK_YOUTH = 2 AND R05_YR0135 > 1, GO TO R05_YR0256.
ELSE, GO TO R05_YR0206.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0250

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Variable(s): R05_YR0251

In the past 30 days, how often, if at all, have the health warnings stopped you from smoking hookah when you were about to?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Variable(s): R05_YR0252

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of shisha or hookah tobacco - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0253

How believable do you consider the health warnings on packages of shisha or hookah tobacco to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Variable(s): R05_YR0254

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Variable(s): R05_YR0255

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you never want to smoke again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0206 |
| 2 A little | GO TO R05_YR0206 |
| 3 Somewhat | GO TO R05_YR0206 |
| 4 A lot | GO TO R05_YR0206 |
| -8 DON'T KNOW | GO TO R05_YR0206 |
| -7 REFUSED | GO TO R05_YR0206 |

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0256

To what extent, if at all, have the health warnings on packages of shisha or hookah tobacco made you less likely to start smoking hookah?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 2 AND R05_YR0135 > 1.

Variable(s): R05_YR0206

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS

BOX ID: R05_YRR15

Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days, go to R05_YR0207.

Else, youth respondents who have never used snus and have noticed health warnings on snus containers in the past 30 days, go to R05_YR0213.

Else, go to R05_YR0060.

IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1, GO TO R05_YR0207.

ELSE, IF R05_EVER_NEVER_SNUS_YOUTH = 2 AND R05_YR0206 > 1, GO TO R05_YR0213.

ELSE, GO TO R05_YR0060.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0207

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Variable(s): R05_YR0208

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Variable(s): R05_YR0209

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0210

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Variable(s): R05_YR0211

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Variable(s): R05_YR0212

To what extent, if at all, do the health warnings on snus containers make you never want to use snus again?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YR0060 |
| 2 A little | GO TO R05_YR0060 |
| 3 Somewhat | GO TO R05_YR0060 |
| 4 A lot | GO TO R05_YR0060 |
| -8 DON'T KNOW | GO TO R05_YR0060 |
| -7 REFUSED | GO TO R05_YR0060 |

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0213

To what extent, if at all, have the health warnings on snus containers made you less likely to start using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 2 AND R05_YR0206 > 1.

Variable(s): R05_YR0060

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, and chew?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

BOX ID: R05_YRR04

Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days, go to R05_YR0205.
Else, youth respondents who have never used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days, go to R05_YR0220.
Else, go to Box R05_YXT30.

IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1, GO TO R05_YR0205.
ELSE, IF R05_EVER_NEVER_SMKLS_YOUTH = 2 AND R05_YR0060 > 1, GO TO R05_YR0220.
ELSE, GO TO BOX R05_YXT30.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0205

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Variable(s): R05_YR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Variable(s): R05_YR0070

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YR0075

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Variable(s): R05_YR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Variable(s): R05_YR0218

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again?

- | | |
|---------------|---------------------|
| 1 Not at all | GO TO BOX R05_YXT30 |
| 2 A little | GO TO BOX R05_YXT30 |
| 3 Somewhat | GO TO BOX R05_YXT30 |
| 4 A lot | GO TO BOX R05_YXT30 |
| -8 DON'T KNOW | GO TO BOX R05_YXT30 |
| -7 REFUSED | GO TO BOX R05_YXT30 |

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YR0220**

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have never used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 2 AND R05_YR0060 > 1.

RISK PERCEPTIONS AND ATTITUDES

BOX ID: R05_YXT30

The next questions ask about your opinions on using tobacco, including e-cigarettes, and other electronic nicotine products.

Variable(s): R05_YX0722

How harmful do you think nicotine is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YN0250

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0667

Please tell me how much you agree or disagree with the following statement.

Some tobacco products are safer than others.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0723

Do you think a tobacco product described as **additive-free** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "additive-free".

Variable(s): R05_YX0724

Do you think a tobacco product described as **organic** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "organic".

Variable(s): R05_YC9050

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1149

How harmful do you think the nicotine in cigarettes is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "nicotine".

Variable(s): R05_YC1125

How much do you think people harm themselves when they smoke cigarettes?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YC1170

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC1180

How long do you think someone has to smoke cigarettes before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YC9062

If someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before, would it be less harmful, about the same, or more harmful to their health?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YC9040

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC9118

Do you think cigarettes flavored like menthol or mint are easier to smoke, about the same, or harder to smoke than regular cigarettes?

- 1 Easier to smoke
- 2 About the same
- 3 Harder to smoke
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YC1124

How likely is someone to become addicted to cigarettes?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YC9043

How likely are **you** to become addicted to cigarettes?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "you".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YC9120

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YE9050

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s): R05_YV1125

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1149

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "nicotine".

Variable(s): R05_YV1180

How long do you think someone has to use e-cigarettes or other electronic nicotine products before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YV1099

Do you think using e-cigarettes or other electronic nicotine products is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1146

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think menthol or mint flavored e-cigarettes are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

- 1 Easier to use
- 2 About the same
- 3 Harder to use
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored", AND "unflavored".

Variable(s): R05_YV1153

Do you think flavored e-cigarettes (other than menthol or mint) are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

- 1 Easier to use
- 2 About the same
- 3 Harder to use
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

Variable(s): R05_YV1148

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored" AND "unflavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV1152

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

Variable(s): R05_YV1124

How likely is someone to become addicted to e-cigarettes or other electronic nicotine products?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9050

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9025

How much do you think people harm themselves when they smoke traditional cigars?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG1180

How long do you think someone has to smoke traditional cigars before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9097

Do you think smoking traditional cigars is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9058

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigars?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YG9146

Do you think flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars?

- 1 Easier to smoke
- 2 About the same
- 3 Harder to smoke
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YG9955

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9026

How much do you think people harm themselves when they smoke cigarillos?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9047

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9048

How long do you think someone has to smoke cigarillos before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9098

Do you think smoking cigarillos is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

Variable(s): R05_YG9059

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YG9147

Do you think flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos?

- 1 Easier to smoke
- 2 About the same
- 3 Harder to smoke
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9125

How likely is someone to become addicted to cigarillos?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9950

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): R05_YG9027

How much do you think people harm themselves when they smoke filtered cigars?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9054

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9055

How long do you think someone has to smoke filtered cigars before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YG9099

Do you think smoking filtered cigars is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG9960

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YG9148

Do you think flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars?

- 1 Easier to smoke
- 2 About the same
- 3 Harder to smoke
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YG9126

How likely is someone to become addicted to filtered cigars?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9050

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA

Variable(s): R05_YH1125

How much do you think people harm themselves when they smoke shisha or hookah tobacco?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YH9044

How harmful is it to be around people who are smoking shisha or hookah tobacco?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH9110

Do you think shisha that does not contain tobacco is less harmful, about the same, or more harmful than shisha that does contain tobacco?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "does not contain tobacco" AND "does contain tobacco".

Variable(s): R05_YH1180

How long do you think someone has to smoke shisha or hookah tobacco before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YH1099

Do you think smoking hookah is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "hookah" AND "cigarettes".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YH1146

Some shisha or hookah tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

- 1 Easier to smoke
- 2 About the same
- 3 Harder to smoke
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YH1124

How likely is someone to become addicted to shisha or hookah tobacco?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YU9050

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1125

How much do you think people harm themselves when they use snus?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YU1170

How much do you think people harm themselves when they use snus some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YU1180

How long do you think someone has to use snus before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YU1099

Do you think using snus is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "snus" AND "cigarettes".

Variable(s): R05_YU1146

Some snus comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored snus is easier to use, about the same, or harder to use than unflavored snus?

- 1 Easier to use
- 2 About the same
- 3 Harder to use
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_YU1124

How likely is someone to become addicted to snus?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS9050

How harmful do you think other smokeless tobacco products (such as dip, spit, or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

Variable(s): R05_YS1125

How much do you think people harm themselves when they use smokeless tobacco? (Smokeless tobacco includes dip, spit, or chew.)

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YS1170

How much do you think people harm themselves when they use smokeless tobacco some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1180

How long do you think someone has to use smokeless tobacco before it harms their health?

- 1 It will never harm their health
- 2 Less than a year
- 3 1 year
- 4 5 years
- 5 10 years
- 6 20 years or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YS1099

Do you think using smokeless tobacco is less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

Variable(s): R05_YS1146

Some smokeless tobacco comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco?

- 1 Easier to use
- 2 About the same
- 3 Harder to use
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1124

How likely is someone to become addicted to smokeless tobacco?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0759

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

How harmful do you think the nicotine in these products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "nicotine".

BOX ID: R05_YXV01

CREATE AN ARRAY **USEPROD** WITH 12 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A PAST 30 DAY USER OF THE SPECIFIC TOBACCO TYPE.

USEPROD(1-12): Past 30 day users of: (1) cigarettes; (2) electronic nicotine products; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipe tobacco (7) shisha or hookah tobacco; (8) snus (9) smokeless tobacco; (10) dissolvable tobacco; (11) bidis; (12) kreteks.

DISPLAY: If [USEPROD(1-12)] is a list and contains two products, connect the products with "and". If it has three or more products, connect the products with commas and include "and" before the final product in the list. Display all products bold with lowercase letters.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR02

Youth respondents who have ever smoked a cigarette and are past 30 days users of at least one non-cigarette tobacco product, go to R05_YX0300.

Else, youth respondents who have ever used an ENP and are past 30 days users of at least one non-electronic tobacco product, go to R05_YX0301.

Else, youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product, go to R05_YX0307.

Else, go to Box R05_YXT05.

IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_PAST30DAY_EPRODS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1), GO TO R05_YX0300.

ELSE, IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1), GO TO R05_YX0301.

ELSE, IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1), GO TO R05_YX0307.

ELSE, GO TO BOX R05_YXT05.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0300

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(2-12)] to smoking cigarettes.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever smoked a cigarette and are past 30 days users of at least one non-cigarette tobacco product.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_PAST30DAY_EPRODS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

DISPLAY: UNDERLINE "completely".

BOLD "USEPROD(2-12)".

PROGRAM: EXCLUDE USEPROD(1)=CIGARETTES from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding cigarettes, in [USEPROD(2-12)].

BOX ID: R05_YXR11

Youth respondents who have ever used an ENP and are past 30 days users of at least one non-electronic tobacco product, go to R05_YX0301.

Else, go to Box R05_YXR10.

IF R05_EVER_NEVER_EPROD_YOUTH = 1 AND (R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1), GO TO R05_YX0301.
ELSE, GO TO BOX R05_YXR10.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0301

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1, 3-12)] to using e-cigarettes or other electronic nicotine products.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used an ENP and are past 30 days users of at least one non-electronic tobacco product.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

DISPLAY: UNDERLINE "completely".

BOLD "USEPROD(1, 3-12)".

PROGRAM: EXCLUDE USEPROD(2)=ELECTRONIC NICOTINE PRODUCTS from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding electronic nicotine products, in [USEPROD(1, 3-12)].

BOX ID: R05_YXR10

Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product, go to R05_YX0307.

Else, go to Box R05_YXT05.

IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1), GO TO R05_YX0307. ELSE, GO TO BOX R05_YXT05.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0307#_01 through R05_YX0307#_13 || Where # = C (Cigarettes); E (Electronic nicotine products); T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Shisha or Hookah tobacco); U (Snus); S (Smokeless tobacco); D (Dissolvable tobacco); B (Bidis); K (Kreteks)

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 11 Dissolvable tobacco
- 12 Bidis
- 13 Kreteks
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

DISPLAY: UNDERLINE "switching".

BOLD [USEPROD(1-12)].

IF R05_PAST30DAY_SNUS = 1 AND R05_PAST30DAY_SMKLS != 1, DISPLAY option 10 as "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R05_PAST30DAY_SMKLS != 1, DISPLAY "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05_YX0307#_01 through R05_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

MEDIA USE

BOX ID: R05_YXT05

The next questions ask about your TV, radio, internet and cell phone use.

Variable(s): R05_YX0494

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "weekday".

Variable(s): R05_YX0474

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "weekend".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0060

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "weekday".

Variable(s): R05_YX0061

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "weekend".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0062

Sometimes people use the internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YXR13 |
| -8 | DON'T KNOW | GO TO BOX R05_YXR13 |
| -7 | REFUSED | GO TO BOX R05_YXR13 |

ASK: All youth respondents.

Variable(s): R05_YX0317

About how often do you visit your social media accounts?

- | | | |
|----|----------------------|---------------------|
| 1 | More than once a day | |
| 2 | About once a day | |
| 3 | 3-5 days a week | |
| 4 | 1-2 days a week | |
| 5 | Every few weeks | |
| 6 | Less often | |
| 7 | Never | GO TO BOX R05_YXR13 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Youth respondents who have a social media account.

ASK Specification: IF R05_YX0062 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

- | | | |
|-----------------------|----|---|
| R05_YX0686_00 | 0 | I have not liked or followed any brands on social media sites |
| R05_YX0686_01 | 1 | Camel |
| R05_YX0686_02 | 2 | Marlboro |
| R05_YX0686_03 | 3 | Newport |
| R05_YX0686_04 | 4 | American Spirit |
| R05_YX0686_05 | 5 | Vuse |
| R05_YX0686_06 | 6 | Blu |
| R05_YX0686_07 | 7 | Logic |
| R05_YX0686_08 | 8 | MarkTen |
| R05_YX0686_09 | 9 | NJOY |
| R05_YX0686_10 | 10 | eGo |
| R05_YX0686_11 | 11 | iTaste |
| R05_YX0686_12 | 12 | Black & Mild |
| R05_YX0686_13 | 13 | Swisher Sweets |
| R05_YX0686_14 | 14 | Dutch Masters |
| R05_YX0686_15 | 15 | Phillies Blunts |
| R05_YX0686_16 | 16 | Zig Zag |
| R05_YX0686_17 | 17 | Skoal |
| R05_YX0686_18 | 18 | Redman |
| R05_YX0686_19 | 19 | Grizzly |
| R05_YX0686_20 | 20 | Copenhagen |
| R05_YX0686_21; | 21 | Some other brand (SPECIFY) |
| R05_YX0686_OS | | |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR13

Youth respondents who have ever used tobacco, go to R05_YX0505.
Else, go to Box R05_YXR12.

IF R05_EVER_USE_TOB = 1, GO TO R05_YX0505.
ELSE, GO TO BOX R05_YXR12.

Variable(s): R05_YX0505

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes, or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

BOX ID: R05_YXR12

New baseline youth respondents, go to R05_YX0496_NB.
Else, go to Box R05_YXT02.

IF R05_YOUTHTYPE = 2, GO TO R05_YX0496_NB.
ELSE, GO TO BOX R05_YXT02.

Variable(s): R05_YX0496_NB

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[SHOW IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a tablet or a smartphone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: UNDERLINE "QR code".

IMAGE: SHOW IMAGE OF QR CODE FOR PATH WEBSITE

SECONDHAND SMOKE EXPOSURE

BOX ID: R05_YXT02

The next questions ask about the rules of using tobacco inside your home.

Variable(s): SEE BELOW:

Not including yourself, does anyone who lives with you now do any of the following? Choose all that apply.

- | | | |
|---------------|----|---|
| R05_YX0671_01 | 1 | Smoke cigarettes |
| R05_YX0671_02 | 2 | Use e-cigarettes or other electronic nicotine products |
| R05_YX0671_03 | 3 | Use snus |
| R05_YX0671_04 | 4 | Use other types of smokeless tobacco such as dip, spit, or chew |
| R05_YX0671_05 | 5 | Smoke traditional cigars, cigarillos, or filtered cigars |
| R05_YX0671_06 | 6 | Smoke hookah |
| R05_YX0671_07 | 7 | Use any other form of tobacco |
| R05_YX0671_08 | 8 | No one who lives with me now uses any form of tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All youth respondents.

DISPLAY: UNDERLINE "now".

PROGRAM: Allow respondent to choose all that apply. Option 8 cannot be selected if any option 1-7 is selected.

Variable(s): R05_YX0068

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at school, or outdoors.

I__|__|__| Number of hours

- 8 DON'T KNOW
-7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "others".

IF R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_GTRAD= 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1, DISPLAY, ", whether or not you were smoking yourself".

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY "Number of hours" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0068_LC1

The computer recorded that, during the last seven days, you were in close contact with others while they were smoking for [R05_YX0068] hours. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0068

2 NEXT

GO TO R05_YV9066

ASK: IF R05_YX0068 > 120 OR R05_YX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

PROGRAM: TRIGGER CHECK IF R05_YX0068 > 120 OR R05_YX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R05_YV9066 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YV9066

In the past 12 months, did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

1 Yes

2 No

GO TO BOX R05_YXT01

-8 DON'T KNOW

GO TO BOX R05_YXT01

-7 REFUSED

GO TO BOX R05_YXT01

ASK: All youth respondents.

Variable(s): R05_YV9063

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you become sick?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_YV9066 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YV9065

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you go to a hospital?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_YV9066 = 1.

HEALTH

BOX ID: R05_YXT01

The next questions ask about some basic medical information that is important for the study.

BOX ID: R05_YMD06

Display questions R05_YX0090 through R05_YX0088 using the expanded WVB stem-leaf screen. The introduction text from R05_YX0090 is the stem. Show all leaves on the screen at once.

Variable(s): R05_YX0090***

In general, how would you rate your...

physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0091***

mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0088***

overall health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YMD05

Display questions R05_YX0090_12M through R05_YX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R05_YX0090_12M is the stem. Show all leaves on the screen at once.

Variable(s): R05_YX0090_12M***

Compared with 12 months ago, would you say...

your physical health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0091_12M***

your mental health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0088_12M***

your overall health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0726

Overall, how would you rate the health of your teeth and gums?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0310

The next questions ask about your height and weight. Do you want to answer these questions in...

- 1 Feet and pounds, or
 - 2 Meters and kilograms
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R05_YX0311

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YT0007_FT; R05_YT0007_IN

About how tall are you without shoes?

I__I__ Feet

I__I__ Inches

-8 DON'T KNOW

GO TO R05_YT0008

-7 REFUSED

GO TO R05_YT0008

ASK: Youth respondents who prefer to report their height in feet and inches or did not know or refused to report how they prefer to report their height.

ASK Specification: IF R05_YX0310 = 1, -8, -7.

DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 2 digits for feet.

Range check: Inches (0-11).

CHECK ID: R05_YT0007_LC1

The computer recorded that you are [R05_YT0007_FT] feet [and R05_YT0007_IN inches] tall. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YT0007

2 NEXT

GO TO R05_YT0008

ASK: IF R05_YX0310 = 1, -8, -7 AND (R05_YT0007_FT < 5 OR (R05_YT0007_FT = 6 AND R05_YT0007_IN > 0) OR R05_YT0007_FT > 6).

PROGRAM: TRIGGER CHECK IF R05_YT0007_FT < 5 OR (R05_YT0007_FT = 6 AND R05_YT0007_IN > 0) OR R05_YT0007_FT > 6.

ELSE, GO TO R05_YT0008 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YX0311

About how tall are you without shoes?

I__I__I__I__ Meters

-8 DON'T KNOW

GO TO R05_YX0312

-7 REFUSED

GO TO R05_YX0312

ASK: Youth respondents who prefer to report their height in meters.

ASK Specification: IF R05_YX0310 = 2.

DISPLAY: DISPLAY "Meters" AS A TITLE.

PROGRAM: Allow 1 digit before the decimal; allow 2 digits after the decimal.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0311_LC1

The computer recorded that you are [R05_YX0311] meters tall. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YX0311 |
| 2 NEXT | GO TO R05_YX0312 |

ASK: IF R05_YX0310 = 2 AND (R05_YX0311 < 1.5 OR R05_YX0311 > 1.8).

PROGRAM: TRIGGER CHECK IF R05_YX0311 < 1.5 OR R05_YX0311 > 1.8.

ELSE, GO TO R05_YX0312 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YT0008

About how much do you weigh without clothes or shoes?

|_|_|_| Pounds

- | | |
|---------------|------------------|
| -8 DON'T KNOW | GO TO R05_YX0241 |
| -7 REFUSED | GO TO R05_YX0241 |

ASK: Youth respondents who prefer to report their weight in pounds or did not know or refused to report how they prefer to report their weight.

ASK Specification: IF R05_YX0310 = 1, -8, -7.

DISPLAY: DISPLAY "Pounds" AS A TITLE.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YT0008_LC1

The computer recorded that you weigh [R05_YT0008] pounds. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_YT0008 |
| 2 NEXT | GO TO R05_YX0241 |

ASK: IF R05_YX0310 = 1, -8, -7 AND ((12 <= R05R_Y_AGE < 15 AND (R05_YT0008 < 85 OR R05_YT0008 > 170)) OR (R05R_Y_AGE >= 15 AND (R05_YT0008 < 105 OR R05_YT0008 > 200))).

PROGRAM: TRIGGER CHECK IF (12 <= R05R_Y_AGE < 15 AND (R05_YT0008 < 85 OR R05_YT0008 > 170)) OR (R05R_Y_AGE >= 15 AND (R05_YT0008 < 105 OR R05_YT0008 > 200)).

ELSE, GO TO R05_YX0241 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0312

About how much do you weigh without clothes or shoes?

I ___ I ___ I ___ I ___ I ___ Kilograms

-8 DON'T KNOW

GO TO R05_YX0241

-7 REFUSED

GO TO R05_YX0241

ASK: Youth respondents who prefer to report their weight in kilograms.

ASK Specification: IF R05_YX0310 = 2.

DISPLAY: DISPLAY "Kilograms" AS A TITLE.

PROGRAM: Allow 3 digits before the decimal; allow 2 digits after the decimal.

CHECK ID: R05_YX0312_LC1

The computer recorded that you weigh [R05_YX0312] kilograms. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0312

2 NEXT

GO TO R05_YX0241

ASK: IF R05_YX0310 = 2 AND ((12 <= R05R_Y_AGE < 15 AND (R05_YX0312 < 38.6 OR R05_YX0312 > 77.1)) OR (R05R_Y_AGE >= 15 AND (R05_YX0312 < 47.6 OR R05_YX0312 > 90.7))).

PROGRAM: TRIGGER CHECK IF (12 <= R05R_Y_AGE < 15 AND (R05_YX0312 < 38.6 OR R05_YX0312 > 77.1)) OR (R05R_Y_AGE >= 15 AND (R05_YX0312 < 47.6 OR R05_YX0312 > 90.7)). ELSE, GO TO R05_YX0241 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YX0241

During the past 7 days, on how many days were you physically active for a total of **at least 60 minutes per day**? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

1 0 days

2 1 day

3 2 days

4 3 days

5 4 days

6 5 days

7 6 days

8 7 days

-8 DON'T KNOW

-7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "past 7 days".

BOLD "at least 60 minutes per day".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0242

On how many of the past 7 days did you exercise or participate in physical activity for **at least 20 minutes that made you sweat and breathe hard**, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

- 1 0 days
- 2 1 day
- 3 2 days
- 4 3 days
- 5 4 days
- 6 5 days
- 7 6 days
- 8 7 days
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "at least 20 minutes that made you sweat and breathe hard".

Variable(s): R05_YX0243

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

- 1 0 days
- 2 1 day
- 3 2 days
- 4 3 days
- 5 4 days
- 6 5 days
- 7 6 days
- 8 7 days
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

BOX ID: R05_YXR43

New baseline youth respondents, go to R05_YX0046_NB.
Else, continuing youth respondents, go to R05_YX0047_12M.

IF R05_YOUTHTYPE = 2, GO TO R05_YX0046_NB.
ELSE, IF R05_YOUTHTYPE = 1, GO TO R05_YX0047_12M.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0046_NB

Have you ever had wheezing or whistling in the chest at any time in the past?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YX0052 |
| -8 | DON'T KNOW | GO TO R05_YX0052 |
| -7 | REFUSED | GO TO R05_YX0052 |

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: UNDERLINE "ever".

Variable(s): R05_YX0047_12M

Have you had wheezing or whistling in the chest in the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YX0052 |
| -8 | DON'T KNOW | GO TO R05_YX0052 |
| -7 | REFUSED | GO TO R05_YX0052 |

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1) OR R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "past 12 months".

Variable(s): R05_YX0048

How many attacks of wheezing have you had in the past 12 months?

- | | |
|----|--------------|
| 1 | None |
| 2 | 1 to 3 |
| 3 | 4 to 12 |
| 4 | More than 12 |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0049

In the past 12 months how often, on average, has your sleep been disturbed due to wheezing?

- 1 Never woken with wheezing
- 2 Less than one night per week
- 3 One or more nights per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

Variable(s): R05_YX0050

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

Variable(s): R05_YX0052

In the past 12 months, has your chest sounded wheezy during or after exercise?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0053
A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: All youth respondents.

BOX ID: R05_YXR18
Continuing youth respondents, go to R05_YT0031_12M. Else, go to R05_YT0031_NB.
IF R05_YOUTHTYPE = 1, GO TO R05_YT0031_12M. ELSE, GO TO R05_YT0031_NB.

Variable(s): R05_YT0031_12M
In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have asthma?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R05_YXV03 GO TO BOX R05_YXV03 GO TO BOX R05_YXV03 GO TO BOX R05_YXV03
ASK: Continuing youth respondents.
ASK Specification: IF R05_YOUTHTYPE = 1.

Variable(s): R05_YT0031_NB
Have you ever been told by a doctor, nurse, or other health professional that you have asthma?
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: New baseline youth respondents.
ASK Specification: IF R05_YOUTHTYPE = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXV03
PROGRAM: CREATE DERIVED VARIABLE (SEE APPENDIX)
R05_YOUTH_ASTHMA = Youth respondents who have ever had asthma.
R05_YOUTH_ASTHMA: IF R04_ASTHMA = 1 OR R05_YT0031_NB = 1 OR R05_YT0031_12M = 1, THEN R05_YOUTH_ASTHMA = 1. ELSE, R05_YOUTH_ASTHMA = 2.

BOX ID: R05_YXR09
New baseline youth respondents who have ever had asthma, go to R05_YT0038_NB. Else, youth respondents who have ever had asthma, go to R05_YX0227. Else, youth respondents who have ever used tobacco, go to R05_YX0003. Else, go to Box R05_YXD06.
IF R05_YOUTH_ASTHMA = 1 AND R05_YOUTHTYPE = 2, GO TO R05_YT0038_NB. ELSE, IF R05_YOUTH_ASTHMA = 1, GO TO R05_YX0227. ELSE, IF R05_EVER_USE_TOB = 1, GO TO R05_YX0003. ELSE, GO TO BOX R05_YXD06.

Variable(s): R05_YT0038_NB
How old were you when you were first told you had asthma? I ___ ___ Years old -8 DON'T KNOW GO TO R05_YT0260_NB -7 REFUSED GO TO R05_YT0260_NB ASK: New baseline youth respondents who have ever had asthma. ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YOUTH_ASTHMA = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits.

CHECK ID: R05_YT0038_NB_LC1
The computer recorded that you were [R05_YT0038_NB] years old when you were first told you had asthma. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R05_YT0038_NB 2 NEXT GO TO R05_YX0227 ASK: IF R05_YOUTHTYPE = 2 AND R05_YOUTH_ASTHMA = 1 AND (R05_YT0038_NB > R05R_Y_AGE). PROGRAM: TRIGGER CHECK IF R05_YT0038_NB > R05R_Y_AGE. ELSE, GO TO R05_YX0227 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YT0260_NB

When you were first told you had asthma, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever had asthma and did not know or refused to report the age when they were first told they had asthma.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YOUTH_ASTHMA = 1 AND R05_YT0038_NB = -8, -7.

Variable(s): R05_YX0227

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school, or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

DISPLAY: UNDERLINE "past 30 days".

Variable(s): R05_YX0228

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0229

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness, or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Variable(s): R05_YT0022

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YT0127 |
| -8 DON'T KNOW | GO TO R05_YT0127 |
| -7 REFUSED | GO TO R05_YT0127 |

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

DISPLAY: UNDERLINE "past 12 months".

BOX ID: R05_YMD01

DISPLAY INSTRUCTION:

For R05_YT0036, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, which of the following medications did you regularly take for asthma?

- | | |
|----------------------|---|
| R05_YT0036_01 | 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R05_YT0036_02 | 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R05_YT0036_03 | 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) |
| R05_YT0036_04 | 4 Other asthma medication |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Variable(s): R05_YT0125

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YT0127 |
| -8 DON'T KNOW | GO TO R05_YT0127 |
| -7 REFUSED | GO TO R05_YT0127 |

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YT0039**

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who ever had had asthma and have taken medications regularly for asthma in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1 AND R05_YT0125 = 1.

PROGRAM: Allow 3 digits.

Variable(s): **R05_YT0127**

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO R05_YX0230

GO TO R05_YX0230

GO TO R05_YX0230

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Variable(s): **R05_YT0282**

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YXR42

GO TO BOX R05_YXR42

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YT0282_LC1

The computer recorded that you have visited an emergency room or urgent care center [R05_YT0282] times in the past 12 months because of asthma. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YT0282 |
| 2 NEXT | GO TO BOX R05_YXR42 |

ASK: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 > 20.

PROGRAM: TRIGGER CHECK IF R05_YT0282 > 20.

ELSE, GO TO BOX R05_YXR42 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YXR42

Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months, go to R05_YX0695.

Else, youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months, go to R05_YX0720.

Else, youth respondents who have ever had asthma, go to R05_YX0230.

IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 = 1, GO TO R05_YX0695.

ELSE, IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 > 1, GO TO R05_YX0720.

ELSE, IF R05_YOUTH_ASTHMA = 1, GO TO R05_YX0230.

Variable(s): R05_YX0695

Was that visit due to an asthma attack?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_YX0230 |
| 2 No | GO TO R05_YX0230 |
| -8 DON'T KNOW | GO TO R05_YX0230 |
| -7 REFUSED | GO TO R05_YX0230 |

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0720

How many of those visits were due to an asthma attack?

I _ _ | _ _ | _ _ |

-8 DON'T KNOW

GO TO R05_YX0230

-7 REFUSED

GO TO R05_YX0230

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 > 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_YX0720_LC1

The computer recorded that you have visited an emergency room or urgent care center [R05_YX0720] times in the past 12 months because of an asthma attack. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0720

2 NEXT

GO TO R05_YX0230

ASK: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 > 1 AND R05_YX0720 > R05_YT0282.

PROGRAM: TRIGGER CHECK IF R05_YX0720 > R05_YT0282.

ELSE, GO TO R05_YX0230 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YX0230

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

1 3 or more times per day

2 1 or 2 times per day

3 2 or 3 times per week

4 Once a week or less

5 Not at all

-8 DON'T KNOW

-7 REFUSED

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

DISPLAY: UNDERLINE "past 30 days".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0231

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

BOX ID: R05_YXR17

Youth respondents who have ever used tobacco, go to R05_YX0003.

Else, go to Box R05_YXD06.

IF R05_EVER_USE_TOB = 1, GO TO R05_YX0003.

ELSE, GO TO BOX R05_YXD06.

Variable(s): R05_YX0003

In the past 12 months, did any medical doctor, dentist, or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

DISPLAY: IF R05_EVER_NEVER_EPRODS_YOUTH = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R05_YXD06

DISPLAY INSTRUCTION:

For R05_YX0158, display a 'Yes' and 'No' column with options for each response category.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, did you take any of the following medications, even once?

- | | | |
|----------------------|----|---|
| R05_YX0158_01 | 1 | Ibuprofen (Motrin, Advil, Naprosyn, or Aleve) |
| R05_YX0158_02 | 2 | Acetaminophen (Tylenol) |
| R05_YX0158_03 | 3 | Aspirin |
| R05_YX0158_04 | 4 | Cox-2 inhibitors (Celebrex) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All youth respondents.

BOX ID: R05_YXR50

Youth respondents who have ever used tobacco and are past year tobacco non-users, go to R05_YN0330_12MH.
Else, go to Box R05_YXR19.

IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4, GO TO R05_YN0330_12MH.
ELSE, GO TO BOX R05_YXR19.

Variable(s): R05_YN0330_12MH

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YXR19 |
| -8 | DON'T KNOW | GO TO BOX R05_YXR19 |
| -7 | REFUSED | GO TO BOX R05_YXR19 |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4.

Variable(s): SEE BELOW:

Which product did you use in the past 12 months? Choose all that apply.

- | | | |
|-----------------------|----|----------------------|
| R05_YN0161H_01 | 1 | Nicotine patch |
| R05_YN0161H_02 | 2 | Nicotine gum |
| R05_YN0161H_03 | 3 | Nicotine inhaler |
| R05_YN0161H_04 | 4 | Nicotine nasal spray |
| R05_YN0161H_05 | 5 | Nicotine lozenge |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YNR09

Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months, go to R05_YN0347H.

Else, go to Box R05_YNR10.

IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1, GO TO R05_YN0347H.
ELSE, GO TO BOX R05_YNR10.

Variable(s): R05_YN0347H

When you last used a **nicotine patch**, when did you remove it?

- | | |
|---|---------------------|
| 1 I am currently wearing a nicotine patch | GO TO R05_YN0349H |
| 2 In the past hour | GO TO R05_YN0349H |
| 3 Sometime today, but more than an hour ago | |
| 4 Yesterday | |
| 5 Day before yesterday | GO TO R05_YN0349H |
| 6 Three or more days ago | GO TO BOX R05_YNR10 |
| -8 DON'T KNOW | GO TO BOX R05_YNR10 |
| -7 REFUSED | GO TO BOX R05_YNR10 |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine patch".

Variable(s): R05_YN0348H

How many hours has it been since you removed a nicotine patch?

- | |
|----------------------|
| 1 1 to 4 hours |
| 2 5 to 11 hours |
| 3 More than 12 hours |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1 AND R05_YN0347H = 3, 4.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0349H; R05_YN0349H_OS

When you last used a nicotine patch [FILL BASED ON R05_YN0347H], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

- 1 21 mg (Step 1)
- 2 14 mg (Step 2)
- 3 7 mg (Step 3)
- 4 Some other strength (SPECIFY)
- 5 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1 AND R05_YN0347H = 1, 2, 3, 4, 5.

DISPLAY: FOR [FILL BASED ON R05_YN0347H]:

IF R05_YN0347H = 1, 2, 3 DISPLAY "today".

ELSE, IF R05_YN0347H = 4, DISPLAY "yesterday".

ELSE, IF R05_YN0347H = 5, DISPLAY "the day before yesterday".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_YNR10

Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, go to R05_YN0357H.
Else, go to Box R05_YXR19.

IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1, GO TO R05_YN0357H.
ELSE, GO TO BOX R05_YXR19.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0357H

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_YN0359H |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R05_YXR19 |
| -8 DON'T KNOW | GO TO BOX R05_YXR19 |
| -7 REFUSED | GO TO BOX R05_YXR19 |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge".

Variable(s): R05_YN0358H

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357H], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1 AND R05_YN0357H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0357H]:

IF R05_YN0357H = 2, DISPLAY "sometime today".

ELSE, IF R05_YN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357H = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YN0359H

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357H], how many did you use?

- 1 2 3 4
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R05_YXR19

GO TO BOX R05_YXR19

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1 AND R05_YN0357H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_YN0357H]:

IF R05_YN0357H = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357H = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: R05_YN0359H_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_YN0359H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK
- 2 NEXT

GO TO R05_YN0359H

GO TO BOX R05_YXR19

ASK: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1 AND R05_YN0357H = 1, 2, 3, 4 AND (R05_YN0359H = 0 OR R05_YN0359H > 5).

DISPLAY: IF R05_YN0357H = 1, 2, DISPLAY "today".

ELSE, IF R05_YN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_YN0357H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_YN0359H = 0 OR R05_YN0359H > 5.

ELSE, GO TO BOX R05_YXR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_YXR19

Youth female respondents who are 15 years old or older, go to R05_YX0136.

Else, go to Box R05_YXT03.

IF R05R_Y_SEX = 2 AND R05R_Y_AGE => 15, GO TO R05_YX0136.

ELSE, GO TO BOX R05_YXT03.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0136***

Are you currently pregnant?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YXT03 |
| -8 | DON'T KNOW | GO TO BOX R05_YXT03 |
| -7 | REFUSED | GO TO BOX R05_YXT03 |

ASK: Youth female respondents who are 15 years old or older.

ASK Specification: IF R05R_Y_SEX = 2 AND R05R_Y_AGE >= 15.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0137_NN; R05_YX0137_UN

How many months or weeks pregnant are you? Please enter number of months or weeks.

- | | |
|----|-------------|
| 1 | _ _ Months |
| 2 | _ _ Weeks |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth female respondents who are 15 years old or older and are currently pregnant.

ASK Specification: IF R05R_Y_SEX = 2 AND R05R_Y_AGE >= 15 AND R05_YX0136 = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_YX0137_UN = Months; the value "2" refers to R05_YX0137_UN = Weeks.

CHECK ID: R05_YX0137_LC1

The computer recorded that you have been pregnant for [R05_YX0137_NN] [months/weeks]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R05_YX0137 |
| 2 | NEXT | GO TO BOX R05_YXT03 |

ASK: IF R05R_Y_SEX = 2 AND R05R_Y_AGE >= 15 AND R05_YX0136 = 1 AND ((R05_YX0137_NN > 10 AND R05_YX0137_UN = 1) OR (R05_YX0137_NN > 42 AND R05_YX0137_UN = 2)).

DISPLAY: IF R05_YX0137_UN = 1, DISPLAY "months".

ELSE, IF R05_YX0137_UN = 2, DISPLAY "weeks".

PROGRAM: TRIGGER CHECK IF (R05_YX0137_NN > 10 AND R05_YX0137_UN = 1) OR (R05_YX0137_NN > 42 AND R05_YX0137_UN = 2).

ELSE, GO TO BOX R05_YXT03 AND DO NOT DISPLAY THIS SCREEN.

MARKETING, ADVERTISING, AND PROMOTION

BOX ID: R05_YXT03

The next questions ask about tobacco advertising that you may have seen or received.

Variable(s): SEE BELOW:

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

- | | | |
|----------------------|----|---|
| R05_YX0708_01 | 1 | Cigarettes |
| R05_YX0708_02 | 2 | E-cigarettes or other electronic nicotine products (including e-liquid) |
| R05_YX0708_03 | 3 | Cigars |
| R05_YX0708_04 | 4 | Shisha or hookah tobacco |
| R05_YX0708_05 | 5 | Snus |
| R05_YX0708_06 | 6 | Other types of smokeless tobacco (such as dip, spit, or chew) |
| R05_YX0708_07 | 7 | Some other type of tobacco product |
| R05_YX0708_08 | 8 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All youth respondents.

PROGRAM: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.

BOX ID: R05_YXR25

Youth respondents who have received discounts or coupons for a tobacco product, go to R05_YX0479. Else, go to R05_YX0678.

IF R05_YX0708_01 = 1 OR R05_YX0708_02 = 1 OR R05_YX0708_03 = 1 OR R05_YX0708_04 = 1 OR R05_YX0708_05 = 1 OR R05_YX0708_06 = 1 OR R05_YX0708_07 = 1, GO TO R05_YX0479. ELSE, GO TO R05_YX0678.

Variable(s): R05_YX0479

In the past 30 days, have you used a discount coupon or promotion to purchase a tobacco product, including e-cigarettes or other electronic nicotine products?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who have received discounts or coupons for a tobacco product.

ASK Specification: IF R05_YX0708_01 = 1 OR R05_YX0708_02 = 1 OR R05_YX0708_03 = 1 OR R05_YX0708_04 = 1 OR R05_YX0708_05 = 1 OR R05_YX0708_06 = 1 OR R05_YX0708_07 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0678

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

Variable(s): R05_YX0182

In the past 30 days, how often did you visit a convenience store, small market, or liquor store?

- 1 Not at all GO TO R05_YX0203
- 2 Once in the past 30 days
- 3 2-3 times in the past 30 days
- 4 Once a week
- 5 2-3 times per week
- 6 Almost every day
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0183

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for **e-cigarettes or other electronic nicotine products**?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R05_YX0182 != 1.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- | | | |
|---|----|---|
| R05_YX0203_01 | 1 | I haven't seen any advertisements in the past 30 days |
| R05_YX0203_02 | 2 | At gas stations, convenience stores, or other retail stores |
| R05_YX0203_03 | 3 | On billboards |
| R05_YX0203_04 | 4 | In newspapers or magazines |
| R05_YX0203_05 | 5 | On radio |
| R05_YX0203_06 | 6 | On television |
| R05_YX0203_07 | 7 | At events such as fairs, festivals, or sporting events |
| R05_YX0203_08 | 8 | At nightclubs, bars, or music concerts |
| R05_YX0203_09 | 9 | On websites or social media sites |
| R05_YX0203_10;
R05_YX0203_OS | 10 | Somewhere else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

Variable(s): R05_YX0709

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0481

In the past 30 days, have you gotten a free sample of a **tobacco product (not including e-cigarettes or electronic nicotine products)**?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "tobacco product (not including e-cigarettes or electronic nicotine products)"

BOX ID: R05_YXR24

Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days, go to R05_YX0178.
Else, go to R05_YX0677.

IF R05_YX0182 != 1, GO TO R05_YX0178.
ELSE, GO TO R05_YX0677.

Variable(s): R05_YX0178

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products)?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R05_YX0182 != 1.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- | | | |
|---|----|---|
| R05_YX0677_01 | 1 | I haven't seen any advertisements in the past 30 days |
| R05_YX0677_02 | 2 | At gas stations, convenience stores, or other retail stores |
| R05_YX0677_03 | 3 | On billboards |
| R05_YX0677_04 | 4 | In newspapers or magazines |
| R05_YX0677_05 | 5 | On radio |
| R05_YX0677_06 | 6 | On television |
| R05_YX0677_07 | 7 | At events such as fairs, festivals, or sporting events |
| R05_YX0677_08 | 8 | At nightclubs, bars, or music concerts |
| R05_YX0677_09 | 9 | On websites or social media sites |
| R05_YX0677_10;
R05_YX0677_OS | 10 | Somewhere else (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All youth respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

Variable(s): R05_YX0710

Do you have a favorite tobacco advertisement?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0234**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "A Tip From a Former Smoker".

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO

Variable(s): **R05_YX0235**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "Truth".

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0728**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Know the real cost."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "Know the real cost."

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

Variable(s): **R05_YX0713**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "Keep it Fresh. Live Tobacco-Free."

IMAGE: DISPLAY IMAGE OF FRESH EMPIRE LOGO

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0764**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"This Free Life. Freedom To Be. Tobacco-Free."

[DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "This Free Life. Freedom To Be. Tobacco-Free."

IMAGE: DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO

Variable(s): **R05_YX0765**

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Smokeless doesn't mean harmless."

[DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "Smokeless doesn't mean harmless."

IMAGE: DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO

SOCIAL NORMS, PEER AND FAMILY INFLUENCES

Variable(s): R05_YX0008

In general, do you think most people disapprove of smoking **cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "cigarettes".

Variable(s): R05_YX0012

In general, do you think most people disapprove of using **e-cigarettes or other electronic nicotine products**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

Variable(s): R05_YX0071

Thinking about the people who are important to you, how would you describe their views on using **tobacco in general**?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "people who are important to you".

BOLD "tobacco in general".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXD89

Display questions R05_YC1143 through R05_YS1143 using the expanded WVB stem-leaf screen. The introduction text from R05_YC1143 is the stem. Show all leaves on the screen at once.

Variable(s): R05_YC1143

Thinking about the people who are important to you, how would you describe **their** views on the following?

Smoking cigarettes

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "people who are important to you".
BOLD "their".

Variable(s): R05_YV1143

Using e-cigarettes or other electronic nicotine products

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YG1143

Smoking traditional cigars, cigarillos, or filtered cigars

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YH1143

Smoking shisha or hookah tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YU1143

Using snus

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YS1143

Using other types of smokeless tobacco (such as dip, spit, or chew)

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): SEE BELOW:

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

- | | |
|---------------|---|
| R05_YX0741_01 | 1 Cigarettes |
| R05_YX0741_02 | 2 E-cigarettes or other electronic nicotine products |
| R05_YX0741_03 | 3 Traditional cigars |
| R05_YX0741_04 | 4 Cigarillos |
| R05_YX0741_05 | 5 Filtered cigars |
| R05_YX0741_06 | 6 Pipe tobacco |
| R05_YX0741_07 | 7 Shisha or hookah tobacco |
| R05_YX0741_08 | 8 Snus |
| R05_YX0741_09 | 9 Other types of smokeless tobacco (such as dip, spit, or chew) |
| R05_YX0741_10 | 10 None of the above |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: All youth respondents.

DISPLAY: UNDERLINE "people who are important to you".

PROGRAM: Option 10 cannot be selected if any option 1-9 is selected.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0680

How many of your best friends smoke cigarettes?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0681

How many of your best friends use e-cigarettes or other electronic nicotine products?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0682

How many of your best friends smoke traditional cigars?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0683

How many of your best friends smoke cigarillos?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0684

How many of your best friends smoke filtered cigars?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX9686

How many of your best friends smoke hookah?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0693

How many of your best friends use snus?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0685

How many of your best friends use other types of smokeless tobacco (such as dip, spit, or chew)?

- 1 None
- 2 A few
- 3 Some
- 4 Most
- 5 All
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R05_PASTYEAR_TOB_USE_LEVEL = 2 (Past year "not-light" tobacco users) Youth respondents who are "not-light" users of any tobacco product and have used in the past year. R05_PASTYEAR_TOB_USE_LEVEL = 1 (Past year "very-light" tobacco users) Youth respondents who have used any tobacco product in the past year, and are not "not-light" users of any product. R05_PASTYEAR_TOB_USE_LEVEL = 2: IF ((R05_YC1005 > 3 OR R05_YC1005 = -8, -7 OR R04_NUMLIFE_CIGS = 1) AND R05_YC1112 = 1, 2, 3, 4, 5) OR ((R05_YV1005 > 1 OR R05_YV1005 = -8, -7 OR R04_NUMLIFE_EPROD = 1) AND R05_YV1112 = 1, 2, 3, 4, 5) OR ((R05_YG1005TC > 3 OR R05_YG1005TC = -8, -7 OR R04_NUMLIFE_GTRAD = 1) AND R05_YG1112TC = 1, 2, 3, 4, 5) OR ((R05_YG1005CL > 3 OR R05_YG1005CL = -8, -7 OR R04_NUMLIFE_GRILLO = 1) AND R05_YG1112CL = 1, 2, 3, 4, 5) OR ((R05_YG1005FC > 3 OR R05_YG1005FC = -8, -7 OR R04_NUMLIFE_GFILTR = 1) AND R05_YG1112FC = 1, 2, 3, 4, 5) OR ((R05_YU1005 > 2 OR R05_YU1005 = -8, -7 OR R04_NUMLIFE_SNUS = 1) AND R05_YU1112 = 1, 2, 3, 4, 5) OR ((R05_YS1005 > 2 OR R05_YS1005 = -8, -7 OR R04_NUMLIFE_SMKLS = 1) AND R05_YS1112 = 1, 2, 3, 4, 5), THEN R05_PASTYEAR_TOB_USE_LEVEL = 2. R05_PASTYEAR_TOB_USE_LEVEL = 1: ELSE, IF R05_EVER_USE_TOB = 1 AND ((R05_YC1005 = 1, 2, 3 AND R04_NUMLIFE_CIGS != 1 AND R05_YC1112 = 1, 2, 3, 4, 5) OR (R05_YV1005 = 1 AND R04_NUMLIFE_EPROD != 1 AND R05_YV1112 = 1, 2, 3, 4, 5) OR (R05_YG1005TC = 1, 2, 3 AND R04_NUMLIFE_GTRAD != 1 AND R05_YG1112TC = 1, 2, 3, 4, 5) OR (R05_YG1005CL = 1, 2, 3 AND R04_NUMLIFE_GRILLO != 1 AND R05_YG1112CL = 1, 2, 3, 4, 5) OR (R05_YG1005FC = 1, 2, 3 AND R04_NUMLIFE_GFILTR != 1 AND R05_YG1112FC = 1, 2, 3, 4, 5) OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR (R05_YU1005 = 1, 2 AND R05_YU1112 = 1, 2, 3, 4, 5) OR (R05_YS1005 = 1, 2 AND R05_YS1112 = 1, 2, 3, 4, 5) OR R05_YD1002_12M = 1 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1), THEN R05_PASTYEAR_TOB_USE_LEVEL = 1.
BOX ID: R05_YXR40
Youth respondents who are past year "not-light" tobacco users, go to R05_YX0742. Else, youth respondents who are past year "very-light" tobacco users, go to R05_YX0743. Else, go to R05_YX0714. IF R05_PASTYEAR_TOB_USE_LEVEL = 2, GO TO R05_YX0742. ELSE, IF R05_PASTYEAR_TOB_USE_LEVEL = 1, GO TO R05_YX0743. ELSE, GO TO R05_YX0714.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0742

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about quitting?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_YX0714 |
| 2 Somewhat | GO TO R05_YX0714 |
| 3 Very much | GO TO R05_YX0714 |
| -8 DON'T KNOW | GO TO R05_YX0714 |
| -7 REFUSED | GO TO R05_YX0714 |

ASK: Youth respondents who are past year "not-light" tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE_LEVEL = 2.

DISPLAY: UNDERLINE "close friends and family".

Variable(s): R05_YX0743

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about not using?

- 1 Not at all
- 2 Somewhat
- 3 Very much
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are past year "very-light" tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE_LEVEL = 1.

DISPLAY: UNDERLINE "close friends and family".

Variable(s): R05_YX0714

In the past 12 months, have your parents or guardians talked with you, even once, about not using e-cigarettes or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0694

If your parents or guardians found you using e-cigarettes or other electronic nicotine products, how do you think they would react? Would they...

- 1 Be very upset
- 2 Not be too upset
- 3 Have no reaction
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0500

In the past 12 months, have your parents or guardians talked with you, even once, about not using any other type of tobacco product?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0200

If your parents or guardians found you using tobacco, how do you think they would react? Would they...

- 1 Be very upset
- 2 Not be too upset
- 3 Have no reaction
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

ACCESSIBILITY

Variable(s): R05_YX0715

How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products in a store?

- 1 Very easy
- 2 Somewhat easy
- 3 Somewhat difficult
- 4 Very difficult
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0716

How likely is it that you will try to purchase an e-cigarette or other electronic nicotine products within the next 30 days?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0499

How easy do you think it is for people your age to buy tobacco products in a store?

- 1 Very easy
- 2 Somewhat easy
- 3 Somewhat difficult
- 4 Very difficult
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0501

How likely is it that you will try to purchase cigarettes within the next 30 days?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

Variable(s): R05_YX0502

How likely is it that you will try to purchase tobacco products other than cigarettes within the next 30 days?

- 1 Very unlikely
- 2 Somewhat unlikely
- 3 Neither likely nor unlikely
- 4 Somewhat likely
- 5 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PSYCHOSOCIAL

Variable(s): R05_YX0488

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

1 NEXT

ASK: All youth respondents.

DISPLAY: UNDERLINE "significant".

PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.

BOX ID: R05_YXD07

Display questions R05_YX0161 through R05_YX0164 using the expanded WVB stem-leaf screen. The introduction text from R05_YX0161 is the stem. As each question is answered, show the next one.

Variable(s): R05_YX0161

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "significant problems".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0162***

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0163***

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0164***

becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YXD08

Display questions R05_YX0165 through R05_YX0251 using the expanded WVB stem-leaf screen. The introduction text from R05_YX0165 is the stem. As each question is answered, show the next one.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0165***

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

DISPLAY: UNDERLINE "two or more times".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0166***

had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0167***

had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0168***

were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0169***

started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0250***

felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0251***

gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_YXR34

New baseline youth respondents, go to Box R05_YXD90.
Else, go to Box R05_YXR05.

IF R05_YOUTHTYPE = 2, GO TO BOX R05_YXD90.
ELSE, GO TO BOX R05_YXR05.

BOX ID: R05_YXD90

Display questions R05_YX0510_NB through R05_YX0520_NB using the expanded WVB stem-leaf screen. The introduction text from R05_YX0510_NB is the stem. Show all leaves on the screen at once.

Variable(s): R05_YX0510_NB***

Please answer how much you agree or disagree with each of the following statements:

I like to do frightening things.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0515_NB***

I like new and exciting experiences, even if I have to break the rules.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_YX0520_NB***

I prefer friends who are exciting and unpredictable.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

SUBSTANCE USE

BOX ID: R05_YXR05
New baseline youth respondents, go to R05_YX0084_NB. Else, continuing youth respondents, go to R05_YX0084_12M.
IF R05_YOUTHTYPE = 2, GO TO R05_YX0084_NB. ELSE, IF R05_YOUTHTYPE = 1, GO TO R05_YX0084_12M.

Variable(s): R05_YX0084_NB								
The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private. Have you ever used alcohol <u>at all</u>, including sips of someone's drink or your own drink? <table> <tr> <td>1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R05_YXR06</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_YXR06</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_YXR06</td> </tr> </table> ASK: New baseline youth respondents. ASK Specification: IF R05_YOUTHTYPE = 2. DISPLAY: UNDERLINE "at all".	1 Yes		2 No	GO TO BOX R05_YXR06	-8 DON'T KNOW	GO TO BOX R05_YXR06	-7 REFUSED	GO TO BOX R05_YXR06
1 Yes								
2 No	GO TO BOX R05_YXR06							
-8 DON'T KNOW	GO TO BOX R05_YXR06							
-7 REFUSED	GO TO BOX R05_YXR06							

Variable(s): R05_YX0086_NB				
About how old were you when you first drank alcohol at all, counting small tastes or sips? I ___ ___ Years old <table> <tr> <td>-8 DON'T KNOW</td> <td>GO TO R05_YX0087_NB</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO R05_YX0087_NB</td> </tr> </table> ASK: New baseline youth respondents who have ever used alcohol. ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits.	-8 DON'T KNOW	GO TO R05_YX0087_NB	-7 REFUSED	GO TO R05_YX0087_NB
-8 DON'T KNOW	GO TO R05_YX0087_NB			
-7 REFUSED	GO TO R05_YX0087_NB			

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0086_NB_LC1

The computer recorded that you first drank alcohol including small tastes or sips at age [R05_YX0086_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------------|
| 1 BACK | GO TO R05_YX0086_NB |
| 2 NEXT | GO TO R05_YX0086_NB_LC2 |

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0086_NB <= 5.

PROGRAM: TRIGGER CHECK IF R05_YX0086_NB <= 5.

ELSE, GO TO R05_YX0086_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0086_NB_LC2

The computer recorded that you first drank alcohol including small tastes or sips at age [R05_YX0086_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_YX0086_NB |
| 2 NEXT | GO TO R05_YX0074_NB |

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND (R05_YX0086_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0086_NB > R05R_Y_AGE.

ELSE, GO TO R05_YX0074_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_YX0087_NB

When you first drank alcohol at all, counting small tastes or sips, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used alcohol and did not know or refused to report the age they first drank alcohol at all.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0086_NB = -8, -7.

DISPLAY: UNDERLINE "at all".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0074_NB

About how old were you when you had your first alcoholic drink, other than small tastes or sips?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

-2 I have never had an alcoholic drink other than small tastes or sips

I ___|___| Years old

-8 DON'T KNOW

GO TO R05_YX0270_NB

-7 REFUSED

GO TO R05_YX0270_NB

ASK: New baseline youth respondents who have ever used alcohol.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD WITH BUTTON "I have never had an alcoholic drink other than small tastes or sips" ON RIGHT.

UNDERLINE "first alcoholic drink".

DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YX0074_NB_LC1

The computer recorded that you had your first alcoholic drink, other than small tastes or sips at age [R05_YX0074_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0074_NB

2 NEXT

GO TO R05_YX0074_NB_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0074_NB >= 0 AND R05_YX0074_NB <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0074_NB >= 0 AND R05_YX0074_NB <= 10.
ELSE, GO TO R05_YX0074_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0074_NB_LC2

The computer recorded that you had your first alcoholic drink, other than small tastes or sips at age [R05_YX0074_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0074_NB

2 NEXT

GO TO BOX R05_YXR26

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND (R05_YX0074_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0074_NB > R05R_Y_AGE.
ELSE, GO TO BOX R05_YXR26 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0270_NB**

When you had your first alcoholic drink, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used alcohol and did not know or refused to report the age they had their first alcoholic drink, other than small tastes or sips.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0074_NB = -8, -7.

BOX ID: **R05_YXR26**

New baseline youth respondents who have ever used tobacco and have ever used alcohol and whose age of first tobacco use precedes age of first alcohol use, go to R05_YX0077_NB.
Else, go to R05_YX0084_12M.

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0084_NB = 1 AND R05_YX0074_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO R05_YX0077_NB.
ELSE, GO TO R05_YX0084_12M.

Variable(s): **R05_YX0077_NB**

When you first used alcohol when you were {AGE OF FIRST ALCOHOL USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used tobacco and have ever used alcohol and whose age of first tobacco use precedes age of first alcohol use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0084_NB = 1 AND R05_YX0074_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

DISPLAY: FILL {AGE OF ALCOHOL USE} WITH AGE REPORTED IN R05_YX0074_NB.

IF R05_EVER_USE_CIGSONLY = 1, DISPLAY "smoke cigarettes".

ELSE, IF R05_EVER_USE_TOBXCIGS = 1, DISPLAY "use tobacco products".

ELSE, IF R05_EVER_USE_DUAL = 1, DISPLAY "smoke cigarettes or use other tobacco products".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0084_12M

[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

]In the past 12 months, have you used any alcohol, including small sips or tastes?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YXR06 |
| -8 | DON'T KNOW | GO TO BOX R05_YXR06 |
| -7 | REFUSED | GO TO BOX R05_YXR06 |

ASK: New baseline youth respondents who have ever used alcohol, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1) OR R05_YOUTHTYPE = 1.

DISPLAY: IF R05_YOUTHTYPE = 1, DISPLAY "The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private."
ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_YX0673

Have you used alcohol in the past 30 days?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_YXR06 |
| -8 | DON'T KNOW | GO TO BOX R05_YXR06 |
| -7 | REFUSED | GO TO BOX R05_YXR06 |

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months, or continuing youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1).

DISPLAY: UNDERLINE "past 30 days".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0075

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

I ____ | ____ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1).

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R05_YXR46

New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, go to R05_YX0076.

Else, go to Box R05_YXR06.

IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0), GO TO R05_YX0076.

ELSE, GO TO BOX R05_YXR06.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0076**

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

-8 DON'T KNOW
 -7 REFUSED

GO TO BOX R05_YXR06
 GO TO BOX R05_YXR06

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0).

PROGRAM: Allow 2 digits.

CHECK ID: **R05_YX0076_LC1**

The computer recorded that you usually drank [R05_YX0076] alcoholic beverages on the days that you drank during the past 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK
 2 NEXT

GO TO R05_YX0076
 GO TO BOX R05_YXR06

ASK: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0) AND R05_YX0076 > 30.

PROGRAM: TRIGGER CHECK IF R05_YX0076 > 30.
ELSE, GO TO BOX R05_YXR06 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR06

New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, go to R05_YX0085_NB.

Else, new baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, go to R05_YX0079_NB.

Else, continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R05_YX0085_12M.

Else, continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo, or filtered cigar smokers, go to R05_YX0675.

Else, go to Box R05_YXR28.

IF R05_YOUTHTYPE = 2 AND R05_YG9105_NB != 1 AND R05_YH9031 != 1 AND R05_YV9042 != 1, GO TO R05_YX0085_NB.

ELSE, IF R05_YOUTHTYPE = 2 AND (R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1), GO TO R05_YX0079_NB.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_YG9107 != 1, GO TO R05_YX0085_12M.

ELSE, IF R05_YOUTHTYPE = 1 AND R05_YG9107 = 1 AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1, GO TO R05_YX0675.

ELSE, GO TO BOX R05_YXR28.

Variable(s): R05_YX0085_NB

Have you ever used marijuana, hash, THC, grass, pot, or weed?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_YXD02

GO TO BOX R05_YXD02

GO TO BOX R05_YXD02

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YG9105_NB != 1 AND R05_YH9031 != 1 AND R05_YV9042 != 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0079_NB

How old were you when you first used marijuana, hash, THC, grass, pot, or weed?

I ___|___| Years old

-8 DON'T KNOW

GO TO R05_YX0271_NB

-7 REFUSED

GO TO R05_YX0271_NB

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP.

ASK Specification: IF R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_YX0079_NB_LC1

The computer recorded that you first started using marijuana, hash, THC, grass, pot, or weed at age [R05_YX0079_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0079_NB

2 NEXT

GO TO R05_YX0079_NB_LC2

ASK: IF R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YX0079_NB <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0079_NB <= 10.

ELSE, GO TO R05_YX0079_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0079_NB_LC2

The computer recorded that you were [R05_YX0079_NB] years old when you first started using marijuana, hash, THC, grass, pot, or weed. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0079_NB

2 NEXT

GO TO BOX R05_YXR27

ASK: IF R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND (R05_YX0079_NB > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0079_NB > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0271_NB

When you first used marijuana, hash, THC, grass, pot, or weed, were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP and did not know or refused to report the age they first used marijuana.

ASK Specification: IF R05_YX0079_NB = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR27

New baseline youth respondents who have ever used tobacco and have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP and whose age of first tobacco use precedes age of first marijuana use, go to R05_YX0080_NB.

Else, go to Box R05_YXR41.

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YX0079_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO R05_YX0080_NB.

ELSE, GO TO BOX R05_YXR41.

Variable(s): R05_YX0080_NB

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used tobacco and have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP and whose age of first tobacco use precedes age of first marijuana use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YX0079_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

DISPLAY: FILL {AGE OF FIRST MARIJUANA USE} WITH AGE REPORTED IN R05_YX0079_NB.

IF R05_EVER_USE_CIGSONLY = 1, DISPLAY "smoke cigarettes".

ELSE, IF R05_EVER_USE_TOBXCIGS = 1, DISPLAY "use tobacco products".

ELSE, IF R05_EVER_USE_DUAL = 1, DISPLAY "smoke cigarettes or use other tobacco products".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR41

New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, or continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R05_YX0085_12M.

Else, new baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, or continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R05_YX0675.

Else, go to Box R05_YXR28.

IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YG9107 != 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 != 1), GO TO R05_YX0085_12M.

ELSE, IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1), GO TO R05_YX0675.

ELSE, GO TO BOX R05_YXR28.

Variable(s): R05_YX0085_12M

In the past 12 months, have you used marijuana, hash, THC, grass, pot, or weed?

1 Yes

2 No

GO TO BOX R05_YXR28

-8 DON'T KNOW

GO TO BOX R05_YXR28

-7 REFUSED

GO TO BOX R05_YXR28

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, or continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YG9107 != 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 != 1).

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): **R05_YX0675**

Have you used marijuana, hash, THC, grass, pot, or weed in the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, and are not past 30 day blunt-only traditional cigar, cigarillo, or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THS, grass, pot, or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo, or filtered cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1).

DISPLAY: UNDERLINE "past 30 days".

BOX ID: **R05_YXR28**

New baseline youth respondents, go to Box R05_YXD02.
Else, continuing youth respondents, go to Box R05_YXD03.

IF R05_YOUTHTYPE = 2, GO TO BOX R05_YXD02.
ELSE, IF R05_YOUTHTYPE = 1, GO TO BOX R05_YXD03.

BOX ID: **R05_YXD02**

DISPLAY INSTRUCTION:

For R05_YX0089_NB and R05_YX0220_NB, display a "Yes" and "No" column with options for each response category.

Variable(s): **SEE BELOW:**

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- R05_YX0089_NB_01** 1 Ritalin® or Adderall®
- R05_YX0089_NB_02** 2 Painkillers, sedatives, or tranquilizers
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

DISPLAY: UNDERLINE "not" AND "only".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Have you ever used any of the following substances?

- | | | |
|-------------------------|----|--|
| R05_YX0220_NB_01 | 1 | Cocaine or crack |
| R05_YX0220_NB_02 | 2 | Stimulants like methamphetamine or speed |
| R05_YX0220_NB_03 | 3 | Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

BOX ID: R05_YXR07

PROGRAM: Create new baseline substance loop. For each substance the respondent reported ever using in R05_YX0089_NB[01/_02] and R05_YX0220_NB[01/_02/_03], repeat items R05_YX0082_NB[01/_05], R05_YX0272_NB[01/_05], R05_YX0083_NB[01/_05]. If respondent uses more than one substance, repeat items in a loop.

Else, if no substances are selected in R05_YX0089_NB[01/_02] and R05_YX0220_NB[01/_02/_03], go to Box R05_YXV02.

REPEAT R05_YX0082_NB[01/_05], R05_YX0272_NB[01/_05], AND R05_YX0083_NB[01/_05] FOR EACH SUBSTANCE REPORTED IN R05_YX0089_NB[01/_02] AND R05_YX0220_NB[01/_02/_03]:

IF R05_YX0089_NB_01 = 1, ASK R05_YX0082_NB_01, R05_YX0272_NB_01, AND R05_YX0083_NB_01 ABOUT "Ritalin® or Adderall®".

IF R05_YX0089_NB_02 = 1, ASK R05_YX0082_NB_02, R05_YX0272_NB_02, AND R05_YX0083_NB_02 ABOUT "painkillers, sedatives, or tranquilizers".

IF R05_YX0220_NB_01 = 1, ASK R05_YX0082_NB_03, R05_YX0272_NB_03, AND R05_YX0083_NB_03 ABOUT "cocaine or crack".

IF R05_YX0220_NB_02 = 1, ASK R05_YX0082_NB_04, R05_YX0272_NB_04, AND R05_YX0083_NB_04 ABOUT "stimulants like methamphetamine or speed".

IF R05_YX0220_NB_03 = 1, ASK R05_YX0082_NB_05, R05_YX0272_NB_05, AND R05_YX0083_NB_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".

ELSE, IF R05_YX0089_NB_01 != 1 AND R05_YX0089_NB_02 != 1 AND R05_YX0220_NB_01 != 1 AND R05_YX0220_NB_02 != 1 AND R05_YX0220_NB_03 != 1, GO TO BOX R05_YXV02.

BOX ID: R05_YXD05

PROGRAM: CREATE [SUBSTANCEFILL] -

If R05_YX0089_NB_01 = 1, display "Ritalin® or Adderall®".

If R05_YX0089_NB_02 = 1, display "painkillers, sedatives, or tranquilizers".

If R05_YX0220_NB_01 = 1, display "cocaine or crack".

If R05_YX0220_NB_02 = 1, display "stimulants like methamphetamine or speed".

If R05_YX0220_NB_03 = 1, display "other drugs like heroin, inhalants, solvents, or hallucinogens".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0082_NB_01; R05_YX0082_NB_02; R05_YX0082_NB_03; R05_YX0082_NB_04; R05_YX0082_NB_05	
How old were you when you first used [SUBSTANCEFILL]? I ___ ___ Years old -8 DON'T KNOW GO TO R05_YX0272_NB[_01/.../_05] -7 REFUSED GO TO R05_YX0272_NB[_01/.../_05] ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ other drugs. ASK Specification: FOR R05_YX0082_NB_01: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1. FOR R05_YX0082_NB_02: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1. FOR R05_YX0082_NB_03: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1. FOR R05_YX0082_NB_04: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1. FOR R05_YX0082_NB_05: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. [SUBSTANCEFILL]: FOR R05_YX0082_NB_01: IF R05_YX0089_NB_01 = 1, DISPLAY "Ritalin® or Adderall®". FOR R05_YX0082_NB_02: IF R05_YX0089_NB_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers". FOR R05_YX0082_NB_03: IF R05_YX0220_NB_01 = 1, DISPLAY "cocaine or crack". FOR R05_YX0082_NB_04: IF R05_YX0220_NB_02 = 1, DISPLAY "stimulants like methamphetamine or speed". FOR R05_YX0082_NB_05: IF R05_YX0220_NB_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens". PROGRAM: Allow 2 digits.	

CHECK ID: R05_YX0082_NB_01_LC1	
The computer recorded that you first started using Ritalin® or Adderall® at age [R05_YX0082_NB_01]. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R05_YX0082_NB_01 2 NEXT GO TO R05_YX0082_NB_01_LC2 ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1 AND R05_YX0082_NB_01 <= 10. PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_01 <= 10. ELSE, GO TO R05_YX0082_NB_01_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0082_NB_01_LC2

The computer recorded that you were [R05_YX0082_NB_01] years old when you first started using Ritalin® or Adderall®. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_01

2 NEXT

GO TO BOX R05_YXR30

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1 AND (R05_YX0082_NB_01 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_01 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_02_LC1

The computer recorded that you first started using painkillers, sedatives, or tranquilizers at age [R05_YX0082_NB_02]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_02

2 NEXT

GO TO R05_YX0082_NB_02_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1 AND R05_YX0082_NB_02 <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_02 <= 10.

ELSE, GO TO R05_YX0082_NB_02_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_02_LC2

The computer recorded that you were [R05_YX0082_NB_02] years old when you first started using painkillers, sedatives, or tranquilizers. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_02

2 NEXT

GO TO BOX R05_YXR30

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1 AND (R05_YX0082_NB_02 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_02 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0082_NB_03_LC1

The computer recorded that you first started using cocaine or crack at age [R05_YX0082_NB_03]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_03

2 NEXT

GO TO R05_YX0082_NB_03_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1 AND R05_YX0082_NB_03 <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_03 <= 10.

ELSE, GO TO R05_YX0082_NB_03_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_03_LC2

The computer recorded that you were [R05_YX0082_NB_03] years old when you first started using cocaine or crack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_03

2 NEXT

GO TO BOX R05_YXR30

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1 AND (R05_YX0082_NB_03 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_03 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_04_LC1

The computer recorded that you first started using stimulants like methamphetamine or speed at age [R05_YX0082_NB_04]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_04

2 NEXT

GO TO R05_YX0082_NB_04_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1 AND R05_YX0082_NB_04 <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_04 <= 10.

ELSE, GO TO R05_YX0082_NB_04_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

CHECK ID: R05_YX0082_NB_04_LC2

The computer recorded that you were [R05_YX0082_NB_04] years old when you first started using stimulants like methamphetamine or speed. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_04

2 NEXT

GO TO BOX R05_YXR30

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1 AND (R05_YX0082_NB_04 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_04 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_05_LC1

The computer recorded that you first started using any other drugs like heroin, inhalants, solvents, or hallucinogens at age [R05_YX0082_NB_05]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_05

2 NEXT

GO TO R05_YX0082_NB_05_LC2

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1 AND R05_YX0082_NB_05 <= 10.

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_05 <= 10.

ELSE, GO TO R05_YX0082_NB_05_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_YX0082_NB_05_LC2

The computer recorded that you were [R05_YX0082_NB_05] years old when you first started using other drugs like heroin, inhalants, solvents, or hallucinogens. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_YX0082_NB_05

2 NEXT

GO TO BOX R05_YXR30

ASK: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1 AND (R05_YX0082_NB_05 > R05R_Y_AGE).

PROGRAM: TRIGGER CHECK IF R05_YX0082_NB_05 > R05R_Y_AGE.

ELSE, GO TO BOX R05_YXR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0272_NB_01; R05_YX0272_NB_02; R05_YX0272_NB_03;
R05_YX0272_NB_04; R05_YX0272_NB_05

When you first used [SUBSTANCEFILL], were you...

- 1 Less than 12 years old,
- 2 12 to 14 years old, or
- 3 15 to 17 years old?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and did not know or refused to report the age they first used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs.

ASK Specification: FOR R05_YX0272_NB_01: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1 AND R05_YX0082_NB_01 = -8, -7.

FOR R05_YX0272_NB_02: IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1 AND R05_YX0082_NB_02 = -8, -7.

FOR R05_YX0272_NB_03: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1 AND R05_YX0082_NB_03 = -8, -7.

FOR R05_YX0272_NB_04: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1 AND R05_YX0082_NB_04 = -8, -7.

FOR R05_YX0272_NB_05: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1 AND R05_YX0082_NB_05 = -8, -7.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR30

New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use, go to R05_YX0083_NB.

Else, go to Box R05_YXR47.

FOR LOOP = Ritalin® or Adderall®:

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_01 = 1 AND R05_YX0082_NB_01 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO YX0083_NB.

ELSE, GO TO BOX R05_YXR47.

FOR LOOP = painkillers, sedatives, or tranquilizers not prescribed for them:

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_02 = 1 AND R05_YX0082_NB_02 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO YX0083_NB.

ELSE, GO TO BOX R05_YXR47.

FOR LOOP = cocaine or crack:

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_01 = 1 AND R05_YX0082_NB_03 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO YX0083_NB.

ELSE, GO TO BOX R05_YXR47.

FOR LOOP = stimulants like methamphetamine or speed:

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_02 = 1 AND R05_YX0082_NB_04 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO YX0083_NB.

ELSE, GO TO BOX R05_YXR47.

FOR LOOP = other drugs:

IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_03 = 1 AND R05_YX0082_NB_05 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB), GO TO YX0083_NB.

ELSE, GO TO BOX R05_YXR47.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0083_NB_01; R05_YX0083_NB_02; R05_YX0083_NB_03; R05_YX0083_NB_04; R05_YX0083_NB_05
When you first used [SUBSTANCEFILL] when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use. ASK Specification: FOR R05_YX0083_NB_01: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_01 = 1 AND R05_YX0082_NB_01 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB). FOR R05_YX0083_NB_02: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_02 = 1 AND R05_YX0082_NB_02 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB). FOR R05_YX0083_NB_03: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_01 = 1 AND R05_YX0082_NB_03 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB). FOR R05_YX0083_NB_04: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_02 = 1 AND R05_YX0082_NB_04 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB). FOR R05_YX0083_NB_05: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_03 = 1 AND R05_YX0082_NB_05 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB). DISPLAY: FILL {AGE OF FIRST SUBSTANCE USE} WITH AGE REPORTED IN R05_YX0082_NB. IF R05_EVER_USE_CIGSONLY = 1, DISPLAY "smoke cigarettes". ELSE, IF R05_EVER_USE_TOBXCIGS = 1, DISPLAY "use tobacco products". ELSE, IF R05_EVER_USE_DUAL = 1, DISPLAY "smoke cigarettes or use other tobacco products".

BOX ID: R05_YXR47
New baseline youth respondents who have remaining substance loops to complete, go back to R05_YX0082_NB and repeat for remaining substances. Else, if new baseline youth respondent has no remaining substance loops to complete, go to Box R05_YXD03.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXD03

DISPLAY INSTRUCTIONS

For R05_YX0089_12M and R05_YX0220_12M, display a "Yes" and "No" column with options for each response category.

BOX ID: R05_YXR48

New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents, go to R05_YX0089_12M.
Else, new baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R05_YX0220_12M.

IF (R05_YOUTHTYPE = 2 AND (R05_YX0089_NB_01 = 1 OR R05_YX0089_NB_02 = 1)) OR R05_YOUTHTYPE = 1, GO TO R05_YX0089_12M.
ELSE, IF R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1), GO TO R05_YX0220_12M.

Variable(s): SEE BELOW:

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- R05_YX0089_12M_01** 1 Ritalin® or Adderall®
- R05_YX0089_12M_02** 2 Painkillers, sedatives, or tranquilizers
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0089_NB_01 = 1 OR R05_YX0089_NB_02 = 1)) OR R05_YOUTHTYPE = 1.

DISPLAY: UNDERLINE "not" AND "only".

IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1, DISPLAY OPTION 1.

ELSE, DO NOT DISPLAY OPTION 1.

IF R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1, DISPLAY OPTION 2.

ELSE, DO NOT DISPLAY OPTION 2.

IF R05_YOUTHTYPE = 1, DISPLAY ALL RESPONSE OPTIONS.

BOX ID: R05_YXR49

New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents, go to R05_YX0220_12M.
Else, go to Box R05_YXR08.

IF (R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1)) OR R05_YOUTHTYPE = 1, GO TO R05_YX0220_12M.
ELSE, GO TO BOX R05_YXR08.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, have you used any of the following substances?

- R05_YX0220_12M_01** 1 Cocaine or crack
- R05_YX0220_12M_02** 2 Stimulants like methamphetamine or speed
- R05_YX0220_12M_03** 3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1)) OR R05_YOUTHTYPE = 1.

DISPLAY: IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1, DISPLAY RESPONSE OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1, DISPLAY RESPONSE OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1, DISPLAY RESPONSE OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF R05_YOUTHTYPE = 1, DISPLAY ALL RESPONSE OPTIONS.

BOX ID: R05_YXR08

PROGRAM: Repeat R05_YX0676[_01/.../_05] for each substance the respondent reported using in the past 12 months in R05_YX0089_12M[_01/_02] and R05_YX0220_12M[_01/_02/_03].

Else, if no substances are selected in R05_YX0089_12M[_01/_02] and R05_YX0220_12M[_01/_02/_03], go to Box R05_YXV02.

REPEAT R05_YX0676[_01/.../_05] FOR EACH SUBSTANCE REPORTED IN R05_YX0089_12M[_01/_02] AND R05_YX0220_12M[_01/_02/_03]:

IF R05_YX0089_12M_01 = 1, ASK R05_YX0676 ABOUT "Ritalin® or Adderall®".

IF R05_YX0089_12M_02 = 1, ASK R05_YX0676 ABOUT "painkillers, sedatives, or tranquilizers".

IF R05_YX0220_12M_01 = 1, ASK R05_YX0676 ABOUT "cocaine or crack".

IF R05_YX0220_12M_02 = 1, ASK R05_YX0676 ABOUT "stimulants like methamphetamine or speed".

IF R05_YX0220_12M_03 = 1, ASK R05_YX0676 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".

WHEN ALL R05_YX0676[_01/.../_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R05_YXV02.

IF R05_YX0089_12M_01 != 1 AND R05_YX0089_12M_02 != 1 AND R05_YX0220_12M_01 != 1 AND R05_YX0220_12M_02 != 1 AND R05_YX0220_12M_03 != 1, GO TO BOX R05_YXV02.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0676_01; R05_YX0676_02; R05_YX0676_03; R05_YX0676_04;
R05_YX0676_05

Have you used [SUBSTANCEFILL] in the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: FOR R05_YX0676_01: IF (R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1 AND R05_YX0089_12M_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0089_12M_01 = 1).
FOR R05_YX0676_02: IF (R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1 AND R05_YX0089_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0089_12M_02 = 1).
FOR R05_YX0676_03: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1 AND R05_YX0220_12M_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_01 = 1).
FOR R05_YX0676_04: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1 AND R05_YX0220_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_02 = 1).
FOR R05_YX0676_05: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1 AND R05_YX0220_12M_03 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_03 = 1).
DISPLAY: UNDERLINE "past 30 days".

BOX ID: R05_YXR01

Youth respondents who have remaining substance loops to complete, go back to R05_YX0676 and repeat for remaining substances.
Else, if youth respondent has no remaining substance loops to complete, go to Box R05_YXV02.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXV02

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_EVER_USER_ALC = Youth respondents who have ever used alcohol.

R05_EVER_USER_MJ = Youth respondents who have ever used marijuana.

R05_EVER_USER_RIT = Youth respondents who have ever used Ritalin® or Adderall®.

R05_EVER_USER_PK = Youth respondents who have ever used painkillers, sedatives, or tranquilizers.

R05_EVER_USER_COC = Youth respondents who have ever used cocaine or crack.

R05_EVER_USER_STIM = Youth respondents who have ever used stimulants like methamphetamine or speed.

R05_EVER_USER_OTH = Youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.

R05_SUBSTANCE_COUNT = Number of substances the youth respondent has ever used.

R05_EVER_USER_ALC:

IF R04_EVER_USER_ALCOHOL = 1 OR R05_YX0084_NB = 1 OR R05_YX0084_12M = 1, THEN
R05_EVER_USER_ALC = 1.

ELSE, R05_EVER_USER_ALC = 2.

R05_EVER_USER_MJ:

IF R04_EVER_USER_MARIJUANA = 1 OR R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR
R05_YH9031 = 1 OR R05_YV9042 = 1 OR R05_YX0085_12M = 1 OR R05_YG9107 = 1, THEN

R05_EVER_USER_MJ = 1.

ELSE, R05_EVER_USER_MJ = 2.

R05_EVER_USER_RIT:

IF R04_EVER_USER_RITALIN = 1 OR R05_YX0089_NB_01 = 1 OR R05_YX0089_12M_01 = 1, THEN
R05_EVER_USER_RIT = 1.

ELSE R05_EVER_USER_RIT = 2.

R05_EVER_USER_PK:

IF R04_EVER_USER_PAINKILLERS = 1 OR R05_YX0089_NB_02 = 1 OR R05_YX0089_12M_02 = 1,
THEN R05_EVER_USER_PK = 1.

ELSE R05_EVER_USER_PK = 2.

R05_EVER_USER_COC:

IF R04_EVER_USER_COCAINE = 1 OR R05_YX0220_NB_01 = 1 OR R05_YX0220_12M_01 = 1,
THEN R05_EVER_USER_COC = 1.

ELSE, R05_EVER_USER_COC = 2.

R05_EVER_USER_STIM:

IF R04_EVER_USER_STIMULANTS = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_12M_02 = 1,
THEN R05_EVER_USER_STIM = 1.

ELSE, R05_EVER_USER_STIM = 2.

R05_EVER_USER_OTH:

IF R04_EVER_USER_OTHERDRUG = 1 OR R05_YX0220_NB_03 = 1 OR R05_YX0220_12M_03 = 1,
THEN R05_EVER_USER_OTH = 1.

ELSE, R05_EVER_USER_OTH = 2.

R05_SUBSTANCE_COUNT:

R05_SUBSTANCE_COUNT = 0;

IF R05_EVER_USER_ALC = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_MJ = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_RIT = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_PK = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_COC = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_STIM = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;

IF R05_EVER_USER_OTH = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR02
Youth respondents who report ever using alcohol or ever using drugs, go to R05_YX0170. Else, go to Box R05_YMT01.
IF R05_SUBSTANCE_COUNT >= 1, GO TO R05_YX0170. ELSE, GO TO BOX R05_YMT01.

Variable(s): R05_YX0170
When was the last time that...
You used alcohol or other drugs weekly or more often?
1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED
ASK: Youth respondents who report ever using alcohol or ever using drugs.
ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

BOX ID: R05_YXR03
Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago, go to R05_YX0175. Else, go to R05_YX0171.
IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3, GO TO R05_YX0175. ELSE, GO TO R05_YX0171.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

- | | |
|----------------------|--|
| R05_YX0175_01 | 1 Alcohol |
| R05_YX0175_02 | 2 Marijuana, hash, THC, grass, pot, or weed |
| R05_YX0175_03 | 3 Ritalin® or Adderall® |
| R05_YX0175_04 | 4 Painkillers, sedatives, or tranquilizers |
| R05_YX0175_05 | 5 Cocaine or crack |
| R05_YX0175_06 | 6 Stimulants like methamphetamine or speed |
| R05_YX0175_07 | 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT = 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.

Variable(s): R05_YX0171

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

- | | |
|----|--------------------|
| 1 | Past month |
| 2 | 2 to 12 months ago |
| 3 | Over a year ago |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0172

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_YX0173

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_YX0193

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YX0174

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_YX0194

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YXR31

Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R05_YX0176.
Else, go to Box R05_YMT01.

IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3), GO TO R05_YX0176.
ELSE, GO TO BOX R05_YMT01.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

- | | |
|----------------------|--|
| R05_YX0176_01 | 1 Alcohol |
| R05_YX0176_02 | 2 Marijuana, hash, THC, grass, pot, or weed |
| R05_YX0176_03 | 3 Ritalin® or Adderall® |
| R05_YX0176_04 | 4 Painkillers, sedatives, or tranquilizers |
| R05_YX0176_05 | 5 Cocaine or crack |
| R05_YX0176_06 | 6 Stimulants like methamphetamine or speed |
| R05_YX0176_07 | 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

PROGRAM: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT = 1, display option 3.

IF R05_EVER_USER_PK = 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.

ADDITIONAL DEMOGRAPHICS

BOX ID: R05_YMT01

Finally, we have a few additional questions to ask about you.

Variable(s): R05_YM0019

Have you been going to school at any time during the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_YM0020 |
| -8 | DON'T KNOW | GO TO R05_YM0020 |
| -7 | REFUSED | GO TO R05_YM0020 |

ASK: All youth respondents.

Variable(s): R05_YM0018

What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

- | | | |
|----|--|------------------|
| 1 | 4th grade or below | GO TO R05_YM0032 |
| 2 | 5th | GO TO R05_YM0032 |
| 3 | 6th | GO TO R05_YM0032 |
| 4 | 7th | GO TO R05_YM0032 |
| 5 | 8th | GO TO R05_YM0032 |
| 6 | 9th | GO TO R05_YM0032 |
| 7 | 10th | GO TO R05_YM0032 |
| 8 | 11th | GO TO R05_YM0032 |
| 9 | 12th grade | GO TO R05_YM0032 |
| 10 | College, vocational, or technical school | GO TO R05_YM0032 |
| 11 | Not enrolled | GO TO R05_YM0032 |
| 12 | I am home-schooled | GO TO R05_YM0032 |
| 13 | My school is ungraded | GO TO R05_YM0032 |
| -8 | DON'T KNOW | GO TO R05_YM0032 |
| -7 | REFUSED | GO TO R05_YM0032 |

ASK: Youth respondents who went to school in the past 12 months.

ASK Specification: IF R05_YM0019 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0020

What grade or year in school did you last complete?

- 1 4th grade or below
- 2 5th
- 3 6th
- 4 7th
- 5 8th
- 6 9th
- 7 10th
- 8 11th
- 9 12th grade
- 10 College, vocational, or technical school
- 11 I am home-schooled
- 12 My school is ungraded
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who did not go to school in the past 12 months or did not know or refused to report if they went to school in the past 12 month.

ASK Specification: IF R05_YM0019 = 2, -8, -7.

Variable(s): R05_YM0032

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0008

During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

- 1 None
- 2 Less than \$1
- 3 \$1 to \$5
- 4 \$6 to \$10
- 5 \$11 to \$20
- 6 \$21 to \$50
- 7 \$51 to \$100
- 8 \$101 to \$150
- 9 \$151 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All youth respondents.

BOX ID: R05_YMR04

Youth respondents who are 17 years old, go to R05_YM0007.
Else, youth respondents who are 14 years old or older, go to R05_YM0021.
Else, go to R05_YL3000.

IF R05R_Y_AGE = 17, GO TO R05_YM0007.
ELSE, IF R05R_Y_AGE >=14, GO TO R05_YM0021.
ELSE, GO TO R05_YL3000.

Variable(s): R05_YM0007***

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only GO TO R05_YM0021
- 4 No, never served in the military GO TO R05_YM0021
- 8 DON'T KNOW GO TO R05_YM0021
- 7 REFUSED GO TO R05_YM0021

ASK: Youth respondents who are 17 years old.

ASK Specification: IF R05R_Y_AGE = 17.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In which branch or branches [do/did] you serve on active duty? Choose all that apply.

- | | | |
|----------------------|----|--------------|
| R05_YM0011_01 | 1 | Army |
| R05_YM0011_02 | 2 | Navy |
| R05_YM0011_03 | 3 | Air Force |
| R05_YM0011_04 | 4 | Marine Corps |
| R05_YM0011_05 | 5 | Coast Guard |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Youth respondents who are 17 years old and are now on active duty or have been on active duty in the past.

ASK Specification: IF R05R_Y_AGE = 17 AND R05_YM0007 = 1, 2.

DISPLAY: IF R05_YM0007 = 1, DISPLAY "do".

ELSE, IF R05_YM0007 = 2, DISPLAY "did".

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_YM0021

The next question asks about your level of sexual attraction to BOTH males and females.

Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are 14 years old or older.

ASK Specification: IF R05R_Y_AGE >= 14.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER.

FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC.

IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

PROGRAM: Store value according to listed categories specified above; do not store value according to the display order.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YM0063

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are 14 years old or older.

ASK Specification: IF R05R_Y_AGE >= 14.

Variable(s): R05_YM0061

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_YL3000 |
| -8 DON'T KNOW | GO TO R05_YL3000 |
| -7 REFUSED | GO TO R05_YL3000 |

ASK: Youth respondents who are 14 years old or older.

ASK Specification: IF R05R_Y_AGE >= 14.

Variable(s): R05_YM0062

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Youth respondents who are 14 years old or older and are transgender.

ASK Specification: IF R05R_Y_AGE >= 14 AND R05_YM0061 = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Variable(s): R05_YL3000

You have finished[this part of] the questionnaire. Please hand the computer to the interviewer.

1 CONTINUE

ASK: All youth respondents.

DISPLAY: IF E_YOUTH = 1, DISPLAY "this part of ".
ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_YL3001

The interviewer must now enter the Monitor Password into the computer.

|_|_|_|_| MONITOR PASSWORD

ASK: All youth respondents.

PROGRAM: MONITOR PASSWORD IS 8954

CHECK ID: R05_ERR_YL3001

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R05_YL3001

ASK: If interviewer entered monitor password incorrectly.

ASK Specification: IF R05_YL3001 != 8954.

PROGRAM: Message should appear in English for all interviewers.

BOX ID: R05_YLR04

Emancipated youth respondents, go to R05_YL3002.
Else, go to R05_LCYS01.

IF E_YOUTH = 1, GO TO R05_YL3002.
ELSE, GO TO R05_LCYS01.

Variable(s): R05_YL3002

YOU MUST COLLECT CONTACT INFORMATION FROM THE RESPONDENT.

THE RESPONDENT IS AN EMANCIPATED YOUTH.

PRESS 1 TO CONTINUE

1 CONTINUE

ASK: Interviewers

ASK Specification: IF E_YOUTH = 1

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE FONT.
BOLD "MUST".

PROGRAM: This message is displayed for the interviewer only if the respondent is an emancipated youth IF E_YOUTH = 1.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

BOX ID: R05_YLR05
Emancipated youth respondents, go to Box R05_YXT04. Else, go to R05_LCYS01.
IF E_YOUTH = 1, GO TO R05_YXT04. ELSE, GO TO R05_LCYS01.

CLOSING ADMINISTRATIVE DATA

Variable(s): R05_LCYS01	
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?	
1 ENGLISH	END INTERVIEW AND RETURN TO IMS
2 SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: All youth respondents (asked of Interviewer).	
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.	
PROGRAM: Blaise sets Youth Survey status to CYE (Completed Youth Interview).	

****** = Denotes a skip error. For additional information, see Appendix - Youth Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

******* = Denotes a data error. For additional information, see Appendix – Youth Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – YOUTH GENERIC IMAGES

Section	PATH ID	Generic Image
ENDS	R05_YVT01	 E-cigarettes and other Electronic Nicotine Products
ENDS	R05_YV1001_NB	
ENDS	R05_YV1002_NB	
ENDS	R05_YV1002_12M	
Packaging and Health Warnings	R05_YR0110	
Risk Perceptions and Attitudes	R05_YE9050	 E-cigarettes E-cigars E-pipes E-hookahs
ENDS	R05_YV9035	
ENDS	R05_YV9044	 Group1 Group2 Group3 Group4 Group5 Group6
ENDS	R05_YV9140	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Cigar	R05_YGT01	 Traditional Cigars
Cigar	R05_YG9010	
Cigar	R05_YG9020	
Cigar	R05_YG9013	
Cigar	R05_YG9016	
Cigar	R05_YJT04	
Cigar	R05_YGT04	
Packaging and Health Warnings	R05_YR0115	
Risk Perceptions and Attitudes	R05_YG9050	
Cigar	R05_YGT02	 Cigarillos Filtered Cigars
Cigar	R05_YG9101_NB	 Traditional Cigars Cigarillos Filtered Cigars
Cigar	R05_YG1002_NB	
Cigar	R05_YG1002_12M	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Cigar	R05_YG9009_NB	   With a tip With a filter Without a tip or filter
Cigar	R05_YG9009_12M	
Cigar	R05_YG9011	
Cigar	R05_YG9021	 Cigarillos
Cigar	R05_YG9014	
Cigar	R05_YG9017	
Cigar	R05_YJT04	
Cigar	R05_YGT04	
Packaging and Health Warnings	R05_YR0120	
Risk Perceptions and Attitudes	R05_YG9955	
Cigar	R05_YG9012	 Filtered Cigars
Cigar	R05_YG9022	
Cigar	R05_YG9015	
Cigar	R05_YG9018	
Cigar	R05_YJT04	
Cigar	R05_YGT04	
Packaging and Health Warnings	R05_YR0125	
Risk Perceptions and Attitudes	R05_YG9950	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Cigar	R05_YG1095	 Group 1 Group 2 Group 3
Cigar	R05_YG9106 (BTRAD) If R05_YG1095 = 1, show traditional cigars	
Cigar	R05_YG9106 (BRILLO) If R05_YG1095 = 2, show cigarillos	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Cigar	R05_YG9106 (BFILTER) if R05_YG1095 = 3, show filtered cigars	
Cigar	R05_YG9040	 Group 1 Group 2 Group 3 Group 4
Pipe	R05_YPT01	
Pipe	R05_YP1001_NB	
Pipe	R05_YP1002_NB	
Pipe	R05_YP1002_12M	
Packaging and Health Warnings	R05_YR0130	

Pipe and Pipe Tobacco

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Hookah	R05_YHT01	 Hookah Shisha Tobacco
Packaging and Health Warnings	R05_YR0135	
Risk Perceptions and Attitudes	R05_YH9050	
Hookah	R05_YH1001_NB	 Hookah
Hookah	R05_YH1002_NB	
Hookah	R05_YH1002_12M	
Snus	R05_YUT01	 Smokeless Tobacco

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Snus	R05_YUT03	 Snus
Snus	R05_YU1001_NB	
Snus	R05_YU1002_NB	
Snus	R05_YU1002_12M	
Packaging and Health Warnings	R05_YR0206	
Risk Perceptions and Attitudes	R05_YU9050	 Snus pouches Loose snus
Snus	R05_YU9041	
Snus	R05_YU9042	
Smokeless Tobacco	R05_YST01	 Smokeless Tobacco
Smokeless Tobacco	R05_YS1001_NB	
Smokeless Tobacco	R05_YS1002_NB	
Smokeless Tobacco	R05_YS1002_12M	
Packaging and Health Warnings	R05_YR0060	
Risk Perceptions and Attitudes	R05_YS9050	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Smokeless Tobacco	R05_YS9041	 Loose smokeless tobacco (such as dip, spit, or chewing tobacco) Smokeless tobacco pouches (not including snus)
Smokeless Tobacco	R05_YS9042	
Dissolvable Tobacco	R05_YDT01	 Dissolvable Tobacco
Dissolvable Tobacco	R05_YD1001_NB	
Dissolvable Tobacco	R05_YD1002_NB	
Dissolvable Tobacco	R05_YD1002_12M	
Dissolvable Tobacco	R05_YD1002_30D	
Bidis and Kreteks	R05_YBT01	 Bidis Kreteks
Bidis and Kreteks	R05_YB9101_NB	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Bidis and Kreteks	R05_YB1002BD_NB	 Bidis
Bidis and Kreteks	R05_YB1002BD_12M	
Bidis and Kreteks	R05_YB1002BD_30D	
Bidis and Kreteks	R05_YB1002KK_NB	 Kreteks
Bidis and Kreteks	R05_YB1002KK_12M	
Bidis and Kreteks	R05_YB1002KK_30D	
Media Use	R05_YX0496_NB	

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising and Promotion	R05_YX0234	 A black rectangular box with white text. The text reads "A TIP FROM A" in a smaller font, followed by a horizontal line, then "FORMER SMOKER®" in a larger, bold font.
Marketing, Advertising and Promotion	R05_YX0235	 The word "PATH" in a stylized font where each letter is composed of orange dots arranged in a grid-like pattern.
Marketing, Advertising and Promotion	R05_YX0728	 The text "THE REAL COST" in a bold, distressed, black font. To the right of the word "THE" is a black triangle containing a white exclamation mark. A small "TM" trademark symbol is located to the right of the word "COST".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising and Promotion	R05_YX0713	 The logo features the word "FRESH" in white capital letters on a green rectangular background. Below it, the word "EMPIRE" is written in large, bold, black capital letters. A small green five-pointed star is positioned below the "E" in "EMPIRE".
Marketing, Advertising and Promotion	R05_YX0764	 The logo consists of the words "This Free Life" in a white, cursive script font. The text is set against a background of several overlapping, tilted purple rectangular shapes.
Marketing, Advertising and Promotion	R05_YX0765	 The logo features the text "THE REAL COST" in bold, black, sans-serif capital letters. To the right of this text is a black triangle containing a white exclamation mark. Below the main text, the phrase "SMOKELESS DOESN'T MEAN HARMLESS" is written in a smaller, black, sans-serif font.

APPENDIX – YOUTH USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group Name	User Group Description	User Group Definition
CIGARETTES		
Ever or Never users - Cigarettes R05_EVER_NEVER_CIGS_YOUTH	(1) Ever user = Youth respondents who have ever smoked a cigarette. (2) Never user = Youth respondents who have never smoked a cigarette.	IF R05_YC1002_NB = 1 OR R05_YC1002_12M = 1 OR (R04_EVER_NEVER_CIGS = 1 AND R05_YC1002_NB != 2), THEN R05_EVER_NEVER_CIGS_YOUTH = 1. ELSE, R05_EVER_NEVER_CIGS_YOUTH = 2.
Initiators - Cigarettes R05_INIT_CIGS_YOUTH	(1) Initiator = Continuing youth respondents who initiated cigarette smoking since their last completed interview or new baseline youth respondents who have ever smoked a cigarette. (2) Non-initiator = Continuing youth respondents who did not initiate cigarette smoking since their last completed interview or new baseline youth respondents who have never smoked a cigarette.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS != 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1), THEN R05_INIT_CIGS_YOUTH = 1. ELSE, R05_INIT_CIGS_YOUTH = 2.
Past 30 Day Users - Cigarettes R05_PAST30DAY_CIGS	(1) Past 30 day user = Youth respondents who have smoked a cigarette in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a cigarette in the past 30 days.	IF R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS = 1. ELSE, R05_PAST30DAY_CIGS = 2.
Past 30 Day "Very-Light" or "Not-Light" - Cigarettes R05_PAST30DAY_CIGS_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have smoked a cigarette in the past 30 days, and have smoked 10 or fewer cigarettes in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have smoked a cigarette in the past 30 days, and have smoked more than 10 cigarettes in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YC1005 = 1, 2, 3 AND R04_NUMLIFE_CIGS != 1 AND R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS_LEVEL = 1. ELSE, IF (R05_YC1005 > 3 OR R05_YC1005 = -8, -7 OR R04_NUMLIFE_CIGS = 1) AND R05_YC1112 = 1, 2, 3, THEN R05_PAST30DAY_CIGS_LEVEL = 2. ELSE, R05_PAST30DAY_CIGS_LEVEL = 8.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
ELECTRONIC NICOTINE PRODUCTS		
Ever or Never Users - Electronic Nicotine Products R05_EVER_NEVER_EPRODS_YOUTH	(1) Ever user = Youth respondents who have ever used an ENP. (2) Never user = Youth respondents who have never used an ENP.	IF (R04_EVER_NEVER_EPRODS = 1 AND R05_YV1002_NB != 2) OR R05_YV1002_NB = 1 OR R05_YV1002_12M = 1, THEN R05_EVER_NEVER_EPRODS_YOUTH = 1. ELSE, R05_EVER_NEVER_EPRODS_YOUTH = 2.
Initiators - Electronic Nicotine Products R05_INIT_EPRODS_YOUTH	(1) Initiator = Continuing youth respondents who initiated ENP use since their last completed interview or new baseline youth respondents who have ever used an ENP. (2) Non-initiator = Continuing youth respondents who did not initiate ENP use since their last completed interview or new baseline youth respondents who have never used an ENP.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS != 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1), THEN R05_INIT_EPRODS_YOUTH = 1. ELSE, R05_INIT_EPRODS_YOUTH = 2.
Past 30 Day Users - Electronic Nicotine Products R05_PAST30DAY_EPRODS	(1) Past 30 day user = Youth respondents who have used an ENP in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not used an ENP in the past 30 days.	IF R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS = 1. ELSE, R05_PAST30DAY_EPRODS = 2.
Past 30 Day "Very-Light" or "Not-Light" Users - Electronic Nicotine Products R05_PAST30DAY_EPRODS_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have used an ENP in the past 30 days, and have used an ENP only once in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have used an ENP in the past 30 days, and have used ENPs more than once in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YV1005 = 1 AND R04_NUMLIFE_EPROD != 1 AND R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS_LEVEL = 1. ELSE, IF (R05_YV1005 > 1 OR R05_YV1005 = -8, -7 OR R04_NUMLIFE_EPROD = 1) AND R05_YV1112 = 1, 2, 3, THEN R05_PAST30DAY_EPRODS_LEVEL = 2. ELSE, R05_PAST30DAY_EPRODS_LEVEL = 8.
CIGARS		
Ever or Never Smokers – Traditional Cigars R05_EVER_NEVER_GTRAD_YOUTH	(1) Ever user = Youth respondents who have ever smoked a traditional cigar. (2) Never user = Youth respondents who have never smoked a traditional cigar.	IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_01 = 1) OR R05_YG9104_12M_01 = 1 OR (R04_EVER_NEVER_GTRAD = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_01 != 2, -8, -7), THEN R05_EVER_NEVER_GTRAD_YOUTH = 1. ELSE, R05_EVER_NEVER_GTRAD_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Initiators – Traditional Cigars R05_INIT_GTRAD_YOUTH	(1) Initiator = Continuing youth respondents who initiated traditional cigar smoking since their last completed interview or new baseline youth respondents who have ever smoked a traditional cigar. (2) Non-initiator = Continuing youth respondents who did not initiate traditional cigar smoking since their last completed interview or new baseline youth respondents who have never smoked a traditional cigar.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD != 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1), THEN R05_INIT_GTRAD_YOUTH = 1. ELSE, R05_INIT_GTRAD_YOUTH = 2.
Past 30 Day Smokers - Traditional Cigars R05_PAST30DAY_GTRAD	(1) Past 30 day user = Youth respondents who have smoked a traditional cigar in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a traditional cigar in the past 30 days.	IF R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD = 1. ELSE, R05_PAST30DAY_GTRAD = 2.
Past 30 Day "Very-Light" or "Not-Light" Smokers - Traditional Cigars R05_PAST30DAY_GTRAD_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have smoked a traditional cigar in the past 30 days, and have smoked 10 or fewer traditional cigars in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have smoked a traditional cigar in the past 30 days, and have smoked more than 10 traditional cigars in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YG1005TC = 1, 2, 3 AND R04_NUMLIFE_GTRAD != 1 AND R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD_LEVEL = 1. ELSE, IF (R05_YG1005TC > 3 OR R05_YG1005TC = -8, -7 OR R04_NUMLIFE_GTRAD = 1) AND R05_YG1112TC = 1, 2, 3, THEN R05_PAST30DAY_GTRAD_LEVEL = 2. ELSE, R05_PAST30DAY_GTRAD_LEVEL = 8.
Past 12 Month Blunt-Only Smokers – Traditional Cigars R05_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Youth respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. (2) Not a past 12 month blunt-only smoker = Youth respondents who do not smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R05_YG9106_01 = 1 AND R05_YG1095_01 = 1, THEN R05_12MBLUNT_ONLY_BTRAD = 1. ELSE, R05_12MBLUNT_ONLY_BTRAD = 2.
Past 30 Day Blunt-Only Smokers – Traditional Cigars R05_30DBLUNT_ONLY_BTRAD	(1) Past 30 day user = Youth respondents who are past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar as a blunt in the past 30 days. (2) Not a past 30 day user = Youth respondents who are not past 12 month blunt-only traditional cigar smokers or have not smoked a traditional cigar as a blunt in the past 30 days.	IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BTRAD = 1. ELSE, R05_30DBLUNT_ONLY_BTRAD = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Initiators – Traditional Cigars as Blunts R05_INIT_BLUNT_BTRAD_YOUTH	(1) Initiator = Continuing youth respondents who initiated smoking traditional cigars as blunts since their last completed interview and have smoked traditional cigars as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked traditional cigars as blunts and have smoked traditional cigars as blunts every time in the past 12 months. (2) Non-initiator = Continuing youth respondents who did not initiate smoking traditional cigars as blunts since their last completed interview or did not smoke traditional cigars as blunts every time in the past 12 month or new baseline youth respondents who have never smoked traditional cigars as blunts or did not smoke traditional cigars as blunts every time in the past 12 month.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BTRAD != 1 AND R05_YG1095_01 = 1 AND R05_YG9106_01 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG1095_01 = 1 AND R05_YG9106_01 = 1), THEN R05_INIT_BLUNT_BTRAD_YOUTH = 1. ELSE, R05_INIT_BLUNT_BTRAD_YOUTH = 2.
Ever or Never Smokers – Cigarillos R05_EVER_NEVER_GRILLO_YOUTH	(1) Ever user = Youth respondents who have ever smoked a cigarillo. (2) Never user = Youth respondents who have never smoked a cigarillo.	IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1 AND (R05_YG9009_NB_01 = 1 OR R05_YG9009_NB_03 = 1)) OR R05_YG9009_12M_01 = 1 OR R05_YG9009_12M_03 = 1 OR (R04_EVER_NEVER_GRILLO = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_02 != 2, -8, -7 AND (R05_YG9009_NB_01 != 2, -8, -7 OR R05_YG9009_NB_03 != 2, -8, -7)), THEN R05_EVER_NEVER_GRILLO_YOUTH = 1. ELSE, R05_EVER_NEVER_GRILLO_YOUTH = 2.
Initiators – Cigarillos R05_INIT_GRILLO_YOUTH	(1) Initiator = Continuing youth respondents who initiated cigarillo smoking since their last completed interview or new baseline youth respondents who have ever smoked a cigarillo. (2) Non-initiator = Continuing youth respondents who did not initiate cigarillo smoking since their last completed interview or new baseline youth respondents who have never smoked a cigarillo.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO != 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1), THEN R05_INIT_GRILLO_YOUTH = 1. ELSE, R05_INIT_GRILLO_YOUTH = 2.
Past 30 Day Smokers - Cigarillos R05_PAST30DAY_GRILLO	(1) Past 30 day user = Youth respondents who have smoked a cigarillo in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a cigarillo in the past 30 days.	IF R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO = 1. ELSE, R05_PAST30DAY_GRILLO = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past 30 Day "Very-Light" or "Not-Light" Smokers - Cigarillos R05_PAST30DAY_GRILLO_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have smoked a cigarillo in the past 30 days, and have smoked 10 or fewer cigarillos in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have smoked a cigarillo in the past 30 days, and have smoked more than 10 cigarillos in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YG1005CL = 1, 2, 3 AND R04_NUMLIFE_GRILLO != 1 AND R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO_LEVEL = 1. ELSE, IF (R05_YG1005CL > 3 OR R05_YG1005CL = -8, -7 OR R04_NUMLIFE_GRILLO = 1) AND R05_YG1112CL = 1, 2, 3, THEN R05_PAST30DAY_GRILLO_LEVEL = 2. ELSE, R05_PAST30DAY_GRILLO_LEVEL = 8.
Past 12 Month Blunt-Only Smokers – Cigarillos R05_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Youth respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. (2) Not a past 12 month blunt-only smoker = Youth respondents who do not smoke cigarillos as blunts every time when smoked in the past 12 months.	IF R05_YG9106_02 = 1 AND R05_YG1095_02 = 1, THEN R05_12MBLUNT_ONLY_BRILLO = 1. ELSE, R05_12MBLUNT_ONLY_BRILLO = 2.
Past 30 Day Blunt-Only Smokers – Cigarillos R05_30DBLUNT_ONLY_BRILLO	(1) Past 30 day user = Youth respondents who are past 12 month blunt-only cigarillo smokers and have smoked a cigarillo as a blunt in the past 30 days. (2) Not a past 30 day user = Youth respondents who are not past 12 month blunt-only cigarillo smokers or have not smoked a cigarillo as a blunt in the past 30 days.	IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BRILLO = 1. ELSE, R05_30DBLUNT_ONLY_BRILLO = 2.
Initiators – Cigarillos as Blunts R05_INIT_BLUNT_BRILLO_YOUTH	(1) Initiator = Continuing youth respondents who initiated smoking cigarillos as blunts since their last completed interview and have smoked cigarillos as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked cigarillos as blunts and have smoked cigarillos as blunts every time in the past 12 months. (2) Non-initiator = Continuing youth respondents who did not initiate smoking cigarillos as blunts since their last completed interview or did not smoke cigarillos as blunts every time in the past 12 month or new baseline youth respondents who have never smoked cigarillos as blunts or did not smoke cigarillos as blunts every time in the past 12 month.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BRILLO != 1 AND R05_YG1095_02 = 1 AND R05_YG9106_02 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG1095_02 = 1 AND R05_YG9106_02 = 1), THEN R05_INIT_BLUNT_BRILLO_YOUTH = 1. ELSE, R05_INIT_BLUNT_BRILLO_YOUTH = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Ever or Never Smokers – Filtered Cigars R05_EVER_NEVER_GFILTR_YOUTH	(1) Ever user = Youth respondents who have ever smoked a filtered cigar. (2) Never user = Youth respondents who have never smoked a filtered cigar.	IF (R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1 AND R05_YG9009_NB_02 = 1) OR R05_YG9009_12M_02 = 1 OR (R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_NB != 2, -8, -7 AND R05_YG9104_NB_02 != 2, -8, -7 AND R05_YG9009_NB_02 != 2, -8, -7), THEN R05_EVER_NEVER_GFILTR_YOUTH = 1. ELSE, R05_EVER_NEVER_GFILTR_YOUTH = 2.
Initiators – Filtered Cigars R05_INIT_GFILTR_YOUTH	(1) Initiator = Continuing youth respondents who initiated filtered cigar smoking since their last completed interview or new baseline youth respondents who have ever smoked a filtered cigar. (2) Non-initiator = Continuing youth respondents who did not initiate filtered cigar smoking since their last completed interview or new baseline youth respondents who have never smoked a filtered cigar.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR != 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1), THEN R05_INIT_GFILTR_YOUTH = 1. ELSE, R05_INIT_GFILTR_YOUTH = 2.
Past 30 Day Users – Filtered Cigars R05_PAST30DAY_GFILTR	(1) Past 30 day user = Youth respondents who have smoked a filtered cigar in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a filtered cigar in the past 30 days.	IF R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR = 1. ELSE, R05_PAST30DAY_GFILTR = 2.
Past 30 Day "Very-Light" or "Not-Light" Smokers - Filtered Cigars R05_PAST30DAY_GFILTR_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have smoked a filtered cigar in the past 30 days, and have smoked 10 or fewer filtered cigars in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have smoked a filtered cigar in the past 30 days, and have smoked more than 10 filtered cigars in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YG1005FC = 1, 2, 3 AND R04_NUMLIFE_GFILTR != 1 AND R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR_LEVEL = 1. ELSE, IF (R05_YG1005FC > 3 OR R05_YG1005FC = -8, -7 OR R04_NUMLIFE_GFILTR = 1) AND R05_YG1112FC = 1, 2, 3, THEN R05_PAST30DAY_GFILTR_LEVEL = 2. ELSE, R05_PAST30DAY_GFILTR_LEVEL = 8.
Past 12 Month Blunt-Only Smokers – Filtered Cigars R05_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Youth respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months. (2) Not a past 12 month blunt-only smoker = Youth respondents who do not smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R05_YG9106_03 = 1 AND R05_YG1095_03 = 1, THEN R05_12MBLUNT_ONLY_BFILTR = 1. ELSE, R05_12MBLUNT_ONLY_BFILTR = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past 30 Day Blunt-Only Smokers – Filtered Cigars R05_30DBLUNT_ONLY_BFILTR	(1) Past 30 day user = Youth respondents who are past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar as a blunt in the past 30 days. (2) Not a past 30 day user = Youth respondents who are not past 12 month blunt-only filtered cigar smokers or have not smoked a filtered cigar as a blunt in the past 30 days.	IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2, 3, THEN R05_30DBLUNT_ONLY_BFILTR = 1. ELSE, R05_30DBLUNT_ONLY_BFILTR = 2.
Initiators – Filtered Cigars as Blunts R05_INIT_BLUNT_BFILTR_YOUTH	(1) Initiator = Continuing youth respondents who initiated smoking filtered cigars as blunts since their last completed interview and have smoked filtered cigars as blunts every time in the past 12 months or new baseline youth respondents who have ever smoked filtered cigars as blunts and have smoked filtered cigars as blunts every time in the past 12 months. (2) Non-initiator = Continuing youth respondents who did not initiate smoking filtered cigars as blunts since their last completed interview or did not smoke filtered cigars as blunts every time in the past 12 month or new baseline youth respondents who have never smoked filtered cigars as blunts or did not smoke filtered cigars as blunts every time in the past 12 month.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BFILTR != 1 AND R05_YG9106_03 = 1 AND R05_YG1095_03 = 1) OR (R05_YOUTHTYPE = 2 AND R05_YG9106_03 = 1 AND R05_YG1095_03 = 1), THEN R05_INIT_BLUNT_BFILTR_YOUTH = 1. ELSE, R05_INIT_BLUNT_BFILTR_YOUTH = 2.
PIPES		
Ever or Never Users - Pipe R05_EVER_NEVER_PIPE_YOUTH	(1) Ever user = Youth respondents who have ever smoked a pipe. (2) Never user = Youth respondents who have never smoked a pipe.	IF R05_YP1002_NB = 1 OR R05_YP1002_12M = 1 OR (R04_EVER_NEVER_PIPE = 1 AND R05_YP1002_NB != 2), THEN R05_EVER_NEVER_PIPE_YOUTH = 1. ELSE, R05_EVER_NEVER_PIPE_YOUTH = 2.
Initiator - Pipe R05_INIT_PIPE_YOUTH	(1) Initiator = Continuing youth respondents who initiated pipe smoking since their last completed interview or new baseline youth respondents who have ever smoked a pipe. (2) Non-initiator = Continuing youth respondents who did not initiate pipe smoking since their last completed interview or new baseline youth respondents who have never smoked a pipe.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_PIPE != 1 AND R05_EVER_NEVER_PIPE_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_PIPE_YOUTH = 1), THEN R05_INIT_PIPE_YOUTH = 1. ELSE, R05_INIT_PIPE_YOUTH = 2.
Past 30 Day Users - Pipe R05_PAST30DAY_PIPE	(1) Past 30 day user = Youth respondents who have smoked a pipe in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a pipe in the past 30 days.	IF R05_YP1112 = 1, 2, 3, THEN R05_PAST30DAY_PIPE = 1. ELSE, R05_PAST30DAY_PIPE = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
HOOKAH		
Ever or Never Users - Hookah R05_EVER_NEVER_HOOK_YOUTH	(1) Ever user = Youth respondents who have ever smoked hookah. (2) Never user = Youth respondents who have never smoked hookah.	IF R05_YH1002_NB = 1 OR R05_YH1002_12M = 1 OR (R04_EVER_NEVER_HOOK = 1 AND R05_YH1002_NB != 2), THEN R05_EVER_NEVER_HOOK_YOUTH = 1. ELSE, R05_EVER_NEVER_HOOK_YOUTH = 2.
Initiator - Hookah R05_INIT_HOOK_YOUTH	(1) Initiator = Continuing youth respondents who initiated hookah smoking since their last completed interview or new baseline youth respondents who have ever smoked hookah. (2) Non-initiator = Continuing youth respondents who did not initiate hookah smoking since their last completed interview or new baseline youth respondents who have never smoked hookah.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK != 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1), THEN R05_INIT_HOOK_YOUTH = 1. ELSE, R05_INIT_HOOK_YOUTH = 2.
Past 30 Day Users - Hookah R05_PAST30DAY_HOOK	(1) Past 30 day user = Youth respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked hookah in the past 30 days.	IF R05_YH1112 = 1, 2, 3, THEN R05_PAST30DAY_HOOK = 1. ELSE, R05_PAST30DAY_HOOK = 2.
SNUS		
Ever or Never Users - Snus R05_EVER_NEVER_SNUS_YOUTH	(1) Ever user = Youth respondents who have ever used snus. (2) Never user = Youth respondents who have never used snus.	IF R05_YU1002_NB = 1 OR R05_YU1002_12M = 1 OR (R04_EVER_NEVER_SNUS = 1 AND R05_YU1002_NB != 2), THEN R05_EVER_NEVER_SNUS_YOUTH = 1. ELSE, R05_EVER_NEVER_SNUS_YOUTH = 2.
Initiator - Snus R05_INIT_SNUS_YOUTH	(1) Initiator = Continuing youth respondents who initiated snus use since their last completed interview or new baseline youth respondents who have ever used snus. (2) Non-initiator = Continuing youth respondents who did not initiate snus use since their last completed interview or new baseline youth respondents who have never used snus.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS != 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1), THEN R05_INIT_SNUS_YOUTH = 1. ELSE, R05_INIT_SNUS_YOUTH = 2.
Past 30 Day Users - Snus R05_PAST30DAY_SNUS	(1) Past 30 day user = Youth respondents who have used snus in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not used snus in the past 30 days.	IF R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS = 1. ELSE, R05_PAST30DAY_SNUS = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past 30 Day "Very-Light" or "Not-Light" Users - Snus R05_PAST30DAY_SNUS_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have used snus in the past 30 days, and have used snus 10 or fewer times in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have used snus in the past 30 days, and have used snus more than 10 times in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YU1005 = 1, 2 AND R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS_LEVEL = 1. ELSE, IF (R05_YU1005 > 2 OR R05_YU1005 = -8, -7 OR R04_NUMLIFE_SNUS = 1) AND R05_YU1112 = 1, 2, 3, THEN R05_PAST30DAY_SNUS_LEVEL = 2. ELSE, R05_PAST30DAY_SNUS_LEVEL = 8.
SMOKELESS TOBACCO		
Ever or Never Users - Smokeless Tobacco R05_EVER_NEVER_SMKLS_YOUTH	(1) Ever user = Youth respondents who have ever used smokeless tobacco. (2) Never user = Youth respondents who have never used smokeless tobacco.	IF R05_YS1002_NB = 1 OR R05_YS1002_12M = 1 OR (R04_EVER_NEVER_SMKLS = 1 AND R05_YS1002_NB != 2), THEN R05_EVER_NEVER_SMKLS_YOUTH = 1. ELSE, R05_EVER_NEVER_SMKLS_YOUTH = 2.
Initiator - Smokeless Tobacco R05_INIT_SMKLS_YOUTH	(1) Initiator = Continuing youth respondents who initiated smokeless tobacco use since their last completed interview or new baseline youth respondents who have ever used smokeless tobacco. (2) Non-initiator = Continuing youth respondents who did not initiate smokeless tobacco use since their last completed interview or new baseline youth respondents who have never used smokeless tobacco.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS != 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1), THEN R05_INIT_SMKLS_YOUTH = 1. ELSE, R05_INIT_SMKLS_YOUTH = 2.
Past 30 Day Users – Smokeless Tobacco R05_PAST30DAY_SMKLS	(1) Past 30 day user = Youth respondents who have used smokeless tobacco in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not used smokeless tobacco in the past 30 days.	IF R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS = 1. ELSE, R05_PAST30DAY_SMKLS = 2.
Past 30 Day "Very-Light" or "Not-Light" Users - Smokeless Tobacco R05_PAST30DAY_SMKLS_LEVEL	(1) Past 30 day "very-light" user = Youth respondents who have used smokeless tobacco in the past 30 days, and have used 10 times or less in their lifetime. (2) Past 30 day "not-light" user = Youth respondents who have used smokeless tobacco in the past 30 days, and have used more than 10 times in their lifetime. (8) Unknown / missing = Unknown or missing	IF R05_YS1005 = 1, 2 AND R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS_LEVEL = 1. ELSE, IF (R05_YS1005 > 2 OR R05_YS1005 = -8, -7 OR R04_NUMLIFE_SMKLS = 1) AND R05_YS1112 = 1, 2, 3, THEN R05_PAST30DAY_SMKLS_LEVEL = 2. ELSE, R05_PAST30DAY_SMKLS_LEVEL = 8.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
DISSOLVABLE TOBACCO		
Ever or Never Users - Dissolvable Tobacco R05_EVER_NEVER_DISSBL_YOUTH	(1) Ever user = Youth respondents who have ever used dissolvable tobacco. (2) Never user = Youth respondents who have never used dissolvable tobacco.	IF R05_YD1002_NB = 1 OR R05_YD1002_12M = 1 OR (R04_EVER_NEVER_DISSBL = 1 AND R05_YD1002_NB != 2), THEN R05_EVER_NEVER_DISSBL_YOUTH = 1. ELSE, R05_EVER_NEVER_DISSBL_YOUTH = 2.
Initiator - Dissolvable Tobacco R05_INIT_DISSBL_YOUTH	(1) Initiator = Continuing youth respondents who initiated dissolvable tobacco use since their last completed interview or new baseline youth respondents who have ever used dissolvable tobacco. (2) Non-initiator = Continuing youth respondents who did not initiate dissolvable tobacco use since their last completed interview or new baseline youth respondents who have never used dissolvable tobacco.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_DISSBL != 1 AND R05_EVER_NEVER_DISSBL_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_DISSBL_YOUTH = 1), THEN R05_INIT_DISSBL_YOUTH = 1. ELSE, R05_INIT_DISSBL_YOUTH = 2.
Past 30 Day Users - Dissolvable Tobacco R05_PAST30DAY_DISS	(1) Past 30 day user = Youth respondents who have used dissolvable tobacco in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not used dissolvable tobacco in the past 30 days.	IF R05_YD1002_30D = 1, THEN R05_PAST30DAY_DISS = 1. ELSE, R05_PAST30DAY_DISS = 2.
BIDIS		
Ever or Never Users - Bidis R05_EVER_NEVER_BIDI_YOUTH	(1) Ever user = Youth respondents who have ever smoked a bidi. (2) Never user = Youth respondents who have never smoked a bidi.	IF R05_YB1002BD_NB = 1 OR R05_YB1002BD_12M = 1 OR (R04_EVER_NEVER_BIDI = 1 AND R05_YB1002BD_NB != 2), THEN R05_EVER_NEVER_BIDI_YOUTH = 1. ELSE, R05_EVER_NEVER_BIDI_YOUTH = 2.
Initiator - Bidis R05_INIT_BIDI_YOUTH	(1) Initiator = Continuing youth respondents who initiated bidi smoking since their last completed interview or new baseline youth respondents who have ever smoked a bidi. (2) Non-initiator = Continuing youth respondents who did not initiate bidi smoking since their last completed interview or new baseline youth respondents who have never smoked a bidi.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_BIDI != 1 AND R05_EVER_NEVER_BIDI_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_BIDI_YOUTH = 1), THEN R05_INIT_BIDI_YOUTH = 1. ELSE, R05_INIT_BIDI_YOUTH = 2.
Past 30 Day Users - Bidis R05_PAST30DAY_BIDI	(1) Past 30 day user = Youth respondents who have smoked a bidi in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a bidi in the past 30 days.	IF R05_YB1002BD_30D = 1, THEN R05_PAST30DAY_BIDI = 1. ELSE, R05_PAST30DAY_BIDI = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
KRETEKS		
Ever or Never Users - Kreteks R05_EVER_NEVER_KRETEK_YOUTH	(1) Ever user = Youth respondents who have ever smoked a kretek. (2) Never user = Youth respondents who have never smoked a kretek.	IF R05_YB1002KK_NB = 1 OR R05_YB1002KK_12M = 1 OR (R04_EVER_NEVER_KRETEK = 1 AND R05_YB1002KK_NB != 2), THEN R05_EVER_NEVER_KRETEK_YOUTH = 1. ELSE, R05_EVER_NEVER_KRETEK_YOUTH = 2.
Initiator - Kreteks R05_INIT_KRETEK_YOUTH	(1) Initiator = Continuing youth respondents who initiated kretek smoking since their last completed interview or new baseline youth respondents who have ever smoked a kretek. (2) Non-initiator = Continuing youth respondents who did not initiate kretek smoking since their last completed interview or new baseline youth respondents who have never smoked a kretek.	IF (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_KRETEK != 1 AND R05_EVER_NEVER_KRETEK_YOUTH = 1) OR (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_INIT_KRETEK_YOUTH = 1. ELSE, R05_INIT_KRETEK_YOUTH = 2.
Past 30 Day Users - Kreteks R05_PAST30DAY_KRETEK	(1) Past 30 day user = Youth respondents who have smoked a kretek in the past 30 days. (2) Not a past 30 day user = Youth respondents who have not smoked a kretek in the past 30 days.	IF R05_YB1002KK_30D = 1, THEN R05_PAST30DAY_KRETEK = 1. ELSE, R05_PAST30DAY_KRETEK = 2.
TOBACCO (GENERAL)		
Ever Users - Tobacco R05_EVER_USE_TOB	(1) Ever user = Youth respondents who have ever used any type of tobacco product(s) in lifetime. (2) Never user = Youth respondents who have never used any type of tobacco product(s) in lifetime.	IF R05_EVER_NEVER_CIGS_YOUTH = 1 OR R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1, THEN R05_EVER_USE_TOB = 1. ELSE, R05_EVER_USE_TOB = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Ever Users – Cigarettes Only R05_EVER_USE_CIGSONLY	(1) Ever user = Youth respondents who have ever used only cigarettes, and no other products, in lifetime. (2) Never user = Youth respondents who have not ever used only cigarettes, and no other products, in lifetime.	IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_EVER_NEVER_EPRODS_YOUTH != 1 AND R05_EVER_NEVER_GTRAD_YOUTH != 1 AND R05_EVER_NEVER_GRILLO_YOUTH != 1 AND R05_EVER_NEVER_GFILTR_YOUTH != 1 AND R05_EVER_NEVER_PIPE_YOUTH != 1 AND R05_EVER_NEVER_HOOK_YOUTH != 1 AND R05_EVER_NEVER_SMKLS_YOUTH != 1 AND R05_EVER_NEVER_SNUS_YOUTH != 1 AND R05_EVER_NEVER_DISSBL_YOUTH != 1 AND R05_EVER_NEVER_BIDI_YOUTH != 1 AND R05_EVER_NEVER_KRETEK_YOUTH != 1, THEN R05_EVER_USE_CIGSONLY = 1. ELSE, R05_EVER_USE_CIGSONLY = 2.
Ever Users - Dual R05_EVER_USE_DUAL	(1) Ever user = Youth respondents who have ever used cigarettes and at least one other tobacco product in lifetime. (2) Never user = Youth respondents who have not ever used cigarettes and at least one other tobacco product in lifetime.	IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_EVER_USE_DUAL = 1. ELSE, R05_EVER_USE_DUAL = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Ever Users – Tobacco (Excluding Cigarettes) R05_EVER_USE_TOBXCIGS	(1) Ever user = Youth respondents who have ever used any tobacco products, excluding cigarettes, in lifetime. (2) Never user = Youth respondents who have not ever used any tobacco products, excluding cigarettes, in lifetime.	IF R05_EVER_NEVER_CIGS_YOUTH = 2 AND (R05_EVER_NEVER_EPRODS_YOUTH = 1 OR (R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2) OR (R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2) OR (R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2) OR R05_EVER_NEVER_PIPE_YOUTH = 1 OR R05_EVER_NEVER_HOOK_YOUTH = 1 OR R05_EVER_NEVER_SMKLS_YOUTH = 1 OR R05_EVER_NEVER_SNUS_YOUTH = 1 OR R05_EVER_NEVER_DISSBL_YOUTH = 1 OR R05_EVER_NEVER_BIDI_YOUTH = 1 OR R05_EVER_NEVER_KRETEK_YOUTH = 1), THEN R05_EVER_USE_TOBXCIGS = 1. ELSE, R05_EVER_USE_TOBXCIGS = 2.
Past 30 Day Users - Tobacco R05_PAST30DAY_TOB	(1) Past 30 day user = Youth respondents who have used any tobacco product(s) in the past 30 days. (2) Not past 30 day user = Youth respondents who have not used any tobacco product(s) in the past 30 days.	IF R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_EPRODS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1, THEN R05_PAST30DAY_TOB = 1. ELSE, R05_PAST30DAY_TOB = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past Year Level - Tobacco R05_PASTYEAR_TOB_USE_LEVEL	(1) Very-Light = Youth respondents who have used any tobacco product in the past year, and are not "not-light" users of any product. (VALUE 1 IS ASSESSED SECOND) (2) Not-Light = Youth respondents who are "not-light" users of any tobacco product and have used in the past year. (VALUE 2 IS ASSESSED FIRST) (8) Unknown / missing = Unknown or missing. (VALUE 8 IS ASSESSED LAST)	IF ((R05_YC1005 > 3 OR R05_YC1005 = -8, -7 OR R04_NUMLIFE_CIGS = 1) AND R05_YC1112 = 1, 2, 3, 4, 5) OR ((R05_YV1005 > 1 OR R05_YV1005 = -8, -7 OR R04_NUMLIFE_EPROD = 1) AND R05_YV1112 = 1, 2, 3, 4, 5) OR ((R05_YG1005TC > 3 OR R05_YG1005TC = -8, -7 OR R04_NUMLIFE_GTRAD = 1) AND R05_YG1112TC = 1, 2, 3, 4, 5) OR ((R05_YG1005CL > 3 OR R05_YG1005CL = -8, -7 OR R04_NUMLIFE_GRILLO = 1) AND R05_YG1112CL = 1, 2, 3, 4, 5) OR ((R05_YG1005FC > 3 OR R05_YG1005FC = -8, -7 OR R04_NUMLIFE_GFILTR = 1) AND R05_YG1112FC = 1, 2, 3, 4, 5) OR ((R05_YU1005 > 2 OR R05_YU1005 = -8, -7 OR R04_NUMLIFE_SNUS = 1) AND R05_YU1112 = 1, 2, 3, 4, 5) OR ((R05_YS1005 > 2 OR R05_YS1005 = -8, -7 OR R04_NUMLIFE_SMKLS = 1) AND R05_YS1112 = 1, 2, 3, 4, 5), THEN R05_PASTYEAR_TOB_USE_LEVEL = 2. ELSE, IF R05_EVER_USE_TOB = 1 AND ((R05_YC1005 = 1, 2, 3 AND R04_NUMLIFE_CIGS != 1 AND R05_YC1112 = 1, 2, 3, 4, 5) OR (R05_YV1005 = 1 AND R04_NUMLIFE_EPROD != 1 AND R05_YV1112 = 1, 2, 3, 4, 5) OR (R05_YG1005TC = 1, 2, 3 AND R04_NUMLIFE_GTRAD != 1 AND R05_YG1112TC = 1, 2, 3, 4, 5) OR (R05_YG1005CL = 1, 2, 3 AND R04_NUMLIFE_GRILLO != 1 AND R05_YG1112CL = 1, 2, 3, 4, 5) OR (R05_YG1005FC = 1, 2, 3 AND R04_NUMLIFE_GFILTR != 1 AND R05_YG1112FC = 1, 2, 3, 4, 5) OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR (R05_YU1005 = 1, 2 AND R05_YU1112 = 1, 2, 3, 4, 5) OR (R05_YS1005 = 1, 2 AND R05_YS1112 = 1, 2, 3, 4, 5) OR R05_YD1002_12M = 1 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1), THEN R05_PASTYEAR_TOB_USE_LEVEL = 1. ELSE, R05_PASTYEAR_TOB_USE_LEVEL = 8.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past Year Users - Tobacco R05_PASTYEAR_TOB_USE	(1) Past year non-electronic tobacco only = Youth respondents who have used any tobacco product(s) in the past 12 months, but have not used any ENPs in the past 12 months. (2) Past year electronic nicotine products only = Youth respondents who have used any ENP in the past 12 months, but have not used any other tobacco product(s) in the past 12 months. (3) Past year both = Youth respondents who have used any ENP in the past 12 months and have used at least one other tobacco product in the past 12 months. (4) Past year non-user = Youth respondents who have not used any ENP in the past 12 months and have not used any other tobacco product in the past 12 months.	IF (R05_YV1112 != 1, 2, 3, 4, 5 OR R05_YV9106 = 1) AND (R05_YC1112 = 1, 2, 3, 4, 5 OR R05_YG1112TC = 1, 2, 3, 4, 5 OR R05_YG1112CL = 1, 2, 3, 4, 5 OR R05_YG1112FC = 1, 2, 3, 4, 5 OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR R05_YU1112 = 1, 2, 3, 4, 5 OR R05_YS1112 = 1, 2, 3, 4, 5 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1 OR R05_YD1002_12M = 1), THEN R05_PASTYEAR_TOB_USE = 1. ELSE, IF R05_YV1112 = 1, 2, 3, 4, 5 AND R05_YV9106 != 1 AND R05_YC1112 != 1, 2, 3, 4, 5 AND R05_YG1112TC != 1, 2, 3, 4, 5 AND R05_YG1112CL != 1, 2, 3, 4, 5 AND R05_YG1112FC != 1, 2, 3, 4, 5 AND R05_YP1112 != 1, 2, 3, 4, 5 AND R05_YH1112 != 1, 2, 3, 4, 5 AND R05_YU1112 != 1, 2, 3, 4, 5 AND R05_YS1112 != 1, 2, 3, 4, 5 AND R05_YB1002BD_12M != 1 AND R05_YB1002KK_12M != 1 AND R05_YD1002_12M != 1, THEN R05_PASTYEAR_TOB_USE = 2. ELSE, IF R05_YV1112 = 1, 2, 3, 4, 5 AND R05_YV9106 != 1 AND (R05_YC1112 = 1, 2, 3, 4, 5 OR R05_YG1112TC = 1, 2, 3, 4, 5 OR R05_YG1112CL = 1, 2, 3, 4, 5 OR R05_YG1112FC = 1, 2, 3, 4, 5 OR R05_YP1112 = 1, 2, 3, 4, 5 OR R05_YH1112 = 1, 2, 3, 4, 5 OR R05_YU1112 = 1, 2, 3, 4, 5 OR R05_YS1112 = 1, 2, 3, 4, 5 OR R05_YB1002BD_12M = 1 OR R05_YB1002KK_12M = 1 OR R05_YD1002_12M = 1), THEN R05_PASTYEAR_TOB_USE = 3. ELSE, IF (R05_YV1112 != 1, 2, 3, 4, 5 OR R05_YV9106 = 1) AND R05_YC1112 != 1, 2, 3, 4, 5 AND R05_YG1112TC != 1, 2, 3, 4, 5 AND R05_YG1112CL != 1, 2, 3, 4, 5 AND R05_YG1112FC != 1, 2, 3, 4, 5 AND R05_YP1112 != 1, 2, 3, 4, 5 AND R05_YH1112 != 1, 2, 3, 4, 5 AND R05_YU1112 != 1, 2, 3, 4, 5 AND R05_YS1112 != 1, 2, 3, 4, 5 AND R05_YB1002BD_12M != 1 AND R05_YB1002KK_12M != 1 AND R05_YD1002_12M != 1, THEN R05_PASTYEAR_TOB_USE = 4.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
DERIVED VARIABLES		
R05_YOUTHAGE	Youth respondent age.	R05_YOUTHAGE = CURRENT_AGE.
R05_EPRODCOUNT	Number of different types of ENPs used.	R05_EPRODCOUNT = 0; IF R05_YV9035_01 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_02 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_03 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_04 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_YV9035_05 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1.
R05_EDEVICETYPE	ENP device type.	IF R05_YV9001 = 1, THEN R05_EDEVICETYPE = 1 (Disposable device type). ELSE, IF R05_YV9001 = 2, THEN R05_EDEVICETYPE = 2 (Prefilled Cartridge device type). ELSE, IF R05_YV9001 = 3, THEN R05_EDEVICETYPE = 3 (Refillable Tank device type). ELSE, IF R05_YV9001 = 4, THEN R05_EDEVICETYPE = 4 (Mod System device type). ELSE, R05_EDEVICETYPE = 5 (Unknown).
CIGARFILL	Fill to be shown in question text to indicate the cigar type. Fill with "traditional cigar" for traditional cigar/blunt smokers Fill with "cigarillo" for cigarillo/blunt smokers Fill with "filtered cigar" for filtered cigar/blunt smokers	IF R05_EVER_NEVER_GTRAD = 1 OR R05_12MBLUNT_ONLY_BTRAD = 1, THEN CIGARFILL = "traditional cigar". IF R05_EVER_NEVER_GRILLO = 1 OR R05_12MBLUNT_ONLY_BRILLO = 1, THEN CIGARFILL = "cigarillo". IF R05_EVER_NEVER_GFILTR = 1 OR R05_12MBLUNT_ONLY_BFILTR = 1, THEN CIGARFILL = "filtered cigar".

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
CIGARLOOP	Cigars as Non-Blunts: GTRAD = Youth respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Youth respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Youth respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: BTRAD = Youth respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Youth respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Youth respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: GTRAD: IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: BTRAD: IF R05_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R05_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R05_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
Youth with asthma R05_YOUTH_ASTMHA	(1) Asthma = Youth respondents who have ever had asthma. (2) No asthma = Youth respondents who have never had asthma.	IF R04_ASTMHA = 1 OR R05_YT0031_NB = 1 OR R05_YT0031_12M = 1, THEN R05_YOUTH_ASTMHA = 1. ELSE, R05_YOUTH_ASTMHA = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_SUBSTANCE_COUNT	Number of substances the youth respondent has ever used.	R05_SUBSTANCE_COUNT = 0; IF R05_EVER_USER_ALC = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_MJ = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_RIT = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_PK = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_COC = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_STIM = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_OTH = 1, SET R05_SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1.
R05_EVER_USER_ALC	Youth respondents who have ever used alcohol.	IF R04_EVER_USER_ALCOHOL = 1 OR R05_YX0084_NB = 1 OR R05_YX0084_12M = 1, THEN R05_EVER_USER_ALC = 1. ELSE, R05_EVER_USER_ALC = 2.
R05_EVER_USER_MJ	Youth respondents who have ever used marijuana.	IF R04_EVER_USER_MARIJUANA = 1 OR R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1 OR R05_YX0085_12M = 1 OR R05_YG9107 = 1, THEN R05_EVER_USER_MJ = 1. ELSE, R05_EVER_USER_MJ = 2.
R05_EVER_USER_RIT	Youth respondents who have ever used Ritalin® or Adderall®.	IF R04_EVER_USER_RITALIN = 1 OR R05_YX0089_NB_01 = 1 OR R05_YX0089_12M_01 = 1, THEN R05_EVER_USER_RIT = 1. ELSE R05_EVER_USER_RIT = 2.
R05_EVER_USER_PK	Youth respondents who have ever used painkillers, sedatives, or tranquilizers.	IF R04_EVER_USER_PAINKILLERS = 1 OR R05_YX0089_NB_02 = 1 OR R05_YX0089_12M_02 = 1, THEN R05_EVER_USER_PK = 1. ELSE R05_EVER_USER_PK = 2.

PATH Study Wave 5 Youth/Parent Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_EVER_USER_COC	Youth respondents who have ever used cocaine or crack.	IF R04_EVER_USER_COCAINE = 1 OR R05_YX0220_NB_01 = 1 OR R05_YX0220_12M_01 = 1, THEN R05_EVER_USER_COC = 1. ELSE, R05_EVER_USER_COC = 2.
R05_EVER_USER_STIM	Youth respondents who have ever used stimulants like methamphetamine or speed.	IF R04_EVER_USER_STIMULANTS = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_12M_02 = 1, THEN R05_EVER_USER_STIM = 1. ELSE, R05_EVER_USER_STIM = 2.
R05_EVER_USER_OTH	Youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_EVER_USER_OTHERDRUG = 1 OR R05_YX0220_NB_03 = 1 OR R05_YX0220_12M_03 = 1, THEN R05_EVER_USER_OTH = 1. ELSE, R05_EVER_USER_OTH = 2.

APPENDIX – YOUTH INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non - missing data.

Items**	Description of Issue	Issue Fixed during Wave 5 Data Collection?	Date Issue was Fixed
None			

APPENDIX – YOUTH INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (other - specify text response coding, interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.).

Section	Items***
Parent	R05_PT0003, R05_PT0006, R05_PR1045, R05_PR1051, R05_PR1050, R05_PM0069, R05_PM0065, R05_PM0066, R05_PM0070, R05_PM0073, R05_PM0071, R05_PM0001, R05_PM0068, R05_PM0118, R05_PM0130, R05_PL0040, R05_PX0691, R05_PN0335_01, R05_PN0335_02, R05_PN0335_03, R05_PN0335_04, R05_PN0335_05, R05_PN0335_06, R05_PN0336_01, R05_PN0336_02, R05_PN0337_01, R05_PN0337_02, R05_PT0060, R05_PT0061, R05_PT0062
Introductory Demographics	R05_YM0066, R05_YM0070, R05_YM0073
Cigarette	R05_YC1030
Electronic Nicotine Products	R05_YV9060_01, R05_YV9044, R05_YV1133, R05_YV1147, R05_YV1157, R05_YV1098, R05_YV1030, R05_YV1041_D, R05_YV1041_C, R05_YV0104
Cigar	R05_YJ1033CG, R05_YJ1039CG, R05_YG0104CL
Snus	R05_YU0104
Health	R05_YX0090, R05_YX0091, R05_YX0088, R05_YX0090_12M, R05_YX0091_12M, R05_YX0088_12M, R05_YX0136
Psychosocial	R05_YX0162, R05_YX0163, R05_YX0164, R05_YX0165, R05_YX0166, R05_YX0167, R05_YX0168, R05_YX0169, R05_YX0250, R05_YX0251, R05_YX0510_NB, R05_YX0515_NB, R05_YX0520_NB
Additional Demographics	R05_YM0007