

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 5: All
Participants - Ever/Never Reference
Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES
PATH STUDY
EVER/NEVER REFERENCE DATA
ICPSR #36498-5503

1. ICPSR customized the display of variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some variables do not show either a frequency table or summary statistics. These are variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

2. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

3. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%
4. Users should consult section 6.7 of the Public-Use Files User Guide for further information about Missing Values. All missing values correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable		Description
		Applicable data types	variable types	
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to "Don't know" or "Refused" responses, because they were "Not ascertained," or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 5: All Participants - Ever/Never Reference Data

CASEID: Case Identification Number

Case Identification Number

Long Description: ICPSR created identification variable

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Long Description: Participant ID Number.

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

R05M_SKIPPED_WAVE: MARKER - Flag Variable for Respondents who Skipped Any Wave

Long Description: Respondents who have skipped Wave 2, Wave 3, Wave 4, or Wave 5 and had completed a baseline adult or baseline youth interview prior to the skipped wave.

Algorithm: IF WAVE5_INTERVIEW = 9 OR X04M_SKIPPED_WAVE = 1 THEN
R05M_SKIPPED_WAVE = 1; ELSE IF WAVE5_INTERVIEW IN (1, 2)
AND X04M_SKIPPED_WAVE = 2 THEN R05M_SKIPPED_WAVE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	24222	36.0 %
2	2 = No	43054	64.0 %
	Total	67,276	100.0%

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

R05M_EVR_CIGS: MARKER - Ever Cigarette User as of Wave 5

Long Description: Respondent has ever used a cigarette as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_CIGS = 1 OR R05R_A_EVR_CIGS = 1 OR
X04M_EVR_CIGS = 1 THEN R05M_EVR_CIGS = 1; ELSE IF R05R_Y_EVR_CIGS = 2
OR R05R_A_EVR_CIGS = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_CIGS = 2)
THEN R05M_EVR_CIGS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR
R05R_Y_EVR_CIGS = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_CIGS =

-99933) THEN R05M_EVR_CIGS = -99933; ELSE IF R05R_Y_EVR_CIGS = -99999
OR R05R_A_EVR_CIGS = -99999 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_CIGS = -99999) THEN R05M_EVR_CIGS = -99999; ELSE IF
R05R_Y_EVR_CIGS = -99988 OR R05R_A_EVR_CIGS = -99988
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_CIGS = -99988) THEN
R05M_EVR_CIGS = -99988; ELSE IF R05R_Y_EVR_CIGS = -99977 OR
R05R_A_EVR_CIGS = -99977 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_CIGS = -99977) THEN R05M_EVR_CIGS = -99977; ELSE
IF R05R_Y_EVR_CIGS = -99966 OR R05R_A_EVR_CIGS = -99966
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_CIGS = -99966) THEN
R05M_EVR_CIGS = -99966; ELSE IF R05R_Y_EVR_CIGS = -99911 OR
R05R_A_EVR_CIGS = -99911 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_CIGS = -99911) THEN R05M_EVR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	35685	53.0 %
2	2 = No	28931	43.0 %
	Total	64,616	96.0%

This variable has 64,616 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	363	0.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	2,660	4.0%

Percentages for both tables are based on 67,276 total cases.

Location: 17-22 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_CIGS: MARKER - Ever Cigarette Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever smoked 100 or more cigarettes in his/her lifetime as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_CIGS = 1 OR R05R_A_EVR_THRSH_CIGS = 1
OR X04M_EVR_THRSH_CIGS = 1 THEN R05M_EVR_THRSH_CIGS = 1; ELSE IF
R05R_Y_EVR_THRSH_CIGS = 2 OR R05R_A_EVR_THRSH_CIGS = 2
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_CIGS = 2) THEN

R05M_EVR_THRSH_CIGS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR
R05R_Y_EVR_THRSH_CIGS = -99933 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_CIGS = -99933) THEN R05M_EVR_THRSH_CIGS = -99933;
ELSE IF R05R_Y_EVR_THRSH_CIGS = -99999 OR R05R_A_EVR_THRSH_CIGS =
-99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_CIGS = -99999) THEN
R05M_EVR_THRSH_CIGS = -99999; ELSE IF R05R_Y_EVR_THRSH_CIGS = -99988
OR R05R_A_EVR_THRSH_CIGS = -99988 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_CIGS = -99988) THEN R05M_EVR_THRSH_CIGS = -99988; ELSE
IF R05R_Y_EVR_THRSH_CIGS = -99977 OR R05R_A_EVR_THRSH_CIGS = -99977
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_CIGS = -99977) THEN
R05M_EVR_THRSH_CIGS = -99977; ELSE IF R05R_Y_EVR_THRSH_CIGS = -99966
OR R05R_A_EVR_THRSH_CIGS = -99966 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_CIGS = -99966) THEN R05M_EVR_THRSH_CIGS = -99966; ELSE
IF R05R_Y_EVR_THRSH_CIGS = -99911 OR R05R_A_EVR_THRSH_CIGS = -99911
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_CIGS = -99911) THEN
R05M_EVR_THRSH_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	22667	33.7 %
2	2 = No	39742	59.1 %
	Total	62,409	92.8%

This variable has 62,409 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	264	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	135	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	363	0.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1820	2.7 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	4,867	7.2%

Percentages for both tables are based on 67,276 total cases.

Location: 23-28 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_ECIG: MARKER - Ever E-Cigarette User as of Wave 5

Long Description: Respondent has ever used an ecigarette as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_ECIG = 1 OR R05R_A_EVR_ECIG = 1 OR
X04M_EVR_ECIG = 1 THEN R05M_EVR_ECIG = 1; ELSE IF R05R_Y_EVR_ECIG = 2

OR R05R_A_EVR_ECIG = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_ECIG = 2)
 THEN R05M_EVR_ECIG = 2; ELSE IF WAVE5_INTERVIEW = 3 OR
 R05R_Y_EVR_ECIG = -99933 OR (WAVE5_INTERVIEW = 9 AND
 X04M_EVR_ECIG = -99933) THEN R05M_EVR_ECIG = -99933; ELSE IF
 R05R_Y_EVR_ECIG = -99999 OR R05R_A_EVR_ECIG = -99999 OR
 (WAVE5_INTERVIEW = 9 AND X04M_EVR_ECIG = -99999) THEN
 R05M_EVR_ECIG = -99999; ELSE IF R05R_Y_EVR_ECIG = -99988 OR
 R05R_A_EVR_ECIG = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_ECIG =
 -99988) THEN R05M_EVR_ECIG = -99988; ELSE IF R05R_Y_EVR_ECIG = -99977
 OR R05R_A_EVR_ECIG = -99977 OR (WAVE5_INTERVIEW = 9 AND
 X04M_EVR_ECIG = -99977) THEN R05M_EVR_ECIG = -99977; ELSE
 IF R05R_Y_EVR_ECIG = -99966 OR R05R_A_EVR_ECIG = -99966
 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_ECIG = -99966) THEN
 R05M_EVR_ECIG = -99966; ELSE IF R05R_Y_EVR_ECIG = -99911 OR
 R05R_A_EVR_ECIG = -99911 OR (WAVE5_INTERVIEW = 9 AND
 X04M_EVR_ECIG = -99911) THEN R05M_EVR_ECIG = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	25138	37.4 %
2	2 = No	37612	55.9 %
	Total	62,750	93.3%

This variable has 62,750 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	109	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	86	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2059	3.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	4,526	6.7%

Percentages for both tables are based on 67,276 total cases.

Location: 29-34 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_EPRODS: MARKER - Ever E-Product User as of Wave 5

Long Description: Respondent has ever used an electronic nicotine product as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_EPRODS = 1 OR R05R_A_EVR_EPRODS = 1 OR

X04M_EVR_EPRODS = 1 THEN R05M_EVR_EPRODS = 1; ELSE IF
R05R_Y_EVR_EPRODS = 2 OR R05R_A_EVR_EPRODS = 2 OR (WAVE5_INTERVIEW =
9 AND X04M_EVR_EPRODS = 2) THEN R05M_EVR_EPRODS = 2; ELSE IF
WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_EPRODS = -99933 OR
(WAVE5_INTERVIEW = 9 AND X04M_EVR_EPRODS = -99933) THEN
R05M_EVR_EPRODS = -99933; ELSE IF R05R_Y_EVR_EPRODS = -99999 OR
R05R_A_EVR_EPRODS = -99999 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_EPRODS = -99999) THEN R05M_EVR_EPRODS = -99999; ELSE IF
R05R_Y_EVR_EPRODS = -99988 OR R05R_A_EVR_EPRODS = -99988
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_EPRODS = -99988) THEN
R05M_EVR_EPRODS = -99988; ELSE IF R05R_Y_EVR_EPRODS = -99977 OR
R05R_A_EVR_EPRODS = -99977 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_EPRODS = -99977) THEN R05M_EVR_EPRODS = -99977; ELSE IF
R05R_Y_EVR_EPRODS = -99966 OR R05R_A_EVR_EPRODS = -99966 OR
(WAVE5_INTERVIEW = 9 AND X04M_EVR_EPRODS = -99966) THEN
R05M_EVR_EPRODS = -99966; ELSE IF R05R_Y_EVR_EPRODS = -99911
OR R05R_A_EVR_EPRODS = -99911 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_EPRODS = -99911) THEN R05M_EVR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	27034	40.2 %
2	2 = No	37247	55.4 %
	Total	64,281	95.5%

This variable has 64,281 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	33	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	660	1.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	2,995	4.5%

Percentages for both tables are based on 67,276 total cases.

Location: 35-40 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_EPRODS: MARKER - Ever E-Product Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever used e-products fairly regularly as of the last wave he/she

participated in.

Algorithm: IF R05R_Y_EVR_THRSH_EPRODS = 1 OR
R05R_A_EVR_THRSH_EPRODS = 1 OR X04M_EVR_THRSH_EPRODS = 1 THEN
R05M_EVR_THRSH_EPRODS = 1; ELSE IF R05R_Y_EVR_THRSH_EPRODS = 2 OR
R05R_A_EVR_THRSH_EPRODS = 2 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_EPRODS = 2) THEN R05M_EVR_THRSH_EPRODS = 2; ELSE IF
WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_EPRODS = -99933
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_EPRODS = -99933) THEN
R05M_EVR_THRSH_EPRODS = -99933; ELSE IF R05R_Y_EVR_THRSH_EPRODS =
-99999 OR R05R_A_EVR_THRSH_EPRODS = -99999 OR (WAVE5_INTERVIEW = 9
AND X04M_EVR_THRSH_EPRODS = -99999) THEN R05M_EVR_THRSH_EPRODS =
-99999; ELSE IF R05R_Y_EVR_THRSH_EPRODS = -99988 OR
R05R_A_EVR_THRSH_EPRODS = -99988 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_EPRODS = -99988) THEN R05M_EVR_THRSH_EPRODS = -99988;
ELSE IF R05R_Y_EVR_THRSH_EPRODS = -99977 OR R05R_A_EVR_THRSH_EPRODS =
-99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_EPRODS = -99977)
THEN R05M_EVR_THRSH_EPRODS = -99977; ELSE IF
R05R_Y_EVR_THRSH_EPRODS = -99966 OR R05R_A_EVR_THRSH_EPRODS
= -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_EPRODS = -99966)
THEN R05M_EVR_THRSH_EPRODS = -99966; ELSE IF R05R_Y_EVR_THRSH_EPRODS =
-99911 OR R05R_A_EVR_THRSH_EPRODS = -99911 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_EPRODS = -99911) THEN R05M_EVR_THRSH_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9160	13.6 %
2	2 = No	51412	76.4 %
	Total	60,572	90.0%

This variable has 60,572 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	47	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	52	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	663	1.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3667	5.5 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	6,704	10.0%

Percentages for both tables are based on 67,276 total cases.

Location: 41-46 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_GTRAD: MARKER - Ever Traditional Cigar User as of Wave 5

Long Description: Respondent has ever used a traditional cigar as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_GTRAD = 1 OR R05R_A_EVR_GTRAD = 1 OR X04M_EVR_GTRAD = 1 THEN R05M_EVR_GTRAD = 1; ELSE IF R05R_Y_EVR_GTRAD = 2 OR R05R_A_EVR_GTRAD = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = 2) THEN R05M_EVR_GTRAD = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_GTRAD = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99933) THEN R05M_EVR_GTRAD = -99933; ELSE IF R05R_Y_EVR_GTRAD = -99999 OR R05R_A_EVR_GTRAD = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99999) THEN R05M_EVR_GTRAD = -99999; ELSE IF R05R_Y_EVR_GTRAD = -99988 OR R05R_A_EVR_GTRAD = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99988) THEN R05M_EVR_GTRAD = -99988; ELSE IF R05R_Y_EVR_GTRAD = -99977 OR R05R_A_EVR_GTRAD = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99977) THEN R05M_EVR_GTRAD = -99977; ELSE IF R05R_Y_EVR_GTRAD = -99966 OR R05R_A_EVR_GTRAD = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99966) THEN R05M_EVR_GTRAD = -99966; ELSE IF R05R_Y_EVR_GTRAD = -99911 OR R05R_A_EVR_GTRAD = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GTRAD = -99911) THEN R05M_EVR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17191	25.6 %
2	2 = No	46427	69.0 %
	Total	63,618	94.6%

This variable has 63,618 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	122	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	55	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1210	1.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,658	5.4%

Percentages for both tables are based on 67,276 total cases.

Location: 47-52 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_GTRAD: MARKER - Ever Traditional Cigar Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever smoked traditional cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_GTRAD = 1 OR R05R_A_EVR_THRSH_GTRAD = 1 OR X04M_EVR_THRSH_GTRAD = 1 THEN R05M_EVR_THRSH_GTRAD = 1; ELSE IF R05R_Y_EVR_THRSH_GTRAD = 2 OR R05R_A_EVR_THRSH_GTRAD = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = 2) THEN R05M_EVR_THRSH_GTRAD = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_GTRAD = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99933) THEN R05M_EVR_THRSH_GTRAD = -99933; ELSE IF R05R_Y_EVR_THRSH_GTRAD = -99999 OR R05R_A_EVR_THRSH_GTRAD = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99999) THEN R05M_EVR_THRSH_GTRAD = -99999; ELSE IF R05R_Y_EVR_THRSH_GTRAD = -99988 OR R05R_A_EVR_THRSH_GTRAD = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99988) THEN R05M_EVR_THRSH_GTRAD = -99988; ELSE IF R05R_Y_EVR_THRSH_GTRAD = -99977 OR R05R_A_EVR_THRSH_GTRAD = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99977) THEN R05M_EVR_THRSH_GTRAD = -99977; ELSE IF R05R_Y_EVR_THRSH_GTRAD = -99966 OR R05R_A_EVR_THRSH_GTRAD = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99966) THEN R05M_EVR_THRSH_GTRAD = -99966; ELSE IF R05R_Y_EVR_THRSH_GTRAD = -99911 OR R05R_A_EVR_THRSH_GTRAD = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GTRAD = -99911) THEN R05M_EVR_THRSH_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3127	4.6 %
2	2 = No	57582	85.6 %
	Total	60,709	90.2%

This variable has 60,709 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	100	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	63	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1210	1.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2910	4.3 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	6,567	9.8%

Percentages for both tables are based on 67,276 total cases.

Location: 53-58 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_GRILLO: MARKER - Ever Cigarillo User as of Wave 5

Long Description: Respondent has ever used a cigarillo as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_GRILLO = 1 OR R05R_A_EVR_GRILLO = 1 OR X04M_EVR_GRILLO = 1 THEN R05M_EVR_GRILLO = 1; ELSE IF R05R_Y_EVR_GRILLO = 2 OR R05R_A_EVR_GRILLO = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = 2) THEN R05M_EVR_GRILLO = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_GRILLO = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99933) THEN R05M_EVR_GRILLO = -99933; ELSE IF R05R_Y_EVR_GRILLO = -99999 OR R05R_A_EVR_GRILLO = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99999) THEN R05M_EVR_GRILLO = -99999; ELSE IF R05R_Y_EVR_GRILLO = -99988 OR R05R_A_EVR_GRILLO = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99988) THEN R05M_EVR_GRILLO = -99988; ELSE IF R05R_Y_EVR_GRILLO = -99977 OR R05R_A_EVR_GRILLO = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99977) THEN R05M_EVR_GRILLO = -99977; ELSE IF R05R_Y_EVR_GRILLO = -99966 OR R05R_A_EVR_GRILLO = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99966) THEN R05M_EVR_GRILLO = -99966; ELSE IF R05R_Y_EVR_GRILLO = -99911 OR R05R_A_EVR_GRILLO = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GRILLO = -99911) THEN R05M_EVR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	20942	31.1 %
2	2 = No	42183	62.7 %
	Total	63,125	93.8%

This variable has 63,125 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	197	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	95	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1588	2.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	4,151	6.2%

Percentages for both tables are based on 67,276 total cases.

Location: 59-64 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_GRILLO: MARKER - Ever Cigarillo Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever smoked cigarillos fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_GRILLO = 1 OR
R05R_A_EVR_THRSH_GRILLO = 1 OR X04M_EVR_THRSH_GRILLO = 1 THEN
R05M_EVR_THRSH_GRILLO = 1; ELSE IF R05R_Y_EVR_THRSH_GRILLO = 2 OR
R05R_A_EVR_THRSH_GRILLO = 2 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_GRILLO = 2) THEN R05M_EVR_THRSH_GRILLO = 2; ELSE IF
WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_GRILLO = -99933
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GRILLO = -99933) THEN
R05M_EVR_THRSH_GRILLO = -99933; ELSE IF R05R_Y_EVR_THRSH_GRILLO =
-99999 OR R05R_A_EVR_THRSH_GRILLO = -99999 OR (WAVE5_INTERVIEW = 9
AND X04M_EVR_THRSH_GRILLO = -99999) THEN R05M_EVR_THRSH_GRILLO =
-99999; ELSE IF R05R_Y_EVR_THRSH_GRILLO = -99988 OR
R05R_A_EVR_THRSH_GRILLO = -99988 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_THRSH_GRILLO = -99988) THEN R05M_EVR_THRSH_GRILLO = -99988;
ELSE IF R05R_Y_EVR_THRSH_GRILLO = -99977 OR R05R_A_EVR_THRSH_GRILLO =
-99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GRILLO = -99977)
THEN R05M_EVR_THRSH_GRILLO = -99977; ELSE IF
R05R_Y_EVR_THRSH_GRILLO = -99966 OR R05R_A_EVR_THRSH_GRILLO = -99966
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GRILLO = -99966) THEN
R05M_EVR_THRSH_GRILLO = -99966; ELSE IF R05R_Y_EVR_THRSH_GRILLO =
-99911 OR R05R_A_EVR_THRSH_GRILLO = -99911 OR (WAVE5_INTERVIEW = 9
AND X04M_EVR_THRSH_GRILLO = -99911) THEN R05M_EVR_THRSH_GRILLO =
-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5202	7.7 %
2	2 = No	52737	78.4 %
	Total	57,939	86.1%

This variable has 57,939 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	38	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	179	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	108	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1601	2.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	5140	7.6 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	9,337	13.9%

Percentages for both tables are based on 67,276 total cases.

Location: 65-70 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_GFILTR: MARKER - Ever Filtered Cigar User as of Wave 5

Long Description: Respondent has ever used a filtered cigar as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_GFILTR = 1 OR R05R_A_EVR_GFILTR = 1 OR X04M_EVR_GFILTR = 1 THEN R05M_EVR_GFILTR = 1; ELSE IF R05R_Y_EVR_GFILTR = 2 OR R05R_A_EVR_GFILTR = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = 2) THEN R05M_EVR_GFILTR = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_GFILTR = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99933) THEN R05M_EVR_GFILTR = -99933; ELSE IF R05R_Y_EVR_GFILTR = -99999 OR R05R_A_EVR_GFILTR = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99999) THEN R05M_EVR_GFILTR = -99999; ELSE IF R05R_Y_EVR_GFILTR = -99988 OR R05R_A_EVR_GFILTR = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99988) THEN R05M_EVR_GFILTR = -99988; ELSE IF R05R_Y_EVR_GFILTR = -99977 OR R05R_A_EVR_GFILTR = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99977) THEN R05M_EVR_GFILTR = -99977; ELSE IF R05R_Y_EVR_GFILTR = -99966 OR R05R_A_EVR_GFILTR = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99966) THEN R05M_EVR_GFILTR = -99966; ELSE IF R05R_Y_EVR_GFILTR = -99911 OR R05R_A_EVR_GFILTR = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_GFILTR = -99911) THEN R05M_EVR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11257	16.7 %
2	2 = No	51631	76.7 %
	Total	62,888	93.5%

This variable has 62,888 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	203	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	98	0.1 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1816	2.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	4,388	6.5%

Percentages for both tables are based on 67,276 total cases.

Location: 71-76 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_GFILTR: MARKER - Ever Filtered Cigar Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever smoked filtered cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_GFILTR = 1 OR R05R_A_EVR_THRSH_GFILTR = 1 OR X04M_EVR_THRSH_GFILTR = 1 THEN R05M_EVR_THRSH_GFILTR = 1; ELSE IF R05R_Y_EVR_THRSH_GFILTR = 2 OR R05R_A_EVR_THRSH_GFILTR = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = 2) THEN R05M_EVR_THRSH_GFILTR = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_GFILTR = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99933) THEN R05M_EVR_THRSH_GFILTR = -99933; ELSE IF R05R_Y_EVR_THRSH_GFILTR = -99999 OR R05R_A_EVR_THRSH_GFILTR = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99999) THEN R05M_EVR_THRSH_GFILTR = -99999; ELSE IF R05R_Y_EVR_THRSH_GFILTR = -99988 OR R05R_A_EVR_THRSH_GFILTR = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99988) THEN R05M_EVR_THRSH_GFILTR = -99988; ELSE IF R05R_Y_EVR_THRSH_GFILTR = -99977 OR R05R_A_EVR_THRSH_GFILTR = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99977) THEN R05M_EVR_THRSH_GFILTR = -99977; ELSE IF R05R_Y_EVR_THRSH_GFILTR = -99966 OR R05R_A_EVR_THRSH_GFILTR = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99966) THEN R05M_EVR_THRSH_GFILTR = -99966; ELSE IF R05R_Y_EVR_THRSH_GFILTR = -99911 OR R05R_A_EVR_THRSH_GFILTR = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_GFILTR = -99911) THEN R05M_EVR_THRSH_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2831	4.2 %
2	2 = No	57585	85.6 %
	Total	60,416	89.8%

This variable has 60,416 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	21	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	188	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	103	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1817	2.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2460	3.7 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	6,860	10.2%

Percentages for both tables are based on 67,276 total cases.

Location: 77-82 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_BLUNTONLY: MARKER - Ever Blunt-Only User as of Wave 5

Long Description: Respondent has ever used cigars as blunts as of the last wave he/she participated in.

Algorithm: IF R05R_Y_BLUNTONLY = 1 OR R05R_A_BLUNTONLY = 1 OR X04M_EVR_BLUNTONLY = 1 THEN R05M_EVR_BLUNTONLY = 1; ELSE IF R05R_Y_BLUNTONLY = 2 OR R05R_A_BLUNTONLY = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = 2) THEN R05M_EVR_BLUNTONLY = 2; ELSE IF (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99933) THEN R05M_EVR_BLUNTONLY = -99933; ELSE IF R05R_Y_BLUNTONLY = -99999 OR R05R_A_BLUNTONLY = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99999) THEN R05M_EVR_BLUNTONLY = -99999; ELSE IF R05R_Y_BLUNTONLY = -99988 OR R05R_A_BLUNTONLY = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99988) THEN R05M_EVR_BLUNTONLY = -99988; ELSE IF R05R_Y_BLUNTONLY = -99977 OR R05R_A_BLUNTONLY = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99977) THEN R05M_EVR_BLUNTONLY = -99977; ELSE IF R05R_Y_BLUNTONLY = -99966 OR R05R_A_BLUNTONLY = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99966) THEN R05M_EVR_BLUNTONLY = -99966; ELSE IF R05R_Y_BLUNTONLY = -99911 OR R05R_A_BLUNTONLY = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_BLUNTONLY = -99911) THEN R05M_EVR_BLUNTONLY = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4440	6.6 %
2	2 = No	60211	89.5 %
	Total	64,651	96.1%

This variable has 64,651 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	83	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	70	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	201	0.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	2,625	3.9%

Percentages for both tables are based on 67,276 total cases.

Location: 83-88 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_PIPE: MARKER - Ever Pipe User as of Wave 5

Long Description: Respondent has ever used a pipe as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_PIPE = 1 OR R05R_A_EVR_PIPE = 1 OR X04M_EVR_PIPE = 1 THEN R05M_EVR_PIPE = 1; ELSE IF R05R_Y_EVR_PIPE = 2 OR R05R_A_EVR_PIPE = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = 2) THEN R05M_EVR_PIPE = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_PIPE = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99933) THEN R05M_EVR_PIPE = -99933; ELSE IF R05R_Y_EVR_PIPE = -99999 OR R05R_A_EVR_PIPE = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99999) THEN R05M_EVR_PIPE = -99999; ELSE IF R05R_Y_EVR_PIPE = -99988 OR R05R_A_EVR_PIPE = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99988) THEN R05M_EVR_PIPE = -99988; ELSE IF R05R_Y_EVR_PIPE = -99977 OR R05R_A_EVR_PIPE = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99977) THEN R05M_EVR_PIPE = -99977; ELSE IF R05R_Y_EVR_PIPE = -99966 OR R05R_A_EVR_PIPE = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99966) THEN R05M_EVR_PIPE = -99966; ELSE IF R05R_Y_EVR_PIPE = -99911 OR R05R_A_EVR_PIPE = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_PIPE = -99911) THEN R05M_EVR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9866	14.7 %
2	2 = No	54092	80.4 %
	Total	63,958	95.1%

This variable has 63,958 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	45	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	959	1.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,318	4.9%

Percentages for both tables are based on 67,276 total cases.

Location: 89-94 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_PIPE: MARKER - Ever Pipe Lifetime Threshold of Use as of Wave 5 - Adult Only

Long Description: Respondent has ever smoked pipes fairly regularly as of the last wave he/she participated in. Assessed of adult respondents only.

Algorithm: IF R05R_A_EVR_THRSH_PIPE = 1 OR X04M_EVR_THRSH_PIPE = 1 THEN R05M_EVR_THRSH_PIPE = 1; ELSE IF R05R_A_EVR_THRSH_PIPE = 2 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = 2) THEN R05M_EVR_THRSH_PIPE = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_A_EVR_THRSH_PIPE = -99933 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99933) THEN R05M_EVR_THRSH_PIPE = -99933; ELSE IF R05R_A_EVR_THRSH_PIPE = -99999 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99999) THEN R05M_EVR_THRSH_PIPE = -99999; ELSE IF R05R_A_EVR_THRSH_PIPE = -99988 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99988) THEN R05M_EVR_THRSH_PIPE = -99988; ELSE IF R05R_A_EVR_THRSH_PIPE = -99977 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99977) THEN R05M_EVR_THRSH_PIPE = -99977; ELSE IF R05R_A_EVR_THRSH_PIPE = -99966 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99966) THEN R05M_EVR_THRSH_PIPE = -99966; ELSE IF R05R_A_EVR_THRSH_PIPE = -99911 OR (WAVE5_INTERVIEW IN (2,9) AND X04M_EVR_THRSH_PIPE = -99911) THEN R05M_EVR_THRSH_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2082	3.1 %
2	2 = No	44037	65.5 %
	Total	46,119	68.6%

This variable has 46,119 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	745	1.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	5668	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14671	21.8 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	21,157	31.4%

Percentages for both tables are based on 67,276 total cases.

Location: 95-100 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_HOOK: MARKER - Ever Hookah User as of Wave 5

Long Description: Respondent has ever used a hookah as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_HOOK = 1 OR R05R_A_EVR_HOOK = 1 OR X04M_EVR_HOOK = 1 THEN R05M_EVR_HOOK = 1; ELSE IF R05R_Y_EVR_HOOK = 2 OR R05R_A_EVR_HOOK = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = 2) THEN R05M_EVR_HOOK = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_HOOK = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99933) THEN R05M_EVR_HOOK = -99933; ELSE IF R05R_Y_EVR_HOOK = -99999 OR R05R_A_EVR_HOOK = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99999) THEN R05M_EVR_HOOK = -99999; ELSE IF R05R_Y_EVR_HOOK = -99988 OR R05R_A_EVR_HOOK = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99988) THEN R05M_EVR_HOOK = -99988; ELSE IF R05R_Y_EVR_HOOK = -99977 OR R05R_A_EVR_HOOK = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99977) THEN R05M_EVR_HOOK = -99977; ELSE IF R05R_Y_EVR_HOOK = -99966 OR R05R_A_EVR_HOOK = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99966) THEN R05M_EVR_HOOK = -99966; ELSE IF R05R_Y_EVR_HOOK = -99911 OR R05R_A_EVR_HOOK = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_HOOK = -99911) THEN R05M_EVR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17306	25.7 %
2	2 = No	46921	69.7 %
	Total	64,227	95.5%

This variable has 64,227 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	718	1.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,049	4.5%

Percentages for both tables are based on 67,276 total cases.

Location: 101-106 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_HOOK: MARKER - Ever Hookah Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever smoked hookah fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_HOOK = 1 OR R05R_A_EVR_THRSH_HOOK = 1 OR X04M_EVR_THRSH_HOOK = 1 THEN R05M_EVR_THRSH_HOOK = 1; ELSE IF R05R_Y_EVR_THRSH_HOOK = 2 OR R05R_A_EVR_THRSH_HOOK = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = 2) THEN R05M_EVR_THRSH_HOOK = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_HOOK = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99933) THEN R05M_EVR_THRSH_HOOK = -99933; ELSE IF R05R_Y_EVR_THRSH_HOOK = -99999 OR R05R_A_EVR_THRSH_HOOK = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99999) THEN R05M_EVR_THRSH_HOOK = -99999; ELSE IF R05R_Y_EVR_THRSH_HOOK = -99988 OR R05R_A_EVR_THRSH_HOOK = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99988) THEN R05M_EVR_THRSH_HOOK = -99988; ELSE IF R05R_Y_EVR_THRSH_HOOK = -99977 OR R05R_A_EVR_THRSH_HOOK = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99977) THEN R05M_EVR_THRSH_HOOK = -99977; ELSE IF R05R_Y_EVR_THRSH_HOOK = -99966 OR R05R_A_EVR_THRSH_HOOK = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99966) THEN R05M_EVR_THRSH_HOOK = -99966; ELSE IF R05R_Y_EVR_THRSH_HOOK = -99911 OR R05R_A_EVR_THRSH_HOOK = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_HOOK = -99911) THEN R05M_EVR_THRSH_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3172	4.7 %
2	2 = No	58672	87.2 %
	Total	61,844	91.9%

This variable has 61,844 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	22	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	34	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	718	1.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2341	3.5 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	5,432	8.1%

Percentages for both tables are based on 67,276 total cases.

Location: 107-112 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_SNUS: MARKER - Ever Snus Pouch User as of Wave 5

Long Description: Respondent has ever used snus pouches as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_SNUS = 1 OR R05R_A_EVR_SNUS = 1 OR
X04M_EVR_SNUS = 1 THEN R05M_EVR_SNUS = 1; ELSE IF R05R_Y_EVR_SNUS = 2
OR R05R_A_EVR_SNUS = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SNUS = 2)
THEN R05M_EVR_SNUS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR
R05R_Y_EVR_SNUS = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SNUS =
-99933) THEN R05M_EVR_SNUS = -99933; ELSE IF R05R_Y_EVR_SNUS = -99999
OR R05R_A_EVR_SNUS = -99999 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_SNUS = -99999) THEN R05M_EVR_SNUS = -99999; ELSE IF
R05R_Y_EVR_SNUS = -99988 OR R05R_A_EVR_SNUS = -99988
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SNUS = -99988) THEN
R05M_EVR_SNUS = -99988; ELSE IF R05R_Y_EVR_SNUS = -99977 OR
R05R_A_EVR_SNUS = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SNUS =
-99977) THEN R05M_EVR_SNUS = -99977; ELSE IF R05R_Y_EVR_SNUS = -99966
OR R05R_A_EVR_SNUS = -99966 OR (WAVE5_INTERVIEW = 9 AND
X04M_EVR_SNUS = -99966) THEN R05M_EVR_SNUS = -99966; ELSE IF
R05R_Y_EVR_SNUS = -99911 OR R05R_A_EVR_SNUS = -99911
OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SNUS = -99911) THEN
R05M_EVR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5620	8.4 %
2	2 = No	57957	86.1 %
	Total	63,577	94.5%

This variable has 63,577 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	79	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1306	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,699	5.5%

Percentages for both tables are based on 67,276 total cases.

Location: 113-118 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_SNUS: MARKER - Ever Snus Pouch Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever used snus pouches fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_SNUS = 1 OR R05R_A_EVR_THRSH_SNUS = 1 OR X04M_EVR_THRSH_SNUS = 1 THEN R05M_EVR_THRSH_SNUS = 1; ELSE IF R05R_Y_EVR_THRSH_SNUS = 2 OR R05R_A_EVR_THRSH_SNUS = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = 2) THEN R05M_EVR_THRSH_SNUS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_SNUS = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99933) THEN R05M_EVR_THRSH_SNUS = -99933; ELSE IF R05R_Y_EVR_THRSH_SNUS = -99999 OR R05R_A_EVR_THRSH_SNUS = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99999) THEN R05M_EVR_THRSH_SNUS = -99999; ELSE IF R05R_Y_EVR_THRSH_SNUS = -99988 OR R05R_A_EVR_THRSH_SNUS = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99988) THEN R05M_EVR_THRSH_SNUS = -99988; ELSE IF R05R_Y_EVR_THRSH_SNUS = -99977 OR R05R_A_EVR_THRSH_SNUS = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99977) THEN R05M_EVR_THRSH_SNUS = -99977; ELSE IF R05R_Y_EVR_THRSH_SNUS = -99966 OR R05R_A_EVR_THRSH_SNUS = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99966) THEN R05M_EVR_THRSH_SNUS = -99966; ELSE IF R05R_Y_EVR_THRSH_SNUS = -99911 OR R05R_A_EVR_THRSH_SNUS = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SNUS = -99911) THEN R05M_EVR_THRSH_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1757	2.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	60212	89.5 %
	Total	61,969	92.1%

This variable has 61,969 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	6	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	71	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1306	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1610	2.4 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	5,307	7.9%

Percentages for both tables are based on 67,276 total cases.

Location: 119-124 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_SMKLS: MARKER - Ever Smokeless Tobacco User as of Wave 5

Long Description: Respondent has ever used smokeless tobacco as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_SMKLS = 1 OR R05R_A_EVR_SMKLS = 1 OR X04M_EVR_SMKLS = 1 THEN R05M_EVR_SMKLS = 1; ELSE IF R05R_Y_EVR_SMKLS = 2 OR R05R_A_EVR_SMKLS = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = 2) THEN R05M_EVR_SMKLS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_SMKLS = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99933) THEN R05M_EVR_SMKLS = -99933; ELSE IF R05R_Y_EVR_SMKLS = -99999 OR R05R_A_EVR_SMKLS = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99999) THEN R05M_EVR_SMKLS = -99999; ELSE IF R05R_Y_EVR_SMKLS = -99988 OR R05R_A_EVR_SMKLS = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99988) THEN R05M_EVR_SMKLS = -99988; ELSE IF R05R_Y_EVR_SMKLS = -99977 OR R05R_A_EVR_SMKLS = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99977) THEN R05M_EVR_SMKLS = -99977; ELSE IF R05R_Y_EVR_SMKLS = -99966 OR R05R_A_EVR_SMKLS = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99966) THEN R05M_EVR_SMKLS = -99966; ELSE IF R05R_Y_EVR_SMKLS = -99911 OR R05R_A_EVR_SMKLS = -99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_SMKLS = -99911) THEN R05M_EVR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10276	15.3 %
2	2 = No	53440	79.4 %
	Total	63,716	94.7%

This variable has 63,716 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	48	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	40	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1201	1.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,560	5.3%

Percentages for both tables are based on 67,276 total cases.

Location: 125-130 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_THRSH_SMKLS: MARKER - Ever Smokeless Tobacco Lifetime Threshold of Use as of Wave 5

Long Description: Respondent has ever used smokeless tobacco fairly regularly as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_THRSH_SMKLS = 1 OR R05R_A_EVR_THRSH_SMKLS = 1 OR X04M_EVR_THRSH_SMKLS = 1 THEN R05M_EVR_THRSH_SMKLS = 1; ELSE IF R05R_Y_EVR_THRSH_SMKLS = 2 OR R05R_A_EVR_THRSH_SMKLS = 2 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = 2) THEN R05M_EVR_THRSH_SMKLS = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_THRSH_SMKLS = -99933 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99933) THEN R05M_EVR_THRSH_SMKLS = -99933; ELSE IF R05R_Y_EVR_THRSH_SMKLS = -99999 OR R05R_A_EVR_THRSH_SMKLS = -99999 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99999) THEN R05M_EVR_THRSH_SMKLS = -99999; ELSE IF R05R_Y_EVR_THRSH_SMKLS = -99988 OR R05R_A_EVR_THRSH_SMKLS = -99988 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99988) THEN R05M_EVR_THRSH_SMKLS = -99988; ELSE IF R05R_Y_EVR_THRSH_SMKLS = -99977 OR R05R_A_EVR_THRSH_SMKLS = -99977 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99977) THEN R05M_EVR_THRSH_SMKLS = -99977; ELSE IF R05R_Y_EVR_THRSH_SMKLS = -99966 OR R05R_A_EVR_THRSH_SMKLS = -99966 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99966) THEN R05M_EVR_THRSH_SMKLS = -99966; ELSE IF R05R_Y_EVR_THRSH_SMKLS = -99911 OR R05R_A_EVR_THRSH_SMKLS =

-99911 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_THRSH_SMKLS = -99911)
 THEN R05M_EVR_THRSH_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4492	6.7 %
2	2 = No	57002	84.7 %
	Total	61,494	91.4%

This variable has 61,494 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	9	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	49	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	40	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1201	1.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2212	3.3 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	5,782	8.6%

Percentages for both tables are based on 67,276 total cases.

Location: 131-136 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_DISSBL: MARKER - Ever Dissolvable Tobacco User as of Wave 5

Long Description: Respondent has ever used dissolvable tobacco as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_DISSBL = 1 OR R05R_A_EVR_DISSBL = 1 OR
 X04M_EVR_DISSBL = 1 THEN R05M_EVR_DISSBL = 1; ELSE IF
 R05R_Y_EVR_DISSBL = 2 OR R05R_A_EVR_DISSBL = 2 OR (WAVE5_INTERVIEW =
 9 AND X04M_EVR_DISSBL = 2) THEN R05M_EVR_DISSBL = 2; ELSE IF
 WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_DISSBL = -99933 OR (WAVE5_INTERVIEW =
 9 AND X04M_EVR_DISSBL = -99933) THEN R05M_EVR_DISSBL = -99933; ELSE IF
 R05R_Y_EVR_DISSBL = -99999 OR R05R_A_EVR_DISSBL = -99999
 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_DISSBL = -99999) THEN
 R05M_EVR_DISSBL = -99999; ELSE IF R05R_Y_EVR_DISSBL = -99988 OR
 R05R_A_EVR_DISSBL = -99988 OR (WAVE5_INTERVIEW = 9 AND
 X04M_EVR_DISSBL = -99988) THEN R05M_EVR_DISSBL = -99988; ELSE IF
 R05R_Y_EVR_DISSBL = -99977 OR R05R_A_EVR_DISSBL = -99977
 OR (WAVE5_INTERVIEW = 9 AND X04M_EVR_DISSBL = -99977) THEN
 R05M_EVR_DISSBL = -99977; ELSE IF R05R_Y_EVR_DISSBL = -99966 OR
 R05R_A_EVR_DISSBL = -99966 OR (WAVE5_INTERVIEW = 9 AND
 X04M_EVR_DISSBL = -99966) THEN R05M_EVR_DISSBL = -99966; ELSE IF

R05R_Y_EVR_DISSBL = -99911 OR R05R_A_EVR_DISSBL = -99911 OR
(WAVE5_INTERVIEW = 9 AND X04M_EVR_DISSBL = -99911) THEN
R05M_EVR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	786	1.2 %
2	2 = No	63043	93.7 %
	Total	63,829	94.9%

This variable has 63,829 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	53	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	39	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1084	1.6 %
-99933	-99933 = Missing due to respondent not being in previous wave	2263	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	3,447	5.1%

Percentages for both tables are based on 67,276 total cases.

Location: 137-142 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_BIDI: MARKER - Ever Bidi User as of Wave 5

Long Description: Respondent has ever used a bidi as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_BIDI = 1 OR X04M_EVR_BIDI = 1 THEN
R05M_EVR_BIDI = 1; ELSE IF R05R_Y_EVR_BIDI = 2 OR (WAVE5_INTERVIEW in
(1,9) AND X04M_EVR_BIDI = 2) THEN R05M_EVR_BIDI = 2; ELSE IF
WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_BIDI = -99933 OR (WAVE5_INTERVIEW
in (1,9) AND X04M_EVR_BIDI = -99933) THEN R05M_EVR_BIDI = -99933; ELSE
IF R05R_Y_EVR_BIDI = -99999 OR (WAVE5_INTERVIEW in (1,9) AND
X04M_EVR_BIDI = -99999) THEN R05M_EVR_BIDI = -99999; ELSE IF
R05R_Y_EVR_BIDI = -99988 OR (WAVE5_INTERVIEW in (1,9) AND
X04M_EVR_BIDI = -99988) THEN R05M_EVR_BIDI = -99988; ELSE IF
R05R_Y_EVR_BIDI = -99977 OR (WAVE5_INTERVIEW in (1,9) AND
X04M_EVR_BIDI = -99977) THEN R05M_EVR_BIDI = -99977; ELSE IF
R05R_Y_EVR_BIDI = -99966 OR (WAVE5_INTERVIEW in (1,9) AND
X04M_EVR_BIDI = -99966) THEN R05M_EVR_BIDI = -99966; ELSE IF
R05R_Y_EVR_BIDI = -99911 OR (WAVE5_INTERVIEW in (1,9) AND

X04M_EVR_BIDI = -99911) THEN R05M_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	103	0.2 %
2	2 = No	25782	38.3 %
	Total	25,885	38.5%

This variable has 25,885 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	66	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	33	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	640	1.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2264	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	38380	57.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	41,391	61.5%

Percentages for both tables are based on 67,276 total cases.

Location: 143-148 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R05M_EVR_KRETEK: MARKER - Ever Kretek User as of Wave 5

Long Description: Respondent has ever used a kretek as of the last wave he/she participated in.

Algorithm: IF R05R_Y_EVR_KRETEK = 1 OR X04M_EVR_KRETEK = 1 THEN R05M_EVR_KRETEK = 1; ELSE IF R05R_Y_EVR_KRETEK = 2 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = 2) THEN R05M_EVR_KRETEK = 2; ELSE IF WAVE5_INTERVIEW = 3 OR R05R_Y_EVR_KRETEK = -99933 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99933) THEN R05M_EVR_KRETEK = -99933; ELSE IF R05R_Y_EVR_KRETEK = -99999 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99999) THEN R05M_EVR_KRETEK = -99999; ELSE IF R05R_Y_EVR_KRETEK = -99988 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99988) THEN R05M_EVR_KRETEK = -99988; ELSE IF R05R_Y_EVR_KRETEK = -99977 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99977) THEN R05M_EVR_KRETEK = -99977; ELSE IF R05R_Y_EVR_KRETEK = -99966 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99966) THEN R05M_EVR_KRETEK = -99966; ELSE IF R05R_Y_EVR_KRETEK = -99911 OR (WAVE5_INTERVIEW IN (1,9) AND X04M_EVR_KRETEK = -99911) THEN R05M_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	160	0.2 %
2	2 = No	25740	38.3 %
	Total	25,900	38.5%

This variable has 25,900 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	63	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	634	0.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2264	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	38380	57.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	41,376	61.5%

Percentages for both tables are based on 67,276 total cases.

Location: 149-154 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777