

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

*United States Department of Health and Human Services.
National Institutes of Health. National Institute on Drug
Abuse*

*United States Department of Health and Human Services.
Food and Drug Administration. Center for Tobacco Products*

**ICPSR Codebook for Wave 6: All Participants - Ever/
Never Reference Data**

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The [terms of use](https://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms) for this study can be found at:
<https://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

CODEBOOK DISPLAY NOTES
PATH STUDY
EVER/NEVER REFERENCE DATA
ICPSR #36498-6503

1. ICPSR customized the display of variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some variables do not show either a frequency table or summary statistics. These are variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

2. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

3. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%
4. Users should consult section 6.7 of the Public-Use Files User Guide for further information about Missing Values. All missing values correspond to the descriptions listed in the following table.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 6: All Participants - Ever/Never Reference Data

CASEID: Case Identification Number

Case Identification Number

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Long Description: Participant ID Number.

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 6-25 (width: 20; decimal: 0)

Variable Type: character

R06M_SKIPPED_WAVE: MARKER - Flag Variable for Respondents who Skipped Any Wave

Long Description: Respondents who have skipped Wave 2, Wave 3, Wave 4, Wave 4.5, Wave 5, Wave 5.5, or Wave 6 and had completed a baseline adult or baseline youth interview prior to the skipped wave.

Algorithm: IF WAVE6_INTERVIEW = 9 OR X05M_SKIPPED_WAVE = 1 THEN
R06M_SKIPPED_WAVE = 1; ELSE IF (WAVE6_INTERVIEW IN (1, 2) AND
X05M_SKIPPED_WAVE = 2) OR WAVE6_INTERVIEW = 3 THEN R06M_SKIPPED_WAVE = 2;
ELSE R06M_SKIPPED_WAVE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	35115	52.2%
2	2 = No	32153	47.8%
	Total	67,268	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
	Total	8	0.0%

This variable has 67,268 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 26-33 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R06M_EVR_CIGS: MARKER - Ever Cigarette User as of Wave 6

Long Description: Respondent has ever used a cigarette as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_CIGS = 1 OR R06R_A_EVR_CIGS = 1 OR
X05M_EVR_CIGS = 1 THEN R06M_EVR_CIGS = 1; ELSE IF
R06R_Y_EVR_CIGS = 2 OR R06R_A_EVR_CIGS = 2 OR (WAVE6_INTERVIEW = 9
AND X05M_EVR_CIGS = 2) THEN R06M_EVR_CIGS = 2; ELSE
R06M_EVR_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	36479	54.2%
2	2 = No	28251	42.0%
	Total	64,730	96.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	2538	3.8%
	Total	2,546	3.8%

This variable has 64,730 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 34-41 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_CIGS: MARKER - Ever Cigarette Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever smoked 100 or more cigarettes in his/her lifetime as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_CIGS = 1 OR
R06R_A_EVR_THRSH_CIGS = 1 OR X05M_EVR_THRSH_CIGS = 1 THEN
R06M_EVR_THRSH_CIGS = 1; ELSE IF R06R_Y_EVR_THRSH_CIGS = 2
OR R06R_A_EVR_THRSH_CIGS = 2 OR (WAVE6_INTERVIEW = 9 AND
X05M_EVR_THRSH_CIGS = 2) THEN R06M_EVR_THRSH_CIGS = 2; ELSE
R06M_EVR_THRSH_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	23298	34.6%
2	2 = No	38096	56.6%
	Total	61,394	91.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	5874	8.7%
	Total	5,882	8.7%

This variable has 61,394 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 42-49 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_EPRODS: MARKER - Ever E-Product User as of Wave 6

Long Description: Respondent has ever used an electronic nicotine product as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_EPRODS = 1 OR R06R_A_EVR_EPRODS = 1
OR X05M_EVR_EPRODS = 1 THEN R06M_EVR_EPRODS = 1;
ELSE IF R06R_Y_EVR_EPRODS = 2 OR R06R_A_EVR_EPRODS = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_EPRODS = 2) THEN
R06M_EVR_EPRODS = 2; ELSE R06M_EVR_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	28478	42.3%
2	2 = No	35929	53.4%
	Total	64,407	95.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	2861	4.3%
	Total	2,869	4.3%

This variable has 64,407 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 50-57 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_EPRODS: MARKER - Ever E-Product Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever used e-products fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_EPRODS = 1 OR
R06R_A_EVR_THRSH_EPRODS = 1 OR X05M_EVR_THRSH_EPRODS = 1 THEN
R06M_EVR_THRSH_EPRODS = 1; ELSE IF R06R_Y_EVR_THRSH_EPRODS = 2
OR R06R_A_EVR_THRSH_EPRODS = 2 OR (WAVE6_INTERVIEW = 9 AND
X05M_EVR_THRSH_EPRODS = 2) THEN R06M_EVR_THRSH_EPRODS = 2;
ELSE R06M_EVR_THRSH_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10861	16.1%
2	2 = No	47523	70.6%
	Total	58,384	86.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	8884	13.2%
	Total	8,892	13.2%

This variable has 58,384 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 58-65 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_GTRAD: MARKER - Ever Traditional Cigar User as of Wave 6

Long Description: Respondent has ever used a traditional cigar as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_GTRAD = 1 OR R06R_A_EVR_GTRAD = 1 OR
X05M_EVR_GTRAD = 1 THEN R06M_EVR_GTRAD = 1; ELSE IF
R06R_Y_EVR_GTRAD = 2 OR R06R_A_EVR_GTRAD = 2 OR (WAVE6_INTERVIEW = 9
AND X05M_EVR_GTRAD = 2) THEN R06M_EVR_GTRAD = 2; ELSE R06M_EVR_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	18023	26.8%
2	2 = No	45760	68.0%
	Total	63,783	94.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3485	5.2%

Value	Missing Data	Unweighted Frequency	%
	Total	3,493	5.2%

This variable has 63,783 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 66-73 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_GTRAD: MARKER - Ever Traditional Cigar Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever smoked traditional cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_GTRAD = 1 OR
R06R_A_EVR_THRSH_GTRAD = 1 OR X05M_EVR_THRSH_GTRAD = 1 THEN
R06M_EVR_THRSH_GTRAD = 1; ELSE IF R06R_Y_EVR_THRSH_GTRAD = 2
OR R06R_A_EVR_THRSH_GTRAD = 2 OR (WAVE6_INTERVIEW = 9
AND X05M_EVR_THRSH_GTRAD = 2) THEN R06M_EVR_THRSH_GTRAD = 2;
ELSE R06M_EVR_THRSH_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3422	5.1%
2	2 = No	56194	83.5%
	Total	59,616	88.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	7652	11.4%
	Total	7,660	11.4%

This variable has 59,616 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 74-81 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_GRILLO: MARKER - Ever Cigarillo User as of Wave 6

Long Description: Respondent has ever used a cigarillo as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_GRILLO = 1 OR R06R_A_EVR_GRILLO = 1 OR
X05M_EVR_GRILLO = 1 THEN R06M_EVR_GRILLO = 1; ELSE IF

R06R_Y_EVR_GRILLO = 2 OR R06R_A_EVR_GRILLO = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_GRILLO = 2) THEN R06M_EVR_GRILLO = 2;
ELSE R06M_EVR_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21563	32.1%
2	2 = No	41720	62.0%
	Total	63,283	94.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3985	5.9%
	Total	3,993	5.9%

This variable has 63,283 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 82-89 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_GRILLO: MARKER - Ever Cigarillo Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever smoked cigarillos fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_GRILLO = 1 OR
R06R_A_EVR_THRSH_GRILLO = 1 OR X05M_EVR_THRSH_GRILLO = 1 THEN
R06M_EVR_THRSH_GRILLO = 1; ELSE IF R06R_Y_EVR_THRSH_GRILLO = 2
OR R06R_A_EVR_THRSH_GRILLO = 2 OR (WAVE6_INTERVIEW = 9
AND X05M_EVR_THRSH_GRILLO = 2) THEN R06M_EVR_THRSH_GRILLO = 2;
ELSE R06M_EVR_THRSH_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5724	8.5%
2	2 = No	51027	75.8%
	Total	56,751	84.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	10517	15.6%
	Total	10,525	15.6%

This variable has 56,751 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 90-97 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_GFILTR: MARKER - Ever Filtered Cigar User as of Wave 6

Long Description: Respondent has ever used a filtered cigar as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_GFILTR = 1 OR R06R_A_EVR_GFILTR = 1 OR X05M_EVR_GFILTR = 1 THEN R06M_EVR_GFILTR = 1; ELSE IF R06R_Y_EVR_GFILTR = 2 OR R06R_A_EVR_GFILTR = 2 OR (WAVE6_INTERVIEW = 9 AND X05M_EVR_GFILTR = 2) THEN R06M_EVR_GFILTR = 2; ELSE R06M_EVR_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11628	17.3%
2	2 = No	51423	76.4%
	Total	63,051	93.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	4217	6.3%
	Total	4,225	6.3%

This variable has 63,051 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 98-105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_GFILTR: MARKER - Ever Filtered Cigar Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever smoked filtered cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_GFILTR = 1 OR R06R_A_EVR_THRSH_GFILTR = 1 OR X05M_EVR_THRSH_GFILTR = 1 THEN R06M_EVR_THRSH_GFILTR = 1; ELSE IF R06R_Y_EVR_THRSH_GFILTR = 2 OR R06R_A_EVR_THRSH_GFILTR = 2 OR (WAVE6_INTERVIEW = 9 AND X05M_EVR_THRSH_GFILTR = 2) THEN R06M_EVR_THRSH_GFILTR = 2; ELSE R06M_EVR_THRSH_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3144	4.7%
2	2 = No	56595	84.1%
	Total	59,739	88.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	7529	11.2%
	Total	7,537	11.2%

This variable has 59,739 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 106-113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_BLUNTONLY: MARKER - Ever Blunt-Only User as of Wave 6

Long Description: Respondent has ever used cigars as blunts as of the last wave he/she participated in.

Algorithm: IF R06R_Y_BLUNTONLY = 1 OR R06R_A_BLUNTONLY = 1 OR
X05M_EVR_BLUNTONLY = 1 THEN R06M_EVR_BLUNTONLY = 1; ELSE IF
R06R_Y_BLUNTONLY = 2 OR R06R_A_BLUNTONLY = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_BLUNTONLY = 2) THEN
R06M_EVR_BLUNTONLY = 2; ELSE R06M_EVR_BLUNTONLY = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6535	9.7%
2	2 = No	58218	86.5%
	Total	64,753	96.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	2515	3.7%
	Total	2,523	3.8%

This variable has 64,753 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 114-121 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_PIPE: MARKER - Ever Pipe User as of Wave 6

Long Description: Respondent has ever used a pipe as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_PIPE = 1 OR R06R_A_EVR_PIPE = 1 OR
X05M_EVR_PIPE = 1 THEN R06M_EVR_PIPE = 1; ELSE IF
R06R_Y_EVR_PIPE = 2 OR R06R_A_EVR_PIPE = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_PIPE = 2) THEN
R06M_EVR_PIPE = 2; ELSE R06M_EVR_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10154	15.1%
2	2 = No	53959	80.2%
	Total	64,113	95.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3155	4.7%
	Total	3,163	4.7%

This variable has 64,113 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 122-129 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_PIPE: MARKER - Ever Pipe Lifetime Threshold of Use as of Wave 6 - Adult Only

Long Description: Respondent has ever smoked pipes fairly regularly as of the last wave he/she participated in. Assessed of adult respondents only.

Algorithm: IF R06R_A_EVR_THRSH_PIPE = 1 OR
X05M_EVR_THRSH_PIPE = 1 THEN R06M_EVR_THRSH_PIPE = 1; ELSE IF
R06R_A_EVR_THRSH_PIPE = 2 OR (WAVE6_INTERVIEW IN (2,9) AND
X05M_EVR_THRSH_PIPE = 2) THEN R06M_EVR_THRSH_PIPE = 2; ELSE
R06M_EVR_THRSH_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2241	3.3%
2	2 = No	47423	70.5%

Value	Label	Unweighted Frequency	%
	Total	49,664	73.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	17604	26.2%
	Total	17,612	26.2%

This variable has 49,664 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 130-137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_HOOK: MARKER - Ever Hookah User as of Wave 6

Long Description: Respondent has ever used a hookah as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_HOOK = 1 OR R06R_A_EVR_HOOK = 1 OR X05M_EVR_HOOK = 1 THEN R06M_EVR_HOOK = 1; ELSE IF R06R_Y_EVR_HOOK = 2 OR R06R_A_EVR_HOOK = 2 OR (WAVE6_INTERVIEW = 9 AND X05M_EVR_HOOK = 2) THEN R06M_EVR_HOOK = 2; ELSE R06M_EVR_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17946	26.7%
2	2 = No	46417	69.0%
	Total	64,363	95.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	2905	4.3%
	Total	2,913	4.3%

This variable has 64,363 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 138-145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_HOOK: MARKER - Ever Hookah Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever smoked hookah fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_HOOK = 1 OR
R06R_A_EVR_THRSH_HOOK = 1 OR X05M_EVR_THRSH_HOOK = 1 THEN
R06M_EVR_THRSH_HOOK = 1; ELSE IF R06R_Y_EVR_THRSH_HOOK = 2
OR R06R_A_EVR_THRSH_HOOK = 2 OR (WAVE6_INTERVIEW = 9 AND
X05M_EVR_THRSH_HOOK = 2) THEN R06M_EVR_THRSH_HOOK = 2;
ELSE R06M_EVR_THRSH_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3464	5.1%
2	2 = No	57213	85.0%
	Total	60,677	90.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	6591	9.8%
	Total	6,599	9.8%

This variable has 60,677 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 146-153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_SNUS: MARKER - Ever Snus User as of Wave 6

Long Description: Respondent has ever used snus as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_SNUS = 1 OR R06R_A_EVR_SNUS = 1 OR
X05M_EVR_SNUS = 1 THEN R06M_EVR_SNUS = 1; ELSE IF
R06R_Y_EVR_SNUS = 2 OR R06R_A_EVR_SNUS = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_SNUS = 2) THEN R06M_EVR_SNUS = 2;
ELSE R06M_EVR_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5887	8.8%
2	2 = No	57851	86.0%
	Total	63,738	94.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3530	5.2%
	Total	3,538	5.3%

This variable has 63,738 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 154-161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_SNUS: MARKER - Ever Snus Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever used snus fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_SNUS = 1 OR
R06R_A_EVR_THRSH_SNUS = 1 OR X05M_EVR_THRSH_SNUS = 1 THEN
R06M_EVR_THRSH_SNUS = 1; ELSE IF R06R_Y_EVR_THRSH_SNUS = 2
OR R06R_A_EVR_THRSH_SNUS = 2 OR (WAVE6_INTERVIEW = 9 AND
X05M_EVR_THRSH_SNUS = 2) THEN R06M_EVR_THRSH_SNUS = 2;
ELSE R06M_EVR_THRSH_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1904	2.8%
2	2 = No	59699	88.7%
	Total	61,603	91.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	5665	8.4%
	Total	5,673	8.4%

This variable has 61,603 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 162-169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_SMKLS: MARKER - Ever Smokeless Tobacco User as of Wave 6

Long Description: Respondent has ever used smokeless tobacco as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_SMKLS = 1 OR R06R_A_EVR_SMKLS = 1
OR X05M_EVR_SMKLS = 1 THEN R06M_EVR_SMKLS = 1; ELSE IF
R06R_Y_EVR_SMKLS = 2 OR R06R_A_EVR_SMKLS = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_SMKLS = 2) THEN
R06M_EVR_SMKLS = 2; ELSE R06M_EVR_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10576	15.7%
2	2 = No	53292	79.2%
	Total	63,868	94.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3400	5.1%
	Total	3,408	5.1%

This variable has 63,868 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 170-177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_THRSH_SMKLS: MARKER - Ever Smokeless Tobacco Lifetime Threshold of Use as of Wave 6

Long Description: Respondent has ever used smokeless tobacco fairly regularly as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_THRSH_SMKLS = 1 OR
R06R_A_EVR_THRSH_SMKLS = 1 OR X05M_EVR_THRSH_SMKLS = 1 THEN
R06M_EVR_THRSH_SMKLS = 1; ELSE IF R06R_Y_EVR_THRSH_SMKLS = 2
OR R06R_A_EVR_THRSH_SMKLS = 2 OR (WAVE6_INTERVIEW = 9
AND X05M_EVR_THRSH_SMKLS = 2) THEN R06M_EVR_THRSH_SMKLS = 2;
ELSE R06M_EVR_THRSH_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4704	7.0%
2	2 = No	56365	83.8%
	Total	61,069	90.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	6199	9.2%
	Total	6,207	9.2%

This variable has 61,069 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 178-185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_DISSBL: MARKER - Ever Dissolvable Tobacco User as of Wave 6

Long Description: Respondent has ever used dissolvable tobacco as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_DISSBL = 1 OR R06R_A_EVR_DISSBL = 1
OR X05M_EVR_DISSBL = 1 THEN R06M_EVR_DISSBL = 1; ELSE IF
R06R_Y_EVR_DISSBL = 2 OR R06R_A_EVR_DISSBL = 2 OR
(WAVE6_INTERVIEW = 9 AND X05M_EVR_DISSBL = 2) THEN
R06M_EVR_DISSBL = 2; ELSE R06M_EVR_DISSBL = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	854	1.3%
2	2 = No	63133	93.8%
	Total	63,987	95.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	3281	4.9%
	Total	3,289	4.9%

This variable has 63,987 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 186-193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R06M_EVR_BIDI: MARKER - Ever Bidi User as of Wave 6

Long Description: Respondent has ever used a bidi as of the last wave he/she participated in.

Algorithm: IF R06R_Y_EVR_BIDI = 1 OR X05M_EVR_BIDI = 1 THEN
R06M_EVR_BIDI = 1; ELSE IF R06R_Y_EVR_BIDI = 2 OR

(WAVE6_INTERVIEW in (1,9) AND X05M_EVR_BIDI = 2) THEN
R06M_EVR_BIDI = 2; ELSE R06M_EVR_BIDI = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	110	0.2%
2	2 = No	25849	38.4%
	Total	25,959	38.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	8	0.0%
.	-	41309	61.4%
	Total	41,317	61.4%

This variable has 25,959 valid cases out of 67,276 total cases.

Percentages for valid and missing data are based on 67,276 total cases.

Location: 194-201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .