

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 7: Youth /
Parent Questionnaire Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

YOUTH / PARENT QUESTIONNAIRE DATA

ICPSR #36498-7002

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:

- A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
- B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “_BRAND” and “_PRODUCT”.
- C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.

2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “_C” that ask about “cents” for the cost of a product, or “_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable ending in “_D” (dollars) and “_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “_D” or “_FT” variable. Both variables in the

pair should be used together to accurately estimate the cost of a product or a person's height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “_BRAND” and “_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “_BRAND” and “_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “_NN” variables are paired with variables ending in “_UN” that specify the units used in the “_NN” responses. For example, see variables R07_YC1051_NN and R07_YC1051_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “_RANDOM_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.

10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.

11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations of summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “(Range of) Missing Values: -9, -8, -7, -1”. Some variables may contain additional negative numbers assigned as missing values. The *(Range of . . .)* statement will not display for any variable where missing values are not assigned, such as CASEID and PERSONID.

13. In order to administer the Wave 7 Youth Instrument interviews via telephone, show cards were developed so respondents could view generic images and response options for select questions. Respondents were directed to the PATH Study participant website before the interview to access the show cards electronically. If respondents could not access the show cards electronically, a hardcopy paper version was mailed. Interviewers directed respondents to view the relevant show card using alphanumeric IDs (e.g. “Please look at show card C-6”). All telephone show cards used during telephone interview administration are included in an appendix in the Youth Annotated Instrument.

14. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types	Applicable variable types	Description
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

Value	Definition	Applicable		Description
		Applicable data types	variable types	
-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to “Don’t know” or “Refused” responses, because they were “Not ascertained,” or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 7: Youth / Parent Questionnaire Data

CASEID: Case Identification Number

Long Description: ICPSR created Case Identification Number

This variable has 10,834 valid cases out of 10,834 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Long Description: Participant ID Number.

This variable has 10,834 valid cases out of 10,834 total cases.

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

R07_YOUTHTYPE: Wave 7 Youth type classification

Long Description: Flag to indicate whether respondent is a: continuing youth, new baseline (aged-up) youth, or new cohort youth.

Value	Label	Unweighted Frequency	%
1	1 = Continuing youth	3512	32.4%
2	2 = Aged-up youth	1	0.0%
3	3 = New cohort youth	7321	67.6%
4	4 = Continuing shadow youth	0	0.0%
5	5 = New Cohort shadow youth	0	0.0%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 846-851 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07_PARENT_MODE: Wave 7 Parent interview mode

PARENT INTERVIEW WAS COMPLETED IN-PERSON, BY TELEPHONE, OR ONLINE?

Value	Label	Unweighted Frequency	%
1	1 = In-Person	10255	94.7%
2	2 = Telephone	207	1.9%
3	3 = Web	372	3.4%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

R07R_Y_PT0001_V2: DERIVED - Recoded parent or guardian relationship to youth (3 levels)

Long Description: What is your relationship to [Child's first name]?

Algorithm: IF R07_PT0001 = 1 THEN R07R_Y_PT0001_V2 = 1; ELSE IF R07_PT0001 = 2 THEN R07R_Y_PT0001_V2 = 2; ELSE IF R07_PT0001 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R07R_Y_PT0001_V2 = 3; ELSE R07R_Y_PT0001_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	5401	49.9%
2	2 = Biological father	1737	16.0%
3	3 = Other	1210	11.2%
	Total	8,348	77.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	2486	22.9%
	Total	2,486	22.9%

This variable has 8,348 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 17-22 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_PT0047: DERIVED - Recoded parent or guardian marital status (3 levels)

Long Description: What is your marital status? Are you now married, widowed, divorced, separated or never married?

Algorithm: IF R07_PT0047 = 1 THEN R07R_Y_PT0047 = 1 ; ELSE IF R07_PT0047 IN (2,3,4) THEN R07R_Y_PT0047 = 2 ; ELSE IF R07_PT0047 = 5 THEN R07R_Y_PT0047 = 3 ; ELSE R07R_Y_PT0047 = . ;

Value	Label	Unweighted Frequency	%
1	1 = Married	6996	64.6%
2	2 = Widowed, divorced or separated	2137	19.7%
3	3 = Never married	1654	15.3%
	Total	10,787	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	47	0.4%
	Total	47	0.4%

This variable has 10,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 23-28 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_PT0002_V2: DERIVED - Recoded parent's spouse or partner relationship to youth (3 levels)

Long Description: What is [Spouse's first name]'s relationship to [Child's first name]?

Algorithm: IF R07_PT0002 = 1 THEN R07R_Y_PT0002_V2 = 1; ELSE IF R07_PT0002 = 2 THEN R07R_Y_PT0002_V2 = 2; ELSE IF R07_PT0002 IN (3,4,5,6,7,8,9,10,11,12,91,92) THEN R07R_Y_PT0002_V2 = 3; ELSE R07R_Y_PT0002_V2 = . ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	1729	16.0%
2	2 = Biological father	3810	35.2%
3	3 = Other	1269	11.7%
	Total	6,808	62.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	4026	37.2%

Value	Missing Data	Unweighted Frequency	%
	Total	4,026	37.2%

This variable has 6,808 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 29-34 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_PM0059_V2: DERIVED - Recoded other parental figure/guardian's relationship to youth (3 levels)

Long Description: What is [Parental figure/guardian's first name]'s relationship to [Child's first name]?

Algorithm: IF R07_PM0059 = 1 THEN R07R_Y_PM0059_V2 = 1; ELSE IF R07_PM0059 = 2 THEN R07R_Y_PM0059_V2 = 2; ELSE IF R07_PM0059 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R07R_Y_PM0059_V2 = 3; ELSE R07R_Y_PM0059_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	334	3.1%
2	2 = Biological father	371	3.4%
3	3 = Other	836	7.7%
	Total	1,541	14.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9293	85.8%
	Total	9,293	85.8%

This variable has 1,541 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 35-40 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PM0060: Youth has another parental figure or guardian who lives in household

Does {Childs' first name} have any other parental figures or guardians who live here?

IF NEEDED: If the parental figure or guardian is deployed for military active duty, please consider them as living here.

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTV01.]

ASK: Parent/guardian respondents of all youth respondents who have another parent/guardian who lives in the household and reported the other parent/guardian.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PM0057 = 1 AND (R07_PM0058_PID != -6, -1, -8, -7 OR (R07_PM0058_PID = -6 AND R07_PM0058_OS_1 != -1, -8, -7 AND R07_PM0058_OS_2 != -8, -7 AND R07_PM0058_OS_3 != -8, -7))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	354	3.3%
2	2 = No	1187	11.0%
	Total	1,541	14.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9293	85.8%
	Total	9,293	85.8%

This variable has 1,541 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 41-46 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_P_OTHPAR_INHH: DERIVED - Wave 7 Recoded youth has any parental figures/guardians other than the parent/guardian in the house (2 levels)

Long Description: Youth has any parental figures/guardians other than the parent/guardian in the house

Algorithm: IF R07_PT0045 = 1 OR R07_PM0057 = 1 OR R07_PM0060 = 1 THEN
R07R_P_OTHPAR_INHH = 1; ELSE IF R07_PT0045 IN (-1, 2) AND (R07_PM0057
= 2 OR R07_PM0060 = 2) THEN R07R_P_OTHPAR_INHH = 2; ELSE
R07R_P_OTHPAR_INHH = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8081	74.6%
2	2 = No	2708	25.0%

Value	Label	Unweighted Frequency	%
	Total	10,789	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	45	0.4%
	Total	45	0.4%

This variable has 10,789 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 47-52 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_PM0062_V2: DERIVED - Recoded second other parental figure/guardian's relationship to youth (3 levels)

Long Description: What is [Parental figure/guardian's first name/AGE]'s relationship to [Child's first name]? In other words, [Parental figure/ guardian's first name/AGE] is [Child's first name]'s. . .

Algorithm: IF R07_PM0062 = 1 THEN R07R_Y_PM0062_V2 = 1; ELSE IF R07_PM0062 = 2 THEN R07R_Y_PM0062_V2 = 2; ELSE IF R07_PM0062 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R07R_Y_PM0062_V2 = 3; ELSE R07R_Y_PM0062_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	65	0.6%
2	2 = Biological father	73	0.7%
3	3 = Other	216	2.0%
	Total	354	3.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10480	96.7%
	Total	10,480	96.7%

This variable has 354 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 53-58 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PT0003: Youth has another parent who lives somewhere else

Does {Child's first name} have another parent who lives somewhere else?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PXR01.]

ASK: Parent/guardian respondents of youth respondents whose biological parents do not both live in the household.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_HHBIOPARENT_COUNT < 2.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3852	35.6%
2	2 = No	1199	11.1%
	Total	5,051	46.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	7	0.1%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	5758	53.1%
	Total	5,783	53.4%

This variable has 5,051 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 59-64 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0006: How often youth stays with other parent who lives somewhere else

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

ASK: Parent/guardian respondents of youth respondents whose biological parents do not both live in the household who report another parent/guardian who lives somewhere else.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_HHBIOPARENT_COUNT < 2 AND R07_PT0003 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1927	17.8%
2	2 = Less than half the time	1140	10.5%
3	3 = About half the time	502	4.6%
4	4 = More than half the time	279	2.6%
	Total	3,848	35.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	6982	64.4%
	Total	6,986	64.5%

This variable has 3,848 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 65-70 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0009: Youth has a curfew or set time to be home on school nights

The next series of questions ask about {Child's first name}'s life at home and in school.

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on school nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8468	78.2%
2	2 = No	2314	21.4%
	Total	10,782	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	52	0.5%

This variable has 10,782 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 71-76 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0011: Youth has a curfew or set time to be home on weekend nights

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on weekend nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8186	75.6%
2	2 = No	2588	23.9%
	Total	10,774	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	60	0.6%

This variable has 10,774 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 77-82 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0019: In past 12 months, youth's grade performance in school

[[P-1.]/Please look at this list.] How would you describe how {Child's first name} has performed at school in the past 12 months? Would you say {Child's first name}'s grades are...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Mostly A's	3332	30.8%
2	2 = A's and B's	3369	31.1%
3	3 = Mostly B's	901	8.3%
4	4 = B's and C's	1678	15.5%
5	5 = Mostly C's	546	5.0%
6	6 = C's and D's	519	4.8%
7	7 = Mostly D's	96	0.9%
8	8 = D's and F's	175	1.6%
9	9 = Mostly F's	62	0.6%
10	10 = Your child's school is ungraded	82	0.8%
	Total	10,760	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	74	0.7%

This variable has 10,760 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 83-88 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0021: Youth has ever used a tobacco product (parent or guardian report)

[[P-2.]]As far as you know, has {Child's first name} ever smoked a cigarette, used e-cigarettes or other electronic nicotine products, smoked cigars, a pipe, a hookah, used snus or other smokeless tobacco, or used IQOS?]

Please look at this list. Would you say...]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = You know that she / he / he or she has	992	9.2%
2	2 = You strongly suspect she / he / he or she has	321	3.0%
3	3 = You don't think she / he / he or she has	1788	16.5%
4	4 = You are confident she / he / he or she has not	7688	71.0%
	Total	10,789	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	45	0.4%

This variable has 10,789 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 89-94 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PR1045: Rules about using tobacco products that are burned inside home

[[P-3.]]These next few questions ask about the rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes, or hookah, which statement best describes the rules about smoking these products inside your home?]

Please look at this list. Would you say...]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult

interview and have not already completed a parent interview.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9433	87.1%
2	2 = It is allowed in some places or at some times inside my home	834	7.7%
3	3 = It is allowed anywhere and at any time inside my home	495	4.6%
	Total	10,762	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	72	0.7%

This variable has 10,762 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 95-100 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PR1051: Rules about using e-cigarettes or other electronic nicotine products inside home

[[P-3.]]Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?]

Please look at this list. Would you say...]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9050	83.5%
2	2 = It is allowed in some places or at some times inside my home	1017	9.4%
3	3 = It is allowed anywhere and at any time inside my home	693	6.4%
	Total	10,760	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	74	0.7%

This variable has 10,760 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 101-106 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PR1052: Rules about using IQOS inside home

[[P-4.]]Now think about IQOS.

Which statement best describes the rules about using this product inside your home?]

Please look at this list. Would you say...]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	4100	37.8%
2	2 = It is allowed in some places or at some times inside my home	80	0.7%
3	3 = It is allowed anywhere and at any time inside my home	48	0.4%
4	4 = I have never heard of IQOS	6528	60.3%
	Total	10,756	99.3%

- Minimum: 1.00
- Maximum: 4.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	78	0.7%

This variable has 10,756 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 107-112 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PR1050: Rules about using other not burned tobacco products inside home

[[P-3.]]Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?]

Please look at this list. Would you say...]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9141	84.4%
2	2 = It is allowed in some places or at some times inside my home	767	7.1%
3	3 = It is allowed anywhere and at any time inside my home	841	7.8%
	Total	10,749	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	85	0.8%

This variable has 10,749 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 113-118 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0029: Tobacco products or electronic nicotine products might be available to youth at parent or guardian's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} at your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1217	11.2%
2	2 = No	9568	88.3%
	Total	10,785	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	49	0.5%

This variable has 10,785 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 119-124 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0005: Parent thinks youth might have access to tobacco products or electronic nicotine products when he/she is at other parent's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} when {he/she} is at the other parent's home?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PT0003 = 1 AND R07_PT0006 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	472	4.4%
2	2 = No	1392	12.8%
	Total	1,864	17.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	8913	82.3%
	Total	8,970	82.8%

This variable has 1,864 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 125-130 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0035: Youth's overall health status

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s overall health is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6098	56.3%

Value	Label	Unweighted Frequency	%
2	2 = Very good	2948	27.2%
3	3 = Good	1457	13.4%
4	4 = Fair	265	2.4%
5	5 = Poor	22	0.2%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 131-136 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0712: Self perception: healthiness of youth's overall diet

[IF NEEDED:]A healthy diet generally means eating a variety of food from all five food groups (fruits, vegetables, grains, dairy, and protein foods). It also means not eating too much saturated fat, salt, or sugar, and getting the right amount of calories.

In general, how healthy is {Child's first name}'s overall diet? Would you say it is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	2237	20.6%
2	2 = Very good	3876	35.8%
3	3 = Good	3275	30.2%
4	4 = Fair	1199	11.1%
5	5 = Poor	200	1.8%

Value	Label	Unweighted Frequency	%
	Total	10,787	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	47	0.4%

This variable has 10,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 137-142 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0188_NB: Youth has difficulty dressing or bathing

Does {Child's first name} have difficulty dressing or bathing?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.4%
2	2 = No	7263	67.0%
	Total	7,302	67.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,532	32.6%

This variable has 7,302 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 143-148 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0189_NB: Youth has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	912	8.4%
2	2 = No	6379	58.9%
	Total	7,291	67.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,543	32.7%

This variable has 7,291 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 149-154 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0187_NB: Youth has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have difficulty doing errands alone such as visiting a doctor's office or shopping?

ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07R_Y_AGE >= 15.

Value	Label	Unweighted Frequency	%
1	1 = Yes	132	1.2%
2	2 = No	2296	21.2%
	Total	2,428	22.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	8401	77.5%
	Total	8,406	77.6%

This variable has 2,428 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 155-160 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0001: In past 12 months, youth has seen a medical doctor, nurse, or other health professional

Please think about any health care {Child's first name} may have received in the past 12 months.

In the past 12 months, has {Child's first name} seen a medical doctor, nurse, or other health professional?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8653	79.9%
2	2 = No	2134	19.7%
	Total	10,787	99.6%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	47	0.4%

This variable has 10,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 161-166 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0002: In past 12 months, youth has seen a dentist, hygienist, or other dental professional

In the past 12 months, has {Child's first name} seen a dentist, hygienist, or other dental professional?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8866	81.8%
2	2 = No	1913	17.7%
	Total	10,779	99.5%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	55	0.5%

This variable has 10,779 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 167-172 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0050_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high blood pressure

In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO R07_PT0051_12M.]

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_PX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3%
2	2 = No	2739	25.3%
	Total	2,770	25.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8063	74.4%
	Total	8,064	74.4%

This variable has 2,770 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 173-178 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0050_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high blood pressure

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PT0051_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.8%
2	2 = No	7211	66.6%
	Total	7,296	67.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,538	32.7%

This variable has 7,296 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 179-184 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PT0041_NB: DERIVED - Age range youth was first told he/she had high blood pressure (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high blood pressure?

Algorithm: IF R07_PT0253_NB = 1 OR (0 <= R07_PT0041_NB <= 11) THEN
R07R_Y_PT0041_NB = 1; ELSE IF R07_PT0253_NB = 2 OR (12 <=
R07_PT0041_NB <= 14) THEN R07R_Y_PT0041_NB = 2; ELSE IF R07_PT0253_NB
= 3 OR (15 <= R07_PT0041_NB <= 17) THEN R07R_Y_PT0041_NB = 3; ELSE
R07R_Y_PT0041_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	26	0.2%
2	2 = 12 to 14 years old	41	0.4%
3	3 = 15 to 17 years old	16	0.1%
	Total	83	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10751	99.2%
	Total	10,751	99.2%

This variable has 83 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 185-190 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PT0051_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high cholesterol

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PXR09.]

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_PX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.6%
2	2 = No	2705	25.0%
	Total	2,769	25.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8063	74.4%
	Total	8,065	74.4%

This variable has 2,769 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 191-196 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0051_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high cholesterol

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PXR09.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	200	1.8%
2	2 = No	7099	65.5%
	Total	7,299	67.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,535	32.6%

This variable has 7,299 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 197-202 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PT0043_NB: DERIVED - Age range youth was first told he/she has high cholesterol (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high cholesterol?

Algorithm: IF R07_PT0254_NB = 1 OR (0 <= R07_PT0043_NB <= 11) THEN
R07R_Y_PT0043_NB = 1; ELSE IF R07_PT0254_NB = 2 OR (12 <=
R07_PT0043_NB <= 14) THEN R07R_Y_PT0043_NB = 2; ELSE IF R07_PT0254_NB

= 3 OR (15 <= R07_PT0043_NB <= 17) THEN R07R_Y_PT0043_NB = 3; ELSE
R07R_Y_PT0043_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	85	0.8%
2	2 = 12 to 14 years old	90	0.8%
3	3 = 15 to 17 years old	24	0.2%
	Total	199	1.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10635	98.2%
	Total	10,635	98.2%

This variable has 199 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 203-208 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PX0360: Youth has problems taking a deep breath

Does {Child's first name} have problems taking a deep breath?

ASK: Parent/guardian respondents of youth respondents that have been selected for Spirometry.

ASK Specification: IF DoSpirometry = 1 AND Spirometry_LD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 209-214 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0031_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has asthma

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...asthma?

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_PX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	261	2.4%
2	2 = No	2508	23.1%
	Total	2,769	25.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8063	74.4%
	Total	8,065	74.4%

This variable has 2,769 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 215-220 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0031_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has asthma

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR16.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	982	9.1%
2	2 = No	6317	58.3%
	Total	7,299	67.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,535	32.6%

This variable has 7,299 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 221-226 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PT0038_NB: DERIVED - Age range youth was first told he/she has asthma (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had asthma?

Algorithm: IF R07_PT0260_NB = 1 OR (0 <= R07_PT0038_NB <= 11) THEN
R07R_Y_PT0038_NB = 1; ELSE IF R07_PT0260_NB = 2 OR (12 <=
R07_PT0038_NB <= 14) THEN R07R_Y_PT0038_NB = 2; ELSE IF R07_PT0260_NB
= 3 OR (15 <= R07_PT0038_NB <= 17) THEN R07R_Y_PT0038_NB = 3; ELSE
R07R_Y_PT0038_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	897	8.3%
2	2 = 12 to 14 years old	76	0.7%
3	3 = 15 to 17 years old	9	0.1%
	Total	982	9.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9852	90.9%
	Total	9,852	90.9%

This variable has 982 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 227-232 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PT0022: In past 12 months, youth has taken medications regularly for asthma

[In a previous interview, it was reported that {Child's first name} had asthma.

]In the past 12 months, has {Child's first name} taken medications regularly for asthma?

IF NEEDED: Taken regularly means according to a health care provider's instructions.

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PT0125. If Youth sp has never had asthma (3), GO TO BOX R07_PTR16.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	541	5.0%
2	2 = No	1109	10.2%
3	3 = Youth has never had asthma	15	0.1%
	Total	1,665	15.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9167	84.6%
	Total	9,169	84.6%

This variable has 1,665 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 233-238 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0036_01: In past 12 months, medications youth has taken for asthma: Quick-relief inhaler

[[P-5.]]Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

QUICK-RELIEF INHALER - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX),
IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	465	4.3%
2	2 = Not Marked	75	0.7%
	Total	540	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10293	95.0%
	Total	10,294	95.0%

This variable has 540 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 239-244 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0036_02: In past 12 months, medications youth has taken for asthma: Controller/long-acting inhaler

[[P-5.]]Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

CONTROLLER OR LONG-ACTING INHALER INCLUDING STEROID INHALER - FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	201	1.9%
2	2 = Not Marked	339	3.1%
	Total	540	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10293	95.0%
	Total	10,294	95.0%

This variable has 540 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 245-250 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0036_03: In past 12 months, medications youth has taken for asthma: Other controlling medication

[[P-5.]]Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

OTHER CONTROLLING MEDICATION - FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	121	1.1%
2	2 = Not Marked	419	3.9%
	Total	540	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10293	95.0%
	Total	10,294	95.0%

This variable has 540 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 251-256 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0036_04: In past 12 months, medications youth has taken for asthma: Other asthma medication

[[P-5.]]Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

OTHER ASTHMA MEDICATION

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M

= 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.5%
2	2 = Not Marked	483	4.5%
	Total	540	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10293	95.0%
	Total	10,294	95.0%

This variable has 540 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 257-262 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0125: In past 12 months, youth had an asthma attack that required use of an oral or injected steroid medication

In the past 12 months, has {Child's first name} had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

IF NEEDED: Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	214	2.0%

Value	Label	Unweighted Frequency	%
2	2 = No	1436	13.3%
	Total	1,650	15.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9182	84.8%
	Total	9,184	84.8%

This variable has 1,650 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 263-268 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0039: In past 12 months, number of asthma attacks youth has had that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7 AND R07_PT0125 = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 5.64
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 250.00
- Standard Deviation: 20.89

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10620	98.0%
	Total	10,620	98.0%

This variable has 214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 269-274 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_PT0127: In past 12 months, youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR16.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.8%
2	2 = No	1565	14.4%
	Total	1,652	15.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9182	84.8%
	Total	9,182	84.8%

This variable has 1,652 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 275-280 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0282: In past 12 months, number of times youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_PXR07.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7 AND R07_PT0127 = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.19

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10747	99.2%
	Total	10,747	99.2%

This variable has 87 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 281-286 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_PX0692: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (reported by parent respondent)

Was that visit due to an asthma attack?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR16.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7 AND R07_PT0127 = 1 AND R07_PT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.4%
2	2 = No	11	0.1%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 287-292 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0720: Number of visits to emergency room due to asthma attack (reported by parent respondent)

How many of those visits were due to an asthma attack?

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ASTHMA = 1 OR R07_PT0031_12M = 1 OR R07_PT0031_NB = 1) AND R07_PT0022 = 1, 2, -8, -7 AND R07_PT0127 = 1 AND R07_PT0282 > 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.33
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.69

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10801	99.7%
	Total	10,801	99.7%

This variable has 33 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 293-298 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_PT0033: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, or Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PX0001 != 2) OR R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	158	1.5%
2	2 = No	9913	91.5%
	Total	10,071	93.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	761	7.0%
	Total	763	7.0%

This variable has 10,071 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 299-304 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0040_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in past 12 months or did not know if they have been told they had bronchitis in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_PT0033 = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	738	6.8%
2	2 = No	6430	59.4%
	Total	7,168	66.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	3656	33.7%
	Total	3,666	33.8%

This variable has 7,168 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 305-310 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0052_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...ADHD or ADD?

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, or Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PX0001 != 2) OR R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1417	13.1%
2	2 = No	8641	79.8%
	Total	10,058	92.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	761	7.0%
	Total	776	7.2%

This variable has 10,058 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 311-316 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0052_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has ADHD or ADD?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR12.]

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months or did not know if they have been told they had ADD/ADHD in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_PT0052_12M = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	228	2.1%
2	2 = No	6016	55.5%
	Total	6,244	57.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	4586	42.3%
	Total	4,590	42.4%

This variable has 6,244 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 317-322 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0048: In past 12 months, youth has taken medications regularly for ADHD or ADD

[In a previous interview, it was reported that {Child's first name} had ADHD or ADD.

]In the past 12 months, has {Child's first name} taken medications regularly for ADHD or ADD?

IF NEEDED: Taken regularly means according to a health care provider's instructions.

ASK: Parent/guardian respondents of youth respondents who have ever had ADD/ADHD.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_ADHD = 1 OR R07_PT0052_12M = 1 OR R07_PT0052_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	955	8.8%
2	2 = No	990	9.1%
3	3 = Youth has never had ADHD or ADD	8	0.1%

Value	Label	Unweighted Frequency	%
	Total	1,953	18.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8881	82.0%
	Total	8,881	82.0%

This variable has 1,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 323-328 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0281_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR10.]

ASK: Parent/guardian respondents of continuing youth respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_PX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4%
2	2 = No	2724	25.1%
	Total	2,771	25.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8063	74.4%
	Total	8,063	74.4%

This variable has 2,771 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 329-334 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0281_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR10.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	155	1.4%
2	2 = No	7144	65.9%
	Total	7,299	67.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,535	32.6%

This variable has 7,299 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 335-340 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PT0042_NB: DERIVED - Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)

Long Description: Has [Child's first name] ever been told by a doctor, nurse or other health professional that [he/she] has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: IF R07_PT0263_NB = 1 OR (0 <= R07_PT0042_NB <= 11) THEN
R07R_Y_PT0042_NB = 1; ELSE IF R07_PT0263_NB = 2 OR (12 <=
R07_PT0042_NB <= 14) THEN R07R_Y_PT0042_NB = 2; ELSE IF R07_PT0263_NB
= 3 OR (15 <= R07_PT0042_NB <= 17) THEN R07R_Y_PT0042_NB = 3; ELSE
R07R_Y_PT0042_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	66	0.6%
2	2 = 12 to 14 years old	68	0.6%
3	3 = 15 to 17 years old	20	0.2%
	Total	154	1.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10680	98.6%
	Total	10,680	98.6%

This variable has 154 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 341-346 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PX0721: Type of diabetes youth has

[In a previous interview, it was reported that {Child's first name} had diabetes.

]What type of diabetes does {Child's first name} have?

ASK: Parent/guardian respondents of youth respondents who have ever been told they had diabetes.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND (R07_PARREPT_DIABETES = 1 OR
R07_PT0281_12M = 1 OR R07_PT0281_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Type 1 diabetes	44	0.4%

Value	Label	Unweighted Frequency	%
2	2 = Type 2 diabetes	20	0.2%
3	3 = Borderline diabetes or prediabetes	151	1.4%
4	4 = None of the above	21	0.2%
5	5 = Youth SP has never had diabetes	34	0.3%
	Total	270	2.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10563	97.5%
	Total	10,564	97.5%

This variable has 270 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 347-352 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0760_12M: In past 12 months, youth has had their teeth cleaned by a dentist, hygienist, or other dental professional

In the past 12 months, has {Child's first name} had their teeth cleaned by a dentist, hygienist, or other dental professional?

[If Yes (1), GO TO R07_PX0729.]

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1.

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	1968	18.2%
	Total	1,973	18.2%

This variable has 8,861 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 353-358 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0760_NB: Youth has ever had their teeth cleaned by a dentist, hygienist, or other dental professional

Has {Child's first name} ever had their teeth cleaned by a dentist, hygienist, or other dental professional?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR09.]

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have not had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months, or
Parent/guardian respondents of youth respondents who have not seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0760_12M = 2, -8, -7)
OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 != 1).

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8560	79.0%
	Total	8,567	79.1%

This variable has 2,267 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 359-364 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0729_NN: How long since youth had their teeth cleaned by a dentist, hygienist, or other dental professional - Number

How long has it been since {Child's first name} had their teeth cleaned by a dentist, hygienist, or other dental professional? [(If it was earlier today, enter 1 day.)/

IF IT WAS EARLIER TODAY, ENTER 1.]

__Days/Months/Years

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months, or parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have not had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months and have ever had their teeth cleaned by a dentist, hygienist, or other dental professional, or

Parent/guardian respondents of youth respondents who have not seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have ever had their teeth cleaned by a dentist, hygienist, or other dental professional.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0760_12M = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0760_12M = 2, -8, -7 AND R07_PX0760_NB = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 != 1 AND R07_PX0760_NB = 1).

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	5	0.0%
-5	-5 = Improbable response removed	1	0.0%
-1	-1 = Inapplicable	415	3.8%
	Total	471	4.3%

This variable has 10,363 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 365-370 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_PX0729_UN: How long since youth had their teeth cleaned by a dentist, hygienist, or other dental professional - Unit

How long has it been since {Child's first name} had their teeth cleaned by a dentist, hygienist, or other dental professional? [(If it was earlier today, enter 1 day.)/

IF IT WAS EARLIER TODAY, ENTER 1.]

__Days/Months/Years

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months, or parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have not had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they had their teeth cleaned by a dentist, hygienist, or other dental professional in the past 12 months and have ever had their teeth cleaned by a dentist, hygienist, or other dental professional, or
Parent/guardian respondents of youth respondents who have not seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have ever had their teeth cleaned by a dentist, hygienist, or other dental professional.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0760_12M = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0760_12M = 2, -8, -7 AND R07_PX0760_NB = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 != 1 AND R07_PX0760_NB = 1).

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	470	4.3%
	Total	470	4.3%

This variable has 10,364 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 371-376 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0755_12M: In past 12 months, youth has been told by a dentist, hygienist, or other dental professional that he/she has a cavity

In the past 12 months, has {Child's first name} been told by a dentist, hygienist, or other dental professional that {he/she} has a cavity?

[If Yes (1), GO TO BOX R07_PTR14.]

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1.

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	16	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1968	18.2%
	Total	1,986	18.3%

This variable has 8,848 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 377-382 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0755: Youth has ever been told by a dentist, hygienist, or other dental professional that he/she had a cavity

Has {Child's first name} ever been told by a dentist, hygienist, or other dental professional that {he/she} had a cavity?

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have not been told they had a cavity in the past 12 months or did not know or refused to report whether they have been told they had a cavity in the past 12 months, or Parent/guardian respondents of youth respondents who have not seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0755_12M = 2, -8, -7) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4120	38.0%
2	2 = No	4367	40.3%
	Total	8,487	78.3%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	43	0.4%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	2299	21.2%
	Total	2,347	21.7%

This variable has 8,487 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 383-388 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0129_12M: In past 12 months, youth has been told by a dentist, hygienist, or other dental professional that he/she has gum disease

In the past 12 months, has {Child's first name} been told by a dentist, hygienist, or other dental professional that {he/she} has gum disease?

[If Yes (1), GO TO R07_PX0247.]

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1.

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1968	18.2%
	Total	1,974	18.2%

This variable has 8,860 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 389-394 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0129: Youth has ever been told by a dentist, hygienist, or other dental professional that he/she had gum disease

Has {Child's first name} ever been told by a dentist, hygienist, or other dental professional that {he/she} had gum disease?

ASK: Parent/guardian respondents of youth respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months and have not been told they had gum disease in the past 12 months or did not know or refused to report whether they have been told they had gum disease in the past 12 months, or Parent/guardian respondents of youth respondents who have not seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 = 1 AND R07_PX0129_12M = 2, -8, -7) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0002 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.6%
2	2 = No	10580	97.7%
	Total	10,650	98.3%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	173	1.6%
	Total	184	1.7%

This variable has 10,650 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 395-400 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0247: Child has ever had a seizure

Has {Child's first name} ever had a seizure?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PTR11.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	350	3.2%
2	2 = No	10433	96.3%
	Total	10,783	99.5%

• Minimum: 1.00

• Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	51	0.5%

This variable has 10,783 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 401-406 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0247_12M: Child has had a seizure in past 12 months

In the past 12 months, has {Child's first name} had a seizure?

ASK: Parent/guardian respondents of youth respondents who have ever had a seizure.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PX0247 = 1.

• Minimum: 1.00

• Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10484	96.8%
	Total	10,485	96.8%

This variable has 349 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 407-412 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PX0289: DERIVED - Age range when youth had his/her first seizure (3 levels)

Long Description: How old was [Child's first name] when [he/she] had [his/her] first seizure?

Algorithm: IF R07_PX0291 = 1 OR (0 <= R07_PX0289 <= 11) THEN
R07R_Y_PX0289 = 1; ELSE IF R07_PX0291 = 2 OR (12 <= R07_PX0289 <= 14)
THEN R07R_Y_PX0289 = 2; ELSE IF R07_PX0291 = 3 OR (15 <= R07_PX0289
<= 17) THEN R07R_Y_PX0289 = 3; ELSE R07R_Y_PX0289 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	311	2.9%
2	2 = 12 to 14 years old	26	0.2%
3	3 = 15 to 17 years old	13	0.1%
	Total	350	3.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10484	96.8%
	Total	10,484	96.8%

This variable has 350 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 413-418 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07_PX0756_12M: In past 12 months, youth has been told by a doctor, therapist, or other mental health professional that he/she has schizophrenia, schizoaffective disorder, or psychosis

In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had schizophrenia, schizoaffective disorder, or psychosis?

[If Yes (1), GO TO R07_PX0221. If No (2), Don't know (-8), or Refused (-7), GO TO R07_PX0761_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2%
2	2 = No	3470	32.0%
	Total	3,488	32.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7346	67.8%
	Total	7,346	67.8%

This variable has 3,488 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 419-424 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0756_NB: Youth has ever been told by a doctor, therapist, or other mental health professional that he/she has schizophrenia, schizoaffective disorder, or psychosis

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had schizophrenia, schizoaffective disorder, or psychosis?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PX0761_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2%
2	2 = No	7274	67.1%
	Total	7,297	67.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3532	32.6%
	Total	3,537	32.6%

This variable has 7,297 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 425-430 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PX0757_NB: DERIVED - Age range when youth was first told that he/she had schizophrenia, schizoaffective disorder or psychosis (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told that [he/she] had schizophrenia, schizoaffective disorder or psychosis?

Algorithm: IF R07_PX0758_NB = 1 OR (0 <= R07_PX0757_NB <= 11) THEN
R07R_Y_PX0757_NB = 1; ELSE IF R07_PX0758_NB = 2 OR (12 <=
R07_PX0757_NB <= 14) THEN R07R_Y_PX0757_NB = 2; ELSE IF R07_PX0758_NB
= 3 OR (15 <= R07_PX0757_NB <= 17) THEN R07R_Y_PX0757_NB = 3; ELSE
R07R_Y_PX0757_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	13	0.1%
2	2 = 12 to 14 years old	9	0.1%
3	3 = 15 to 17 years old	1	0.0%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 431-436 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PX0761_12M: In past 12 months, youth has been told by a doctor, therapist, or other mental health professional that he/she had a psychotic illness or episode

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had...]

...a psychotic illness or episode?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO R07_PX0221.]

ASK: Parent/guardian respondents of continuing youth respondents who have not been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report if they have been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_PX0756_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2%
2	2 = No	3442	31.8%
	Total	3,469	32.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7364	68.0%
	Total	7,365	68.0%

This variable has 3,469 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 437-442 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0761_NB: Youth has ever been told by a doctor, therapist, or other mental health professional that he/she had a psychotic illness or episode

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had a psychotic illness or episode?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PX0221.]

ASK: Parent/guardian respondents of new baseline youth respondents who have never been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_PX0756_NB = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5%
2	2 = No	7216	66.6%
	Total	7,275	67.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	3555	32.8%
	Total	3,559	32.9%

This variable has 7,275 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 443-448 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PX0762_NB: DERIVED - Age range when youth was first told that he/she had a psychotic illness or episode (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told that [he/she] had a psychotic illness or episode?

Algorithm: IF R07_PX0772_NB = 1 OR (0 <= R07_PX0762_NB <= 11) THEN
R07R_Y_PX0762_NB = 1; ELSE IF R07_PX0772_NB = 2 OR (12 <=
R07_PX0762_NB <= 14) THEN R07R_Y_PX0762_NB = 2; ELSE IF R07_PX0772_NB
= 3 OR (15 <= R07_PX0762_NB <= 17) THEN R07R_Y_PX0762_NB = 3; ELSE
R07R_Y_PX0762_NB = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	31	0.3%
2	2 = 12 to 14 years old	23	0.2%
3	3 = 15 to 17 years old	5	0.0%
	Total	59	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10775	99.5%

Value	Missing Data	Unweighted Frequency	%
	Total	10,775	99.5%

This variable has 59 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 449-454 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PX0221: Youth's close biological relatives have ever been told by a health professional that they had high blood pressure

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his/her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4723	43.6%
2	2 = No	5898	54.4%
	Total	10,621	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	162	1.5%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	213	2.0%

This variable has 10,621 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 455-460 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0222: Youth's close biological relatives have ever been told by a health professional that they had high cholesterol

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4162	38.4%
2	2 = No	6435	59.4%
	Total	10,597	97.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	237	2.2%

This variable has 10,597 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 461-466 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0225_01: Youth's close biological relatives ever used any tobacco products

[[P-6.]/Please look at this list and tell me which ones apply.]

Have any of {Child's first name}'s close biological or blood relatives ever...

IF NEEDED: You can answer by saying the number or by telling me which apply.

USED ANY TOBACCO OR NICOTINE PRODUCTS? (BY THIS WE MEAN CIGARETTES, E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS, CIGARS, PIPES, HOOKAH, SNUS OR OTHER TYPES OF SMOKELESS TOBACCO, IQOS, NICOTINE POUCHES, OR OTHER TYPES OF ORAL NICOTINE PRODUCTS.)

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6550	60.5%
2	2 = Not Marked	4165	38.4%
	Total	10,715	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	72	0.7%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	119	1.1%

This variable has 10,715 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 467-472 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0225_02: Youth's close biological relatives ever been an alcoholic or problem drinker

[[P-6.]/Please look at this list and tell me which ones apply.]

Have any of {Child's first name}'s close biological or blood relatives ever...

IF NEEDED: You can answer by saying the number or by telling me which apply.

BEEN AN ALCOHOLIC OR PROBLEM DRINKER? (BY THIS WE MEAN A PERSON WHOSE DRINKING CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.)

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2747	25.4%
2	2 = Not Marked	7968	73.5%
	Total	10,715	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	72	0.7%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	119	1.1%

This variable has 10,715 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 473-478 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PX0225_03: Youth's close biological relatives ever had problems with drugs

[[P-6.]/Please look at this list and tell me which ones apply.]

Have any of {Child's first name}'s close biological or blood relatives ever...

IF NEEDED: You can answer by saying the number or by telling me which apply.

HAD PROBLEMS WITH DRUGS? (BY THIS WE MEAN A PERSON WHOSE DRUG USE CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.)

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2037	18.8%
2	2 = Not Marked	8677	80.1%
	Total	10,714	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	72	0.7%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	120	1.1%

This variable has 10,714 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 479-484 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PM0069: DERIVED - Recoded parent respondent is a citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1<= R07_PM0069 <= 4 THEN R07R_Y_PM0069=1; ELSE IF R07_PM0069 = 5 THEN R07R_Y_PM0069=2; ELSE R07R_Y_PM0069 = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	9445	87.2%
2	2 = No, not a U.S. citizen	1298	12.0%
	Total	10,743	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	91	0.8%
	Total	91	0.8%

This variable has 10,743 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 485-490 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_PM0065_V2: DERIVED - Recoded number of years parents lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R07_PM0065 = 1 THEN R07R_Y_PM0065_V2 = 1; ELSE IF R07_PM0065_NN >= 1 THEN R07R_Y_PM0065_V2 = 2; ELSE R07R_Y_PM0065_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	7550	69.7%

Value	Label	Unweighted Frequency	%
2	2 = Not lived in the U.S. entire life	3205	29.6%
	Total	10,755	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	79	0.7%
	Total	79	0.7%

This variable has 10,755 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 491-496 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PM0066: How well you speak English (parent respondent)

How well do you speak English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	8707	80.4%
2	2 = Well	1010	9.3%
3	3 = Not well	663	6.1%
4	4 = Not at all	384	3.5%
	Total	10,764	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%

Value	Missing Data	Unweighted Frequency	%
	Total	70	0.6%

This variable has 10,764 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 497-502 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM0070: How well you read English (parent respondent)

How well do you read English? IF NEEDED: Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	8740	80.7%
2	2 = Well	1010	9.3%
3	3 = Not well	597	5.5%
4	4 = Not at all	418	3.9%
	Total	10,765	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	69	0.6%

This variable has 10,765 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 503-508 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM0073: How well you write in English (parent respondent)

How well do you write in English? IF NEEDED: Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	8475	78.2%
2	2 = Well	1128	10.4%
3	3 = Not well	653	6.0%
4	4 = Not at all	510	4.7%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 509-514 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM0071: Speak a language other than English at home (parent respondent)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PM0001.]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3336	30.8%
2	2 = No	7431	68.6%
	Total	10,767	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 515-520 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM0072_01: Other language spoken at home: Spanish (parent respondent)

What other languages do you speak at home?

CODE ALL THAT APPLY.

SPANISH

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and speak a language other than English at home.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1 AND R07_PM0071 = 1.

[PROGRAM NOTE: Allow interviewer to code all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2572	23.7%
2	2 = Not Marked	745	6.9%
	Total	3,317	30.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	7498	69.2%
	Total	7,517	69.4%

This variable has 3,317 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 521-526 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (parent respondent)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R07_PM0072_02 = 1 OR R07_PM0072_03 = 1 OR R07_PM0072_04 = 1 OR R07_PM0072_05 = 1 OR R07_PM0072_06 = 1 OR R07_PM0072_07 = 1 OR R07_PM0072_08 = 1 OR R07_PM0072_09 = 1 OR R07_PM0072_10 = 1 THEN R07R_Y_PM0072_02 = 1; ELSE IF R07_PM0072_02 = 2 AND R07_PM0072_03 = 2 AND R07_PM0072_04 = 2 AND R07_PM0072_05 = 2 AND R07_PM0072_06 = 2 AND R07_PM0072_07 = 2 AND R07_PM0072_08 = 2 AND R07_PM0072_09 = 2 AND R07_PM0072_10 = 2 THEN R07R_Y_PM0072_02 = 2; ELSE R07R_Y_PM0072_02 = .;

Value	Label	Unweighted Frequency	%
1	1 = Marked	828	7.6%
2	2 = Not Marked	2489	23.0%
	Total	3,317	30.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7517	69.4%
	Total	7,517	69.4%

This variable has 3,317 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 527-532 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_P_PARSP_EDUC_V2: DERIVED - Recoded highest grade or year of school completed by parent/spouse/guardian (5 levels)

Long Description: What is the highest grade or year of school that you or your spouse/guardian have completed?

Algorithm: IF R07_PM0001 >=9 OR R07_PM0118 >=9 THEN
R07R_P_PARSP_EDUC_V2 = 5; ELSE IF R07_PM0001 = 8 OR R07_PM0118 = 8
THEN R07R_P_PARSP_EDUC_V2 = 4; ELSE IF R07_PM0001 IN (5,6,7) OR
R07_PM0118 IN (5,6,7) THEN R07R_P_PARSP_EDUC_V2 = 3; ELSE IF
R07_PM0001 IN (3,4) OR R07_PM0118 IN (3,4) THEN R07R_P_PARSP_EDUC_V2
= 2; ELSE IF R07_PM0001 IN (1,2) OR R07_PM0118 IN (1,2) THEN
R07R_P_PARSP_EDUC_V2 = 1; ELSE R07R_P_PARSP_EDUC_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	955	8.8%
2	2 = High school graduate or GED	1962	18.1%
3	3 = Some college (no degree) or associates degree	2997	27.7%
4	4 = Bachelor's degree	2275	21.0%
5	5 = Advanced degree	2570	23.7%
	Total	10,759	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	75	0.7%
	Total	75	0.7%

This variable has 10,759 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 533-538 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_PM0130: DERIVED - Recoded total household income in past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months? This is the total income before taxes of all persons in your household combined.

Algorithm: IF R07_PM0130 = 1 THEN R07R_Y_PM0130 = 1; ELSE IF
R07_PM0130 IN (2,3) THEN R07R_Y_PM0130 = 2; ELSE IF R07_PM0130
IN (4,5) THEN R07R_Y_PM0130 = 3; ELSE IF R07_PM0130 IN (6,7) THEN
R07R_Y_PM0130 = 4; ELSE IF R07_PM0130 >= 8 THEN R07R_Y_PM0130 = 5;

ELSE R07R_Y_PM0130 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	612	5.6%
2	2 = \$10,000 to \$24,999	1086	10.0%
3	3 = \$25,000 to \$49,999	2052	18.9%
4	4 = \$50,000 to \$99,999	2672	24.7%
5	5 = \$100,000 or more	3880	35.8%
	Total	10,302	95.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	532	4.9%
	Total	532	4.9%

This variable has 10,302 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 539-544 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PM0031: In past 12 months, total household income is above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and did not know or refused to report their total household income.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1 AND R07_PM0130 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	136	1.3%
2	2 = Below \$50,000	141	1.3%
	Total	277	2.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	90	0.8%
-7	-7 = Refused	99	0.9%
-1	-1 = Inapplicable	10368	95.7%
	Total	10,557	97.4%

This variable has 277 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 545-550 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PL0040: DERIVED - Recoded home is owned or rented (2 levels)

Long Description: Do you own or rent your home?

Algorithm: IF R07_PL0040 = 1 THEN R07R_Y_PL0040 = 1; ELSE IF R07_PL0040 IN (2,3) THEN R07R_Y_PL0040 = 2; ELSE R07R_Y_PL0040 = .;

Value	Label	Unweighted Frequency	%
1	1 = Owned	7052	65.1%
2	2 = Not Owned	3705	34.2%
	Total	10,757	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	77	0.7%
	Total	77	0.7%

This variable has 10,757 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 551-556 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PX0691: Type of living space where you currently live

[[P-9.]/Please look at this list.] In what type of living space do you currently live?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, or

parent/guardian respondents of all youth respondents who have already completed an adult interview and were not asked what type of living space they currently live in and have not already completed a parent interview for another youth respondent.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD = 1 AND R07_AX0691_LD = -1 AND R07_PARENT_COMPLETE_LD != 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	8544	78.9%
2	2 = Duplex	329	3.0%
3	3 = Double or Multi-Family Home	289	2.7%
4	4 = Condominium	112	1.0%
5	5 = Townhouse	352	3.2%
6	6 = Apartment Building	994	9.2%
7	7 = None of the above	144	1.3%
	Total	10,764	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	70	0.6%

This variable has 10,764 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 557-562 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_01: In past 30 days, parent respondent used even one or two times: Cigarettes

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

CIGARETTES

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1409	13.0%
2	2 = No	9357	86.4%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 563-568 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_02: In past 30 days, parent respondent used even one or two times: Traditional cigars

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

TRADITIONAL CIGARS

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	163	1.5%
2	2 = No	10603	97.9%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 569-574 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_03: In past 30 days, parent respondent used even one or two times: Cigarillos

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

CIGARILLOS

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	154	1.4%
2	2 = No	10613	98.0%
	Total	10,767	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 575-580 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_04: In past 30 days, parent respondent used even one or two times: Filtered cigars

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

FILTERED CIGARS

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6%
2	2 = No	10697	98.7%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 581-586 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_05: In past 30 days, parent respondent used even one or two times: Pipe

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

PIPE

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5%
2	2 = No	10711	98.9%
	Total	10,767	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 587-592 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0335_06: In past 30 days, parent respondent used even one or two times: Hookah

[[P-10.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

HOOKAH

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	112	1.0%
2	2 = No	10655	98.3%
	Total	10,767	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 593-598 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0336_01: In past 30 days, parent respondent used even one or two times: Snus

[[P-11.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

SNUS

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.6%
2	2 = No	10703	98.8%
	Total	10,767	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 599-604 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0336_02: In past 30 days, parent respondent used even one or two times: Other types of smokeless tobacco

[[P-11.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

OTHER TYPES OF SMOKELESS TOBACCO (SUCH AS MOIST SNUFF, DIP, SPIT, OR CHEW)

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	128	1.2%
2	2 = No	10638	98.2%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 605-610 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0337_01: In past 30 days, parent respondent used even one or two times: E-cigarettes or other electronic nicotine products

[[P-12.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS (IF NEEDED: [ELECTRONIC NICOTINE PRODUCTS INCLUDE E-CIGARETTES, POD DEVICES, VAPE PENS, TANK SYSTEMS, MODS, E-CIGARS, E-PIPES, E-HOOKAHS AND HOOKAH PENS.]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND

R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	654	6.0%
2	2 = No	10112	93.3%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 611-616 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0338_01: In past 30 days, parent respondent used even one or two times: IQOS

[[P-13.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

IQOS

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.9%

Value	Label	Unweighted Frequency	%
2	2 = No	10668	98.5%
	Total	10,767	99.4%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 617-622 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0339_01: In past 30 days, parent respondent used even one or two times: Nicotine pouches

[[P-14.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

NICOTINE POUCHES (SUCH AS ZYN, ON!, OR VELO)

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	86	0.8%
2	2 = No	10682	98.6%

Value	Label	Unweighted Frequency	%
	Total	10,768	99.4%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	66	0.6%

This variable has 10,768 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 623-628 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PN0339_02: In past 30 days, parent respondent used even one or two times: Other types of oral nicotine products

[[P-14.]/Please look at this picture.] In the past 30 days, have you used any of the following products, even one or two times?

IF NEEDED: You can answer by saying the number or by saying the name of the product.

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

OTHER TYPES OF ORAL NICOTINE PRODUCTS (SUCH AS VELO LOZENGES, ROGUE TABLETS, LUCY GUM, OR PIXOTINE TOOTHPICKS)

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.5%
2	2 = No	10716	98.9%
	Total	10,767	99.4%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	67	0.6%

This variable has 10,767 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 629-634 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0060: Parent respondent's general perception: How much people harm themselves when they smoke tobacco products that are burned

How much do you think people harm themselves when they smoke tobacco products that are burned (such as cigarettes, cigars, pipes, or hookah)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	78	0.7%
2	2 = A little harm	209	1.9%
3	3 = Some harm	1500	13.8%
4	4 = A lot of harm	8954	82.6%
	Total	10,741	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	26	0.2%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	93	0.9%

This variable has 10,741 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 635-640 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0061: Parent respondent's general perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products

Now think about e-cigarettes and other electronic nicotine products. How much do you think people harm themselves when they use these products?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	65	0.6%
2	2 = A little harm	373	3.4%
3	3 = Some harm	2177	20.1%
4	4 = A lot of harm	8080	74.6%
	Total	10,695	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	69	0.6%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	44	0.4%
	Total	139	1.3%

This variable has 10,695 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 641-646 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0062: Parent respondent's general perception: How much people harm themselves when they use smokeless tobacco products

[How/And finally, how] much do you think people harm themselves when they use smokeless tobacco products (products in which you chew, suck, or spit such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco)?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PARENT_COMPLETE_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	55	0.5%
2	2 = A little harm	326	3.0%
3	3 = Some harm	2028	18.7%
4	4 = A lot of harm	8290	76.5%
	Total	10,699	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	22	0.2%
-8	-8 = Don't know	63	0.6%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	135	1.2%

This variable has 10,699 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 647-652 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PT0063: General perception: How much people harm themselves when they use IQOS

And finally, how much do you think people harm themselves when they use IQOS?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent and have used IQOS in the past 30 days.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PARENT_COMPLETE_LD != 1 AND R07_PN0338_01 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	0	0.0%
2	2 = A little harm	8	0.1%
3	3 = Some harm	18	0.2%
4	4 = A lot of harm	55	0.5%
	Total	81	0.7%

- Minimum: 2.00
- Maximum: 4.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	1	0.0%
-8	-8 = Don't know	16	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10735	99.1%
	Total	10,753	99.3%

This variable has 81 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 653-658 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1900: In past 30 days, how often youth stays away from public places where you would expect a lot of people

Lastly, we just have a few more questions we'd like to ask you about {Child's first name}'s experience[in the past 12 months] during the coronavirus pandemic, otherwise known as COVID-19, that spread to the US around January 2020.

[[P-15.]/Please look at this list.] In the past 30 days, how often does {Child's first name} stay away from

public places where you would expect a lot of people, for example, restaurants and shopping malls? Do not include essential places that provide critical services, such as grocery stores, gas stations, or hospitals.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	997	9.2%
2	2 = Most of the time	2504	23.1%
3	3 = Sometimes	2163	20.0%
4	4 = Rarely	1560	14.4%
5	5 = Not at all	3071	28.3%
6	6 = They almost never went to these places even before the coronavirus pandemic	463	4.3%
	Total	10,758	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	76	0.7%

This variable has 10,758 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 659-664 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1901: In past 30 days, how often youth stays away from family who live outside their home

[[P-16.]/Please look at this list.] In the past 30 days, how often does {Child's first name} stay away from family who live outside your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1002	9.2%
2	2 = Most of the time	1904	17.6%
3	3 = Sometimes	1867	17.2%
4	4 = Rarely	1559	14.4%
5	5 = Not at all	3886	35.9%
6	6 = They almost never saw family in-person outside my home even before the coronavirus pandemic	535	4.9%
	Total	10,753	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	44	0.4%
	Total	81	0.7%

This variable has 10,753 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 665-670 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1927: In past 30 days, how often youth stayed away from friends who live outside their home

[[P-17.]/Please look at this list.] In the past 30 days, how often does {Child's first name} stay away from friends who live outside your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	926	8.5%
2	2 = Most of the time	1620	15.0%

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	1954	18.0%
4	4 = Rarely	1758	16.2%
5	5 = Not at all	4210	38.9%
6	6 = They almost never saw friends in-person outside my home even before the coronavirus pandemic	292	2.7%
	Total	10,760	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	74	0.7%

This variable has 10,760 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 671-676 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1928: In past 30 days, youth interacted with others in-person outside your home for work purposes

In the past 30 days, did {Child's first name} interact with others in-person outside your home for work purposes?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PM1930.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2547	23.5%
2	2 = No	8207	75.8%
	Total	10,754	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	80	0.7%

This variable has 10,754 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 677-682 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1929: Youth's work requires them to be within 6 feet of others outside their home at any time

Does {Child's first name}'s work require them to be within 6 feet of others outside your home at any time?

ASK: Parent/guardian respondents of youth respondents who interact with others in-person outside their home for work purposes.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1928 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1698	15.7%
2	2 = No	828	7.6%
	Total	2,526	23.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	8287	76.5%
	Total	8,308	76.7%

This variable has 2,526 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 683-688 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1902: In past 30 days, when outside their home for work, how often youth keeps a distance of at least 6 feet away from others who youth does not live with

[[P-18.]/Please look at this list.] In the past 30 days, when {Child's first name} is outside your home for work purposes, how often does {Child's first name} keep a distance of at least 6 feet away from others who you do not live with? This includes when {Child's first name} is around people they know, as well as strangers.

ASK: Parent/guardian respondents of youth respondents who interact with others in-person outside their home for work purposes.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1928 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	135	1.2%
2	2 = Most of the time	354	3.3%
3	3 = Sometimes	525	4.8%
4	4 = Rarely	588	5.4%
5	5 = Not at all	925	8.5%
	Total	2,527	23.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	8287	76.5%
	Total	8,307	76.7%

This variable has 2,527 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 689-694 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1930: In past 30 days, when outside their home for personal or leisure time, how often youth keeps a distance of at least 6 feet away from others who they do not live with

[[P-19.]/Please look at this list.] In the past 30 days, when outside your home for personal or leisure time, not including for work, how often does {Child's first name} keep a distance of at least 6 feet away from others who you do not live with? This includes when {Child's first name} is around people they know, as

well as strangers.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1094	10.1%
2	2 = Most of the time	2120	19.6%
3	3 = Sometimes	2274	21.0%
4	4 = Rarely	1804	16.7%
5	5 = Not at all	3312	30.6%
6	6 = They haven't had contact with others outside my home	136	1.3%
	Total	10,740	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	21	0.2%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	44	0.4%
	Total	94	0.9%

This variable has 10,740 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 695-700 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1931: In past 30 days, youth spent less time, about the same, or more time with people they live with compared to before the coronavirus pandemic started

In the past 30 days, did {Child's first name} spend less time, about the same, or more time with the people you live with than compared to before the coronavirus pandemic started?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Less time than before the coronavirus pandemic	1432	13.2%
2	2 = About the same	7142	65.9%
3	3 = More time than before the coronavirus pandemic	2179	20.1%
	Total	10,753	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	44	0.4%
	Total	81	0.7%

This variable has 10,753 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 701-706 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1950: Statement that best describes effect of coronavirus pandemic on your tobacco and nicotine / product use

[[P-20.]/Please look at this list.]Which statement best describes the effect the coronavirus pandemic has had on your [tobacco and nicotine/product] use?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and have used tobacco or nicotine in the past 30 days.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1 AND (R07_PN0335_01 = 1 OR R07_PN0335_02 = 1 OR R07_PN0335_03 = 1 OR R07_PN0335_04 = 1 OR R07_PN0335_05 = 1 OR R07_PN0335_06 = 1 OR R07_PN0336_01 = 1 OR R07_PN0336_02 = 1 OR R07_PN0337_01 = 1 OR R07_PN0338_01 = 1 OR R07_PN0339_01 = 1 OR R07_PN0339_02 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = I now use tobacco and nicotine more than before the coronavirus pandemic started	383	3.5%
2	2 = I now use tobacco and nicotine about the same as before the coronavirus pandemic started	1264	11.7%

Value	Label	Unweighted Frequency	%
3	3 = I now use tobacco and nicotine less than before the coronavirus pandemic started	465	4.3%
	Total	2,112	19.5%

- Minimum: 1.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	3	0.0%
-8	-8 = Don't know	35	0.3%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	8658	79.9%
	Total	8,722	80.5%

This variable has 2,112 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 707-712 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1955: Statement that best describes effect of coronavirus pandemic on your tobacco and nicotine / product use (quitting)

[[P-21.]/Please look at this list.]Which statement best describes the effect the coronavirus pandemic has had on your [tobacco and nicotine/product] use?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and have used tobacco or nicotine in the past 30 days.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_ADULT_COMPLETE_LD != 1 AND R07_PARENT_COMPLETE_LD != 1 AND (R07_PN0335_01 = 1 OR R07_PN0335_02 = 1 OR R07_PN0335_03 = 1 OR R07_PN0335_04 = 1 OR R07_PN0335_05 = 1 OR R07_PN0335_06 = 1 OR R07_PN0336_01 = 1 OR R07_PN0336_02 = 1 OR R07_PN0337_01 = 1 OR R07_PN0338_01 = 1 OR R07_PN0339_01 = 1 OR R07_PN0339_02 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = I quit using tobacco and nicotine	115	1.1%
2	2 = I am thinking of quitting using tobacco and nicotine	392	3.6%
3	3 = I am trying to quit using tobacco and nicotine	569	5.3%

Value	Label	Unweighted Frequency	%
4	4 = It has had no effect at all on my intentions to quit using tobacco and nicotine	1045	9.6%
	Total	2,121	19.6%

- Minimum: 1.00
- Maximum: 4.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	3	0.0%
-8	-8 = Don't know	26	0.2%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	8658	79.9%
	Total	8,713	80.4%

This variable has 2,121 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 713-718 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1934: In past 12 months, rating of your child's experience of stress related to the coronavirus pandemic

[[P-22.]/Please look at this list.] In the past 12 months, how would you rate {Child's first name}'s experiences of stress related to the coronavirus pandemic?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF AskPandemic = 1 AND R07_YOUTHTYPE = 1, 2, 3.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = None	4031	37.2%
2	2 = Mild (such as occasional worries; feeling a little anxious, sad, or angry; or having mild trouble sleeping)	4241	39.1%
3	3 = Moderate (such as frequent worries; feeling moderately anxious, sad, or angry; or having moderate trouble sleeping)	2024	18.7%
4	4 = Severe (such as persistent worries; feeling extremely anxious, sad, or angry; or having severe trouble sleeping)	460	4.2%
	Total	10,756	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	9	0.1%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	78	0.7%

This variable has 10,756 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 719-724 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1923_12M: In past 12 months, a doctor, nurse, or other medical professional told you that youth had COVID-19

In the past 12 months, has a doctor, nurse, or other health professional told you that {Child's first name} had COVID-19?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2414	22.3%
2	2 = No	8360	77.2%
	Total	10,774	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	60	0.6%

This variable has 10,774 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 725-730 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1923: Doctor, nurse, or other medical professional ever said youth had COVID-19

Has a doctor, nurse, or other health professional ever told you that {Child's first name} had COVID-19?

ASK: Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been told they had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1923_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	708	6.5%
2	2 = No	5018	46.3%
	Total	5,726	52.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	5099	47.1%
	Total	5,108	47.1%

This variable has 5,726 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 731-736 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1938_12M: In past 12 months, youth was tested for COVID-19 or COVID-19 antibodies

In the past 12 months, has {Child's first name} been tested for COVID-19 or COVID-19 antibodies?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7183	66.3%
2	2 = No	3582	33.1%
	Total	10,765	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	12	0.1%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	69	0.6%

This variable has 10,765 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 737-742 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1940_12M: In past 12 months, youth received a positive test result for having COVID-19

In the past 12 months, has {Child's first name} received a positive test result for having COVID-19?

[If Yes (1), GO TO R07_PM1943_12M. If No (2), Don't know (-8), or Refused (-7), GO TO R07_PM1940.]

ASK: Parent/guardian respondents of youth respondents who have been tested for COVID-19 in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2742	25.3%
2	2 = No	4438	41.0%
	Total	7,180	66.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3651	33.7%
	Total	3,654	33.7%

This variable has 7,180 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 743-748 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1938: Youth has ever been tested for COVID-19 or COVID-19 antibodies

Has {Child's first name} ever been tested for COVID-19 or COVID-19 antibodies?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PM1943_12M.]

ASK: Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	905	8.4%
2	2 = No	1576	14.5%
	Total	2,481	22.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	8340	77.0%
	Total	8,353	77.1%

This variable has 2,481 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 749-754 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1940: Youth has ever received a positive test result for having COVID-19

Has {Child's first name} ever received a positive test result for having COVID-19?

ASK: Parent/guardian respondents of youth respondents who have been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months, or
Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 2, -8, -7) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7 AND R07_PM1938 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	968	8.9%
2	2 = No	4370	40.3%
	Total	5,338	49.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	5488	50.7%
	Total	5,496	50.7%

This variable has 5,338 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 755-760 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1943_12M: In past 12 months, any other members living in household were told by a doctor, nurse, or other medical professional they had COVID-19

In the past 12 months, have any other members living in your household been told by a doctor, nurse, or other health professional they had COVID-19?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4757	43.9%
2	2 = No	6011	55.5%
	Total	10,768	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	44	0.4%
	Total	66	0.6%

This variable has 10,768 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 761-766 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1943: Any other members living in household were ever told by a doctor, nurse, or other medical professional they had COVID-19

Have any other members living in your household ever been told by a doctor, nurse, or other health professional they had COVID-19?

ASK: Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not had any household members told they had COVID-19 in the past 12 months or did not know or refused to report whether they had any household members told they had COVID-19 in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1943_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	866	8.0%
2	2 = No	3155	29.1%
	Total	4,021	37.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	6802	62.8%
	Total	6,813	62.9%

This variable has 4,021 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 767-772 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1936_12M: In past 12 months, youth was hospitalized because of COVID-19

In the past 12 months, has {Child's first name} been hospitalized because of COVID-19?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PMR38.]

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months, or

Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.2%
2	2 = No	2937	27.1%
	Total	2,954	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7880	72.7%
	Total	7,880	72.7%

This variable has 2,954 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 773-778 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_PM1937_12M: DERIVED - Recoded in past 12 months, total number of days youth was hospitalized because of COVID-19

Long Description: In the past 12 months, in total, how many days was {Child's first name} hospitalized because of COVID-19?

Algorithm: If 0 <= R07_PM1937_12M <= 6 then R07R_Y_PM1937_12M = R07_PM1937_12M; Else If R07_PM1937_12M >= 7 then R07R_Y_PM1937_12M = 7; Else R07R_Y_PM1937_12M = .;

- Mean: 2.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.86

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10817	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 779-784 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_PM1945_12M: In past 12 months, youth received oxygen therapy because of COVID-19

In the past 12 months, has {Child's first name} received oxygen therapy because of COVID-19?

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and has been hospitalized in the past 12 months because of COVID-19, or Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and has been hospitalized in the past 12 months because of COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	13	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10817	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 785-790 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1942_12M: In past 12 months, youth was intubated because of COVID-19

In the past 12 months, has {Child's first name} been intubated because of COVID-19?

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and has been hospitalized in the past 12 months because of COVID-19, or Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and has been hospitalized in the past 12 months because of COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	16	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10817	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 791-796 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1936: Youth has ever been hospitalized because of COVID-19

Has {Child's first name} ever been hospitalized because of COVID-19?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_PM1948.]

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been told their child had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19, or

Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and whose child has not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 2, -8, -7) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 2, -8, -7) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1923_12M = 2, -8, -7 AND R07_PM1923 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 2, -8, -7 AND R07_PM1940 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7 AND R07_PM1938 = 1 AND R07_PM1940 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	3883	35.8%
	Total	3,887	35.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	6946	64.1%
	Total	6,947	64.1%

This variable has 3,887 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 797-802 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1937: Total number of days youth was hospitalized because of COVID-19

In total, how many days was {Child's first name} hospitalized because of COVID-19?

IF LESS THAN 1 DAY, ENTER 0.

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been told their child had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19 and have been hospitalized because of COVID-19, or Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and whose child has not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result and have been hospitalized because of COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 2, -8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 2, -8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1923_12M = 2, -8, -7 AND R07_PM1923 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 2, -8, -7 AND R07_PM1940 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7 AND R07_PM1938 = 1 AND R07_PM1940 = 1 AND R07_PM1936 = 1).

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.82

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 803-808 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_PM1945: Youth has ever received oxygen therapy because of COVID-19

Has {Child's first name} ever received oxygen therapy because of COVID-19?

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been told their child had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19 and have been hospitalized because of COVID-19, or Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and whose child has not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result and have been hospitalized because of COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 2,

-8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 2, -8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1923_12M = 2, -8, -7 AND R07_PM1923 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 2, -8, -7 AND R07_PM1940 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7 AND R07_PM1938 = 1 AND R07_PM1940 = 1 AND R07_PM1936 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 809-814 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1942: Youth has ever been intubated because of COVID-19

Has {Child's first name} ever been intubated because of COVID-19?

ASK: Parent/guardian respondents of youth respondents who have been told their child had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about them as of their last completed interview and have not been told their child had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19 and have been hospitalized because of COVID-19, or Parent/guardian respondents of youth respondents whose child has been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result and have been hospitalized because of COVID-19, or

Parent/guardian respondents of youth respondents who have not had COVID-19 questions answered about

them as of their last completed interview and whose child has not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result and have been hospitalized because of COVID-19.

ASK Specification: IF (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1923_12M = 1 AND R07_PM1936_12M = 2, -8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 1 AND R07_PM1936_12M = 2, -8, -7 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1923_12M = 2, -8, -7 AND R07_PM1923 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1938_12M = 1 AND R07_PM1940_12M = 2, -8, -7 AND R07_PM1940 = 1 AND R07_PM1936 = 1) OR (R07_YOUTHTYPE = 1, 2, 3 AND R07_COVID19 != 1 AND R07_PM1938_12M = 2, -8, -7 AND R07_PM1938 = 1 AND R07_PM1940 = 1 AND R07_PM1936 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 815-820 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1948: Child is fully vaccinated against COVID-19

Is {Child's first name} fully vaccinated against COVID-19?

[If No (2) or Don't know (-8), GO TO R07_PM1949. If Refused (-7), GO TO BOX R07_PLV03.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6330	58.4%

Value	Label	Unweighted Frequency	%
2	2 = No	4403	40.6%
	Total	10,733	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	44	0.4%
-1	-1 = Inapplicable	44	0.4%
	Total	101	0.9%

This variable has 10,733 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 821-826 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1947: Child has received an additional dose of COVID-19 vaccine since being fully vaccinated (booster shot)

Has {Child's first name} received an additional dose of COVID-19 vaccine since they've been fully vaccinated? This dose is sometimes called a "booster shot."

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_PLV03.]

ASK: Parent/guardian respondents of youth respondents who are fully vaccinated against COVID-19.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1948 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2629	24.3%
2	2 = No	3685	34.0%
	Total	6,314	58.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	16	0.1%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	4504	41.6%
	Total	4,520	41.7%

This variable has 6,314 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 827-832 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_PM1949: Child has received at least one dose of a COVID-19 vaccine

Has {Child's first name} received at least one dose of a COVID-19 vaccine?

ASK: Parent/guardian respondents of youth respondents who are not fully vaccinated against COVID-19 or did not know if they are fully vaccinated against COVID-19.

ASK Specification: IF R07_YOUTHTYPE = 1, 2, 3 AND R07_PM1948 = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	281	2.6%
2	2 = No	4120	38.0%
	Total	4,401	40.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	6418	59.2%
	Total	6,433	59.4%

This variable has 4,401 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 833-838 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_P_EVR_TOB: DERIVED - Wave 7 Parent Ever Tobacco

Long Description: Wave 7 parent reported their child (youth participant) has ever used any tobacco product.

Algorithm: IF R07_PT0021 in (1,2) THEN R07R_P_EVR_TOB=1; ELSE IF R07_PT0021 in (3,4) THEN R07R_P_EVR_TOB=2; ELSE R07R_P_EVR_TOB=.;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1313	12.1%
2	2 = No	9476	87.5%
	Total	10,789	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	45	0.4%
	Total	45	0.4%

This variable has 10,789 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 839-844 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YOUTH_MODE: Wave 7 Youth interview mode

Long Description: YOUTH INTERVIEW WAS COMPLETED IN-PERSON, BY TELEPHONE, OR ONLINE?

Value	Label	Unweighted Frequency	%
1	1 = In-Person	10256	94.7%
2	2 = Telephone	207	1.9%
3	3 = Web	371	3.4%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 845-845 (width: 1; decimal: 0)

Variable Type: numeric

R07R_Y_YM0065_V2: DERIVED - Recoded number of years youth lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R07_YM0065 = -2 THEN R07R_Y_YM0065_V2 = 1; ELSE IF R07_YM0065 >= 1 THEN R07R_Y_YM0065_V2 = 2; ELSE R07R_Y_YM0065_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	8076	74.5%
2	2 = Not lived in the U.S. entire life	2716	25.1%
	Total	10,792	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	42	0.4%
	Total	42	0.4%

This variable has 10,792 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 852-857 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YM0071: Speak a language other than English at home (youth)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YCT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3078	28.4%
2	2 = No	7740	71.4%
	Total	10,818	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	16	0.1%

This variable has 10,818 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 858-863 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM0072_01: Other language spoken at home: Spanish (youth)

What other languages do you speak at home? [Choose all that apply./

DO NOT READ OPTIONS ALOUD. SELECT FROM LANGUAGES LISTED AND/OR SPECIFY THE APPROPRIATE ANSWER(S).]

Spanish

ASK: Youth respondents who speak a language other than English at home.

ASK Specification: IF R07_YM0071 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2339	21.6%
2	2 = Not Marked	666	6.1%
	Total	3,005	27.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	7756	71.6%
	Total	7,829	72.3%

This variable has 3,005 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 864-869 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (youth)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R07_YM0072_02 = 1 OR R07_YM0072_03 = 1 OR R07_YM0072_04

= 1 OR R07_YM0072_05 = 1 OR R07_YM0072_06 = 1 OR R07_YM0072_07 = 1 OR
R07_YM0072_08 = 1 OR R07_YM0072_09 = 1 OR R07_YM0072_10 = 1 THEN
R07R_Y_YM0072_02 = 1; ELSE if R07_YM0072_02 = 2 AND R07_YM0072_03 = 2
AND R07_YM0072_04 = 2 AND R07_YM0072_05 = 2 AND R07_YM0072_06 = 2 AND
R07_YM0072_07 = 2 AND R07_YM0072_08 = 2 AND R07_YM0072_09 = 2 AND
R07_YM0072_10 = 2 THEN R07R_Y_YM0072_02 = 2; ELSE R07R_Y_YM0072_02 =
.;

Value	Label	Unweighted Frequency	%
1	1 = Marked	754	7.0%
2	2 = Not Marked	2251	20.8%
	Total	3,005	27.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7829	72.3%
	Total	7,829	72.3%

This variable has 3,005 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 870-875 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YC1002_NB: Ever tried cigarette smoking, even one or two puffs

Have you ever tried cigarette smoking, even one or two puffs?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YCV02.]

ASK: New baseline youth respondents, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_CIGS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	500	4.6%
2	2 = No	6991	64.5%
	Total	7,491	69.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	3335	30.8%
	Total	3,343	30.9%

This variable has 7,491 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 876-881 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1002_12M: In past 12 months, smoked a cigarette, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_CIGS = 1 OR (R07_EVER_NEVER_CIGS = 2 AND R07_YC1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	138	1.3%
2	2 = No	3217	29.7%
	Total	3,355	31.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7477	69.0%
	Total	7,479	69.0%

This variable has 3,355 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 882-887 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1103: Ever been curious about smoking a cigarette

[[A-4.]]Have you ever been curious about smoking a cigarette?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	103	1.0%
2	2 = Somewhat curious	521	4.8%
3	3 = A little curious	1870	17.3%
4	4 = Not at all curious	7583	70.0%
	Total	10,077	93.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	740	6.8%
	Total	757	7.0%

This variable has 10,077 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 888-893 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1206: Think you will smoke a cigarette in the next year

[[A-5.]]Do you think you will smoke a cigarette in the next year?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1%
2	2 = Probably yes	57	0.5%
3	3 = Probably not	1180	10.9%
4	4 = Definitely not	8845	81.6%
	Total	10,089	93.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	740	6.8%
	Total	745	6.9%

This variable has 10,089 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 894-899 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1104: Think you will try a cigarette soon

[[A-5.]]Do you think that you will try a cigarette soon?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0%
2	2 = Probably yes	58	0.5%
3	3 = Probably not	975	9.0%
4	4 = Definitely not	9052	83.6%
	Total	10,088	93.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	740	6.8%
	Total	746	6.9%

This variable has 10,088 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 900-905 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1105: Would smoke a cigarette if one of your best friends offered you one

[[A-5.]]If one of your best friends were to offer you a cigarette, would you smoke it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YVT01.]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13	0.1%
2	2 = Probably yes	169	1.6%
3	3 = Probably not	1423	13.1%
4	4 = Definitely not	8480	78.3%
	Total	10,085	93.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	740	6.8%
	Total	749	6.9%

This variable has 10,085 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 906-911 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YC1006: DERIVED - Age range when first tried cigarette smoking, even one or two puffs (3 levels)

Long Description: How old were you when you first tried cigarette smoking, even one or two puffs?

Algorithm: IF R07_YC1120 = 1 OR (0 <= R07_YC1006 <= 11) THEN
R07R_Y_YC1006 = 1; ELSE IF R07_YC1120 = 2 OR (12 <= R07_YC1006 <= 14)
THEN R07R_Y_YC1006 = 2; ELSE IF R07_YC1120 = 3 OR (15 <= R07_YC1006
<= 17) THEN R07R_Y_YC1006 = 3; ELSE R07R_Y_YC1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	160	1.5%
2	2 = 12 to 14 years old	228	2.1%
3	3 = 15 to 17 years old	183	1.7%
	Total	571	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10263	94.7%
	Total	10,263	94.7%

This variable has 571 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 912-917 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YC1108: First cigarette smoked flavored to taste like menthol or mint

Was the first cigarette you smoked flavored to taste like menthol or mint?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR
R07_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	159	1.5%

Value	Label	Unweighted Frequency	%
2	2 = No	214	2.0%
3	3 = I don't know	199	1.8%
	Total	572	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10259	94.7%
	Total	10,262	94.7%

This variable has 572 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 918-923 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9104: Pleasant sensations experienced first time you smoked a cigarette

[[A-6.]]How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR R07_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	312	2.9%
2	2 = A little	135	1.2%
3	3 = Somewhat	87	0.8%
4	4 = A lot	34	0.3%
	Total	568	5.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10259	94.7%
	Total	10,266	94.8%

This variable has 568 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 924-929 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9105: Unpleasant sensations experienced first time you smoked a cigarette

[[A-6.]]How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR R07_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	139	1.3%
2	2 = A little	132	1.2%
3	3 = Somewhat	141	1.3%
4	4 = A lot	157	1.4%
	Total	569	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10259	94.7%
	Total	10,265	94.7%

This variable has 569 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 930-935 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9106: Felt sick to stomach after smoking cigarette for the first time

[[A-6.]]How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR R07_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	275	2.5%
2	2 = A little	113	1.0%
3	3 = Somewhat	98	0.9%
4	4 = A lot	86	0.8%
	Total	572	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10259	94.7%
	Total	10,262	94.7%

This variable has 572 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 936-941 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1005: Number of cigarettes smoked in entire life

[[A-7.]]How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and have initiated cigarette smoking since their last completed interview or had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_CIGS_YOUTH = 1 AND (R07_INIT_CIGS_YOUTH = 1 OR R07_NUMLIFE_CIGS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	306	2.8%
2	2 = 1 cigarette	117	1.1%
3	3 = 2 to 10 cigarettes (about 1/2 pack total)	137	1.3%
4	4 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	54	0.5%
5	5 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	31	0.3%
6	6 = 51 to 99 cigarettes (more than 2 1/2 packs but less than 5 packs)	14	0.1%
7	7 = 100 or more cigarettes (5 packs or more)	38	0.4%
	Total	697	6.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	21	0.2%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	10107	93.3%
	Total	10,137	93.6%

This variable has 697 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 942-947 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YC9022.]

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_CIGS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_REGUSE_CIGS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.7%

Value	Label	Unweighted Frequency	%
2	2 = No	633	5.8%
	Total	708	6.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10124	93.4%
	Total	10,126	93.5%

This variable has 708 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 948-953 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YC1007: DERIVED - Age range when first started smoking cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF R07_YC1121 = 1 OR (0 <= R07_YC1007 <= 11) THEN
R07R_Y_YC1007 = 1; ELSE IF R07_YC1121 = 2 OR (12 <= R07_YC1007 <= 14)
THEN R07R_Y_YC1007 = 2; ELSE IF R07_YC1121 = 3 OR (15 <= R07_YC1007
<= 17) THEN R07R_Y_YC1007 = 3; ELSE R07R_Y_YC1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1%
2	2 = 12 to 14 years old	34	0.3%
3	3 = 15 to 17 years old	29	0.3%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10760	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 954-959 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.8%
2	2 = No	651	6.0%
	Total	738	6.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10094	93.2%
	Total	10,096	93.2%

This variable has 738 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 960-965 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1112: Last time smoked a cigarette, even one or two puffs

[[A-8./A-9.]]When was the last time you smoked a cigarette, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year
(R07_YC1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	26	0.2%
2	2 = Not today but sometime in the past 7 days	56	0.5%
3	3 = Not in the past 7 days but sometime in the past 30 days	50	0.5%
4	4 = Not in the past 30 days but sometime in the past 6 months	124	1.1%
5	5 = Not in the past 6 months but sometime in the past year	136	1.3%
6	6 = 1 to 4 years ago	219	2.0%
7	7 = 5 or more years ago	104	1.0%
	Total	715	6.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	19	0.2%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10094	93.2%
	Total	10,119	93.4%

This variable has 715 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 966-971 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC0100: When last smoked a cigarette

[[A-10.]]When did you last smoke a cigarette?

[If In the past hour (1), GO TO R07_YC0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YC1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	15	0.1%

Value	Label	Unweighted Frequency	%
2	2 = Sometime today, but more than an hour ago	8	0.1%
3	3 = Yesterday	22	0.2%
4	4 = Day before yesterday	11	0.1%
5	5 = Three or more days ago	24	0.2%
	Total	80	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10752	99.2%
	Total	10,754	99.3%

This variable has 80 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 972-977 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC0102: Time period of day when you last smoked a cigarette

[[A-11.]]When you last smoked a cigarette [FILL BASED ON R07_YC0100], was it...

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YC1112 = 1, 2 AND R07_YC0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	6	0.1%
2	2 = After 6AM but before noon	6	0.1%
3	3 = Between noon and 6PM	15	0.1%
4	4 = After 6PM but before midnight	14	0.1%
	Total	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10793	99.6%
	Total	10,793	99.6%

This variable has 41 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 978-983 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC0103: Number of cigarettes smoked today/yesterday/day before yesterday

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R07_YC0100]? A pack usually has 20 cigarettes in it.

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YC1112 = 1, 2 AND R07_YC0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.55
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.38

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10778	99.5%

Value	Missing Data	Unweighted Frequency	%
	Total	10,778	99.5%

This variable has 56 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 984-989 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1022: In past 30 days, number of days smoked cigarettes

In the past 30 days, on how many days did you smoke cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 6.73
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.58

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	2	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 990-995 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1023: In past 30 days, number of cigarettes smoked per day on the days that you smoked

[[A-12.]] In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

[IF NEEDED:]A pack usually has 20 cigarettes in it.

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette per day	62	0.6%
2	2 = 1 cigarette per day	24	0.2%
3	3 = 2 to 5 cigarettes per day	31	0.3%
4	4 = 6 to 10 cigarettes per day	7	0.1%
5	5 = 11 to 20 cigarettes per day	1	0.0%
6	6 = More than 20 cigarettes per day	3	0.0%
	Total	128	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,706	98.8%

This variable has 128 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 996-1001 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9048: In past 30 days, smoked manufactured cigarettes or roll-your-own cigarettes

In the past 30 days, did you smoke manufactured cigarettes or did you smoke roll-your-own cigarettes?

[If Roll-your-own cigarettes (2), GO TO BOX R07_YCR20.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarettes	96	0.9%

Value	Label	Unweighted Frequency	%
2	2 = Roll-your-own cigarettes	7	0.1%
3	3 = Both manufactured and roll-your-own cigarettes	13	0.1%
4	4 = I don't know	15	0.1%
	Total	131	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,703	98.8%

This variable has 131 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1002-1007 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1130: In past 30 days, smoked cigarettes flavored to taste like menthol or mint

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked manufactured cigarettes in the past 30 days or did not know or refused to report the type of cigarettes they smoked in the past 30 days.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5%
2	2 = No	53	0.5%
3	3 = I don't know	14	0.1%
	Total	124	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10709	98.8%
	Total	10,710	98.9%

This variable has 124 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1008-1013 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9045: In past 30 days, smoked roll-your-own tobacco flavored like menthol or mint

In the past 30 days, was any of the roll-your-own tobacco you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	10	0.1%
3	3 = I don't know	3	0.0%
	Total	20	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10814	99.8%
	Total	10,814	99.8%

This variable has 20 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1014-1019 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1142: In past 30 days, anyone sold you cigarettes

The next questions ask about your experience buying cigarettes.

In the past 30 days, did anyone sell you cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2%
2	2 = No	111	1.0%
	Total	131	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,703	98.8%

This variable has 131 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1020-1025 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1123: In the past 30 days, someone refused to sell you cigarettes because of your age

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	39	0.4%
3	3 = I did not try to buy cigarettes in the past 30 days	83	0.8%
	Total	131	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,703	98.8%

This variable has 131 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1026-1031 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1030: How you usually buy your cigarettes

How do you usually buy cigarettes for yourself?

[If In person (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YCR03.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	25	0.2%
2	2 = From the internet	4	0.0%
3	3 = By telephone	0	0.0%
4	4 = I do not buy my own cigarettes	97	0.9%
	Total	126	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,708	98.8%

This variable has 126 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1032-1037 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1118: In past 30 days, how you usually got your own cigarettes

[[A-13.]]In the past 30 days, how did you usually get your own cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers and do not buy their own cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy cigarettes for me	13	0.1%
2	2 = I asked someone to give me a cigarette	29	0.3%
3	3 = Someone offered me a cigarette	28	0.3%
4	4 = I took cigarettes from a store or another person	17	0.2%
5	5 = I got cigarettes some other way	5	0.0%
	Total	92	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10737	99.1%
	Total	10,742	99.2%

This variable has 92 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1038-1043 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1032: Geographic area where you usually buy cigarettes

Do [they/you] usually buy cigarettes...

ASK: Youth respondents who are past 30 day cigarette smokers and usually buy cigarettes in person or do not buy their own cigarettes and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND (R07_YC1030 = 1 OR (R07_YC1030 = 4 AND R07_YC1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	36	0.3%
2	2 = In another state	0	0.0%
3	3 = Outside the US	1	0.0%
	Total	37	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10796	99.6%
	Total	10,797	99.7%

This variable has 37 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1044-1049 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1033: Retail location where your cigarettes are purchased most of the time

[[A-14.]]Where do [they/you] buy your cigarettes most of the time?

ASK: Youth respondents who are past 30 day cigarette smokers and usually buy cigarettes in person or do not buy their own cigarettes and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND (R07_YC1030 = 1 OR (R07_YC1030 = 4 AND R07_YC1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	26	0.2%
2	2 = A supermarket, grocery store, or drug store	0	0.0%
3	3 = A warehouse club, such as Sam's or Costco	0	0.0%
4	4 = A smoke shop, tobacco specialty store, or tobacco outlet store	1	0.0%
5	5 = A duty free shop or military commissary	0	0.0%
6	6 = A bar, pub, restaurant, or casino	0	0.0%

Value	Label	Unweighted Frequency	%
7	7 = A friend or relative	6	0.1%
8	8 = A swap meet or flea market	1	0.0%
9	9 = A store on an Indian reservation	0	0.0%
10	10 = A liquor store	2	0.0%
11	11 = Somewhere else	1	0.0%
	Total	37	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10796	99.6%
	Total	10,797	99.7%

This variable has 37 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1050-1055 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1039: Usually buy cigarettes by carton, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] cigarettes. Did you buy them by the carton, pack, or as a single cigarette?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually buy cigarettes in person or do not buy their own cigarettes and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND (R07_YC1030 = 1 OR (R07_YC1030 = 4 AND R07_YC1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Carton	3	0.0%
2	2 = Pack	19	0.2%
3	3 = Single cigarette	4	0.0%
	Total	26	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,808	99.8%

This variable has 26 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1056-1061 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1034_D: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Dollars

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually buy cigarettes in person or do not buy their own cigarettes and give someone else money to buy for them and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND (R07_YC1030 = 1 OR (R07_YC1030 = 4 AND R07_YC1118 = 1)) AND R07_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 6.44
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.08

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10808	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1062-1067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1034_C: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Cents

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually buy cigarettes in person or do not buy their own cigarettes and give someone else money to buy for them and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND (R07_YC1030 = 1 OR (R07_YC1030 = 4 AND R07_YC1118 = 1)) AND R07_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1068-1073 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1047: Have a regular brand of cigarettes you usually smoke

Do you have a regular brand of cigarettes that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.4%
2	2 = No	22	0.2%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1074-1079 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1945: Know the name of brand of cigarettes last smoked

Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YCR07.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6%
2	2 = No	61	0.6%
	Total	130	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,704	98.8%

This variable has 130 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1080-1085 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1048_BRAND: Brand of cigarettes usually/last smoked

[[HELP-1.]]What brand of cigarette [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.
[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]]

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10765	99.4%
	Total	10,765	99.4%

This variable has 69 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1086-1091 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1070_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.
[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC1945 = 1 AND R07_YC1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10768	99.4%
	Total	10,769	99.4%

This variable has 65 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1092-1097 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1051_NN: How long smoked regular brand of cigarettes - Number

About how long have you been smoking your regular brand of cigarettes? [Enter a whole number and select one of the options below.]

__Days/Months/Years

[If Don't know (-8) or Refused (-7), GO TO R07_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10793	99.6%
	Total	10,794	99.6%

This variable has 40 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1098-1103 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1051_UN: How long smoked regular brand of cigarettes - Unit

About how long have you been smoking your regular brand of cigarettes? [Enter a whole number and select one of the options below.]

___Days/Months/Years

[If Don't know (-8) or Refused (-7), GO TO R07_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	2	0.0%
2	2 = Months	10	0.1%
3	3 = Years	28	0.3%
	Total	40	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10794	99.6%
	Total	10,794	99.6%

This variable has 40 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1104-1109 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9019: Harmfulness of brand of cigarettes usually smoked compared to other cigarette brands

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3	0.0%
2	2 = No different	30	0.3%
3	3 = More harmful	7	0.1%
	Total	40	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10793	99.6%
	Total	10,794	99.6%

This variable has 40 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1110-1115 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It is affordable

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?
[Mark Yes or No for each item.]

It is affordable.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2%
2	2 = No	22	0.2%
	Total	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10793	99.6%
	Total	10,793	99.6%

This variable has 41 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1116-1121 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

The taste.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.3%
2	2 = No	13	0.1%
	Total	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10793	99.6%
	Total	10,793	99.6%

This variable has 41 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1122-1127 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1144: Self-perception of harmfulness of smoking cigarettes to own health

[[A-15.]]How harmful do you think smoking cigarettes is to your health?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	8	0.1%
2	2 = Slightly harmful	9	0.1%
3	3 = Somewhat harmful	33	0.3%
4	4 = Very harmful	52	0.5%
5	5 = Extremely harmful	30	0.3%
	Total	132	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,702	98.8%

This variable has 132 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1128-1133 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC0104: Brand of very last cigarette smoked is same as brand regularly/last smoked

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and sub-brand of cigarettes.

ASK Specification: IF R07_PAST30DAY_CIGS = 1 AND R07_YC0100 = 1, 2, 3, 4 AND R07_YC1945 = 1 AND R07_YC1048_BRAND != 9995, -8, -7 AND R07_YC1070_PRODUCT != 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.3%
2	2 = No	7	0.1%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10798	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1134-1139 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1001_NB: Ever seen or heard of electronic nicotine products before this study

[[B-1.]]Have you ever seen or heard of electronic nicotine products before this study?

[IF NEEDED:](Electronic nicotine products include e-cigarettes, pod devices, vape pens, tank systems, mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YVV02.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6538	60.3%
2	2 = No	781	7.2%
	Total	7,319	67.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,515	32.4%

This variable has 7,319 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1140-1145 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1002_NB: Ever used an electronic nicotine product, even one or two times

[[B-1.]]Have you ever used an electronic nicotine product, even one or two times?

[IF NEEDED:](Electronic nicotine products include e-cigarettes, pod devices, vape pens, tank systems, mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

Please do not include marijuana or cannabis when answering the following questions about electronic

nicotine products. There will be a separate section later about using marijuana or cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YVV02.]

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents who are previous wave non-responders and have never used ENPs as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_EPRODS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	984	9.1%
2	2 = No	5711	52.7%
	Total	6,695	61.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	4133	38.1%
	Total	4,139	38.2%

This variable has 6,695 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1146-1151 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1002_12M: In the past 12 months, used an electronic nicotine product, even one or two times

[[B-1.] In the past 12 months, have you used an electronic nicotine product, even one or two times?

[IF NEEDED:](Electronic nicotine products include e-cigarettes, pod devices, vape pens, tank systems, mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

Please do not include marijuana or cannabis when answering the following questions about electronic nicotine products. There will be a separate section later about using marijuana or cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YVV02.]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth

respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or have never used ENPs as of their last completed interview and have ever used ENPs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_EPRODS = 1 OR (R07_EVER_NEVER_EPRODS = 2 AND R07_YV1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	530	4.9%
2	2 = No	2846	26.3%
	Total	3,376	31.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	7449	68.8%
	Total	7,458	68.8%

This variable has 3,376 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1152-1157 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1103: Ever been curious about using an electronic nicotine product

[[B-2.]]Have you ever been curious about using an electronic nicotine product?

[IF NEEDED:](Electronic nicotine products include e-cigarettes, pod devices, vape pens, tank systems, mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB != 2, -8, -7 AND R07_EVER_NEVER_EPRODS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	87	0.8%
2	2 = Somewhat curious	422	3.9%
3	3 = A little curious	1583	14.6%

Value	Label	Unweighted Frequency	%
4	4 = Not at all curious	6232	57.5%
	Total	8,324	76.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	2501	23.1%
	Total	2,510	23.2%

This variable has 8,324 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1158-1163 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1206: Think you will use electronic nicotine products in the next year

[[B-3.]]Do you think you will try an electronic nicotine product in the next year?

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB != 2, -8, -7 AND R07_EVER_NEVER_EPRODS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.1%
2	2 = Probably yes	80	0.7%
3	3 = Probably not	1196	11.0%
4	4 = Definitely not	7046	65.0%
	Total	8,328	76.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	2501	23.1%
	Total	2,506	23.1%

This variable has 8,328 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1164-1169 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1104: Think you will try an electronic nicotine product soon

[[B-3.]]Do you think that you will try an electronic nicotine product soon?

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB != 2, -8, -7 AND R07_EVER_NEVER_EPRODS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	5	0.0%
2	2 = Probably yes	51	0.5%
3	3 = Probably not	973	9.0%
4	4 = Definitely not	7301	67.4%
	Total	8,330	76.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	2501	23.1%
	Total	2,504	23.1%

This variable has 8,330 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1170-1175 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1105: Would use an electronic nicotine product if one of your best friends offered you one

[[B-3.]]If one of your best friends were to offer you an electronic nicotine product, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO R07_YV9041.]

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB != 2, -8, -7 AND R07_EVER_NEVER_EPRODS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	11	0.1%
2	2 = Probably yes	190	1.8%
3	3 = Probably not	1294	11.9%
4	4 = Definitely not	6833	63.1%
	Total	8,328	76.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	2501	23.1%
	Total	2,506	23.1%

This variable has 8,328 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1176-1181 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YV1006: DERIVED - Age range when first tried an electronic nicotine product, even one or two times (3 levels)

Long Description: How old were you when you first tried an electronic nicotine product, even one or two times?

Algorithm: IF R07_YV1120 = 1 OR (0<=R07_YV1006<=11) THEN

R07R_Y_YV1006 = 1; ELSE IF R07_YV1120 = 2 OR (12<=R07_YV1006<=14)
 THEN R07R_Y_YV1006 = 2; ELSE IF R07_YV1120 = 3 OR (15<=
 R07_YV1006<=17) THEN R07R_Y_YV1006 = 3; ELSE R07R_Y_YV1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	131	1.2%
2	2 = 12 to 14 years old	634	5.9%
3	3 = 15 to 17 years old	453	4.2%
	Total	1,218	11.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9616	88.8%
	Total	9,616	88.8%

This variable has 1,218 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1182-1187 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YV1011_01: Flavor of first electronic nicotine product used: Tobacco-flavored

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Tobacco-flavored

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.6%
2	2 = Not Marked	1113	10.3%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1188-1193 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_02: Flavor of first electronic nicotine product used: Menthol

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	190	1.8%
2	2 = Not Marked	992	9.2%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1194-1199 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_03: Flavor of first electronic nicotine product used: Mint

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Mint

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	278	2.6%
2	2 = Not Marked	904	8.3%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1200-1205 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_04: Flavor of first electronic nicotine product used: Clove or spice

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	1176	10.9%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1206-1211 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_05: Flavor of first electronic nicotine product used: Fruit

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	793	7.3%
2	2 = Not Marked	389	3.6%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1212-1217 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_06: Flavor of first electronic nicotine product used: Chocolate

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2%
2	2 = Not Marked	1160	10.7%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1218-1223 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_07: Flavor of first electronic nicotine product used: Alcoholic drink

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2%
2	2 = Not Marked	1162	10.7%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1224-1229 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_08: Flavor of first electronic nicotine product used: Non-alcoholic drink

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.5%
2	2 = Not Marked	1132	10.4%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1230-1235 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_09: Flavor of first electronic nicotine product used: Candy, desserts or other sweets

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Candy, desserts, or other sweets

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	307	2.8%
2	2 = Not Marked	875	8.1%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1236-1241 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1011_10: Flavor of first electronic nicotine product used: Some other flavor

[[B-4.]]When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR R07_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2%
2	2 = Not Marked	1164	10.7%
	Total	1,182	10.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	36	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	9608	88.7%
	Total	9,652	89.1%

This variable has 1,182 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1242-1247 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1005: Number of times used an electronic nicotine product in entire life

[[B-5.]]How many times have you used an electronic nicotine product in your entire life?

ASK: New baseline youth respondents who have ever used ENPs, or continuing youth respondents who have ever used an ENP and initiated ENP use since their last completed interview or had not used ENPs 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 1 AND (R07_INIT_EPRODS_YOUTH = 1 OR R07_NUMLIFE_EPROD != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	524	4.8%
2	2 = 2 to 10 times	381	3.5%
3	3 = 11 to 20 times	164	1.5%
4	4 = 21 to 50 times	125	1.2%
5	5 = 51 to 99 times	90	0.8%
6	6 = 100 or more times	280	2.6%
	Total	1,564	14.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	42	0.4%
-7	-7 = Refused	24	0.2%
-1	-1 = Inapplicable	9204	85.0%
	Total	9,270	85.6%

This variable has 1,564 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1248-1253 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1100: Ever used electronic nicotine products fairly regularly

Have you ever used electronic nicotine products fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YV1112.]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_EPRODS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_REGUSE_EPROD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	433	4.0%
2	2 = No	1140	10.5%
	Total	1,573	14.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9254	85.4%
	Total	9,261	85.5%

This variable has 1,573 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1254-1259 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YV1007: DERIVED - Age range when first started using an electronic nicotine product fairly regularly (3 levels)

Long Description: How old were you when you first started using electronic nicotine products fairly regularly?

Algorithm: IF R07_YV1121 = 1 OR (0 <= R07_YV1007 <= 11) THEN
R07R_Y_YV1007 = 1; ELSE IF R07_YV1121 = 2 OR (12 <= R07_YV1007 <= 14)
THEN R07R_Y_YV1007 = 2; ELSE IF R07_YV1121 = 3 OR (15 <= R07_YV1007
<= 17) THEN R07R_Y_YV1007 = 3; ELSE R07R_Y_YV1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	30	0.3%
2	2 = 12 to 14 years old	205	1.9%
3	3 = 15 to 17 years old	198	1.8%
	Total	433	4.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10401	96.0%
	Total	10,401	96.0%

This variable has 433 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1260-1265 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07_YV1112: Last time you used an electronic nicotine product, even one or two times

[B-6./B-7.]]When was the last time you used an electronic nicotine product, even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YVV01.]

ASK: Youth respondents who have ever used an ENP.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R07_YV1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	241	2.2%
2	2 = Not today but sometime in the past 7 days	191	1.8%
3	3 = Not in the past 7 days but sometime in the past 30 days	212	2.0%
4	4 = Not in the past 30 days but sometime in the past 6 months	339	3.1%
5	5 = Not in the past 6 months but sometime in the past year	303	2.8%
6	6 = 1 to 4 years ago	315	2.9%
7	7 = 5 or more years ago	52	0.5%
	Total	1,653	15.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	42	0.4%
-7	-7 = Refused	22	0.2%
-1	-1 = Inapplicable	9117	84.2%
	Total	9,181	84.7%

This variable has 1,653 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1266-1271 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV0100: When last used an electronic nicotine product

[[B-8.]]When did you last use an electronic nicotine product?

[If In the past hour (1), GO TO R07_YV0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YV01.]

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YV1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	152	1.4%
2	2 = Sometime today, but more than an hour ago	88	0.8%

Value	Label	Unweighted Frequency	%
3	3 = Yesterday	71	0.7%
4	4 = Day before yesterday	24	0.2%
5	5 = Three or more days ago	94	0.9%
	Total	429	4.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10402	96.0%
	Total	10,405	96.0%

This variable has 429 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1272-1277 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV0102: Time period of day when you last used an electronic nicotine product

[[B-9.]]When you last used an electronic nicotine product [FILL BASED ON R07_YV0100], was it...

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YV1112 = 1, 2 AND R07_YV0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	14	0.1%
2	2 = After 6AM but before noon	52	0.5%
3	3 = Between noon and 6PM	80	0.7%
4	4 = After 6PM but before midnight	37	0.3%
	Total	183	1.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10651	98.3%
	Total	10,651	98.3%

This variable has 183 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1278-1283 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV0103: Number of puffs taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R07_YV0100]?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVV01.]

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YV1112 = 1, 2 AND R07_YV0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 17.50
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 251.00
- Standard Deviation: 24.31

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	3	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10499	96.9%
	Total	10,519	97.1%

This variable has 315 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1284-1289 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV9041: Someone else in home owns an e-cigarette or other electronic nicotine product

Not including yourself, does anyone living in your home own an e-cigarette or other electronic nicotine product?

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YV1001_NB = 1) OR R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1536	14.2%
2	2 = No	8447	78.0%
	Total	9,983	92.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	54	0.5%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	784	7.2%
	Total	851	7.9%

This variable has 9,983 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1290-1295 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9035_01: Ever used an e-cigarette including a pod device, vape pen, tank system, or mod

[B-10.]]Which of the following kinds of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

E-cigarette including a pod device, vape pen, tank system, or mod

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have

used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1356	12.5%
2	2 = Not Marked	66	0.6%
	Total	1,422	13.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,412	86.9%

This variable has 1,422 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1296-1301 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9035_02: Ever used an e-cigar

[[B-10.]]Which of the following kinds of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

E-cigar

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.4%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	1379	12.7%
	Total	1,422	13.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,412	86.9%

This variable has 1,422 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1302-1307 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9035_03: Ever used an e-pipe

[[B-10.]]Which of the following kinds of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

E-pipe

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	1415	13.1%
	Total	1,422	13.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,412	86.9%

This variable has 1,422 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1308-1313 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9035_04: Ever used an e-hookah including a hookah pen

[[B-10.]]Which of the following kinds of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

E-hookah including a hookah pen

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2%
2	2 = Not Marked	1397	12.9%
	Total	1,422	13.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,412	86.9%

This variable has 1,422 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1314-1319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9035_05: Ever used some other electronic nicotine product

[[B-10.]] Which of the following kinds of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

Something else (SPECIFY)

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.3%
2	2 = Not Marked	1392	12.8%
	Total	1,422	13.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,412	86.9%

This variable has 1,422 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1320-1325 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9044: Type of electronic nicotine product used most often

[[B-10.]] You mentioned that you have used more than one kind of electronic nicotine product.

Which kind of electronic nicotine product [do/did] you use most often?

ASK: Youth respondents who have used more than one kind of ENP.

ASK Specification: IF MORE THAN ONE OPTION SELECTED IN R07_YV9035.

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a pod device, vape pen, tank system, or mod	31	0.3%
2	2 = E-cigar	1	0.0%
3	3 = E-pipe	0	0.0%
4	4 = E-hookah including a hookah pen	4	0.0%
5	5 = Something else	0	0.0%
	Total	36	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10798	99.7%
	Total	10,798	99.7%

This variable has 36 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1326-1331 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9039_01: Type of electronic nicotine product used: A disposable device

[[B-11.]]Which of the following types of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

A disposable device

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1076	9.9%
2	2 = Not Marked	337	3.1%
	Total	1,413	13.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,421	87.0%

This variable has 1,413 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1332-1337 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9039_02: Type of electronic nicotine product used: A device that uses replaceable pods or cartridges

[[B-11.]]Which of the following types of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

A device that uses replaceable pods or cartridges

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	562	5.2%
2	2 = Not Marked	851	7.9%
	Total	1,413	13.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,421	87.0%

This variable has 1,413 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1338-1343 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9039_03: Type of electronic nicotine product used: A device with a tank that you refill with liquids

[[B-11.]]Which of the following types of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

A device with a tank that you refill with liquids

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	264	2.4%
2	2 = Not Marked	1149	10.6%
	Total	1,413	13.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	9351	86.3%

Value	Missing Data	Unweighted Frequency	%
	Total	9,421	87.0%

This variable has 1,413 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1344-1349 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9039_04: Type of electronic nicotine product used: A mod system

[[B-11.]]Which of the following types of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

A mod system

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	91	0.8%
2	2 = Not Marked	1322	12.2%
	Total	1,413	13.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,421	87.0%

This variable has 1,413 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1350-1355 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9039_05: Type of electronic nicotine product used: Something else

[[B-11.]] Which of the following types of electronic nicotine products [do/did] you use? Choose all that apply.

As a reminder, please do not include marijuana or cannabis when answering.

Something else (SPECIFY)

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2%
2	2 = Not Marked	1389	12.8%
	Total	1,413	13.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	9351	86.3%
	Total	9,421	87.0%

This variable has 1,413 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1356-1361 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9001: Type of electronic nicotine product used most often

[[B-11.]] You mentioned that you have used more than one type of electronic nicotine product.

What type of electronic nicotine product [do/did] you use most often?

ASK: Youth respondents who have used more than one type of ENP.

ASK Specification: IF R07_EPRODCOUNT > 1.

Value	Label	Unweighted Frequency	%
1	1 = A disposable device	272	2.5%
2	2 = A device that uses replaceable pods or cartridges	103	1.0%
3	3 = A device with a tank that you refill with liquids	29	0.3%
4	4 = A mod system	2	0.0%
5	5 = Something else	3	0.0%
	Total	409	3.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10424	96.2%
	Total	10,425	96.2%

This variable has 409 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1362-1367 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9140: Group most like [primary electronic nicotine product] you usually use most often

[[B-12.]]Please look at this picture. Which group is most like the electronic nicotine product you use[most often]?

[SHOW GENERIC IMAGE OF 7 E-PRODUCT GROUPS]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	18	0.2%
2	2 = Group 2	31	0.3%
3	3 = Group 3	1	0.0%
4	4 = Group 4	1	0.0%
5	5 = Group 5	14	0.1%

Value	Label	Unweighted Frequency	%
6	6 = Group 6	419	3.9%
7	7 = Group 7	71	0.7%
8	8 = None of the above	85	0.8%
	Total	640	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,194	94.1%

This variable has 640 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1368-1373 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9014: When your pod or cartridge is empty, usually refill it with e-liquid or replace it with a new prefilled one

When your pod or cartridge is empty, do you usually refill it with e-liquid or replace it with a new prefilled one?

ASK: Youth respondents who are past 30 day ENP users and use a device that uses replaceable pods or cartridges.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND (R07_YV9039_02 = 1 OR R07_YV9001 = 2).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Refill it with e-liquid	52	0.5%
2	2 = Replace it with a new prefilled one	115	1.1%
3	3 = I have never replaced or refilled an empty one	73	0.7%
	Total	240	2.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	3	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10589	97.7%
	Total	10,594	97.8%

This variable has 240 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1374-1379 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9046: How often electronic nicotine product is refilled with e-liquid

[[B-13.]]How often do you refill your electronic nicotine product with e-liquid?

[If Never (8), GO TO BOX R07_YVT04.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND R07_EDEVICETYPE = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	5	0.0%
2	2 = Once every couple of days	18	0.2%
3	3 = Once a week	8	0.1%
4	4 = A few times a month	7	0.1%
5	5 = Once a month	5	0.0%
6	6 = A few times a year	2	0.0%
7	7 = Once a year	2	0.0%
8	8 = Never	10	0.1%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1380-1385 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9036: Method through which electronic nicotine product is refilled with e-liquid

Who refills it with e-liquid?

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND R07_EDEVICETYPE = 3, 4 AND R07_YV9046 != 8.

Value	Label	Unweighted Frequency	%
1	1 = I refill it myself	38	0.4%
2	2 = I get it refilled at a vape shop or vapor lounge	1	0.0%
3	3 = I buy it already filled	4	0.0%
4	4 = I get it refilled some other way	5	0.0%
	Total	48	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10786	99.6%
	Total	10,786	99.6%

This variable has 48 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1386-1391 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9010: Electronic nicotine product used most often contains nicotine

Please think about the [EPRODFILL3] you use[most often].

Does it contain nicotine?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	527	4.9%
2	2 = No	35	0.3%
3	3 = I don't know	76	0.7%
	Total	638	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,196	94.1%

This variable has 638 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1392-1397 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9006: Usual concentration of nicotine

[[B-14.]]What concentration of nicotine do you usually use?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I don't know the concentration	350	3.2%
2	2 = 1 - 3 mg/mL or 0.1 - 0.3%	25	0.2%

Value	Label	Unweighted Frequency	%
3	3 = 4 - 6 mg/mL or 0.4 - 0.6%	67	0.6%
4	4 = 7 - 12 mg/mL or 0.7 - 1.2%	15	0.1%
5	5 = 13 - 17 mg/mL or 1.3 - 1.7%	2	0.0%
6	6 = 18 - 24 mg/mL or 1.8 - 2.4%	3	0.0%
7	7 = 25 - 39 mg/mL or 2.5 - 3.9%	10	0.1%
8	8 = 40 - 49 mg/mL or 4.0 - 4.9%	11	0.1%
9	9 = 50 - 59mg/mL or 5.0-5.9%	135	1.2%
10	10 = 60+ mg/mL or 6.0+%	11	0.1%
	Total	629	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,205	94.2%

This variable has 629 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1398-1403 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1022: In past 30 days, number of days used an electronic nicotine product

In the past 30 days, on how many days did you use an electronic nicotine product?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 12.37
- Median: 6.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.57

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	18	0.2%
-7	-7 = Refused	6	0.1%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,214	94.3%

This variable has 620 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1404-1409 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV9040: In past 30 days, number of [electronic nicotine products/nicotine cartridges/ milliliters of e-liquid] used per day on days used an electronic nicotine product

In the past 30 days, on the days you used an electronic nicotine product, how many [EPRODFILL1] did you use per day?

[If Less than 1 per day (-2), Don't know (-8), or Refused (-7), GO TO R07_YV1026.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.12

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	15	0.1%
-7	-7 = Refused	2	0.0%
-5	-5 = Improbable response removed	0	0.0%
-2	-2 = Less than 1 per day	330	3.0%
-1	-1 = Inapplicable	10190	94.1%

Value	Missing Data	Unweighted Frequency	%
	Total	10,537	97.3%

This variable has 297 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1410-1415 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -2 , -1

R07_YV1026: Average number of times you pick up your electronic nicotine product to use it for one or more puffs on days that you use

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

[If Don't know (-8) or Refused (-7), GO TO R07_YV1027.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 13.10
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 904.00
- Standard Deviation: 41.37

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	26	0.2%
-7	-7 = Refused	10	0.1%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,226	94.4%

This variable has 608 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1416-1421 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1027: Number of puffs you take each time you pick up your electronic nicotine product to use it

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

[If Don't know (-8) or Refused (-7), GO TO R07_YV1131.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 4.22
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 98.00
- Standard Deviation: 6.08

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	16	0.1%
-7	-7 = Refused	6	0.1%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,212	94.3%

This variable has 622 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1422-1427 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1131_01: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Tobacco-flavor

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Tobacco-flavored

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.3%
2	2 = Not Marked	600	5.5%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1428-1433 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_02: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Menthol

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	161	1.5%
2	2 = Not Marked	470	4.3%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1434-1439 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_03: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Mint

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	174	1.6%
2	2 = Not Marked	457	4.2%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1440-1445 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_04: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Clove or spice

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	624	5.8%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1446-1451 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_05: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Fruit

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	448	4.1%
2	2 = Not Marked	183	1.7%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1452-1457 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_06: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Chocolate

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1%
2	2 = Not Marked	617	5.7%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1458-1463 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_07: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: An alcoholic drink

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2%
2	2 = Not Marked	612	5.6%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1464-1469 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_08: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: A non-alcoholic drink

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.5%
2	2 = Not Marked	574	5.3%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1470-1475 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_09: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Candy, desserts or other sweets

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Candy, desserts, or other sweets

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	225	2.1%
2	2 = Not Marked	406	3.7%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1476-1481 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1131_10: In past 30 days, used [electronic nicotine products/pods or cartridges/e-liquid] flavored to taste like: Some other flavor

[[B-15.]]Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1%
2	2 = Not Marked	620	5.7%
	Total	631	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,203	94.2%

This variable has 631 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1482-1487 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1147: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol or mint

[[B-16.]]In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day ENP users and used menthol and mint flavored ENPs in the past 30 days.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1131_02 = 1 AND R07_YV1131_03 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	10	0.1%
2	2 = Most of the time	16	0.1%
3	3 = Sometimes	13	0.1%
4	4 = Rarely	16	0.1%
5	5 = Never	2	0.0%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1488-1493 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1160: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol

[[B-16.]]In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol?

ASK: Youth respondents who are past 30 day ENP users and used menthol flavored ENPs in the past 30 days.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1131_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	41	0.4%
2	2 = Most of the time	45	0.4%
3	3 = Sometimes	32	0.3%
4	4 = Rarely	35	0.3%
5	5 = Never	8	0.1%
	Total	161	1.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10673	98.5%
	Total	10,673	98.5%

This variable has 161 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1494-1499 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1161: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like mint

[[B-16.]]In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like mint?

ASK: Youth respondents who are past 30 day ENP users and used mint flavored ENPs in the past 30 days.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1131_03 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	25	0.2%
2	2 = Most of the time	31	0.3%
3	3 = Sometimes	66	0.6%
4	4 = Rarely	44	0.4%
5	5 = Never	6	0.1%
	Total	172	1.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10660	98.4%
	Total	10,662	98.4%

This variable has 172 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1500-1505 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1157: In the past 30 days, on days used, how often electronic nicotine product used was flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets

[[B-16.]]In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts, or other sweets?

ASK: Youth respondents who are past 30 day ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored, menthol, mint, or "Some other flavor".

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1131[_04/_05/_06/_07/_08/_09] = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	222	2.0%
2	2 = Most of the time	132	1.2%
3	3 = Sometimes	68	0.6%
4	4 = Rarely	50	0.5%
5	5 = Never	40	0.4%
	Total	512	4.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,322	95.3%

This variable has 512 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1506-1511 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1133: In past 30 days, flavor of electronic nicotine product/pods or cartridges/e-liquid used most often

[[B-15.]]In the past 30 days, which flavor of [EPRODFILL2] have you used most often?

ASK: Youth respondents who are past 30 day ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND (R07_YV1131_[01/.../10] = 1 FOR 2 OR MORE FLAVORS OR R07_YV1131_[01/.../10] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Tobacco-flavored	5	0.0%
2	2 = Menthol	35	0.3%
3	3 = Mint	24	0.2%
4	4 = Clove or spice	1	0.0%
5	5 = Fruit	155	1.4%
6	6 = Chocolate	0	0.0%

Value	Label	Unweighted Frequency	%
7	7 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	3	0.0%
8	8 = A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)	5	0.0%
9	9 = Candy, desserts, or other sweets	42	0.4%
10	10 = Some other flavor	4	0.0%
	Total	274	2.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	10541	97.3%
	Total	10,560	97.5%

This variable has 274 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1512-1517 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1142: In the past 30 days, did anyone sell you [electronic nicotine products/pods or cartridges/e-liquid]

The next questions ask about your experience buying [EPRODFILL2].

In the past 30 days, did anyone sell you [EPRODFILL2]?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	157	1.4%
2	2 = No	483	4.5%
	Total	640	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,194	94.1%

This variable has 640 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1518-1523 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1123: In the past 30 days, someone refused to sell you [electronic nicotine products/ pods or cartridges/e-liquid] because of your age

In the past 30 days, did anyone refuse to sell you [EPRODFILL2] because of your age?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3%
2	2 = No	218	2.0%
3	3 = I did not try to buy (e-products / pods or cartridges / e-liquid) in the past 30 days	389	3.6%
	Total	640	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,194	94.1%

This variable has 640 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1524-1529 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1030: How you usually buy your [electronic nicotine products/pods or cartridges/e-liquid]

How do you usually buy [EPRODFILL2] for yourself?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	223	2.1%
2	2 = From the internet	19	0.2%
3	3 = By telephone	10	0.1%
4	4 = I do not buy my own (ENPs / pods or cartridges / e-liquid)	353	3.3%
	Total	605	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	19	0.2%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,229	94.4%

This variable has 605 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1530-1535 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1098: In past 30 days, used a coupon when buying [electronic nicotine products/pods or cartridges/e-liquid]

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

[If Always (1), Sometimes (2), Rarely (3), Never (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YVR07.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs for themselves in person.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND R07_YV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Always	1	0.0%
2	2 = Sometimes	10	0.1%
3	3 = Rarely	7	0.1%
4	4 = Never	198	1.8%
	Total	216	2.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10618	98.0%
	Total	10,618	98.0%

This variable has 216 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1536-1541 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1118: In past 30 days, how you usually got your own [electronic nicotine products/ pods or cartridges/e-liquid]

[[B-17.]]In the past 30 days, how did you usually get your own [EPRODFILL2]?

ASK: Youth respondents who are past 30 day ENP users and do not buy their own ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1030 = 4.

Value	Label	Unweighted Frequency	%
1	it/them	79	0.7%
2	some/one	61	0.6%
3	it/them	153	1.4%
4	it/them	12	0.1%
5	it/them	27	0.2%
	Total	332	3.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	10481	96.7%
	Total	10,502	96.9%

This variable has 332 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1542-1547 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1032: Geographic area where you usually buy electronic nicotine products / pods or cartridges / e-liquid

Do [they/you] usually buy [EPRODFILL2]...

ASK: Youth respondents who are past 30 day ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	297	2.7%
2	2 = In another state	4	0.0%
3	3 = Outside the US	1	0.0%
	Total	302	2.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10532	97.2%
	Total	10,532	97.2%

This variable has 302 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1548-1553 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1033: Retail location where your [electronic nicotine products/pods or cartridges/e-liquid] are purchased most of the time

[[B-18.]]Where do [they/you] buy your [EPRODFILL2] most of the time?

ASK: Youth respondents who are past 30 day ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	1	0.0%
2	2 = A convenience store or gas station	77	0.7%
3	3 = A supermarket, grocery store, or drug store	3	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	24	0.2%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant or casino	0	0.0%
8	8 = A friend or relative	78	0.7%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	6	0.1%
11	11 = Somewhere else	4	0.0%
12	12 = A vape shop or vapor lounge	102	0.9%
	Total	295	2.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10532	97.2%
	Total	10,539	97.3%

This variable has 295 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1554-1559 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1136: Usually buy electronic nicotine products cartridges by box, pack or as single electronic nicotine products

Think about the last time you [gave money to someone else to buy you/bought] electronic nicotine products.
Did you buy them by the box or pack, or as single electronic nicotine products?

[If Single electronic nicotine products (2), Don't know (-8), or Refused (-7), GO TO R07_YV1034.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	25	0.2%
2	2 = Single electronic nicotine products	182	1.7%
	Total	207	1.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10627	98.1%
	Total	10,627	98.1%

This variable has 207 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1560-1565 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1137: Number of electronic nicotine products in box or pack you last bought

How many electronic nicotine products came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5 AND R07_YV1136 = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.28

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1566-1571 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1138_D: Amount paid last time bought a box or pack of electronic nicotine products - Dollars

How much did you pay for a box or pack of electronic nicotine products?

_Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5 AND R07_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 24.20
- Median: 20.00

- Mode: 20.00
- Minimum: 10.00
- Maximum: 100.00
- Standard Deviation: 18.56

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1572-1577 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1138_C: Amount paid last time bought a box or pack of electronic nicotine products - Cents

How much did you pay for a box or pack of electronic nicotine products?

_Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5 AND R07_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1578-1583 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1034_D: Amount paid when last time bought a single electronic nicotine product - Dollars

How much did you pay for a single electronic nicotine product?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5 AND R07_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 19.32
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 6.33

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10652	98.3%
	Total	10,654	98.3%

This variable has 180 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1584-1589 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1034_C: Amount paid when last time bought a single electronic nicotine product - Cents

How much did you pay for a single electronic nicotine product?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a disposable device type or an unknown device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 1, 5 AND R07_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10654	98.3%
	Total	10,654	98.3%

This variable has 180 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1590-1595 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1041_D: Amount paid when last time bought e-liquid - Dollars

Think about the last time you [gave money to someone else to buy you/bought] e-liquid.

How much did you pay for a bottle or container of e-liquid?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a refillable tank device type or a mod system device type.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 17.39
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 7.33

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1596-1601 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1041_C: Amount paid when last time bought e-liquid - Cents

Think about the last time you [gave money to someone else to buy you/bought] e-liquid.

How much did you pay for a bottle or container of e-liquid?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a refillable tank device type or a mod system device type.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4

AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1602-1607 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1039: Usually buy electronic nicotine product pods or cartridges by box, pack or as single pods or cartridges

Think about the last time you [gave money to someone else to buy you/bought] electronic nicotine product pods or cartridges.

Did you buy them by the box or pack, or as single pods or cartridges?

[If Single pods or cartridges (2), Don't know (-8), or Refused (-7), GO TO R07_YV1043.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	34	0.3%
2	2 = Single pods or cartridges	9	0.1%
	Total	43	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10790	99.6%
	Total	10,791	99.6%

This variable has 43 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1608-1613 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1040: Number of electronic nicotine product pods or cartridges in box or pack you last bought

How many electronic nicotine product pods or cartridges came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2 AND R07_YV1039 = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 3.41
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.96

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1614-1619 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1042_D: Amount paid for a box or pack of electronic nicotine product pods or cartridges - Dollars

How much did you pay for a box or pack of electronic nicotine product pods or cartridges?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2 AND R07_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 18.97
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.87

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,801	99.7%

This variable has 33 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1620-1625 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1042_C: Amount paid for a box or pack of electronic nicotine product pods or cartridges - Cents

How much did you pay for a box or pack of electronic nicotine product pods or cartridges?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2 AND R07_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10801	99.7%
	Total	10,801	99.7%

This variable has 33 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1626-1631 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1043_D: Amount paid for a single electronic nicotine product pod or cartridge - Dollars

How much did you pay for a single electronic nicotine product pod or cartridge?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2 AND R07_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 16.89
- Median: 15.00
- Minimum: 5.00
- Maximum: 45.00
- Standard Deviation: 12.28

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1632-1637 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1043_C: Amount paid for a single electronic nicotine product pod or cartridge - Cents

How much did you pay for a single electronic nicotine product pod or cartridge?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually buy ENPs in person or do not buy their own ENPs and give someone else money to buy for them and use a pod or cartridge device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2 AND (R07_YV1030 = 1 OR (R07_YV1030 = 4 AND R07_YV1118 = 1)) AND R07_EDEVICETYPE = 2 AND R07_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1638-1643 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV1047: Have a regular brand of [electronic nicotine products/pods or cartridges/e-liquid] you usually use

Do you have a regular brand of [EPRODFILL2] that you usually use?

As a reminder, please do not include marijuana or cannabis when answering these questions.

ASK: Youth respondents who are past 30 day "not-light" ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	292	2.7%
2	2 = No	218	2.0%
3	3 = I don't know	66	0.6%
	Total	576	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10254	94.6%
	Total	10,258	94.7%

This variable has 576 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1644-1649 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1945: Know the name of brand of [electronic nicotine products/pods or cartridges/e-liquid] you usually use

Do you know the name of the brand of [EPRODFILL2] you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YVD02.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	358	3.3%
2	2 = No	284	2.6%
	Total	642	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,192	94.1%

This variable has 642 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1650-1655 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1048_BRAND: Brand of [electronic nicotine products/pods or cartridges/e-liquid] usually/last used

[[HELP-1.]]What brand of [EPRODFILL2] [do/did] you [usually/last] use?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day ENP users who know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	31	0.3%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	10476	96.7%
	Total	10,514	97.0%

This variable has 320 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1656-1661 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV0104: Brand of very last electronic nicotine product puff is same as brand regularly/last used

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YV0100 = 1, 2, 3, 4 AND R07_YV1945 = 1 AND R07_YV1048_BRAND != 9995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	90	0.8%
2	2 = No	69	0.6%
	Total	159	1.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	2	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10672	98.5%
	Total	10,675	98.5%

This variable has 159 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1662-1667 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1060_RANDOM_01: YV1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	69	0.6%
R07_YV1062	-	93	0.9%
R07_YV1063	-	77	0.7%
R07_YV1064	-	29	0.3%
R07_YV1065	-	74	0.7%
R07_YV1066	-	75	0.7%
R07_YV1067	-	60	0.6%
R07_YV1075	-	68	0.6%
R07_YV1077	-	19	0.2%
R07_YV1085	-	80	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1668-1677 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_02: YV1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	74	0.7%
R07_YV1062	-	70	0.6%
R07_YV1063	-	73	0.7%
R07_YV1064	-	21	0.2%
R07_YV1065	-	75	0.7%
R07_YV1066	-	63	0.6%
R07_YV1067	-	92	0.8%
R07_YV1075	-	89	0.8%
R07_YV1077	-	17	0.2%
R07_YV1085	-	70	0.6%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1678-1687 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_03: YV1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	99	0.9%
R07_YV1062	-	67	0.6%

Value	Label	Unweighted Frequency	%
R07_YV1063	-	62	0.6%
R07_YV1064	-	25	0.2%
R07_YV1065	-	67	0.6%
R07_YV1066	-	77	0.7%
R07_YV1067	-	72	0.7%
R07_YV1075	-	69	0.6%
R07_YV1077	-	27	0.2%
R07_YV1085	-	79	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1688-1697 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_04: YV1060 series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	83	0.8%
R07_YV1062	-	75	0.7%
R07_YV1063	-	80	0.7%
R07_YV1064	-	20	0.2%
R07_YV1065	-	84	0.8%
R07_YV1066	-	71	0.7%
R07_YV1067	-	67	0.6%
R07_YV1075	-	69	0.6%
R07_YV1077	-	22	0.2%
R07_YV1085	-	73	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1698-1707 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_05: YV1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	71	0.7%
R07_YV1062	-	75	0.7%
R07_YV1063	-	82	0.8%
R07_YV1064	-	24	0.2%
R07_YV1065	-	75	0.7%
R07_YV1066	-	69	0.6%
R07_YV1067	-	79	0.7%
R07_YV1075	-	73	0.7%
R07_YV1077	-	20	0.2%
R07_YV1085	-	76	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1708-1717 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_06: YV1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	74	0.7%
R07_YV1062	-	85	0.8%
R07_YV1063	-	64	0.6%
R07_YV1064	-	18	0.2%
R07_YV1065	-	79	0.7%
R07_YV1066	-	94	0.9%
R07_YV1067	-	62	0.6%
R07_YV1075	-	65	0.6%
R07_YV1077	-	25	0.2%
R07_YV1085	-	78	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1718-1727 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_07: YV1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	68	0.6%
R07_YV1062	-	74	0.7%
R07_YV1063	-	81	0.7%
R07_YV1064	-	29	0.3%
R07_YV1065	-	64	0.6%
R07_YV1066	-	74	0.7%
R07_YV1067	-	79	0.7%
R07_YV1075	-	83	0.8%

Value	Label	Unweighted Frequency	%
R07_YV1077	-	21	0.2%
R07_YV1085	-	71	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1728-1737 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_08: YV1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10190	94.1%
R07_YV1060	-	69	0.6%
R07_YV1062	-	61	0.6%
R07_YV1063	-	78	0.7%
R07_YV1064	-	23	0.2%
R07_YV1065	-	70	0.6%
R07_YV1066	-	71	0.7%
R07_YV1067	-	90	0.8%
R07_YV1075	-	85	0.8%
R07_YV1077	-	32	0.3%
R07_YV1085	-	65	0.6%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1738-1747 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_09: YV1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10605	97.9%
R07_YV1060	-	14	0.1%
R07_YV1062	-	26	0.2%
R07_YV1063	-	24	0.2%
R07_YV1064	-	20	0.2%
R07_YV1065	-	25	0.2%
R07_YV1066	-	27	0.2%
R07_YV1067	-	21	0.2%
R07_YV1075	-	16	0.1%
R07_YV1077	-	29	0.3%
R07_YV1085	-	27	0.2%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1748-1757 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060_RANDOM_10: YV1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YV1060 through R07_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10605	97.9%
R07_YV1060	-	23	0.2%
R07_YV1062	-	18	0.2%
R07_YV1063	-	23	0.2%

Value	Label	Unweighted Frequency	%
R07_YV1064	-	20	0.2%
R07_YV1065	-	31	0.3%
R07_YV1066	-	23	0.2%
R07_YV1067	-	22	0.2%
R07_YV1075	-	27	0.2%
R07_YV1077	-	17	0.2%
R07_YV1085	-	25	0.2%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1758-1767 (width: 10; decimal: 0)

Variable Type: character

R07_YV1060: Use electronic nicotine products because: They are affordable

The next questions are about the reasons people use electronic nicotine products. Please select which reasons apply to you. [Mark Yes or No for each item.]

I use electronic nicotine products because...

They are affordable.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	263	2.4%
2	2 = No	370	3.4%
	Total	633	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,201	94.2%

This variable has 633 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1768-1773 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1085: Use electronic nicotine products because: Electronic nicotine products can be used in places where smoking cigarettes is not allowed

I can use electronic nicotine products at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	294	2.7%
2	2 = No	341	3.1%
	Total	635	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,199	94.1%

This variable has 635 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1774-1779 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1062: Use electronic nicotine products because: They might be less harmful to me than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	293	2.7%
2	2 = No	340	3.1%
	Total	633	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,201	94.2%

This variable has 633 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1780-1785 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1075: Use electronic nicotine products because: They might be less harmful to people around me than cigarettes

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	332	3.1%
2	2 = No	305	2.8%
	Total	637	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10190	94.1%

Value	Missing Data	Unweighted Frequency	%
	Total	10,197	94.1%

This variable has 637 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1786-1791 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1063: Use electronic nicotine products because: E-liquid comes in flavors I like

E-liquid comes in flavors I like.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	434	4.0%
2	2 = No	203	1.9%
	Total	637	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,197	94.1%

This variable has 637 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1792-1797 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1064: Use electronic nicotine products because: Using electronic nicotine products helps people quit smoking cigarettes

Using electronic nicotine products helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime

in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	95	0.9%
2	2 = No	132	1.2%
	Total	227	2.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10605	97.9%
	Total	10,607	97.9%

This variable has 227 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1798-1803 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1065: Use electronic nicotine products because: Electronic nicotine products don't smell

Electronic nicotine products don't smell.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	298	2.8%
2	2 = No	340	3.1%
	Total	638	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,196	94.1%

This variable has 638 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1804-1809 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1066: Use electronic nicotine products because: Using an electronic nicotine product feels like smoking a regular cigarette

Using an electronic nicotine product feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.7%
2	2 = No	562	5.2%
	Total	633	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,201	94.2%

This variable has 633 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1810-1815 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1067: Use electronic nicotine products because: Electronic nicotine products don't bother non-tobacco users

Electronic nicotine products don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	197	1.8%
2	2 = No	436	4.0%
	Total	633	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,201	94.2%

This variable has 633 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1816-1821 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1077: Use electronic nicotine products because: Using electronic nicotine products satisfies my cravings for cigarettes

Using electronic nicotine products satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	95	0.9%
2	2 = No	126	1.2%
	Total	221	2.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10605	97.9%
	Total	10,613	98.0%

This variable has 221 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1822-1827 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1086: In past 30 days, used electronic nicotine product at times when or in places you could not smoke cigarettes

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day ENP users and are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5%
2	2 = No	35	0.3%
	Total	93	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10741	99.1%
	Total	10,741	99.1%

This variable has 93 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1828-1833 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1139: Level of agreement: It is easier to talk and get along with people when using an electronic nicotine product

[[B-19.]]Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using an electronic nicotine product.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	325	3.0%
2	2 = 2 on a scale of 1 to 4	112	1.0%
3	3 = 3 on a scale of 1 to 4	131	1.2%
4	4 = Very true of me	70	0.6%
	Total	638	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,196	94.1%

This variable has 638 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1834-1839 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1140: Level of agreement: Feel more confident with other people when using an electronic nicotine product

[[B-19.]]While using an electronic nicotine product, I feel more confident with other people.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	357	3.3%
2	2 = 2 on a scale of 1 to 4	126	1.2%
3	3 = 3 on a scale of 1 to 4	104	1.0%
4	4 = Very true of me	52	0.5%
	Total	639	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,195	94.1%

This variable has 639 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1840-1845 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1141: Level of agreement: Use electronic nicotine products more when with other people

[[B-19.]]I use electronic nicotine products much more when I am with other people.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	229	2.1%
2	2 = 2 on a scale of 1 to 4	121	1.1%
3	3 = 3 on a scale of 1 to 4	135	1.2%
4	4 = Very true of me	153	1.4%
	Total	638	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,196	94.1%

This variable has 638 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1846-1851 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1144: Self-perception of harmfulness of using electronic nicotine products to own health

[[B-20.]]How harmful do you think using electronic nicotine products is to your health?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R07_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	21	0.2%
2	2 = Slightly harmful	73	0.7%
3	3 = Somewhat harmful	226	2.1%
4	4 = Very harmful	216	2.0%
5	5 = Extremely harmful	107	1.0%
	Total	643	5.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,191	94.1%

This variable has 643 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1852-1857 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9101_NB: Ever seen or heard of a traditional cigar, cigarillo or filtered cigar before this study

[[C-3.]]Have you ever seen or heard of a traditional cigar, cigarillo, or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV04.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5552	51.2%
2	2 = No	1757	16.2%
	Total	7,309	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,525	32.5%

This variable has 7,309 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1858-1863 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1002_NB: Ever smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

[[C-3.]]Have you ever smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV04.]

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	181	1.7%
2	2 = No	5558	51.3%
	Total	5,739	53.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	5094	47.0%
	Total	5,095	47.0%

This variable has 5,739 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1864-1869 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9104_NB_01: Type of cigar ever smoked: Traditional cigars

Which type of cigar have you ever smoked? [Mark Yes or No for each item.]

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG1002_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.6%
2	2 = No	110	1.0%
	Total	172	1.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10653	98.3%
	Total	10,662	98.4%

This variable has 172 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1870-1875 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9104_NB_02: Type of cigar ever smoked: Cigarillos or filtered cigars

Which type of cigar have you ever smoked? [Mark Yes or No for each item.]

Cigarillos or filtered cigars like, Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others.

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG1002_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	120	1.1%
2	2 = No	52	0.5%
	Total	172	1.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10653	98.3%
	Total	10,662	98.4%

This variable has 172 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1876-1881 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_NB_01: Type of cigarillos or filtered cigars ever smoked: With a plastic or wooden tip

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV04.]

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.6%
2	2 = Not Marked	54	0.5%

Value	Label	Unweighted Frequency	%
	Total	119	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10714	98.9%
	Total	10,715	98.9%

This variable has 119 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1882-1887 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_NB_02: Type of cigarillos or filtered cigars ever smoked: With a filter (like a cigarette filter)

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV04.]

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.4%
2	2 = Not Marked	75	0.7%
	Total	119	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10714	98.9%
	Total	10,715	98.9%

This variable has 119 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1888-1893 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_NB_03: Type of cigarillos or filtered cigars ever smoked: Without a tip or filter

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV04.]

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.6%
2	2 = Not Marked	52	0.5%
	Total	119	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10714	98.9%
	Total	10,715	98.9%

This variable has 119 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1894-1899 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1002_12M: In past 12 months, smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

[[C-3.] In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV04.]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTR = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.5%

Value	Label	Unweighted Frequency	%
2	2 = No	3269	30.2%
	Total	3,322	30.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	7501	69.2%
	Total	7,512	69.3%

This variable has 3,322 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1900-1905 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9104_12M_01: In past 12 months, type of cigar smoked: Traditional cigars

Which type of cigar have you smoked in the past 12 months? [Mark Yes or No for each item.]

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YG1002_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTR = 1 AND R07_YG1002_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2%
2	2 = No	29	0.3%
	Total	53	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,781	99.5%

This variable has 53 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1906-1911 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9104_12M_02: In past 12 months, type of cigar smoked: Cigarillos or filtered cigars

Which type of cigar have you smoked in the past 12 months? [Mark Yes or No for each item.]

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YG1002_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTR = 1 AND R07_YG1002_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3%
2	2 = No	23	0.2%
	Total	53	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,781	99.5%

This variable has 53 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1912-1917 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_12M_01: In past 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTR = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	16	0.1%
	Total	29	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,805	99.7%

This variable has 29 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1918-1923 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_12M_02: In past 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTR = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTR = 2) AND R07_YG1002_NB = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	20	0.2%
	Total	29	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,805	99.7%

This variable has 29 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1924-1929 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9009_12M_03: In past 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

[[C-4.]]Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo, or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YG1002_12M = 1 AND

R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_GTRAD = 1 AND R07_EVER_NEVER_GRILLO = 1 AND R07_EVER_NEVER_GFILTER = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_GTRAD = 2 OR R07_EVER_NEVER_GRILLO = 2 OR R07_EVER_NEVER_GFILTER = 2) AND R07_YG1002_NB = 1 AND R07_YG1002_12M = 1 AND R07_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	13	0.1%
	Total	29	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,805	99.7%

This variable has 29 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1930-1935 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9010: Ever been curious about smoking a traditional cigar

[[C-5.]]Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	75	0.7%

Value	Label	Unweighted Frequency	%
2	2 = Somewhat curious	296	2.7%
3	3 = A little curious	911	8.4%
4	4 = Not at all curious	7682	70.9%
	Total	8,964	82.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1866	17.2%
	Total	1,870	17.3%

This variable has 8,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1936-1941 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9020: Think you will smoke a traditional cigar in the next year

[[C-6.] Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	11	0.1%
2	2 = Probably yes	57	0.5%
3	3 = Probably not	612	5.6%
4	4 = Definitely not	8285	76.5%
	Total	8,965	82.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	1866	17.2%
	Total	1,869	17.3%

This variable has 8,965 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1942-1947 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9013: Think you will try a traditional cigar soon

[[C-6.]]Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1%
2	2 = Probably yes	58	0.5%
3	3 = Probably not	593	5.5%
4	4 = Definitely not	8303	76.6%
	Total	8,963	82.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	1866	17.2%

Value	Missing Data	Unweighted Frequency	%
	Total	1,871	17.3%

This variable has 8,963 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1948-1953 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9016: Would smoke a traditional cigar if one of your friends offered you one

[[C-6.]] If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	48	0.4%
2	2 = Probably yes	222	2.0%
3	3 = Probably not	855	7.9%
4	4 = Definitely not	7835	72.3%
	Total	8,960	82.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	1866	17.2%
	Total	1,874	17.3%

This variable has 8,960 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1954-1959 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9011: Ever been curious about smoking a cigarillo

[[C-7.]]Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	29	0.3%
2	2 = Somewhat curious	99	0.9%
3	3 = A little curious	427	3.9%
4	4 = Not at all curious	8346	77.0%
	Total	8,901	82.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1930	17.8%
	Total	1,933	17.8%

This variable has 8,901 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1960-1965 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9021: Think you will smoke a cigarillo in the next year

[[C-6.]]Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1%
2	2 = Probably yes	25	0.2%
3	3 = Probably not	465	4.3%
4	4 = Definitely not	8402	77.6%
	Total	8,901	82.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1930	17.8%
	Total	1,933	17.8%

This variable has 8,901 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1966-1971 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9014: Think you will try a cigarillo soon

[[C-6.] Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1%

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	26	0.2%
3	3 = Probably not	452	4.2%
4	4 = Definitely not	8417	77.7%
	Total	8,902	82.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	1930	17.8%
	Total	1,932	17.8%

This variable has 8,902 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1972-1977 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9017: Would smoke a cigarillo if one of your friends offered you one

[[C-6.]] If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	18	0.2%
2	2 = Probably yes	126	1.2%
3	3 = Probably not	672	6.2%
4	4 = Definitely not	8084	74.6%
	Total	8,900	82.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1930	17.8%
	Total	1,934	17.9%

This variable has 8,900 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1978-1983 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9012: Ever been curious about smoking a filtered cigar

[[C-8.] Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	28	0.3%
2	2 = Somewhat curious	85	0.8%
3	3 = A little curious	448	4.1%
4	4 = Not at all curious	8435	77.9%
	Total	8,996	83.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	1833	16.9%

Value	Missing Data	Unweighted Frequency	%
	Total	1,838	17.0%

This variable has 8,996 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1984-1989 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9022: Think you will smoke a filtered cigar in the next year

[[C-6.]]Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1%
2	2 = Probably yes	28	0.3%
3	3 = Probably not	509	4.7%
4	4 = Definitely not	8455	78.0%
	Total	8,999	83.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	1833	16.9%
	Total	1,835	16.9%

This variable has 8,999 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1990-1995 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9015: Think you will try a filtered cigar soon

[[C-6.]] Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	4	0.0%
2	2 = Probably yes	25	0.2%
3	3 = Probably not	484	4.5%
4	4 = Definitely not	8481	78.3%
	Total	8,994	83.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	1833	16.9%
	Total	1,840	17.0%

This variable has 8,994 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 1996-2001 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9018: Would smoke a filtered cigar if one of your best friends offered you one

[[C-6.]] If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	23	0.2%
2	2 = Probably yes	141	1.3%
3	3 = Probably not	679	6.3%
4	4 = Definitely not	8149	75.2%
	Total	8,992	83.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	1833	16.9%
	Total	1,842	17.0%

This variable has 8,992 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2002-2007 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9105_NB: Ever smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it (blunt)

Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	365	3.4%
2	2 = No	5179	47.8%
	Total	5,544	51.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	5282	48.8%
	Total	5,290	48.8%

This variable has 5,544 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2008-2013 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9107: In past 12 months, smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it

[Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt, or continuing youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG9105_NB = 1) OR R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	478	4.4%
2	2 = No	3398	31.4%
	Total	3,876	35.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	6957	64.2%
	Total	6,958	64.2%

This variable has 3,876 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2014-2019 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1095_01: Type of cigar usually smoked as a blunt: Group 1 (Traditional cigar)

[[C-9.]]Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 1

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG9105_NB = 1 AND R07_YG9107 = 1) OR (R07_YOUTHTYPE = 1 AND R07_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	71	0.7%
2	2 = Not Marked	398	3.7%
	Total	469	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10356	95.6%
	Total	10,365	95.7%

This variable has 469 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2020-2025 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1095_02: Type of cigar usually smoked as a blunt: Group 2 (Cigarillos with and without tips)

[[C-9.]]Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 2

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG9105_NB = 1 AND R07_YG9107 = 1) OR (R07_YOUTHTYPE = 1 AND R07_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	375	3.5%
2	2 = Not Marked	94	0.9%
	Total	469	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10356	95.6%

Value	Missing Data	Unweighted Frequency	%
	Total	10,365	95.7%

This variable has 469 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2026-2031 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1095_03: Type of cigar usually smoked as a blunt: Group 3 (Filtered cigar)

[[C-9.]]Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 3

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YG9101_NB = 1 AND R07_YG9105_NB = 1 AND R07_YG9107 = 1) OR (R07_YOUTHTYPE = 1 AND R07_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	52	0.5%
2	2 = Not Marked	417	3.8%
	Total	469	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10356	95.6%
	Total	10,365	95.7%

This variable has 469 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2032-2037 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9106_01: In past 12 months, frequency with which the tobacco in traditional cigars was replaced with marijuana

[[C-10./C-11./C-12.]]Now think about the past 12 months when you smoked the type of cigar shown.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R07_YG9106_01: IF R07_YG9107 = 1 AND R07_YG1095_01 = 1.

FOR R07_YG9106_02: IF R07_YG9107 = 1 AND R07_YG1095_02 = 1.

FOR R07_YG9106_03: IF R07_YG9107 = 1 AND R07_YG1095_03 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R07_YG1095[_01/_02/_03].

If R07_YG1095_01 = 1, show image of traditional cigars.

If R07_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R07_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	42	0.4%
2	2 = Most of the time	6	0.1%
3	3 = Sometimes	6	0.1%
4	4 = Rarely	12	0.1%
5	5 = Never	5	0.0%
	Total	71	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10763	99.3%
	Total	10,763	99.3%

This variable has 71 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2038-2043 (width: 6; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9106_02: In past 12 months, frequency with which the tobacco in cigarillos with or without tips was replaced with marijuana

[[C-10./C-11./C-12.]]Now think about the past 12 months when you smoked the type of cigar shown.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R07_YG9106_01: IF R07_YG9107 = 1 AND R07_YG1095_01 = 1.

FOR R07_YG9106_02: IF R07_YG9107 = 1 AND R07_YG1095_02 = 1.

FOR R07_YG9106_03: IF R07_YG9107 = 1 AND R07_YG1095_03 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R07_YG1095[_01/_02/_03].

If R07_YG1095_01 = 1, show image of traditional cigars.

If R07_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R07_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	238	2.2%
2	2 = Most of the time	46	0.4%
3	3 = Sometimes	36	0.3%
4	4 = Rarely	43	0.4%
5	5 = Never	12	0.1%
	Total	375	3.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10459	96.5%
	Total	10,459	96.5%

This variable has 375 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2044-2049 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9106_03: In past 12 months, frequency with which the tobacco in filtered cigars was replaced with marijuana

[[C-10./C-11./C-12.]]Now think about the past 12 months when you smoked the type of cigar shown.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R07_YG9106_01: IF R07_YG9107 = 1 AND R07_YG1095_01 = 1.

FOR R07_YG9106_02: IF R07_YG9107 = 1 AND R07_YG1095_02 = 1.

FOR R07_YG9106_03: IF R07_YG9107 = 1 AND R07_YG1095_03 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R07_YG1095[_01/_02/_03].

If R07_YG1095_01 = 1, show image of traditional cigars.

If R07_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R07_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	30	0.3%
2	2 = Most of the time	7	0.1%
3	3 = Sometimes	3	0.0%
4	4 = Rarely	8	0.1%
5	5 = Never	4	0.0%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10782	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2050-2055 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1108TC: First traditional cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1112.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: FOR R07_YJ1108TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1) OR R07_INIT_BLUNT_BTRAD_YOUTH = 1.
FOR R07_YJ1108CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1) OR R07_INIT_BLUNT_BRILLO_YOUTH = 1.
FOR R07_YJ1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1) OR R07_INIT_BLUNT_BFILTR_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1%
2	2 = No	16	0.1%
3	3 = I don't know	11	0.1%
	Total	40	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10794	99.6%
	Total	10,794	99.6%

This variable has 40 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2056-2061 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_01: Flavor of first traditional cigar smoked as a blunt: Menthol

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Menthol

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	11	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2062-2067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_02: Flavor of first traditional cigar smoked as a blunt: Mint

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2068-2073 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_03: Flavor of first traditional cigar smoked as a blunt: Clove or spice

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	11	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2074-2079 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_04: Flavor of first traditional cigar smoked as a blunt: Fruit

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	3	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2080-2085 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_05: Flavor of first traditional cigar smoked as a blunt: Chocolate

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	11	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2086-2091 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_06: Flavor of first traditional cigar smoked as a blunt: An alcoholic drink

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2092-2097 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_07: Flavor of first traditional cigar smoked as a blunt: Candy or other sweets

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2098-2103 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011TC_08: Flavor of first traditional cigar smoked as a blunt: Some other flavor

[[C-16.]]What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1108CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	11	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10821	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2104-2109 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1112TC: Last time smoked a traditional cigar as a blunt, even one or two puffs

[[C-19.]]When was the last time you smoked a traditional cigar as a blunt, even one or two puffs?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1112TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.
FOR R07_YJ1112CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.
FOR R07_YJ1112FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0%
2	2 = Not today but sometime in the past 7 days	7	0.1%
3	3 = Not in the past 7 days but sometime in the past 30 days	9	0.1%
4	4 = Not in the past 30 days but sometime in the past 6 months	19	0.2%
5	5 = Not in the past 6 months but sometime in the past year	7	0.1%
	Total	42	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10792	99.6%
	Total	10,792	99.6%

This variable has 42 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2110-2115 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1022TC: In past 30 days, number of days smoked a traditional cigar as a blunt

In the past 30 days, on how many days did you smoke a traditional cigar as a blunt?

__Days

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1022TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.
 FOR R07_YJ1022CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.
 FOR R07_YJ1022FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 5.81
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 6.52

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2116-2121 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1023TC: In past 30 days, number of traditional cigars smoked as a blunt per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked traditional cigars as blunts, how many traditional cigars did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1023TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.
 FOR R07_YJ1023CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.
 FOR R07_YJ1023FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	8	0.1%

Value	Label	Unweighted Frequency	%
2	2 = 1 traditional cigar per day	3	0.0%
3	3 = 2 to 5 traditional cigars per day	4	0.0%
4	4 = 6 to 10 traditional cigars per day	1	0.0%
5	5 = 11 to 20 traditional cigars per day	0	0.0%
6	6 = More than 20 traditional cigars per day	0	0.0%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2122-2127 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1130TC: In past 30 days, smoked traditional cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1142.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1130TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1130CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1130FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	9	0.1%
3	3 = I don't know	3	0.0%

Value	Label	Unweighted Frequency	%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2128-2133 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_01: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored Traditional Cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2134-2139 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_02: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2140-2145 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_03: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2146-2151 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_04: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
 FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
 FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2152-2157 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_05: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
 FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
 FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2158-2163 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_06: In past 30 days, smoked traditional cigars as blunts flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2164-2169 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_07: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2170-2175 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131TC_08: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2176-2181 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1147TC: How often smoked flavored traditional cigars as blunts on days smoked in past 30 days

[[C-25.]]On the days you smoked traditional cigars as blunts in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1147TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
FOR R07_YJ1147CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
FOR R07_YJ1147FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1	0.0%
2	2 = Most of the time	1	0.0%
3	3 = Sometimes	1	0.0%
4	4 = Rarely	0	0.0%
5	5 = Never	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2182-2187 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1133TC: In past 30 days, flavor of traditional cigars smoked as blunts most often

[[C-24.]]In the past 30 days, which flavor of traditional cigars have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1133TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1 AND (R07_YJ1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131TC_[01/.../08] = -8, -7).
 FOR R07_YJ1133CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1 AND (R07_YJ1131CG_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131CG_[01/.../08] = -8, -7).
 FOR R07_YJ1133FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1 AND (R07_YJ1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	0	0.0%
2	2 = Mint	0	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	0	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2188-2193 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1142TC: In past 30 days, anyone sell you traditional cigars

The next questions ask about your experience buying traditional cigars for when you smoke blunts.

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1142TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1142CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.
 FOR R07_YJ1142FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	13	0.1%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2194-2199 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1123TC: In the past 30 days, someone refused to sell you traditional cigars as blunts because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1123TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1123CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1123FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
3	3 = I did not try to buy traditional cigars in the past 30 days	10	0.1%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2200-2205 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1030TC: How you usually buy your traditional cigars for blunts

How do you usually buy traditional cigars for yourself when you smoke blunts?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR03.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1030TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1030CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1030FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	5	0.0%
2	2 = From the internet	0	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own traditional cigars for blunts	10	0.1%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10818	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2206-2211 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1118TC: In past 30 days, how you usually got your own traditional cigars as a blunt

[[C-26.]]In the past 30 days, how did you usually get your own traditional cigars for when you smoke blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1118TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1030TC = 4.

FOR R07_YJ1118CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1030CG = 4.

FOR R07_YJ1118FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	1	0.0%
2	2 = I asked someone to give me one	2	0.0%
3	3 = Someone offered it to me	6	0.1%
4	4 = I took them from a store or another person	0	0.0%
5	5 = I got them some other way	0	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2212-2217 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1032TC: Geographic area where you usually buy traditional cigars for blunts

Do [they/you] usually buy traditional cigars for blunts...

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1032TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ118TC = 1)).
FOR R07_YJ1032CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ118CG = 1)).
FOR R07_YJ1032FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	5	0.0%
2	2 = In another state	1	0.0%
3	3 = Outside the US	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2218-2223 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1033TC: Retail location where your traditional cigars for blunts are purchased most of the time

[[C-27.]]Where do [they/you] buy your traditional cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them

ASK Specification: FOR R07_YJ1033TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
 FOR R07_YJ1033CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
 FOR R07_YJ1033FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0%
2	2 = A convenience store or gas station	1	0.0%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	3	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	1	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	1	0.0%
11	11 = Somewhere else	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2224-2229 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] traditional cigars for blunts.
 Did you buy them by the box or pack, or as single traditional cigars?

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1039TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
 FOR R07_YJ1039CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
 FOR R07_YJ1039FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	2	0.0%
2	2 = Single traditional cigars	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2230-2235 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1040TC: Number of traditional cigars that come in box or pack you last bought for blunts

How many traditional cigars came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R07_YJ1040TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1.
 FOR R07_YJ1040CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1.
 FOR R07_YJ1040FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 8.00
- Median: 8.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 9.90

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2236-2241 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034TC_D: Amount paid when last time bought a box of traditional cigars for blunts/ pack of traditional cigars for blunts/single traditional cigar for blunts - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1, 2.
FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1, 2.
FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 9.00

- Median: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 10.05

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2242-2247 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034TC_C: Amount paid when last time bought a box of traditional cigars for blunts/ pack of traditional cigars for blunts/single traditional cigar for blunts - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ118TC = 1)) AND R07_YJ1039TC = 1, 2.
FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ118CG = 1)) AND R07_YJ1039CG = 1, 2.
FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2248-2253 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1047TC: Have a regular brand of traditional cigars you usually smoke as blunts

Do you have a regular brand of traditional cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1047TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1047CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1047FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	34	0.3%
	Total	42	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10792	99.6%
	Total	10,792	99.6%

This variable has 42 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2254-2259 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1945TC: Know the name of brand of traditional cigars usually smoke/last smoked as blunts

Do you know the name of the brand of traditional cigars you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1945TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1945CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1945FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	31	0.3%
	Total	42	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10792	99.6%
	Total	10,792	99.6%

This variable has 42 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2260-2265 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1048TC_BRAND: Brand of traditional cigars usually/last smoked as blunts

[[HELP-1.]]What brand of traditional cigar [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R07_YJ1048TC_BRAND: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1945TC = 1.
 FOR R07_YJ1048CG_BRAND: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1945CG = 1.
 FOR R07_YJ1048FC_BRAND: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2266-2271 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1070TC_PRODUCT: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1945TC = 1 AND R07_YJ1048TC_BRAND != 9995, -8, -7).
 FOR R07_YJ1070CG_PRODUCT: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1945CG = 1 AND R07_YJ1048CG_BRAND != 9995, -8, -7).
 FOR R07_YJ1070FC_PRODUCT: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1945FC = 1 AND R07_YJ1048FC_BRAND != 9995, -8, -7).

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2272-2277 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1108CG: First cigarillo smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1112.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: FOR R07_YJ1108TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1) OR R07_INIT_BLUNT_BTRAD_YOUTH = 1.
FOR R07_YJ1108CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1) OR R07_INIT_BLUNT_BRILLO_YOUTH = 1.
FOR R07_YJ1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1) OR R07_INIT_BLUNT_BFILTR_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.7%
2	2 = No	79	0.7%
3	3 = I don't know	47	0.4%
	Total	201	1.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10633	98.1%
	Total	10,633	98.1%

This variable has 201 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2278-2283 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_01: Flavor of first cigarillo smoked as a blunt: Menthol

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Menthol

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	69	0.6%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%

Value	Missing Data	Unweighted Frequency	%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2284-2289 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_02: Flavor of first cigarillo smoked as a blunt: Mint

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	68	0.6%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2290-2295 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_03: Flavor of first cigarillo smoked as a blunt: Clove or spice

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	71	0.7%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2296-2301 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_04: Flavor of first cigarillo smoked as a blunt: Fruit

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	52	0.5%
2	2 = Not Marked	22	0.2%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2302-2307 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_05: Flavor of first cigarillo smoked as a blunt: Chocolate

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for

blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	69	0.6%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2308-2313 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_06: Flavor of first cigarillo smoked as a blunt: An alcoholic drink

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND

R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND
 R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	65	0.6%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2314-2319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_07: Flavor of first cigarillo smoked as a blunt: Candy or other sweets

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2%
2	2 = Not Marked	56	0.5%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2320-2325 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011CG_08: Flavor of first cigarillo smoked as a blunt: Some other flavor

[[C-16.]]What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	73	0.7%

Value	Label	Unweighted Frequency	%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2326-2331 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1112CG: Last time smoked a cigarillo as a blunt, even one or two puffs

[[C-19.]]When was the last time you smoked a cigarillo as a blunt, even one or two puffs?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1112TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1112CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1112FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	13	0.1%
2	2 = Not today but sometime in the past 7 days	64	0.6%
3	3 = Not in the past 7 days but sometime in the past 30 days	47	0.4%
4	4 = Not in the past 30 days but sometime in the past 6 months	71	0.7%
5	5 = Not in the past 6 months but sometime in the past year	39	0.4%
	Total	234	2.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10596	97.8%
	Total	10,600	97.8%

This variable has 234 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2332-2337 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1022CG: In past 30 days, number of days smoked a cigarillo as a blunt

In the past 30 days, on how many days did you smoke a cigarillo as a blunt?

__Days

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1022TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1022CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1022FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 7.52
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.68

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,712	98.9%

This variable has 122 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2338-2343 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1023CG: In past 30 days, number of cigarillos smoked as a blunt per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked cigarillos as blunts, how many cigarillos did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1023TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1023CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1023FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	48	0.4%
2	2 = 1 cigarillo per day	33	0.3%
3	3 = 2 to 5 cigarillos per day	40	0.4%
4	4 = 6 to 10 cigarillos per day	2	0.0%
5	5 = 11 to 20 cigarillos per day	0	0.0%
6	6 = More than 20 cigarillos per day	0	0.0%
	Total	123	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,711	98.9%

This variable has 123 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2344-2349 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1130CG: In past 30 days, smoked cigarillos as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked as a blunt flavored to taste like

menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1142.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1130TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1130CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1130FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5%
2	2 = No	43	0.4%
3	3 = I don't know	22	0.2%
	Total	123	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,711	98.9%

This variable has 123 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2350-2355 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_01: In past 30 days, smoked cigarillos as blunts flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	52	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2356-2361 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_02: In past 30 days, smoked cigarillos as blunts flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	54	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2362-2367 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_03: In past 30 days, smoked cigarillos as blunts flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	57	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2368-2373 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_04: In past 30 days, smoked cigarillos as blunts flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.5%
2	2 = Not Marked	9	0.1%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2374-2379 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_05: In past 30 days, smoked cigarillos as blunts flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	54	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2380-2385 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_06: In past 30 days, smoked cigarillos as blunts flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	52	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2386-2391 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_07: In past 30 days, smoked cigarillos as blunts flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	42	0.4%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2392-2397 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131CG_08: In past 30 days, smoked cigarillos as blunts flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	56	0.5%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%

Value	Missing Data	Unweighted Frequency	%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2398-2403 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1147CG: How often smoked flavored cigarillos as blunts on days smoked in past 30 days

[[C-25.]]On the days you smoked cigarillos as blunts in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1147TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1147CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1147FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	36	0.3%
2	2 = Most of the time	9	0.1%
3	3 = Sometimes	9	0.1%
4	4 = Rarely	3	0.0%
5	5 = Never	1	0.0%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2404-2409 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1133CG: In past 30 days, flavor of cigarillos smoked as blunts most often

[[C-24.]]In the past 30 days, which flavor of cigarillos have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1133TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1 AND (R07_YJ1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131TC_[01/.../08] = -8, -7).
FOR R07_YJ1133CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1 AND (R07_YJ1131CG_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131CG_[01/.../08] = -8, -7).
FOR R07_YJ1133FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1 AND (R07_YJ1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	1	0.0%
2	2 = Mint	0	0.0%
3	3 = Clove or spice	1	0.0%
4	4 = Fruit	13	0.1%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	3	0.0%
7	7 = Candy or other sweets	5	0.0%
8	8 = Some other flavor	0	0.0%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2410-2415 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1142CG: In past 30 days, anyone sell you cigarillos

The next questions ask about your experience buying cigarillos for when you smoke blunts.

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1142TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1142CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1142FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.3%
2	2 = No	95	0.9%
	Total	124	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,710	98.9%

This variable has 124 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2416-2421 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1123CG: In the past 30 days, someone refused to sell you cigarillos as blunts because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1123TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1123CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1123FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	37	0.3%
3	3 = I did not try to buy cigarillos in the past 30 days	75	0.7%
	Total	124	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,710	98.9%

This variable has 124 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2422-2427 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1030CG: How you usually buy your cigarillos for blunts

How do you usually buy cigarillos for yourself when you smoke blunts?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR03.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1030TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1030CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1030FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	37	0.3%
2	2 = From the internet	2	0.0%
3	3 = By telephone	2	0.0%
4	4 = I do not buy my own cigarillos for blunts	83	0.8%
	Total	124	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10710	98.9%
	Total	10,710	98.9%

This variable has 124 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2428-2433 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1118CG: In past 30 days, how you usually got your own cigarillo as a blunt

[[C-26.]]In the past 30 days, how did you usually get your own cigarillos for when you smoke blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1118TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1030TC = 4.

FOR R07_YJ1118CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1030CG = 4.

FOR R07_YJ1118FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	21	0.2%
2	2 = I asked someone to give me one	17	0.2%
3	3 = Someone offered it to me	41	0.4%
4	4 = I took them from a store or another person	1	0.0%
5	5 = I got them some other way	2	0.0%
	Total	82	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10751	99.2%
	Total	10,752	99.2%

This variable has 82 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2434-2439 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1032CG: Geographic area where you usually buy cigarillos for blunts

Do [they/you] usually buy cigarillos for blunts...

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1032TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
FOR R07_YJ1032CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
FOR R07_YJ1032FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	56	0.5%
2	2 = In another state	1	0.0%
3	3 = Outside the US	0	0.0%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2440-2445 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1033CG: Retail location where your cigarillos for blunts are purchased most of the time

[[C-27.]]Where do [they/you] buy your cigarillos for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them

ASK Specification: FOR R07_YJ1033TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
 FOR R07_YJ1033CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
 FOR R07_YJ1033FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0%
2	2 = A convenience store or gas station	34	0.3%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	10	0.1%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	8	0.1%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	2	0.0%
11	11 = Somewhere else	2	0.0%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2446-2451 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] cigarillos for blunts.
Did you buy them by the box or pack, or as single cigarillos?

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1039TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
FOR R07_YJ1039CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
FOR R07_YJ1039FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	34	0.3%
2	2 = Single cigarillos	24	0.2%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2452-2457 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1040CG: Number of cigarillos that come in box or pack you last bought for blunts

How many cigarillos came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R07_YJ1040TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1

OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1.
 FOR R07_YJ1040CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1.
 FOR R07_YJ1040FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 4.59
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 40.00
- Standard Deviation: 6.95

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2458-2463 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034CG_D: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Dollars

How much did you pay for a [box or pack of cigarillos/single [CIGARFILL]] for blunts?

__ Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1, 2.
 FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1, 2.

FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 4.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 9.05

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,778	99.5%

This variable has 56 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2464-2469 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034CG_C: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Cents

How much did you pay for a [box or pack of cigarillos/single [CIGARFILL]] for blunts?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1, 2.
FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1, 2.
FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10778	99.5%
	Total	10,778	99.5%

This variable has 56 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2470-2475 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1047CG: Have a regular brand of cigarillos you usually smoke as blunts

Do you have a regular brand of cigarillos that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1047TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1047CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1047FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	101	0.9%
2	2 = No	135	1.2%
	Total	236	2.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10596	97.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,598	97.8%

This variable has 236 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2476-2481 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1945CG: Know the name of brand of cigarillos usually smoke/last smoked as blunts

Do you know the name of the brand of cigarillos you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1945TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1945CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1945FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	117	1.1%
2	2 = No	119	1.1%
	Total	236	2.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10596	97.8%
	Total	10,598	97.8%

This variable has 236 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2482-2487 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1048CG_BRAND: Brand of cigarillos usually/last smoked as blunts

[[HELP-1.]]What brand of cigarillo [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R07_YJ1048TC_BRAND: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1945TC = 1.
FOR R07_YJ1048CG_BRAND: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1945CG = 1.
FOR R07_YJ1048FC_BRAND: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10717	98.9%
	Total	10,718	98.9%

This variable has 116 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2488-2493 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1070TC_PRODUCT: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1945TC = 1 AND R07_YJ1048TC_BRAND != 9995, -8, -7).

FOR R07_YJ1070CG_PRODUCT: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1945CG = 1 AND R07_YJ1048CG_BRAND != 9995, -8, -7).
 FOR R07_YJ1070FC_PRODUCT: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1945FC = 1 AND R07_YJ1048FC_BRAND != 9995, -8, -7).

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10719	98.9%
	Total	10,722	99.0%

This variable has 112 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2494-2499 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1108FC: First filtered cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1112.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: FOR R07_YJ1108TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1) OR R07_INIT_BLUNT_BTRAD_YOUTH = 1.
 FOR R07_YJ1108CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1) OR R07_INIT_BLUNT_BRILLO_YOUTH = 1.
 FOR R07_YJ1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1) OR R07_INIT_BLUNT_BFILTR_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	17	0.2%
3	3 = I don't know	5	0.0%
	Total	29	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,805	99.7%

This variable has 29 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2500-2505 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_01: Flavor of first filtered cigar smoked as a blunt: Menthol

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Menthol

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	4	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2506-2511 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_02: Flavor of first filtered cigar smoked as a blunt: Mint

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	2	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2512-2517 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_03: Flavor of first filtered cigar smoked as a blunt: Clove or spice

[[C-16.]]What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2518-2523 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_04: Flavor of first filtered cigar smoked as a blunt: Fruit

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	4	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2524-2529 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_05: Flavor of first filtered cigar smoked as a blunt: Chocolate

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2530-2535 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_06: Flavor of first filtered cigar smoked as a blunt: An alcoholic drink

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for

blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2536-2541 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_07: Flavor of first filtered cigar smoked as a blunt: Candy or other sweets

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND

R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND
 R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2542-2547 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1011FC_08: Flavor of first filtered cigar smoked as a blunt: Some other flavor

[[C-16.]]What flavor was that first filtered you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R07_YJ1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1108TC = 1) OR (R07_INIT_BLUNT_BTRAD_YOUTH = 1 AND R07_YJ1108TC = 1).
 FOR R07_YJ1011CG: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1108CG = 1) OR (R07_INIT_BLUNT_BRILLO_YOUTH = 1 AND R07_YJ1108CG = 1).
 FOR R07_YJ1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1108FC = 1) OR (R07_INIT_BLUNT_BFILTR_YOUTH = 1 AND R07_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2548-2553 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ112FC: Last time smoked a filtered cigar as a blunt, even one or two puffs

[[C-19.]]When was the last time you smoked a filtered as a blunt, even one or two puffs?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ112TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ112CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ112FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0%
2	2 = Not today but sometime in the past 7 days	3	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	3	0.0%
4	4 = Not in the past 30 days but sometime in the past 6 months	12	0.1%
5	5 = Not in the past 6 months but sometime in the past year	12	0.1%
	Total	30	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,804	99.7%

This variable has 30 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2554-2559 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1022FC: In past 30 days, number of days smoked a filtered cigar as a blunt

In the past 30 days, on how many days did you smoke a filtered as a blunt?

__Days

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1022TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1022CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1022FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 3.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 3.63

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2560-2565 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1023FC: In past 30 days, number of filtered cigars smoked as a blunt per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked filtereds as blunts, how many filtereds did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1023TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1023CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1023FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	5	0.0%
2	2 = 1 filtered cigar per day	1	0.0%
3	3 = 2 to 5 filtered cigars per day	0	0.0%
4	4 = 6 to 10 filtered cigars per day	0	0.0%
5	5 = 11 to 20 filtered cigars per day	0	0.0%
6	6 = More than 20 filtered cigars per day	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2566-2571 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1130FC: In past 30 days, smoked filtered cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtereds that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YJ1142.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1130TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1130CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1130FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	2	0.0%
3	3 = I don't know	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2572-2577 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_01: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2578-2583 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_02: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	0	0.0%

Value	Label	Unweighted Frequency	%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2584-2589 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_03: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2590-2595 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_04: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2596-2601 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_05: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2602-2607 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_06: In past 30 days, smoked filtered cigars as blunts flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
 FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
 FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2608-2613 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_07: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.
 FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.
 FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2614-2619 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1131FC_08: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1131TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1131CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1131FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2620-2625 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1147FC: How often smoked flavored filtered cigars as blunts on days smoked in past 30 days

[[C-25.]]On the days you smoked filtered cigars as blunts in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1147TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1.

FOR R07_YJ1147CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1.

FOR R07_YJ1147FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1	0.0%
2	2 = Most of the time	0	0.0%
3	3 = Sometimes	1	0.0%
4	4 = Rarely	0	0.0%
5	5 = Never	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2626-2631 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1133FC: In past 30 days, flavor of filtered cigars smoked as blunts most often

[[C-24.]]In the past 30 days, which flavor of filtered cigars have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R07_YJ1133TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1130TC = 1 AND (R07_YJ1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131TC_[01/.../08] = -8, -7).
FOR R07_YJ1133CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1130CG = 1 AND (R07_YJ1131CG_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131CG_[01/.../08] = -8, -7).
FOR R07_YJ1133FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1130FC = 1 AND (R07_YJ1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YJ1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	1	0.0%
2	2 = Mint	0	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	1	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2632-2637 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1142FC: In past 30 days, anyone sell you filtered cigars

The next questions ask about your experience buying filtered cigars for when you smoke blunts.

In the past 30 days, did anyone sell you filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1142TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1142CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1142FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2638-2643 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1123FC: In the past 30 days, someone refused to sell you filtered cigars as blunts because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1123TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1123CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1123FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
3	3 = I did not try to buy filtered cigars in the past 30 days	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2644-2649 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1030FC: How you usually buy your filtered cigars for blunts

How do you usually buy filtered cigars for yourself when you smoke blunts?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR03.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1030TC: IF R07_30DBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1030CG: IF R07_30DBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1030FC: IF R07_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1	0.0%
2	2 = From the internet	0	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own filtered cigars for blunts	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2650-2655 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1118FC: In past 30 days, how you usually got your own filtered cigars as a blunt

[[C-26.]] In the past 30 days, how did you usually get your own filtered cigars for when you smoke blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1118TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND R07_YJ1030TC = 4.

FOR R07_YJ1118CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND R07_YJ1030CG = 4.

FOR R07_YJ1118FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND R07_YJ1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	0	0.0%
2	2 = I asked someone to give me one	1	0.0%
3	3 = Someone offered it to me	2	0.0%
4	4 = I took them from a store or another person	0	0.0%
5	5 = I got them some other way	0	0.0%

Value	Label	Unweighted Frequency	%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2656-2661 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1032FC: Geographic area where you usually buy filtered cigars for blunts

Do [they/you] usually buy filtered cigars for blunts...

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1032TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)).
 FOR R07_YJ1032CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)).
 FOR R07_YJ1032FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2662-2667 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1033FC: Retail location where your filtered cigars for blunts are purchased most of the time

[[C-27.]]Where do [they/you] buy your filtered cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them

ASK Specification: FOR R07_YJ1033TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ118TC = 1)).

FOR R07_YJ1033CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ118CG = 1)).

FOR R07_YJ1033FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0%
2	2 = A convenience store or gas station	1	0.0%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	0	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	0	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	0	0.0%
11	11 = Somewhere else	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2668-2673 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] filtered cigars for blunts. Did you buy them by the box or pack, or as single filtered cigars?

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them.

ASK Specification: FOR R07_YJ1039TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ118TC = 1)).
 FOR R07_YJ1039CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ118CG = 1)).
 FOR R07_YJ1039FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1	0.0%
2	2 = Single filtered cigars	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2674-2679 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1040FC: Number of filtered cigars that come in box or pack you last bought for blunts

How many filtered cigars came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R07_YJ1040TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1.
FOR R07_YJ1040CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1.
FOR R07_YJ1040FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2680-2685 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034FC_D: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Dollars

How much did you pay for a [box or pack of filtered cigars/single [CIGARFILL]] for blunts?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1, 2.
FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1, 2.
FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2686-2691 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1034FC_C: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Cents

How much did you pay for a [box or pack of filtered cigars/single [CIGARFILL]] for blunts?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YJ1047.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person or do not buy their own traditional cigars/cigarillos/filtered cigars for blunts and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1034TC: IF R07_30DBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1030TC = 1 OR (R07_YJ1030TC = 4 AND R07_YJ1118TC = 1)) AND R07_YJ1039TC = 1, 2.
FOR R07_YJ1034CG: IF R07_30DBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1030CG = 1 OR (R07_YJ1030CG = 4 AND R07_YJ1118CG = 1)) AND R07_YJ1039CG = 1, 2.
FOR R07_YJ1034FC: IF R07_30DBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1030FC = 1 OR (R07_YJ1030FC = 4 AND R07_YJ1118FC = 1)) AND R07_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2692-2697 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YJ1047FC: Have a regular brand of filtered cigars you usually smoke as blunts

Do you have a regular brand of filtered cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1047TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.
FOR R07_YJ1047CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.
FOR R07_YJ1047FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	27	0.2%
	Total	30	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,804	99.7%

This variable has 30 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2698-2703 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1945FC: Know the name of brand of filtered cigars usually smoke/last smoked as blunts

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YJ1945TC: IF R07_12MBLUNT_ONLY_BTRAD = 1.

FOR R07_YJ1945CG: IF R07_12MBLUNT_ONLY_BRILLO = 1.

FOR R07_YJ1945FC: IF R07_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	25	0.2%
	Total	30	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10804	99.7%
	Total	10,804	99.7%

This variable has 30 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2704-2709 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1048FC_BRAND: Brand of filtered cigars usually/last smoked as blunts

[[HELP-1.]]What brand of filtered cigar [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R07_YJ1048TC_BRAND: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND R07_YJ1945TC = 1.

FOR R07_YJ1048CG_BRAND: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND R07_YJ1945CG = 1.

FOR R07_YJ1048FC_BRAND: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND R07_YJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2710-2715 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R07_YJ1070TC_PRODUCT: IF R07_12MBLUNT_ONLY_BTRAD = 1 AND (R07_YJ1945TC = 1 AND R07_YJ1048TC_BRAND != 9995, -8, -7).
FOR R07_YJ1070CG_PRODUCT: IF R07_12MBLUNT_ONLY_BRILLO = 1 AND (R07_YJ1945CG = 1 AND R07_YJ1048CG_BRAND != 9995, -8, -7).
FOR R07_YJ1070FC_PRODUCT: IF R07_12MBLUNT_ONLY_BFILTR = 1 AND (R07_YJ1945FC = 1 AND R07_YJ1048FC_BRAND != 9995, -8, -7).

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2716-2721 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1006TC: DERIVED - Age range when first tried a traditional cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a traditional cigar, even one or two puffs?

Algorithm: IF R07_YG1120TC = 1 OR (0 <= R07_YG1006TC <= 11) THEN
R07R_Y_YG1006TC = 1; ELSE IF R07_YG1120TC = 2 OR (12 <= R07_YG1006TC
<= 14) THEN R07R_Y_YG1006TC = 2; ELSE IF R07_YG1120TC = 3 OR (15 <= R07_YG1006TC <= 17) THEN R07R_Y_YG1006TC = 3; ELSE R07R_Y_YG1006TC = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	10	0.1%
2	2 = 12 to 14 years old	21	0.2%
3	3 = 15 to 17 years old	48	0.4%
	Total	79	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10755	99.3%
	Total	10,755	99.3%

This variable has 79 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2722-2727 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG1108TC: First traditional cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1108TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).
FOR R07_YG1108CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1).
FOR R07_YG1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2%
2	2 = No	33	0.3%
3	3 = I don't know	23	0.2%

Value	Label	Unweighted Frequency	%
	Total	79	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10755	99.3%
	Total	10,755	99.3%

This variable has 79 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2728-2733 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_01: Flavor of first traditional cigar smoked: Menthol

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%
2	2 = Not Marked	15	0.1%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2734-2739 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_02: Flavor of first traditional cigar smoked: Mint

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	18	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2740-2745 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_03: Flavor of first traditional cigar smoked: Clove or spice

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	17	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2746-2751 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_04: Flavor of first traditional cigar smoked: Fruit

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	17	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2752-2757 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_05: Flavor of first traditional cigar smoked: Chocolate

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	20	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2758-2763 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_06: Flavor of first traditional cigar smoked: An alcoholic drink

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	18	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2764-2769 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_07: Flavor of first traditional cigar smoked: Candy or other sweets

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	19	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2770-2775 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011TC_08: Flavor of first traditional cigar smoked: Some other flavor

[[C-16.]]What flavor was that first traditional cigar you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	23	0.2%

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2776-2781 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1005TC: Number of traditional cigars smoked in entire life

[[C-17.]]How many traditional cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1005TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND (R07_INIT_GTRAD_YOUTH = 1 OR R07_NUMLIFE_GTRAD != 1) AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1005CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND (R07_INIT_GRILLO_YOUTH = 1 OR R07_NUMLIFE_GRILLO != 1) AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1005FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND (R07_INIT_GFILTR_YOUTH = 1 OR R07_NUMLIFE_GFILTR != 1) AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	52	0.5%
2	2 = 1	10	0.1%
3	3 = 2 to 10	20	0.2%

Value	Label	Unweighted Frequency	%
4	4 = 11 to 20	3	0.0%
5	5 = 21 to 50	1	0.0%
6	6 = 51 to 99	1	0.0%
7	7 = 100 or more	1	0.0%
	Total	88	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10744	99.2%
	Total	10,746	99.2%

This variable has 88 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2782-2787 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9040TC: Group most like traditional cigar usually smoked

[[C-18.]]Please look at this picture. Which group is most like the traditional cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG9040TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG9040CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG9040FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	63	0.6%
2	2 = Group 2	13	0.1%
3	3 = Group 3	9	0.1%
4	4 = Group 4	3	0.0%

Value	Label	Unweighted Frequency	%
	Total	88	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10740	99.1%
	Total	10,746	99.2%

This variable has 88 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2788-2793 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked traditional cigars fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YG1112.]

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1100TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_REGUSE_GTRAD != 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1100CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_REGUSE_GRILLO != 1 AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1100FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_REGUSE_GFILTR != 1 AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	82	0.8%
	Total	90	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10744	99.2%
	Total	10,744	99.2%

This variable has 90 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2794-2799 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1007TC: DERIVED - Age range when first started smoking traditional cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

Algorithm: IF R07_YG1121TC = 1 OR (0 <= R07_YG1007TC <= 11) THEN
R07R_Y_YG1007TC = 1; ELSE IF R07_YG1121TC = 2 OR (12 <= R07_YG1007TC
<= 14) THEN R07R_Y_YG1007TC = 2; ELSE IF R07_YG1121TC = 3 OR (15 <= R07_YG1007TC <= 17) THEN R07R_Y_YG1007TC = 3; ELSE R07R_Y_YG1007TC =
.;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0%
2	2 = 12 to 14 years old	1	0.0%
3	3 = 15 to 17 years old	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2800-2805 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG1112TC: Last time smoked a traditional cigar, even one or two puffs

[[C-19./C-20.]]When was the last time you smoked a traditional cigar, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1112TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND

R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG1112CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG1112FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R07_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	3	0.0%
2	2 = Not today but sometime in the past 7 days	4	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	11	0.1%
4	4 = Not in the past 30 days but sometime in the past 6 months	25	0.2%
5	5 = Not in the past 6 months but sometime in the past year	24	0.2%
6	6 = 1 to 4 years ago	18	0.2%
7	7 = 5 or more years ago	6	0.1%
	Total	91	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10740	99.1%
	Total	10,743	99.2%

This variable has 91 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2806-2811 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0100TC: When last smoked a traditional cigar

[[C-21.]]When did you last smoke a traditional cigar?

[If In the past hour (1), GO TO R07_YG0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days.

ASK Specification: FOR R07_YG0100TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2.
FOR R07_YG0100CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2.
FOR R07_YG0100FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0%
2	2 = Sometime today, but more than an hour ago	1	0.0%
3	3 = Yesterday	0	0.0%
4	4 = Day before yesterday	1	0.0%
5	5 = Three or more days ago	2	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2812-2817 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0102TC: Time period of day when you last smoked a traditional cigar

[[C-22.]]When you last smoked a traditional cigar [FILL BASED ON R07_YG0100[TC/CL/FC]], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0102TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 2, 3, 4.
 FOR R07_YG0102CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 2, 3, 4.
 FOR R07_YG0102FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	0	0.0%
4	4 = After 6PM but before midnight	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2818-2823 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0103TC: Number of traditional cigars smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] [FILL BASED ON R07_YG0100[TC/CL/FC]]? [(If less than 1, enter 1.)]

IF LESS THAN 1, ENTER 1.]

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional

cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0103TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 1, 2, 3, 4.
FOR R07_YG0103CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 1, 2, 3, 4.
FOR R07_YG0103FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 7.40
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 19.00
- Standard Deviation: 7.89

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2824-2829 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1022TC: In past 30 days, number of days smoked a traditional cigar

In the past 30 days, on how many days did you smoke a traditional cigar?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1022TC: IF R07_PAST30DAY_GTRAD = 1.
FOR R07_YG1022CL: IF R07_PAST30DAY_GRILLO = 1.
FOR R07_YG1022FC: IF R07_PAST30DAY_GFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 5.28
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 25.00
- Standard Deviation: 6.60

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2830-2835 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1023TC: In past 30 days, number of traditional cigars smoked per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked a traditional cigar, how many traditional cigars did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1023TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1023CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1023FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	10	0.1%
2	2 = 1 traditional cigar per day	3	0.0%
3	3 = 2 to 5 traditional cigars per day	4	0.0%
4	4 = 6 to 10 traditional cigars per day	1	0.0%
5	5 = 11 to 20 traditional cigars per day	0	0.0%
6	6 = More than 20 traditional cigars per day	0	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2836-2841 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1130TC: In past 30 days, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YG1142.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1130TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1130CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1130FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	8	0.1%
3	3 = I don't know	3	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2842-2847 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_01: In past 30 days, smoked traditional cigars flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	4	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2848-2853 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_02: In past 30 days, smoked traditional cigars flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
 FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
 FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2854-2859 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_03: In past 30 days, smoked traditional cigars flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
 FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
 FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2860-2865 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_04: In past 30 days, smoked traditional cigars flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	2	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2866-2871 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_05: In past 30 days, smoked traditional cigars flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2872-2877 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_06: In past 30 days, smoked traditional cigars flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2878-2883 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_07: In past 30 days, smoked traditional cigars flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	5	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2884-2889 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131TC_08: In past 30 days, smoked traditional cigars flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2890-2895 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1147TC: How often smoked flavored traditional cigars on days smoked in past 30 days

[[C-25.]]On the days you smoked traditional cigars in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1147TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1147CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1147FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	2	0.0%
2	2 = Most of the time	2	0.0%
3	3 = Sometimes	1	0.0%
4	4 = Rarely	1	0.0%
5	5 = Never	1	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2896-2901 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1133TC: In past 30 days, flavor of traditional cigars smoked most often

[[C-24.]]In the past 30 days, which flavor of traditional cigars have you smoked most often?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R07_YG1133TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1 AND (R07_YG1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131TC_[01/.../08] = -8, -7).
FOR R07_YG1133CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1 AND (R07_YG1131CL_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131CL_[01/.../08] = -8, -7).
FOR R07_YG1133FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1 AND (R07_YG1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	1	0.0%
2	2 = Mint	0	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	1	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	1	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2902-2907 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1142TC: In past 30 days, anyone sold you traditional cigars

The next questions ask about your experience buying traditional cigars.

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1142TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1142CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1142FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	11	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2908-2913 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1123TC: In the past 30 days, someone refused to sell you traditional cigars because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1123TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1123CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1123FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	6	0.1%
3	3 = I did not try to buy traditional cigars in the past 30 days	8	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2914-2919 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1030TC: How you usually buy your traditional cigars

How do you usually buy traditional cigars for yourself?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1030TC: IF R07_PAST30DAY_GTRAD = 1.
 FOR R07_YG1030CL: IF R07_PAST30DAY_GRILLO = 1.
 FOR R07_YG1030FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	4	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	4	0.0%
4	4 = I do not buy my own traditional cigars	9	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2920-2925 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1118TC: In past 30 days, how you usually got your own traditional cigars

[[C-26.]] In the past 30 days, how did you usually get your own traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1118TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1030TC = 4.
 FOR R07_YG1118CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1030CL = 4.
 FOR R07_YG1118FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	3	0.0%
2	2 = I asked someone to give me one	0	0.0%
3	3 = Someone offered it to me	6	0.1%
4	4 = I took them from a store or another person	0	0.0%

Value	Label	Unweighted Frequency	%
5	5 = I got them some other way	0	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2926-2931 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1032TC: Geographic area where you usually buy traditional cigars

Do [they/you] usually buy traditional cigars...?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1032TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).

FOR R07_YG1032CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).

FOR R07_YG1032FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	7	0.1%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2932-2937 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1033TC: Retail location where your traditional cigars are purchased most of the time

[[C-27.]]Where do [they/you] buy your traditional cigars most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1033TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).
FOR R07_YG1033CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).
FOR R07_YG1033FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0%
2	2 = A convenience store or gas station	4	0.0%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	1	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	1	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	0	0.0%
11	11 = Somewhere else	0	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2938-2943 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1039TC: Usually buy traditional cigars by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] traditional cigars. Did you buy them by the box or pack, or as single traditional cigars?

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1039TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).
FOR R07_YG1039CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).
FOR R07_YG1039FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1	0.0%
2	2 = Single traditional cigars	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2944-2949 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1040TC: Number of traditional cigars that come in box or pack you last bought

How many traditional cigars came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R07_YG1040TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1.

FOR R07_YG1040CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1.

FOR R07_YG1040FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)). AND R07_YG1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2950-2955 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034TC_D: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG118TC = 1)) AND R07_YG1039TC = 1, 2.
FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG118CL = 1)) AND R07_YG1039CL = 1, 2.
FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2956-2961 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034TC_C: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1, 2.
FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1, 2.
FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2962-2967 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1047TC: Have a regular brand of traditional cigars you usually smoke

Do you have a regular brand of traditional cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1047TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2.
 FOR R07_YG1047CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2.
 FOR R07_YG1047FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2968-2973 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1945TC: Know the name of brand of traditional cigars you usually/last smoked

Do you know the name of the brand of traditional cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1945TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1945CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1945FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	11	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2974-2979 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked

[[HELP-1.]]What brand of traditional cigar [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R07_YG1048TC_BRAND: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1.

FOR R07_YG1048CL_BRAND: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1.

FOR R07_YG1048FC_BRAND: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2980-2985 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1070TC_PRODUCT: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7.

FOR R07_YG1070CL_PRODUCT: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7.

FOR R07_YG1070FC_PRODUCT: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2986-2991 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0104TC: Brand of very last traditional cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a traditional cigar [TIME OF LAST USE].

Think about the very last traditional cigar you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and sub-brand of traditional cigars/cigarillos/filtered

cigars.

ASK Specification: FOR R07_YG0104TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG0100TC = 1, 2, 3, 4 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7 AND R07_YG1070TC_PRODUCT != 99995, -8, -7.

FOR R07_YG0104CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG0100CL = 1, 2, 3, 4 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7 AND R07_YG1070CL_PRODUCT != 99995, -8, -7.

FOR R07_YG0104FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG0100FC = 1, 2, 3, 4 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7 AND R07_YG1070FC_PRODUCT != 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2992-2997 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1060TC_RANDOM_01: YG1060TC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%

Value	Label	Unweighted Frequency	%
R07_YG1060TC	-	3	0.0%
R07_YG1062TC	-	2	0.0%
R07_YG1063TC	-	3	0.0%
R07_YG1066TC	-	4	0.0%
R07_YG1075TC	-	4	0.0%
R07_YG1085TC	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 2998-3009 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_02: YG1060TC series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060TC	-	1	0.0%
R07_YG1062TC	-	2	0.0%
R07_YG1063TC	-	1	0.0%
R07_YG1064TC	-	2	0.0%
R07_YG1066TC	-	5	0.0%
R07_YG1075TC	-	3	0.0%
R07_YG1077TC	-	2	0.0%
R07_YG1085TC	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3010-3021 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_03: YG1060TC series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060TC	-	3	0.0%
R07_YG1062TC	-	3	0.0%
R07_YG1063TC	-	3	0.0%
R07_YG1066TC	-	3	0.0%
R07_YG1075TC	-	2	0.0%
R07_YG1085TC	-	4	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3022-3033 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_04: YG1060TC series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060TC	-	3	0.0%
R07_YG1062TC	-	1	0.0%
R07_YG1063TC	-	5	0.0%
R07_YG1066TC	-	1	0.0%

Value	Label	Unweighted Frequency	%
R07_YG1075TC	-	4	0.0%
R07_YG1077TC	-	3	0.0%
R07_YG1085TC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3034-3045 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_05: YG1060TC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060TC	-	2	0.0%
R07_YG1062TC	-	6	0.1%
R07_YG1063TC	-	1	0.0%
R07_YG1064TC	-	3	0.0%
R07_YG1066TC	-	1	0.0%
R07_YG1075TC	-	1	0.0%
R07_YG1085TC	-	4	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3046-3057 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_06: YG1060TC series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060TC	-	3	0.0%
R07_YG1062TC	-	1	0.0%
R07_YG1063TC	-	3	0.0%
R07_YG1064TC	-	1	0.0%
R07_YG1066TC	-	2	0.0%
R07_YG1075TC	-	3	0.0%
R07_YG1077TC	-	2	0.0%
R07_YG1085TC	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3058-3069 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_07: YG1060TC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YG1060TC	-	2	0.0%
R07_YG1062TC	-	3	0.0%
R07_YG1064TC	-	3	0.0%
R07_YG1077TC	-	1	0.0%
R07_YG1085TC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3070-3081 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC_RANDOM_08: YG1060TC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YG1060TC	-	1	0.0%
R07_YG1063TC	-	2	0.0%
R07_YG1064TC	-	1	0.0%
R07_YG1066TC	-	2	0.0%
R07_YG1075TC	-	1	0.0%
R07_YG1077TC	-	2	0.0%
R07_YG1085TC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3082-3093 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060TC: Smoke traditional cigars because: They are affordable

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you. [Mark Yes or No for each item.]

I smoke traditional cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1060TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1060CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1060FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	11	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3094-3099 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1085TC: Smoke traditional cigars because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke traditional cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1085TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1085CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1085FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	11	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3100-3105 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1062TC: Smoke traditional cigars because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1062TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1062CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1062FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1%
2	2 = No	8	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3106-3111 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1075TC: Smoke traditional cigars because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1075TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1075CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1075FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	10	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3112-3117 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1063TC: Smoke traditional cigars because: They come in flavors I like

Traditional cigars come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1063TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1063CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1063FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%

Value	Label	Unweighted Frequency	%
2	2 = No	9	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3118-3123 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1064TC: Smoke traditional cigars because: It helps people to quit smoking cigarettes

Smoking Traditional Cigars helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1064TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	5	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3124-3129 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1066TC: Smoke traditional cigars because: It feels like smoking a regular cigarette

Smoking a traditional cigar feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1066TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1066CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1066FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	10	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3130-3135 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1077TC: Smoke traditional cigars because: Smoking traditional cigars satisfies my cravings for cigarettes

Smoking Traditional Cigars satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1077TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	2	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3136-3141 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1139TC: Level of agreement: Easier to talk and get along with other people when smoking a traditional cigar

[[C-28.]]Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a traditional cigar.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1139TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1139CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1139FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	10	0.1%
2	2 = 2 on a scale of 1 to 4	2	0.0%
3	3 = 3 on a scale of 1 to 4	2	0.0%
4	4 = Very true of me	4	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3142-3147 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1140TC: Level of agreement: Feel more confident with other people while smoking a traditional cigar

[[C-28.]]While smoking a traditional cigar, I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1140TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1140CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1140FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	10	0.1%
2	2 = 2 on a scale of 1 to 4	2	0.0%
3	3 = 3 on a scale of 1 to 4	3	0.0%
4	4 = Very true of me	3	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3148-3153 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1141TC: Level of agreement: Smoke traditional cigars much more when with other people

[[C-28.]]I smoke Traditional Cigars much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1141TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1141CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1141FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5	0.0%
2	2 = 2 on a scale of 1 to 4	3	0.0%
3	3 = 3 on a scale of 1 to 4	3	0.0%
4	4 = Very true of me	6	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3154-3159 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1144TC: Self-perception of harmfulness of smoking traditional cigars to own health

[[C-29.]]How harmful do you think smoking Traditional Cigars is to your health?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1144TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1144CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1144FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	2	0.0%
2	2 = Slightly harmful	2	0.0%
3	3 = Somewhat harmful	4	0.0%
4	4 = Very harmful	8	0.1%
5	5 = Extremely harmful	2	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3160-3165 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1006CL: DERIVED - Age range when first tried a cigarillo, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a cigarillo, even one or two puffs?

Algorithm: IF R07_YG1120CL = 1 OR (0 <= R07_YG1006CL <= 11) THEN
R07R_Y_YG1006CL = 1; ELSE IF R07_YG1120CL = 2 OR (12 <= R07_YG1006CL
<= 14) THEN R07R_Y_YG1006CL = 2; ELSE IF R07_YG1120CL = 3 OR (15 <=
R07_YG1006CL <= 17) THEN R07R_Y_YG1006CL = 3; ELSE R07R_Y_YG1006CL
= .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	12	0.1%
2	2 = 12 to 14 years old	28	0.3%
3	3 = 15 to 17 years old	44	0.4%
	Total	84	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10750	99.2%
	Total	10,750	99.2%

This variable has 84 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3166-3171 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG1108CL: First cigarillo smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1108TC: IF (R07_YOUTHTYPE = 2, 3 AND
R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR
(R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).
FOR R07_YG1108CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND
R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND
R07_12MBLUNT_ONLY_BRILLO != 1).
FOR R07_YG1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND
R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND
R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3%
2	2 = No	32	0.3%
3	3 = I don't know	20	0.2%
	Total	87	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10747	99.2%
	Total	10,747	99.2%

This variable has 87 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3172-3177 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_01: Flavor of first cigarillo smoked: Menthol

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%
2	2 = Not Marked	27	0.2%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3178-3183 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_02: Flavor of first cigarillo smoked: Mint

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	30	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3184-3189 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_03: Flavor of first cigarillo smoked: Clove or spice

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	32	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3190-3195 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_04: Flavor of first cigarillo smoked: Fruit

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1%
2	2 = Not Marked	21	0.2%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3196-3201 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_05: Flavor of first cigarillo smoked: Chocolate

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	31	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3202-3207 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_06: Flavor of first cigarillo smoked: An alcoholic drink

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	30	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3208-3213 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_07: Flavor of first cigarillo smoked: Candy or other sweets

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	29	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3214-3219 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011CL_08: Flavor of first cigarillo smoked: Some other flavor

[[C-16.]]What flavor was that first cigarillo you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	33	0.3%
	Total	35	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10799	99.7%
	Total	10,799	99.7%

This variable has 35 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3220-3225 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1005CL: Number of cigarillos smoked in entire life

[[C-17.]]How many cigarillos have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1005TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND (R07_INIT_GTRAD_YOUTH = 1 OR R07_NUMLIFE_GTRAD != 1) AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1005CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND (R07_INIT_GRILLO_YOUTH = 1 OR R07_NUMLIFE_GRILLO != 1) AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1005FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND (R07_INIT_GFILTR_YOUTH = 1 OR R07_NUMLIFE_GFILTR != 1) AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	43	0.4%

Value	Label	Unweighted Frequency	%
2	2 = 1	14	0.1%
3	3 = 2 to 10	22	0.2%
4	4 = 11 to 20	5	0.0%
5	5 = 21 to 50	6	0.1%
6	6 = 51 to 99	7	0.1%
7	7 = 100 or more	7	0.1%
	Total	104	1.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10723	99.0%
	Total	10,730	99.0%

This variable has 104 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3226-3231 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9040CL: Group most like cigarillo usually smoked

[[C-18.]]Please look at this picture. Which group is most like the cigarillo you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG9040TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG9040CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG9040FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	9	0.1%
2	2 = Group 2	43	0.4%

Value	Label	Unweighted Frequency	%
3	3 = Group 3	46	0.4%
4	4 = Group 4	9	0.1%
	Total	107	1.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10721	99.0%
	Total	10,727	99.0%

This variable has 107 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3232-3237 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1100CL: Ever smoked cigarillos fairly regularly

Have you ever smoked cigarillos fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YG1112.]

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1100TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_REGUSE_GTRAD != 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1100CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_REGUSE_GRILLO != 1 AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1100FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_REGUSE_GFILTR != 1 AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.2%

Value	Label	Unweighted Frequency	%
2	2 = No	90	0.8%
	Total	107	1.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10726	99.0%
	Total	10,727	99.0%

This variable has 107 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3238-3243 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1007CL: DERIVED - Age range when first started smoking cigarillos fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Algorithm: IF R07_YG1121CL = 1 OR (0 <= R07_YG1007CL <= 11) THEN
R07R_Y_YG1007CL = 1; ELSE IF R07_YG1121CL = 2 OR (12 <= R07_YG1007CL
<= 14) THEN R07R_Y_YG1007CL = 2; ELSE IF R07_YG1121CL = 3 OR (15 <=
R07_YG1007CL <= 17) THEN R07R_Y_YG1007CL = 3; ELSE R07R_Y_YG1007CL
= .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0%
2	2 = 12 to 14 years old	9	0.1%
3	3 = 15 to 17 years old	4	0.0%
	Total	15	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10819	99.9%
	Total	10,819	99.9%

This variable has 15 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3244-3249 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG112CL: Last time smoked a cigarillo, even one or two puffs

[[C-19./C-20.]]When was the last time you smoked a [CIGARFILL], even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG112TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG112CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG112FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R07_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	9	0.1%
2	2 = Not today but sometime in the past 7 days	8	0.1%
3	3 = Not in the past 7 days but sometime in the past 30 days	8	0.1%
4	4 = Not in the past 30 days but sometime in the past 6 months	22	0.2%
5	5 = Not in the past 6 months but sometime in the past year	30	0.3%
6	6 = 1 to 4 years ago	21	0.2%
7	7 = 5 or more years ago	8	0.1%
	Total	106	1.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10721	99.0%
	Total	10,728	99.0%

This variable has 106 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3250-3255 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0100CL: When last smoked a cigarillo

[[C-21.]]When did you last smoke a [CIGARFILL]?

[If In the past hour (1), GO TO R07_YG0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days.

ASK Specification: FOR R07_YG0100TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2.

FOR R07_YG0100CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2.

FOR R07_YG0100FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5	0.0%
2	2 = Sometime today, but more than an hour ago	2	0.0%
3	3 = Yesterday	5	0.0%
4	4 = Day before yesterday	2	0.0%
5	5 = Three or more days ago	3	0.0%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10817	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3256-3261 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0102CL: Time period of day when you last smoked a cigarillo

[[C-22.]] When you last smoked a cigarillo [FILL BASED ON R07_YG0100[TC/CL/FC]], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0102TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 2, 3, 4.
FOR R07_YG0102CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 2, 3, 4.
FOR R07_YG0102FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0%
2	2 = After 6AM but before noon	1	0.0%
3	3 = Between noon and 6PM	2	0.0%
4	4 = After 6PM but before midnight	4	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3262-3267 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0103CL: Number of cigarillos smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] [FILL BASED ON R07_YG0100[TC/CL/FC]]? [(If less than 1, enter 1.)]

IF LESS THAN 1, ENTER 1.]

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0103TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 1, 2, 3, 4.
FOR R07_YG0103CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 1, 2, 3, 4.
FOR R07_YG0103FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.71
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.31

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3268-3273 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1022CL: In past 30 days, number of days smoked a cigarillo

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1022TC: IF R07_PAST30DAY_GTRAD = 1.
FOR R07_YG1022CL: IF R07_PAST30DAY_GRILLO = 1.
FOR R07_YG1022FC: IF R07_PAST30DAY_GFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 4.72
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 6.46

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3274-3279 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1023CL: In past 30 days, number of cigarillos smoked per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked a [CIGARFILL], how many cigarillos did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1023TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1023CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1023FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	10	0.1%
2	2 = 1 cigarillo per day	8	0.1%
3	3 = 2 to 5 cigarillos per day	7	0.1%
4	4 = 6 to 10 cigarillos per day	0	0.0%
5	5 = 11 to 20 cigarillos per day	0	0.0%
6	6 = More than 20 cigarillos per day	0	0.0%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3280-3285 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1130CL: In past 30 days, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YG1142.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1130TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1130CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1130FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	14	0.1%
3	3 = I don't know	4	0.0%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3286-3291 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_01: In past 30 days, smoked cigarillos flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	5	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3292-3297 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_02: In past 30 days, smoked cigarillos flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3298-3303 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_03: In past 30 days, smoked cigarillos flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3304-3309 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_04: In past 30 days, smoked cigarillos flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	3	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3310-3315 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_05: In past 30 days, smoked cigarillos flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3316-3321 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_06: In past 30 days, smoked cigarillos flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	4	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3322-3327 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_07: In past 30 days, smoked cigarillos flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	4	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3328-3333 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131CL_08: In past 30 days, smoked cigarillos flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3334-3339 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1147CL: How often smoked flavored cigarillos on days smoked in past 30 days

[[C-25.]]On the days you smoked cigarillos in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1147TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1147CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1147FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	5	0.0%
2	2 = Most of the time	0	0.0%
3	3 = Sometimes	1	0.0%
4	4 = Rarely	0	0.0%
5	5 = Never	1	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3340-3345 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1133CL: In past 30 days, flavor of cigarillos smoked most often

[[C-24.]]In the past 30 days, which flavor of cigarillos have you smoked most often?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R07_YG1133TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1 AND (R07_YG1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131TC_[01/.../08] = -8, -7).
FOR R07_YG1133CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1 AND (R07_YG1131CL_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131CL_[01/.../08] = -8, -7).
FOR R07_YG1133FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1 AND (R07_YG1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	1	0.0%
2	2 = Mint	0	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	1	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3346-3351 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1142CL: In past 30 days, anyone sold you cigarillos

The next questions ask about your experience buying cigarillos.

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1142TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1142CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1142FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	17	0.2%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3352-3357 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1123CL: In the past 30 days, someone refused to sell you cigarillos because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1123TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1123CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1123FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	14	0.1%
3	3 = I did not try to buy cigarillos in the past 30 days	8	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3358-3363 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1030CL: How you usually buy your cigarillos

How do you usually buy cigarillos for yourself?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1030TC: IF R07_PAST30DAY_GTRAD = 1.
 FOR R07_YG1030CL: IF R07_PAST30DAY_GRILLO = 1.
 FOR R07_YG1030FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	8	0.1%
2	2 = From the internet	1	0.0%
3	3 = By telephone	4	0.0%
4	4 = I do not buy my own cigarillos	12	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3364-3369 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1118CL: In past 30 days, how you usually got your own cigarillos

[[C-26.]]In the past 30 days, how did you usually get your own cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1118TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1030TC = 4.
 FOR R07_YG1118CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1030CL = 4.
 FOR R07_YG1118FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	1	0.0%
2	2 = I asked someone to give me one	4	0.0%
3	3 = Someone offered it to me	4	0.0%
4	4 = I took them from a store or another person	1	0.0%

Value	Label	Unweighted Frequency	%
5	5 = I got them some other way	2	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3370-3375 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1032CL: Geographic area where you usually buy cigarillos

Do [they/you] usually buy cigarillos...?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1032TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG118TC = 1)).

FOR R07_YG1032CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG118CL = 1)).

FOR R07_YG1032FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	7	0.1%
2	2 = In another state	2	0.0%
3	3 = Outside the US	0	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3376-3381 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1033CL: Retail location where your cigarillos are purchased most of the time

[[C-27.]]Where do [they/you] buy your cigarillos most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1033TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).
 FOR R07_YG1033CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).
 FOR R07_YG1033FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0%
2	2 = A convenience store or gas station	6	0.1%
3	3 = A supermarket, grocery store, or drug store	1	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	0	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	0	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	1	0.0%
11	11 = Somewhere else	0	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3382-3387 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1039CL: Usually buy cigarillos by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] cigarillos. Did you buy them by the box or pack, or as single cigarillos?

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1039TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).

FOR R07_YG1039CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).

FOR R07_YG1039FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	3	0.0%
2	2 = Single cigarillos	3	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3388-3393 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1040CL: Number of cigarillos that come in box or pack you last bought

How many cigarillos came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R07_YG1040TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1.

FOR R07_YG1040CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1.

FOR R07_YG1040FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)). AND R07_YG1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 3.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.73

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3394-3399 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034CL_D: Amount paid when last time bought a box of cigarillos/pack of cigarillos/ single cigarillo - Dollars

How much did you pay for a [box or pack of cigarillos/single [CIGARFILL]]?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG118TC = 1)) AND R07_YG1039TC = 1, 2.
FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG118CL = 1)) AND R07_YG1039CL = 1, 2.
FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.45

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3400-3405 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034CL_C: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Cents

How much did you pay for a [box or pack of cigarillos/single [CIGARFILL]]?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG118TC = 1)) AND R07_YG1039TC = 1, 2.
FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG118CL = 1)) AND R07_YG1039CL = 1, 2.
FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3406-3411 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1047CL: Have a regular brand of cigarillos you usually smoke

Do you have a regular brand of cigarillos that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1047TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2.
 FOR R07_YG1047CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2.
 FOR R07_YG1047FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	2	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3412-3417 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1945CL: Know the name of brand of cigarillos you usually/last smoked

Do you know the name of the brand of cigarillos you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1945TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1945CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1945FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	16	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3418-3423 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1048CL_BRAND: Brand of cigarillos usually/last smoked

[[HELP-1.]]What brand of cigarillo [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R07_YG1048TC_BRAND: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1.

FOR R07_YG1048CL_BRAND: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1.

FOR R07_YG1048FC_BRAND: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3424-3429 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1070TC_PRODUCT: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7.

FOR R07_YG1070CL_PRODUCT: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7.

FOR R07_YG1070FC_PRODUCT: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3430-3435 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0104CL: Brand of very last cigarillo smoked is same as brand regularly/last smoked

You said earlier that you smoked a cigarillo [TIME OF LAST USE].

Think about the very last cigarillo you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG0104TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG0100TC = 1, 2, 3, 4 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7 AND R07_YG1070TC_PRODUCT != 99995, -8, -7.

FOR R07_YG0104CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG0100CL = 1, 2, 3, 4 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7 AND R07_YG1070CL_PRODUCT != 99995, -8, -7.

FOR R07_YG0104FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG0100FC = 1, 2, 3, 4 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7 AND R07_YG1070FC_PRODUCT != 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	1	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3436-3441 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1060CL_RANDOM_01: YG1060CL series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%

Value	Label	Unweighted Frequency	%
R07_YG1060CL	-	3	0.0%
R07_YG1062CL	-	2	0.0%
R07_YG1063CL	-	6	0.1%
R07_YG1064CL	-	1	0.0%
R07_YG1066CL	-	3	0.0%
R07_YG1075CL	-	6	0.1%
R07_YG1077CL	-	1	0.0%
R07_YG1085CL	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3442-3453 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060CL_RANDOM_02: YG1060CL series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%
R07_YG1060CL	-	1	0.0%
R07_YG1062CL	-	9	0.1%
R07_YG1063CL	-	2	0.0%
R07_YG1064CL	-	1	0.0%
R07_YG1066CL	-	2	0.0%
R07_YG1075CL	-	2	0.0%
R07_YG1077CL	-	3	0.0%
R07_YG1085CL	-	5	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3454-3465 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060CL_RANDOM_03: YG1060CL series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%
R07_YG1060CL	-	3	0.0%
R07_YG1062CL	-	6	0.1%
R07_YG1063CL	-	3	0.0%
R07_YG1064CL	-	2	0.0%
R07_YG1066CL	-	5	0.0%
R07_YG1075CL	-	1	0.0%
R07_YG1077CL	-	1	0.0%
R07_YG1085CL	-	4	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3466-3477 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060CL_RANDOM_04: YG1060CL series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%

Value	Label	Unweighted Frequency	%
R07_YG1060CL	-	3	0.0%
R07_YG1062CL	-	1	0.0%
R07_YG1063CL	-	2	0.0%
R07_YG1064CL	-	7	0.1%
R07_YG1066CL	-	3	0.0%
R07_YG1075CL	-	4	0.0%
R07_YG1077CL	-	2	0.0%
R07_YG1085CL	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3478-3489 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060CL_RANDOM_05: YG1060CL series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%
R07_YG1060CL	-	6	0.1%
R07_YG1062CL	-	5	0.0%
R07_YG1063CL	-	2	0.0%
R07_YG1064CL	-	1	0.0%
R07_YG1066CL	-	4	0.0%
R07_YG1075CL	-	3	0.0%
R07_YG1077CL	-	1	0.0%
R07_YG1085CL	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3490-3501 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060CL_RANDOM_06: YG1060CL series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10809	99.8%
R07_YG1060CL	-	7	0.1%
R07_YG1062CL	-	1	0.0%
R07_YG1063CL	-	7	0.1%
R07_YG1064CL	-	4	0.0%
R07_YG1066CL	-	2	0.0%
R07_YG1075CL	-	3	0.0%
R07_YG1085CL	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3502-3513 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060CL_RANDOM_07: YG1060CL series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060CL	-	1	0.0%

Value	Label	Unweighted Frequency	%
R07_YG1062CL	-	1	0.0%
R07_YG1063CL	-	2	0.0%
R07_YG1064CL	-	1	0.0%
R07_YG1066CL	-	1	0.0%
R07_YG1075CL	-	4	0.0%
R07_YG1077CL	-	4	0.0%
R07_YG1085CL	-	4	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3514-3525 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060CL_RANDOM_08: YG1060CL series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10816	99.8%
R07_YG1060CL	-	1	0.0%
R07_YG1063CL	-	1	0.0%
R07_YG1064CL	-	1	0.0%
R07_YG1066CL	-	5	0.0%
R07_YG1075CL	-	2	0.0%
R07_YG1077CL	-	6	0.1%
R07_YG1085CL	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3526-3537 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060CL: Smoke cigarillos because: They are affordable

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you. [Mark Yes or No for each item.]

I smoke cigarillos because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1060TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1060CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1060FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1%
2	2 = No	10	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3538-3543 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1085CL: Smoke cigarillos because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke cigarillos at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1085TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1085CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1085FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	17	0.2%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3544-3549 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1062CL: Smoke cigarillos because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1062TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1062CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1062FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1%
2	2 = No	15	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3550-3555 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1075CL: Smoke cigarillos because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1075TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1075CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1075FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	18	0.2%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3556-3561 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1063CL: Smoke cigarillos because: They come in flavors I like

Cigarillos come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1063TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1063CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1063FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	13	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3562-3567 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1064CL: Smoke cigarillos because: It helps people to quit smoking cigarettes

Smoking cigarillos helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1064TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	14	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3568-3573 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1066CL: Smoke cigarillos because: It feels like smoking a regular cigarette

Smoking a cigarillo feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1066TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1066CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1066FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	20	0.2%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3574-3579 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1077CL: Smoke cigarillos because: Smoking cigarillos satisfies my cravings for cigarettes

Smoking cigarillos satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1077TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	10	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3580-3585 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1139CL: Level of agreement: Easier to talk and get along with other people when smoking a cigarillo

[[C-28.]]Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1139TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1139CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1139FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	10	0.1%
2	2 = 2 on a scale of 1 to 4	7	0.1%
3	3 = 3 on a scale of 1 to 4	2	0.0%
4	4 = Very true of me	6	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3586-3591 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1140CL: Level of agreement: Feel more confident with other people while smoking a cigarillo

[[C-28.]]While smoking a [CIGARFILL], I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1140TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1140CL: IF R07_PAST30DAY_GRILLO = 1.
 FOR R07_YG1140FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	12	0.1%
2	2 = 2 on a scale of 1 to 4	6	0.1%
3	3 = 3 on a scale of 1 to 4	1	0.0%
4	4 = Very true of me	6	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3592-3597 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1141CL: Level of agreement: Smoke cigarillos much more when with other people

[[C-28.]] I smoke cigarillos much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1141TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1141CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1141FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	7	0.1%
2	2 = 2 on a scale of 1 to 4	5	0.0%
3	3 = 3 on a scale of 1 to 4	4	0.0%
4	4 = Very true of me	9	0.1%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3598-3603 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1144CL: Self-perception of harmfulness of smoking cigarillos to own health

[[C-29.]]How harmful do you think smoking cigarillos is to your health?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1144TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1144CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1144FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1	0.0%
2	2 = Slightly harmful	5	0.0%
3	3 = Somewhat harmful	9	0.1%
4	4 = Very harmful	6	0.1%
5	5 = Extremely harmful	4	0.0%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3604-3609 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1006FC: DERIVED - Age range when first tried a filtered cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a filtered cigar, even one or two puffs?

Algorithm: IF R07_YG1120FC = 1 OR (0 <= R07_YG1006FC <= 11) THEN
R07R_Y_YG1006FC = 1; ELSE IF R07_YG1120FC = 2 OR (12 <= R07_YG1006FC
<= 14) THEN R07R_Y_YG1006FC = 2; ELSE IF R07_YG1120FC = 3 OR (15 <=
R07_YG1006FC <= 17) THEN R07R_Y_YG1006FC = 3; ELSE R07R_Y_YG1006FC
= .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.1%
2	2 = 12 to 14 years old	21	0.2%
3	3 = 15 to 17 years old	20	0.2%
	Total	47	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10787	99.6%
	Total	10,787	99.6%

This variable has 47 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3610-3615 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG1108FC: First filtered cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar

smokers.

ASK Specification: FOR R07_YG1108TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).
 FOR R07_YG1108CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1).
 FOR R07_YG1108FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	20	0.2%
3	3 = I don't know	16	0.1%
	Total	47	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10787	99.6%
	Total	10,787	99.6%

This variable has 47 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3616-3621 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_01: Flavor of first filtered cigar smoked: Menthol

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND

R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
 FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
 FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	8	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3622-3627 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_02: Flavor of first filtered cigar smoked: Mint

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
 FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND

R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
 FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	7	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3628-3633 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_03: Flavor of first filtered cigar smoked: Clove or spice

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
 FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
 FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND

R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3634-3639 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_04: Flavor of first filtered cigar smoked: Fruit

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	6	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3640-3645 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_05: Flavor of first filtered cigar smoked: Chocolate

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	9	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3646-3651 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_06: Flavor of first filtered cigar smoked: An alcoholic drink

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	9	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3652-3657 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_07: Flavor of first filtered cigar smoked: Candy or other sweets

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	9	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3658-3663 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1011FC_08: Flavor of first filtered cigar smoked: Some other flavor

[[C-16.]]What flavor was that first filtered cigar you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R07_YG1011TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1) OR (R07_INIT_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1108TC = 1).
FOR R07_YG1011CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1) OR (R07_INIT_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1108CL = 1).
FOR R07_YG1011FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1) OR (R07_INIT_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	11	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3664-3669 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1005FC: Number of filtered cigars smoked in entire life

[[C-17.]]How many filtered cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1005TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND (R07_INIT_GTRAD_YOUTH = 1 OR R07_NUMLIFE_GTRAD != 1) AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1005CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND (R07_INIT_GRILLO_YOUTH = 1 OR R07_NUMLIFE_GRILLO != 1) AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1005FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND (R07_INIT_GFILTR_YOUTH = 1 OR R07_NUMLIFE_GFILTR != 1) AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	22	0.2%

Value	Label	Unweighted Frequency	%
2	2 = 1	5	0.0%
3	3 = 2 to 10	20	0.2%
4	4 = 11 to 20	4	0.0%
5	5 = 21 to 50	2	0.0%
6	6 = 51 to 99	2	0.0%
7	7 = 100 or more	3	0.0%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10775	99.5%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3670-3675 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9040FC: Group most like filtered cigar usually smoked

[[C-18.]]Please look at this picture. Which group is most like the filtered cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG9040TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG9040CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG9040FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	5	0.0%
2	2 = Group 2	18	0.2%

Value	Label	Unweighted Frequency	%
3	3 = Group 3	10	0.1%
4	4 = Group 4	24	0.2%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10773	99.4%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3676-3681 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked filtered cigars fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YG1112.]

ASK: New baseline youth respondents who have ever smoked traditional cigar/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1100TC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_REGUSE_GTRAD != 1 AND R07_12MBLUNT_ONLY_BTRAD != 1).

FOR R07_YG1100CL: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_REGUSE_GRILLO != 1 AND R07_12MBLUNT_ONLY_BRILLO != 1).

FOR R07_YG1100FC: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_REGUSE_GFILTR != 1 AND R07_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	53	0.5%
	Total	56	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10778	99.5%
	Total	10,778	99.5%

This variable has 56 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3682-3687 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YG1007FC: DERIVED - Age range when first started smoking filtered cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Algorithm: IF R07_YG1121FC = 1 OR (0 <= R07_YG1007FC <= 11) THEN
R07R_Y_YG1007FC = 1; ELSE IF R07_YG1121FC = 2 OR (12 <= R07_YG1007FC
<= 14) THEN R07R_Y_YG1007FC = 2; ELSE IF R07_YG1121FC = 3 OR (15 <= R07_YG1007FC <= 17) THEN R07R_Y_YG1007FC = 3; ELSE R07R_Y_YG1007FC = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1	0.0%
2	2 = 12 to 14 years old	2	0.0%
3	3 = 15 to 17 years old	0	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3688-3693 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YG112FC: Last time smoked a filtered cigar, even one or two puffs

[[C-19./C-20.]]When was the last time you smoked a [CIGARFILL], even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG112TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1.

FOR R07_YG112CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1.

FOR R07_YG112FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R07_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	3	0.0%
2	2 = Not today but sometime in the past 7 days	3	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	5	0.0%
4	4 = Not in the past 30 days but sometime in the past 6 months	7	0.1%
5	5 = Not in the past 6 months but sometime in the past year	18	0.2%
6	6 = 1 to 4 years ago	20	0.2%
7	7 = 5 or more years ago	5	0.0%
	Total	61	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10773	99.4%
	Total	10,773	99.4%

This variable has 61 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3694-3699 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0100FC: When last smoked a filtered cigar

[[C-21.]]When did you last smoke a [CIGARFILL]?

[If In the past hour (1), GO TO R07_YG0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days.

ASK Specification: FOR R07_YG0100TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2.

FOR R07_YG0100CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2.

FOR R07_YG0100FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	2	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	2	0.0%
4	4 = Day before yesterday	1	0.0%
5	5 = Three or more days ago	1	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3700-3705 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0102FC: Time period of day when you last smoked a filtered cigar

[[C-22.]] When you last smoked a filtered cigar [FILL BASED ON R07_YG0100[TC/CL/FC]], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0102TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 2, 3, 4.
FOR R07_YG0102CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 2, 3, 4.
FOR R07_YG0102FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	1	0.0%
4	4 = After 6PM but before midnight	1	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3706-3711 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0103FC: Number of filtered cigars smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] [FILL BASED ON R07_YG0100[TC/CL/FC]]? [(If less than 1, enter 1.)]

IF LESS THAN 1, ENTER 1.]

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R07_YG0103TC: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_12MBLUNT_ONLY_BTRAD != 1 AND R07_YG1112TC = 1, 2 AND R07_YG0100TC = 1, 2, 3, 4.
FOR R07_YG0103CL: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_12MBLUNT_ONLY_BRILLO != 1 AND R07_YG1112CL = 1, 2 AND R07_YG0100CL = 1, 2, 3, 4.
FOR R07_YG0103FC: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_12MBLUNT_ONLY_BFILTR != 1 AND R07_YG1112FC = 1, 2 AND R07_YG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.40
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.67

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3712-3717 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1022FC: In past 30 days, number of days smoked a filtered cigar

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1022TC: IF R07_PAST30DAY_GTRAD = 1.
FOR R07_YG1022CL: IF R07_PAST30DAY_GRILLO = 1.
FOR R07_YG1022FC: IF R07_PAST30DAY_GFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 8.18
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 9.71

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3718-3723 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1023FC: In past 30 days, number of filtered cigars smoked per day on the days that you smoked

[[C-23.]]In the past 30 days, on the days you smoked a [CIGARFILL], how many filtered cigars did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1023TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1023CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1023FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	5	0.0%
2	2 = 1 filtered cigar per day	2	0.0%
3	3 = 2 to 5 filtered cigars per day	3	0.0%
4	4 = 6 to 10 filtered cigars per day	1	0.0%
5	5 = 11 to 20 filtered cigars per day	0	0.0%
6	6 = More than 20 filtered cigars per day	0	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3724-3729 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1130FC: In past 30 days, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YG1142.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1130TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1130CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1130FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	7	0.1%
3	3 = I don't know	1	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3730-3735 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_01: In past 30 days, smoked filtered cigars flavored to taste like: Menthol

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3736-3741 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_02: In past 30 days, smoked filtered cigars flavored to taste like: Mint

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3742-3747 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_03: In past 30 days, smoked filtered cigars flavored to taste like: Clove or spice

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3748-3753 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_04: In past 30 days, smoked filtered cigars flavored to taste like: Fruit

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3754-3759 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_05: In past 30 days, smoked filtered cigars flavored to taste like: Chocolate

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3760-3765 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_06: In past 30 days, smoked filtered cigars flavored to taste like: An alcoholic drink

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	3	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3766-3771 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_07: In past 30 days, smoked filtered cigars flavored to taste like: Candy or other sweets

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3772-3777 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1131FC_08: In past 30 days, smoked filtered cigars flavored to taste like: Some other flavor

[[C-24.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1131TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.
FOR R07_YG1131CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.
FOR R07_YG1131FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	3	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3778-3783 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1147FC: How often smoked flavored filtered cigars on days smoked in past 30 days

[[C-25.]]On the days you smoked filtered cigars in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R07_YG1147TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1.

FOR R07_YG1147CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1.

FOR R07_YG1147FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1	0.0%
2	2 = Most of the time	0	0.0%
3	3 = Sometimes	0	0.0%
4	4 = Rarely	2	0.0%
5	5 = Never	0	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3784-3789 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1133FC: In past 30 days, flavor of filtered cigars smoked most often

[[C-24.]]In the past 30 days, which flavor of filtered cigars have you smoked most often?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R07_YG1133TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1130TC = 1 AND (R07_YG1131TC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131TC_[01/.../08] = -8, -7).
FOR R07_YG1133CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1130CL = 1 AND (R07_YG1131CL_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131CL_[01/.../08] = -8, -7).
FOR R07_YG1133FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1130FC = 1 AND (R07_YG1131FC_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YG1131FC_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	0	0.0%
2	2 = Mint	1	0.0%
3	3 = Clove or spice	1	0.0%
4	4 = Fruit	0	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3790-3795 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1142FC: In past 30 days, anyone sold you filtered cigars

The next questions ask about your experience buying filtered cigars.

In the past 30 days, did anyone sell you filtered cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1142TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1142CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1142FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3796-3801 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1123FC: In the past 30 days, someone refused to sell you filtered cigars because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1123TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1123CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1123FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	6	0.1%
3	3 = I did not try to buy filtered cigars in the past 30 days	5	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3802-3807 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1030FC: How you usually buy your filtered cigars

How do you usually buy filtered cigars for yourself?

[If In person (such as at a store or cigar bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR07.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1030TC: IF R07_PAST30DAY_GTRAD = 1.
 FOR R07_YG1030CL: IF R07_PAST30DAY_GRILLO = 1.
 FOR R07_YG1030FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	4	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own filtered cigars	5	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3808-3813 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG118FC: In past 30 days, how you usually got your own filtered cigars

[[C-26.]]In the past 30 days, how did you usually get your own filtered cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG118TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1030TC = 4.
 FOR R07_YG118CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1030CL = 4.
 FOR R07_YG118FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1030FC = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	0	0.0%
2	2 = I asked someone to give me one	0	0.0%
3	3 = Someone offered it to me	5	0.0%
4	4 = I took them from a store or another person	0	0.0%

Value	Label	Unweighted Frequency	%
5	5 = I got them some other way	0	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3814-3819 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1032FC: Geographic area where you usually buy filtered cigars

Do [they/you] usually buy filtered cigars...?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1032TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).

FOR R07_YG1032CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).

FOR R07_YG1032FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	4	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3820-3825 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1033FC: Retail location where your filtered cigars are purchased most of the time

[[C-27.]]Where do [they/you] buy your filtered cigars most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1033TC: IF R07_PAST30DAY_GTRAD = 1 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).
 FOR R07_YG1033CL: IF R07_PAST30DAY_GRILLO = 1 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).
 FOR R07_YG1033FC: IF R07_PAST30DAY_GFILTR = 1 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0%
2	2 = A convenience store or gas station	2	0.0%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store, or tobacco outlet store	0	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant, or casino	0	0.0%
8	8 = A friend or relative	1	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	0	0.0%
11	11 = Somewhere else	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3826-3831 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1039FC: Usually buy filtered cigars by the box, pack or as singles

Think about the last time you [gave money to someone else to buy you/bought] filtered cigars. Did you buy them by the box or pack, or as single filtered cigars?

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them.

ASK Specification: FOR R07_YG1039TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)).

FOR R07_YG1039CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)).

FOR R07_YG1039FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	2	0.0%
2	2 = Single filtered cigars	1	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3832-3837 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1040FC: Number of filtered cigars that come in box or pack you last bought

How many filtered cigars came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R07_YG1040TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1.

FOR R07_YG1040CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1.

FOR R07_YG1040FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)). AND R07_YG1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3838-3843 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034FC_D: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Dollars

How much did you pay for a [box or pack of filtered cigars/single [CIGARFILL]]?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1, 2.
FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1, 2.
FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 3.33
- Median: 2.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 4.16

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3844-3849 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1034FC_C: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Cents

How much did you pay for a [box or pack of filtered cigars/single [CIGARFILL]]?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YG1047.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually buy traditional cigars/cigarillos/filtered cigars in person or do not buy their own traditional cigars/cigarillos/filtered cigars and give someone else money to buy for them and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1034TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2 AND (R07_YG1030TC = 1 OR (R07_YG1030TC = 4 AND R07_YG1118TC = 1)) AND R07_YG1039TC = 1, 2.
 FOR R07_YG1034CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2 AND (R07_YG1030CL = 1 OR (R07_YG1030CL = 4 AND R07_YG1118CL = 1)) AND R07_YG1039CL = 1, 2.
 FOR R07_YG1034FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2 AND (R07_YG1030FC = 1 OR (R07_YG1030FC = 4 AND R07_YG1118FC = 1)) AND R07_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
 Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3850-3855 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YG1047FC: Have a regular brand of filtered cigars you usually smoke

Do you have a regular brand of filtered cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1047TC: IF R07_PAST30DAY_GTRAD_LEVEL = 2.
 FOR R07_YG1047CL: IF R07_PAST30DAY_GRILLO_LEVEL = 2.
 FOR R07_YG1047FC: IF R07_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	2	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3856-3861 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1945FC: Know the name of brand of filtered cigars you usually/last smoked

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1945TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1945CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1945FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	7	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3862-3867 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked

[[HELP-1.]]What brand of filtered cigar [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.
[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R07_YG1048TC_BRAND: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1.

FOR R07_YG1048CL_BRAND: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1.

FOR R07_YG1048FC_BRAND: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3868-3873 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG1070TC_PRODUCT: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7.
FOR R07_YG1070CL_PRODUCT: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7.
FOR R07_YG1070FC_PRODUCT: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3874-3879 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG0104FC: Brand of very last filtered cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a filtered cigar [TIME OF LAST USE].

Think about the very last filtered cigar you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R07_YG0104TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YG0100TC = 1, 2, 3, 4 AND R07_YG1945TC = 1 AND R07_YG1048TC_BRAND != 9995, -8, -7 AND R07_YG1070TC_PRODUCT != 99995, -8, -7.
FOR R07_YG0104CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YG0100CL = 1, 2, 3, 4 AND R07_YG1945CL = 1 AND R07_YG1048CL_BRAND != 9995, -8, -7 AND R07_YG1070CL_PRODUCT != 99995,

-8, -7.

FOR R07_YG0104FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YG0100FC = 1, 2, 3, 4 AND R07_YG1945FC = 1 AND R07_YG1048FC_BRAND != 9995, -8, -7 AND R07_YG1070FC_PRODUCT != 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	1	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3880-3885 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1060FC_RANDOM_01: YG1060FC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1060FC	-	1	0.0%
R07_YG1063FC	-	3	0.0%
R07_YG1064FC	-	1	0.0%
R07_YG1066FC	-	1	0.0%

Value	Label	Unweighted Frequency	%
R07_YG1075FC	-	3	0.0%
R07_YG1077FC	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3886-3897 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC_RANDOM_02: YG1060FC series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1062FC	-	3	0.0%
R07_YG1064FC	-	2	0.0%
R07_YG1066FC	-	3	0.0%
R07_YG1075FC	-	1	0.0%
R07_YG1085FC	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3898-3909 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC_RANDOM_03: YG1060FC series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1060FC	-	1	0.0%
R07_YG1062FC	-	1	0.0%
R07_YG1064FC	-	1	0.0%
R07_YG1066FC	-	2	0.0%
R07_YG1075FC	-	4	0.0%
R07_YG1077FC	-	1	0.0%
R07_YG1085FC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3910-3921 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC_RANDOM_04: YG1060FC series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1062FC	-	2	0.0%
R07_YG1064FC	-	1	0.0%
R07_YG1075FC	-	2	0.0%
R07_YG1077FC	-	3	0.0%
R07_YG1085FC	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3922-3933 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC_RANDOM_05: YG1060FC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1060FC	-	3	0.0%
R07_YG1062FC	-	2	0.0%
R07_YG1063FC	-	4	0.0%
R07_YG1066FC	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3934-3945 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC_RANDOM_06: YG1060FC series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10823	99.9%
R07_YG1060FC	-	2	0.0%
R07_YG1062FC	-	2	0.0%
R07_YG1063FC	-	3	0.0%
R07_YG1066FC	-	1	0.0%
R07_YG1085FC	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3946-3957 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060FC_RANDOM_07: YG1060FC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10826	99.9%
R07_YG1060FC	-	1	0.0%
R07_YG1062FC	-	1	0.0%
R07_YG1063FC	-	1	0.0%
R07_YG1064FC	-	1	0.0%
R07_YG1066FC	-	1	0.0%
R07_YG1075FC	-	1	0.0%
R07_YG1077FC	-	1	0.0%
R07_YG1085FC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3958-3969 (width: 12; decimal: 0)
Variable Type: character

R07_YG1060FC_RANDOM_08: YG1060FC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R07_YG1060[TC/CL/FC] through R07_YG1077[TC/CL/FC]) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10826	99.9%

Value	Label	Unweighted Frequency	%
R07_YG1060FC	-	3	0.0%
R07_YG1064FC	-	2	0.0%
R07_YG1066FC	-	1	0.0%
R07_YG1077FC	-	1	0.0%
R07_YG1085FC	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3970-3981 (width: 12; decimal: 0)

Variable Type: character

R07_YG1060FC: Smoke filtered cigars because: They are affordable

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you. [Mark Yes or No for each item.]

I smoke filtered cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1060TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1060CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1060FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	7	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3982-3987 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1085FC: Smoke filtered cigars because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke filtered cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1085TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1085CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1085FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3988-3993 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1062FC: Smoke filtered cigars because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1062TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1062CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1062FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	8	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 3994-3999 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1075FC: Smoke filtered cigars because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1075TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1075CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1075FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	9	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4000-4005 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1063FC: Smoke filtered cigars because: They come in flavors I like

Filtered cigars come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1063TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1063CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1063FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	5	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4006-4011 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1064FC: Smoke filtered cigars because: It helps people to quit smoking cigarettes

Smoking filtereds helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1064TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1064FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	6	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4012-4017 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1066FC: Smoke filtered cigars because: It feels like smoking a regular cigarette

Smoking a filtered feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1066TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1066CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1066FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	8	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4018-4023 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1077FC: Smoke filtered cigars because: Smoking filtered cigars satisfies my cravings for cigarettes

Smoking filtereds satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: FOR R07_YG1077TC: IF R07_PAST30DAY_GTRAD = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077CL: IF R07_PAST30DAY_GRILLO = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

FOR R07_YG1077FC: IF R07_PAST30DAY_GFILTR = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	8	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4024-4029 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1139FC: Level of agreement: Easier to talk and get along with other people when smoking a filtered cigar

[[C-28.]]Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1139TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1139CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1139FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	7	0.1%
2	2 = 2 on a scale of 1 to 4	3	0.0%
3	3 = 3 on a scale of 1 to 4	1	0.0%
4	4 = Very true of me	0	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4030-4035 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1140FC: Level of agreement: Feel more confident with other people while smoking a filtered cigar

[[C-28.]]While smoking a [CIGARFILL], I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1140TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1140CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1140FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	8	0.1%
2	2 = 2 on a scale of 1 to 4	2	0.0%
3	3 = 3 on a scale of 1 to 4	0	0.0%
4	4 = Very true of me	1	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4036-4041 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1141FC: Level of agreement: Smoke filtered cigars much more when with other people

[[C-28.]]I smoke filtereds much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1141TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1141CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1141FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5	0.0%
2	2 = 2 on a scale of 1 to 4	2	0.0%
3	3 = 3 on a scale of 1 to 4	3	0.0%
4	4 = Very true of me	1	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4042-4047 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1144FC: Self-perception of harmfulness of smoking filtered cigars to own health

[[C-29.]]How harmful do you think smoking filtereds is to your health?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R07_YG1144TC: IF R07_PAST30DAY_GTRAD = 1.

FOR R07_YG1144CL: IF R07_PAST30DAY_GRILLO = 1.

FOR R07_YG1144FC: IF R07_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	0	0.0%
2	2 = Slightly harmful	2	0.0%
3	3 = Somewhat harmful	7	0.1%
4	4 = Very harmful	1	0.0%
5	5 = Extremely harmful	1	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4048-4053 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1001_NB: Ever seen or heard of a pipe before this study

[[D-1.]]Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YPV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5690	52.5%
2	2 = No	1621	15.0%
	Total	7,311	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,523	32.5%

This variable has 7,311 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4054-4059 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1002_NB: Ever smoked a pipe filled with tobacco, even one or two puffs

[[D-1.]]Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YPV01.]

ASK: New baseline youth respondents who have seen or heard of a pipe, or continuing youth respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YP1001_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_PIPE = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.4%
2	2 = No	5835	53.9%
	Total	5,875	54.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	4958	45.8%
	Total	4,959	45.8%

This variable has 5,875 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4060-4065 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1002_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

[[D-1.]]In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed

interview, or have never smoked a pipe as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_PIPE = 1 OR (R07_EVER_NEVER_PIPE = 2 AND R07_YP1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	3312	30.6%
	Total	3,324	30.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	7505	69.3%
	Total	7,510	69.3%

This variable has 3,324 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4066-4071 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1112: Last time smoked a pipe, even one or two puffs

[[D-2./D-3.]]When was the last time you smoked a pipe, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YPV02.]

ASK: Youth respondents who have ever smoked a pipe.

ASK Specification: IF R07_EVER_NEVER_PIPE_YOUTH = 1

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked a pipe in the past year (R07_YP1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	4	0.0%
2	2 = Not today but sometime in the past 7 days	5	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	2	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Not in the past 30 days but sometime in the past 6 months	12	0.1%
5	5 = Not in the past 6 months but sometime in the past year	10	0.1%
6	6 = 1 to 4 years ago	13	0.1%
7	7 = 5 or more years ago	12	0.1%
	Total	58	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10760	99.3%
	Total	10,776	99.5%

This variable has 58 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4072-4077 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP0100: When last smoked a pipe filled with tobacco

[[D-4.]]When did you last smoke a pipe filled with tobacco?

[If In the past hour (1), GO TO R07_YP0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_PIPE_YOUTH = 1 AND R07_YP1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	2	0.0%
2	2 = Sometime today, but more than an hour ago	1	0.0%
3	3 = Yesterday	1	0.0%
4	4 = Day before yesterday	0	0.0%
5	5 = Three or more days ago	5	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4078-4083 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP0102: Time period of day when you last smoked a pipe filled with tobacco

[[D-5.]]When you last smoked a pipe filled with tobacco [FILL BASED ON R07_YP0100], was it...

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_PIPE_YOUTH = 1 AND R07_YP1112 = 1, 2 AND R07_YP0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	2	0.0%
3	3 = Between noon and 6PM	0	0.0%
4	4 = After 6PM but before midnight	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4084-4089 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP0103: Number of bowls filled with pipe tobacco smoked today/yesterday/day before yesterday

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R07_YP0100]? [(If less than 1, enter 1.)]

IF LESS THAN 1, ENTER 1.]

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_PIPE_YOUTH = 1 AND R07_YP1112 = 1, 2 AND R07_YP0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 8.25
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 14.50

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4090-4095 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YP1022: In past 30 days, number of days smoked a pipe

In the past 30 days, on how many days did you smoke a pipe?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R07_PAST30DAY_PIPE = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 10.18
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.98

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4096-4101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YP1023: In past 30 days, number of bowls filled with pipe tobacco smoked per day on the days that you smoked

[[D-6.]] In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R07_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bowl per day	2	0.0%
2	2 = 1 bowl per day	1	0.0%
3	3 = 2 to 5 bowls per day	4	0.0%
4	4 = 6 to 10 bowls per day	2	0.0%
5	5 = 11 to 20 bowls per day	0	0.0%

Value	Label	Unweighted Frequency	%
6	6 = More than 20 bowls per day	2	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4102-4107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1142: In the past 30 days, did anyone sell you pipe tobacco

The next questions ask about your experience buying pipe tobacco.

In the past 30 days, did anyone sell you pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R07_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	10	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4108-4113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1123: In the past 30 days, someone refused to sell you pipe tobacco because of your age

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R07_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	4	0.0%
3	3 = I did not try to buy pipe tobacco in the past 30 days	5	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4114-4119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1030: How you usually buy your pipe tobacco

How do you usually buy pipe tobacco for yourself?

[If In person (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YPR03.]

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R07_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	2	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own pipe tobacco	7	0.1%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4120-4125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1118: In past 30 days, how you usually got your own pipe tobacco

[[D-7.]]In the past 30 days, how did you usually get your own pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers and do not buy their own pipe tobacco.

ASK Specification: IF R07_PAST30DAY_PIPE = 1 AND R07_YP1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	1	0.0%
2	2 = I asked someone to give me some	2	0.0%
3	3 = Someone offered it to me	1	0.0%

Value	Label	Unweighted Frequency	%
4	4 = I took it from a store or another person	2	0.0%
5	5 = I got it some other way	1	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4126-4131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1032: Geographic area where you usually buy pipe tobacco

Do [they/you] usually buy pipe tobacco...?

ASK: Youth respondents who are past 30 day pipe smokers and usually buy their pipe tobacco in person or do not buy their own pipe tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_PIPE = 1 AND (R07_YP1030 = 1 OR (R07_YP1030 = 4 AND R07_YP1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	2	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	1	0.0%
	Total	3	0.0%

- Minimum: 1.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4132-4137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1033: Retail location where your pipe tobacco is purchased most of the time

[[D-8.]]Where do [they/you] buy your pipe tobacco most of the time?

ASK: Youth respondents who are past 30 day pipe smokers and usually buy their pipe tobacco in person or do not buy their own pipe tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_PIPE = 1 AND (R07_YP1030 = 1 OR (R07_YP1030 = 4 AND R07_YP1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	0	0.0%
2	2 = A supermarket, grocery store, or drug store	0	0.0%
3	3 = A warehouse club, such as Sam's or Costco	0	0.0%
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0%
5	5 = A duty free shop or military commissary	0	0.0%
6	6 = A bar, pub, restaurant or casino	0	0.0%
7	7 = A friend or relative	1	0.0%
8	8 = A swap meet or flea market	0	0.0%
9	9 = A liquor store	0	0.0%
10	10 = Somewhere else	1	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4138-4143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YP1034_D: Amount paid when last time bought pipe tobacco - Dollars

Think about the last time you [gave money to someone else to buy you/bought] pipe tobacco. How much did you pay for it?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YHT01.]

ASK: Youth respondents who are past 30 day pipe smokers and usually buy their pipe tobacco in person or do not buy their own pipe tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_PIPE = 1 AND (R07_YP1030 = 1 OR (R07_YP1030 = 4 AND R07_YP1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 19.33
- Median: 8.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 26.86

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4144-4149 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YP1034_C: Amount paid when last time bought pipe tobacco - Cents

Think about the last time you [gave money to someone else to buy you/bought] pipe tobacco. How much did you pay for it?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YHT01.]

ASK: Youth respondents who are past 30 day pipe smokers and usually buy their pipe tobacco in person or do not buy their own pipe tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_PIPE = 1 AND (R07_YP1030 = 1 OR (R07_YP1030 = 4 AND R07_YP1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4150-4155 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1001_NB: Ever seen or heard of a hookah before this study

[[E-2.]]Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YHV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3074	28.4%
2	2 = No	4244	39.2%
	Total	7,318	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,516	32.5%

This variable has 7,318 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4156-4161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1002_NB: Ever smoked tobacco in a hookah, even one or two puffs

[[E-2.]]Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YHV01.]

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_HOOK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4%
2	2 = No	3214	29.7%
	Total	3,258	30.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7574	69.9%
	Total	7,576	69.9%

This variable has 3,258 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4162-4167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1002_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

[[E-2.] In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview, or have never smoked hookah as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_HOOK = 1 OR (R07_EVER_NEVER_HOOK = 2 AND R07_YH1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1%
2	2 = No	3309	30.5%
	Total	3,325	30.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7506	69.3%
	Total	7,509	69.3%

This variable has 3,325 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4168-4173 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1103: Ever been curious about smoking tobacco in a hookah

[[E-3.]]Have you ever been curious about smoking tobacco in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB != 2, -8, -7 AND R07_EVER_NEVER_HOOK_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	81	0.7%
2	2 = Somewhat curious	248	2.3%
3	3 = A little curious	764	7.1%
4	4 = Not at all curious	5414	50.0%
	Total	6,507	60.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	4322	39.9%
	Total	4,327	39.9%

This variable has 6,507 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4174-4179 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1206: Think you will smoke hookah tobacco in the next year

[[E-4.]]Do you think you will smoke tobacco in a hookah in the next year?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB != 2, -8, -7 AND

R07_EVER_NEVER_HOOK_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0%
2	2 = Probably yes	35	0.3%
3	3 = Probably not	538	5.0%
4	4 = Definitely not	5931	54.7%
	Total	6,506	60.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	4322	39.9%
	Total	4,328	39.9%

This variable has 6,506 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4180-4185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1104: Think you will try smoking tobacco in a hookah soon

[[E-4.]]Do you think you will try smoking tobacco in a hookah soon?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB != 2, -8, -7 AND R07_EVER_NEVER_HOOK_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0%
2	2 = Probably yes	40	0.4%
3	3 = Probably not	482	4.4%
4	4 = Definitely not	5982	55.2%

Value	Label	Unweighted Frequency	%
	Total	6,506	60.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	4322	39.9%
	Total	4,328	39.9%

This variable has 6,506 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4186-4191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH105: Would smoke a hookah if one of your best friends offered you one

[[E-4.]]If one of your best friends were to offer you a hookah, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO R07_YH9041.]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB != 2, -8, -7 AND R07_EVER_NEVER_HOOK_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	45	0.4%
2	2 = Probably yes	276	2.5%
3	3 = Probably not	758	7.0%
4	4 = Definitely not	5429	50.1%
	Total	6,508	60.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	4322	39.9%
	Total	4,326	39.9%

This variable has 6,508 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4192-4197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YH1006: DERIVED - Age range when first tried smoking hookah, even one or two puffs (3 levels)

Long Description: How old were you when you first tried smoking hookah, even one or two puffs?

Algorithm: IF R07_YH1120 = 1 OR (0<=R07_YH1006<=11) THEN
R07R_Y_YH1006 = 1; ELSE IF R07_YH1120 = 2 OR (12<=R07_YH1006<=14)
THEN R07R_Y_YH1006 = 2; ELSE IF R07_YH1120 = 3 OR (15<=R07_YH1006
<=17) THEN R07R_Y_YH1006 = 3; ELSE R07R_Y_YH1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	8	0.1%
2	2 = 12 to 14 years old	17	0.2%
3	3 = 15 to 17 years old	25	0.2%
	Total	50	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10784	99.5%
	Total	10,784	99.5%

This variable has 50 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4198-4203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YH1108: First shisha or hookah tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YH9045.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1) OR R07_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3%
2	2 = No	7	0.1%
3	3 = I don't know	15	0.1%
	Total	53	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,781	99.5%

This variable has 53 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4204-4209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_01: Flavor of first shisha or hookah tobacco smoked: Menthol

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	27	0.2%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4210-4215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_02: Flavor of first shisha or hookah tobacco smoked: Mint

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Mint

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1%
2	2 = Not Marked	17	0.2%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4216-4221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_03: Flavor of first shisha or hookah tobacco smoked: Clove or spice

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	30	0.3%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4222-4227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_04: Flavor of first shisha or hookah tobacco smoked: Fruit

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.2%
2	2 = Not Marked	14	0.1%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4228-4233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_05: Flavor of first shisha or hookah tobacco smoked: Chocolate

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	30	0.3%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4234-4239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_06: Flavor of first shisha or hookah tobacco smoked: An alcoholic drink

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	28	0.3%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4240-4245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_07: Flavor of first shisha or hookah tobacco smoked: Candy or other sweets

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	27	0.2%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4246-4251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1011_08: Flavor of first shisha or hookah tobacco smoked: Some other flavor

[[E-5.]]What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1108 = 1) OR (R07_INIT_HOOK_YOUTH = 1 AND R07_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	31	0.3%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4252-4257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9045: Where you were when you first tried a hookah, even one or two puffs

[[E-6.]]Where were you when you first tried a hookah, even one or two puffs?

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1) OR R07_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your home	11	0.1%
2	2 = In someone else's home	30	0.3%
3	3 = In a hookah bar or cafe	6	0.1%
4	4 = In a dance club or lounge	4	0.0%
5	5 = Somewhere else	1	0.0%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4258-4263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1005: Number of times smoked tobacco in a hookah in entire life

[[E-7.]]How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and have initiated hookah smoking since their last completed interview or had not smoked hookah 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND (R07_INIT_HOOK_YOUTH = 1 OR R07_NUMLIFE_HOOK != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	32	0.3%
2	2 = 2 to 10	28	0.3%
3	3 = 11 to 20	5	0.0%
4	4 = 21 to 50	3	0.0%
5	5 = 51 to 99	0	0.0%
6	6 = 100 or more	0	0.0%
	Total	68	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10760	99.3%
	Total	10,766	99.4%

This variable has 68 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4264-4269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1100: Ever smoked tobacco in a hookah fairly regularly

Have you ever smoked tobacco in a hookah fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YH1112.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_HOOK_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_REGUSE_HOOK != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	64	0.6%
	Total	71	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10763	99.3%
	Total	10,763	99.3%

This variable has 71 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4270-4275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YH1007: DERIVED - Age range when first started smoking a hookah fairly regularly (3 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Algorithm: IF R07_YH1121 = 1 OR (0 <= R07_YH1007 <= 11) THEN
R07R_Y_YH1007 = 1; ELSE IF R07_YH1121 = 2 OR (12 <= R07_YH1007 <= 14)
THEN R07R_Y_YH1007 = 2; ELSE IF R07_YH1121 = 3 OR (15 <= R07_YH1007
<= 17) THEN R07R_Y_YH1007 = 3; ELSE R07R_Y_YH1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0%
2	2 = 12 to 14 years old	4	0.0%
3	3 = 15 to 17 years old	3	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4276-4281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YH112: Last time smoked tobacco in a hookah, even one or two puffs

[[E-8./E-9.]]When was the last time you smoked tobacco in a hookah, even one or two puffs?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year
(R07_YH1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0%
2	2 = Not today but sometime in the past 7 days	2	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	4	0.0%
4	4 = Not in the past 30 days but sometime in the past 6 months	21	0.2%
5	5 = Not in the past 6 months but sometime in the past year	14	0.1%
6	6 = 1 to 4 years ago	18	0.2%
7	7 = 5 or more years ago	10	0.1%
	Total	69	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10760	99.3%
	Total	10,765	99.4%

This variable has 69 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4282-4287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH0100: When last smoked hookah

[[E-10.]]When did you last smoke tobacco in a hookah?

[If In the past hour (1), GO TO R07_YH0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO R07_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	2	0.0%
4	4 = Day before yesterday	0	0.0%
5	5 = Three or more days ago	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4288-4293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH0102: Time period of day when you last smoked hookah

[[E-11.]]When you last smoked tobacco in a hookah [FILL BASED ON R07_YH0100], was it...

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2 AND R07_YH0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	0	0.0%
4	4 = After 6PM but before midnight	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4294-4299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH0103: Number of puffs taken from a hookah today/yesterday/day before yesterday

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R07_YH0100]?

[If Don't know (-8) or Refused (-7), GO TO R07_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2 AND R07_YH0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 14.00
- Median: 14.00
- Minimum: 8.00
- Maximum: 20.00
- Standard Deviation: 8.49

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4300-4305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH9003: How often you usually smoke hookah tobacco in a hookah

Which of the following choices best describes your hookah smoking? Usually I smoke hookah tobacco in a hookah...

[If Weekly (2), GO TO R07_YH9005. If Monthly (3), GO TO R07_YH9004. If Every couple of months (4), About once a year (5), Don't know (-8), or Refused (-7), GO TO R07_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2, 3, 4, 5, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0%
2	2 = Weekly	1	0.0%
3	3 = Monthly	1	0.0%
4	4 = Every couple of months	20	0.2%
5	5 = About once a year	18	0.2%
	Total	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10788	99.6%
	Total	10,793	99.6%

This variable has 41 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4306-4311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9006: Average number of times you smoke tobacco in a hookah each day

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8) or Refused (-7), GO TO R07_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah every day.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R07_YH9003 = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4312-4317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH9005: Average number of times you smoke tobacco in a hookah in a week

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8) or Refused (-7), GO TO R07_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah weekly.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R07_YH9003 = 2.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 4.00
- Median: 4.00
- Mode: 4.00
- Minimum: 4.00
- Maximum: 4.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4318-4323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH9004: Average number of times you smoke tobacco in a hookah in a month

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8) or Refused (-7), GO TO R07_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the

past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah monthly.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R07_YH9003 = 3.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 2.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4324-4329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1090: Owns a hookah

Do you own a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	69	0.6%
	Total	73	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10760	99.3%
	Total	10,761	99.3%

This variable has 73 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4330-4335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9041: Someone else in home owns a hookah

Does anyone[else] living in your home own a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB = 1) OR R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	151	1.4%
2	2 = No	6423	59.3%
	Total	6,574	60.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	4248	39.2%
	Total	4,260	39.3%

This variable has 6,574 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4336-4341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9048: How often you experience unpleasant sensations such as headache, dizziness, nausea or difficulty breathing when you smoke a hookah

[[E-12.]]When you smoke a hookah, how often do you experience unpleasant sensations such as headache, dizziness, nausea, or difficulty breathing?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	1	0.0%
2	2 = Most of the time	1	0.0%
3	3 = Some of the time	2	0.0%
4	4 = Rarely	0	0.0%
5	5 = Never	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4342-4347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9012: Usually share the same hookah with others

Do you usually share a hookah with others when you smoke?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YH9014.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4348-4353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9013: Number of people hookah is usually shared with

How many people do you usually share a hookah with?

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with other when they smoke.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	1	0.0%
2	2 = 2 other people	2	0.0%
3	3 = 3 other people	1	0.0%
4	4 = 4 or more other people	0	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4354-4359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9014: Average length of hookah session

On average, how long is one hookah session for you[and the people you share it with]?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	1	0.0%
2	2 = More than 30 minutes up to 1 hour	3	0.0%
3	3 = 1 to 2 hours	1	0.0%
4	4 = More than 2 hours	1	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4360-4365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9015: Number of times hookah is refilled with tobacco

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	2	0.0%
2	2 = 1 time	1	0.0%
3	3 = 2 to 3 times	3	0.0%
4	4 = 4 or more times	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4366-4371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9016: How often you personally set up the hookah

[[E-13.]]How often do you personally set up the hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	0	0.0%
2	2 = Most of the time	0	0.0%
3	3 = Some of the time	0	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Rarely	2	0.0%
5	5 = Never, someone else always sets it up for me	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4372-4377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9011_01: Usually smoke hookah: In your home

[[E-14.]]Where do you usually smoke hookah? Choose all that apply.

In your home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4378-4383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9011_02: Usually smoke hookah: In someone else's home

[[E-14.]]Where do you usually smoke hookah? Choose all that apply.

In someone else's home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4384-4389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9011_03: Usually smoke hookah: In a hookah bar or cafe

[[E-14.]]Where do you usually smoke hookah? Choose all that apply.

In a hookah bar or cafe

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4390-4395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9011_04: Usually smoke hookah: In a dance club or lounge

[[E-14.]]Where do you usually smoke hookah? Choose all that apply.

In a dance club or lounge

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4396-4401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9011_05: Usually smoke hookah: Somewhere else

[[E-14.]]Where do you usually smoke hookah? Choose all that apply.

Somewhere else (SPECIFY)

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4402-4407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1022: In past 30 days, number of days smoked a hookah

In the past 30 days, on how many days did you smoke hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4408-4413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1130: In past 30 days, used shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R07_YH1142.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	1	0.0%
3	3 = I don't know	1	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4414-4419 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_01: In past 30 days, smoked hookah tobacco flavored to taste like: Menthol

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4420-4425 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_02: In past 30 days, smoked hookah tobacco flavored to taste like: Mint

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Mint

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	2	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4426-4431 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_03: In past 30 days, smoked hookah tobacco flavored to taste like: Clove or spice

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4432-4437 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_04: In past 30 days, smoked hookah tobacco flavored to taste like: Fruit

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4438-4443 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_05: In past 30 days, smoked hookah tobacco flavored to taste like: Chocolate

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4444-4449 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_06: In past 30 days, smoked hookah tobacco flavored to taste like: An alcoholic drink

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4450-4455 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_07: In past 30 days, smoked hookah tobacco flavored to taste like: Candy or other sweets

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4456-4461 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1131_08: In past 30 days, smoked hookah tobacco flavored to taste like: Some other flavor

[[E-15.]]Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4462-4467 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1147: How often smoked flavored hookah tobacco on days smoked in past 30 days

[[E-16.]]On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah

tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	3	0.0%
2	2 = Most of the time	0	0.0%
3	3 = Sometimes	0	0.0%
4	4 = Rarely	1	0.0%
5	5 = Never	0	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4468-4473 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1133: In past 30 days, flavor of hookah smoked most often

[[E-15.]]In the past 30 days, which flavor of hookah have you smoked most often?

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1130 = 1 AND (R07_YH1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YH1131_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	0	0.0%
2	2 = Mint	1	0.0%
3	3 = Clove or spice	0	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Fruit	0	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4474-4479 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1142: In past 30 days, anyone sold you shisha or hookah tobacco

The next questions ask about your experience buying shisha or hookah tobacco.

In the past 30 days, did anyone sell you shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4480-4485 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1123: In the past 30 days, someone refused to sell you shisha or hookah tobacco because of your age

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
3	3 = I did not try to buy shisha or hookah tobacco in the past 30 days	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4486-4491 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1030: How you usually buy your shisha or hookah tobacco

How do you usually buy shisha or hookah tobacco for yourself?

[If In person (such as at a store or hookah bar) (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YHR04.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	1	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own shisha or hookah tobacco	3	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4492-4497 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1118: In past 30 days, how you usually got your own shisha or hookah tobacco

[[E-17.]]In the past 30 days, how did you usually get your own shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and do not buy their own shisha or hookah tobacco.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	0	0.0%
2	2 = I asked someone to give me some	0	0.0%
3	3 = Someone offered it to me	1	0.0%
4	4 = I took it from a store or another person	0	0.0%
5	5 = I got it some other way	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4498-4503 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1032: Geographic area where you usually buy shisha or hookah tobacco

Do [they/you] usually buy shisha or hookah tobacco...?

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4504-4509 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1033: Retail location where your shisha or hookah tobacco is purchased most of the time

[[E-18.]]Where do [they/you] buy your shisha or hookah tobacco most of the time?

[If A convenience store or gas station (2), A supermarket, grocery store, or drug store (3), A warehouse club, such as sam's or costco (4), A smoke shop, tobacco specialty store, or tobacco outlet store (5), A duty free shop or military commissary (6), A bar, pub, restaurant, or casino (7), A friend or relative (8), A swap meet or flea market (9), A liquor store (10), Somewhere else (specify) (11), Don't know (-8), or Refused (-7), GO TO R07_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or cafe	0	0.0%
2	2 = A convenience store or gas station	0	0.0%
3	3 = A supermarket, grocery store, or drug store	0	0.0%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0%
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0%
6	6 = A duty free shop or military commissary	0	0.0%
7	7 = A bar, pub, restaurant or casino	0	0.0%
8	8 = A friend or relative	1	0.0%
9	9 = A swap meet or flea market	0	0.0%
10	10 = A liquor store	0	0.0%

Value	Label	Unweighted Frequency	%
11	11 = Somewhere else	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4510-4515 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1035_D: Cost of single session of hookah when last smoked hookah at a bar or cafe - Dollars

Think about the last time you smoked hookah at a hookah bar or cafe. How much did a single session cost?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them and buy at a hookah bar or cafe.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)) AND R07_YH1033 = 1.

[PROGRAM NOTE: Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4516-4521 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1035_C: Cost of single session of hookah when last smoked hookah at a bar or cafe - Cents

Think about the last time you smoked hookah at a hookah bar or cafe. How much did a single session cost?

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them and buy at a hookah bar or cafe.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)) AND R07_YH1033 = 1.

[PROGRAM NOTE: Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4522-4527 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1037: Number of refills included in hookah session when last smoked hookah at a bar or cafe

You reported that the last time you smoked hookah at a hookah bar or cafe, it cost \$[R07_YH1035]. How many refills of shisha or hookah tobacco did that include?

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them and buy at a hookah bar or cafe and reported how much a single session cost the last time they smoked hookah at a hookah bar or cafe.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)) AND R07_YH1033 = 1 AND R07_YH1035_D != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = None	0	0.0%
2	2 = 1	0	0.0%
3	3 = 2	0	0.0%
4	4 = 3	0	0.0%
5	5 = 4	0	0.0%
6	6 = More than 4	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4528-4533 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1036_D: Amount paid for a container of hookah last time you bought or gave someone else money to buy - Dollars

Think about the last time you [gave money to someone else to buy you/bought] a container of shisha or hookah tobacco. How much did you pay for it?

__Dollars

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco

in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 15.00
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 15.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4534-4539 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1036_C: Amount paid for a container of hookah last time you bought or gave someone else money to buy - Cents

Think about the last time you [gave money to someone else to buy you/bought] a container of shisha or hookah tobacco. How much did you pay for it?

__Cents

ASK: Youth respondents who are past 30 day hookah smokers and usually buy their shisha or hookah tobacco in person or do not buy their own shisha or hookah tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND (R07_YH1030 = 1 OR (R07_YH1030 = 4 AND R07_YH1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4540-4545 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4546-4551 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1945: Know the name of brand of shisha or hookah tobacco you [usually smoke/last smoked]

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YHD01.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4552-4557 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked

[[HELP-1.]]What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.
[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1945 = 1.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4558-4563 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1945 = 1 AND R07_YH1048_BRAND != 9995, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4564-4569 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9108: This brand of shisha contains tobacco

Does this brand of shisha contain tobacco?

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH1945 = 1 AND (R07_YH1048_BRAND != 9995, -8, -7 OR (R07_YH1048_BRAND = 9995 AND R07_YH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	0	0.0%
3	3 = I don't know	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4570-4575 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH0104: Brand of very last puff of hookah smoked is same as brand regularly/last smoked

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and sub-brand of shisha or hookah tobacco.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YH0100 = 1, 2, 3, 4 AND R07_YH1945 = 1

AND R07_YH1048_BRAND != 9995, -8, -7 AND R07_YH1070_PRODUCT != 9995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4576-4581 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1060_RANDOM_01: YH1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1060	-	1	0.0%
R07_YH1062	-	2	0.0%
R07_YH1063	-	1	0.0%
R07_YH1069	-	1	0.0%
R07_YH1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4582-4591 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_02: YH1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1062	-	1	0.0%
R07_YH1063	-	1	0.0%
R07_YH1069	-	2	0.0%
R07_YH1075	-	1	0.0%
R07_YH1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4592-4601 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_03: YH1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1060	-	2	0.0%
R07_YH1063	-	2	0.0%

Value	Label	Unweighted Frequency	%
R07_YH1073	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4602-4611 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_04: YH1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1063	-	1	0.0%
R07_YH1064	-	1	0.0%
R07_YH1069	-	1	0.0%
R07_YH1073	-	1	0.0%
R07_YH1075	-	1	0.0%
R07_YH1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4612-4621 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_05: YH1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1060	-	1	0.0%
R07_YH1069	-	1	0.0%
R07_YH1073	-	1	0.0%
R07_YH1075	-	1	0.0%
R07_YH1085	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4622-4631 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_06: YH1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1060	-	1	0.0%
R07_YH1063	-	1	0.0%
R07_YH1064	-	1	0.0%
R07_YH1073	-	1	0.0%
R07_YH1075	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4632-4641 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_07: YH1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized

by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10828	99.9%
R07_YH1062	-	3	0.0%
R07_YH1069	-	1	0.0%
R07_YH1073	-	1	0.0%
R07_YH1077	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4642-4651 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_08: YH1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YH1075	-	1	0.0%
R07_YH1077	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4652-4661 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060_RANDOM_09: YH1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YH1060 through R07_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YH1060	-	1	0.0%
R07_YH1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4662-4671 (width: 10; decimal: 0)

Variable Type: character

R07_YH1060: Smoke hookah because: It is affordable

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.
[Mark Yes or No for each item.]

I smoke hookah because...

It is affordable.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4672-4677 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1085: Smoke hookah because: It can be smoked in places where smoking cigarettes is not allowed

I can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4678-4683 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1062: Smoke hookah because: It might be less harmful than smoking cigarettes

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	3	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4684-4689 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1075: Smoke hookah because: It might be less harmful to people around me than smoking cigarettes

It might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4690-4695 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1063: Smoke hookah because: It comes in flavors I like

Shisha or hookah tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4696-4701 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1064: Smoke hookah because: It helps people to quit smoking cigarettes

Smoking hookah helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4702-4707 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1069: Smoke hookah because: I like socializing while smoking it

I like socializing while smoking hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4708-4713 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1077: Smoke hookah because: Smoking hookah satisfies my cravings for cigarettes

Smoking hookah satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_HOOK = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4714-4719 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1144: Self-perception of harmfulness of smoking hookah to own health

[[E-19.]]How harmful do you think smoking hookah is to your health?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R07_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	0	0.0%
2	2 = Slightly harmful	1	0.0%
3	3 = Somewhat harmful	2	0.0%
4	4 = Very harmful	3	0.0%
5	5 = Extremely harmful	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4720-4725 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	68	0.6%
	Total	73	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10760	99.3%
	Total	10,761	99.3%

This variable has 73 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4726-4731 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YH1001_NB = 1) OR R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3%
2	2 = No	6543	60.4%
	Total	6,580	60.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	4248	39.2%
	Total	4,254	39.3%

This variable has 6,580 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4732-4737 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1001_NB: Have you ever seen or heard of snus, before this study

[[F-2.]]Have you ever seen or heard of snus, before this study?

[SHOW GENERIC IMAGE OF SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YUV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1588	14.7%
2	2 = No	5723	52.8%
	Total	7,311	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,523	32.5%

This variable has 7,311 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4738-4743 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1002_NB: Have you ever used snus, even one or two times

[[F-2.]]Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YUV03.]

ASK: New baseline youth respondents who have ever seen or heard of snus, or continuing youth respondents who are previous wave non-responders and have never used snus as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YU1001_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_SNUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.4%
2	2 = No	1732	16.0%
	Total	1,773	16.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9059	83.6%
	Total	9,061	83.6%

This variable has 1,773 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4744-4749 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1002_12M: In the past 12 months, have you used snus, even one or two times

[[F-2.]]In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or have never used snus as of their last completed interview and have ever used snus.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_SNUS = 1 OR (R07_EVER_NEVER_SNUS = 2 AND R07_YU1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	3313	30.6%

Value	Label	Unweighted Frequency	%
	Total	3,322	30.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	7508	69.3%
	Total	7,512	69.3%

This variable has 3,322 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4750-4755 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1103: Ever been curious about using snus

[[F-3.]]Have you ever been curious about using snus?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YU1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SNUS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	14	0.1%
2	2 = Somewhat curious	49	0.5%
3	3 = A little curious	208	1.9%
4	4 = Not at all curious	4762	44.0%
	Total	5,033	46.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	5798	53.5%
	Total	5,801	53.5%

This variable has 5,033 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4756-4761 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1206: Think you will use snus in the next year

[[F-4.]]Do you think you will try snus in the next year?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YU1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SNUS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0%
2	2 = Probably yes	8	0.1%
3	3 = Probably not	191	1.8%
4	4 = Definitely not	4833	44.6%
	Total	5,034	46.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	5798	53.5%
	Total	5,800	53.5%

This variable has 5,034 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4762-4767 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU104: Think you will try snus soon

[[F-4.]]Do you think you will try snus soon?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YU1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SNUS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	1	0.0%
2	2 = Probably yes	9	0.1%
3	3 = Probably not	188	1.7%
4	4 = Definitely not	4836	44.6%
	Total	5,034	46.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	5798	53.5%
	Total	5,800	53.5%

This variable has 5,034 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4768-4773 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU105: Would use snus if one of your best friends offered you one

[[F-4.]]If one of your best friends were to offer you snus, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YST01.]

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YU1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SNUS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH =

2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	1	0.0%
2	2 = Probably yes	41	0.4%
3	3 = Probably not	299	2.8%
4	4 = Definitely not	4690	43.3%
	Total	5,031	46.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	5798	53.5%
	Total	5,803	53.6%

This variable has 5,031 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4774-4779 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YU1006: DERIVED - Age range when first tried snus pouches, even one or two times (3 levels)

Long Description: How old were you when you first tried snus pouches, even one or two times?

Algorithm: IF R07_YU1120 = 1 OR (0<=R07_YU1006<=11) THEN
R07R_Y_YU1006 = 1; ELSE IF R07_YU1120 = 2 OR (12<=R07_YU1006<=14)
THEN R07R_Y_YU1006 = 2; ELSE IF R07_YU1120 = 3 OR (15<=R07_YU1006
<=17) THEN R07R_Y_YU1006 = 3; ELSE R07R_Y_YU1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	12	0.1%
2	2 = 12 to 14 years old	10	0.1%
3	3 = 15 to 17 years old	25	0.2%
	Total	47	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10787	99.6%
	Total	10,787	99.6%

This variable has 47 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4780-4785 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YU1108: First snus used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YUR16.]

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have initiated snus use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1) OR R07_INIT_SNUS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3%
2	2 = No	5	0.0%
3	3 = I don't know	10	0.1%
	Total	49	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10785	99.5%
	Total	10,785	99.5%

This variable has 49 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4786-4791 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_01: Flavor of first snus used: Menthol

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1%
2	2 = Not Marked	20	0.2%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4792-4797 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_02: Flavor of first snus used: Mint, wintergreen, spearmint or frost

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Mint, wintergreen, spearmint, or frost

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose

first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2%
2	2 = Not Marked	9	0.1%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4798-4803 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_03: Flavor of first snus used: Clove or spice

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	32	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4804-4809 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_04: Flavor of first snus used: Fruit

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	31	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4810-4815 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_05: Flavor of first snus used: Chocolate

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	33	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4816-4821 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_06: Flavor of first snus used: An alcoholic drink

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	33	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4822-4827 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_07: Flavor of first snus used: Candy or other sweets

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or

continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	32	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4828-4833 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1011_08: Flavor of first snus used: Some other flavor

[[F-5.]]What flavor was that first snus you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1108 = 1) OR (R07_INIT_SNUS_YOUTH = 1 AND R07_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	34	0.3%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4834-4839 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1005: Number of times used snus in your entire life

[[F-6.]]How many times have you used snus in your entire life?

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and have initiated snus use since their last completed interview or had not used snus 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND (R07_INIT_SNUS_YOUTH = 1 OR R07_NUMLIFE_SNUS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	27	0.2%
2	2 = 2 to 10	18	0.2%
3	3 = 11 to 20	5	0.0%
4	4 = 21 to 50	2	0.0%
5	5 = 51 to 99	2	0.0%
6	6 = 100 or more	3	0.0%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10770	99.4%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4840-4845 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1100: Ever used snus fairly regularly

Have you ever used snus fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YU1112.]

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SNUS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_REGUSE_SNUS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	55	0.5%
	Total	62	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10772	99.4%
	Total	10,772	99.4%

This variable has 62 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4846-4851 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YU1007: DERIVED - Age range when first started using snus pouches fairly regularly (3 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Algorithm: IF R07_YU1121 = 1 OR (0 <= R07_YU1007 <= 11) THEN
R07R_Y_YU1007 = 1; ELSE IF R07_YU1121 = 2 OR (12 <= R07_YU1007 <= 14)
THEN R07R_Y_YU1007 = 2; ELSE IF R07_YU1121 = 3 OR (15 <= R07_YU1007
<= 17) THEN R07R_Y_YU1007 = 3; ELSE R07R_Y_YU1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0%
2	2 = 12 to 14 years old	2	0.0%
3	3 = 15 to 17 years old	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4852-4857 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07_YU1112: Last time used snus, even one or two times

[[F-7./F-8.]]When did you last use snus even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), GO TO BOX R07_YUV04. If Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YST01.]

ASK: Youth respondents who have ever used snus.

ASK Specification: IF R07_EVER_NEVER_SNUS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R07_YU1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	1	0.0%
2	2 = Not today but sometime in the past 7 days	3	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	8	0.1%
4	4 = Not in the past 30 days but sometime in the past 6 months	3	0.0%
5	5 = Not in the past 6 months but sometime in the past year	14	0.1%
6	6 = 1 to 4 years ago	22	0.2%
7	7 = 5 or more years ago	6	0.1%
	Total	57	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10770	99.4%
	Total	10,777	99.5%

This variable has 57 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4858-4863 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU0100: When last used snus

[[F-9.]]When did you last use snus?

[If In the past hour (1), GO TO R07_YU0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	2	0.0%
4	4 = Day before yesterday	0	0.0%

Value	Label	Unweighted Frequency	%
5	5 = Three or more days ago	2	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4864-4869 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU0102: Time period of day when you last used snus

[[F-10.]]When you last used snus [FILL BASED ON R07_YU0100], was it...

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1112 = 1, 2 AND R07_YU0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	1	0.0%
4	4 = After 6PM but before midnight	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4870-4875 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU0103: Number of times used snus today/yesterday/day before yesterday

How many times [have/did] you [used/use] snus [FILL BASED ON R07_YU0100]?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YU1112 = 1, 2 AND R07_YU0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4876-4881 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU1022: In past 30 days, number of days used snus

In the past 30 days, on how many days did you use snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 5.83
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 5.73

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4882-4887 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU1023: In past 30 days, number of times used snus per day on the days that you used

In the past 30 days, on the days you used snus, how many times did you use snus per day?

[If Don't know (-8) or Refused (-7), GO TO R07_YU1130.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.83
- Median: 1.50

- Mode: 1.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 3.41

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4888-4893 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU1130: In past 30 days, used snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YUR30.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	5	0.0%
3	3 = I don't know	0	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4894-4899 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_01: In past 30 days, used snus flavored to taste like: Menthol

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	5	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4900-4905 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_02: In past 30 days, used snus flavored to taste like: Mint, wintergreen, spearmint or frost

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Mint, wintergreen, spearmint, or frost

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	1	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4906-4911 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_03: In past 30 days, used snus flavored to taste like: Clove or spice

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4912-4917 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_04: In past 30 days, used snus flavored to taste like: Fruit

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	6	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4918-4923 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_05: In past 30 days, used snus flavored to taste like: Chocolate

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4924-4929 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_06: In past 30 days, used snus flavored to taste like: An alcoholic drink

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4930-4935 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_07: In past 30 days, used snus flavored to taste like: Candy or other sweets

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4936-4941 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1131_08: In past 30 days, used snus flavored to taste like: Some other flavor

[[F-11.]]Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	7	0.1%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4942-4947 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1147: How often used flavored snus on days used in past 30 days

[[F-12.]]On the days you used snus in the past 30 days, how often did you use flavored snus?

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	2	0.0%
2	2 = Most of the time	1	0.0%
3	3 = Sometimes	1	0.0%
4	4 = Rarely	3	0.0%
5	5 = Never	0	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4948-4953 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1133: In past 30 days, flavor of snus used most often

[[F-11.]] In the past 30 days, which flavor of snus have you used most often?

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1130 = 1 AND (R07_YU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YU1131_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	0	0.0%
2	2 = Mint, wintergreen, spearmint, or frost	2	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	0	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4954-4959 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU9041: Type of snus used in past 30 days

[[F-13.]] In the past 30 days, what type of snus have you used?]

READ RESPONSE OPTIONS ALOUD.]

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

[If Snus pouches (1), Loose snus (2), Don't know (-8), or Refused (-7), GO TO R07_YU1142.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	8	0.1%
2	2 = Loose snus	3	0.0%
3	3 = Both snus pouches and loose snus	0	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4960-4965 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU9042: Type of snus used most often in past 30 days

[[F-13.]]You mentioned you have used both loose snus and snus pouches. Which type of snus do you use most often?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

ASK: Youth respondents who are past 30 day snus users and have used both snus pouches and loose snus in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Loose snus	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4966-4971 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1142: In the past 30 days, did anyone sell you snus

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.]

In the past 30 days, did anyone sell you snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	7	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4972-4977 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1123: In the past 30 days, someone refused to sell you snus because of your age

In the past 30 days, did anyone refuse to sell you snus because of your age?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	7	0.1%
3	3 = I did not try to buy snus in the past 30 days	5	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4978-4983 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1030: How you usually buy your snus

How do you usually buy snus for yourself?

[If In person (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YUR04.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	4	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	1	0.0%
4	4 = I do not buy my own snus	6	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4984-4989 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1118: In past 30 days, how you usually got your own snus

[[F-14.]]In the past 30 days, how did you usually get your own snus?

ASK: Youth respondents who are past 30 day snus users and do not buy their own snus.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	1	0.0%
2	2 = I asked someone to give me some	0	0.0%
3	3 = Someone offered it to me	4	0.0%
4	4 = I took it from a store or another person	1	0.0%

Value	Label	Unweighted Frequency	%
5	5 = I got it some other way	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4990-4995 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1032: Geographic area where you usually buy snus

Do [they/you] usually buy snus...?

ASK: Youth respondents who are past 30 day snus users and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	5	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 4996-5001 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1033: Retail location where your snus is purchased most of the time

[[F-15.]]Where do [they/you] buy your snus most of the time?

ASK: Youth respondents who are past 30 day snus users and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	4	0.0%
2	2 = A supermarket, grocery store, or drug store	0	0.0%
3	3 = A warehouse club, such as Sam's or Costco	0	0.0%
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0%
5	5 = A duty free shop or military commissary	0	0.0%
6	6 = A bar, pub, restaurant or casino	0	0.0%
7	7 = A friend or relative	0	0.0%
8	8 = A swap meet or flea market	0	0.0%
9	9 = A liquor store	0	0.0%
10	10 = Somewhere else	0	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5002-5007 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1034_D: Amount paid when last time bought snus - Dollars

Think about the last time you [gave money to someone else to buy you/bought] snus. How much did you pay for a container of snus?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2 AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 7.20
- Median: 6.00
- Minimum: 4.00
- Maximum: 10.00
- Standard Deviation: 2.68

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5008-5013 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU1034_C: Amount paid when last time bought snus - Cents

Think about the last time you [gave money to someone else to buy you/bought] snus. How much did you pay for a container of snus?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2 AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5014-5019 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU9001: Number of pouches in container of snus you usually buy

How many pouches are in the container of snus that you usually buy?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUR17.]

ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2 AND (R07_YU9041 = 1 OR R07_YU9042 = 1) AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 16.67
- Median: 15.00
- Mode: 15.00
- Minimum: 15.00
- Maximum: 20.00
- Standard Deviation: 2.89

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5020-5025 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU9002: Number of days to use up the container of snus (that you usually buy)

About how many days does it take you to use up a container this size?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUR17.]

ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2 AND (R07_YU9041 = 1 OR R07_YU9042 = 1) AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)) AND R07_YU9001 != -8, -7.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 4.67
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 8.00
- Standard Deviation: 2.89

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5026-5031 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU9006: Number of days to use up a container of snus

About how many days does it take you to use up a container of snus?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YUR17.]

ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used loose snus in the past 30 days and usually buy their snus in person or do not buy their own snus and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2 AND (R07_YU9041 = 2 OR R07_YU9042 = 2) AND (R07_YU1030 = 1 OR (R07_YU1030 = 4 AND R07_YU1118 = 1)).

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.50
- Median: 1.50
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.71

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5032-5037 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YU1047: Have a regular brand of snus you usually use

Do you have a regular brand of snus that you usually use?

ASK: Youth respondents who are past 30 day "not-light" snus users.

ASK Specification: IF R07_PAST30DAY_SNUS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	1	0.0%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5038-5043 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1945: Know the name of brand of snus you usually use

Do you know the name of the brand of snus you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YUD02.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1%
2	2 = No	2	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5044-5049 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1048_BRAND: Brand of snus usually/last used

[[HELP-1.]]What brand of snus [do/did] you [usually/last] use?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5050-5055 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1070_PRODUCT: Sub-brand of snus usually / last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU1945 = 1 AND R07_YU1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5056-5061 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU0104: Brand of very last snus used is same as brand regularly/last used

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day snus users and last used snus in the past hour, sometime today,

yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YU0100 = 1, 2, 3, 4 AND R07_YU1945 = 1 AND R07_YU1048_BRAND != 9995, -8, -7 AND R07_YU1070_PRODUCT != 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5062-5067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1060_RANDOM_01: YU1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	2	0.0%
R07_YU1062	-	4	0.0%
R07_YU1063	-	1	0.0%
R07_YU1064	-	1	0.0%

Value	Label	Unweighted Frequency	%
R07_YU1075	-	1	0.0%
R07_YU1076	-	2	0.0%
R07_YU1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5068-5077 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_02: YU1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1062	-	2	0.0%
R07_YU1063	-	1	0.0%
R07_YU1065	-	4	0.0%
R07_YU1067	-	3	0.0%
R07_YU1075	-	1	0.0%
R07_YU1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5078-5087 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_03: YU1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	1	0.0%
R07_YU1063	-	2	0.0%
R07_YU1064	-	4	0.0%
R07_YU1065	-	1	0.0%
R07_YU1067	-	1	0.0%
R07_YU1075	-	1	0.0%
R07_YU1077	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5088-5097 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_04: YU1060 series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	2	0.0%
R07_YU1062	-	2	0.0%
R07_YU1064	-	1	0.0%
R07_YU1067	-	2	0.0%
R07_YU1075	-	1	0.0%
R07_YU1076	-	1	0.0%
R07_YU1077	-	1	0.0%
R07_YU1085	-	2	0.0%

Value	Label	Unweighted Frequency	%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5098-5107 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_05: YU1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	1	0.0%
R07_YU1062	-	1	0.0%
R07_YU1063	-	2	0.0%
R07_YU1064	-	1	0.0%
R07_YU1065	-	1	0.0%
R07_YU1075	-	1	0.0%
R07_YU1076	-	2	0.0%
R07_YU1077	-	2	0.0%
R07_YU1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5108-5117 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_06: YU1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	1	0.0%
R07_YU1062	-	2	0.0%
R07_YU1063	-	1	0.0%
R07_YU1064	-	2	0.0%
R07_YU1075	-	2	0.0%
R07_YU1076	-	1	0.0%
R07_YU1077	-	1	0.0%
R07_YU1085	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5118-5127 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_07: YU1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	1	0.0%
R07_YU1063	-	2	0.0%
R07_YU1065	-	2	0.0%
R07_YU1067	-	2	0.0%
R07_YU1075	-	3	0.0%
R07_YU1076	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5128-5137 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_08: YU1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10822	99.9%
R07_YU1060	-	3	0.0%
R07_YU1063	-	1	0.0%
R07_YU1065	-	1	0.0%
R07_YU1067	-	3	0.0%
R07_YU1076	-	1	0.0%
R07_YU1085	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5138-5147 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_09: YU1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YU1062	-	1	0.0%

Value	Label	Unweighted Frequency	%
R07_YU1065	-	1	0.0%
R07_YU1067	-	1	0.0%
R07_YU1075	-	1	0.0%
R07_YU1076	-	2	0.0%
R07_YU1077	-	3	0.0%
R07_YU1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5148-5157 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060_RANDOM_10: YU1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R07_YU1060 through R07_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YU1060	-	1	0.0%
R07_YU1063	-	2	0.0%
R07_YU1064	-	1	0.0%
R07_YU1065	-	2	0.0%
R07_YU1075	-	1	0.0%
R07_YU1076	-	1	0.0%
R07_YU1077	-	1	0.0%
R07_YU1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5158-5167 (width: 10; decimal: 0)

Variable Type: character

R07_YU1060: Use snus because: It is affordable

The next questions are about the reasons people use snus. Please select which reasons apply to you. [Mark Yes or No for each item.]

I use snus because...

It is affordable.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	3	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5168-5173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1085: Use snus because: I can use snus in places where smoking cigarettes is not allowed

I can use snus at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	4	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5174-5179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1062: Use snus because: They might be less harmful to me than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	5	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5180-5185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1075: Use snus because: They might be less harmful to people around me than cigarettes

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	5	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5186-5191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1063: Use snus because: It comes in flavors I like

Snus comes in flavors I like.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	6	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5192-5197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1064: Use snus because: It helps people to quit smoking cigarettes

Using snus helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	6	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5198-5203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1065: Use snus because: It doesn't smell

Snus doesn't smell.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	4	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5204-5209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1067: Use snus because: It doesn't bother non-tobacco users

Snus doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	7	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5210-5215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1076: Use snus because: No one can tell when I am using it

No one can tell when I am using snus.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	3	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5216-5221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1077: Use snus because: Using snus satisfies my cravings for cigarettes

Using snus satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	6	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5222-5227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1086: In past 30 days, used snus at times when or in places you could not smoke cigarettes

In the past 30 days, have you used snus at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day snus users and are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_SNUS = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5228-5233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1144: Self-perception of harmfulness of using snus to own health

[[F-16.]]How harmful do you think using snus is to your health?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R07_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1	0.0%
2	2 = Slightly harmful	4	0.0%
3	3 = Somewhat harmful	5	0.0%
4	4 = Very harmful	2	0.0%
5	5 = Extremely harmful	0	0.0%

Value	Label	Unweighted Frequency	%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5234-5239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1001_NB: Ever seen or heard of smokeless tobacco before this study

[[G-1.] Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YSV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4253	39.3%
2	2 = No	3062	28.3%
	Total	7,315	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,519	32.5%

This variable has 7,315 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5240-5245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1002_NB: Ever used smokeless tobacco products, even one or two times

[[G-1.]]Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YSV03.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YS1001_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_SMKLS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.8%
2	2 = No	4350	40.2%
	Total	4,435	40.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	6397	59.0%
	Total	6,399	59.1%

This variable has 4,435 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5246-5251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1002_12M: In the past 12 months, used smokeless tobacco products, even one or two time

[[G-1.]]In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND (R07_EVER_NEVER_SMKLS = 1 OR (R07_EVER_NEVER_SMKLS = 2 AND R07_YS1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2%
2	2 = No	3305	30.5%
	Total	3,324	30.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7505	69.3%
	Total	7,510	69.3%

This variable has 3,324 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5252-5257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1103: Ever been curious about using smokeless tobacco

[[G-2.]]Have you ever been curious about using smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YS1001_NB != 2, -8, -7 AND

R07_EVER_NEVER_SMKLS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	19	0.2%
2	2 = Somewhat curious	92	0.8%
3	3 = A little curious	446	4.1%
4	4 = Not at all curious	7064	65.2%
	Total	7,621	70.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	3213	29.7%
	Total	3,213	29.7%

This variable has 7,621 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5258-5263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1206: Think you will try smokeless tobacco in the next year

[[G-3.]]Do you think you will try smokeless tobacco in the next year?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YS1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SMKLS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	1	0.0%
2	2 = Probably yes	8	0.1%
3	3 = Probably not	320	3.0%
4	4 = Definitely not	7290	67.3%

Value	Label	Unweighted Frequency	%
	Total	7,619	70.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3213	29.7%
	Total	3,215	29.7%

This variable has 7,619 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5264-5269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1104: Think you will try smokeless tobacco soon

[[G-3.]]Do you think you will try smokeless tobacco soon?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YS1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SMKLS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0%
2	2 = Probably yes	9	0.1%
3	3 = Probably not	299	2.8%
4	4 = Definitely not	7311	67.5%
	Total	7,621	70.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	3213	29.7%
	Total	3,213	29.7%

This variable has 7,621 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5270-5275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1105: Would use smokeless tobacco if one of your best friends offered you one

[[G-3.]]If one of your best friends were to offer you smokeless tobacco, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YQT01.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YS1001_NB != 2, -8, -7 AND R07_EVER_NEVER_SMKLS_YOUTH = 2) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.1%
2	2 = Probably yes	60	0.6%
3	3 = Probably not	502	4.6%
4	4 = Definitely not	7051	65.1%
	Total	7,619	70.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	3213	29.7%
	Total	3,215	29.7%

This variable has 7,619 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5276-5281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YS1006: DERIVED - Age range when first tried smokeless tobacco, even one or two times (3 levels)

Long Description: How old were you when you first tried smokeless tobacco, even one or two times?

Algorithm: IF R07_YS1120 = 1 OR (0<=R07_YS1006<=11) THEN
R07R_Y_YS1006 = 1; ELSE IF R07_YS1120 = 2 OR (12<=R07_YS1006<=14)
THEN R07R_Y_YS1006 = 2; ELSE IF R07_YS1120 = 3 OR (15<=R07_YS1006
<=17) THEN R07R_Y_YS1006 = 3; ELSE R07R_Y_YS1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	27	0.2%
2	2 = 12 to 14 years old	27	0.2%
3	3 = 15 to 17 years old	39	0.4%
	Total	93	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10741	99.1%
	Total	10,741	99.1%

This variable has 93 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5282-5287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YS1108: First smokeless tobacco used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YSR13.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1) OR
R07_INIT_SMKLS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.6%
2	2 = No	16	0.1%
3	3 = I don't know	17	0.2%
	Total	96	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10737	99.1%
	Total	10,738	99.1%

This variable has 96 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5288-5293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_01: Flavor of first smokeless tobacco product used: Menthol

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Menthol

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1%
2	2 = Not Marked	50	0.5%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5294-5299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_02: Flavor of first smokeless tobacco product used: Mint, wintergreen, spearmint or frost

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Mint, wintergreen, spearmint, or frost

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.5%
2	2 = Not Marked	12	0.1%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%

Value	Missing Data	Unweighted Frequency	%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5300-5305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_03: Flavor of first smokeless tobacco product used: Clove or spice

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	62	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5306-5311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_04: Flavor of first smokeless tobacco product used: Fruit

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	60	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5312-5317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_05: Flavor of first smokeless tobacco product used: Chocolate

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	61	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5318-5323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_06: Flavor of first smokeless tobacco product used: An alcoholic drink

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	62	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5324-5329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_07: Flavor of first smokeless tobacco product used: Candy or other sweets

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	62	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5330-5335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1011_08: Flavor of first smokeless tobacco product used: Some other flavor

[[G-4.]]What flavor was that first smokeless tobacco product you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1) OR (R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	61	0.6%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5336-5341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1005: Number of times you used smokeless tobacco in your entire life

[[G-5.]]How many times have you used smokeless tobacco in your entire life?

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth

respondents who have ever used smokeless tobacco and have initiated smokeless tobacco use since their last completed interview or had not used smokeless tobacco 100 or more times as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND (R07_INIT_SMKLS_YOUTH = 1 OR R07_NUMLIFE_SMKLS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	65	0.6%
2	2 = 2 to 10	41	0.4%
3	3 = 11 to 20	10	0.1%
4	4 = 21 to 50	4	0.0%
5	5 = 51 to 99	3	0.0%
6	6 = 100 or more	4	0.0%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10694	98.7%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5342-5347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1100: Ever used smokeless tobacco fairly regularly

Have you ever used smokeless tobacco fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YS1112.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_EVER_NEVER_SMKLS_YOUTH = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_REGUSE_SMKLS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	121	1.1%
	Total	132	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10701	98.8%
	Total	10,702	98.8%

This variable has 132 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5348-5353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YS1007: DERIVED - Age range when first started using smokeless tobacco fairly regularly (3 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Algorithm: IF R07_YS1121 = 1 OR (0 <= R07_YS1007 <= 11) THEN
R07R_Y_YS1007 = 1; ELSE IF R07_YS1121 = 2 OR (12 <= R07_YS1007 <= 14)
THEN R07R_Y_YS1007 = 2; ELSE IF R07_YS1121 = 3 OR (15 <= R07_YS1007
<= 17) THEN R07R_Y_YS1007 = 3; ELSE R07R_Y_YS1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0%
2	2 = 12 to 14 years old	4	0.0%
3	3 = 15 to 17 years old	4	0.0%
	Total	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5354-5359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YS1112: Last time used smokeless tobacco, even one or two times

[[G-6./G-7.]]When did you last use smokeless tobacco, even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), GO TO BOX R07_YSV04. If Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YQT01.]

ASK: Youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R07_EVER_NEVER_SMKLS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R07_YS1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	3	0.0%
2	2 = Not today but sometime in the past 7 days	4	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	7	0.1%
4	4 = Not in the past 30 days but sometime in the past 6 months	19	0.2%
5	5 = Not in the past 6 months but sometime in the past year	23	0.2%
6	6 = 1 to 4 years ago	48	0.4%
7	7 = 5 or more years ago	26	0.2%
	Total	130	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10690	98.7%
	Total	10,704	98.8%

This variable has 130 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5360-5365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS0100: When last used smokeless tobacco

[[G-8.]]When did you last use smokeless tobacco (not including snus)?

[If In the past hour (1), GO TO R07_YS0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1	0.0%
2	2 = Sometime today, but more than an hour ago	1	0.0%
3	3 = Yesterday	1	0.0%
4	4 = Day before yesterday	1	0.0%
5	5 = Three or more days ago	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5366-5371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS0102: Time period of day when you last used smokeless tobacco

[[G-9.]]When you last used smokeless tobacco (not including snus) [FILL BASED ON R07_YS0100], was it...

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier

today or sometime in the past 7 days and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1112 = 1, 2 AND R07_YS0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	1	0.0%
4	4 = After 6PM but before midnight	2	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5372-5377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS0103: Number of times used smokeless tobacco today/yesterday/day before yesterday

How many times [have/did] you [used/use] smokeless tobacco (not including snus) [FILL BASED ON R07_YS0100]?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YS1112 = 1, 2 AND R07_YS0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.75
- Median: 1.50

- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.96

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5378-5383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS1022: In past 30 days, number of days used smokeless tobacco

In the past 30 days, on how many days did you use smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 6.77
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 6.70

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10820	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5384-5389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS1023: In past 30 days, number of times smokeless tobacco used per day on the days that you used

In the past 30 days, on the days you used smokeless tobacco, how many times did you use smokeless tobacco per day?

[If Don't know (-8) or Refused (-7), GO TO R07_YS1130.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.42
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.11

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5390-5395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS1130: In past 30 days, used smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YSR30.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	4	0.0%
3	3 = I don't know	2	0.0%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5396-5401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_01: In past 30 days, used smokeless tobacco flavored to taste like: Menthol

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Menthol

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	7	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5402-5407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_02: In past 30 days, used smokeless tobacco flavored to taste like: Mint, wintergreen, spearmint or frost

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Mint, wintergreen, spearmint, or frost

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	2	0.0%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5408-5413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_03: In past 30 days, used smokeless tobacco flavored to taste like: Clove or spice

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	8	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5414-5419 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_04: In past 30 days, used smokeless tobacco flavored to taste like: Fruit

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	7	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5420-5425 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_05: In past 30 days, used smokeless tobacco flavored to taste like: Chocolate

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless

tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	8	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5426-5431 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_06: In past 30 days, used smokeless tobacco flavored to taste like: An alcoholic drink

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	7	0.1%

Value	Label	Unweighted Frequency	%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5432-5437 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_07: In past 30 days, used smokeless tobacco flavored to taste like: Candy or other sweets

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	8	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5438-5443 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1131_08: In past 30 days, used smokeless tobacco flavored to taste like: Some other flavor

[[G-10.]]Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	7	0.1%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5444-5449 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1147: How often used flavored smokeless tobacco on days used in past 30 days

[[G-11.]]On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	4	0.0%
2	2 = Most of the time	2	0.0%
3	3 = Sometimes	0	0.0%
4	4 = Rarely	1	0.0%
5	5 = Never	1	0.0%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10826	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5450-5455 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1133: In past 30 days, flavor of smokeless tobacco used most often

[[G-10.]]In the past 30 days, which flavor of smokeless tobacco have you used most often?

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1130 = 1 AND (R07_YS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R07_YS1131_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol	0	0.0%
2	2 = Mint, wintergreen, spearmint, or frost	1	0.0%
3	3 = Clove or spice	0	0.0%
4	4 = Fruit	0	0.0%
5	5 = Chocolate	0	0.0%
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0%
7	7 = Candy or other sweets	0	0.0%
8	8 = Some other flavor	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5456-5461 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS9041: Type of smokeless tobacco used in past 30 days

[[G-12.]]In the past 30 days, what type of smokeless tobacco have you used?]

READ RESPONSE OPTIONS ALOUD.]

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

[If Loose smokeless tobacco (such as moist snuff, dip, spit, or chew) (1), Smokeless tobacco pouches (not including snus) (2), Don't know (-8), or Refused (-7), GO TO R07_YS1142.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as moist snuff, dip, spit, or chew)	11	0.1%
2	2 = Smokeless tobacco pouches (not including snus)	2	0.0%
3	3 = Both loose and pouched smokeless tobacco	0	0.0%
	Total	13	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5462-5467 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS9042: Type of smokeless tobacco used most often in past 30 days

[[G-12.]]You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco do you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

ASK: Youth respondents who have used both loose smokeless tobacco and pouched smokeless tobacco.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as moist snuff, dip, spit, or chew)	0	0.0%
2	2 = Smokeless tobacco pouches (not including snus)	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5468-5473 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1142: In the past 30 days, did anyone sell you smokeless tobacco?

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.]

In the past 30 days, did anyone sell you smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	10	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5474-5479 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1123: In the past 30 days, someone refused to sell you smokeless tobacco because of your age

In the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	4	0.0%
3	3 = I did not try to buy smokeless tobacco in the past 30 days	7	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5480-5485 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1030: How you usually buy your smokeless tobacco

How do you usually buy smokeless tobacco for yourself?

[If In person (1), From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R07_YSR04.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	5	0.0%
2	2 = From the internet	0	0.0%
3	3 = By telephone	0	0.0%
4	4 = I do not buy my own smokeless tobacco	9	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5486-5491 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1118: In past 30 days, how you usually got your own smokeless tobacco

[[G-13.]]In the past 30 days, how did you usually get your own smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users and do not buy their own smokeless tobacco.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	1	0.0%
2	2 = I asked someone to give me some	1	0.0%
3	3 = Someone offered it to me	4	0.0%
4	4 = I took it from a store or another person	1	0.0%
5	5 = I got it some other way	1	0.0%
	Total	8	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,826	99.9%

This variable has 8 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5492-5497 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1032: Geographic area where you usually buy smokeless tobacco

Do [they/you] usually buy smokeless tobacco...?

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	5	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5498-5503 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1033: Retail location where your smokeless tobacco is purchased most of the time

[[G-14.]]Where do [they/you] buy your smokeless tobacco most of the time?

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	3	0.0%
2	2 = A supermarket, grocery store, or drug store	0	0.0%
3	3 = A warehouse club, such as Sam's or Costco	0	0.0%
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0%
5	5 = A duty free shop or military commissary	1	0.0%
6	6 = A bar, pub, restaurant or casino	0	0.0%
7	7 = A friend or relative	0	0.0%
8	8 = A swap meet or flea market	0	0.0%
9	9 = A liquor store	2	0.0%
10	10 = Somewhere else	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5504-5509 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1034_D: Amount paid when last time bought smokeless tobacco - Dollars

Think about the last time you [gave money to someone else to buy you/bought] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2 AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

- Mean: 9.50
- Median: 9.50
- Minimum: 4.00
- Maximum: 15.00
- Standard Deviation: 4.93

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5510-5515 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS1034_C: Amount paid when last time bought smokeless tobacco - Cents

Think about the last time you [gave money to someone else to buy you/bought] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy

for them.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2 AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5516-5521 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS9001: Number of pouches in the container of smokeless tobacco you usually buy

How many pouches are in the container of smokeless tobacco that you usually buy?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSR16.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used pouched smokeless tobacco in the past 30 days and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2 AND (R07_YS9041 = 2 OR R07_YS9042 = 2) AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 20.00
- Median: 20.00
- Mode: 20.00
- Minimum: 20.00
- Maximum: 20.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5522-5527 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS9002: Number of days to use up the container of smokeless tobacco (that you usually buy)

About how many days does it take you to use up a container this size?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSR16.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used smokeless tobacco pouches in the past 30 days and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2 AND (R07_YS9041 = 2 OR R07_YS9042 = 2) AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)) AND R07_YS9001 != -8, -7.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5528-5533 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS9006: Number of days to use up a container of smokeless tobacco

About how many days does it take you to use up a container of smokeless tobacco?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YSR16.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used loose smokeless tobacco in the past 30 days and usually buy their smokeless tobacco in person or do not buy their own smokeless tobacco and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2 AND (R07_YS9041 = 1 OR R07_YS9042 = 1) AND (R07_YS1030 = 1 OR (R07_YS1030 = 4 AND R07_YS1118 = 1)).

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 4.00
- Median: 4.00
- Minimum: 2.00
- Maximum: 6.00
- Standard Deviation: 2.83

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5534-5539 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YS1047: Have a regular brand of smokeless tobacco you usually use

Do you have a regular brand of smokeless tobacco that you usually use?

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	4	0.0%
	Total	9	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10825	99.9%
	Total	10,825	99.9%

This variable has 9 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5540-5545 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_Y51945: Know the name of brand of smokeless tobacco you usually use / last used

Do you know the name of the brand of smokeless tobacco you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YSD02.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	7	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5546-5551 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1048_BRAND: Brand of smokeless tobacco usually/last used

[[HELP-1.]]What brand of smokeless tobacco [do/did] you [usually/last] use?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen.
[If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5552-5557 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

[SELECT IT BY TOUCHING THE SCREEN. [IF YOU DON'T SEE IT, PRESS "NEXT"./IF YOU DON'T SEE IT, PRESS "SOMETHING ELSE".]/Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS1945 = 1 AND R07_YS1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5558-5563 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS0104: Brand of very last smokeless tobacco used is same as brand regularly/last used

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YS0100 = 1, 2, 3, 4 AND R07_YS1945 = 1 AND R07_YS1048_BRAND != 9995, -8, -7 AND R07_YS1070_PRODUCT != 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	0	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5564-5569 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1060_RANDOM_01: YS1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_YS1060	-	2	0.0%
R07_YS1062	-	3	0.0%
R07_YS1063	-	1	0.0%
R07_YS1067	-	1	0.0%
R07_YS1075	-	2	0.0%
R07_YS1085	-	5	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5570-5579 (width: 10; decimal: 0)

Variable Type: character

R07_Y51060_RANDOM_02: Y51060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_Y51060 through R07_Y51077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_Y5D02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_Y51060	-	2	0.0%
R07_Y51063	-	2	0.0%
R07_Y51064	-	2	0.0%
R07_Y51065	-	3	0.0%
R07_Y51067	-	3	0.0%
R07_Y51077	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5580-5589 (width: 10; decimal: 0)

Variable Type: character

R07_Y51060_RANDOM_03: Y51060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_Y51060 through R07_Y51077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_Y5D02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_Y51060	-	2	0.0%
R07_Y51062	-	3	0.0%

Value	Label	Unweighted Frequency	%
R07_YS1063	-	1	0.0%
R07_YS1065	-	1	0.0%
R07_YS1067	-	3	0.0%
R07_YS1077	-	2	0.0%
R07_YS1085	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5590-5599 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_04: YS1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_YS1060	-	3	0.0%
R07_YS1062	-	2	0.0%
R07_YS1063	-	2	0.0%
R07_YS1064	-	1	0.0%
R07_YS1065	-	2	0.0%
R07_YS1075	-	1	0.0%
R07_YS1077	-	1	0.0%
R07_YS1085	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5600-5609 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_05: YS1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_YS1060	-	2	0.0%
R07_YS1063	-	1	0.0%
R07_YS1065	-	5	0.0%
R07_YS1067	-	3	0.0%
R07_YS1075	-	2	0.0%
R07_YS1077	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5610-5619 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_06: YS1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_YS1060	-	2	0.0%
R07_YS1062	-	1	0.0%
R07_YS1063	-	3	0.0%
R07_YS1064	-	2	0.0%
R07_YS1065	-	1	0.0%
R07_YS1067	-	2	0.0%

Value	Label	Unweighted Frequency	%
R07_YS1075	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5620-5629 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_07: YS1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10820	99.9%
R07_YS1062	-	4	0.0%
R07_YS1063	-	1	0.0%
R07_YS1065	-	1	0.0%
R07_YS1067	-	1	0.0%
R07_YS1075	-	1	0.0%
R07_YS1077	-	3	0.0%
R07_YS1085	-	3	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5630-5639 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_08: YS1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order

these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YS1060	-	1	0.0%
R07_YS1063	-	1	0.0%
R07_YS1064	-	2	0.0%
R07_YS1067	-	1	0.0%
R07_YS1075	-	4	0.0%
R07_YS1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5640-5649 (width: 10; decimal: 0)

Variable Type: character

R07_YS1060_RANDOM_09: YS1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YS1060 through R07_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10824	99.9%
R07_YS1062	-	1	0.0%
R07_YS1063	-	2	0.0%
R07_YS1064	-	3	0.0%
R07_YS1065	-	1	0.0%
R07_YS1075	-	1	0.0%
R07_YS1077	-	1	0.0%
R07_YS1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5650-5659 (width: 10; decimal: 0)

R07_YS1060: Use smokeless tobacco because: It is affordable

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you. [Mark Yes or No for each item.]

I use smokeless tobacco because...

It is affordable.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	4	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5660-5665 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1085: Use smokeless tobacco because: It can be used in places where smoking cigarettes is not allowed

I can use smokeless tobacco at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	5	0.0%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5666-5671 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_Y51062: Use smokeless tobacco because: It might be less harmful to me than smoking cigarettes

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	5	0.0%
	Total	13	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5672-5677 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1075: Use smokeless tobacco because: It might be less harmful to people around me than cigarettes

It might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	6	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5678-5683 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1063: Use smokeless tobacco because: It comes in flavors I like

Smokeless tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	6	0.1%
	Total	13	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5684-5689 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1064: Use smokeless tobacco because: It helps people to quit smoking cigarettes

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	4	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5690-5695 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1065: Use smokeless tobacco because: It doesn't smell

Smokeless tobacco doesn't smell.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	8	0.1%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5696-5701 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1067: Use smokeless tobacco because: It doesn't bother non-tobacco users

Smokeless tobacco doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	6	0.1%
	Total	13	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5702-5707 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1077: Use smokeless tobacco because: Using smokeless tobacco satisfies my cravings for cigarettes

Using smokeless tobacco satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	4	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5708-5713 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1086: In past 30 days, used smokeless tobacco at times when or in places you could not smoke cigarettes

In the past 30 days, have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	2	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5714-5719 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1144: Self-perception of harmfulness of using smokeless tobacco to own health

[[G-15.]]How harmful do you think using smokeless tobacco is to your health?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R07_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	0	0.0%
2	2 = Slightly harmful	4	0.0%
3	3 = Somewhat harmful	5	0.0%
4	4 = Very harmful	3	0.0%
5	5 = Extremely harmful	2	0.0%
	Total	14	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,820	99.9%

This variable has 14 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5720-5725 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1001: Ever seen or heard of IQOS before this study

[[H-1.]]Have you ever seen or heard of IQOS before this study?

[SHOW GENERIC IMAGE OF IQOS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YQV02.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	544	5.0%
2	2 = No	10278	94.9%
	Total	10,822	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	0	0.0%
	Total	12	0.1%

This variable has 10,822 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5726-5731 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1002: Ever used IQOS, even one or two times

[[H-1.]]Have you ever used IQOS, even one or two times?

[SHOW GENERIC IMAGE OF IQOS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YQV02.]

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	538	5.0%
	Total	544	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,290	95.0%

This variable has 544 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5732-5737 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1002_12M: In past 12 months, used IQOS even one or two times

[[H-1.]] In the past 12 months, have you used IQOS, even one or two times?

[SHOW GENERIC IMAGE OF IQOS]

ASK: Youth respondents who have ever seen or heard of IQOS and have ever used IQOS.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ1002 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	4	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5738-5743 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1103: Ever been curious about using IQOS

[[H-2.]]Have you ever been curious about using IQOS?

ASK: Youth respondents who have ever seen or heard of IQOS and have never used IQOS.

ASK Specification: IF R07_YQ1001 != 2, -8, -7 AND R07_EVER_NEVER_IQOS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	5	0.0%
2	2 = Somewhat curious	11	0.1%
3	3 = A little curious	52	0.5%
4	4 = Not at all curious	469	4.3%
	Total	537	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10296	95.0%
	Total	10,297	95.0%

This variable has 537 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5744-5749 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1206: Think you will use IQOS in the next year

[[H-3.]]Do you think you will use IQOS in the next year?

ASK: Youth respondents who have ever seen or heard of IQOS and have never used IQOS.

ASK Specification: IF R07_YQ1001 != 2, -8, -7 AND R07_EVER_NEVER_IQOS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	0	0.0%
2	2 = Probably yes	0	0.0%
3	3 = Probably not	42	0.4%
4	4 = Definitely not	495	4.6%

Value	Label	Unweighted Frequency	%
	Total	537	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10296	95.0%
	Total	10,297	95.0%

This variable has 537 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5750-5755 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1104: Think you will use IQOS soon

[[H-3.]]Do you think you will try IQOS soon?

ASK: Youth respondents who have ever seen or heard of IQOS and have never used IQOS.

ASK Specification: IF R07_YQ1001 != 2, -8, -7 AND R07_EVER_NEVER_IQOS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	0	0.0%
2	2 = Probably yes	1	0.0%
3	3 = Probably not	43	0.4%
4	4 = Definitely not	493	4.6%
	Total	537	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10296	95.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,297	95.0%

This variable has 537 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5756-5761 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1105: Would try IQOS if one of your best friends offered it to you

[[H-3.]]If one of your best friends were to offer you IQOS, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YBT01.]

ASK: Youth respondents who have ever seen or heard of IQOS and have never used IQOS.

ASK Specification: IF R07_YQ1001 != 2, -8, -7 AND R07_EVER_NEVER_IQOS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0%
2	2 = Probably yes	12	0.1%
3	3 = Probably not	62	0.6%
4	4 = Definitely not	460	4.2%
	Total	536	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10296	95.0%
	Total	10,298	95.1%

This variable has 536 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5762-5767 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YQ1006: DERIVED - Age range when first tried IQOS, even one or two times (3 levels)

Long Description: How old were you when you first tried IQOS, even one or two times?

Algorithm: IF R07_YQ1120 = 1 OR (0<=R07_YQ1006<=11) THEN
R07R_Y_YQ1006 = 1; ELSE IF R07_YQ1120 = 2 OR (12<=R07_YQ1006<=14)
THEN R07R_Y_YQ1006 = 2; ELSE IF R07_YQ1120 = 3 OR (15<=R07_YQ1006
<=17) THEN R07R_Y_YQ1006 = 3; ELSE R07R_Y_YQ1006 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1	0.0%
2	2 = 12 to 14 years old	1	0.0%
3	3 = 15 to 17 years old	2	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5768-5773 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YQ1108: First HeatStick used was menthol flavored

Was the first HeatStick you used menthol flavored?

ASK: Youth respondents who have ever used IQOS.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
3	3 = I don't know	3	0.0%
	Total	5	0.0%

- Minimum: 1.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5774-5779 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1005: Number of HeatSticks used in your entire life

[[H-4.]]How many HeatSticks have you used in your entire life? A pack usually has 20 HeatSticks in it.

ASK: Youth respondents who have ever used IQOS.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole HeatStick	3	0.0%
2	2 = 1 to 10 HeatSticks (about 1/2 pack total)	1	0.0%
3	3 = 11 to 20 HeatSticks (about 1/2 pack to 1 pack)	1	0.0%
4	4 = 21 to 50 HeatSticks (more than 1 pack but less than 3 packs)	0	0.0%
5	5 = 51 to 99 HeatSticks (more than 2 1/2 packs but less than 5 packs)	0	0.0%
6	6 = 100 or more HeatSticks (5 packs or more)	0	0.0%
	Total	5	0.0%

- Minimum: 1.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5780-5785 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1100: Ever used IQOS fairly regularly

Have you ever used IQOS fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YQ1112.]

ASK: Youth respondents who have ever used IQOS.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	5	0.0%
	Total	6	0.1%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5786-5791 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YQ1007: DERIVED - Age range when first started using IQOS fairly regularly (3 levels)

Long Description: How old were you when you first started using IQOS fairly regularly?

Algorithm: IF R07_YQ1121 = 1 OR (0 <= R07_YQ1007 <= 11) THEN
R07R_Y_YQ1007 = 1; ELSE IF R07_YQ1121 = 2 OR (12 <= R07_YQ1007 <= 14)
THEN R07R_Y_YQ1007 = 2; ELSE IF R07_YQ1121 = 3 OR (15 <= R07_YQ1007
<= 17) THEN R07R_Y_YQ1007 = 3; ELSE R07R_Y_YQ1007 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0%
2	2 = 12 to 14 years old	0	0.0%
3	3 = 15 to 17 years old	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5792-5797 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YQ1112: Last time you used IQOS, even one or two times

[[H-5a./H-5b.]]When was the last time you used IQOS, even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), GO TO BOX R07_YQV01.]

ASK: Youth respondents who have ever used IQOS.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used IQOS in the past year (R07_YQ1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0%
2	2 = Not today but sometime in the past 7 days	0	0.0%
3	3 = Not in the past 7 days but sometime in the past 30 days	2	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Not in the past 30 days but sometime in the past 6 months	0	0.0%
5	5 = Not in the past 6 months but sometime in the past year	0	0.0%
6	6 = 1 to 4 years ago	2	0.0%
7	7 = 5 or more years ago	0	0.0%
	Total	4	0.0%

- Minimum: 3.00
- Maximum: 6.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5798-5803 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ0100: When last used IQOS

[[H-6.]]When did you last use IQOS?

[If In the past hour (1), GO TO R07_YQ0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YQV01.]

ASK: Youth respondents who have ever used IQOS and last used IQOS earlier today or sometime in the past 7 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YQ1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	0	0.0%
4	4 = Day before yesterday	0	0.0%
5	5 = Three or more days ago	0	0.0%

Value	Label	Unweighted Frequency	%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5804-5809 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ0102: Time period of day when you last used IQOS

[[H-7.]]When you last used IQOS [FILL BASED ON R07_YQ0100], was it...

ASK: Youth respondents who have ever used IQOS and last used IQOS earlier today or sometime in the past 7 days and last used IQOS sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YQ1112 = 1, 2 AND R07_YQ0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	0	0.0%
4	4 = After 6PM but before midnight	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5810-5815 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ0103: Number of HeatSticks used today/yesterday/day before yesterday

How many HeatSticks [have/did] you [used/use] [FILL BASED ON R07_YQ0100]?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YQV01.]

ASK: Youth respondents who have ever used IQOS and last used IQOS earlier today or sometime in the past 7 days and last used IQOS in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YQ1112 = 1, 2 AND R07_YQ0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5816-5821 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ1022: Number of days used IQOS in past 30 days

In the past 30 days, on how many days did you use IQOS?

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 4.00
- Median: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 4.24

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5822-5827 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ1023: In past 30 days, number of HeatSticks used per day on days used

[[H-8.]] In the past 30 days, on the days you used, how many HeatSticks did you use per day?

[IF NEEDED:] A pack usually has 20 HeatSticks in it.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 HeatStick per day	0	0.0%
2	2 = 1 HeatStick per day	1	0.0%
3	3 = 2 to 5 HeatSticks per day	0	0.0%
4	4 = 6 to 10 HeatSticks per day	0	0.0%
5	5 = 11 to 20 HeatSticks per day	1	0.0%
6	6 = More than 20 HeatSticks per day	0	0.0%

Value	Label	Unweighted Frequency	%
	Total	2	0.0%

- Minimum: 2.00
- Maximum: 5.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5828-5833 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1130: In past 30 days, used menthol flavored HeatSticks

In the past 30 days, were any of the HeatSticks you used flavored to taste like menthol?

ASK: Youth respondents who are past 30 days IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5834-5839 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1142: Anyone sell you IQOS or HeatSticks in the past 30 days

The next questions ask about your experience buying IQOS and HeatSticks.

In the past 30 days, did anyone sell you IQOS or HeatSticks?

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5840-5845 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1123: In past 30 days, someone refused to sell you IQOS or HeatSticks because of your age

In the past 30 days, did anyone refuse to sell you IQOS or HeatSticks because of your age?

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	1	0.0%
3	3 = I did not try to buy IQOS or HeatSticks in the past 30 days	1	0.0%
	Total	2	0.0%

- Minimum: 2.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5846-5851 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9033: Where IQOS was bought

[[H-9.]]Where did you buy your IQOS?

[If I have never bought iqos (1), GO TO R07_YQ1030.]

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I have never bought IQOS	1	0.0%
2	2 = IQOS store	1	0.0%
3	3 = IQOS website	0	0.0%
4	4 = Somewhere else	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5852-5857 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9035: When you bought your IQOS, bought a bundle or starter kit that included HeatSticks or accessories

When you bought your IQOS, did you buy a bundle or starter kit that included HeatSticks or accessories?

(If you own more than one IQOS, answer about the one you use most often.)

ASK: Youth respondents who are past 30 day IQOS users and bought their IQOS at an IQOS store, IQOS website, somewhere else, or did not know or refused to report where they bought their IQOS.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YQ9033 = 2, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5858-5863 (width: 6; decimal: 0)
Variable Type: numeric
(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9034_D: Amount you paid for your IQOS / IQOS kit - Dollars

About how much did you pay for your [IQOS/IQOS kit]?

(If you own more than one IQOS, answer about the one you use most often.)

__Dollars

[If Don't know (-8) or Refused (-7), GO TO R07_YQ1030.]

ASK: Youth respondents who are past 30 day IQOS users and buy IQOS in the IQOS store, IQOS website, somewhere else or did not know or refused to report where they bought their IQOS.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YQ9033 = 2, 3, 4, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5864-5869 (width: 6; decimal: 0)
Variable Type: numeric
(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ9034_C: Amount you paid for your IQOS / IQOS kit - Cents

About how much did you pay for your [IQOS/IQOS kit]?

(If you own more than one IQOS, answer about the one you use most often.)

__Cents

[If Don't know (-8) or Refused (-7), GO TO R07_YQ1030.]

ASK: Youth respondents who are past 30 day IQOS users and buy IQOS in the IQOS store, IQOS website, somewhere else or did not know or refused to report where they bought their IQOS.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YQ9033 = 2, 3, 4, -8, -7.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5870-5875 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ1030: How you usually buy your HeatSticks

How do you usually buy HeatSticks for yourself?

[If In person (1), GO TO R07_YQ1032. If From the internet (2), By telephone (3), I have only used the heatsticks that were included in my iqos starter kit or bundle (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YQR07.]

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	1	0.0%
2	2 = From the internet	1	0.0%
3	3 = By telephone	0	0.0%
4	4 = I do not buy my own HeatSticks	0	0.0%
5	5 = I have only used the HeatSticks that were included in my IQOS starter kit or bundle	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5876-5881 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1118: In past 30 days, how you usually got your own HeatSticks

[[H-10.]]In the past 30 days, how did you usually get your own HeatSticks?

[If I asked someone to give me one (2), Someone offered it to me (3), I took it from a store or another person (4), I got it some other way (specify) (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YQR07.]

ASK: Youth respondents who are past 30 day IQOS users and do not buy their own HeatSticks.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YQ1030 = 4.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	0	0.0%
2	2 = I asked someone to give me some	0	0.0%
3	3 = Someone offered it to me	0	0.0%
4	4 = I took it from a store or another person	0	0.0%
5	5 = I got it some other way	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5882-5887 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1032: Geographic area where you usually buy HeatSticks

Do [they/you] usually buy HeatSticks...

ASK: Youth respondents who are past 30 day IQOS users and usually buy their HeatSticks in person or do not buy their own HeatSticks and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND (R07_YQ1030 = 1 OR (R07_YQ1030 = 4 AND R07_YQ1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1	0.0%
2	2 = In another state	0	0.0%
3	3 = Outside the US	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5888-5893 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1033: Retail location where your HeatSticks are purchased most of the time

[[H-11.]]Where do [they/you] buy your HeatSticks most of the time?

ASK: Youth respondents who are past 30 day IQOS users and usually buy their HeatSticks in person or do not buy their own HeatSticks and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND (R07_YQ1030 = 1 OR (R07_YQ1030 = 4 AND R07_YQ1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = IQOS Store	0	0.0%
2	2 = IQOS website	0	0.0%
3	3 = A convenience store or gas station	0	0.0%
4	4 = A supermarket, grocery store, or drug store	0	0.0%
5	5 = A warehouse club, such as Sam's or Costco	0	0.0%
6	6 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0%
7	7 = A duty free shop or military commissary	0	0.0%
8	8 = A bar, pub, restaurant or casino	0	0.0%
9	9 = A friend or relative	1	0.0%
10	10 = A swap meet or flea market	0	0.0%
11	11 = A liquor store	0	0.0%
12	12 = Somewhere else	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5894-5899 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1039: Last time bought HeatSticks, purchased by the carton or by the pack

Think about the last time you [gave money to someone else to buy you/bought] HeatSticks. Did you buy them by the carton or by the pack?

[IF NEEDED:]A pack usually contains 20 HeatSticks. A carton contains multiple packs.

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YQR07.]

ASK: Youth respondents who are past 30 day IQOS users and usually buy their HeatSticks in person or do not buy their own HeatSticks and give someone else money to buy for them.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND (R07_YQ1030 = 1 OR (R07_YQ1030 = 4 AND R07_YQ1118 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Carton	0	0.0%
2	2 = Pack	1	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5900-5905 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1034_D: Amount paid for a carton / pack of HeatSticks - Dollars

How much did you pay for a [carton/pack] of HeatSticks?

__Dollars

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YQR07.]

ASK: Youth respondents who are past 30 day IQOS users and usually buy their HeatSticks in person or do not buy their own HeatSticks and give someone else money to buy for them and usually buy HeatSticks by the carton or pack.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND (R07_YQ1030 = 1 OR (R07_YQ1030 = 4 AND R07_YQ1118 = 1)) AND R07_YQ1039 = 1, 2.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5906-5911 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ1034_C: Amount paid for a carton / pack of HeatSticks - Cents

How much did you pay for a [carton/pack] of HeatSticks?

__Cents

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YQR07.]

ASK: Youth respondents who are past 30 day IQOS users and usually buy their HeatSticks in person or do not buy their own HeatSticks and give someone else money to buy for them and usually buy HeatSticks by the carton or pack.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND (R07_YQ1030 = 1 OR (R07_YQ1030 = 4 AND R07_YQ1118 = 1)) AND R07_YQ1039 = 1, 2.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5912-5917 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YQ1060_RANDOM_01: YQ1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized

by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1065	-	1	0.0%
R07_YQ1067	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5918-5927 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_02: YQ1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1066	-	1	0.0%
R07_YQ1075	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5928-5937 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_03: YQ1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1060	-	1	0.0%
R07_YQ1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5938-5947 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_04: YQ1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1077	-	1	0.0%
R07_YQ1085	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5948-5957 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_05: YQ1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1060	-	1	0.0%
R07_YQ1066	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5958-5967 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_06: YQ1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1064	-	1	0.0%
R07_YQ1067	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5968-5977 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_07: YQ1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1065	-	1	0.0%
R07_YQ1075	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5978-5987 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_08: YQ1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1062	-	2	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5988-5997 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060_RANDOM_09: YQ1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R07_YQ1060 through R07_YQ1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box Box R07_YQD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10832	100.0%
R07_YQ1064	-	1	0.0%
R07_YQ1077	-	1	0.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 5998-6007 (width: 10; decimal: 0)

Variable Type: character

R07_YQ1060: Use IQOS because: It is affordable

The next questions are about the reasons people use IQOS. Please select which reasons apply to you.

[Mark Yes or No for each item.]

I use IQOS because...

It is affordable.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6008-6013 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1085: Use IQOS because: Can/could use them in places where smoking cigarettes is/ was not allowed

I can use IQOS at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6014-6019 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1062: Use IQOS because: It might be less harmful to me than smoking cigarettes

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6020-6025 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1075: Use IQOS because: It might be less harmful to people around me than cigarettes

It might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6026-6031 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1064: Use IQOS because: Using IQOS helps people quit smoking cigarettes

Using IQOS helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day IQOS users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6032-6037 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1065: Use IQOS because: HeatSticks don't smell or smell less than cigarettes

HeatSticks don't smell or smell less than cigarettes.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6038-6043 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1066: Use IQOS because: Using IQOS feels like smoking a regular cigarette

Using IQOS feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6044-6049 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1067: Use IQOS because: IQOS doesn't bother non-tobacco users

IQOS doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6050-6055 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1077: Use IQOS because: Using IQOS satisfies my cravings for cigarettes

Using IQOS satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day IQOS users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6056-6061 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1086: In past 30 days, used IQOS at times when could not smoke regular cigarettes

In the past 30 days, have you used IQOS at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day IQOS users and are past 30 day cigarette smokers.

ASK Specification: IF R07_PAST30DAY_IQOS = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6062-6067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1139: Level of agreement: It is easier to talk and get along with other people when using IQOS

[[H-12.]]Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using IQOS.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2	0.0%
2	2 = 2 on a scale of 1 to 4	0	0.0%
3	3 = 3 on a scale of 1 to 4	0	0.0%
4	4 = Very true of me	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6068-6073 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1140: Level of agreement: Feel more confident with other people while using IQOS

[[H-12.]]While using IQOS, I feel more confident with other people.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1	0.0%
2	2 = 2 on a scale of 1 to 4	0	0.0%
3	3 = 3 on a scale of 1 to 4	1	0.0%
4	4 = Very true of me	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6074-6079 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1141: Level of agreement: Use IQOS much more when I am with other people

[[H-12.]] I use IQOS much more when I am with other people.

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1	0.0%
2	2 = 2 on a scale of 1 to 4	0	0.0%
3	3 = 3 on a scale of 1 to 4	0	0.0%
4	4 = Very true of me	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6080-6085 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1144: Self-perception of harmfulness of using IQOS to own health

[[H-13.]]How harmful do you think using IQOS is to your health?

ASK: Youth respondents who are past 30 day IQOS users.

ASK Specification: IF R07_PAST30DAY_IQOS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1	0.0%
2	2 = Slightly harmful	0	0.0%
3	3 = Somewhat harmful	1	0.0%
4	4 = Very harmful	0	0.0%
5	5 = Extremely harmful	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6086-6091 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YB1001BD_NB: Ever seen or heard of bidis before this study

[[H-14.]]Have you ever seen or heard of bidis before this study?

[SHOW GENERIC IMAGE OF BIDIS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YBV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	548	5.1%
2	2 = No	6770	62.5%
	Total	7,318	67.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,516	32.5%

This variable has 7,318 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6092-6097 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YB1002BD_NB: Ever smoked a bidi, even one or two puffs

[[H-14.]]Have you ever smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YBV01.]

ASK: New baseline youth respondents who have ever seen or heard of bidis, or continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YB1001BD_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_BIDI = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	723	6.7%
	Total	734	6.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10099	93.2%
	Total	10,100	93.2%

This variable has 734 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6098-6103 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YB1002BD_12M: In past 12 months, smoked a bidi, even one or two puffs

[[H-14.]]In the past 12 months, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YBV01.]

ASK: Continuing youth respondents who are not previous wave non-responders, or

Continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview, or

New baseline youth respondents who have ever seen or heard of bidis and have ever smoked bidis, or

Continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview and have ever smoked bidis.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_BIDI = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_YB1001BD_NB = 1 AND R07_YB1002BD_NB = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_BIDI = 2 AND R07_YB1002BD_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	3328	30.7%
	Total	3,335	30.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7498	69.2%
	Total	7,499	69.2%

This variable has 3,335 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6104-6109 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YB1002BD_30D: In past 30 days, smoked a bidi, even one or two puffs

[[H-14.]]In the past 30 days, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

ASK: Continuing youth respondents who are not previous wave non-responders who have smoked bidis in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview and have smoked bidis in the past 12 months, or

New baseline youth respondents who have ever seen or heard of bidis and have ever smoked bidis and have smoked bidis in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview and have ever smoked bidis and have smoked bidis in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 2 AND R07_YB1002BD_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_BIDI = 1 AND R07_YB1002BD_12M = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_YB1001BD_NB = 1 AND R07_YB1002BD_NB = 1 AND R07_YB1002BD_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_EVER_NEVER_BIDI = 2 AND R07_YB1002BD_NB = 1 AND R07_YB1002BD_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	3	0.0%
	Total	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10827	99.9%
	Total	10,827	99.9%

This variable has 7 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6110-6115 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1001NP: Ever seen or heard of nicotine pouches before this study

[[H-15.]]Have you ever seen or heard of nicotine pouches before this study?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YAV01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2744	25.3%
2	2 = No	8071	74.5%
	Total	10,815	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	0	0.0%
	Total	19	0.2%

This variable has 10,815 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6116-6121 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1002NP: Ever used nicotine pouches, even one or two times

[[H-15.]]Have you ever used nicotine pouches, even one or two times?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YAV01.]

ASK: Youth respondents who have ever seen or heard of nicotine pouches.

ASK Specification: IF R07_YA1001NP = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	105	1.0%
2	2 = No	2639	24.4%
	Total	2,744	25.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	8090	74.7%
	Total	8,090	74.7%

This variable has 2,744 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6122-6127 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1004NP: In the past 30 days, used nicotine pouches, even one or two times

[[H-15.]]In the past 30 days, have you used nicotine pouches, even one or two times?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

[If Yes (1), GO TO BOX R07_YAV01.]

ASK: Youth respondents who have ever seen or heard of nicotine pouches and have ever used nicotine pouches.

ASK Specification: IF R07_YA1001NP = 1 AND R07_YA1002NP = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.3%
2	2 = No	76	0.7%
	Total	105	1.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10729	99.0%
	Total	10,729	99.0%

This variable has 105 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6128-6133 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1002NP_12M: In the past 12 months, used nicotine pouches, even or two times

[[H-15.]]In the past 12 months, have you used nicotine pouches, even one or two times?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

ASK: Youth respondents who have ever seen or heard of nicotine pouches and have ever used nicotine pouches and have not used nicotine pouches in the past 30 days or did not know or refused to report whether they used nicotine pouches in the past 30 days.

ASK Specification: IF R07_YA1001NP = 1 AND R07_YA1002NP = 1 AND R07_YA1004NP = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4%
2	2 = No	30	0.3%
	Total	76	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10758	99.3%
	Total	10,758	99.3%

This variable has 76 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6134-6139 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_01: Nicotine pouch brand used in past 30 days: Zyn

[[H-16.]] In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Zyn

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2%
2	2 = Not Marked	5	0.0%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6140-6145 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_02: Nicotine pouch brand used in past 30 days: On!

[[H-16.]] In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

On!

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	24	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6146-6151 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_03: Nicotine pouch brand used in past 30 days: Velo

[[H-16.]] In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Velo

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	26	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6152-6157 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_04: Nicotine pouch brand used in past 30 days: Rogue

[[H-16.]]In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Rogue

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	22	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6158-6163 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_05: Nicotine pouch brand used in past 30 days: Rush

[[H-16.]]In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Rush

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	28	0.3%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6164-6169 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_06: Nicotine pouch brand used in past 30 days: NIIN

[[H-16.]]In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

NIIN

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	28	0.3%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6170-6175 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_07: Nicotine pouch brand used in past 30 days: FRE

[[H-16.]]In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

FRE

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	28	0.3%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6176-6181 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_08: Nicotine pouch brand used in past 30 days: Bidi pouches

[[H-16.]]In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Bidi pouches

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	27	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6182-6187 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9448NP_09: Nicotine pouch brand used in past 30 days: Something else

[[H-16.]] In the past 30 days, what brands of nicotine pouches did you use? Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	27	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6188-6193 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0100NP: When last used a nicotine pouch

[[H-17.]]When did you last use a nicotine pouch?

[If In the past hour (1), GO TO R07_YA0103NP. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO R07_YA1001OT.]

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1	0.0%
2	2 = Sometime today, but more than an hour ago	2	0.0%
3	3 = Yesterday	0	0.0%
4	4 = Day before yesterday	1	0.0%
5	5 = Three or more days ago	24	0.2%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6194-6199 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0102NP: Time period of day when you last used a nicotine pouch

[[H-18.]]When you last used a nicotine pouch [FILL BASED ON R07_YA0100NP], was it...

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	1	0.0%
3	3 = Between noon and 6PM	2	0.0%
4	4 = After 6PM but before midnight	0	0.0%
	Total	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6200-6205 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0103NP: Number of nicotine pouches used today/yesterday/day before yesterday

How many nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?

[If Don't know (-8) or Refused (-7), GO TO R07_YA0106NP.]

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 3.50
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00

- Standard Deviation: 4.36

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6206-6211 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YA0106NP_01: Nicotine pouch brand used today, yesterday, or the day before yesterday: Zyn

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

Zyn

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	0	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6212-6217 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_02: Nicotine pouch brand used today, yesterday, or the day before yesterday: On!

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?

Choose all that apply.

On!

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6218-6223 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_03: Nicotine pouch brand used today, yesterday, or the day before yesterday: Velo

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

Velo

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6224-6229 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_04: Nicotine pouch brand used today, yesterday, or the day before yesterday: Rogue

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

Rogue

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6230-6235 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_05: Nicotine pouch brand used today, yesterday, or the day before yesterday: Rush

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

Rush

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6236-6241 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_06: Nicotine pouch brand used today, yesterday, or the day before yesterday: NIIN

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

NIIN

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6242-6247 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_07: Nicotine pouch brand used today, yesterday, or the day before yesterday: FRE

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?

Choose all that apply.

FRE

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6248-6253 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_08: Nicotine pouch brand used today, yesterday, or the day before yesterday: Bidi pouches

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?

Choose all that apply.

Bidi pouches

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6254-6259 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106NP_09: Nicotine pouch brand used today, yesterday, or the day before yesterday: Something else

[[H-16.]]Which brand of nicotine pouches [have/did] you [used/use] [FILL BASED ON R07_YA0100NP]?
Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have ever used nicotine pouches and have used nicotine pouches in the past 30 days and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_NEVER_NICPOUCH_YOUTH = 1 AND R07_YA1004NP = 1 AND R07_YA0100NP = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6260-6265 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1001OT: Ever seen or heard of oral nicotine products before this study

The next questions are about types of oral nicotine products that you put in your mouth, other than nicotine pouches. This includes lozenges, discs, tablets, gum, toothpicks, dissolvable tobacco, and related products. Common brands include Velo Nicotine Lozenges, Verve Nicotine Discs, Rogue Nicotine Tablets, Lucy Nicotine Gum, Pixotine Nicotine Toothpicks, and Stonewall Dissolvable Tobacco.

Please do not include nicotine replacement therapy products (such as Nicorette lozenges, Nicorette gum, or NicoDerm patches) when answering the following questions.

Have you ever seen or heard of these types of oral nicotine products before this study?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YZR03.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3571	33.0%
2	2 = No	7223	66.7%
	Total	10,794	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	35	0.3%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	0	0.0%
	Total	40	0.4%

This variable has 10,794 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6266-6271 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1002OT: Ever used an oral nicotine product, even one or two times

Have you ever used an oral nicotine product, even one or two times?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YZR03.]

ASK: Youth respondents who have ever seen or heard of oral nicotine products.

ASK Specification: IF R07_YA1001OT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	93	0.9%
2	2 = No	3474	32.1%
	Total	3,567	32.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	7263	67.0%
	Total	7,267	67.1%

This variable has 3,567 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6272-6277 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1004OT: In the past 30 days, used an oral nicotine product, even one or two times

In the past 30 days, have you used an oral nicotine product, even one or two times?

[If Yes (1), GO TO R07_YA9449OT.]

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2%
2	2 = No	75	0.7%
	Total	93	0.9%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10741	99.1%
	Total	10,741	99.1%

This variable has 93 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6278-6283 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA1002OT_12M: In the past 12 months, used an oral nicotine product, even one or two times

In the past 12 months, have you used an oral nicotine product, even one or two times?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YZR03.]

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have not used oral nicotine products in the past 30 days or did not know or refused to report whether they used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3%
2	2 = No	45	0.4%
	Total	75	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10759	99.3%
	Total	10,759	99.3%

This variable has 75 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6284-6289 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_01: Type of oral nicotine product used in past 30 days: Velo nicotine lozenges

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Velo nicotine lozenges

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral

nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	16	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6290-6295 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_02: Type of oral nicotine product used in past 30 days: Rogue nicotine lozenges

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Rogue nicotine lozenges

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	15	0.1%

Value	Label	Unweighted Frequency	%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6296-6301 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_03: Type of oral nicotine product used in past 30 days: Verve nicotine discs

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Verve nicotine discs

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	16	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6302-6307 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_04: Type of oral nicotine product used in past 30 days: Rogue nicotine tablets

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Rogue nicotine tablets

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	16	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6308-6313 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_05: Type of oral nicotine product used in past 30 days: Lucy nicotine gum

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Lucy nicotine gum

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%
2	2 = Not Marked	9	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6314-6319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_06: Type of oral nicotine product used in past 30 days: Pixotine nicotine toothpicks

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Pixotine nicotine toothpicks

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	13	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6320-6325 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_07: Type of oral nicotine product used in past 30 days: Stonewall dissolvable tobacco

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Stonewall dissolvable tobacco

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	16	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6326-6331 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA9449OT_08: Type of oral nicotine product used in past 30 days: Something else

[[H-19.]]In the past 30 days, what types of oral nicotine products did you use? Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	11	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6332-6337 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0100OT: When last used an oral nicotine product

[[H-17.]]When did you last use an oral nicotine product?

[If In the past hour (1), GO TO R07_YA0106OT. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YZR03.]

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	2	0.0%
4	4 = Day before yesterday	2	0.0%
5	5 = Three or more days ago	13	0.1%
	Total	17	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,817	99.8%

This variable has 17 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6338-6343 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0102OT: Time period of day when you last used an oral nicotine product

[[H-18.]]When you last used an oral nicotine product [FILL BASED ON R07_YA0100OT], was it...

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	1	0.0%
4	4 = After 6PM but before midnight	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6344-6349 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_01: Type of oral nicotine product used today, yesterday, or the day before yesterday: Velo nicotine lozenges

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?
Choose all that apply.

Velo nicotine lozenges

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6350-6355 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_02: Type of oral nicotine product used today, yesterday, or the day before yesterday: Rogue nicotine lozenges

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?
Choose all that apply.

Rogue nicotine lozenges

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6356-6361 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_03: Type of oral nicotine product used today, yesterday, or the day before yesterday: Verve nicotine discs

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?

Choose all that apply.

Verve nicotine discs

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6362-6367 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_04: Type of oral nicotine product used today, yesterday, or the day before yesterday: Rogue nicotine tablets

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?

Choose all that apply.

Rogue nicotine tablets

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6368-6373 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_05: Type of oral nicotine product used today, yesterday, or the day before yesterday: Lucy nicotine gum

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?

Choose all that apply.

Lucy nicotine gum

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6374-6379 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_06: Type of oral nicotine product used today, yesterday, or the day before yesterday: Pixotine nicotine toothpicks

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?

Choose all that apply.

Pixotine nicotine toothpicks

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6380-6385 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_07: Type of oral nicotine product used today, yesterday, or the day before yesterday: Stonewall dissolvable tobacco

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?
Choose all that apply.

Stonewall dissolvable tobacco

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6386-6391 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YA0106OT_08: Type of oral nicotine product used today, yesterday, or the day before yesterday: Something else

[[H-19.]]Which types of oral nicotine product [have/did] you [used/use] [FILL BASED ON R07_YA0100OT]?
Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_YA1001OT = 1 AND R07_YA1002OT = 1 AND R07_YA1004OT = 1 AND R07_YA0100OT = 1, 2, 3, 4.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	2	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6392-6397 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco, IQOS, bidis, nicotine pouches, [and]other types of oral nicotine products[LIST ALL ACTIVE HEATED TOBACCO BRANDS].

Besides these products, have you ever used any other tobacco or nicotine products? Please do not include nicotine replacement therapy products (such as Nicorette lozenges, Nicorette gum, or NicoDerm patches) when answering.

ASK: All youth respondents.

[PROGRAM NOTE: If other heated tobacco brand questions are activated in the instruments, then list the available brands after other types of oral nicotine products. Include all other heated tobacco brands that have become active. Separate with commas with ", and" preceding the last brand for English. Separate with commas with "y" preceding the last brand for Spanish.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3%
2	2 = No	10766	99.4%
	Total	10,799	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6398-6403 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YY0600: First tobacco product ever tried was flavored

Some tobacco products come in flavors like menthol, mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets.

In thinking of the first tobacco product you ever tried, was it flavored?

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R07_EVER_USE_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	947	8.7%
2	2 = No	912	8.4%
	Total	1,859	17.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	51	0.5%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	8913	82.3%
	Total	8,975	82.8%

This variable has 1,859 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6404-6409 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YY0601: First type of tobacco you tried

You mentioned that you started using [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST

AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

ASK: New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, bidis, nicotine pouches, or other types of oral nicotine products, or Continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products since their last completed interview, not including pipe tobacco, bidis, nicotine pouches, or other types of oral nicotine products, or Continuing youth respondents who had never used any tobacco products as of their last completed interview and have ever used IQOS and initiated use of one or more tobacco products since their last completed interview, not including pipe tobacco, bidis, nicotine pouches, or other types of oral nicotine products.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_CIGS != 1 AND R07_EVER_NEVER_EPRODS != 1 AND R07_EVER_NEVER_GTRAD != 1 AND R07_EVER_NEVER_GRILLO != 1 AND R07_EVER_NEVER_GFILTR != 1 AND R07_EVER_NEVER_PIPE != 1 AND R07_EVER_NEVER_HOOK != 1 AND R07_EVER_NEVER_SNUS != 1 AND R07_EVER_NEVER_SMKLS != 1 AND R07_EVER_NEVER_BIDI != 1 AND R07_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO) OR (R07_YOUTHTYPE = 1 AND R07_EVER_NEVER_CIGS != 1 AND R07_EVER_NEVER_EPRODS != 1 AND R07_EVER_NEVER_GTRAD != 1 AND R07_EVER_NEVER_GRILLO != 1 AND R07_EVER_NEVER_GFILTR != 1 AND R07_EVER_NEVER_PIPE != 1 AND R07_EVER_NEVER_HOOK != 1 AND R07_EVER_NEVER_SNUS != 1 AND R07_EVER_NEVER_SMKLS != 1 AND R07_EVER_NEVER_BIDI != 1 AND R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_INIT_[PRODUCT]_YOUTH = 1 FOR 1 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO).

[PROGRAM NOTE: Make response options a dynamic list with fills based on the products that were used at MIN VALID AGE or initiated. Always include the unspecified other.]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes	58	0.5%
2	2 = E-cigarettes or other electronic nicotine products	133	1.2%
3	3 = Traditional cigars	0	0.0%
4	4 = Cigarillos	3	0.0%
5	5 = Filtered cigars	1	0.0%
7	7 = Shisha or hookah tobacco	5	0.0%
8	8 = Smokeless tobacco (such as moist snuff, dip, spit, or chew)	10	0.1%
9	9 = Snus	3	0.0%
14	14 = Other	4	0.0%
15	15 = IQOS	0	0.0%
	Total	217	2.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10612	98.0%
	Total	10,617	98.0%

This variable has 217 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6410-6415 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0703E: Time to wanting to use first electronic nicotine product after waking

[[I-1.]]How soon after you wake up do you want to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	128	1.2%
2	2 = From 6 to 30 minutes	93	0.9%
3	3 = From more than 30 minutes to 1 hour	74	0.7%
4	4 = After more than 1 hour but less than 24 hours	115	1.1%
5	5 = Rarely want to use electronic nicotine products	836	7.7%
	Total	1,246	11.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,588	88.5%

This variable has 1,246 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6416-6421 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0704E: Ever have strong cravings to use electronic nicotine products

Do you ever have strong cravings to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	287	2.6%
2	2 = No	997	9.2%
	Total	1,284	11.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,550	88.1%

This variable has 1,284 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6422-6427 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0705E: Ever felt like you really needed to use electronic nicotine products

Have you ever felt like you really needed to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	300	2.8%
2	2 = No	984	9.1%
	Total	1,284	11.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,550	88.1%

This variable has 1,284 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6428-6433 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0055E: Level of agreement: I find myself reaching for electronic nicotine products without thinking about it

[[I-2.]]Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	792	7.3%
2	2 = 2 on a scale of 1 to 5	200	1.8%
3	3 = 3 on a scale of 1 to 5	117	1.1%
4	4 = 4 on a scale of 1 to 5	77	0.7%
5	5 = Extremely true of me	93	0.9%
	Total	1,279	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	9548	88.1%

Value	Missing Data	Unweighted Frequency	%
	Total	9,555	88.2%

This variable has 1,279 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6434-6439 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0025E_RANDOM_01: YN0025E series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025E - R07_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	9548	88.1%
R07_YN0025E	-	248	2.3%
R07_YN0045E	-	255	2.4%
R07_YN0055E	-	10	0.1%
R07_YN0070E	-	225	2.1%
R07_YN0075E	-	300	2.8%
R07_YN0080E	-	248	2.3%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6440-6450 (width: 11; decimal: 0)

Variable Type: character

R07_YN0025E_RANDOM_02: YN0025E series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025E - R07_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	9548	88.1%
R07_YN0025E	-	259	2.4%
R07_YN0045E	-	272	2.5%
R07_YN0055E	-	11	0.1%
R07_YN0070E	-	272	2.5%
R07_YN0075E	-	238	2.2%
R07_YN0080E	-	234	2.2%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6451-6461 (width: 11; decimal: 0)

Variable Type: character

R07_YN0025E_RANDOM_03: YN0025E series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025E - R07_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	9548	88.1%
R07_YN0025E	-	260	2.4%
R07_YN0045E	-	248	2.3%
R07_YN0055E	-	12	0.1%
R07_YN0070E	-	273	2.5%
R07_YN0075E	-	239	2.2%
R07_YN0080E	-	254	2.3%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6462-6472 (width: 11; decimal: 0)

Variable Type: character

R07_YN0025E_RANDOM_04: YN0025E series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025E - R07_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	9548	88.1%
R07_YN0025E	-	268	2.5%
R07_YN0045E	-	231	2.1%
R07_YN0055E	-	11	0.1%
R07_YN0070E	-	235	2.2%
R07_YN0075E	-	266	2.5%
R07_YN0080E	-	275	2.5%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6473-6483 (width: 11; decimal: 0)

Variable Type: character

R07_YN0025E_RANDOM_05: YN0025E series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025E - R07_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	9548	88.1%
R07_YN0025E	-	251	2.3%
R07_YN0045E	-	280	2.6%
R07_YN0055E	-	11	0.1%
R07_YN0070E	-	281	2.6%
R07_YN0075E	-	243	2.2%
R07_YN0080E	-	220	2.0%

Value	Label	Unweighted Frequency	%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6484-6494 (width: 11; decimal: 0)

Variable Type: character

R07_YN0025E: Level of agreement: Frequently crave electronic nicotine products

I frequently crave electronic nicotine products.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	881	8.1%
2	2 = 2 on a scale of 1 to 5	175	1.6%
3	3 = 3 on a scale of 1 to 5	89	0.8%
4	4 = 4 on a scale of 1 to 5	75	0.7%
5	5 = Extremely true of me	61	0.6%
	Total	1,281	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,553	88.2%

This variable has 1,281 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6495-6500 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0045E: Level of agreement: My electronic nicotine product use is out of control

My electronic nicotine product use is out of control.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1009	9.3%
2	2 = 2 on a scale of 1 to 5	123	1.1%
3	3 = 3 on a scale of 1 to 5	89	0.8%
4	4 = 4 on a scale of 1 to 5	33	0.3%
5	5 = Extremely true of me	26	0.2%
	Total	1,280	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,554	88.2%

This variable has 1,280 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6501-6506 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0070E: Level of agreement: Using electronic nicotine products helps me feel better if I've been feeling down

Using electronic nicotine products really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	763	7.0%
2	2 = 2 on a scale of 1 to 5	172	1.6%
3	3 = 3 on a scale of 1 to 5	147	1.4%

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	125	1.2%
5	5 = Extremely true of me	73	0.7%
	Total	1,280	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,554	88.2%

This variable has 1,280 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6507-6512 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0075E: Level of agreement: Using electronic nicotine products helps me think better

Using electronic nicotine products helps me think better.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	896	8.3%
2	2 = 2 on a scale of 1 to 5	146	1.3%
3	3 = 3 on a scale of 1 to 5	109	1.0%
4	4 = 4 on a scale of 1 to 5	79	0.7%
5	5 = Extremely true of me	50	0.5%
	Total	1,280	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,554	88.2%

This variable has 1,280 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6513-6518 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0080E: Level of agreement: I would feel alone without my electronic nicotine products

I would feel alone without my electronic nicotine products.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1098	10.1%
2	2 = 2 on a scale of 1 to 5	75	0.7%
3	3 = 3 on a scale of 1 to 5	49	0.5%
4	4 = 4 on a scale of 1 to 5	35	0.3%
5	5 = Extremely true of me	24	0.2%
	Total	1,281	11.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9548	88.1%
	Total	9,553	88.2%

This variable has 1,281 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6519-6524 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0060E: Level of agreement: I usually want to use electronic nicotine products after waking up

I usually want to use electronic nicotine products right after I wake up.

ASK: Youth respondents who are past 12 month ENP users and did not report that they rarely want to use ENPs after waking up.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3 AND R07_YN0703E = 1, 2, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	169	1.6%
2	2 = 2 on a scale of 1 to 5	77	0.7%
3	3 = 3 on a scale of 1 to 5	70	0.6%
4	4 = 4 on a scale of 1 to 5	57	0.5%
5	5 = Extremely true of me	74	0.7%
	Total	447	4.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10384	95.8%
	Total	10,387	95.9%

This variable has 447 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6525-6530 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0126E: In past 12 months, tried to completely stop using electronic nicotine products

Have you tried to completely stop using electronic nicotine products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YN0127E.]

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3 AND R07_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	291	2.7%
2	2 = No	286	2.6%
	Total	577	5.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10254	94.6%
	Total	10,257	94.7%

This variable has 577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6531-6536 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0120E: In past 12 months, stopped using electronic nicotine products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users and have tried to completely stop using ENPs within the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3 AND R07_PAST30DAY_EPRODS_LEVEL = 2 AND R07_YN0126E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	2.3%
2	2 = No	38	0.4%
	Total	288	2.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10543	97.3%
	Total	10,546	97.3%

This variable has 288 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6537-6542 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0505E: In past 12 months, used an app on a tablet computer or smartphone to help you quit using e-cigarettes or other electronic nicotine products

In the past 12 months, have you used an app on a tablet computer or smartphone to help you quit using e-cigarettes, or other electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users and have tried to completely stop using ENPs within the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3 AND R07_PAST30DAY_EPRODS_LEVEL = 2 AND R07_YN0126E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.4%
2	2 = No	246	2.3%
	Total	288	2.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10543	97.3%
	Total	10,546	97.3%

This variable has 288 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6543-6548 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0127E: Seriously thinking about quitting electronic nicotine products

[[I-3.]]Are you seriously thinking about quitting electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 2, 3 AND R07_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	171	1.6%
2	2 = Yes, within the next 6 months	58	0.5%
3	3 = Yes, within the year	70	0.6%
4	4 = Yes, but not within the year	80	0.7%
5	5 = No, I am not seriously thinking about quitting	185	1.7%
	Total	564	5.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10254	94.6%
	Total	10,270	94.8%

This variable has 564 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6549-6554 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0703: Time to wanting to use first tobacco product after waking

[[I-4.]]How soon after you wake up do you want to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	14	0.1%

Value	Label	Unweighted Frequency	%
2	2 = From 6 to 30 minutes	19	0.2%
3	3 = From more than 30 minutes to 1 hour	16	0.1%
4	4 = After more than 1 hour but less than 24 hours	28	0.3%
5	5 = Rarely want to use tobacco	433	4.0%
	Total	510	4.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,324	95.3%

This variable has 510 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6555-6560 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0704: Ever have strong cravings to use tobacco

Do you ever have strong cravings to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.5%
2	2 = No	466	4.3%
	Total	518	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,316	95.2%

This variable has 518 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6561-6566 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0705: Ever felt like you really needed to use tobacco

Have you ever felt like you really needed to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4%
2	2 = No	473	4.4%
	Total	519	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,315	95.2%

This variable has 519 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6567-6572 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0055: Level of agreement: Find myself reaching for a tobacco product without thinking about it

[[I-2.]] Please rate your level of agreement for each statement using the following scale: 1= not true of me

at all to 5=extremely true of me.

I find myself reaching for a tobacco product without thinking about it.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	432	4.0%
2	2 = 2 on a scale of 1 to 5	37	0.3%
3	3 = 3 on a scale of 1 to 5	22	0.2%
4	4 = 4 on a scale of 1 to 5	13	0.1%
5	5 = Extremely true of me	12	0.1%
	Total	516	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,318	95.2%

This variable has 516 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6573-6578 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0025_RANDOM_01: YN0025 series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025 - R07_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10314	95.2%

Value	Label	Unweighted Frequency	%
R07_YN0025	-	105	1.0%
R07_YN0045	-	94	0.9%
R07_YN0055	-	1	0.0%
R07_YN0070	-	121	1.1%
R07_YN0075	-	108	1.0%
R07_YN0080	-	91	0.8%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6579-6588 (width: 10; decimal: 0)

Variable Type: character

R07_YN0025_RANDOM_02: YN0025 series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025 - R07_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10314	95.2%
R07_YN0025	-	96	0.9%
R07_YN0045	-	113	1.0%
R07_YN0055	-	2	0.0%
R07_YN0070	-	104	1.0%
R07_YN0075	-	127	1.2%
R07_YN0080	-	78	0.7%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6589-6598 (width: 10; decimal: 0)

Variable Type: character

R07_YN0025_RANDOM_03: YN0025 series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025 - R07_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10314	95.2%
R07_YN0025	-	104	1.0%
R07_YN0045	-	110	1.0%
R07_YN0055	-	5	0.0%
R07_YN0070	-	84	0.8%
R07_YN0075	-	101	0.9%
R07_YN0080	-	116	1.1%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6599-6608 (width: 10; decimal: 0)

Variable Type: character

R07_YN0025_RANDOM_04: YN0025 series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025 - R07_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10314	95.2%
R07_YN0025	-	108	1.0%
R07_YN0045	-	94	0.9%
R07_YN0055	-	6	0.1%
R07_YN0070	-	104	1.0%
R07_YN0075	-	104	1.0%
R07_YN0080	-	104	1.0%
	Total	10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6609-6618 (width: 10; decimal: 0)

Variable Type: character

R07_YN0025_RANDOM_05: YN0025 series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R07_YN0025 - R07_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R07_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10314	95.2%
R07_YN0025	-	107	1.0%
R07_YN0045	-	109	1.0%
R07_YN0055	-	2	0.0%
R07_YN0070	-	107	1.0%
R07_YN0075	-	80	0.7%
R07_YN0080	-	115	1.1%
Total		10,834	100.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6619-6628 (width: 10; decimal: 0)

Variable Type: character

R07_YN0025: Level of agreement: Frequently crave tobacco

I frequently crave tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	434	4.0%
2	2 = 2 on a scale of 1 to 5	34	0.3%

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 5	25	0.2%
4	4 = 4 on a scale of 1 to 5	11	0.1%
5	5 = Extremely true of me	10	0.1%
	Total	514	4.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,320	95.3%

This variable has 514 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6629-6634 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0045: Level of agreement: My tobacco use is out of control

My tobacco use is out of control.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	459	4.2%
2	2 = 2 on a scale of 1 to 5	31	0.3%
3	3 = 3 on a scale of 1 to 5	11	0.1%
4	4 = 4 on a scale of 1 to 5	6	0.1%
5	5 = Extremely true of me	9	0.1%
	Total	516	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,318	95.2%

This variable has 516 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6635-6640 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0070: Level of agreement: Using tobacco helps me feel better if feeling down

Using tobacco really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	405	3.7%
2	2 = 2 on a scale of 1 to 5	38	0.4%
3	3 = 3 on a scale of 1 to 5	34	0.3%
4	4 = 4 on a scale of 1 to 5	18	0.2%
5	5 = Extremely true of me	21	0.2%
	Total	516	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,318	95.2%

This variable has 516 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6641-6646 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0075: Level of agreement: Using tobacco helps me think better

Using tobacco helps me think better.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	433	4.0%
2	2 = 2 on a scale of 1 to 5	26	0.2%
3	3 = 3 on a scale of 1 to 5	31	0.3%
4	4 = 4 on a scale of 1 to 5	12	0.1%
5	5 = Extremely true of me	15	0.1%
	Total	517	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,317	95.2%

This variable has 517 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6647-6652 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0080: Level of agreement: Would feel alone without my tobacco

I would feel alone without my tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	471	4.3%

Value	Label	Unweighted Frequency	%
2	2 = 2 on a scale of 1 to 5	24	0.2%
3	3 = 3 on a scale of 1 to 5	11	0.1%
4	4 = 4 on a scale of 1 to 5	4	0.0%
5	5 = Extremely true of me	7	0.1%
	Total	517	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10314	95.2%
	Total	10,317	95.2%

This variable has 517 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6653-6658 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0060: Level of agreement: Usually want to use tobacco after waking up

I usually want to use tobacco right after I wake up.

ASK: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 3 AND R07_YN0703 = 1, 2, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	44	0.4%
2	2 = 2 on a scale of 1 to 5	15	0.1%
3	3 = 3 on a scale of 1 to 5	12	0.1%
4	4 = 4 on a scale of 1 to 5	5	0.0%
5	5 = Extremely true of me	9	0.1%
	Total	85	0.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10747	99.2%
	Total	10,749	99.2%

This variable has 85 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6659-6664 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0126: In past 12 months, tried to completely stop use of all tobacco products

Have you tried to completely stop using all tobacco products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YN0128.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2%
2	2 = No	22	0.2%
	Total	48	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10786	99.6%

Value	Missing Data	Unweighted Frequency	%
	Total	10,786	99.6%

This variable has 48 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6665-6670 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0120: In past 12 months, stopped using all tobacco products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2%
2	2 = No	5	0.0%
	Total	26	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10808	99.8%
	Total	10,808	99.8%

This variable has 26 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6671-6676 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0505: In past 12 months, used an app on a tablet or smartphone to help you quit using tobacco products

In the past 12 months, have you used an app on a tablet computer or smartphone to help you quit using tobacco products?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO R07_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	23	0.2%
	Total	26	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10808	99.8%
	Total	10,808	99.8%

This variable has 26 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6677-6682 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0128: In past 12 months, tried to completely stop using any tobacco product

In the past 12 months, have you tried to completely stop using ANY tobacco product?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	19	0.2%
	Total	22	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10812	99.8%
	Total	10,812	99.8%

This variable has 22 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6683-6688 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_01: In past 12 months, tried to completely stop using: Cigarettes

[[I-5.]] Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did

not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6689-6694 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_02: In past 12 months, tried to completely stop using: E-cigarettes or other electronic nicotine products

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR

R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6695-6700 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_03: In past 12 months, tried to completely stop using: Traditional cigars

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6701-6706 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_04: In past 12 months, tried to completely stop using: Cigarillos

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTER_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	1	0.0%

Value	Label	Unweighted Frequency	%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6707-6712 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_05: In past 12 months, tried to completely stop using: Filtered cigars

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6713-6718 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_06: In past 12 months, tried to completely stop using: Pipes

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6719-6724 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_07: In past 12 months, tried to completely stop using: Shisha or hookah tobacco

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Shisha or hookah tobacco

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6725-6730 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_08: In past 12 months, tried to completely stop using: Snus

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6731-6736 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_09: In past 12 months, tried to completely stop using: Smokeless tobacco (other than snus)

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6737-6742 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_14: In past 12 months, tried to completely stop using: IQOS

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

IQOS

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6743-6748 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_11: In past 12 months, tried to completely stop using: Bidis

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional

cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6749-6754 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0129_13: In past 12 months, tried to completely stop using: Other

[[I-5.]]Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Other (SPECIFY)

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1) AND R07_YN0126 = 2, -8, -7 AND R07_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10831	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6755-6760 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0127: Seriously thinking about quitting cigarettes/all tobacco products

[[I-3.]]Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day IQOS users or past 30 day bidi smokers, or youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS_LEVEL = 2 OR R07_PAST30DAY_GTRAD_LEVEL = 2 OR R07_PAST30DAY_GRILLO_LEVEL = 2 OR R07_PAST30DAY_GFILTR_LEVEL = 2 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SMKLS_LEVEL = 2 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_SNUS_LEVEL = 2 OR R07_PAST30DAY_BIDI = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	25	0.2%

Value	Label	Unweighted Frequency	%
2	2 = Yes, within the next 6 months	8	0.1%
3	3 = Yes, within the year	8	0.1%
4	4 = Yes, but not within the year	18	0.2%
5	5 = No, I am not seriously thinking about quitting	36	0.3%
	Total	95	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10737	99.1%
	Total	10,739	99.1%

This variable has 95 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6761-6766 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1210: Wants to completely stop smoking cigarettes

Do you want to completely stop smoking cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3%
2	2 = No	26	0.2%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6767-6772 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1215: In past 12 months, tried to completely stop smoking cigarettes

In the past 12 months, have you tried to completely stop smoking cigarettes?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YC1230.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND R07_YN0126 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2%
2	2 = No	34	0.3%
	Total	54	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10780	99.5%
	Total	10,780	99.5%

This variable has 54 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6773-6778 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1220: In past 12 months, number of times you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND (R07_YN0126 = 1 OR (R07_YN0126 != 1 AND R07_YC1215 = 1)).

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 5.41
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 7.56

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,805	99.7%

This variable has 29 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6779-6784 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YC1225: How long stayed off cigarettes when last tried to quit for good

[[I-6.]] When you last tried to quit for good, how long did you stay off cigarettes? Please choose the first answer that fits.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2 AND (R07_YN0126 = 1 OR (R07_YN0126 != 1 AND R07_YC1215 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Less than one day	2	0.0%
2	2 = 1 to 7 days	9	0.1%
3	3 = More than 7 days but less than 30 days	4	0.0%
4	4 = More than 30 days but less than 6 months	9	0.1%
5	5 = More than 6 months but less than 1 year	1	0.0%
6	6 = 1 year or more	3	0.0%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10805	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6785-6790 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1230: Likeliness you would succeed if decided to quit cigarettes for good

If you decided to quit cigarettes for good, how likely is it that you would succeed?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R07_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	30	0.3%
2	2 = Somewhat likely	18	0.2%
3	3 = Somewhat unlikely	11	0.1%
4	4 = Very unlikely	4	0.0%
	Total	63	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10771	99.4%
	Total	10,771	99.4%

This variable has 63 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6791-6796 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0330_12M: Used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YN0331_12M.]

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5%
2	2 = No	1320	12.2%
	Total	1,378	12.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9452	87.2%
	Total	9,456	87.3%

This variable has 1,378 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6797-6802 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1%
2	2 = Not Marked	42	0.4%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6803-6808 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.3%
2	2 = Not Marked	20	0.2%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6809-6814 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2%
2	2 = Not Marked	32	0.3%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6815-6820 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	51	0.5%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6821-6826 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	48	0.4%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6827-6832 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0347: When last removed a nicotine patch (past year tobacco users)

[[I-7.]]When you last used a nicotine patch, when did you remove it?

[If I am currently wearing a nicotine patch (1), In the past hour (2), or Day before yesterday (5), GO TO R07_YN0349. If Three or more days ago (6), Don't know (-8), or Refused (-7), GO TO BOX R07_YNR07.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND R07_YN0161_01

= 1.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	1	0.0%
2	2 = In the past hour	1	0.0%
3	3 = Sometime today, but more than an hour ago	0	0.0%
4	4 = Yesterday	0	0.0%
5	5 = Day before yesterday	0	0.0%
6	6 = Three or more days ago	8	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10824	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6833-6838 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0348: Number of hours since you removed a nicotine patch (past year tobacco users)

How many hours has it been since you removed a nicotine patch?

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND R07_YN0161_01 = 1 AND R07_YN0347 = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	0	0.0%
2	2 = 5 to 11 hours	0	0.0%
3	3 = More than 12 hours	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6839-6844 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0349: Strength of nicotine patch last used (past year tobacco users)

When you last used a nicotine patch [FILL BASED ON R07_YN0347], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND R07_YN0161_01 = 1 AND R07_YN0347 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	0	0.0%
2	2 = 14 mg (Step 2)	1	0.0%
3	3 = 7 mg (Step 3)	0	0.0%
4	4 = Some other strength	0	0.0%
5	5 = I don't know	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6845-6850 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0357: When last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

[[I-8.]]When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If In the past hour (1), GO TO R07_YN0359. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO R07_YN0336.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND R07_YN0161_[02/03/04/05] = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1	0.0%
2	2 = Sometime today, but more than an hour ago	0	0.0%
3	3 = Yesterday	0	0.0%
4	4 = Day before yesterday	1	0.0%
5	5 = Three or more days ago	40	0.4%
	Total	42	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10785	99.5%
	Total	10,792	99.6%

This variable has 42 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6851-6856 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0358: Time period of day when you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

[[I-9.]]When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL
BASED ON R07_YN0357], was it...

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past
12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12
months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND
R07_YN0161_[02/03/04/05] = 1 AND R07_YN0357 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	0	0.0%
4	4 = After 6PM but before midnight	1	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6857-6862 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0359: Number of nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenges last used (past year tobacco users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON
R07_YN0357], how many did you use?

[If Don't know (-8) or Refused (-7), GO TO R07_YN0336.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1 AND R07_YN0161_[02/03/04/05] = 1 AND R07_YN0357 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 3.00
- Median: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 2.83

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6863-6868 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YN0336: Main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

What was the main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge?

ASK: Youth respondents who are past year tobacco users and have used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = To stop using (tobacco/electronic nicotine products) completely	17	0.2%

Value	Label	Unweighted Frequency	%
2	2 = To reduce the amount of (tobacco/electronic nicotine products) you use	4	0.0%
3	3 = To cope with times when you could not or were not allowed to use (tobacco/electronic nicotine products)	15	0.1%
4	4 = Some other reason	16	0.1%
	Total	52	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10776	99.5%
	Total	10,782	99.5%

This variable has 52 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6869-6874 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0331_12M: Used prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or Bupropion in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YRT01.]

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4%
2	2 = No	1328	12.3%
	Total	1,375	12.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9452	87.2%
	Total	9,459	87.3%

This variable has 1,375 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6875-6880 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0327: When did you last use Chantix, varenicline, Wellbutrin, Zyban or Bupropion (past 12 month tobacco users)

[[I-8.]]When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), GO TO R07_YN0329. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YRT01.]

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0331_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0%
2	2 = Sometime today, but more than an hour ago	13	0.1%
3	3 = Yesterday	6	0.1%
4	4 = Day before yesterday	3	0.0%
5	5 = Three or more days ago	22	0.2%
	Total	47	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10787	99.6%

Value	Missing Data	Unweighted Frequency	%
	Total	10,787	99.6%

This variable has 47 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6881-6886 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0328: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or Bupropion (past 12 month tobacco users)

[[I-9.]]When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R07_YN0327], was it...

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0331_12M = 1 AND R07_YN0327 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0%
2	2 = After 6AM but before noon	13	0.1%
3	3 = Between noon and 6PM	5	0.0%
4	4 = After 6PM but before midnight	2	0.0%
	Total	22	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10812	99.8%
	Total	10,812	99.8%

This variable has 22 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6887-6892 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0329: Number of Chantix, varenicline, Wellbutrin, Zyban or Bupropion taken today/yesterday/the day before yesterday (past 12 month tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R07_YN0327], how many did you take?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YRT01.]

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3 AND R07_YN0331_12M = 1 AND R07_YN0327 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 1.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.78

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6893-6898 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YR0005: In past 30 days, how often noticed health warnings on cigarette packages

[[J-1.]] In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	5383	49.7%
2	2 = Rarely	1639	15.1%
3	3 = Sometimes	1697	15.7%
4	4 = Often	1002	9.2%
5	5 = Very often	838	7.7%
	Total	10,559	97.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	259	2.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	275	2.5%

This variable has 10,559 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6899-6904 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0259: In past 30 days, how often talked to anyone about the warning labels on cigarette packs

[[J-1.]] In the past 30 days, how often, if at all, have you talked to anyone about the warning labels on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8431	77.8%
2	2 = Rarely	1290	11.9%
3	3 = Sometimes	596	5.5%
4	4 = Often	227	2.1%
5	5 = Very often	212	2.0%
	Total	10,756	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	66	0.6%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	78	0.7%

This variable has 10,756 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6905-6910 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0202: How often read or looked closely at the health warnings on cigarette packages in past 30 days

[[J-1.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	186	1.7%
2	2 = Rarely	110	1.0%
3	3 = Sometimes	97	0.9%
4	4 = Often	39	0.4%
5	5 = Very often	34	0.3%
	Total	466	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10368	95.7%
	Total	10,368	95.7%

This variable has 466 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6911-6916 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0015: Tried to avoid looking at or thinking about the health warnings on cigarette packs in past 30 days

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.5%
2	2 = No	410	3.8%
	Total	461	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10368	95.7%
	Total	10,373	95.7%

This variable has 461 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6917-6922 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0025: Believability of health warnings on cigarette packs

[[J-2.]]How believable do you consider the health warnings on cigarette packs to be?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	10	0.1%
2	2 = A little believable	29	0.3%
3	3 = Somewhat believable	101	0.9%
4	4 = Very believable	166	1.5%
5	5 = Extremely believable	156	1.4%
	Total	462	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10368	95.7%
	Total	10,372	95.7%

This variable has 462 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6923-6928 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

[[J-3.]]To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	53	0.5%
2	2 = A little	104	1.0%
3	3 = Somewhat	150	1.4%

Value	Label	Unweighted Frequency	%
4	4 = A lot	155	1.4%
	Total	462	4.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10368	95.7%
	Total	10,372	95.7%

This variable has 462 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6929-6934 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

[[J-4.]] In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6627	61.2%
2	2 = Rarely	1613	14.9%
3	3 = Sometimes	1203	11.1%
4	4 = Often	678	6.3%
5	5 = Very often	560	5.2%
	Total	10,681	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	140	1.3%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	153	1.4%

This variable has 10,681 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6935-6940 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0222: In past 30 days, how often you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

[[J-4.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	299	2.8%
2	2 = Rarely	312	2.9%
3	3 = Sometimes	206	1.9%
4	4 = Often	83	0.8%
5	5 = Very often	75	0.7%
	Total	975	9.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,859	91.0%

This variable has 975 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6941-6946 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0223: In past 30 days, how often health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it

[[J-4.]]In the past 30 days, how often, if at all, have the health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	433	4.0%
2	2 = Rarely	169	1.6%
3	3 = Sometimes	124	1.1%
4	4 = Often	83	0.8%
5	5 = Very often	142	1.3%
	Total	951	8.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,883	91.2%

This variable has 951 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6947-6952 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0224: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	1.1%
2	2 = No	847	7.8%
	Total	969	8.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,865	91.1%

This variable has 969 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6953-6958 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0263: Believability of health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products

[[J-5.]]How believable do you consider the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products to be?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	20	0.2%
2	2 = A little believable	80	0.7%
3	3 = Somewhat believable	241	2.2%
4	4 = Very believable	368	3.4%

Value	Label	Unweighted Frequency	%
5	5 = Extremely believable	265	2.4%
	Total	974	9.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,860	91.0%

This variable has 974 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6959-6964 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0226: Extent to which health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them

[[J-6.]] To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you think about the health risks of using them?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	123	1.1%
2	2 = A little	229	2.1%
3	3 = Somewhat	346	3.2%
4	4 = A lot	272	2.5%
	Total	970	9.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,864	91.0%

This variable has 970 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6965-6970 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0227: Extent to which the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you never want to use them again

[[J-6.]]To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you never want to use them again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), GO TO R07_YR0115.]

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	241	2.2%
2	2 = A little	218	2.0%
3	3 = Somewhat	273	2.5%
4	4 = A lot	236	2.2%
	Total	968	8.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9856	91.0%
	Total	9,866	91.1%

This variable has 968 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6971-6976 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0228: Extent to which the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them

[[J-6.]]To what extent, if at all, have the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them?

ASK: Youth respondents who have never used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 2 AND R07_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	633	5.8%
2	2 = A little	307	2.8%
3	3 = Somewhat	595	5.5%
4	4 = A lot	1480	13.7%
	Total	3,015	27.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	7758	71.6%
	Total	7,819	72.2%

This variable has 3,015 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6977-6982 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

[[J-7.]]In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8654	79.9%
2	2 = Rarely	934	8.6%
3	3 = Sometimes	512	4.7%
4	4 = Often	254	2.3%
5	5 = Very often	296	2.7%
	Total	10,650	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	163	1.5%
-7	-7 = Refused	21	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	184	1.7%

This variable has 10,650 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6983-6988 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0229: In past 30 days, how often you read or looked closely at the health warnings on packages of traditional cigars

[[J-7.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	6	0.1%
2	2 = Rarely	6	0.1%
3	3 = Sometimes	6	0.1%

Value	Label	Unweighted Frequency	%
4	4 = Often	2	0.0%
5	5 = Very often	7	0.1%
	Total	27	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,807	99.8%

This variable has 27 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6989-6994 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0264: In past 30 days, how often health warnings stopped you from having a traditional cigar when you were about to smoke one

[[J-7.]]In the past 30 days, how often, if at all, have the health warnings stopped you from having a traditional cigar when you were about to smoke one?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	8	0.1%
2	2 = Rarely	3	0.0%
3	3 = Sometimes	6	0.1%
4	4 = Often	6	0.1%
5	5 = Very often	5	0.0%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 6995-7000 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0231: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of traditional cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of traditional cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0%
2	2 = No	22	0.2%
	Total	27	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,807	99.8%

This variable has 27 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7001-7006 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0232: Believability of health warnings on packages of traditional cigars

[[J-8.]]How believable do you consider the health warnings on packages of traditional cigars to be?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	0	0.0%
2	2 = A little believable	1	0.0%
3	3 = Somewhat believable	7	0.1%
4	4 = Very believable	10	0.1%
5	5 = Extremely believable	9	0.1%
	Total	27	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,807	99.8%

This variable has 27 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7007-7012 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0233: Extent to which health warnings on packages of traditional cigars make you think about the health risks of smoking

[[J-9.]]To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	2	0.0%
2	2 = A little	1	0.0%
3	3 = Somewhat	11	0.1%
4	4 = A lot	14	0.1%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7013-7018 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0234: Extent to which the health warnings on packages of traditional cigars make you never want to smoke again

[[J-9.]]To what extent, if at all, do the health warnings on packages of traditional cigars make you never want to smoke again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), GO TO R07_YR0120.]

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 1 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	6	0.1%
2	2 = A little	2	0.0%
3	3 = Somewhat	10	0.1%
4	4 = A lot	10	0.1%

Value	Label	Unweighted Frequency	%
	Total	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,806	99.7%

This variable has 28 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7019-7024 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0235: Extent to which the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars

[[J-9.]]To what extent, if at all, have the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars?

ASK: Youth respondents who have never smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GTRAD_YOUTH = 2 AND R07_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	390	3.6%
2	2 = A little	180	1.7%
3	3 = Somewhat	362	3.3%
4	4 = A lot	1002	9.2%
	Total	1,934	17.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	8866	81.8%
	Total	8,900	82.1%

This variable has 1,934 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7025-7030 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

[[J-10.]]In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8865	81.8%
2	2 = Rarely	704	6.5%
3	3 = Sometimes	504	4.7%
4	4 = Often	267	2.5%
5	5 = Very often	309	2.9%
	Total	10,649	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	170	1.6%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	185	1.7%

This variable has 10,649 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7031-7036 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0236: In past 30 days, how often you read or looked closely at the health warnings on packages of cigarillos

[[J-10.]] In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	14	0.1%
2	2 = Rarely	19	0.2%
3	3 = Sometimes	15	0.1%
4	4 = Often	8	0.1%
5	5 = Very often	11	0.1%
	Total	67	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,767	99.4%

This variable has 67 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7037-7042 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0237: In past 30 days, how often health warnings stopped you from having a cigarillo when you were about to smoke one

[[J-10.]] In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarillo when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	26	0.2%
2	2 = Rarely	12	0.1%
3	3 = Sometimes	12	0.1%
4	4 = Often	6	0.1%
5	5 = Very often	9	0.1%
	Total	65	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,769	99.4%

This variable has 65 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7043-7048 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0238: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of cigarillos

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of cigarillos - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	57	0.5%
	Total	66	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,768	99.4%

This variable has 66 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7049-7054 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0239: Believability of health warnings on packages of cigarillos

[[J-11.]]How believable do you consider the health warnings on packages of cigarillos to be?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	0	0.0%
2	2 = A little believable	6	0.1%
3	3 = Somewhat believable	17	0.2%
4	4 = Very believable	24	0.2%
5	5 = Extremely believable	20	0.2%
	Total	67	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,767	99.4%

This variable has 67 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7055-7060 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0240: Extent to which health warnings on packages of cigarillos make you think about the health risks of smoking

[[J-12.]]To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	9	0.1%
2	2 = A little	20	0.2%
3	3 = Somewhat	20	0.2%
4	4 = A lot	17	0.2%
	Total	66	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,768	99.4%

This variable has 66 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7061-7066 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0241: Extent to which the health warnings on packages of cigarillos make you never want to smoke again

[[J-12.]]To what extent, if at all, do the health warnings on packages of cigarillos make you never want to smoke again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), GO TO R07_YR0125.]

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 1 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	25	0.2%
2	2 = A little	16	0.1%
3	3 = Somewhat	17	0.2%
4	4 = A lot	9	0.1%
	Total	67	0.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10767	99.4%
	Total	10,767	99.4%

This variable has 67 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7067-7072 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0242: Extent to which the health warnings on packages of cigarillos made you less likely to start smoking cigarillos

[[J-12.]]To what extent, if at all, have the health warnings on packages of cigarillos made you less likely to start smoking cigarillos?

ASK: Youth respondents who have never smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GRILLO_YOUTH = 2 AND R07_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	317	2.9%

Value	Label	Unweighted Frequency	%
2	2 = A little	145	1.3%
3	3 = Somewhat	335	3.1%
4	4 = A lot	895	8.3%
	Total	1,692	15.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9117	84.2%
	Total	9,142	84.4%

This variable has 1,692 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7073-7078 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

[[J-13.]]In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8825	81.5%
2	2 = Rarely	716	6.6%
3	3 = Sometimes	509	4.7%
4	4 = Often	260	2.4%
5	5 = Very often	339	3.1%
	Total	10,649	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	171	1.6%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	185	1.7%

This variable has 10,649 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7079-7084 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0243: In past 30 days, how often you read or looked closely at the health warnings on packages of filtered cigars

[[J-13.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	5	0.0%
2	2 = Rarely	5	0.0%
3	3 = Sometimes	8	0.1%
4	4 = Often	0	0.0%
5	5 = Very often	5	0.0%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7085-7090 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0244: In past 30 days, how often health warnings stopped you from having a filtered cigar when you were about to smoke one

[[J-13.]]In the past 30 days, how often, if at all, have the health warnings stopped you from having a filtered cigar when you were about to smoke one?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	6	0.1%
2	2 = Rarely	9	0.1%
3	3 = Sometimes	2	0.0%
4	4 = Often	2	0.0%
5	5 = Very often	4	0.0%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7091-7096 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0245: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of filtered cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of filtered cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	21	0.2%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7097-7102 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0246: Believability of health warnings on packages of filtered cigars

[[J-14.]]How believable do you consider the health warnings on packages of filtered cigars to be?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	1	0.0%
2	2 = A little believable	1	0.0%
3	3 = Somewhat believable	2	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Very believable	11	0.1%
5	5 = Extremely believable	8	0.1%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7103-7108 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0247: Extent to which health warnings on packages of filtered cigars make you think about the health risks of smoking

[[J-15.]]To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	5	0.0%
2	2 = A little	2	0.0%
3	3 = Somewhat	10	0.1%
4	4 = A lot	6	0.1%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7109-7114 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0248: Extent to which the health warnings on packages of filtered cigars make you never want to smoke again

[[J-15.]]To what extent, if at all, do the health warnings on packages of filtered cigars make you never want to smoke again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), GO TO R07_YR0130.]

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 1 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	5	0.0%
2	2 = A little	6	0.1%
3	3 = Somewhat	6	0.1%
4	4 = A lot	6	0.1%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7115-7120 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0249: Extent to which the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars

[[J-15.]]To what extent, if at all, have the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars?

ASK: Youth respondents who have never smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_GFILTR_YOUTH = 2 AND R07_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	289	2.7%
2	2 = A little	179	1.7%
3	3 = Somewhat	356	3.3%
4	4 = A lot	948	8.8%
	Total	1,772	16.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	23	0.2%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	9033	83.4%
	Total	9,062	83.6%

This variable has 1,772 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7121-7126 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

[[J-16.]]In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9144	84.4%
2	2 = Rarely	626	5.8%
3	3 = Sometimes	411	3.8%
4	4 = Often	198	1.8%
5	5 = Very often	270	2.5%
	Total	10,649	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	173	1.6%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	185	1.7%

This variable has 10,649 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7127-7132 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

[[J-17.]] In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9358	86.4%
2	2 = Rarely	557	5.1%
3	3 = Sometimes	334	3.1%
4	4 = Often	175	1.6%

Value	Label	Unweighted Frequency	%
5	5 = Very often	223	2.1%
	Total	10,647	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	173	1.6%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	187	1.7%

This variable has 10,647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7133-7138 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0251: In past 30 days, how often health warnings stopped you from smoking hookah when you were about to

[[J-17.]]In the past 30 days, how often, if at all, have the health warnings stopped you from smoking hookah when you were about to?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_HOOK_YOUTH = 1 AND R07_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	3	0.0%
2	2 = Rarely	9	0.1%
3	3 = Sometimes	6	0.1%
4	4 = Often	2	0.0%
5	5 = Very often	3	0.0%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7139-7144 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0206: In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers

[[J-18.]] In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9198	84.9%
2	2 = Rarely	605	5.6%
3	3 = Sometimes	372	3.4%
4	4 = Often	206	1.9%
5	5 = Very often	255	2.4%
	Total	10,636	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	184	1.7%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	198	1.8%

This variable has 10,636 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7145-7150 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0208: In past 30 days, how often health warnings stopped you from having a snus product when you were about to use one

[[J-18.]]In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_SNUS_YOUTH = 1 AND R07_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	13	0.1%
2	2 = Rarely	3	0.0%
3	3 = Sometimes	4	0.0%
4	4 = Often	3	0.0%
5	5 = Very often	3	0.0%
	Total	26	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10808	99.8%
	Total	10,808	99.8%

This variable has 26 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7151-7156 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0060: In past 30 days, how often noticed health warnings on packages of smokeless tobacco products

[[J-19.]]In the past 30 days, how often, if at all, have you noticed the health warnings on packages of smokeless tobacco products (such as moist snuff, dip, spit, or chew)?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8765	80.9%
2	2 = Rarely	760	7.0%
3	3 = Sometimes	549	5.1%
4	4 = Often	268	2.5%
5	5 = Very often	311	2.9%
	Total	10,653	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	169	1.6%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	181	1.7%

This variable has 10,653 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7157-7162 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0065: In past 30 days, how often health warnings stopped you from having a smokeless tobacco product when you were about to use one

[[J-19.]] In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_SMKLS_YOUTH = 1 AND R07_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	19	0.2%
2	2 = Rarely	4	0.0%
3	3 = Sometimes	7	0.1%

Value	Label	Unweighted Frequency	%
4	4 = Often	7	0.1%
5	5 = Very often	14	0.1%
	Total	51	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10781	99.5%
	Total	10,783	99.5%

This variable has 51 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7163-7168 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0265: In past 30 days, how often have you noticed health warnings on packages of IQOS or HeatSticks

[[J-20.]] In the past 30 days, how often, if at all, have you noticed the health warnings on packages of IQOS or HeatSticks?

[SHOW GENERIC IMAGE OF IQOS]

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	342	3.2%
2	2 = Rarely	93	0.9%
3	3 = Sometimes	43	0.4%
4	4 = Often	25	0.2%
5	5 = Very often	33	0.3%
	Total	536	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,298	95.1%

This variable has 536 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7169-7174 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0266: In past 30 days, how often have you read or looked closely at the health warnings on IQOS or HeatStick packages

[[J-20.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on IQOS or HeatStick packages?

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1	0.0%
2	2 = Rarely	0	0.0%
3	3 = Sometimes	0	0.0%
4	4 = Often	0	0.0%
5	5 = Very often	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7175-7180 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0267: In past 30 days, how often have health warnings stopped you from having a HeatStick when about to use one

[[J-20.]]In the past 30 days, how often, if at all, have the health warnings stopped you from having a HeatStick when you were about to use one?

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	0	0.0%
2	2 = Rarely	0	0.0%
3	3 = Sometimes	0	0.0%
4	4 = Often	1	0.0%
5	5 = Very often	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7181-7186 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0268: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of IQOS or HeatSticks

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of IQOS or HeatSticks -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7187-7192 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0269: How believable do you consider health warnings on packages of IQOS and HeatSticks

[[J-21.]]How believable do you consider the health warnings on packages of IQOS and HeatSticks to be?

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	0	0.0%
2	2 = A little believable	0	0.0%
3	3 = Somewhat believable	0	0.0%

Value	Label	Unweighted Frequency	%
4	4 = Very believable	1	0.0%
5	5 = Extremely believable	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7193-7198 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0270: Extent to which health warnings on packages of IQOS or HeatSticks make you think about the health risks of using them

[[J-22.]]To what extent, if at all, do the health warnings on packages of IQOS and HeatSticks make you think about the health risks of using them?

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1	0.0%
2	2 = A little	0	0.0%
3	3 = Somewhat	0	0.0%
4	4 = A lot	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7199-7204 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0271: Extent to which health warnings on packages of IQOS or HeatSticks make you never want to use them again

[[J-22.]]To what extent, if at all, do the health warnings on packages of IQOS and HeatSticks make you never want to use them again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), GO TO BOX R07_YXT30.]

ASK: Youth respondents who have ever used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_IQOS_YOUTH = 1 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	0	0.0%
2	2 = A little	0	0.0%
3	3 = Somewhat	1	0.0%
4	4 = A lot	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7205-7210 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0272: Extent to which health warnings on IQOS or HeatStick packages make you less likely to start using

[[J-22.]]To what extent, if at all, have the health warnings on packages of IQOS and HeatSticks made you less likely to start using them?

ASK: Youth respondents who have ever seen or heard of IQOS and have never used IQOS and have noticed health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R07_YQ1001 = 1 AND R07_EVER_NEVER_IQOS_YOUTH = 2 AND R07_YR0265 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	33	0.3%
2	2 = A little	23	0.2%
3	3 = Somewhat	34	0.3%
4	4 = A lot	96	0.9%
	Total	186	1.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10641	98.2%
	Total	10,648	98.3%

This variable has 186 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7211-7216 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0722: General perception of harmfulness of nicotine to health

[[K-1.]]How harmful do you think nicotine is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	127	1.2%
2	2 = Slightly harmful	232	2.1%
3	3 = Somewhat harmful	1238	11.4%
4	4 = Very harmful	3764	34.7%
5	5 = Extremely harmful	5438	50.2%
	Total	10,799	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	23	0.2%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7217-7222 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0250: Believe that nicotine is the main substance in tobacco that makes people want to use tobacco products

[[K-2.]]Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3699	34.1%
2	2 = Probably yes	5582	51.5%
3	3 = Probably not	828	7.6%
4	4 = Definitely not	512	4.7%
	Total	10,621	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	199	1.8%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	213	2.0%

This variable has 10,621 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7223-7228 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0667: Agree/disagree: Some tobacco products are safer than others

[[K-3.]]Please tell me how much you agree or disagree with the following statement.

Some tobacco products are safer than others.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	436	4.0%
2	2 = Agree	2582	23.8%
3	3 = Neither agree nor disagree	3252	30.0%
4	4 = Disagree	2150	19.8%
5	5 = Strongly disagree	2311	21.3%
	Total	10,731	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	90	0.8%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	103	1.0%

This variable has 10,731 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7229-7234 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0723: Level of harm: Additive-free tobacco products compared to regular tobacco products

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1225	11.3%
2	2 = About the same	7886	72.8%
3	3 = More harmful	1352	12.5%
	Total	10,463	96.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	356	3.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	371	3.4%

This variable has 10,463 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7235-7240 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0724: Level of harm: Organic tobacco product compared to regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1270	11.7%

Value	Label	Unweighted Frequency	%
2	2 = About the same	8076	74.5%
3	3 = More harmful	1223	11.3%
	Total	10,569	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	251	2.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	265	2.4%

This variable has 10,569 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7241-7246 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9050: Harmfulness of cigarettes to health

[[K-1.]] How harmful do you think cigarettes are to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	71	0.7%
2	2 = Slightly harmful	106	1.0%
3	3 = Somewhat harmful	752	6.9%
4	4 = Very harmful	3317	30.6%
5	5 = Extremely harmful	6558	60.5%
	Total	10,804	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	23	0.2%
-7	-7 = Refused	7	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	30	0.3%

This variable has 10,804 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7247-7252 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1149: Harmfulness of nicotine in cigarettes to health

[[K-1.]]How harmful do you think the nicotine in cigarettes is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	99	0.9%
2	2 = Slightly harmful	214	2.0%
3	3 = Somewhat harmful	1252	11.6%
4	4 = Very harmful	3643	33.6%
5	5 = Extremely harmful	5565	51.4%
	Total	10,773	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	61	0.6%

This variable has 10,773 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7253-7258 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1170: How much you think people harm themselves when they smoke cigarettes some days but not every day

[[K-4.]]How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	104	1.0%
2	2 = A little harm	737	6.8%
3	3 = Some harm	4663	43.0%
4	4 = A lot of harm	5273	48.7%
	Total	10,777	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	57	0.5%

This variable has 10,777 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7259-7264 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1180: How long you think someone has to smoke cigarettes before it harms their health

[[K-5.]]How long do you think someone has to smoke cigarettes before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	65	0.6%
2	2 = Less than a year	5700	52.6%
3	3 = 1 year	2303	21.3%
4	4 = 5 years	1447	13.4%
5	5 = 10 years	629	5.8%

Value	Label	Unweighted Frequency	%
6	6 = 20 years or more	575	5.3%
	Total	10,719	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	115	1.1%

This variable has 10,719 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7265-7270 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9062: General perception of harm to health if someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before

If someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before, would it be less harmful, about the same, or more harmful to their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1961	18.1%
2	2 = About the same	7478	69.0%
3	3 = More harmful	1246	11.5%
	Total	10,685	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	133	1.2%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	149	1.4%

This variable has 10,685 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7271-7276 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9040: Harmfulness of cigarettes flavored like menthol or mint compared to regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	157	1.4%
2	2 = No different	6346	58.6%
3	3 = More harmful	1815	16.8%
4	4 = I don't know	2441	22.5%
	Total	10,759	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	63	0.6%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	75	0.7%

This variable has 10,759 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7277-7282 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9118: Ease of smoking cigarettes that are flavored compared to non-flavored cigarettes

Do you think cigarettes flavored like menthol or mint are easier to smoke, about the same, or harder to smoke than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1977	18.2%
2	2 = About the same	3224	29.8%
3	3 = Harder to smoke	405	3.7%
4	4 = I don't know	5149	47.5%
	Total	10,755	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	68	0.6%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	79	0.7%

This variable has 10,755 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7283-7288 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1124: Likeliness of someone becoming addicted to cigarettes

[[K-6.]]How likely is someone to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	178	1.6%
2	2 = Somewhat unlikely	265	2.4%
3	3 = Neither likely nor unlikely	809	7.5%
4	4 = Somewhat likely	3644	33.6%
5	5 = Very likely	5840	53.9%
	Total	10,736	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	88	0.8%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	98	0.9%

This variable has 10,736 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7289-7294 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9043: Likely to become addicted to cigarettes

[[K-6.]]How likely are you to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	8140	75.1%
2	2 = Somewhat unlikely	709	6.5%
3	3 = Neither likely nor unlikely	912	8.4%
4	4 = Somewhat likely	402	3.7%
5	5 = Very likely	523	4.8%
	Total	10,686	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	116	1.1%
-7	-7 = Refused	32	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	148	1.4%

This variable has 10,686 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7295-7300 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9120: Believe nicotine is the chemical that causes most cancer from smoking cigarettes

[[K-2.]]Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2770	25.6%
2	2 = Probably yes	5822	53.7%
3	3 = Probably not	1521	14.0%
4	4 = Definitely not	452	4.2%
	Total	10,565	97.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	252	2.3%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	269	2.5%

This variable has 10,565 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7301-7306 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YE9050: General perception of harmfulness of e-cigarettes or other electronic nicotine products to health

[[K-7.]]How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	97	0.9%
2	2 = Slightly harmful	299	2.8%
3	3 = Somewhat harmful	1476	13.6%
4	4 = Very harmful	3637	33.6%
5	5 = Extremely harmful	5279	48.7%
	Total	10,788	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	38	0.4%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	46	0.4%

This variable has 10,788 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7307-7312 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1170: General perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day

[[K-4.]]How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	140	1.3%
2	2 = Little harm	997	9.2%
3	3 = Some harm	4293	39.6%
4	4 = A lot of harm	5332	49.2%
	Total	10,762	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	61	0.6%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	72	0.7%

This variable has 10,762 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7313-7318 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1149: Harmfulness of nicotine in electronic nicotine products to health

[[K-7.]]How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	115	1.1%
2	2 = Slightly harmful	380	3.5%
3	3 = Somewhat harmful	1755	16.2%
4	4 = Very harmful	3709	34.2%
5	5 = Extremely harmful	4783	44.1%
	Total	10,742	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	79	0.7%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	92	0.8%

This variable has 10,742 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7319-7324 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1180: How long you think someone has to use e-cigarettes before it harms their health

[[K-5.]]How long do you think someone has to use e-cigarettes or other electronic nicotine products before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	81	0.7%
2	2 = Less than a year	5431	50.1%
3	3 = 1 year	2537	23.4%
4	4 = 5 years	1503	13.9%
5	5 = 10 years	688	6.4%
6	6 = 20 years or more	456	4.2%
	Total	10,696	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	129	1.2%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	138	1.3%

This variable has 10,696 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7325-7330 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1099: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Do you think using e-cigarettes or other electronic nicotine products is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1481	13.7%
2	2 = About the same	6719	62.0%
3	3 = More harmful	2499	23.1%
	Total	10,699	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	120	1.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	135	1.2%

This variable has 10,699 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7331-7336 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1158: General perception: Easiness of using menthol flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Some e-cigarettes and other electronic nicotine products come in flavors like menthol, mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think menthol flavored e-cigarettes are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2780	25.7%
2	2 = About the same	6732	62.1%
3	3 = Harder to use	709	6.5%
	Total	10,221	94.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	580	5.4%
-7	-7 = Refused	33	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	613	5.7%

This variable has 10,221 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7337-7342 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1159: General perception: Easiness of using mint flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Do you think mint flavored e-cigarettes are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2908	26.8%
2	2 = About the same	6634	61.2%
3	3 = Harder to use	711	6.6%
	Total	10,253	94.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	557	5.1%
-7	-7 = Refused	24	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	581	5.4%

This variable has 10,253 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7343-7348 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1153: Flavored e-cigarettes (other than menthol or mint) are easier to use than tobacco-flavored or unflavored e-cigarettes

Do you think flavored e-cigarettes (other than menthol or mint) are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	3111	28.7%
2	2 = About the same	6513	60.1%
3	3 = Harder to use	666	6.1%
	Total	10,290	95.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	523	4.8%
-7	-7 = Refused	21	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	544	5.0%

This variable has 10,290 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7349-7354 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1154: General perception: Harmfulness of using menthol flavored e-cigarettes compared to using tobacco-flavored or unflavored e-cigarettes

Do you think using menthol flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	284	2.6%
2	2 = About the same	8627	79.6%
3	3 = More harmful	1563	14.4%

Value	Label	Unweighted Frequency	%
	Total	10,474	96.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	344	3.2%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	360	3.3%

This variable has 10,474 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7355-7360 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1155: General perception: Harmfulness of using mint flavored e-cigarettes compared to using tobacco-flavored or unflavored e-cigarettes

Do you think using mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	299	2.8%
2	2 = About the same	8775	81.0%
3	3 = More harmful	1459	13.5%
	Total	10,533	97.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	287	2.6%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	301	2.8%

This variable has 10,533 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7361-7366 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1152: Harmfulness of using flavored e-cigarettes (other than menthol or mint) compared to tobacco-flavored or unflavored e-cigarettes

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	276	2.5%
2	2 = About the same	8553	78.9%
3	3 = More harmful	1734	16.0%
	Total	10,563	97.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	260	2.4%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	271	2.5%

This variable has 10,563 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7367-7372 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1124: Likelihood of someone becoming addicted to e-cigarettes or other electronic nicotine products

[[K-6.]]How likely is someone to become addicted to e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	244	2.3%
2	2 = Somewhat unlikely	295	2.7%
3	3 = Neither likely nor unlikely	842	7.8%
4	4 = Somewhat likely	3510	32.4%
5	5 = Very likely	5844	53.9%
	Total	10,735	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	86	0.8%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	99	0.9%

This variable has 10,735 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7373-7378 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9050: General perception of harmfulness of traditional cigars to health

[[K-8.]]How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	118	1.1%
2	2 = Slightly harmful	323	3.0%
3	3 = Somewhat harmful	1765	16.3%
4	4 = Very harmful	3450	31.8%
5	5 = Extremely harmful	5077	46.9%
	Total	10,733	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	83	0.8%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	101	0.9%

This variable has 10,733 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7379-7384 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1180: How long you think someone has to smoke traditional cigars before it harms their health

[[K-5.]]How long do you think someone has to smoke traditional cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	95	0.9%
2	2 = Less than a year	5257	48.5%
3	3 = 1 year	2625	24.2%
4	4 = 5 years	1488	13.7%
5	5 = 10 years	706	6.5%
6	6 = 20 years or more	506	4.7%
	Total	10,677	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	142	1.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	157	1.4%

This variable has 10,677 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7385-7390 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9097: Harmfulness of smoking traditional cigars compared to cigarettes

Do you think smoking traditional cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1284	11.9%
2	2 = About the same	6245	57.6%
3	3 = More harmful	3108	28.7%
	Total	10,637	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	179	1.7%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	197	1.8%

This variable has 10,637 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7391-7396 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9058: General perception: Smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigar

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	302	2.8%
2	2 = About the same	8304	76.6%
3	3 = More harmful	1995	18.4%
	Total	10,601	97.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	222	2.0%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	233	2.2%

This variable has 10,601 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7397-7402 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9146: General perception: Flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars

Do you think flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2391	22.1%
2	2 = About the same	7005	64.7%
3	3 = Harder to smoke	981	9.1%
	Total	10,377	95.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	436	4.0%
-7	-7 = Refused	21	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	457	4.2%

This variable has 10,377 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7403-7408 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9955: General perception of harmfulness of cigarillos to health

[[K-9.]]How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	101	0.9%
2	2 = Slightly harmful	227	2.1%
3	3 = Somewhat harmful	1647	15.2%
4	4 = Very harmful	3901	36.0%
5	5 = Extremely harmful	4793	44.2%
	Total	10,669	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	154	1.4%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	165	1.5%

This variable has 10,669 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7409-7414 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9047: How much you think people harm themselves when they smoke cigarillos some days but not every day

[[K-4.]] How much do you think people harm themselves when they smoke cigarillos some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	114	1.1%
2	2 = A little harm	811	7.5%
3	3 = Some harm	4779	44.1%
4	4 = A lot of harm	5020	46.3%
	Total	10,724	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	103	1.0%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	110	1.0%

This variable has 10,724 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7415-7420 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9048: How long you think someone has to smoke cigarillos before it harms their health

[[K-5.]] How long do you think someone has to smoke cigarillos before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	70	0.6%
2	2 = Less than a year	5134	47.4%

Value	Label	Unweighted Frequency	%
3	3 = 1 year	2780	25.7%
4	4 = 5 years	1528	14.1%
5	5 = 10 years	676	6.2%
6	6 = 20 years or more	444	4.1%
	Total	10,632	98.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	192	1.8%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	202	1.9%

This variable has 10,632 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7421-7426 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9098: Harmfulness of smoking cigarillos compared to cigarettes

Do you think smoking cigarillos is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	824	7.6%
2	2 = About the same	7941	73.3%
3	3 = More harmful	1808	16.7%
	Total	10,573	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	249	2.3%
-7	-7 = Refused	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	261	2.4%

This variable has 10,573 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7427-7432 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9059: General perception: Smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	224	2.1%
2	2 = About the same	8578	79.2%
3	3 = More harmful	1765	16.3%
	Total	10,567	97.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	252	2.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	267	2.5%

This variable has 10,567 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7433-7438 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9147: General perception: Flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos

Do you think flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2633	24.3%
2	2 = About the same	6908	63.8%
3	3 = Harder to smoke	826	7.6%
	Total	10,367	95.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	453	4.2%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	467	4.3%

This variable has 10,367 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7439-7444 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9125: Likelihood of someone getting addicted to cigarillos

[[K-6.]]How likely is someone to become addicted to cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	203	1.9%
2	2 = Somewhat unlikely	384	3.5%
3	3 = Neither likely nor unlikely	1328	12.3%
4	4 = Somewhat likely	4220	39.0%

Value	Label	Unweighted Frequency	%
5	5 = Very likely	4487	41.4%
	Total	10,622	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	203	1.9%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	212	2.0%

This variable has 10,622 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7445-7450 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9950: General perception of harmfulness of filtered cigars to health

[[K-10.]]How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	95	0.9%
2	2 = Slightly harmful	307	2.8%
3	3 = Somewhat harmful	1851	17.1%
4	4 = Very harmful	3723	34.4%
5	5 = Extremely harmful	4735	43.7%
	Total	10,711	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	113	1.0%
-7	-7 = Refused	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	123	1.1%

This variable has 10,711 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7451-7456 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9054: How much you think people harm themselves when they smoke filtered cigars some days but not every day

[[K-4.]]How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	119	1.1%
2	2 = A little harm	946	8.7%
3	3 = Some harm	4820	44.5%
4	4 = A lot of harm	4833	44.6%
	Total	10,718	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	107	1.0%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	116	1.1%

This variable has 10,718 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7457-7462 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9055: How long you think someone has to smoke filtered cigars before it harms their health

[[K-5.]]How long do you think someone has to smoke filtered cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	72	0.7%
2	2 = Less than a year	5036	46.5%
3	3 = 1 year	2752	25.4%
4	4 = 5 years	1621	15.0%
5	5 = 10 years	688	6.4%
6	6 = 20 years or more	479	4.4%
	Total	10,648	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	178	1.6%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	186	1.7%

This variable has 10,648 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7463-7468 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9099: Harmfulness of smoking filtered cigars compared to cigarettes

Do you think smoking filtered cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1263	11.7%
2	2 = About the same	7844	72.4%
3	3 = More harmful	1502	13.9%
	Total	10,609	97.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	218	2.0%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	225	2.1%

This variable has 10,609 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7469-7474 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9960: General perception: Smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	276	2.5%
2	2 = About the same	8528	78.7%
3	3 = More harmful	1775	16.4%
	Total	10,579	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	248	2.3%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	255	2.4%

This variable has 10,579 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7475-7480 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9148: General perception: Flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars

Do you think flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2584	23.9%
2	2 = About the same	6925	63.9%
3	3 = Harder to smoke	861	7.9%
	Total	10,370	95.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	455	4.2%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	464	4.3%

This variable has 10,370 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7481-7486 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG9126: Likelihood of someone getting addicted to filtered cigars

[[K-6.]]How likely is someone to become addicted to filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	197	1.8%
2	2 = Somewhat unlikely	361	3.3%

Value	Label	Unweighted Frequency	%
3	3 = Neither likely nor unlikely	1326	12.2%
4	4 = Somewhat likely	4200	38.8%
5	5 = Very likely	4573	42.2%
	Total	10,657	98.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	166	1.5%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	177	1.6%

This variable has 10,657 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7487-7492 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9050: General perception of harmfulness of shisha or hookah tobacco to health

[[K-11.]]How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	102	0.9%
2	2 = Slightly harmful	335	3.1%
3	3 = Somewhat harmful	1602	14.8%
4	4 = Very harmful	3279	30.3%
5	5 = Extremely harmful	5285	48.8%
	Total	10,603	97.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	218	2.0%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	231	2.1%

This variable has 10,603 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7493-7498 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9044: Harmfulness of being around people who are smoking shisha or hookah tobacco

[[K-11.]]How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	260	2.4%
2	2 = Slightly harmful	986	9.1%
3	3 = Somewhat harmful	3188	29.4%
4	4 = Very harmful	2930	27.0%
5	5 = Extremely harmful	3161	29.2%
	Total	10,525	97.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	299	2.8%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	309	2.9%

This variable has 10,525 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7499-7504 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH9110: Harmfulness of shisha that does not contain tobacco compared to shisha that does contain tobacco

Do you think shisha that does not contain tobacco is less harmful, about the same, or more harmful than shisha that does contain tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3674	33.9%
2	2 = About the same	5541	51.1%
3	3 = More harmful	1306	12.1%
	Total	10,521	97.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	304	2.8%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	313	2.9%

This variable has 10,521 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7505-7510 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1180: How long you think someone has to smoke shisha or hookah tobacco before it harms their health

[[K-12.]]How long do you think someone has to smoke shisha or hookah tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	99	0.9%
2	2 = Less than a year	5183	47.8%
3	3 = 1 year	2652	24.5%

Value	Label	Unweighted Frequency	%
4	4 = 5 years	1450	13.4%
5	5 = 10 years	654	6.0%
6	6 = 20 years or more	514	4.7%
	Total	10,552	97.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	269	2.5%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	282	2.6%

This variable has 10,552 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7511-7516 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1099: Harmfulness of smoking a hookah compared to smoking cigarettes

Do you think smoking hookah is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1444	13.3%
2	2 = About the same	6492	59.9%
3	3 = More harmful	2591	23.9%
	Total	10,527	97.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	301	2.8%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	307	2.8%

This variable has 10,527 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7517-7522 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1146: General perception: Flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

Some shisha or hookah tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2799	25.8%
2	2 = About the same	6583	60.8%
3	3 = Harder to smoke	961	8.9%
	Total	10,343	95.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	472	4.4%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	491	4.5%

This variable has 10,343 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7523-7528 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1124: Likelihood of someone becoming addicted to shisha or hookah tobacco

[[K-13.]]How likely is someone to become addicted to shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	224	2.1%
2	2 = Somewhat unlikely	401	3.7%
3	3 = Neither likely nor unlikely	1451	13.4%
4	4 = Somewhat likely	4076	37.6%
5	5 = Very likely	4426	40.9%
	Total	10,578	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	246	2.3%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	256	2.4%

This variable has 10,578 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7529-7534 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU9050: General perception of harmfulness of snus to health

[[K-14.]]How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	98	0.9%
2	2 = Slightly harmful	282	2.6%
3	3 = Somewhat harmful	1643	15.2%
4	4 = Very harmful	3331	30.7%

Value	Label	Unweighted Frequency	%
5	5 = Extremely harmful	5263	48.6%
	Total	10,617	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	206	1.9%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	217	2.0%

This variable has 10,617 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7535-7540 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1170: How much you think people harm themselves when they use snus some days but not every day

[[K-15.]]How much do you think people harm themselves when they use snus some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	120	1.1%
2	2 = A little harm	979	9.0%
3	3 = Some harm	4383	40.5%
4	4 = A lot of harm	5159	47.6%
	Total	10,641	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	183	1.7%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	193	1.8%

This variable has 10,641 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7541-7546 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1180: How long you think someone has to use snus before it harms their health

[[K-12.]]How long do you think someone has to use snus before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	86	0.8%
2	2 = Less than a year	5281	48.7%
3	3 = 1 year	2616	24.1%
4	4 = 5 years	1474	13.6%
5	5 = 10 years	682	6.3%
6	6 = 20 years or more	457	4.2%
	Total	10,596	97.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	231	2.1%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	238	2.2%

This variable has 10,596 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7547-7552 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1099: Harmfulness of using snus compared to smoking cigarettes

Do you think using snus is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1465	13.5%
2	2 = About the same	6447	59.5%
3	3 = More harmful	2638	24.3%
	Total	10,550	97.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	275	2.5%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	284	2.6%

This variable has 10,550 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7553-7558 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1146: General perception: Flavored snus is easier to use, about the same, or harder to use than unflavored snus

Some snus comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored snus is easier to use, about the same, or harder to use than unflavored snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2972	27.4%
2	2 = About the same	6481	59.8%
3	3 = Harder to use	919	8.5%
	Total	10,372	95.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	450	4.2%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	462	4.3%

This variable has 10,372 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7559-7564 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1124: Likeliness of someone becoming addicted to snus

[[K-13.]]How likely is someone to become addicted to snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	195	1.8%
2	2 = Somewhat unlikely	370	3.4%
3	3 = Neither likely nor unlikely	1432	13.2%
4	4 = Somewhat likely	4018	37.1%
5	5 = Very likely	4562	42.1%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	249	2.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7565-7570 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS9050: General perception of harmfulness of other smokeless tobacco products (such as dip, spit, or chew) to health

[[K-16.]]How harmful do you think smokeless tobacco products (such as moist snuff, dip, spit, or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	100	0.9%
2	2 = Slightly harmful	356	3.3%
3	3 = Somewhat harmful	1746	16.1%
4	4 = Very harmful	3371	31.1%
5	5 = Extremely harmful	5117	47.2%
	Total	10,690	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	134	1.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	144	1.3%

This variable has 10,690 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7571-7576 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1170: How much you think people harm themselves when they use smokeless tobacco some days but not every day

[[K-15.]]How much do you think people harm themselves when they use smokeless tobacco some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	139	1.3%
2	2 = A little harm	1052	9.7%
3	3 = Some harm	4455	41.1%
4	4 = A lot of harm	5061	46.7%
	Total	10,707	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	114	1.1%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	127	1.2%

This variable has 10,707 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7577-7582 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1180: How long you think someone has to use smokeless tobacco before it harms their health

[[K-12.]]How long do you think someone has to use smokeless tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	102	0.9%
2	2 = Less than a year	5136	47.4%
3	3 = 1 year	2615	24.1%
4	4 = 5 years	1591	14.7%
5	5 = 10 years	656	6.1%
6	6 = 20 years or more	541	5.0%
	Total	10,641	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	184	1.7%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	193	1.8%

This variable has 10,641 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7583-7588 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1099: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Do you think using smokeless tobacco is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1707	15.8%
2	2 = About the same	6704	61.9%
3	3 = More harmful	2213	20.4%
	Total	10,624	98.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	203	1.9%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	210	1.9%

This variable has 10,624 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7589-7594 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1146: General perception: Flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco

Some smokeless tobacco comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	3032	28.0%
2	2 = About the same	6560	60.6%
3	3 = Harder to use	809	7.5%
	Total	10,401	96.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	418	3.9%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	433	4.0%

This variable has 10,401 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7595-7600 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1124: Likelihood of someone becoming addicted to smokeless tobacco

[[K-13.]]How likely is someone to become addicted to smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	171	1.6%
2	2 = Somewhat unlikely	393	3.6%

Value	Label	Unweighted Frequency	%
3	3 = Neither likely nor unlikely	1369	12.6%
4	4 = Somewhat likely	3956	36.5%
5	5 = Very likely	4752	43.9%
	Total	10,641	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	178	1.6%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	193	1.8%

This variable has 10,641 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7601-7606 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9050: General perception: Harmfulness of IQOS to health

[[K-17.]]How harmful do you think IQOS is to health?

[SHOW GENERIC IMAGE OF IQOS]

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	5	0.0%
2	2 = Slightly harmful	24	0.2%
3	3 = Somewhat harmful	82	0.8%
4	4 = Very harmful	170	1.6%
5	5 = Extremely harmful	254	2.3%
	Total	535	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,299	95.1%

This variable has 535 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7607-7612 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1170: General perception: How much people harm themselves when they use IQOS on some days but not every day

[[K-15.]]How much do you think people harm themselves when they use IQOS some days but not every day?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	6	0.1%
2	2 = A little harm	55	0.5%
3	3 = Some harm	211	1.9%
4	4 = A lot of harm	262	2.4%
	Total	534	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,300	95.1%

This variable has 534 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7613-7618 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1180: How long you think someone has to use IQOS before it harms their health

[[K-12.]]How long do you think someone has to use IQOS before it harms their health?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	4	0.0%
2	2 = Less than a year	268	2.5%
3	3 = 1 year	144	1.3%
4	4 = 5 years	63	0.6%
5	5 = 10 years	35	0.3%
6	6 = 20 years or more	20	0.2%
	Total	534	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,300	95.1%

This variable has 534 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7619-7624 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1099: Harmfulness of using IQOS compared to smoking cigarettes

Do you think using IQOS is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	65	0.6%
2	2 = About the same	338	3.1%
3	3 = More harmful	129	1.2%
	Total	532	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,302	95.1%

This variable has 532 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7625-7630 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1146: General perception: Menthol flavored HeatSticks are easier to inhale, about the same, or harder to inhale than tobacco flavored HeatSticks

Do you think menthol flavored HeatSticks are easier to inhale, about the same, or harder to inhale than tobacco flavored HeatSticks?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Easier to inhale	151	1.4%
2	2 = About the same	316	2.9%
3	3 = Harder to inhale	62	0.6%
	Total	529	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,305	95.1%

This variable has 529 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7631-7636 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ1124: Likeliness of someone becoming addicted to IQOS

[[K-13.]]How likely is someone to become addicted to IQOS?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	9	0.1%
2	2 = Somewhat unlikely	17	0.2%
3	3 = Neither likely nor unlikely	47	0.4%
4	4 = Somewhat likely	188	1.7%
5	5 = Very likely	275	2.5%
	Total	536	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,298	95.1%

This variable has 536 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7637-7642 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9205: Level of agreement - if you started using IQOS and completely stopped smoking cigarettes, it would reduce your exposure to harmful chemicals

[[K-18.]]How much do you agree or disagree with the following statement?

If you started using IQOS and completely stopped smoking cigarettes, it would reduce your exposure to harmful chemicals.

ASK: Youth respondents who have ever seen or heard of IQOS and are past 30 day cigarette smokers.

ASK Specification: IF R07_YQ1001 = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3	0.0%
2	2 = Agree	2	0.0%
3	3 = Disagree	1	0.0%
4	4 = Strongly disagree	0	0.0%
5	5 = I don't know	4	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7643-7648 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9270: Level of agreement - if you started using IQOS and kept smoking the same number of cigarettes, it would reduce your exposure to harmful chemicals

[[K-18.]]How much do you agree or disagree with the following statement?

If you started using IQOS and kept smoking the same number of cigarettes, it would reduce your exposure to harmful chemicals.

ASK: Youth respondents who have ever seen or heard of IQOS and are past 30 day cigarette smokers.

ASK Specification: IF R07_YQ1001 = 1 AND R07_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	1	0.0%
2	2 = Agree	3	0.0%
3	3 = Disagree	1	0.0%
4	4 = Strongly disagree	0	0.0%
5	5 = I don't know	5	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7649-7654 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0759: Harmfulness of nicotine in nicotine replacement products such as nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, or lozenge

[[K-19.]]Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

How harmful do you think the nicotine in these products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	185	1.7%
2	2 = Slightly harmful	944	8.7%
3	3 = Somewhat harmful	2570	23.7%

Value	Label	Unweighted Frequency	%
4	4 = Very harmful	3063	28.3%
5	5 = Extremely harmful	3921	36.2%
	Total	10,683	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	139	1.3%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	151	1.4%

This variable has 10,683 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7655-7660 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9078: Level of agreement - based on your belief, smoking can cause heart disease and strokes by clogging arteries

[[K-20.]]Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause heart disease and strokes by clogging arteries.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	6936	64.0%
2	2 = Agree	3021	27.9%
3	3 = Neither agree nor disagree	661	6.1%
4	4 = Disagree	98	0.9%
5	5 = Strongly disagree	61	0.6%
	Total	10,777	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	53	0.5%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	0	0.0%
	Total	57	0.5%

This variable has 10,777 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7661-7666 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9079: Level of agreement - based on your belief, smoking causes cataracts, which can lead to blindness

Smoking causes cataracts, which can lead to blindness.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	2800	25.8%
2	2 = Agree	3380	31.2%
3	3 = Neither agree nor disagree	3714	34.3%
4	4 = Disagree	585	5.4%
5	5 = Strongly disagree	135	1.2%
	Total	10,614	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	200	1.8%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	220	2.0%

This variable has 10,614 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7667-7672 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9077: Level of agreement - based on your belief, smoking causes type 2 diabetes, which raises blood sugar

Smoking causes type 2 diabetes, which raises blood sugar.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3084	28.5%
2	2 = Agree	3233	29.8%
3	3 = Neither agree nor disagree	3463	32.0%
4	4 = Disagree	693	6.4%
5	5 = Strongly disagree	198	1.8%
	Total	10,671	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	150	1.4%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	163	1.5%

This variable has 10,671 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7673-7678 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9086: Level of agreement - based on your belief, smoking reduces blood flow to the limbs, which can require amputation

Smoking reduces blood flow to the limbs, which can require amputation.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3479	32.1%
2	2 = Agree	3353	30.9%

Value	Label	Unweighted Frequency	%
3	3 = Neither agree nor disagree	2972	27.4%
4	4 = Disagree	678	6.3%
5	5 = Strongly disagree	170	1.6%
	Total	10,652	98.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	168	1.6%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	182	1.7%

This variable has 10,652 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7679-7684 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9082: Level of agreement - based on your belief, smoking reduces blood flow, which can cause erectile dysfunction

Smoking reduces blood flow, which can cause erectile dysfunction.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3426	31.6%
2	2 = Agree	3510	32.4%
3	3 = Neither agree nor disagree	3208	29.6%
4	4 = Disagree	379	3.5%
5	5 = Strongly disagree	136	1.3%
	Total	10,659	98.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	161	1.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	175	1.6%

This variable has 10,659 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7685-7690 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9084: Level of agreement - based on your belief, smoking causes bladder cancer, which can lead to bloody urine

Smoking causes bladder cancer, which can lead to bloody urine.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3730	34.4%
2	2 = Agree	3380	31.2%
3	3 = Neither agree nor disagree	2930	27.0%
4	4 = Disagree	467	4.3%
5	5 = Strongly disagree	134	1.2%
	Total	10,641	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	180	1.7%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	193	1.8%

This variable has 10,641 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7691-7696 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9098: Level of agreement - based on your belief, smoking causes head and neck cancer

Smoking causes head and neck cancer.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3436	31.7%
2	2 = Agree	3298	30.4%
3	3 = Neither agree nor disagree	3170	29.3%
4	4 = Disagree	657	6.1%
5	5 = Strongly disagree	141	1.3%
	Total	10,702	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	121	1.1%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	132	1.2%

This variable has 10,702 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7697-7702 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9109: Level of agreement - based on your belief, smoking causes COPD, a lung disease that can be fatal

Smoking causes COPD, a lung disease that can be fatal.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	6554	60.5%
2	2 = Agree	3155	29.1%

Value	Label	Unweighted Frequency	%
3	3 = Neither agree nor disagree	897	8.3%
4	4 = Disagree	78	0.7%
5	5 = Strongly disagree	44	0.4%
	Total	10,728	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	97	0.9%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	106	1.0%

This variable has 10,728 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7703-7708 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9155: Level of agreement - based on your belief, tobacco smoke causes fatal lung disease in nonsmokers

Tobacco smoke causes fatal lung disease in nonsmokers.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	3669	33.9%
2	2 = Agree	3689	34.1%
3	3 = Neither agree nor disagree	2436	22.5%
4	4 = Disagree	758	7.0%
5	5 = Strongly disagree	177	1.6%
	Total	10,729	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	92	0.8%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	105	1.0%

This variable has 10,729 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7709-7714 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9121: Level of agreement - based on your belief, tobacco smoke can harm your children

Tobacco smoke can harm your children.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	6486	59.9%
2	2 = Agree	3388	31.3%
3	3 = Neither agree nor disagree	726	6.7%
4	4 = Disagree	120	1.1%
5	5 = Strongly disagree	58	0.5%
	Total	10,778	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	56	0.5%

This variable has 10,778 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7715-7720 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC9122: Level of agreement - based on your belief, smoking during pregnancy stunts fetal growth

Smoking during pregnancy stunts fetal growth.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	6946	64.1%
2	2 = Agree	2742	25.3%
3	3 = Neither agree nor disagree	932	8.6%
4	4 = Disagree	69	0.6%
5	5 = Strongly disagree	60	0.6%
	Total	10,749	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	75	0.7%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	85	0.8%

This variable has 10,749 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7721-7726 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0300: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to smoking cigarettes

[[K-20.]]How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(2-10, 12)] to smoking cigarettes.

ASK: Youth respondents who have ever smoked a cigarette and are past 30 days users of at least one non-cigarette tobacco product.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND (R07_PAST30DAY_EPRODS = 1 OR R07_PAST30DAY_GTRAD = 1 OR R07_PAST30DAY_GRILLO = 1 OR R07_PAST30DAY_GFILTR = 1 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS = 1 OR R07_PAST30DAY_SMKLS = 1 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(1)=CIGARETTES from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding cigarettes, in [USEPROD(2-10, 12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	11	0.1%
2	2 = Agree	28	0.3%
3	3 = Neither agree nor disagree	76	0.7%
4	4 = Disagree	44	0.4%
5	5 = Strongly disagree	171	1.6%
	Total	330	3.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10497	96.9%
	Total	10,504	97.0%

This variable has 330 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7727-7732 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0301: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to using e-cigarettes or other electronic nicotine products

[[K-20.]]How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1, 3-10, 12)] to using e-cigarettes or other electronic nicotine products.

ASK: Youth respondents who have ever used an ENP and are past 30 days users of at least one non-electronic tobacco product.

ASK Specification: IF R07_EVER_NEVER_EPRODS_YOUTH = 1 AND (R07_PAST30DAY_CIGS = 1 OR R07_PAST30DAY_GTRAD = 1 OR R07_PAST30DAY_GRILLO = 1 OR R07_PAST30DAY_GFILTR = 1 OR R07_PAST30DAY_PIPE = 1 OR R07_PAST30DAY_HOOK = 1 OR R07_PAST30DAY_SNUS = 1 OR R07_PAST30DAY_SMKLS = 1 OR R07_PAST30DAY_IQOS = 1 OR R07_PAST30DAY_BIDI = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(2)=ELECTRONIC NICOTINE PRODUCTS from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30

days, excluding electronic nicotine products, in [USEPROD(1, 3-10, 12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	18	0.2%
2	2 = Agree	29	0.3%
3	3 = Neither agree nor disagree	63	0.6%
4	4 = Disagree	17	0.2%
5	5 = Strongly disagree	37	0.3%
	Total	164	1.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10668	98.5%
	Total	10,670	98.5%

This variable has 164 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7733-7738 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_01: Have not considered switching from cigarettes to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_

PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	84	0.8%
2	2 = Not Marked	34	0.3%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7739-7744 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_03: Considered switching from cigarettes to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	111	1.0%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7745-7750 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	116	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7751-7756 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_05: Considered switching from cigarettes to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	116	1.1%

Value	Label	Unweighted Frequency	%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7757-7762 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	114	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7763-7768 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_07: Considered switching from cigarettes to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	113	1.0%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7769-7774 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_08: Considered switching from cigarettes to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	113	1.0%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7775-7780 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_09: Considered switching from cigarettes to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	117	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7781-7786 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_10: Considered switching from cigarettes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarette Smoker - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	113	1.0%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7787-7792 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_12: Considered switching from cigarettes to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	117	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7793-7798 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_14: Considered switching from cigarettes to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	117	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7799-7804 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_15: Considered switching from cigarettes to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	112	1.0%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7805-7810 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307C_16: Considered switching from cigarettes to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarette Smoker - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	114	1.1%
	Total	118	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10702	98.8%
	Total	10,716	98.9%

This variable has 118 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7811-7816 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_01: Have not considered switching from electronic nicotine products to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	551	5.1%
2	2 = Not Marked	51	0.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7817-7822 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_02: Considered switching from electronic nicotine products to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	596	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7823-7828 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_04: Considered switching from electronic nicotine products to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	599	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7829-7834 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_05: Considered switching from electronic nicotine products to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	597	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7835-7840 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_06: Considered switching from electronic nicotine products to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	598	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7841-7846 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_07: Considered switching from electronic nicotine products to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%
2	2 = Not Marked	594	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7847-7852 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_08: Considered switching from electronic nicotine products to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	597	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7853-7858 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_09: Considered switching from electronic nicotine products to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if

R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	596	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7859-7864 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_10: Considered switching from electronic nicotine products to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1.

Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	597	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7865-7870 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_12: Considered switching from electronic nicotine products to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Electronic nicotine user - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	599	5.5%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7871-7876 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_14: Considered switching from electronic nicotine products to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	602	5.6%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7877-7882 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_15: Considered switching from electronic nicotine products to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.2%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	585	5.4%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7883-7888 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307E_16: Considered switching from electronic nicotine products to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Electronic nicotine user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	586	5.4%
	Total	602	5.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	10190	94.1%
	Total	10,232	94.4%

This variable has 602 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7889-7894 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_01: Have not considered switching from traditional cigars to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2

if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	4	0.0%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7895-7900 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%

Value	Label	Unweighted Frequency	%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7901-7906 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_03: Considered switching from traditional cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	18	0.2%

Value	Label	Unweighted Frequency	%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7907-7912 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	18	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7913-7918 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	18	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7919-7924 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_07: Considered switching from traditional cigars to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7925-7930 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_08: Considered switching from traditional cigars to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7931-7936 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_09: Considered switching from traditional cigars to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7937-7942 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_10: Considered switching from traditional cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7943-7948 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_12: Considered switching from traditional cigars to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	16	0.1%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7949-7954 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_14: Considered switching from traditional cigars to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	18	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7955-7960 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_15: Considered switching from traditional cigars to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Traditional cigar smoker - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7961-7966 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307T_16: Considered switching from traditional cigars to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Traditional cigar smoker - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	17	0.2%
	Total	18	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7967-7972 (width: 6; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_01: Have not considered switching from cigarillos to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2%
2	2 = Not Marked	6	0.1%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7973-7978 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_02: Considered switching from cigarillos to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	24	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7979-7984 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_03: Considered switching from cigarillos to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	23	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7985-7990 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarillo smoker - Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	24	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7991-7996 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	24	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 7997-8002 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_07: Considered switching from cigarillos to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do

not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	23	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8003-8008 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_08: Considered switching from cigarillos to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarillo smoker - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1.

Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	22	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8009-8014 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_09: Considered switching from cigarillos to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	24	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8015-8020 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_10: Considered switching from cigarillos to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	23	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8021-8026 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_12: Considered switching from cigarillos to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarillo smoker - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	23	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8027-8032 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_14: Considered switching from cigarillos to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	24	0.2%

Value	Label	Unweighted Frequency	%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8033-8038 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_15: Considered switching from cigarillos to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Cigarillo smoker - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	23	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8039-8044 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307G_16: Considered switching from cigarillos to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Cigarillo smoker - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	22	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8045-8050 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_01: Have not considered switching from filtered cigars to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	3	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8051-8056 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8057-8062 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_03: Considered switching from filtered cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8063-8068 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8069-8074 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8075-8080 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_07: Considered switching from filtered cigars to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	8	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8081-8086 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_08: Considered switching from filtered cigars to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8087-8092 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_09: Considered switching from filtered cigars to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8093-8098 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_10: Considered switching from filtered cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8099-8104 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_12: Considered switching from filtered cigars to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8105-8110 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_14: Considered switching from filtered cigars to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8111-8116 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_15: Considered switching from filtered cigars to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Filtered cigar smoker - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8117-8122 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307F_16: Considered switching from filtered cigars to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Filtered cigar smoker - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8123-8128 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_01: Have not considered switching from pipes to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	3	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8129-8134 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_02: Considered switching from pipes to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do

not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8135-8140 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_03: Considered switching from pipes to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY

_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8141-8146 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_04: Considered switching from pipes to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8147-8152 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_05: Considered switching from pipes to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8153-8158 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_06: Considered switching from pipes to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - Filtered Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8159-8164 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_08: Considered switching from pipes to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	8	0.1%

Value	Label	Unweighted Frequency	%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8165-8170 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_09: Considered switching from pipes to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8171-8176 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_10: Considered switching from pipes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8177-8182 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_12: Considered switching from pipes to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8183-8188 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_14: Considered switching from pipes to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8189-8194 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_15: Considered switching from pipes to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Pipe smoker - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8195-8200 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307P_16: Considered switching from pipes to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Pipe smoker - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	8	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10823	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8201-8206 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_01: Have not considered switching from hookahs to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	0	0.0%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8207-8212 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_02: Considered switching from hookahs to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8213-8218 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_03: Considered switching from hookahs to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8219-8224 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_04: Considered switching from hookahs to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8225-8230 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_05: Considered switching from hookahs to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8231-8236 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_06: Considered switching from hookahs to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8237-8242 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_07: Considered switching from hookahs to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8243-8248 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_09: Considered switching from hookahs to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8249-8254 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_10: Considered switching from hookahs to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8255-8260 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_12: Considered switching from hookahs to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8261-8266 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_14: Considered switching from hookahs to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8267-8272 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_15: Considered switching from hookahs to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Shisha or Hookah user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if

R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8273-8278 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307H_16: Considered switching from hookahs to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Shisha or Hookah user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY

_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	6	0.1%
	Total	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10828	99.9%
	Total	10,828	99.9%

This variable has 6 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8279-8284 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_01: Have not considered switching from snus to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1%
2	2 = Not Marked	2	0.0%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8285-8290 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_02: Considered switching from snus to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8291-8296 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_03: Considered switching from snus to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8297-8302 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_04: Considered switching from snus to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8303-8308 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_05: Considered switching from snus to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%

Value	Label	Unweighted Frequency	%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8309-8314 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_06: Considered switching from snus to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - Filtered Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8315-8320 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_07: Considered switching from snus to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8321-8326 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_08: Considered switching from snus to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8327-8332 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_10: Considered switching from snus to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8333-8338 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_12: Considered switching from snus to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8339-8344 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_14: Considered switching from snus to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8345-8350 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_15: Considered switching from snus to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Snus user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	12	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8351-8356 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307U_16: Considered switching from snus to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Snus user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	10	0.1%
	Total	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10822	99.9%

Value	Missing Data	Unweighted Frequency	%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8357-8362 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Smokeless tobacco user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	5	0.0%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8363-8368 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8369-8374 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_03: Considered switching from smokeless tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8375-8380 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8381-8386 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8387-8392 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Filtered Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8393-8398 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1

OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	8	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8399-8404 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8405-8410 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_09: Considered switching from smokeless tobacco to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_

PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8411-8416 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_12: Considered switching from smokeless tobacco to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Smokeless tobacco user - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display

options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8417-8422 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_14: Considered switching from smokeless tobacco to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Smokeless tobacco user - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	10	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8423-8428 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_15: Considered switching from smokeless tobacco to nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Smokeless tobacco user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	8	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8429-8434 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307S_16: Considered switching from smokeless tobacco to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Smokeless tobacco user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	9	0.1%
	Total	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10820	99.9%
	Total	10,824	99.9%

This variable has 10 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8435-8440 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_01: Have not considered switching from bidis to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Bidi user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	1	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8441-8446 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_02: Considered switching from bidis to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%

Value	Label	Unweighted Frequency	%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8447-8452 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_03: Considered switching from bidis to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%

Value	Label	Unweighted Frequency	%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8453-8458 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_04: Considered switching from bidis to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8459-8464 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_05: Considered switching from bidis to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8465-8470 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_06: Considered switching from bidis to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Filtered Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8471-8476 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_07: Considered switching from bidis to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8477-8482 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_08: Considered switching from bidis to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Bidi user - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8483-8488 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_09: Considered switching from bidis to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Bidi user - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8489-8494 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_10: Considered switching from bidis to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Bidi user - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%

Value	Missing Data	Unweighted Frequency	%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8495-8500 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_14: Considered switching from bidis to IQOS

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - IQOS

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8501-8506 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_15: Considered switching from bidis to nicotine pouches nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

Bidi user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8507-8512 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307B_16: Considered switching from bidis to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

Bidi user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8513-8518 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_01: Have not considered switching from IQOS to another product

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8519-8524 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_02: Considered switching from IQOS to cigarettes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8525-8530 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_03: Considered switching from IQOS to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8531-8536 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_04: Considered switching from IQOS to traditional cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

IQOS user - Traditional Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8537-8542 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_05: Considered switching from IQOS to cigarillos

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8543-8548 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_06: Considered switching from IQOS to filtered cigars

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Filtered Cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if

R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8549-8554 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_07: Considered switching from IQOS to pipes

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

IQOS user - Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress

option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8555-8560 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_08: Considered switching from IQOS to hookahs

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8561-8566 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_09: Considered switching from IQOS to snus

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

IQOS user - Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8567-8572 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_10: Considered switching from IQOS to smokeless tobacco

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%

Value	Label	Unweighted Frequency	%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8573-8578 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_12: Considered switching from IQOS to bidis

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8579-8584 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_15: Considered switching from IQOS to nicotine pouches nicotine pouches

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?
Choose all that apply.

IQOS user - Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8585-8590 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0307Q_16: Considered switching from IQOS to other types of oral nicotine products

Have you considered switching from [USEPROD(1-10, 12)] to any of the following products?

Choose all that apply.

IQOS user - Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R07_PAST30DAY_TOB = 1 AND (R07_PAST30DAY_CIGS != 1 OR R07_PAST30DAY_EPRODS != 1 OR R07_PAST30DAY_GTRAD != 1 OR R07_PAST30DAY_GRILLO != 1 OR R07_PAST30DAY_GFILTR != 1 OR R07_PAST30DAY_PIPE != 1 OR R07_PAST30DAY_HOOK != 1 OR R07_PAST30DAY_SNUS != 1 OR R07_PAST30DAY_SMKLS != 1 OR R07_PAST30DAY_IQOS != 1 OR R07_PAST30DAY_BIDI != 1).

PROGRAM: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R07_PAST30DAY_CIGS = 1. Suppress option 3 if R07_PAST30DAY_EPRODS = 1. Suppress option 4 if R07_PAST30DAY_GTRAD = 1. Suppress option 5 if R07_PAST30DAY_GRILLO = 1. Suppress option 6 if R07_PAST30DAY_GFILTR = 1. Suppress option 7 if R07_PAST30DAY_PIPE = 1. Suppress option 8 if R07_PAST30DAY_HOOK = 1. Suppress option 9 if R07_PAST30DAY_SNUS = 1. Suppress option 10 if R07_PAST30DAY_SMKLS = 1. Suppress option 12 if R07_PAST30DAY_BIDI = 1. Suppress option 14 if R07_PAST30DAY_IQOS = 1. Always display options 1, 15, and 16.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	2	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8591-8596 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YX0671_V3: DERIVED - Recoded anyone who lives with you now uses tobacco (4 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, use smokeless tobacco, smoke cigars, cigarillos or filtered cigars or use any other form of tobacco?

Algorithm: IF R07_YX0671_01 = 1 OR R07_YX0671_05 = 1 THEN
R07R_Y_YX0671_V3 = 1; ELSE IF R07_YX0671_03 = 1 OR R07_YX0671_04 = 1
OR R07_YX0671_06 = 1 OR R07_YX0671_07 = 1 OR R07_YX0671_08 = 1 OR
R07_YX0671_10 = 1 OR R07_YX0671_11 = 1 THEN R07R_Y_YX0671_V3 = 3;
ELSE IF R07_YX0671_02 = 1 THEN R07R_Y_YX0671_V3 = 2; ELSE IF
R07_YX0671_09 = 1 THEN R07R_Y_YX0671_V3 = 4; ELSE R07R_Y_YX0671_V3 =
.;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars	2422	22.4%
2	2 = E-products exclusively	501	4.6%
3	3 = Other tobacco products, including smokeless, snus, hookah, IQOS, pouches, and oral nicotine products	450	4.2%
4	4 = No one living in the home uses tobacco	7177	66.2%
	Total	10,550	97.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	284	2.6%
	Total	284	2.6%

This variable has 10,550 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8597-8602 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YX0368: In past 7 days, number of days you rode in a vehicle when someone was using an e-cigarette or electronic nicotine product

In the past 7 days, on how many days did you ride in a vehicle when someone was using an e-cigarette or other electronic nicotine product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	9002	83.1%
2	2 = 1 day	542	5.0%
3	3 = 2 days	341	3.1%
4	4 = 3 days	215	2.0%
5	5 = 4 days	135	1.2%
6	6 = 5 days	119	1.1%
7	7 = 6 days	54	0.5%
8	8 = 7 days	309	2.9%
	Total	10,717	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	97	0.9%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	117	1.1%

This variable has 10,717 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8603-8608 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0369: In past 7 days, number of days you rode in a vehicle when someone was smoking a tobacco product

In the past 7 days, on how many days did you ride in a vehicle when someone was smoking a tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	9396	86.7%
2	2 = 1 day	413	3.8%
3	3 = 2 days	249	2.3%
4	4 = 3 days	201	1.9%
5	5 = 4 days	108	1.0%
6	6 = 5 days	82	0.8%
7	7 = 6 days	48	0.4%
8	8 = 7 days	238	2.2%
	Total	10,735	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	80	0.7%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	99	0.9%

This variable has 10,735 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8609-8614 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0366: In past 30 days, number of days you were exposed to vapor from someone who was using an e-cigarette or other electronic nicotine product in an indoor public place

[[K-22.]] In the past 30 days, on how many days were you exposed to the vapor from someone who was using an e-cigarette or other electronic nicotine product in an indoor public place? Examples of indoor public places are school buildings, stores, restaurants, and sports arenas. Do not think about homes when answering this question.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	6651	61.4%

Value	Label	Unweighted Frequency	%
2	2 = 1 or 2 days	2025	18.7%
3	3 = 3 to 5 days	826	7.6%
4	4 = 6 to 9 days	362	3.3%
5	5 = 10 to 19 days	389	3.6%
6	6 = 20 to 29 days	199	1.8%
7	7 = All 30 days	247	2.3%
	Total	10,699	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	116	1.1%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	135	1.2%

This variable has 10,699 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8615-8620 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0367: In past 30 days, number of days you were exposed to vapor from someone who was using an e-cigarette in an outdoor public place

[[K-22.]]In the past 30 days, on how many days were you exposed to the vapor from someone who was using an e-cigarette in an outdoor public place? Examples of outdoor public places are school grounds, sidewalks, parking lots, stadiums, and parks.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	6155	56.8%
2	2 = 1 or 2 days	2362	21.8%
3	3 = 3 to 5 days	921	8.5%
4	4 = 6 to 9 days	516	4.8%
5	5 = 10 to 19 days	373	3.4%
6	6 = 20 to 29 days	154	1.4%

Value	Label	Unweighted Frequency	%
7	7 = All 30 days	206	1.9%
	Total	10,687	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	126	1.2%
-7	-7 = Refused	21	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	147	1.4%

This variable has 10,687 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8621-8626 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0364: In past 30 days, number of days you were exposed to smoke from someone who was smoking tobacco products in an indoor public place

[[K-22.]]In the past 30 days, on how many days were you exposed to the smoke from someone who was smoking tobacco products in an indoor public place? Examples of indoor public places are school buildings, stores, restaurants, and sports arenas. Do not think about homes when answering this question.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	7918	73.1%
2	2 = 1 or 2 days	1441	13.3%
3	3 = 3 to 5 days	580	5.4%
4	4 = 6 to 9 days	264	2.4%
5	5 = 10 to 19 days	210	1.9%
6	6 = 20 to 29 days	100	0.9%
7	7 = All 30 days	180	1.7%
	Total	10,693	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	122	1.1%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	141	1.3%

This variable has 10,693 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8627-8632 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0365: In past 30 days, number of days you were exposed to smoke from someone who was smoking tobacco products in an outdoor public place

[[K-22.]]In the past 30 days, on how many days were you exposed to the smoke from someone who was smoking tobacco products in an outdoor public place? Examples of outdoor public places are school grounds, sidewalks, parking lots, stadiums, and parks.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	6389	59.0%
2	2 = 1 or 2 days	2259	20.9%
3	3 = 3 to 5 days	926	8.5%
4	4 = 6 to 9 days	486	4.5%
5	5 = 10 to 19 days	320	3.0%
6	6 = 20 to 29 days	107	1.0%
7	7 = All 30 days	197	1.8%
	Total	10,684	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	133	1.2%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	150	1.4%

This variable has 10,684 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8633-8638 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9066: In past 12 months, swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes

In the past 12 months, did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	396	3.7%
2	2 = No	10385	95.9%
	Total	10,781	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	43	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	53	0.5%

This variable has 10,781 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8639-8644 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9068: In past 12 months, number of times you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes

In the past 12 months, how many times did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes

in the past 12 months.

ASK Specification: IF R07_YV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once in the past 12 months	203	1.9%
2	2 = More than once in the past 12 months	168	1.6%
	Total	371	3.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	10438	96.3%
	Total	10,463	96.6%

This variable has 371 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8645-8650 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9069_MO: Approximate month when you most recently swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes

What was the approximate month and year [when/of the most recent time] you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R07_YV9066 = 1.

[PROGRAM NOTE: Allow 2 digits for month; allow 4 digits for year.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	76	0.7%
-7	-7 = Refused	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10438	96.3%
	Total	10,530	97.2%

This variable has 304 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8651-8656 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV9069_YR: Approximate year when you most recently swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes

What was the approximate month and year [when/of the most recent time] you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes?

__Month/Year

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R07_YV9066 = 1.

[PROGRAM NOTE: Allow 2 digits for month; allow 4 digits for year.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	80	0.7%
-7	-7 = Refused	16	0.1%
-5	-5 = Improbable response removed	8	0.1%
-1	-1 = Inapplicable	10438	96.3%
	Total	10,542	97.3%

This variable has 292 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8657-8662 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YV9063: In past 12 months, became sick after swallowing e-liquid, or got it in your mouth, on your skin, or in your eyes

[Please think about the most recent time as you answer the following questions.

]After you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you become sick?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R07_YV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.5%
2	2 = No	338	3.1%
	Total	390	3.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10438	96.3%
	Total	10,444	96.4%

This variable has 390 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8663-8668 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV9065: In past 12 months, went to a hospital after swallowing e-liquid, or got it in your mouth, on your skin, or in your eyes

After you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you go to a hospital?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R07_YV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2%
2	2 = No	364	3.4%

Value	Label	Unweighted Frequency	%
	Total	386	3.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10438	96.3%
	Total	10,448	96.4%

This variable has 386 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8669-8674 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0090: Self perception of physical health

[[L-1.]]In general, how would you rate your...

physical health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4154	38.3%
2	2 = Very good	3533	32.6%
3	3 = Good	2337	21.6%
4	4 = Fair	685	6.3%
5	5 = Poor	91	0.8%
	Total	10,800	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	23	0.2%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	34	0.3%

This variable has 10,800 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8675-8680 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0091: Self perception of mental health, including mood and ability to think

mental health, which includes stress, depression, and problems with emotions?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	2630	24.3%
2	2 = Very good	2497	23.0%
3	3 = Good	2588	23.9%
4	4 = Fair	2163	20.0%
5	5 = Poor	912	8.4%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8681-8686 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0088: Self perception of overall health

overall health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	3822	35.3%
2	2 = Very good	3577	33.0%
3	3 = Good	2611	24.1%
4	4 = Fair	703	6.5%
5	5 = Poor	89	0.8%
	Total	10,802	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	19	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	32	0.3%

This variable has 10,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8687-8692 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0090_12M: Self perception of physical health compared to 12 months ago

Compared with 12 months ago, would you say...

your physical health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	6310	58.2%
2	2 = Worse	584	5.4%
3	3 = About the same	3916	36.1%
	Total	10,810	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	16	0.1%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	24	0.2%

This variable has 10,810 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8693-8698 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0091_12M: Self perception of mental health compared to 12 months ago

your mental health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	4850	44.8%
2	2 = Worse	1742	16.1%
3	3 = About the same	4210	38.9%
	Total	10,802	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	18	0.2%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	32	0.3%

This variable has 10,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8699-8704 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0088_12M: Self perception of overall health compared to health 12 months ago

your overall health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	5993	55.3%
2	2 = Worse	471	4.3%
3	3 = About the same	4326	39.9%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8705-8710 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0001: In past 12 months, saw a medical doctor, nurse or other health professional

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse, or other health professional?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8763	80.9%
2	2 = No	1958	18.1%
	Total	10,721	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	103	1.0%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	113	1.0%

This variable has 10,721 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8711-8716 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0002: In past 12 months, saw a dentist, hygienist, or other dental professional

In the past 12 months, have you seen a dentist, hygienist, or other dental professional?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8756	80.8%
2	2 = No	2012	18.6%
	Total	10,768	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	66	0.6%

This variable has 10,768 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8717-8722 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0726: Self perception of overall health of teeth and gums

[[L-1.]]Overall, how would you rate the health of your teeth and gums?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	2512	23.2%
2	2 = Very good	3966	36.6%
3	3 = Good	3259	30.1%
4	4 = Fair	937	8.6%
5	5 = Poor	138	1.3%
	Total	10,812	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	22	0.2%

This variable has 10,812 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8723-8728 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0693_12M: In past 12 months, observed any bleeding after brushing or flossing, or due to other conditions in your mouth

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

[If Yes (1), GO TO R07_YX0752.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3464	32.0%
2	2 = No	7324	67.6%
	Total	10,788	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	46	0.4%

This variable has 10,788 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8729-8734 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0693_NB: Ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

ASK: Youth respondents who have not observed bleeding after brushing or flossing in the past 12 months or did not know or refused to report whether they have observed bleeding after brushing or flossing in the past 12 months.

ASK Specification: IF R07_YX0693_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1068	9.9%
2	2 = No	6259	57.8%
	Total	7,327	67.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	3464	32.0%
	Total	3,507	32.4%

This variable has 7,327 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8735-8740 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0752: In past 12 months, how often had pain in your mouth

[[L-2.]]In the past 12 months, how often have you had pain anywhere in your mouth?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	3768	34.8%
2	2 = Rarely	4730	43.7%
3	3 = Sometimes	1855	17.1%
4	4 = Often	331	3.1%
5	5 = Very often	121	1.1%
	Total	10,805	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	20	0.2%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	29	0.3%

This variable has 10,805 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8741-8746 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0725: Number of times you brush your teeth in one day

How many times do you brush your teeth in one day?

ASK: All youth respondents.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00

- Maximum: 41.00
- Standard Deviation: 1.18

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	15	0.1%
-5	-5 = Improbable response removed	13	0.1%
-2	-2 = I do not brush my teeth every day	0	0.0%
-1	-1 = Inapplicable	0	0.0%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8747-8752 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -2 , -1

R07_YX0696: In the last seven days, number of times used dental floss or any other device to clean between teeth

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

ASK: All youth respondents.

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.95
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 4.50

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	76	0.7%
-7	-7 = Refused	43	0.4%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	119	1.1%

This variable has 10,715 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8753-8758 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0391: How often you have foods or drinks that contain added sugar

[[L-3.]]Now think about any foods or drinks that contain added sugar. This could include desserts, candy, juice, soft drinks, and energy drinks.

How often do you have foods or drinks that contain added sugar?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	2241	20.7%
2	2 = 1 or 2 times per day	4424	40.8%
3	3 = 2 or 3 times per week	2497	23.0%
4	4 = Once a week or less	1344	12.4%
5	5 = Not at all	247	2.3%
	Total	10,753	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	62	0.6%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	81	0.7%

This variable has 10,753 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8759-8764 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0241: In past 7 days, number of days physically active for at least 60 minutes per day

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1046	9.7%
2	2 = 1 day	732	6.8%
3	3 = 2 days	1137	10.5%
4	4 = 3 days	1504	13.9%
5	5 = 4 days	1271	11.7%
6	6 = 5 days	1710	15.8%
7	7 = 6 days	918	8.5%
8	8 = 7 days	2385	22.0%
	Total	10,703	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	99	0.9%
-7	-7 = Refused	32	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	131	1.2%

This variable has 10,703 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8765-8770 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0242: In past 7 days, number of days exercised or participated in physical activity for at least 20 minutes that made you sweat and breathe hard

On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1383	12.8%
2	2 = 1 day	969	8.9%
3	3 = 2 days	1226	11.3%
4	4 = 3 days	1416	13.1%
5	5 = 4 days	1175	10.8%
6	6 = 5 days	1668	15.4%
7	7 = 6 days	798	7.4%
8	8 = 7 days	2115	19.5%
	Total	10,750	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	60	0.6%
-7	-7 = Refused	24	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	84	0.8%

This variable has 10,750 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8771-8776 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0243: In past 7 days, number of days did exercises to strengthen or tone your muscles

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	2962	27.3%
2	2 = 1 day	1214	11.2%
3	3 = 2 days	1332	12.3%
4	4 = 3 days	1356	12.5%
5	5 = 4 days	904	8.3%

Value	Label	Unweighted Frequency	%
6	6 = 5 days	1189	11.0%
7	7 = 6 days	484	4.5%
8	8 = 7 days	1313	12.1%
	Total	10,754	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	54	0.5%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	80	0.7%

This variable has 10,754 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8777-8782 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0046_NB: Ever had wheezing or whistling in the chest

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0052.]

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1855	17.1%
2	2 = No	5340	49.3%
	Total	7,195	66.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	112	1.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,639	33.6%

This variable has 7,195 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8783-8788 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0047_12M: In past 12 months, had wheezing or whistling in the chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0052.]

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past, or continuing youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YX0046_NB = 1) OR R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1493	13.8%
2	2 = No	3853	35.6%
	Total	5,346	49.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	5467	50.5%
	Total	5,488	50.7%

This variable has 5,346 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8789-8794 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0048: Number of wheezing attacks in past 12 months

How many attacks of wheezing have you had in the past 12 months?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YX0046_NB = 1 AND R07_YX0047_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = None	302	2.8%
2	2 = 1 to 3	890	8.2%
3	3 = 4 to 12	189	1.7%
4	4 = More than 12	100	0.9%
	Total	1,481	13.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9341	86.2%
	Total	9,353	86.3%

This variable has 1,481 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8795-8800 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months how often, on average, has your sleep been disturbed due to wheezing?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YX0046_NB = 1 AND R07_YX0047_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	1220	11.3%
2	2 = Less than one night per week	199	1.8%
3	3 = One or more nights per week	69	0.6%
	Total	1,488	13.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9341	86.2%
	Total	9,346	86.3%

This variable has 1,488 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8801-8806 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 2, 3 AND R07_YX0046_NB = 1 AND R07_YX0047_12M = 1) OR (R07_YOUTHTYPE = 1 AND R07_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	305	2.8%
2	2 = No	1179	10.9%
	Total	1,484	13.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	9341	86.2%
	Total	9,350	86.3%

This variable has 1,484 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8807-8812 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1658	15.3%
2	2 = No	9085	83.9%
	Total	10,743	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	78	0.7%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	91	0.8%

This variable has 10,743 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8813-8818 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0053: In past 12 months, had a dry cough at night

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2666	24.6%
2	2 = No	8044	74.2%
	Total	10,710	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	110	1.0%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	124	1.1%

This variable has 10,710 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8819-8824 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0031_12M: In past 12 months, been told by a doctor, nurse or other health professional that you have asthma

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have asthma?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXV03.]

ASK: Continuing youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	2.3%
2	2 = No	3256	30.1%
	Total	3,506	32.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	7322	67.6%
	Total	7,328	67.6%

This variable has 3,506 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8825-8830 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0031_NB: Ever been told by a doctor, nurse or other health professional that you have asthma

Have you ever been told by a doctor, nurse, or other health professional that you have asthma?

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1113	10.3%
2	2 = No	6174	57.0%
	Total	7,287	67.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	26	0.2%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,547	32.7%

This variable has 7,287 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8831-8836 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YT0038: DERIVED - Age range when you were first told you had asthma (3 levels)

Long Description: How old were you when you were first told you had asthma?

Algorithm: IF R07_YT0260 = 1 OR (0 <= R07_YT0038 <= 11) THEN
R07R_Y_YT0038 = 1; ELSE IF R07_YT0260 = 2 OR (12 <= R07_YT0038 <= 14)
THEN R07R_Y_YT0038 = 2; ELSE IF R07_YT0260 = 3 OR (15 <= R07_YT0038
<= 17) THEN R07R_Y_YT0038 = 3; ELSE R07R_Y_YT0038 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1011	9.3%
2	2 = 12 to 14 years old	112	1.0%
3	3 = 15 to 17 years old	31	0.3%
	Total	1,154	10.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9680	89.3%
	Total	9,680	89.3%

This variable has 1,154 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8837-8842 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YX0227: In past 30 days, amount of time your asthma kept you from getting as much done at work, school, or home

[[L-4.]]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school, or at home?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	25	0.2%
2	2 = Most of the time	50	0.5%
3	3 = Some of the time	162	1.5%

Value	Label	Unweighted Frequency	%
4	4 = A little of the time	387	3.6%
5	5 = None of the time	1178	10.9%
	Total	1,802	16.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,032	83.4%

This variable has 1,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8843-8848 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0228: In past 30 days, how often had shortness of breath

[[L-5.]]In the past 30 days, how often have you had shortness of breath?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	54	0.5%
2	2 = Once a day	133	1.2%
3	3 = 3 - 6 times a week	133	1.2%
4	4 = Once or twice a week	466	4.3%
5	5 = None at all	1017	9.4%
	Total	1,803	16.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,031	83.4%

This variable has 1,803 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8849-8854 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

[[L-6.]]In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness, or pain) wake you up at night or earlier than usual in the morning?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	25	0.2%
2	2 = 2 or 3 nights	72	0.7%
3	3 = Once a week	74	0.7%
4	4 = Once or twice	236	2.2%
5	5 = Not at all	1399	12.9%
	Total	1,806	16.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,028	83.3%

This variable has 1,806 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8855-8860 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0022: In past 12 months, took medications for asthma regularly

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YT0127.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	561	5.2%
2	2 = No	1241	11.5%
	Total	1,802	16.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,032	83.4%

This variable has 1,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8861-8866 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0036_01: In past 12 months, medications taken for asthma: Quick-relief inhaler

[[L-7.]] In the past 12 months, which of the following medications did you regularly take for asthma? [Mark Yes or No for each item.]

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	465	4.3%
2	2 = No	82	0.8%
	Total	547	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10273	94.8%
	Total	10,287	95.0%

This variable has 547 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8867-8872 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0036_02: In past 12 months, medications taken for asthma: Controller/long-acting inhaler

[[L-7.]]In the past 12 months, which of the following medications did you regularly take for asthma? [Mark Yes or No for each item.]

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	231	2.1%
2	2 = No	310	2.9%
	Total	541	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	20	0.2%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10273	94.8%
	Total	10,293	95.0%

This variable has 541 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8873-8878 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0036_03: In past 12 months, medications taken for asthma: Other controlling medication

[[L-7.]] In the past 12 months, which of the following medications did you regularly take for asthma? [Mark Yes or No for each item.]

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	1.1%
2	2 = No	423	3.9%
	Total	544	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	17	0.2%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10273	94.8%
	Total	10,290	95.0%

This variable has 544 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8879-8884 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0036_04: In past 12 months, medications taken for asthma: Other asthma medication

[[L-7.]] In the past 12 months, which of the following medications did you regularly take for asthma? [Mark Yes or No for each item.]

Other asthma medication

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	1.2%
2	2 = No	419	3.9%
	Total	548	5.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	12	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10273	94.8%
	Total	10,286	94.9%

This variable has 548 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8885-8890 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0125: In past 12 months, had an asthma attack that required use of an oral or injected steroid medication at the time of the attack

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YT0127.]

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the

past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	89	0.8%
2	2 = No	466	4.3%
	Total	555	5.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10273	94.8%
	Total	10,279	94.9%

This variable has 555 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8891-8896 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0039: In past 12 months, number of asthma attacks that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

[If Don't know (-8) or Refused (-7), GO TO R07_YT0127.]

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0022 = 1 AND R07_YT0125 = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 7.09
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 17.14

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10745	99.2%
	Total	10,747	99.2%

This variable has 87 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8897-8902 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YT0127: In past 12 months, visited an emergency room or urgent care center because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0230.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	112	1.0%
2	2 = No	1695	15.6%
	Total	1,807	16.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,027	83.3%

This variable has 1,807 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8903-8908 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YT0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YXR42.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0127 = 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 3.56

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10722	99.0%
	Total	10,725	99.0%

This variable has 109 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8909-8914 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0695: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (youth)

Was that visit due to an asthma attack?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0127 = 1 AND R07_YT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.4%
2	2 = No	16	0.1%
	Total	54	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,780	99.5%

This variable has 54 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8915-8920 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0720: Number of visits to emergency room due to asthma attack (youth)

How many of those visits were due to an asthma attack?

[If Don't know (-8) or Refused (-7), GO TO R07_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R07_YOUTH_ASTHMA = 1 AND R07_YT0127 = 1 AND R07_YT0282 > 1.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 2.95
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 4.33

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10794	99.6%
	Total	10,795	99.6%

This variable has 39 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8921-8926 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

[[L-8.]] In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	25	0.2%
2	2 = 1 or 2 times per day	100	0.9%
3	3 = 2 or 3 times per week	97	0.9%
4	4 = Once a week or less	298	2.8%
5	5 = Not at all	1284	11.9%
	Total	1,804	16.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	9020	83.3%

Value	Missing Data	Unweighted Frequency	%
	Total	9,030	83.3%

This variable has 1,804 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8927-8932 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0231: In past 30 days, how would you rate your asthma control

[[L-9.]]How would you rate your asthma control during the past 30 days?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R07_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	27	0.2%
2	2 = Poorly controlled	26	0.2%
3	3 = Somewhat controlled	159	1.5%
4	4 = Well controlled	523	4.8%
5	5 = Completely controlled	1064	9.8%
	Total	1,799	16.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	9020	83.3%
	Total	9,035	83.4%

This variable has 1,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8933-8938 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0247: Ever had a seizure

Have you ever had a seizure?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR17.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	351	3.2%
2	2 = No	10447	96.4%
	Total	10,798	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	36	0.3%

This variable has 10,798 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8939-8944 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0247_12M: Had a seizure in past 12 months

In the past 12 months, have you had a seizure?

ASK: Youth respondents who have ever had a seizure.

ASK Specification: IF R07_YX0247 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	65	0.6%
2	2 = No	284	2.6%
	Total	349	3.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10483	96.8%
	Total	10,485	96.8%

This variable has 349 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8945-8950 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YX0289: DERIVED - Age range when you had your first seizure (3 levels)

Long Description: How old were you when you had your first seizure?

Algorithm: IF R07_YX0291 = 1 OR (0 <= R07_YX0289 <= 11) THEN
R07R_Y_YX0289 = 1; ELSE IF R07_YX0291 = 2 OR (12 <= R07_YX0289 <= 14
) THEN R07R_Y_YX0289 = 2; ELSE IF R07_YX0291 = 3 OR (15 <= R07_YX0289
<= 17) THEN R07R_Y_YX0289 = 3; ELSE R07R_Y_YX0289 = .;

- Minimum: 1.00
- Maximum: 3.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10490	96.8%
	Total	10,490	96.8%

This variable has 344 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8951-8956 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YX0003: In past 12 months, any medical doctor, dentist or other health professional advised you to stop using tobacco (including e-cigarettes or other electronic nicotine products)

In the past 12 months, did any medical doctor, dentist, or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R07_EVER_USE_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	103	1.0%
2	2 = No	1800	16.6%
	Total	1,903	17.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	8913	82.3%
	Total	8,931	82.4%

This variable has 1,903 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8957-8962 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0158_01: In past 12 months, took Ibuprofen (Motrin, Advil, Naprosyn, or Aleve) even once

[[L-10.]]In the past 12 months, did you take any of the following medications, even once? [Mark Yes or No for each item.]

Ibuprofen (Motrin, Advil, Naprosyn, or Aleve)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7724	71.3%
2	2 = No	2999	27.7%
	Total	10,723	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	99	0.9%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	111	1.0%

This variable has 10,723 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8963-8968 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0158_02: In past 12 months, took Acetaminophen (Tylenol) even once

[[L-10.]]In the past 12 months, did you take any of the following medications, even once? [Mark Yes or No for each item.]

Acetaminophen (Tylenol)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7164	66.1%
2	2 = No	3479	32.1%
	Total	10,643	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	141	1.3%
-7	-7 = Refused	50	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	191	1.8%

This variable has 10,643 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8969-8974 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0158_03: In past 12 months, took Aspirin even once

[[L-10.]]In the past 12 months, did you take any of the following medications, even once? [Mark Yes or No for each item.]

Aspirin

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2454	22.7%
2	2 = No	8230	76.0%
	Total	10,684	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	134	1.2%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	150	1.4%

This variable has 10,684 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8975-8980 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0158_04: In past 12 months, took Cox-2 inhibitors (Celebrex) even once

[[L-10.]]In the past 12 months, did you take any of the following medications, even once? [Mark Yes or No for each item.]

Cox-2 inhibitors (Celebrex)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6%
2	2 = No	10652	98.3%
	Total	10,721	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	98	0.9%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	113	1.0%

This variable has 10,721 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8981-8986 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0330_12MH: Used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in past 12 months (past 12 month tobacco non-users)

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	533	4.9%
	Total	537	5.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10295	95.0%
	Total	10,297	95.0%

This variable has 537 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8987-8992 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161H_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8993-8998 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161H_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	0	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 8999-9004 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161H_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0%
2	2 = Not Marked	4	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9005-9010 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161H_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9011-9016 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0161H_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	3	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9017-9022 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0347H: When last removed a nicotine patch (past year tobacco non-users)

[[L-11.]]When you last used a nicotine patch, when did you remove it?

[If I am currently wearing a nicotine patch (1), In the past hour (2), or Day before yesterday (5), GO TO R07_YN0349H. If Three or more days ago (6), Don't know (-8), or Refused (-7), GO TO BOX R07_YNR10.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	1	0.0%
2	2 = In the past hour	0	0.0%
3	3 = Sometime today, but more than an hour ago	0	0.0%
4	4 = Yesterday	0	0.0%
5	5 = Day before yesterday	0	0.0%
6	6 = Three or more days ago	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9023-9028 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0348H: Number of hours since you removed a nicotine patch (past year tobacco non-users)

How many hours has it been since you removed a nicotine patch?

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_01 = 1 AND R07_YN0347H = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = 5 to 11 hours	0	0.0%
3	3 = More than 12 hours	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9029-9034 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0349H: Strength of nicotine patch last used (past year tobacco non-users)

When you last used a nicotine patch [FILL BASED ON R07_YN0347H], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_01 = 1 AND R07_YN0347H = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	0	0.0%
2	2 = 14 mg (Step 2)	0	0.0%
3	3 = 7 mg (Step 3)	1	0.0%
4	4 = Some other strength	0	0.0%
5	5 = I don't know	0	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9035-9040 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0357H: When last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco non-users)

[[L-12.]]When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If In the past hour (1), GO TO R07_YN0359H. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_[02/03/04/05] = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0%
2	2 = Sometime today, but more than an hour ago	2	0.0%
3	3 = Yesterday	0	0.0%
4	4 = Day before yesterday	0	0.0%
5	5 = Three or more days ago	2	0.0%
	Total	4	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10830	100.0%
	Total	10,830	100.0%

This variable has 4 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9041-9046 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0358H: Time period of day when you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco non-users)

[[L-13.]]When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R07_YN0357H], was it...

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_[02/03/04/05] = 1 AND R07_YN0357H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0%
2	2 = After 6AM but before noon	0	0.0%
3	3 = Between noon and 6PM	2	0.0%
4	4 = After 6PM but before midnight	0	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9047-9052 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YN0359H: Number of nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenges last used (past year tobacco non-users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R07_YN0357H], how many did you use?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R07_EVER_USE_TOB = 1 AND R07_PASTYEAR_TOB_USE = 4 AND R07_YN0330_12MH = 1 AND R07_YN0161H_[02/03/04/05] = 1 AND R07_YN0357H = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9053-9058 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0494: On an average weekday, amount of time spent watching TV and streaming videos that include commercials

[[L-14.]]On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	812	7.5%
2	2 = Half hour or less	1375	12.7%
3	3 = About 1 hour	1572	14.5%
4	4 = About 2 hours	1966	18.1%
5	5 = About 3 hours	1670	15.4%
6	6 = About 4 hours	1165	10.8%
7	7 = About 5 hours	736	6.8%
8	8 = About 6 hours	400	3.7%
9	9 = 7 hours or more	1068	9.9%
	Total	10,764	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	52	0.5%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	70	0.6%

This variable has 10,764 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9059-9064 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0474: Amount of time spent watching television and streaming videos that include commercials on an average weekend day

[[L-15.]]On an average weekend day, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	863	8.0%
2	2 = Less than 1 hour	1433	13.2%
3	3 = 1 to 2 hours	2597	24.0%
4	4 = 3 to 4 hours	2552	23.6%

Value	Label	Unweighted Frequency	%
5	5 = 5 to 6 hours	1524	14.1%
6	6 = 7 to 8 hours	797	7.4%
7	7 = 9 to 10 hours	393	3.6%
8	8 = 11 hours or more	597	5.5%
	Total	10,756	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	54	0.5%
-7	-7 = Refused	24	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	78	0.7%

This variable has 10,756 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9065-9070 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0062: Used social media in past 7 days

Sometimes people use the Internet or apps to connect with other people online through social networks like Facebook, YouTube, Instagram, Snapchat, and Twitter. This is often called social media.

In the past 7 days, have you used any social media?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0234.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9603	88.6%
2	2 = No	1199	11.1%
	Total	10,802	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	20	0.2%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	32	0.3%

This variable has 10,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9071-9076 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0370: Hours spent on social media on an average weekday

[[L-14.]]On an average weekday, about how much time do you spend using social media?

ASK: Youth respondents who use social media.

ASK Specification: IF R07_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	84	0.8%
2	2 = Half hour or less	854	7.9%
3	3 = About 1 hour	1348	12.4%
4	4 = About 2 hours	1924	17.8%
5	5 = About 3 hours	1637	15.1%
6	6 = About 4 hours	1198	11.1%
7	7 = About 5 hours	894	8.3%
8	8 = About 6 hours	455	4.2%
9	9 = 7 hours or more	1172	10.8%
	Total	9,566	88.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,268	11.7%

This variable has 9,566 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9077-9082 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0371: Hours spent on social media on an average weekend day

[[L-15.]]On an average weekend day, about how much time do you spend using social media?

ASK: Youth respondents who use social media.

ASK Specification: IF R07_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	102	0.9%
2	2 = Less than 1 hour	873	8.1%
3	3 = 1 to 2 hours	2271	21.0%
4	4 = 3 to 4 hours	2578	23.8%
5	5 = 5 to 6 hours	1634	15.1%
6	6 = 7 to 8 hours	923	8.5%
7	7 = 9 to 10 hours	467	4.3%
8	8 = 11 hours or more	713	6.6%
	Total	9,561	88.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	26	0.2%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,273	11.8%

This variable has 9,561 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9083-9088 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_01: Social media used in past 7 days: Instagram

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

Instagram

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6288	58.0%
2	2 = Not Marked	3298	30.4%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9089-9094 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_02: Social media used in past 7 days: Twitter

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

Twitter

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1953	18.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	7633	70.5%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9095-9100 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_03: Social media used in past 7 days: Facebook

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

Facebook

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1940	17.9%
2	2 = Not Marked	7646	70.6%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9101-9106 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_04: Social media used in past 7 days: YouTube

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

YouTube

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8043	74.2%
2	2 = Not Marked	1543	14.2%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9107-9112 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_05: Social media used in past 7 days: Snapchat

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

Snapchat

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6105	56.4%
2	2 = Not Marked	3481	32.1%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9113-9118 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_06: Social media used in past 7 days: TikTok

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

TikTok

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6903	63.7%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	2683	24.8%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9119-9124 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0416_07: Social media used in past 7 days: Something else

[[L-16.]]Which social media have you used in the past 7 days? Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	823	7.6%
2	2 = Not Marked	8763	80.9%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9125-9130 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0417: Social media used most often

[[L-16.]]Which of the following social media do you use most often?

ASK: Youth respondents who have used more than one social media in the past 7 days.

ASK Specification: IF MORE THAN ONE OPTION SELECTED IN R07_YX0416.

Value	Label	Unweighted Frequency	%
1	1 = Instagram	1197	11.0%
2	2 = Twitter	65	0.6%
3	3 = Facebook	93	0.9%
4	4 = YouTube	1820	16.8%
5	5 = Snapchat	1760	16.2%
6	6 = TikTok	3224	29.8%
7	7 = Something else	188	1.7%
	Total	8,347	77.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	2472	22.8%
	Total	2,487	23.0%

This variable has 8,347 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9131-9136 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0418: In past 7 days, seen any content posted on any social media related to e-cigarettes or other electronic nicotine products

In the past 7 days, have you seen any content posted on any social media related to e-cigarettes or other electronic nicotine products?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0423.]

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3001	27.7%
2	2 = No	6585	60.8%
	Total	9,586	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	12	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,248	11.5%

This variable has 9,586 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9137-9142 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0419: In past 7 days, how often saw content posted on social media related to e-cigarettes or other electronic nicotine products

[[L-17.]]In the past 7 days, how often have you seen content posted on social media related to e-cigarettes or other electronic nicotine products? Please give us your best guess.

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	437	4.0%
2	2 = About once a day	732	6.8%
3	3 = A few times in the past week	937	8.6%
4	4 = About once in the past week	884	8.2%
	Total	2,990	27.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,844	72.4%

This variable has 2,990 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9143-9148 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_01: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: News about them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

News about them

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	961	8.9%
2	2 = Not Marked	2003	18.5%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9149-9154 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_02: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Instructions for using them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Instructions for using them

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	146	1.3%
2	2 = Not Marked	2818	26.0%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9155-9160 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_03: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Benefits of using them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Benefits of using them (examples: stress relief, vape tricks)

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	468	4.3%
2	2 = Not Marked	2496	23.0%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9161-9166 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_04: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Jokes or memes about using them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Jokes or memes about using them

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1364	12.6%
2	2 = Not Marked	1600	14.8%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9167-9172 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_05: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Pictures or video of people using the product

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Pictures or video of people using the product

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1383	12.8%
2	2 = Not Marked	1581	14.6%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9173-9178 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_06: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Reviews of them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Reviews of them

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	325	3.0%
2	2 = Not Marked	2639	24.4%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9179-9184 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_07: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Information on how to quit

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Information on how to quit

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1409	13.0%
2	2 = Not Marked	1555	14.4%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9185-9190 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_08: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Negative health consequences of using them

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Negative health consequences of using them (including public health messages)

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1852	17.1%
2	2 = Not Marked	1112	10.3%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9191-9196 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0420_09: In past 7 days, type of information about e-cigarettes or other electronic nicotine products seen on social media: Something else

[[L-18.]]In the past 7 days, which of the following types of information about e-cigarettes or other electronic nicotine products have you seen on social media? Choose all that apply.

Something else (SPECIFY)

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.5%
2	2 = Not Marked	2911	26.9%
	Total	2,964	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,870	72.6%

This variable has 2,964 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9197-9202 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_01: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: Friends or people I know in real life

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

Friends or people I know in real life

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	691	6.4%
2	2 = Not Marked	2262	20.9%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9203-9208 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_02: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: Friends or people I know only online

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

Friends or people I know only online

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	462	4.3%
2	2 = Not Marked	2491	23.0%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9209-9214 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_03: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: Social media influencers or celebrities

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

Social media influencers or celebrities

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1249	11.5%
2	2 = Not Marked	1704	15.7%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9215-9220 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_04: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: E-cigarette brands or vape shops

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

E-cigarette brands or vape shops

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	658	6.1%
2	2 = Not Marked	2295	21.2%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9221-9226 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_05: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: News media

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

News media

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	747	6.9%
2	2 = Not Marked	2206	20.4%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9227-9232 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_06: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: Public health message

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

Public health message (examples: Truth Initiative, Real Cost)

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1636	15.1%
2	2 = Not Marked	1317	12.2%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9233-9238 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0421_07: In past 7 days, who posted content on social media that you've seen related to e-cigarettes or other electronic nicotine products: Other

[[L-19.]]In the past 7 days, who posted the content on social media that you've seen related to e-cigarettes or other electronic nicotine products? Choose all that apply.

Other (SPECIFY)

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.9%
2	2 = Not Marked	2854	26.3%
	Total	2,953	27.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,881	72.7%

This variable has 2,953 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9239-9244 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0422_01: In past 7 days, done anything about content you've seen related to e-cigarettes or other electronic nicotine products on any social media: Liked

[[L-20.]]In the past 7 days, have you done any of the following about content you've seen related to e-cigarettes or other electronic nicotine products on any social media? Choose all that apply.

Liked

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	475	4.4%
2	2 = Not Marked	2515	23.2%
	Total	2,990	27.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,844	72.4%

This variable has 2,990 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9245-9250 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0422_02: In past 7 days, done anything about content you've seen related to e-cigarettes or other electronic nicotine products on any social media: Commented

[[L-20.]]In the past 7 days, have you done any of the following about content you've seen related to e-cigarettes or other electronic nicotine products on any social media? Choose all that apply.

Commented

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	113	1.0%
2	2 = Not Marked	2877	26.6%
	Total	2,990	27.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,844	72.4%

This variable has 2,990 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9251-9256 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0422_03: In past 7 days, done anything about content you've seen related to e-cigarettes or other electronic nicotine products on any social media: Clicked on

[[L-20.]]In the past 7 days, have you done any of the following about content you've seen related to

e-cigarettes or other electronic nicotine products on any social media? Choose all that apply.

Clicked on

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	390	3.6%
2	2 = Not Marked	2600	24.0%
	Total	2,990	27.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,844	72.4%

This variable has 2,990 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9257-9262 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0422_04: In past 7 days, done anything about content you've seen related to e-cigarettes or other electronic nicotine products on any social media: None of the above

[[L-20.]]In the past 7 days, have you done any of the following about content you've seen related to e-cigarettes or other electronic nicotine products on any social media? Choose all that apply.

None of the above

ASK: Youth respondents who have used social media in the past 7 days and have seen content posted on social media related to ENPs in the past 7 days.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0418 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 4 is selected, options 1-3 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2237	20.6%
2	2 = Not Marked	753	7.0%
	Total	2,990	27.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	7833	72.3%
	Total	7,844	72.4%

This variable has 2,990 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9263-9268 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0423: Ever posted or shared any content about e-cigarettes or other electronic nicotine products on social media

Have you ever posted or shared any content about e-cigarettes or other electronic nicotine products on social media?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0425.]

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	249	2.3%
2	2 = No	9343	86.2%
	Total	9,592	88.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,242	11.5%

This variable has 9,592 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9269-9274 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0424: Social media platform you most recently posted or shared content about e-cigarettes or other electronic nicotine products

[[L-16.]]Thinking of the most recent time you remember posting or sharing content about e-cigarettes or other electronic nicotine products on social media, what platform did you post or share it on?

ASK: Youth respondents who have used social media in the past 7 days and have ever posted or shared any content related to ENPs on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0423 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Instagram	67	0.6%
2	2 = Twitter	6	0.1%
3	3 = Facebook	15	0.1%
4	4 = YouTube	14	0.1%
5	5 = Snapchat	92	0.8%
6	6 = TikTok	45	0.4%
7	7 = Something else	6	0.1%
	Total	245	2.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10585	97.7%
	Total	10,589	97.7%

This variable has 245 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9275-9280 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0425: Currently follow or regularly search for any brands of tobacco on social media

Do you currently follow or regularly search for any brands of tobacco products on social media? This includes following or searching for hashtags such as #myblu or #marlboro.

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0427.]

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.5%
2	2 = No	9526	87.9%
	Total	9,581	88.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,253	11.6%

This variable has 9,581 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9281-9286 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_01: Tobacco brand you currently follow or regularly search on social media: JUUL

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

JUUL

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a

brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2%
2	2 = Not Marked	24	0.2%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9287-9292 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_02: Tobacco brand you currently follow or regularly search on social media: Vuse

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Vuse

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1%
2	2 = Not Marked	35	0.3%

Value	Label	Unweighted Frequency	%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9293-9298 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_03: Tobacco brand you currently follow or regularly search on social media: Blu

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Blu

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	39	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9299-9304 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_04: Tobacco brand you currently follow or regularly search on social media: NJOY

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

NJOY

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	39	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9305-9310 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_05: Tobacco brand you currently follow or regularly search on social media: eGo

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

eGo

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	43	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9311-9316 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_06: Tobacco brand you currently follow or regularly search on social media: Smok

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Smok

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	39	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9317-9322 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_07: Tobacco brand you currently follow or regularly search on social media: Puff

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Puff

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1%
2	2 = Not Marked	30	0.3%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9323-9328 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_08: Tobacco brand you currently follow or regularly search on social media: Black & Mild

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Black & Mild

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	42	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9329-9334 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_09: Tobacco brand you currently follow or regularly search on social media: Swisher Sweets

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Swisher Sweets

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	42	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9335-9340 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_10: Tobacco brand you currently follow or regularly search on social media: Dutch Masters

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Dutch Masters

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	43	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9341-9346 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_11: Tobacco brand you currently follow or regularly search on social media: Phillies Blunts

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Phillies Blunts

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0%
2	2 = Not Marked	44	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9347-9352 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_12: Tobacco brand you currently follow or regularly search on social media: Zig Zag

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Zig Zag

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	39	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9353-9358 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_13: Tobacco brand you currently follow or regularly search on social media: Camel

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Camel

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	38	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9359-9364 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_14: Tobacco brand you currently follow or regularly search on social media: Marlboro

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Marlboro

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	39	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9365-9370 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_15: Tobacco brand you currently follow or regularly search on social media: Newport

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Newport

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	42	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9371-9376 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_16: Tobacco brand you currently follow or regularly search on social media: American Spirit

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

American Spirit

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	40	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9377-9382 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_17: Tobacco brand you currently follow or regularly search on social media: IQOS

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

IQOS

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	43	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9383-9388 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_18: Tobacco brand you currently follow or regularly search on social media: Skoal

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Skoal

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	43	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9389-9394 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_19: Tobacco brand you currently follow or regularly search on social media: Redman

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Redman

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	43	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9395-9400 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_20: Tobacco brand you currently follow or regularly search on social media: Grizzly

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Grizzly

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	42	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9401-9406 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_21: Tobacco brand you currently follow or regularly search on social media: Copenhagen

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Copenhagen

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	42	0.4%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9407-9412 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0426_22: Tobacco brand you currently follow or regularly search on social media: Some other brand

[[L-21.]]Which brands do you currently follow or regularly search for on social media? Choose all that apply.

Some other brand (SPECIFY)

ASK: Youth respondents who have used social media in the past 7 days and follow or regularly search for a brand on social media.

ASK Specification: IF R07_YX0062 = 1 AND R07_YX0425 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	36	0.3%
	Total	45	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	7	0.1%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10779	99.5%
	Total	10,789	99.6%

This variable has 45 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9413-9418 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_01: In past 7 days, saw any content posted on any social media related to: Cigarettes

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1224	11.3%
2	2 = Not Marked	8240	76.1%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9419-9424 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_02: In past 7 days, saw any content posted on any social media related to: E-cigarettes or other electronic nicotine products

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2707	25.0%
2	2 = Not Marked	6757	62.4%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9425-9430 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_03: In past 7 days, saw any content posted on any social media related to: Traditional cigars

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	235	2.2%
2	2 = Not Marked	9229	85.2%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9431-9436 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_04: In past 7 days, saw any content posted on any social media related to: Cigarillos

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	126	1.2%
2	2 = Not Marked	9338	86.2%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9437-9442 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_05: In past 7 days, saw any content posted on any social media related to: Filtered cigars

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	89	0.8%
2	2 = Not Marked	9375	86.5%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9443-9448 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_06: In past 7 days, saw any content posted on any social media related to: Pipe tobacco

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Pipe tobacco

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	119	1.1%
2	2 = Not Marked	9345	86.3%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9449-9454 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_07: In past 7 days, saw any content posted on any social media related to: Shisha or hookah tobacco

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	177	1.6%
2	2 = Not Marked	9287	85.7%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9455-9460 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_08: In past 7 days, saw any content posted on any social media related to: Snus

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.4%
2	2 = Not Marked	9420	86.9%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9461-9466 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_09: In past 7 days, saw any content posted on any social media related to: Smokeless tobacco

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	183	1.7%
2	2 = Not Marked	9281	85.7%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9467-9472 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_10: In past 7 days, saw any content posted on any social media related to: IQOS

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

IQOS

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.5%
2	2 = Not Marked	9414	86.9%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9473-9478 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_11: In past 7 days, saw any content posted on any social media related to: Nicotine pouches

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Nicotine pouches (such as Zyn, on!, or Velo)

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	215	2.0%
2	2 = Not Marked	9249	85.4%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9479-9484 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_12: In past 7 days, saw any content posted on any social media related to: Other types of oral nicotine products

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	86	0.8%
2	2 = Not Marked	9378	86.6%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9485-9490 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_13: In past 7 days, saw any content posted on any social media related to: Some other type of product

[[L-22.]]In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.4%
2	2 = Not Marked	9418	86.9%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9491-9496 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0427_14: In past 7 days, saw any content posted on any social media related to: None of the above

[[L-22.]] In the past 7 days, have you seen any content posted on any social media related to any of the following products? Choose all that apply.

ASK: Youth respondents who have used social media in the past 7 days.

ASK Specification: IF R07_YX0062 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 14 is selected, options 1-13 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6327	58.4%
2	2 = Not Marked	3137	29.0%
	Total	9,464	87.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	108	1.0%
-7	-7 = Refused	31	0.3%
-1	-1 = Inapplicable	1231	11.4%
	Total	1,370	12.6%

This variable has 9,464 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9497-9502 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0234: In past 3 months, seen or heard of slogan or theme: A Tip From a Former Smoker

[[L-23.]]The next questions ask about slogans or themes you may have seen or heard in the past 3 months.

In the past 3 months, have you seen or heard the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2298	21.2%
2	2 = No	8487	78.3%
	Total	10,785	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	37	0.3%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	49	0.5%

This variable has 10,785 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9503-9508 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0235: In past 3 months, seen or heard of slogan or theme: Truth

[[L-24.]]In the past 3 months, have you seen or heard the following slogan or theme?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5761	53.2%
2	2 = No	5032	46.4%
	Total	10,793	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	33	0.3%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	41	0.4%

This variable has 10,793 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9509-9514 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0728: In past 3 months, seen or heard the following slogan or theme: The real cost

[[L-25.]]In the past 3 months, have you seen or heard the following slogan or theme?

"The Real Cost"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7164	66.1%
2	2 = No	3637	33.6%
	Total	10,801	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	33	0.3%

This variable has 10,801 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9515-9520 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_01: In past 12 months received discounts or coupons for: Cigarettes

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	204	1.9%
2	2 = Not Marked	10430	96.3%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9521-9526 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_02: In past 12 months received discounts or coupons for: E-cigarettes or other electronic nicotine products

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	224	2.1%
2	2 = Not Marked	10410	96.1%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9527-9532 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_10: In past 12 months received discounts or coupons for: Traditional cigars

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Traditional cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.5%
2	2 = Not Marked	10585	97.7%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9533-9538 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_11: In past 12 months received discounts or coupons for: Cigarillos

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Cigarillos

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	48	0.4%
2	2 = Not Marked	10586	97.7%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9539-9544 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_12: In past 12 months received discounts or coupons for: Filtered cigars

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Filtered cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.4%
2	2 = Not Marked	10596	97.8%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9545-9550 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_04: In past 12 months received discounts or coupons for: Shisha or hookah tobacco

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.3%
2	2 = Not Marked	10602	97.9%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9551-9556 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_05: In past 12 months received discounts or coupons for: Snus

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.3%
2	2 = Not Marked	10600	97.8%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9557-9562 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_06: In past 12 months received discounts or coupons for: Smokeless tobacco

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.5%
2	2 = Not Marked	10585	97.7%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9563-9568 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_07: In past 12 months received discounts or coupons for: IQOS

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

IQOS

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2%
2	2 = Not Marked	10611	97.9%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9569-9574 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_13: In past 12 months received discounts or coupons for: Nicotine pouches

[[L-26.]] In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Nicotine pouches (such as Zyn, on!, or Velo)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.3%
2	2 = Not Marked	10600	97.8%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9575-9580 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_14: In past 12 months received discounts or coupons for: Other types of oral nicotine products

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2%
2	2 = Not Marked	10614	98.0%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9581-9586 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_08: In past 12 months received discounts or coupons for: Some other type of tobacco

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

Some other type of product

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	48	0.4%
2	2 = Not Marked	10586	97.7%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9587-9592 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0708_09: In past 12 months received discounts or coupons for: None of the above

[[L-26.]]In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 9 is selected, no other options may be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10208	94.2%
2	2 = Not Marked	426	3.9%
	Total	10,634	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	148	1.4%
-7	-7 = Refused	52	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	200	1.8%

This variable has 10,634 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9593-9598 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0479: In past 30 days, used a discount coupon or promotion to purchase a tobacco product

In the past 30 days, have you used a discount coupon or promotion to purchase a tobacco product?

ASK: Youth respondents who have received discounts or coupons for a tobacco product.

ASK Specification: IF R07_YX0708_01 = 1 OR R07_YX0708_02 = 1 OR R07_YX0708_10 = 1 OR R07_YX0708_11 = 1 OR R07_YX0708_12 = 1 OR R07_YX0708_04 = 1 OR R07_YX0708_05 = 1 OR R07_YX0708_06 = 1 OR R07_YX0708_07 = 1 OR R07_YX0708_13 = 1 OR R07_YX0708_14 = 1 OR R07_YX0708_08 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.4%
2	2 = No	383	3.5%
	Total	423	3.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10408	96.1%
	Total	10,411	96.1%

This variable has 423 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9599-9604 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0678: In past 30 days, received a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.9%
2	2 = No	10708	98.8%
	Total	10,805	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	18	0.2%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	29	0.3%

This variable has 10,805 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9605-9610 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0481: In past 30 days, obtained a free sample of a tobacco product

In the past 30 days, have you gotten a free sample of a tobacco product (not including e-cigarettes or electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4%
2	2 = No	10754	99.3%
	Total	10,800	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	24	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	34	0.3%

This variable has 10,800 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9611-9616 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0182: In past 30 days, how often visited a convenience store, small market, or liquor store

[[L-27.]]In the past 30 days, how often did you visit a convenience store, small market, or liquor store?

[If Not at all (1), GO TO R07_YX0203.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	3905	36.0%
2	2 = Once in the past 30 days	1375	12.7%
3	3 = 2-3 times in the past 30 days	2469	22.8%
4	4 = Once a week	1542	14.2%
5	5 = 2-3 times per week	1153	10.6%
6	6 = Almost every day	294	2.7%
	Total	10,738	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	79	0.7%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	96	0.9%

This variable has 10,738 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9617-9622 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0183: In past 30 days, how often noticed ads for e-cigarettes or other electronic nicotine products when visiting convenience stores, small markets, or liquor stores

[[L-28.]]In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R07_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1495	13.8%
2	2 = Rarely	1966	18.1%
3	3 = Sometimes	1984	18.3%
4	4 = Often	1429	13.2%
	Total	6,874	63.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	40	0.4%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	3905	36.0%
	Total	3,960	36.6%

This variable has 6,874 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9623-9628 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_01: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Haven't seen any advertisements

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3997	36.9%
2	2 = Not Marked	6588	60.8%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9629-9634 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_02: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores or other retail stores

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4955	45.7%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	5630	52.0%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9635-9640 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_03: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

[[L-29.]] In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1439	13.3%
2	2 = Not Marked	9146	84.4%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9641-9646 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_04: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	456	4.2%
2	2 = Not Marked	10129	93.5%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9647-9652 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_05: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On radio

[[L-29.]] In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	424	3.9%
2	2 = Not Marked	10161	93.8%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9653-9658 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_06: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On television

[[L-29.]] In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1623	15.0%
2	2 = Not Marked	8962	82.7%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9659-9664 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_07: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At events such as fairs, festivals, or sporting events

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	262	2.4%
2	2 = Not Marked	10323	95.3%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9665-9670 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_08: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	235	2.2%
2	2 = Not Marked	10350	95.5%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9671-9676 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_09: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In email messages

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In email messages

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	119	1.1%
2	2 = Not Marked	10466	96.6%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9677-9682 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_10: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On social media

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On social media

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2325	21.5%
2	2 = Not Marked	8260	76.2%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9683-9688 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_11: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On other websites online

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On other websites online

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	895	8.3%
2	2 = Not Marked	9690	89.4%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9689-9694 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0203_12: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

[[L-29.]]In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	87	0.8%
2	2 = Not Marked	10498	96.9%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	198	1.8%
-7	-7 = Refused	51	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9695-9700 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0178: In past 30 days, how often noticed tobacco ads when visiting convenience stores, small markets, or liquor stores

[[L-28.]]In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products)?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R07_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1727	15.9%
2	2 = Rarely	2108	19.5%
3	3 = Sometimes	1946	18.0%
4	4 = Often	1098	10.1%
	Total	6,879	63.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	40	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	3905	36.0%
	Total	3,955	36.5%

This variable has 6,879 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9701-9706 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_01: In past 30 days, noticed IQOS or HeatSticks advertised: I have not seen any advertisements

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

I haven't seen any advertisements in the past 30 days

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	392	3.6%
2	2 = Not Marked	136	1.3%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9707-9712 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_02: In past 30 days, noticed IQOS or HeatSticks advertised: At gas stations, convenience stores, or other retail stores

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

At gas stations, convenience stores, or other retail stores

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	70	0.6%
2	2 = Not Marked	458	4.2%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9713-9718 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_03: In past 30 days, noticed IQOS or HeatSticks advertised: On billboards

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

On billboards

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2%
2	2 = Not Marked	506	4.7%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9719-9724 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_04: In past 30 days, noticed IQOS or HeatSticks advertised: In newspapers or magazines

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

In newspapers or magazines

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	512	4.7%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9725-9730 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_05: In past 30 days, noticed IQOS or HeatSticks advertised: On radio

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

On radio

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1%
2	2 = Not Marked	517	4.8%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9731-9736 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_06: In past 30 days, noticed IQOS or HeatSticks advertised: On television

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

On television

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.3%
2	2 = Not Marked	493	4.6%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9737-9742 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_07: In past 30 days, noticed IQOS or HeatSticks advertised: At events like fairs, festivals, or sporting events

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

At events such as fairs, festivals, or sporting events

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	519	4.8%

Value	Label	Unweighted Frequency	%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9743-9748 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_08: In past 30 days, noticed IQOS or HeatSticks advertised: At nightclubs, bars, or music concerts

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

At nightclubs, bars, or music concerts

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	519	4.8%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9749-9754 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_09: In past 30 days, noticed IQOS or HeatSticks advertised: In email messages

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

In email messages

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	524	4.8%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9755-9760 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_10: In past 30 days, noticed IQOS or HeatSticks advertised: On social media

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

On social media

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.5%
2	2 = Not Marked	477	4.4%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9761-9766 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_11: In past 30 days, noticed IQOS or HeatSticks advertised: On other websites online

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

On other websites online

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2%
2	2 = Not Marked	506	4.7%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9767-9772 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9203_12: In past 30 days, noticed IQOS or HeatSticks advertised: Somewhere else

[[L-29.]]In the past 30 days, have you noticed IQOS or HeatSticks being advertised in any of the following places? Choose all that apply

Somewhere else (SPECIFY)

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0%
2	2 = Not Marked	526	4.9%
	Total	528	4.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	6	0.1%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,306	95.1%

This variable has 528 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9773-9778 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9206: Ever seen or heard IQOS or HeatStick advertisements

Have you ever seen or heard IQOS or HeatStick advertisements, such as on the internet or at stores where tobacco products are sold?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0677.]

ASK: Youth respondents who have seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	128	1.2%
2	2 = No	408	3.8%
	Total	536	4.9%

- Minimum: 1.00
- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,298	95.1%

This variable has 536 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9779-9784 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9207_01: Ever seen or heard IQOS or HeatStick advertisements that say: Switching completely from cigarettes to IQOS reduces your body's exposure to harmful chemicals

[[L-30.]]Have you ever seen or heard IQOS or HeatStick advertisements that say any of the following?
Choose all that apply.

Switching completely from cigarettes to IQOS reduces your body's exposure to harmful chemicals

ASK: Youth respondents who have seen or heard of IQOS and have ever seen or heard IQOS or HeatStick advertisements.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ9206 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2%
2	2 = Not Marked	101	0.9%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10706	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9785-9790 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9207_02: Ever seen or heard IQOS or HeatStick advertisements that say: So close to a cigarette, it's easy to forget

[[L-30.]]Have you ever seen or heard IQOS or HeatStick advertisements that say any of the following?

Choose all that apply.

So close to a cigarette, it's easy to forget

ASK: Youth respondents who have seen or heard of IQOS and have ever seen or heard IQOS or HeatStick advertisements.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ9206 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2%
2	2 = Not Marked	108	1.0%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10706	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9791-9796 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9207_03: Ever seen or heard IQOS or HeatStick advertisements that say: This product greatly reduces your nicotine consumption

[[L-30.]]Have you ever seen or heard IQOS or HeatStick advertisements that say any of the following?
Choose all that apply.

This product greatly reduces your nicotine consumption

ASK: Youth respondents who have seen or heard of IQOS and have ever seen or heard IQOS or HeatStick advertisements.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ9206 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	111	1.0%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10706	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9797-9802 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9207_04: Ever seen or heard IQOS or HeatStick advertisements that say: If you smoke, consider this: Switching completely to this product from cigarettes reduces risk of lung cancer

[[L-30.]]Have you ever seen or heard IQOS or HeatStick advertisements that say any of the following?
Choose all that apply.

If you smoke, consider this: Switching completely to this product from cigarettes reduces risk of lung cancer

ASK: Youth respondents who have seen or heard of IQOS and have ever seen or heard IQOS or HeatStick advertisements.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ9206 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.3%
2	2 = Not Marked	99	0.9%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10706	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9803-9808 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YQ9207_05: Ever seen or heard IQOS or HeatStick advertisements that say: None of the above

[[L-30.]]Have you ever seen or heard IQOS or HeatStick advertisements that say any of the following?
Choose all that apply.

None of the above

ASK: Youth respondents who have seen or heard of IQOS and have ever seen or heard IQOS or HeatStick advertisements.

ASK Specification: IF R07_YQ1001 = 1 AND R07_YQ9206 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.6%
2	2 = Not Marked	59	0.5%
	Total	127	1.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10706	98.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9809-9814 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Haven't seen any advertisements

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4788	44.2%
2	2 = Not Marked	5789	53.4%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9815-9820 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4449	41.1%
2	2 = Not Marked	6128	56.6%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9821-9826 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1029	9.5%
2	2 = Not Marked	9548	88.1%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9827-9832 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	376	3.5%
2	2 = Not Marked	10201	94.2%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9833-9838 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	295	2.7%
2	2 = Not Marked	10282	94.9%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9839-9844 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1084	10.0%
2	2 = Not Marked	9493	87.6%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9845-9850 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events such as fairs, festivals, or sporting events

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	174	1.6%
2	2 = Not Marked	10403	96.0%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9851-9856 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	127	1.2%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	10450	96.5%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9857-9862 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: In email messages

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

In email messages

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	86	0.8%
2	2 = Not Marked	10491	96.8%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9863-9868 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: On social media

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

On social media

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1403	12.9%
2	2 = Not Marked	9174	84.7%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9869-9874 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_11: In past 30 days, noticed cigarettes or other tobacco products being advertised: On other websites online

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

On other websites online

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	534	4.9%
2	2 = Not Marked	10043	92.7%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9875-9880 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0677_12: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

[[L-29.]]In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products[, or IQOS]) being advertised in any of the following places?
Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.5%
2	2 = Not Marked	10526	97.2%
	Total	10,577	97.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	188	1.7%
-7	-7 = Refused	69	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	257	2.4%

This variable has 10,577 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9881-9886 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0260: In past 30 days, how often you noticed the health warnings on cigarette advertisements

[[L-31.]]Advertisements for selling cigarettes include warning statements or images highlighting the negative consequences of smoking.

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette advertisements?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	4440	41.0%
2	2 = Rarely	2415	22.3%
3	3 = Sometimes	2086	19.3%
4	4 = Often	1091	10.1%
5	5 = Very often	630	5.8%
	Total	10,662	98.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	153	1.4%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	172	1.6%

This variable has 10,662 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9887-9892 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0261: In past 30 days, how often you read or looked closely at the health warnings on cigarette advertisements

[[L-31.]]In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette advertisements?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette advertisements in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0260 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	159	1.5%
2	2 = Rarely	121	1.1%
3	3 = Sometimes	124	1.1%
4	4 = Often	40	0.4%
5	5 = Very often	35	0.3%
	Total	479	4.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10352	95.6%
	Total	10,355	95.6%

This variable has 479 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9893-9898 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YR0262: Extent to which health warnings on cigarette advertisements make you think about the health risks of smoking

[[L-32.]]To what extent, if at all, do the health warnings on cigarette advertisements make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette advertisements in the past 30 days.

ASK Specification: IF R07_EVER_NEVER_CIGS_YOUTH = 1 AND R07_YR0260 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	76	0.7%
2	2 = A little	135	1.2%
3	3 = Somewhat	163	1.5%
4	4 = A lot	104	1.0%
	Total	478	4.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10352	95.6%
	Total	10,356	95.6%

This variable has 478 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9899-9904 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0008: General perception: Most people disapprove of smoking cigarettes

[[L-33.]]In general, do you think most people disapprove of smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2478	22.9%
2	2 = Probably yes	5846	54.0%
3	3 = Probably not	1910	17.6%
4	4 = Definitely not	463	4.3%
	Total	10,697	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	122	1.1%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	137	1.3%

This variable has 10,697 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9905-9910 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0012: General perception: Most people disapprove of e-cigarettes or electronic nicotine products

[[L-33.]]In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	1938	17.9%
2	2 = Probably yes	5302	48.9%
3	3 = Probably not	2791	25.8%
4	4 = Definitely not	640	5.9%
	Total	10,671	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	145	1.3%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	163	1.5%

This variable has 10,671 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9911-9916 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0071: People who are important to you: Their views on tobacco use in general

[[L-34.]]Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	204	1.9%
2	2 = Positive	383	3.5%
3	3 = Neither positive nor negative	2418	22.3%
4	4 = Negative	3307	30.5%
5	5 = Very negative	4291	39.6%
	Total	10,603	97.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	203	1.9%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	231	2.1%

This variable has 10,603 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9917-9922 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YC1143: People who are important to you: Their views on smoking cigarettes

[[L-34.]]Thinking about the people who are important to you, how would you describe their views on the following?

Smoking cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	273	2.5%
2	2 = Positive	418	3.9%
3	3 = Neither positive nor negative	1534	14.2%
4	4 = Negative	2875	26.5%
5	5 = Very negative	5598	51.7%
	Total	10,698	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	104	1.0%
-7	-7 = Refused	32	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	136	1.3%

This variable has 10,698 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9923-9928 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Using e-cigarettes or other electronic nicotine products

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	245	2.3%
2	2 = Positive	482	4.4%
3	3 = Neither positive nor negative	1845	17.0%
4	4 = Negative	2880	26.6%
5	5 = Very negative	5266	48.6%
	Total	10,718	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	90	0.8%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	116	1.1%

This variable has 10,718 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9929-9934 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YG1143: People who are important to you: Their views on smoking traditional cigars, cigarillos, or filtered cigars

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	180	1.7%
2	2 = Positive	250	2.3%
3	3 = Neither positive nor negative	1791	16.5%
4	4 = Negative	2887	26.6%
5	5 = Very negative	5587	51.6%
	Total	10,695	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	107	1.0%
-7	-7 = Refused	32	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	139	1.3%

This variable has 10,695 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9935-9940 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Smoking shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	159	1.5%
2	2 = Positive	180	1.7%
3	3 = Neither positive nor negative	1593	14.7%
4	4 = Negative	2800	25.8%
5	5 = Very negative	5948	54.9%
	Total	10,680	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	126	1.2%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	154	1.4%

This variable has 10,680 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9941-9946 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YU1143: People who are important to you: Their views on using snus

Using snus

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	155	1.4%
2	2 = Positive	113	1.0%
3	3 = Neither positive nor negative	1467	13.5%
4	4 = Negative	2791	25.8%
5	5 = Very negative	6161	56.9%
	Total	10,687	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	121	1.1%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	147	1.4%

This variable has 10,687 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9947-9952 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YS1143: People who are important to you: Their views on using other types of smokeless tobacco

Using smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	184	1.7%
2	2 = Positive	203	1.9%
3	3 = Neither positive nor negative	1542	14.2%
4	4 = Negative	2794	25.8%
5	5 = Very negative	5961	55.0%
	Total	10,684	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	125	1.2%
-7	-7 = Refused	25	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	150	1.4%

This variable has 10,684 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9953-9958 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_01: People who are important to you use: Cigarettes

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2588	23.9%
2	2 = Not Marked	8084	74.6%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9959-9964 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_02: People who are important to you use: E-cigarettes or other electronic nicotine products

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2284	21.1%
2	2 = Not Marked	8388	77.4%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9965-9970 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_03: People who are important to you use: Traditional Cigars

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Traditional cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	503	4.6%
2	2 = Not Marked	10169	93.9%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9971-9976 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_04: People who are important to you use: Cigarillos

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarillos

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other

option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	184	1.7%
2	2 = Not Marked	10488	96.8%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9977-9982 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_05: People who are important to you use: Filtered Cigars

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Filtered cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	121	1.1%
2	2 = Not Marked	10551	97.4%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9983-9988 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_06: People who are important to you use: Pipe tobacco

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Pipe tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	152	1.4%
2	2 = Not Marked	10520	97.1%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9989-9994 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_07: People who are important to you use: Shisha or hookah tobacco

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	168	1.6%
2	2 = Not Marked	10504	97.0%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 9995-10000 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_08: People who are important to you use: Snus

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.9%
2	2 = Not Marked	10573	97.6%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10001-10006 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_09: People who are important to you use: Smokeless tobacco

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Smokeless tobacco (such as moist snuff, dip, spit, or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	580	5.4%
2	2 = Not Marked	10092	93.2%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10007-10012 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_10: People who are important to you use: IQOS

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

IQOS

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2%
2	2 = Not Marked	10646	98.3%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10013-10018 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_12: People who are important to you use: Nicotine pouches

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Nicotine pouches (such as Zyn, on!, or Velo)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	188	1.7%
2	2 = Not Marked	10484	96.8%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10019-10024 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_13: People who are important to you use: Other types of oral nicotine products

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Other types of oral nicotine products (such as Velo lozenges, Rogue tablets, Lucy gum, or Pixotine toothpicks)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	76	0.7%
2	2 = Not Marked	10596	97.8%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10025-10030 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0741_11: People who are important to you use: None of the above

[[L-35.]]Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. Option 11 cannot be selected if any other option is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6425	59.3%
2	2 = Not Marked	4247	39.2%
	Total	10,672	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	117	1.1%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	162	1.5%

This variable has 10,672 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10031-10036 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0680: How many of your best friends smoke cigarettes

[[L-36.]]How many of your best friends...

Smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9682	89.4%
2	2 = A few	769	7.1%
3	3 = Some	216	2.0%
4	4 = Most	64	0.6%
5	5 = All	63	0.6%
	Total	10,794	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	27	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	40	0.4%

This variable has 10,794 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10037-10042 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0681: How many of your best friends use e-cigarettes

Use e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	6901	63.7%
2	2 = A few	2237	20.6%
3	3 = Some	988	9.1%
4	4 = Most	542	5.0%
5	5 = All	118	1.1%
	Total	10,786	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	30	0.3%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	48	0.4%

This variable has 10,786 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10043-10048 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0682: How many of your best friends smoke traditional cigars

Smoke traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10333	95.4%
2	2 = A few	243	2.2%
3	3 = Some	108	1.0%

Value	Label	Unweighted Frequency	%
4	4 = Most	30	0.3%
5	5 = All	59	0.5%
	Total	10,773	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	61	0.6%

This variable has 10,773 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10049-10054 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0683: How many of your best friends smoke cigarillos

Smoke cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10380	95.8%
2	2 = A few	179	1.7%
3	3 = Some	119	1.1%
4	4 = Most	42	0.4%
5	5 = All	64	0.6%
	Total	10,784	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	38	0.4%
-7	-7 = Refused	12	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	50	0.5%

This variable has 10,784 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10055-10060 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0684: How many of your best friends smoke filtered cigars

Smoke filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10415	96.1%
2	2 = A few	170	1.6%
3	3 = Some	106	1.0%
4	4 = Most	35	0.3%
5	5 = All	57	0.5%
	Total	10,783	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	37	0.3%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	51	0.5%

This variable has 10,783 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10061-10066 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX9686: How many of your best friends smoke hookah

Smoke hookah?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10222	94.4%
2	2 = A few	306	2.8%
3	3 = Some	145	1.3%
4	4 = Most	37	0.3%
5	5 = All	60	0.6%
	Total	10,770	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	64	0.6%

This variable has 10,770 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10067-10072 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0693: How many of your best friends use snus

Use snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10497	96.9%
2	2 = A few	103	1.0%
3	3 = Some	88	0.8%
4	4 = Most	25	0.2%
5	5 = All	56	0.5%
	Total	10,769	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	65	0.6%

This variable has 10,769 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10073-10078 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0685: How many of your best friends use smokeless tobacco

Use smokeless tobacco (such as moist snuff, dip, spit, or chew)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10155	93.7%
2	2 = A few	371	3.4%
3	3 = Some	150	1.4%
4	4 = Most	32	0.3%
5	5 = All	57	0.5%
	Total	10,765	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	69	0.6%

This variable has 10,765 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10079-10084 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX9687: How many of your best friends use IQOS

Use IQOS?

ASK: Youth respondents who have ever seen or heard of IQOS.

ASK Specification: IF R07_YQ1001 = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	503	4.6%
2	2 = A few	21	0.2%
3	3 = Some	10	0.1%
4	4 = Most	4	0.0%
5	5 = All	3	0.0%
	Total	541	5.0%

- Minimum: 1.00
- Maximum: 5.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10290	95.0%
	Total	10,293	95.0%

This variable has 541 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10085-10090 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0600: Went to school in-person at any time during the past 30 days

Have you been going to school in-person at any time during the past 30 days? Do not include virtual attendance or distance learning from home.

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXV04.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8265	76.3%
2	2 = No	2510	23.2%
	Total	10,775	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	43	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	59	0.5%

This variable has 10,775 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10091-10096 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0603: Out of every 10 students in your grade at school, number you think use e-cigarettes or electronic nicotine products

Out of every 10 students in your grade at school, how many do you think use e-cigarettes or electronic nicotine products?

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

Value	Label	Unweighted Frequency	%
0	0 = 0	1974	18.2%
1	1 = 1	1473	13.6%
2	2 = 2	992	9.2%
3	3 = 3	936	8.6%
4	4 = 4	662	6.1%
5	5 = 5	687	6.3%
6	6 = 6	348	3.2%
7	7 = 7	314	2.9%

Value	Label	Unweighted Frequency	%
8	8 = 8	223	2.1%
9	9 = 9	98	0.9%
10	10 = 10	442	4.1%
	Total	8,149	75.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	101	0.9%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,685	24.8%

This variable has 8,149 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10097-10102 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_01: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: No

[[L-37.]]In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

No

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4285	39.6%
2	2 = Not Marked	3929	36.3%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10103-10108 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_02: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: Yes, inside a school bathroom or locker room

[[L-37.]]In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

Yes, inside a school bathroom or locker room

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3315	30.6%
2	2 = Not Marked	4899	45.2%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10109-10114 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_03: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: Yes, inside a classroom

[[L-37.]]In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

Yes, inside a classroom

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1042	9.6%
2	2 = Not Marked	7172	66.2%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10115-10120 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_04: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: Yes, inside some other area of the school, such as the hallway or cafeteria

[[L-37.]]In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

Yes, inside some other area of the school, such as the hallway or cafeteria

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	972	9.0%
2	2 = Not Marked	7242	66.8%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10121-10126 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_05: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: Yes, outside of the school, such as in the parking lot, sidewalk, or other school grounds

[[L-37.]]In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

Yes, outside of the school, such as in the parking lot, sidewalk, or other school grounds

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1834	16.9%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	6380	58.9%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10127-10132 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0601_06: In past 30 days, saw anyone using e-cigarettes or electronic nicotine products in or around your school: Yes, somewhere else at school not listed here

[[L-37.]] In the past 30 days, have you seen anyone using an e-cigarette or electronic nicotine product in any locations in or around your school? Choose all that apply.

Yes, somewhere else at school not listed here (SPECIFY)

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	156	1.4%
2	2 = Not Marked	8058	74.4%
	Total	8,214	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,620	24.2%

This variable has 8,214 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10133-10138 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0604: Out of every 10 students in your grade at school, number you think smoke cigarettes

Out of every 10 students in your grade at school, how many do you think smoke cigarettes?

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

Value	Label	Unweighted Frequency	%
0	0 = 0	4641	42.8%
1	1 = 1	1672	15.4%
2	2 = 2	709	6.5%
3	3 = 3	417	3.8%
4	4 = 4	177	1.6%
5	5 = 5	192	1.8%
6	6 = 6	90	0.8%
7	7 = 7	63	0.6%
8	8 = 8	49	0.5%
9	9 = 9	22	0.2%
10	10 = 10	124	1.1%
	Total	8,156	75.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	99	0.9%
-7	-7 = Refused	10	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,678	24.7%

This variable has 8,156 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10139-10144 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_01: In past 30 days, saw anyone smoking a cigarette in or around your school: No

[[L-37.]]In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

No

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7324	67.6%
2	2 = Not Marked	886	8.2%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10145-10150 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_02: In past 30 days, saw anyone smoking a cigarette in or around your school: Yes, inside a school bathroom or locker room

[[L-37.]] In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

Yes, inside a school bathroom or locker room

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	470	4.3%
2	2 = Not Marked	7740	71.4%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10151-10156 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_03: In past 30 days, saw anyone smoking a cigarette in or around your school: Yes, inside a classroom

[[L-37.]] In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

Yes, inside a classroom

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	101	0.9%
2	2 = Not Marked	8109	74.8%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10157-10162 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_04: In past 30 days, saw anyone smoking a cigarette in or around your school: Yes, inside some other area of the school, such as the hallway or cafeteria

[[L-37.]]In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

Yes, inside some other area of the school, such as the hallway or cafeteria

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	121	1.1%
2	2 = Not Marked	8089	74.7%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10163-10168 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_05: In past 30 days, saw anyone smoking a cigarette in or around your school: Yes, outside of the school, such as in the parking lot, sidewalk, or other school grounds

[[L-37.]]In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

Yes, outside of the school, such as in the parking lot, sidewalk, or other school grounds

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	481	4.4%
2	2 = Not Marked	7729	71.3%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10169-10174 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0602_06: In past 30 days, saw anyone smoking a cigarette in or around your school: Yes, somewhere else at school not listed here

[[L-37.]]In the past 30 days, have you seen anyone smoking a cigarette in any locations in or around your school? Choose all that apply.

Yes, somewhere else at school not listed here (SPECIFY)

ASK: Youth respondents who have been going to school in the past 30 days.

ASK Specification: IF R07_YX0600 = 1.

[PROGRAM NOTE: Option 1 cannot be selected if any options 2-6 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.4%
2	2 = Not Marked	8170	75.4%
	Total	8,210	75.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2569	23.7%
	Total	2,624	24.2%

This variable has 8,210 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10175-10180 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0742: In past 12 months, disapproval of close friends and family led to thoughts about quitting tobacco products, including e-cigarettes or other electronic nicotine products

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about quitting tobacco products (including e-cigarettes or other electronic nicotine products)?

[If Not at all (1), Somewhat (2), Very much (3), Don't know (-8), or Refused (-7), GO TO R07_YX0714.]

ASK: Youth respondents who are past year "not-light" tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	380	3.5%
2	2 = Somewhat	349	3.2%
3	3 = Very much	229	2.1%
	Total	958	8.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	40	0.4%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	9827	90.7%
	Total	9,876	91.2%

This variable has 958 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10181-10186 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0743: In past 12 months, disapproval of close friends and family led to thoughts about not using tobacco products, including e-cigarettes or other electronic nicotine products

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about not using tobacco products (including e-cigarettes or other electronic nicotine products)?

ASK: Youth respondents who are past year "very-light" tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE_LEVEL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	128	1.2%
2	2 = Somewhat	140	1.3%
3	3 = Very much	98	0.9%
	Total	366	3.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	8	0.1%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10459	96.5%
	Total	10,468	96.6%

This variable has 366 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10187-10192 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0714: In past 12 months, parents talked with you about not using e-cigarettes or other electronic nicotine products

In the past 12 months, have your parents or guardians talked with you, even once, about not using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5100	47.1%
2	2 = No	5633	52.0%
	Total	10,733	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	78	0.7%
-7	-7 = Refused	23	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	101	0.9%

This variable has 10,733 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10193-10198 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0694: Parents reaction if they found out you used e-cigarettes or other electronic nicotine products

If your parents or guardians found you using e-cigarettes or other electronic nicotine products, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	9682	89.4%
2	2 = Not be too upset	715	6.6%
3	3 = Have no reaction	347	3.2%
	Total	10,744	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	72	0.7%
-7	-7 = Refused	18	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	90	0.8%

This variable has 10,744 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10199-10204 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0500: In past 12 months, parents or guardians talked with you, even once, about not using any type of tobacco product

In the past 12 months, have your parents or guardians talked with you, even once, about not using any other type of tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4659	43.0%
2	2 = No	6072	56.0%
	Total	10,731	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	83	0.8%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	103	1.0%

This variable has 10,731 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10205-10210 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0200: Reaction if parent/guardian found you using tobacco

If your parents or guardians found you using tobacco, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	9944	91.8%
2	2 = Not be too upset	537	5.0%
3	3 = Have no reaction	264	2.4%
	Total	10,745	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	66	0.6%
-7	-7 = Refused	23	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	89	0.8%

This variable has 10,745 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10211-10216 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0715: Level of ease for youth to buy e-cigarettes or other electronic nicotine products in a store

[[L-38.]]How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1714	15.8%
2	2 = Somewhat easy	3628	33.5%
3	3 = Somewhat difficult	3155	29.1%
4	4 = Very difficult	2143	19.8%
	Total	10,640	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	179	1.7%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	194	1.8%

This variable has 10,640 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10217-10222 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0472: How easy you think it is for people your age to buy e-cigarettes or other electronic nicotine products online

[[L-38.]]How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products online?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	3003	27.7%
2	2 = Somewhat easy	3681	34.0%

Value	Label	Unweighted Frequency	%
3	3 = Somewhat difficult	2409	22.2%
4	4 = Very difficult	1529	14.1%
	Total	10,622	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	197	1.8%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	212	2.0%

This variable has 10,622 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10223-10228 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0716: In next 30 days, likely to purchase e-cigarettes or electronic nicotine products

[[L-39.]]How likely is it that you will try to purchase e-cigarettes or other electronic nicotine products within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	9277	85.6%
2	2 = Somewhat unlikely	406	3.7%
3	3 = Neither likely nor unlikely	535	4.9%
4	4 = Somewhat likely	236	2.2%
5	5 = Very likely	274	2.5%
	Total	10,728	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	83	0.8%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	23	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	106	1.0%

This variable has 10,728 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10229-10234 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0499: How easy you think it is for people your age to buy tobacco products in a store (not including e-cigarettes or other electronic nicotine products)

[[L-38.]]How easy do you think it is for people your age to buy tobacco products in a store (not including e-cigarettes or other electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	991	9.1%
2	2 = Somewhat easy	2382	22.0%
3	3 = Somewhat difficult	3847	35.5%
4	4 = Very difficult	3401	31.4%
	Total	10,621	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	186	1.7%
-7	-7 = Refused	27	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	213	2.0%

This variable has 10,621 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10235-10240 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0473: How easy you think it is for people your age to buy tobacco products online (not including e-cigarettes or other electronic nicotine products)

[[L-38.]]How easy do you think it is for people your age to buy tobacco products online (not including e-cigarettes or other electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	2183	20.1%
2	2 = Somewhat easy	3517	32.5%
3	3 = Somewhat difficult	3014	27.8%
4	4 = Very difficult	1895	17.5%
	Total	10,609	97.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	196	1.8%
-7	-7 = Refused	29	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	225	2.1%

This variable has 10,609 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10241-10246 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0501: In next 30 days, likeliness that you will try to purchase cigarettes

[[L-39.]]How likely is it that you will try to purchase cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	9817	90.6%
2	2 = Somewhat unlikely	239	2.2%
3	3 = Neither likely nor unlikely	382	3.5%

Value	Label	Unweighted Frequency	%
4	4 = Somewhat likely	125	1.2%
5	5 = Very likely	196	1.8%
	Total	10,759	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	50	0.5%
-7	-7 = Refused	25	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	75	0.7%

This variable has 10,759 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10247-10252 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0502: In next 30 days, likeliness that you will try to purchase tobacco products other than cigarettes

[[L-39.]]How likely is it that you will try to purchase tobacco products other than cigarettes, e-cigarettes, or other electronic nicotine products within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	9783	90.3%
2	2 = Somewhat unlikely	297	2.7%
3	3 = Neither likely nor unlikely	396	3.7%
4	4 = Somewhat likely	128	1.2%
5	5 = Very likely	143	1.3%
	Total	10,747	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	67	0.6%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	87	0.8%

This variable has 10,747 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10253-10258 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

[[M-1.]]When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3208	29.6%
2	2 = 2 to 12 months ago	1985	18.3%
3	3 = Over a year ago	1457	13.4%
4	4 = Never	4122	38.0%
	Total	10,772	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	34	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	62	0.6%

This variable has 10,772 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10259-10264 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4211	38.9%
2	2 = 2 to 12 months ago	1882	17.4%
3	3 = Over a year ago	1081	10.0%
4	4 = Never	3576	33.0%
	Total	10,750	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	39	0.4%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	84	0.8%

This variable has 10,750 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10265-10270 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4038	37.3%
2	2 = 2 to 12 months ago	1964	18.1%
3	3 = Over a year ago	1099	10.1%

Value	Label	Unweighted Frequency	%
4	4 = Never	3662	33.8%
	Total	10,763	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	29	0.3%
-7	-7 = Refused	42	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	71	0.7%

This variable has 10,763 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10271-10276 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

becoming very distressed and upset when something reminded you of the past?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3154	29.1%
2	2 = 2 to 12 months ago	1855	17.1%
3	3 = Over a year ago	1186	10.9%
4	4 = Never	4545	42.0%
	Total	10,740	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	44	0.4%
-7	-7 = Refused	50	0.5%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	94	0.9%

This variable has 10,740 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10277-10282 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

[[M-1.]]When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3067	28.3%
2	2 = 2 to 12 months ago	2505	23.1%
3	3 = Over a year ago	1677	15.5%
4	4 = Never	3506	32.4%
	Total	10,755	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	49	0.5%
-7	-7 = Refused	30	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	79	0.7%

This variable has 10,755 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10283-10288 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

had a hard time paying attention at school, work, or home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4636	42.8%
2	2 = 2 to 12 months ago	2070	19.1%
3	3 = Over a year ago	1000	9.2%
4	4 = Never	3068	28.3%
	Total	10,774	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	32	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	60	0.6%

This variable has 10,774 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10289-10294 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

had a hard time listening to instructions at school, work, or home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3657	33.8%
2	2 = 2 to 12 months ago	1978	18.3%
3	3 = Over a year ago	1191	11.0%
4	4 = Never	3952	36.5%
	Total	10,778	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	30	0.3%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	56	0.5%

This variable has 10,778 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10295-10300 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0168: Last time you did the following two or more times: Were a bully or threatened other people

were a bully or threatened other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	457	4.2%
2	2 = 2 to 12 months ago	489	4.5%
3	3 = Over a year ago	1050	9.7%
4	4 = Never	8781	81.1%
	Total	10,777	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	29	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	57	0.5%

This variable has 10,777 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10301-10306 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0169: Last time you did the following two or more times: Started physical fights with other people

started physical fights with other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	370	3.4%
2	2 = 2 to 12 months ago	537	5.0%
3	3 = Over a year ago	951	8.8%
4	4 = Never	8906	82.2%
	Total	10,764	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	40	0.4%
-7	-7 = Refused	30	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	70	0.6%

This variable has 10,764 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10307-10312 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

felt restless or the need to run around or climb on things?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2477	22.9%
2	2 = 2 to 12 months ago	1254	11.6%

Value	Label	Unweighted Frequency	%
3	3 = Over a year ago	1010	9.3%
4	4 = Never	6021	55.6%
	Total	10,762	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	27	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	72	0.7%

This variable has 10,762 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10313-10318 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

gave answers before the other person finished asking the question?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3886	35.9%
2	2 = 2 to 12 months ago	1626	15.0%
3	3 = Over a year ago	887	8.2%
4	4 = Never	4296	39.7%
	Total	10,695	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	89	0.8%
-7	-7 = Refused	50	0.5%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	139	1.3%

This variable has 10,695 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10319-10324 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0325: In past 30 days, how often you felt that you were unable to control the important things in your life

[[M-2.]] In the past 30 days, how often have you...

felt that you were unable to control the important things in your life?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	3224	29.8%
2	2 = Almost never	1937	17.9%
3	3 = Sometimes	3232	29.8%
4	4 = Fairly often	1344	12.4%
5	5 = Very often	1024	9.5%
	Total	10,761	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	43	0.4%
-7	-7 = Refused	30	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	73	0.7%

This variable has 10,761 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10325-10330 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0326: In past 30 days, how often you felt confident about your ability to handle your personal problems

felt confident about your ability to handle your personal problems?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	1124	10.4%
2	2 = Almost never	881	8.1%
3	3 = Sometimes	2828	26.1%
4	4 = Fairly often	3317	30.6%
5	5 = Very often	2601	24.0%
	Total	10,751	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	42	0.4%
-7	-7 = Refused	41	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	83	0.8%

This variable has 10,751 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10331-10336 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0327: In past 30 days, how often you felt that things were going your way

felt that things were going your way?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	1117	10.3%
2	2 = Almost never	1127	10.4%
3	3 = Sometimes	4272	39.4%

Value	Label	Unweighted Frequency	%
4	4 = Fairly often	2990	27.6%
5	5 = Very often	1249	11.5%
	Total	10,755	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	51	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	79	0.7%

This variable has 10,755 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10337-10342 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0328: In past 30 days, how often you felt difficulties were piling up so high that you could not overcome them

felt difficulties were piling up so high that you could not overcome them?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	2689	24.8%
2	2 = Almost never	2413	22.3%
3	3 = Sometimes	3258	30.1%
4	4 = Fairly often	1422	13.1%
5	5 = Very often	942	8.7%
	Total	10,724	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	71	0.7%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	39	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	110	1.0%

This variable has 10,724 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10343-10348 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0510_NB: Agree/disagree: Like to do frightening things

[[M-3.]]Please answer how much you agree or disagree with each of the following statements:

I like to do frightening things.

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	579	5.3%
2	2 = Agree	1409	13.0%
3	3 = Neither agree nor disagree	2107	19.4%
4	4 = Disagree	1680	15.5%
5	5 = Strongly disagree	1486	13.7%
	Total	7,261	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	40	0.4%
-7	-7 = Refused	21	0.2%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,573	33.0%

This variable has 7,261 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10349-10354 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0515_NB: Agree/disagree: Like new and exciting experiences, even if I have to break the rules

I like new and exciting experiences, even if I have to break the rules.

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	640	5.9%
2	2 = Agree	1521	14.0%
3	3 = Neither agree nor disagree	2035	18.8%
4	4 = Disagree	1788	16.5%
5	5 = Strongly disagree	1277	11.8%
	Total	7,261	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	42	0.4%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,573	33.0%

This variable has 7,261 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10355-10360 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0520_NB: Agree/disagree: Prefer friends who are exciting and unpredictable

I prefer friends who are exciting and unpredictable.

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were new cohort youth.
This issue was fixed in a field update on 02/03/2022.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	794	7.3%
2	2 = Agree	1641	15.1%
3	3 = Neither agree nor disagree	2686	24.8%
4	4 = Disagree	1060	9.8%
5	5 = Strongly disagree	732	6.8%
	Total	6,913	63.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	313	2.9%
-8	-8 = Don't know	52	0.5%
-7	-7 = Refused	44	0.4%
-1	-1 = Inapplicable	3512	32.4%
	Total	3,921	36.2%

This variable has 6,913 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10361-10366 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0084_12M: In past 12 months, used alcohol at all

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small sips or tastes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2484	22.9%
2	2 = No	8305	76.7%
	Total	10,789	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	20	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	45	0.4%

This variable has 10,789 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10367-10372 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0084_NB: Ever used alcohol at all

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXT07.]

ASK: New baseline youth respondents who have not used alcohol in the past 12 months or did not know or refused to report whether they used alcohol in the past 12 months..

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_YX0084_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	844	7.8%
2	2 = No	4982	46.0%
	Total	5,826	53.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	23	0.2%
-7	-7 = Refused	22	0.2%
-1	-1 = Inapplicable	4963	45.8%
	Total	5,008	46.2%

This variable has 5,826 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10373-10378 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YX0086: DERIVED - Age range when first drank alcohol at all, counting small tastes or sips (3 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Algorithm: IF R07_YX0087 = 1 OR (0 <= R07_YX0086 <= 11) THEN
R07R_Y_YX0086 = 1; ELSE IF R07_YX0087 = 2 OR (12 <= R07_YX0086
<= 14) THEN R07R_Y_YX0086 = 2; ELSE IF R07_YX0087 = 3 OR (15 <=
R07_YX0086 <= 17) THEN R07R_Y_YX0086 = 3; ELSE R07R_Y_YX0086 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1058	9.8%
2	2 = 12 to 14 years old	1001	9.2%
3	3 = 15 to 17 years old	539	5.0%
	Total	2,598	24.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	8236	76.0%
	Total	8,236	76.0%

This variable has 2,598 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10379-10384 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , .

R07R_Y_YX0074: DERIVED - Age range when had first alcoholic drink, other than small tastes or sips (3 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Algorithm: IF R07_YX0270 = 1 OR (0 <= R07_YX0074 <= 11) THEN
R07R_Y_YX0074 = 1; ELSE IF R07_YX0270 = 2 OR (12 <= R07_YX0074 <= 14) THEN R07R_Y_YX0074 = 2; ELSE IF R07_YX0270 = 3 OR (15 <= R07_YX0074 <= 17) THEN R07R_Y_YX0074 = 3; ELSE IF R07_YX0074 = -2 THEN R07R_Y_YX0074 = -2; ELSE R07R_Y_YX0074 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	199	1.8%

Value	Label	Unweighted Frequency	%
2	2 = 12 to 14 years old	505	4.7%
3	3 = 15 to 17 years old	453	4.2%
	Total	1,157	10.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-2	-2 = I have never had an alcoholic drink other than small tastes or sips	1454	13.4%
.	-	8223	75.9%
	Total	9,677	89.3%

This variable has 1,157 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10385-10390 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -2 , .

R07_YX0077_NB: At the age you first started drinking, did you also smoke cigarettes or use any other tobacco products

When you first used alcohol when you were {AGE OF FIRST ALCOHOL USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used alcohol in the past 12 months or have ever used alcohol and whose age of first tobacco use precedes age of first alcohol use.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0084_12M = 1 OR R07_YX0084_NB = 1) AND R07_YX0074 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	73	0.7%
2	2 = No	130	1.2%
	Total	203	1.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10630	98.1%
	Total	10,631	98.1%

This variable has 203 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10391-10396 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0673: In past 30 days, used alcohol

Have you used alcohol in the past 30 days?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXT07.]

ASK: Youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF R07_YX0084_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	814	7.5%
2	2 = No	1663	15.3%
	Total	2,477	22.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	5	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	8350	77.1%
	Total	8,357	77.1%

This variable has 2,477 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10397-10402 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0075: In past 30 days, number of days drank one or more alcoholic beverages

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ASK: Youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF R07_YX0084_12M = 1 AND R07_YX0673 = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

- Mean: 2.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.10

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10020	92.5%
	Total	10,023	92.5%

This variable has 811 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10403-10408 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0076: In past 30 days, number of drinks usually consumed on days drank

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

[IF NEEDED:]Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YXT07.]

ASK: Youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R07_YX0084_12M = 1 AND R07_YX0673 = 1 AND (R07_YX0075 > 0 OR R07_YX0075 = -8, -7).

[PROGRAM NOTE: Allow 2 digits.]

- Mean: 2.53
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.66

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	1	0.0%
-1	-1 = Inapplicable	10151	93.7%
	Total	10,159	93.8%

This variable has 675 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10409-10414 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0085_12M: Used marijuana in past 12 months

In the past 12 months, have you used marijuana?

ASK: Continuing youth respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or

New baseline youth respondents who have never smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YG9107 = 2, -8, -7) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 2, -8, -7 OR (R07_YG9105_NB = 1 AND R07_YG9107 = 2, -8, -7))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	572	5.3%
2	2 = No	7994	73.8%

Value	Label	Unweighted Frequency	%
	Total	8,566	79.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	2248	20.7%
	Total	2,268	20.9%

This variable has 8,566 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10415-10420 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0085_NB: Ever used marijuana

Have you ever used marijuana?

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have not used marijuana in the past 12 months or did not know or refused to report whether they have used marijuana in the past 12 months.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_YG9105_NB != 1 AND R07_YX0085_12M != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	147	1.4%
2	2 = No	6580	60.7%
	Total	6,727	62.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	4085	37.7%

Value	Missing Data	Unweighted Frequency	%
	Total	4,107	37.9%

This variable has 6,727 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10421-10426 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YX0079: DERIVED - Age range when first used marijuana, hash, THC or grass (3 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass?

Algorithm: IF R07_YX0271 = 1 OR (0 <= R07_YX0079 <= 11) THEN
R07R_Y_YX0079 = 1; ELSE IF R07_YX0271 = 2 OR (12 <= R07_YX0079 <= 14) THEN R07R_Y_YX0079 = 2; ELSE IF R07_YX0271 = 3 OR (15 <= R07_YX0079 <= 17) THEN R07R_Y_YX0079 = 3; ELSE R07R_Y_YX0079 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	110	1.0%
2	2 = 12 to 14 years old	434	4.0%
3	3 = 15 to 17 years old	450	4.2%
	Total	994	9.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9840	90.8%
	Total	9,840	90.8%

This variable has 994 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10427-10432 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YX0080_NB: At the age you first started using marijuana, did you also smoke cigarettes or use any other tobacco products

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used marijuana in the past 12 months or have ever used marijuana or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and whose age of first tobacco use precedes age of first marijuana use.

ASK Specification: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0085_12M = 1 OR R07_YX0085_NB = 1 OR R07_YG9105_NB = 1) AND R07_YX0079 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.7%
2	2 = No	134	1.2%
	Total	213	2.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10620	98.0%
	Total	10,621	98.0%

This variable has 213 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10433-10438 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0675: In past 30 days, used marijuana

Have you used marijuana in the past 30 days?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR137.]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months.

ASK Specification: IF R07_YG9107 = 1 OR R07_YX0085_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	597	5.5%
2	2 = No	448	4.1%
	Total	1,045	9.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	9784	90.3%
	Total	9,789	90.4%

This variable has 1,045 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10439-10444 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0288: In past 30 days, number of days used marijuana

In the past 30 days, on how many days did you use marijuana?

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

- Mean: 10.96
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.65

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-5	-5 = Improbable response removed	3	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10445-10450 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0290_01: In past 30 days, way in which you used marijuana: Smoke dried herb or flower in a joint, pipe, hookah, or bong

[[M-4.]] In the past 30 days, which of the following ways did you use marijuana? Choose all that apply.

Smoke dried herb or flower in a joint, pipe, hookah, or bong

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	329	3.0%
2	2 = Not Marked	260	2.4%
	Total	589	5.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10451-10456 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0290_02: In past 30 days, way in which you used marijuana: Smoke dried herb or flower in a blunt cigar, cigarillo, or filtered cigar

[[M-4.]] In the past 30 days, which of the following ways did you use marijuana? Choose all that apply.

Smoke dried herb or flower in a blunt cigar, cigarillo, or filtered cigar

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	217	2.0%
2	2 = Not Marked	372	3.4%
	Total	589	5.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10457-10462 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0290_03: In past 30 days, way in which you used marijuana: Vape marijuana liquids or oils in an e-cigarette, vape pen, or electronic nicotine product

[[M-4.]]In the past 30 days, which of the following ways did you use marijuana? Choose all that apply.

Vape marijuana liquids or oils in an e-cigarette, vape pen, or electronic nicotine product

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	362	3.3%
2	2 = Not Marked	227	2.1%
	Total	589	5.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10463-10468 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0290_05: In past 30 days, way in which you used marijuana: Eat or drink marijuana

[[M-4.]]In the past 30 days, which of the following ways did you use marijuana? Choose all that apply.

Eat or drink marijuana (for example: in brownies, candy, teas, or pills)

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	172	1.6%
2	2 = Not Marked	417	3.8%
	Total	589	5.4%

- Minimum: 1.00

- Maximum: 2.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10469-10474 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0290_04: In past 30 days, way in which you used marijuana: Use marijuana some other way

[[M-4.]]In the past 30 days, which of the following ways did you use marijuana? Choose all that apply.

Use marijuana some other way (SPECIFY)

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2%
2	2 = Not Marked	568	5.2%
	Total	589	5.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	10237	94.5%
	Total	10,245	94.6%

This variable has 589 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10475-10480 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0330: When last smoked marijuana in a joint, pipe, hookah, or bong

[[M-5.]]When did you last smoke marijuana in a joint, pipe, hookah, or bong?

[If In the past hour (1), Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR136.]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used

marijuana in the past 30 days and have smoked dried herb or flower in a joint, pipe, hookah, or bong in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	18	0.2%
2	2 = Sometime today, but more than an hour ago	36	0.3%
3	3 = Yesterday	69	0.6%
4	4 = Day before yesterday	37	0.3%
5	5 = Three or more days ago	167	1.5%
	Total	327	3.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10505	97.0%
	Total	10,507	97.0%

This variable has 327 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10481-10486 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0332: Time period of day when you last smoked marijuana in a joint, pipe, hookah, or bong

[[M-6.]]When you last smoked marijuana in a joint, pipe, hookah, or bong [FILL BASED ON R07_YX0330], was it...

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a joint, pipe, hookah, or bong in the past 30 days and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_01 = 1 AND R07_YX0330 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	24	0.2%
2	2 = After 6AM but before noon	13	0.1%
3	3 = Between noon and 6PM	44	0.4%
4	4 = After 6PM but before midnight	58	0.5%
	Total	139	1.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10692	98.7%
	Total	10,695	98.7%

This variable has 139 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10487-10492 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ0107: In past 30 days, when you smoked marijuana in a cigar, cigarillo, or filtered cigar as a blunt, ever add or mix any tobacco in with the marijuana

When you have smoked marijuana in a cigar, cigarillo, or filtered cigar as a blunt in the past 30 days, did you ever add or mix any tobacco in with the marijuana?

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_02 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3%
2	2 = No	176	1.6%
	Total	211	1.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	1	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	10617	98.0%
	Total	10,623	98.1%

This variable has 211 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10493-10498 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ0100: When last smoked marijuana in a cigar, cigarillo, or filtered cigar as a blunt

[[M-5.]]When did you last smoke marijuana in a cigar, cigarillo, or filtered cigar as a blunt?

[If In the past hour (1), Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YXR137.]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_02 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	7	0.1%
2	2 = Sometime today, but more than an hour ago	12	0.1%
3	3 = Yesterday	44	0.4%
4	4 = Day before yesterday	20	0.2%
5	5 = Three or more days ago	129	1.2%
	Total	212	2.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10617	98.0%
	Total	10,622	98.0%

This variable has 212 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10499-10504 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YJ0102: Time period of day when you last smoked marijuana in a cigar, cigarillo, or filtered cigar as a blunt

[[M-6.]]When you last smoked marijuana in a cigar, cigarillo, or filtered cigar as a blunt [FILL BASED ON R07_YJ0100], was it...

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_02 = 1 AND R07_YJ0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	7	0.1%
2	2 = After 6AM but before noon	14	0.1%
3	3 = Between noon and 6PM	24	0.2%
4	4 = After 6PM but before midnight	29	0.3%
	Total	74	0.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10758	99.3%
	Total	10,760	99.3%

This variable has 74 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10505-10510 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YW1002: Ever used marijuana in an e-cigarette, vape pen, or electronic nicotine product

The following questions are about using or vaping marijuana liquids or cannabis oils in electronic nicotine products such as e-cigarettes, vape pens, or other vaping devices. Please think only about marijuana liquids or cannabis oils when answering the following questions.

Have you ever used marijuana in an e-cigarette, vape pen, or electronic nicotine product, even one or two times?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXD03.]

ASK: Continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have not vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days or did not know or refused to report how they used marijuana in the past 30 days, or

Continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have not used marijuana in the past 30 days or did not know or refused to report whether they used marijuana in the past 30 days, or

Continuing youth respondents who have ever used marijuana as of their last completed interview and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and have not used marijuana in the past 12 months or did not know or refused to report whether they used marijuana in the past 12 months, or
New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have not vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days or did not know or refused to report how they used marijuana in the past 30 days, or

New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have not used marijuana in the past 30 days or did not know or refused to report whether they used marijuana in the past 30 days, or

New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and have not used marijuana in the past 12 months or did not know or refused to report whether they used marijuana in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 != 1) OR (R07_YOUTHTYPE = 1 AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 != 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_USER_MARIJUANA = 1 AND R07_YG9107 != 1 AND R07_YX0085_12M != 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 != 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 != 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND R07_YG9107 != 1 AND R07_YX0085_12M != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	430	4.0%
2	2 = No	507	4.7%
	Total	937	8.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	9891	91.3%
	Total	9,897	91.4%

This variable has 937 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10511-10516 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YW1002_12M: In past 12 months, used marijuana in an e-cigarette, vape pen, or electronic nicotine product

In the past 12 months, have you used marijuana in an e-cigarette, vape pen, or electronic nicotine product, even one or two times?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YXD03.]

ASK: Continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have not vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days or did not know or refused to report how they used marijuana in the past 30 days and have ever used marijuana in an ENP, or

Continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have not used marijuana in the past 30 days or did not know or refused to report whether they used marijuana in the past 30 days and have ever used marijuana in an ENP, or

Continuing youth respondents who have ever used marijuana as of their last completed interview and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and have not used marijuana in the past 12 months or did not know or refused to report whether they used marijuana in the past 12 months and have ever used marijuana in an ENP, or

New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have not vaped marijuana

liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days or did not know or refused to report how they used marijuana in the past 30 days and have ever used marijuana in an ENP, or New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have not used marijuana in the past 30 days or did not know or refused to report whether they used marijuana in the past 30 days and have ever used marijuana in an ENP, or New baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and have not used marijuana in the past 12 months or did not know or refused to report whether they used marijuana in the past 12 months and have ever used marijuana in an ENP.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 != 1 AND R07_YW1002 = 1) OR (R07_YOUTHTYPE = 1 AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 != 1 AND R07_YW1002 = 1) OR (R07_YOUTHTYPE = 1 AND R07_EVER_USER_MARIJUANA = 1 AND R07_YG9107 != 1 AND R07_YX0085_12M != 1 AND R07_YW1002 = 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 != 1 AND R07_YW1002 = 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 != 1 AND R07_YW1002 = 1) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YG9105_NB = 1 OR R07_YX0085_NB = 1) AND R07_YG9107 != 1 AND R07_YX0085_12M != 1 AND R07_YW1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	313	2.9%
2	2 = No	117	1.1%
	Total	430	4.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10404	96.0%
	Total	10,404	96.0%

This variable has 430 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10517-10522 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YW1022: In past 30 days, number of days you used marijuana in an electronic nicotine product

The following questions are about using or vaping marijuana liquids or cannabis oils in electronic nicotine products such as e-cigarettes, vape pens, or other vaping devices. Please think only about marijuana liquids or cannabis oils when answering the following questions.

On how many of the past 30 days did you use marijuana in an electronic nicotine product?

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

- Mean: 8.13
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.25

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	4	0.0%
-7	-7 = Refused	4	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10472	96.7%
	Total	10,480	96.7%

This variable has 354 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10523-10528 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YW0100: When last used marijuana in an electronic nicotine product

[[M-5.]]When did you last use marijuana in an electronic nicotine product?

[If In the past hour (1), GO TO R07_YW0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R07_YXD03.]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	21	0.2%
2	2 = Sometime today, but more than an hour ago	34	0.3%
3	3 = Yesterday	55	0.5%
4	4 = Day before yesterday	36	0.3%
5	5 = Three or more days ago	210	1.9%
	Total	356	3.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	10472	96.7%
	Total	10,478	96.7%

This variable has 356 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10529-10534 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YW0102: Time period of day when last used marijuana in an electronic nicotine product

[[M-6.]]When you last used marijuana in an electronic nicotine product [FILL BASED ON R07_YW0100], was it...

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days and last used marijuana in an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 = 1 AND R07_YW0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	15	0.1%

Value	Label	Unweighted Frequency	%
2	2 = After 6AM but before noon	21	0.2%
3	3 = Between noon and 6PM	33	0.3%
4	4 = After 6PM but before midnight	55	0.5%
	Total	124	1.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10709	98.8%
	Total	10,710	98.9%

This variable has 124 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10535-10540 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YW0103: Number of puffs of marijuana taken from electronic nicotine product today/yesterday/day before yesterday

How many puffs of marijuana [have/did] you [taken/take] from an electronic nicotine product [FILL BASED ON R07_YW0100]?

[If Don't know (-8) or Refused (-7), GO TO BOX R07_YXD03.]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have vaped marijuana liquids or oils in an e-cigarette, vape pen, or ENP in the past 30 days and last used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R07_YG9107 = 1 OR R07_YX0085_12M = 1) AND R07_YX0675 = 1 AND R07_YX0290_03 = 1 AND R07_YW0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

- Mean: 7.06
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 74.00
- Standard Deviation: 9.02

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	6	0.1%
-7	-7 = Refused	1	0.0%
-5	-5 = Improbable response removed	0	0.0%
-1	-1 = Inapplicable	10688	98.7%
	Total	10,695	98.7%

This variable has 139 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10541-10546 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R07_YX0089_12M_01: In past 12 months, used prescription drug not prescribed to you: Ritalin or Adderall

[[M-7.]] In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused? [Mark Yes or No for each item.]

Ritalin or Adderall

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	172	1.6%
2	2 = No	10579	97.6%
	Total	10,751	99.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	66	0.6%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	83	0.8%

This variable has 10,751 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10547-10552 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_12M_02: In past 12 months, used prescription drug not prescribed to you: Painkillers

[[M-7.]]In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused? [Mark Yes or No for each item.]

Painkillers

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	879	8.1%
2	2 = No	9819	90.6%
	Total	10,698	98.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	92	0.8%
-7	-7 = Refused	44	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	136	1.3%

This variable has 10,698 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10553-10558 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_12M_03: In past 12 months, used prescription drug not prescribed to you: Sedatives or tranquilizers

[[M-7.]]In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused? [Mark Yes or No for each item.]

Sedatives or tranquilizers

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.5%
2	2 = No	10715	98.9%
	Total	10,766	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	51	0.5%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	68	0.6%

This variable has 10,766 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10559-10564 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_12M_01: In past 12 months, used substance: Cocaine or crack

[[M-8.]]In the past 12 months, have you used any of the following substances? [Mark Yes or No for each item.]

Cocaine or crack

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3%
2	2 = No	10764	99.4%
	Total	10,795	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	28	0.3%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	39	0.4%

This variable has 10,795 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10565-10570 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_12M_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

[[M-8.]]In the past 12 months, have you used any of the following substances? [Mark Yes or No for each item.]

Stimulants like methamphetamine or speed

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2%
2	2 = No	10743	99.2%
	Total	10,763	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	47	0.4%
-7	-7 = Refused	24	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	71	0.7%

This variable has 10,763 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10571-10576 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_12M_03: In past 12 months, used substance: Heroin

[[M-8.]]In the past 12 months, have you used any of the following substances? [Mark Yes or No for each

item.]

Heroin

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2%
2	2 = No	10778	99.5%
	Total	10,799	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	25	0.2%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10577-10582 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_12M_04: In past 12 months, used substance: Inhalants or solvents

[[M-8.]]In the past 12 months, have you used any of the following substances? [Mark Yes or No for each item.]

Inhalants or solvents

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.3%
2	2 = No	10762	99.3%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	31	0.3%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10583-10588 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_12M_05: In past 12 months, used substance: Hallucinogens

[[M-8.]]In the past 12 months, have you used any of the following substances? [Mark Yes or No for each item.]

Hallucinogens

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.9%
2	2 = No	10698	98.7%
	Total	10,797	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	30	0.3%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	37	0.3%

This variable has 10,797 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10589-10594 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_01: Ever used prescription drug that was not prescribed for you or that you took only for the experience or feeling they caused: Ritalin or Adderall

[[M-9.]]Which of the following prescription drugs have you ever used that were not prescribed for you or that you took only for the experience or feeling they caused? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Ritalin or Adderall

ASK: Continuing youth respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or new baseline youth respondents who have not used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_PAINSEDTRANQ = 1 AND ((R07_EVER_USER_PAINKILLERS = 3 AND R07_YX0089_12M_02 != 1) OR (R07_EVER_USER_SEDATIVES = 3 AND R07_YX0089_12M_03 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0089_12M_01 != 1 OR R07_YX0089_12M_02 != 1 OR R07_YX0089_12M_03 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0089_12M_01 = 1. Suppress option 2 if R07_YX0089_12M_02 = 1. Suppress option 3 if R07_YX0089_12M_03 = 1.

Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2%
2	2 = Not Marked	7203	66.5%
	Total	7,230	66.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	77	0.7%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	3501	32.3%
	Total	3,604	33.3%

This variable has 7,230 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10595-10600 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_02: Ever used prescription drug that was not prescribed for you or that you took only for the experience or feeling they caused: Painkillers

[[M-9.]]Which of the following prescription drugs have you ever used that were not prescribed for you or that you took only for the experience or feeling they caused? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Painkillers

ASK: Continuing youth respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or new baseline youth respondents who have not used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_PAINSEDTRANQ = 1 AND ((R07_EVER_USER_PAINKILLERS = 3 AND R07_YX0089_12M_02 != 1) OR (R07_EVER_USER_SEDATIVES = 3 AND R07_YX0089_12M_03 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0089_12M_01 != 1 OR R07_YX0089_12M_02 != 1 OR R07_YX0089_12M_03 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0089_12M_01 = 1. Suppress option 2 if R07_YX0089_12M_02 = 1. Suppress option 3 if R07_YX0089_12M_03 = 1.

Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.6%
2	2 = Not Marked	7162	66.1%
	Total	7,230	66.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	77	0.7%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	3501	32.3%
	Total	3,604	33.3%

This variable has 7,230 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10601-10606 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_03: Ever used prescription drug that was not prescribed for you or that you took only for the experience or feeling they caused: Sedatives or tranquilizers

[[M-9.]]Which of the following prescription drugs have you ever used that were not prescribed for you or that you took only for the experience or feeling they caused? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Sedatives or tranquilizers

ASK: Continuing youth respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or new baseline youth respondents who have not used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_PAIGNEDTRANQ = 1 AND ((R07_EVER_USER_PAINKILLERS = 3 AND R07_YX0089_12M_02 != 1) OR (R07_EVER_USER_SEDATIVES = 3 AND R07_YX0089_12M_03 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0089_12M_01 != 1 OR R07_YX0089_12M_02 != 1 OR R07_YX0089_12M_03 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0089_12M_01 = 1. Suppress option 2 if R07_YX0089_12M_02 = 1. Suppress option 3 if R07_YX0089_12M_03 = 1.

Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1%
2	2 = Not Marked	7218	66.6%
	Total	7,230	66.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	77	0.7%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	3501	32.3%
	Total	3,604	33.3%

This variable has 7,230 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10607-10612 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0089_04: Ever used prescription drug that was not prescribed for you or that you took only for the experience or feeling they caused: None of the above

[[M-9.]]Which of the following prescription drugs have you ever used that were not prescribed for you or that you took only for the experience or feeling they caused? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

None of the above

ASK: Continuing youth respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or new baseline youth respondents who have not used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin or Adderall not prescribed for them, painkillers not prescribed for them, or sedatives or tranquilizers not prescribed for them in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_PAINSEDTRANQ = 1 AND ((R07_EVER_USER_PAINKILLERS = 3 AND R07_YX0089_12M_02 != 1) OR (R07_EVER_USER_SEDATIVES =

3 AND R07_YX0089_12M_03 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0089_12M_01 != 1 OR R07_YX0089_12M_02 != 1 OR R07_YX0089_12M_03 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0089_12M_01 = 1. Suppress option 2 if R07_YX0089_12M_02 = 1. Suppress option 3 if R07_YX0089_12M_03 = 1.

Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7128	65.8%
2	2 = Not Marked	102	0.9%
	Total	7,230	66.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	77	0.7%
-7	-7 = Refused	26	0.2%
-1	-1 = Inapplicable	3501	32.3%
	Total	3,604	33.3%

This variable has 7,230 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10613-10618 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_01: Ever used substance: Cocaine or crack

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Cocaine or crack

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used

cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1%
2	2 = Not Marked	7247	66.9%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10619-10624 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_02: Ever used substance: Stimulants like methamphetamine or speed

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Stimulants like methamphetamine or speed

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they

have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	7254	67.0%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10625-10630 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_03: Ever used substance: Heroin

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Heroin

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	7256	67.0%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10631-10636 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_04: Ever used substance: Inhalants or solvents

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Inhalants or solvents

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1%
2	2 = Not Marked	7246	66.9%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10637-10642 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_05: Ever used substance: Hallucinogens

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

Hallucinogens

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2%
2	2 = Not Marked	7241	66.8%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10643-10648 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0220_06: Ever used substance: None of the above

[[M-10.]]Which of the following substances have you ever used? Choose all that apply.[

SHOW CARD ALERT: SHOW CARD DISPLAYS ADDITIONAL RESPONSE OPTIONS. IF SP REPORTS WITH A NUMBER, LOOK AT SHOW CARD TO CONFIRM ANSWER. IF SP REPORTS AN OPTION NOT ON THE SCREEN, SELECT OPTION "NONE OF THE ABOVE".]

None of the above

ASK: Continuing youth respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new baseline youth respondents who have not used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months or did not know or refused to report whether they used cocaine or crack, stimulants like methamphetamine or speed, heroin, inhalants or solvents, or hallucinogens in the past 12 months.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_EVER_USER_OTHERDRUG = 1 AND ((R07_EVER_USER_HEROIN = 3 AND R07_YX0220_12M_03 != 1) OR (R07_EVER_USER_INHALANTS = 3 AND R07_YX0220_12M_04 != 1) OR (R07_EVER_USER_HALLUCINOGENS = 3 AND R07_YX0220_12M_05 != 1))) OR (R07_YOUTHTYPE = 2, 3 AND (R07_YX0220_12M_01 != 1 OR R07_YX0220_12M_02 != 1 OR R07_YX0220_12M_03 != 1 OR R07_YX0220_12M_04 != 1 OR R07_YX0220_12M_05 != 1)).

[PROGRAM NOTE: Suppress option 1 if R07_YX0220_12M_01 = 1. Suppress option 2 if R07_YX0220_12M_02 = 1. Suppress option 3 if R07_YX0220_12M_03 = 1. Suppress option 4 if R07_YX0220_12M_04 = 1. Suppress option 5 if R07_YX0220_12M_05 = 1.

Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7218	66.6%
2	2 = Not Marked	41	0.4%
	Total	7,259	67.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	45	0.4%
-7	-7 = Refused	16	0.1%
-1	-1 = Inapplicable	3514	32.4%
	Total	3,575	33.0%

This variable has 7,259 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10649-10654 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YX0082_01: DERIVED - Age range when first used: Ritalin or Adderall (3 levels)

Long Description: How old were you when you first used Ritalin or Adderall?

Algorithm: IF R07_YX0272_01 = 1 OR (0 <= R07_YX0082_01 <= 11) THEN
R07R_Y_YX0082_01 = 1; ELSE IF R07_YX0272_01 = 2 OR (12 <=
R07_YX0082_01 <= 14) THEN R07R_Y_YX0082_01 = 2; ELSE IF R07_YX0272_01
= 3 OR (15 <= R07_YX0082_01 <= 17) THEN R07R_Y_YX0082_01 = 3; ELSE
R07R_Y_YX0082_01 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	79	0.7%
2	2 = 12 to 14 years old	42	0.4%
3	3 = 15 to 17 years old	51	0.5%
	Total	172	1.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10662	98.4%
	Total	10,662	98.4%

This variable has 172 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10655-10660 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_02: DERIVED - Age range when first used: Painkillers (3 levels)

Long Description: How old were you when you first used painkillers?

Algorithm: IF R07_YX0272_02 = 1 OR (0 <= R07_YX0082_02 <= 11) THEN
R07R_Y_YX0082_02 = 1; ELSE IF R07_YX0272_02 = 2 OR (12 <=
R07_YX0082_02 <= 14) THEN R07R_Y_YX0082_02 = 2; ELSE IF R07_YX0272_02
= 3 OR (15 <= R07_YX0082_02 <= 17) THEN R07R_Y_YX0082_02 = 3; ELSE
R07R_Y_YX0082_02 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	412	3.8%
2	2 = 12 to 14 years old	354	3.3%
3	3 = 15 to 17 years old	98	0.9%
	Total	864	8.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	9970	92.0%
	Total	9,970	92.0%

This variable has 864 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10661-10666 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_03: DERIVED - Age range when first used: Sedatives or tranquilizers (3 levels)

Long Description: How old were you when you first used sedatives or tranquilizers?

Algorithm: IF R07_YX0272_03 = 1 OR (0 <= R07_YX0082_03 <= 11) THEN
R07R_Y_YX0082_03 = 1; ELSE IF R07_YX0272_03 = 2 OR (12 <=
R07_YX0082_03 <= 14) THEN R07R_Y_YX0082_03 = 2; ELSE IF R07_YX0272_03
= 3 OR (15 <= R07_YX0082_03 <= 17) THEN R07R_Y_YX0082_03 = 3; ELSE
R07R_Y_YX0082_03 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	26	0.2%
2	2 = 12 to 14 years old	13	0.1%
3	3 = 15 to 17 years old	16	0.1%
	Total	55	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10779	99.5%
	Total	10,779	99.5%

This variable has 55 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10667-10672 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_04: DERIVED - Age range when first used: Cocaine or crack (3 levels)

Long Description: How old were you when you first used cocaine or crack?

Algorithm: IF R07_YX0272_04 = 1 OR (0 <= R07_YX0082_04 <= 11) THEN
R07R_Y_YX0082_04 = 1; ELSE IF R07_YX0272_04 = 2 OR (12 <=
R07_YX0082_04 <= 14) THEN R07R_Y_YX0082_04 = 2; ELSE IF
R07_YX0272_04 = 3 OR (15 <= R07_YX0082_04 <= 17) THEN
R07R_Y_YX0082_04 = 3; ELSE R07R_Y_YX0082_04 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	15	0.1%
2	2 = 12 to 14 years old	7	0.1%
3	3 = 15 to 17 years old	10	0.1%
	Total	32	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10802	99.7%
	Total	10,802	99.7%

This variable has 32 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10673-10678 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_05: DERIVED - Age range when first used: Methamphetamine or speed (3 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

Algorithm: IF R07_YX0272_05 = 1 OR (0 <= R07_YX0082_05 <= 11) THEN
R07R_Y_YX0082_05 = 1 ; ELSE IF R07_YX0272_05 = 2 OR (12 <=
R07_YX0082_05 <= 14) THEN R07R_Y_YX0082_05 = 2 ; ELSE IF
R07_YX0272_05 = 3 OR (15 <= R07_YX0082_05 <= 17) THEN
R07R_Y_YX0082_05 = 3 ; ELSE R07R_Y_YX0082_05 = . ;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1%
2	2 = 12 to 14 years old	6	0.1%
3	3 = 15 to 17 years old	6	0.1%
	Total	23	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10811	99.8%
	Total	10,811	99.8%

This variable has 23 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10679-10684 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_06: DERIVED - Age range when first used: Heroin (3 levels)

Long Description: How old were you when you first used heroin?

Algorithm: IF R07_YX0272_06 = 1 OR (0 <= R07_YX0082_06 <= 11) THEN
R07R_Y_YX0082_06 = 1; ELSE IF R07_YX0272_06 = 2 OR (12 <=
R07_YX0082_06 <= 14) THEN R07R_Y_YX0082_06 = 2; ELSE IF
R07_YX0272_06 = 3 OR (15 <= R07_YX0082_06 <= 17) THEN
R07R_Y_YX0082_06 = 3; ELSE R07R_Y_YX0082_06 = . ;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1%
2	2 = 12 to 14 years old	3	0.0%
3	3 = 15 to 17 years old	2	0.0%
	Total	16	0.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10818	99.9%
	Total	10,818	99.9%

This variable has 16 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10685-10690 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_07: DERIVED - Age range when first used: Inhalants or solvents (3 levels)

Long Description: How old were you when you first used inhalants or solvents?

Algorithm: IF R07_YX0272_07 = 1 OR (0 <= R07_YX0082_07 <= 11) THEN
R07R_Y_YX0082_07 = 1; ELSE IF R07_YX0272_07 = 2 OR (12 <=
R07_YX0082_07 <= 14) THEN R07R_Y_YX0082_07 = 2; ELSE IF
R07_YX0272_07 = 3 OR (15 <= R07_YX0082_07 <= 17) THEN
R07R_Y_YX0082_07 = 3; ELSE R07R_Y_YX0082_07 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	16	0.1%
2	2 = 12 to 14 years old	7	0.1%
3	3 = 15 to 17 years old	11	0.1%
	Total	34	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10800	99.7%
	Total	10,800	99.7%

This variable has 34 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10691-10696 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_YX0082_08: DERIVED - Age range when first used: Hallucinogens (3 levels)

Long Description: How old were you when you first used hallucinogens?

Algorithm: IF R07_YX0272_08 = 1 OR (0 <= R07_YX0082_08 <= 11) THEN
R07R_Y_YX0082_08 = 1; ELSE IF R07_YX0272_08 = 2 OR (12 <=
R07_YX0082_08 <= 14) THEN R07R_Y_YX0082_08 = 2; ELSE IF
R07_YX0272_08 = 3 OR (15 <= R07_YX0082_08 <= 17) THEN
R07R_Y_YX0082_08 = 3; ELSE R07R_Y_YX0082_08 = .;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	17	0.2%
2	2 = 12 to 14 years old	17	0.2%
3	3 = 15 to 17 years old	65	0.6%
	Total	99	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10735	99.1%
	Total	10,735	99.1%

This variable has 99 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10697-10702 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YX0083_NB_01: At the age you first started using Ritalin or Adderall, did you also smoke cigarettes or use any other tobacco products

When you first used Ritalin or Adderall when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND

(R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	10	0.1%
	Total	19	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10815	99.8%
	Total	10,815	99.8%

This variable has 19 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10703-10708 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_02: At the age you first started using painkillers did you also smoke cigarettes or use any other tobacco products

When you first used painkillers when you were {AGE OF FIRST SUBSTANCE USE} years old, did

you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	37	0.3%
	Total	46	0.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10787	99.6%
	Total	10,788	99.6%

This variable has 46 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10709-10714 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_03: At the age you first started using sedatives or tranquilizers, did you also smoke cigarettes or use any other tobacco products

When you first used sedatives or tranquilizers when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006

OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	2	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10715-10720 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_04: At the age you first started using cocaine or crack, did you also smoke cigarettes or use any other tobacco products

When you first used cocaine or crack when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1

AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	3	0.0%
	Total	5	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10829	100.0%
	Total	10,829	100.0%

This variable has 5 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10721-10726 (width: 6; decimal: 0)

Variable Type: numeric

R07_YX0083_NB_05: At the age you first started using stimulants like methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used stimulants like methamphetamine or speed when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%

Value	Label	Unweighted Frequency	%
2	2 = No	1	0.0%
	Total	1	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10833	100.0%
	Total	10,833	100.0%

This variable has 1 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10727-10732 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_06: At the age you first started using heroin did you also smoke cigarettes or use any other tobacco products

When you first used heroin when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006

OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0%
2	2 = No	0	0.0%
	Total	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10834	100.0%
	Total	10,834	100.0%

This variable has 0 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10733-10738 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_07: At the age you first started using inhalants or solvents did you also smoke cigarettes or use any other tobacco products

When you first used inhalants or solvents when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/

hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/
 painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or
 crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose
 age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/
 painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or
 crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1
 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN
 (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006
 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	1	0.0%
	Total	2	0.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10739-10744 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0083_NB_08: At the age you first started using hallucinogens did you also smoke cigarettes or use any other tobacco products

When you first used hallucinogens when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/ heroin/inhalants or solvents/hallucinogens and whose age of first tobacco use precedes age of first use of Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R07_YX0083_NB_01: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_01 = 1 OR R07_YX0089_01 = 1) AND R07_YX0082_01 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_02: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_02 = 1 OR R07_YX0089_02 = 1) AND R07_YX0082_02 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_03: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0089_12M_03 = 1 OR R07_YX0089_03 = 1) AND R07_YX0082_03 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_04: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_01 = 1 OR R07_YX0220_01 = 1) AND R07_YX0082_04 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_05: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_02 = 1 OR R07_YX0220_02 = 1) AND R07_YX0082_05 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_06: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_03 = 1 OR R07_YX0220_03 = 1) AND R07_YX0082_06 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

FOR R07_YX0083_NB_07: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND (R07_YX0220_12M_04 = 1 OR R07_YX0220_04 = 1) AND R07_YX0082_07 > MIN VALID AGE IN (R07_YC1006 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR

R07_YU1006 OR R07_YS1006 OR R07_YQ1006).
 FOR R07_YX0083_NB_08: IF R07_YOUTHTYPE = 2, 3 AND R07_EVER_USE_TOB = 1 AND
 (R07_YX0220_12M_05 = 1 OR R07_YX0220_05 = 1) AND R07_YX0082_08 > MIN VALID AGE IN (R07_YC1006
 OR R07_YV1006 OR R07_YG1006TC OR R07_YG1006CL OR R07_YG1006FC OR R07_YH1006 OR
 R07_YU1006 OR R07_YS1006 OR R07_YQ1006).

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.2%
2	2 = No	15	0.1%
	Total	32	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10802	99.7%
	Total	10,802	99.7%

This variable has 32 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10745-10750 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_01: In past 30 days, used: Ritalin or Adderall

Have you used Ritalin or Adderall in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	61	0.6%

Value	Label	Unweighted Frequency	%
2	2 = No	108	1.0%
	Total	169	1.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	10662	98.4%
	Total	10,665	98.4%

This variable has 169 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10751-10756 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_02: In past 30 days, used: Painkillers

Have you used painkillers in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	458	4.2%
2	2 = No	419	3.9%
	Total	877	8.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	2	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	9955	91.9%
	Total	9,957	91.9%

This variable has 877 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10757-10762 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_03: In past 30 days, used: Sedatives or tranquilizers

Have you used sedatives or tranquilizers in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	39	0.4%
	Total	50	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10783	99.5%
	Total	10,784	99.5%

This variable has 50 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10763-10768 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_04: In past 30 days, used: Cocaine or crack

Have you used cocaine or crack in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	25	0.2%
	Total	31	0.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10803	99.7%
	Total	10,803	99.7%

This variable has 31 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10769-10774 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_05: In past 30 days, used: Stimulants like methamphetamine or speed

Have you used stimulants like methamphetamine or speed in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	14	0.1%
	Total	20	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10814	99.8%
	Total	10,814	99.8%

This variable has 20 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10775-10780 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_06: In past 30 days, used: Heroin

Have you used heroin in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.
 FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.
 FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.
 FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0%
2	2 = No	18	0.2%
	Total	21	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10813	99.8%
	Total	10,813	99.8%

This variable has 21 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10781-10786 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_07: In past 30 days, used: Inhalants or solvents

Have you used inhalants or solvents in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%

Value	Label	Unweighted Frequency	%
2	2 = No	21	0.2%
	Total	27	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10806	99.7%
	Total	10,807	99.8%

This variable has 27 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10787-10792 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0676_08: In past 30 days, used: Hallucinogens

Have you used hallucinogens in the past 30 days?

ASK: Youth respondents who have used Ritalin or Adderall not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R07_YX0676_01: IF R07_YX0089_12M_01 = 1.

FOR R07_YX0676_02: IF R07_YX0089_12M_02 = 1.

FOR R07_YX0676_03: IF R07_YX0089_12M_03 = 1.

FOR R07_YX0676_04: IF R07_YX0220_12M_01 = 1.

FOR R07_YX0676_05: IF R07_YX0220_12M_02 = 1.

FOR R07_YX0676_06: IF R07_YX0220_12M_03 = 1.

FOR R07_YX0676_07: IF R07_YX0220_12M_04 = 1.

FOR R07_YX0676_08: IF R07_YX0220_12M_05 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2%
2	2 = No	71	0.7%
	Total	97	0.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	1	0.0%
-1	-1 = Inapplicable	10735	99.1%
	Total	10,737	99.1%

This variable has 97 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10793-10798 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0170: Last time that you used alcohol or other drugs weekly or more often

[[M-1.]]When was the last time that...

You used [alcohol/alcohol or other drugs] weekly or more often?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever used drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	381	3.5%
2	2 = 2 to 12 months ago	450	4.2%
3	3 = Over a year ago	300	2.8%
4	4 = Never	3380	31.2%
	Total	4,511	41.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	21	0.2%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,323	58.4%

This variable has 4,511 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10799-10804 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_01: Substance used weekly or more often: Alcohol

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	232	2.1%
2	2 = Not Marked	415	3.8%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10805-10810 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_02: Substance used weekly or more often: Marijuana or cannabis

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana or cannabis

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	431	4.0%
2	2 = Not Marked	216	2.0%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10811-10816 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_03: Substance used weekly or more often: Ritalin or Adderall

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin or Adderall

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.2%
2	2 = Not Marked	630	5.8%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10817-10822 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_04: Substance used weekly or more often: Painkillers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	84	0.8%
2	2 = Not Marked	563	5.2%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10823-10828 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_05: Substance used weekly or more often: Sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Sedatives or tranquilizers

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	642	5.9%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%

Value	Missing Data	Unweighted Frequency	%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10829-10834 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_06: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	642	5.9%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10835-10840 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_07: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0%
2	2 = Not Marked	642	5.9%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10841-10846 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_08: Substance used weekly or more often: Heroin

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Heroin

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0%
2	2 = Not Marked	643	5.9%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10847-10852 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_09: Substance used weekly or more often: Inhalants or solvents

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Inhalants or solvents

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1%
2	2 = Not Marked	641	5.9%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10853-10858 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0175_10: Substance used weekly or more often: Hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Hallucinogens

ASK: Continuing youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and reported using two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_YX0170 = 1, 2, 3 AND R07_PASTUSE_COUNT >= 2) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND R07_YX0170 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1%
2	2 = Not Marked	632	5.8%
	Total	647	6.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	22	0.2%
-7	-7 = Refused	13	0.1%
-1	-1 = Inapplicable	10152	93.7%
	Total	10,187	94.0%

This variable has 647 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10859-10864 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0171: Last time that you spent a lot of time either getting alcohol or other drugs

[[M-1.]]When was the last time that...

You spent a lot of time getting [alcohol/alcohol or other drugs]?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	162	1.5%
2	2 = 2 to 12 months ago	268	2.5%
3	3 = Over a year ago	165	1.5%
4	4 = Never	3910	36.1%
	Total	4,505	41.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	18	0.2%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	6299	58.1%

Value	Missing Data	Unweighted Frequency	%
	Total	6,329	58.4%

This variable has 4,505 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10865-10870 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

[[M-1.]]When was the last time that...

You kept using [alcohol/alcohol or other drugs] even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	56	0.5%
2	2 = 2 to 12 months ago	104	1.0%
3	3 = Over a year ago	101	0.9%
4	4 = Never	4257	39.3%
	Total	4,518	41.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	9	0.1%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,316	58.3%

This variable has 4,518 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10871-10876 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0173: Last time that your use of alcohol or other drugs caused you to reduce your involvement in activities at work, school, home or social events

[[M-1.]]When was the last time that...

Your use of [alcohol/alcohol or other drugs] reduced your involvement with activities at work, school, home, or social events?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	81	0.7%
2	2 = 2 to 12 months ago	128	1.2%
3	3 = Over a year ago	111	1.0%
4	4 = Never	4195	38.7%
	Total	4,515	41.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	10	0.1%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,319	58.3%

This variable has 4,515 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10877-10882 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0193: Last time that you spent a lot of time using or recovering from alcohol or other drugs

[[M-1.]]When was the last time that...

You spent a lot of time using or recovering from [alcohol/alcohol or other drugs]?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	78	0.7%
2	2 = 2 to 12 months ago	118	1.1%
3	3 = Over a year ago	104	1.0%
4	4 = Never	4216	38.9%
	Total	4,516	41.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	9	0.1%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,318	58.3%

This variable has 4,516 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10883-10888 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0174: Last time that you had withdrawal problems

[[M-1.]]When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	280	2.6%
2	2 = 2 to 12 months ago	223	2.1%
3	3 = Over a year ago	128	1.2%
4	4 = Never	3887	35.9%
	Total	4,518	41.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,316	58.3%

This variable has 4,518 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10889-10894 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0194: Last time that you used alcohol or other drugs to stop being sick or avoid withdrawal problems

[[M-1.]]When was the last time that...

You used any [alcohol/alcohol or other drugs] to stop being sick or avoid withdrawal problems?

ASK: Continuing youth respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new baseline youth respondents who have ever used alcohol or ever using drugs.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 1).

Value	Label	Unweighted Frequency	%
1	1 = Past month	63	0.6%
2	2 = 2 to 12 months ago	75	0.7%
3	3 = Over a year ago	67	0.6%
4	4 = Never	4314	39.8%
	Total	4,519	41.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	11	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	6299	58.1%
	Total	6,315	58.3%

This variable has 4,519 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10895-10900 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	159	1.5%
2	2 = Not Marked	240	2.2%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10901-10906 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_02: Substance that caused some problems for you: Marijuana or cannabis

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
 Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana or cannabis

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their

involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	205	1.9%
2	2 = Not Marked	194	1.8%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10907-10912 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_03: Substance that caused some problems for you: Ritalin or Adderall

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin or Adderall

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1%
2	2 = Not Marked	383	3.5%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10913-10918 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_04: Substance that caused some problems for you: Painkillers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
 Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past

month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.6%
2	2 = Not Marked	335	3.1%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10919-10924 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_05: Substance that caused some problems for you: Sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Sedatives or tranquilizers

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1%
2	2 = Not Marked	390	3.6%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10925-10930 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_06: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
 Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances

and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1%
2	2 = Not Marked	391	3.6%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10931-10936 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_07: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND

R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND
 R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND
 R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	396	3.7%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10937-10942 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_08: Substance that caused some problems for you: Heroin

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
 Please do not include drugs that were prescribed for you. Choose all that apply.

Heroin

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had

withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0%
2	2 = Not Marked	396	3.7%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10943-10948 (width: 6; decimal: 0)

Variable Type: numeric

R07_YX0176_09: Substance that caused some problems for you: Inhalants or solvents

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Inhalants or solvents

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1%
2	2 = Not Marked	392	3.6%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10949-10954 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0176_10: Substance that caused some problems for you: Hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Hallucinogens

ASK: Continuing youth respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new baseline youth respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 = 1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)) OR (R07_YOUTHTYPE = 2, 3 AND R07_SUBSTANCE_COUNT >= 2 AND (R07_YX0172 = 1, 2, 3 OR R07_YX0173 =

1, 2, 3 OR R07_YX0193 = 1, 2, 3 OR R07_YX0174 = 1, 2, 3 OR R07_YX0194 = 1, 2, 3)).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_ALC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_ALC = 1), DISPLAY OPTION 1. ELSE, DO NOT DISPLAY OPTION 1.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_MJ = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_MJ = 1), DISPLAY OPTION 2. ELSE, DO NOT DISPLAY OPTION 2.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_RIT = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_RIT = 1), DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_PK = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_PK = 1), DISPLAY OPTION 4. ELSE, DO NOT DISPLAY OPTION 4.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_SED = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_SED = 1), DISPLAY OPTION 5. ELSE, DO NOT DISPLAY OPTION 5.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_COC = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_COC = 1), DISPLAY OPTION 6. ELSE, DO NOT DISPLAY OPTION 6.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_STIM = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_STIM = 1), DISPLAY OPTION 7. ELSE, DO NOT DISPLAY OPTION 7.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HERO = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HERO = 1), DISPLAY OPTION 8. ELSE, DO NOT DISPLAY OPTION 8.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_INH = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_INH = 1), DISPLAY OPTION 9. ELSE, DO NOT DISPLAY OPTION 9.
 IF (R07_YOUTHTYPE = 1 AND R07_PASTUSE_HALL = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_EVER_USER_HALL = 1), DISPLAY OPTION 10. ELSE, DO NOT DISPLAY OPTION 10.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1%
2	2 = Not Marked	386	3.6%
	Total	399	3.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	57	0.5%
-7	-7 = Refused	28	0.3%
-1	-1 = Inapplicable	10350	95.5%
	Total	10,435	96.3%

This variable has 399 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10955-10960 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YM0018_V2: DERIVED - Recoded grade level (If on holiday or break - grade level entering when returning to school) (5 levels)

Long Description: What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

Algorithm: IF (1 <= R07_YM0018 <= 5) THEN R07R_Y_YM0018_V2 = 1; ELSE
 IF R07_YM0018 = 6 THEN R07R_Y_YM0018_V2 = 2; ELSE IF R07_YM0018 = 7
 THEN R07R_Y_YM0018_V2 = 3; ELSE IF R07_YM0018 = 8 THEN
 R07R_Y_YM0018_V2 = 4; ELSE IF (9 <= R07_YM0018 <= 13) OR (R07_YM0019
 = 2) THEN R07R_Y_YM0018_V2 = 5; ELSE R07R_Y_YM0018_V2 = .;

Value	Label	Unweighted Frequency	%
1	1 = 8th grade or below	3558	32.8%
2	2 = 9th grade	1687	15.6%
3	3 = 10th grade	1693	15.6%
4	4 = 11th grade	1744	16.1%
5	5 = Other (including not enrolled this year or last, home schooled, school not graded, 12th grade, college or vocational	2098	19.4%
	Total	10,780	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	54	0.5%
	Total	54	0.5%

This variable has 10,780 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10961-10966 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YM0032: Worked for pay in past 30 days for someone outside home

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3387	31.3%
2	2 = No	7404	68.3%
	Total	10,791	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	31	0.3%
-7	-7 = Refused	12	0.1%
-1	-1 = Inapplicable	0	0.0%
	Total	43	0.4%

This variable has 10,791 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10967-10972 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM0008: Money received in total during an average week

[[M-13.]]During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	4108	37.9%
2	2 = Less than \$1	340	3.1%
3	3 = \$1 to \$5	826	7.6%
4	4 = \$6 to \$10	848	7.8%
5	5 = \$11 to \$20	1372	12.7%
6	6 = \$21 to \$50	1073	9.9%
7	7 = \$51 to \$100	702	6.5%
8	8 = \$101 to \$150	508	4.7%
9	9 = \$151 or more	927	8.6%
	Total	10,704	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	89	0.8%
-7	-7 = Refused	41	0.4%

Value	Missing Data	Unweighted Frequency	%
-1	-1 = Inapplicable	0	0.0%
	Total	130	1.2%

This variable has 10,704 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10973-10978 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0322: Ever heard of HHS's Safety Reporting Portal before this study

The "Safety Reporting Portal" is a website where you can report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products. It is sponsored by the US Department of Health and Human Services (HHS).

Have you ever heard of HHS's Safety Reporting Portal before this study?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0324.]

ASK: Continuing youth respondents who are previous wave non-responders, or new baseline youth respondents.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 1) OR R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	523	4.8%
2	2 = No	6918	63.9%
	Total	7,441	68.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	58	0.5%
-7	-7 = Refused	11	0.1%
-1	-1 = Inapplicable	3324	30.7%
	Total	3,393	31.3%

This variable has 7,441 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10979-10984 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0323: Ever used HHS's Safety Reporting Portal to report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products

Have you ever used HHS's Safety Reporting Portal to report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), GO TO R07_YX0324.]

ASK: Continuing youth respondents who are previous wave non-responders who have ever heard of HHS's Safety Reporting Portal, or new baseline youth respondents who have ever heard of HHS's Safety Reporting Portal.

ASK Specification: IF (R07_YOUTHTYPE = 1 AND R07_WNR = 1 AND R07_YX0322 = 1) OR (R07_YOUTHTYPE = 2, 3 AND R07_YX0322 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	54	0.5%
2	2 = No	468	4.3%
	Total	522	4.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10311	95.2%
	Total	10,312	95.2%

This variable has 522 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10985-10990 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0323_12M: In past 12 months, used HHS's Safety Reporting Portal to report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products

The "Safety Reporting Portal" is a website where you can report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products. It is sponsored by the US Department of Health and Human Services (HHS).

In the past 12 months, have you used HHS's Safety Reporting Portal to report a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products?

ASK: Continuing youth respondents who are not previous wave non-responders.

ASK Specification: IF R07_YOUTHTYPE = 1 AND R07_WNR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3%
2	2 = No	3270	30.2%
	Total	3,302	30.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	14	0.1%
-7	-7 = Refused	8	0.1%
-1	-1 = Inapplicable	7510	69.3%
	Total	7,532	69.5%

This variable has 3,302 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10991-10996 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YX0324: In the future, if you experience a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other ENPs, likelihood you will report it to HHS's Safety Reporting Portal

In the future, if you experience a health or product quality problem associated with use of or exposure to any tobacco products, including e-cigarettes or other electronic nicotine products, how likely are you to report it to HHS's Safety Reporting Portal?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	1414	13.1%
2	2 = Somewhat likely	4303	39.7%
3	3 = Not likely	4776	44.1%
	Total	10,493	96.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	301	2.8%
-7	-7 = Refused	40	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	341	3.1%

This variable has 10,493 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 10997-11002 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1900: In past 30 days, how often stayed away from public places where you would expect a lot of people

[[M-20./M-21.]] In the past 30 days, how often are you staying away from public places where you would expect a lot of people, for example, restaurants and shopping malls? Do not include essential places that provide critical services, such as grocery stores, gas stations, or hospitals. Would you say...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

[PROGRAM NOTE: Display response option 6 if R07_YM0032 = 1. Else suppress option 6.]

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	610	5.6%
2	2 = Most of the time	1719	15.9%
3	3 = Sometimes	2305	21.3%
4	4 = Rarely	2005	18.5%
5	5 = Not at all	3267	30.2%
6	6 = I cannot avoid these places as I work in them	230	2.1%
7	7 = I almost never went to these places even before the coronavirus pandemic	570	5.3%
	Total	10,706	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	75	0.7%
-7	-7 = Refused	45	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	128	1.2%

This variable has 10,706 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11003-11008 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1901: In past 30 days, how often stayed away from family who live outside your home

[[M-22.]]In the past 30 days, how often are you staying away from family who live outside your home? Would you say...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	571	5.3%
2	2 = Most of the time	1497	13.8%
3	3 = Sometimes	1996	18.4%
4	4 = Rarely	2035	18.8%
5	5 = Not at all	4037	37.3%
6	6 = I almost never saw family in-person outside my home even before the coronavirus pandemic	571	5.3%
	Total	10,707	98.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	79	0.7%
-7	-7 = Refused	40	0.4%
-1	-1 = Inapplicable	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	127	1.2%

This variable has 10,707 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11009-11014 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1927: In past 30 days, how often stayed away from friends who live outside your home

[[M-23.]]In the past 30 days, how often are you staying away from friends who live outside your home? Would you say...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	576	5.3%
2	2 = Most of the time	1101	10.2%
3	3 = Sometimes	1850	17.1%
4	4 = Rarely	2178	20.1%
5	5 = Not at all	4555	42.0%
6	6 = I almost never saw friends in-person outside my home even before the coronavirus pandemic	460	4.2%
	Total	10,720	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	64	0.6%
-7	-7 = Refused	42	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	114	1.1%

This variable has 10,720 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11015-11020 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1928: In past 30 days, interacted with others in-person outside your home for work purposes

In the past 30 days, did you interact with others in-person outside your home for work purposes?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YM1930.]

ASK: Youth respondents who worked for pay outside the home in the past 30 days.

ASK Specification: IF AskPandemic = 1 AND R07_YM0032 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2374	21.9%
2	2 = No	987	9.1%
	Total	3,361	31.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	2	0.0%
-8	-8 = Don't know	10	0.1%
-7	-7 = Refused	14	0.1%
-1	-1 = Inapplicable	7447	68.7%
	Total	7,473	69.0%

This variable has 3,361 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11021-11026 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1929: Your work requires you to be within 6 feet of others outside your home at any time

Does your work require you to be within 6 feet of others outside your home at any time?

ASK: Youth respondents who worked for pay outside the home in the past 30 days and interact with others outside the home for work.

ASK Specification: IF AskPandemic = 1 AND R07_YM0032 = 1 AND R07_YM1928 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1193	11.0%
2	2 = No	1164	10.7%
	Total	2,357	21.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	12	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	8460	78.1%
	Total	8,477	78.2%

This variable has 2,357 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11027-11032 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1902: In past 30 days, when outside your home for work, how often you keep a distance of at least 6 feet away from others who you do not live with

[[M-24.]]In the past 30 days, when outside your home for work purposes, how often do you keep a distance of at least 6 feet away from others who you do not live with? This includes when you are around people you know, as well as strangers. Would you say...

ASK: Youth respondents who worked for pay outside the home in the past 30 days and interact with others outside the home for work.

ASK Specification: IF AskPandemic = 1 AND R07_YM0032 = 1 AND R07_YM1928 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	82	0.8%
2	2 = Most of the time	252	2.3%
3	3 = Sometimes	430	4.0%
4	4 = Rarely	606	5.6%
5	5 = Not at all	983	9.1%
	Total	2,353	21.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	19	0.2%
-7	-7 = Refused	2	0.0%
-1	-1 = Inapplicable	8460	78.1%
	Total	8,481	78.3%

This variable has 2,353 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11033-11038 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1930: In past 30 days, when outside your home for personal or leisure time, how often you keep a distance of at least 6 feet away from others who you do not live with

[[M-25.]]In the past 30 days, when outside your home for personal or leisure time, not including for work, how often do you keep a distance of at least 6 feet away from others who you do not live with? This includes when you are around people you know, as well as strangers. Would you say...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	705	6.5%
2	2 = Most of the time	1586	14.6%
3	3 = Sometimes	2153	19.9%
4	4 = Rarely	2255	20.8%
5	5 = Not at all	3657	33.8%
6	6 = I haven't had contact with others outside my home	286	2.6%
	Total	10,642	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	128	1.2%

Value	Missing Data	Unweighted Frequency	%
-7	-7 = Refused	56	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	192	1.8%

This variable has 10,642 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11039-11044 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1931: In past 30 days, spent less time, about the same, or more time with people you live with compared to before the coronavirus started

In the past 30 days, did you spend less time, about the same, or more time with the people you live with than compared to before the coronavirus pandemic started?

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Less time than before the coronavirus pandemic	1474	13.6%
2	2 = About the same	6800	62.8%
3	3 = More time than before the coronavirus pandemic	2370	21.9%
	Total	10,644	98.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	134	1.2%
-7	-7 = Refused	48	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	190	1.8%

This variable has 10,644 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11045-11050 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1950: Statement that best describes the effect the coronavirus pandemic on your tobacco and nicotine use

[[M-26.]]Which statement best describes the effect the coronavirus pandemic has had on your tobacco and nicotine use?

ASK: Youth respondents who are past 30 day tobacco users.

ASK Specification: IF R07_PAST30DAY_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = I now use tobacco and nicotine more than before the coronavirus pandemic started	227	2.1%
2	2 = I now use tobacco and nicotine about the same as before the coronavirus pandemic started	255	2.4%
3	3 = I now use tobacco and nicotine less than before the coronavirus pandemic started	150	1.4%
	Total	632	5.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	47	0.4%
-7	-7 = Refused	29	0.3%
-1	-1 = Inapplicable	10126	93.5%
	Total	10,202	94.2%

This variable has 632 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11051-11056 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1955: Statement that best describes the effect the coronavirus pandemic on your tobacco and nicotine use (quitting)

[[M-27.]]Which statement best describes the effect the coronavirus pandemic has had on your tobacco and nicotine use?

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R07_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = I quit using tobacco and nicotine	371	3.4%
2	2 = I am thinking of quitting using tobacco and nicotine	111	1.0%
3	3 = I am trying to quit using tobacco and nicotine	127	1.2%
4	4 = It has had no effect at all on my intentions to quit using tobacco and nicotine	639	5.9%
	Total	1,248	11.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	105	1.0%
-7	-7 = Refused	29	0.3%
-1	-1 = Inapplicable	9452	87.2%
	Total	9,586	88.5%

This variable has 1,248 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11057-11062 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1932: In your opinion, severity of illness if a person who smokes cigarettes got the coronavirus compared to a person who does not smoke cigarettes

[[M-28.]]In your opinion, if a person who smokes cigarettes got COVID-19, how severe do you think the illness would be for them compared to a person who does not smoke cigarettes? Would you say COVID-19 would be...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = A lot more severe for smokers	5858	54.1%
2	2 = Somewhat more severe	2925	27.0%
3	3 = About the same	1282	11.8%
4	4 = Somewhat less severe	233	2.2%
5	5 = A lot less severe for smokers	287	2.6%

Value	Label	Unweighted Frequency	%
	Total	10,585	97.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	191	1.8%
-7	-7 = Refused	50	0.5%
-1	-1 = Inapplicable	0	0.0%
	Total	249	2.3%

This variable has 10,585 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11063-11068 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1933: In your opinion, severity of illness if a person who uses electronic nicotine products got the coronavirus compared to a person who does not use electronic nicotine products

[[M-29.]]In your opinion, if a person who uses electronic nicotine products got COVID-19, how severe do you think the illness would be for them compared to a person who does not use electronic nicotine products?
Would you say COVID-19 would be...

ASK: All youth respondents.

ASK Specification: IF AskPandemic = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = A lot more severe for users	4843	44.7%
2	2 = Somewhat more severe	3448	31.8%
3	3 = About the same	1714	15.8%
4	4 = Somewhat less severe	252	2.3%
5	5 = A lot less severe for users	302	2.8%
	Total	10,559	97.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-9	-9 = Missing - Not ascertained	8	0.1%
-8	-8 = Don't know	219	2.0%
-7	-7 = Refused	48	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	275	2.5%

This variable has 10,559 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11069-11074 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1934: Rating of your experience of stress related to the coronavirus pandemic

[[M-30.]]In the past 12 months, how would you rate your experiences of stress related to the coronavirus pandemic?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	5395	49.8%
2	2 = Mild (such as occasional worries; feeling a little anxious, sad, or angry; or having mild trouble sleeping)	3502	32.3%
3	3 = Moderate (such as frequent worries; feeling moderately anxious, sad, or angry; or having moderate trouble sleeping)	1379	12.7%
4	4 = Severe (such as persistent worries; feeling extremely anxious, sad, or angry; or having severe trouble sleeping)	411	3.8%
	Total	10,687	98.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	99	0.9%
-7	-7 = Refused	48	0.4%
-1	-1 = Inapplicable	0	0.0%
	Total	147	1.4%

This variable has 10,687 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11075-11080 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1923_12M: In past 12 months, a doctor or other medical professional told you that you had COVID-19

In the past 12 months, has a doctor, nurse, or other health professional told you that you had COVID-19?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2295	21.2%
2	2 = No	8469	78.2%
	Total	10,764	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	43	0.4%
-7	-7 = Refused	27	0.2%
-1	-1 = Inapplicable	0	0.0%
	Total	70	0.6%

This variable has 10,764 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11081-11086 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1923: Doctor or other medical professional ever said you had COVID-19

Has a doctor, nurse, or other health professional ever told you that you had COVID-19?

ASK: Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been told they had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months.

ASK Specification: IF R07_COVID19 != 1 AND R07_YM1923_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	615	5.7%

Value	Label	Unweighted Frequency	%
2	2 = No	5172	47.7%
	Total	5,787	53.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	32	0.3%
-7	-7 = Refused	15	0.1%
-1	-1 = Inapplicable	5000	46.2%
	Total	5,047	46.6%

This variable has 5,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11087-11092 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1938_12M: In past 12 months, been tested for COVID-19 or COVID-19 antibodies

In the past 12 months, have you been tested for COVID-19 or COVID-19 antibodies?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6379	58.9%
2	2 = No	4360	40.2%
	Total	10,739	99.1%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	65	0.6%
-7	-7 = Refused	30	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	95	0.9%

This variable has 10,739 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11093-11098 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1940_12M: In past 12 months, received a positive test result for having COVID-19

In the past 12 months, have you received a positive test result for having COVID-19?

[If Yes (1), GO TO R07_YM1943_12M. If No (2), Don't know (-8), or Refused (-7), GO TO R07_YM1940.]

ASK: Youth respondents who have been tested for COVID-19 in the past 12 months.

ASK Specification: IF R07_YM1938_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2567	23.7%
2	2 = No	3789	35.0%
	Total	6,356	58.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	19	0.2%
-7	-7 = Refused	4	0.0%
-1	-1 = Inapplicable	4455	41.1%
	Total	4,478	41.3%

This variable has 6,356 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11099-11104 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1938: Ever been tested for COVID-19 or COVID-19 antibodies

Have you ever been tested for COVID-19 or COVID-19 antibodies?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YM1943_12M.]

ASK: Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months.

ASK Specification: IF R07_COVID19 != 1 AND R07_YM1938_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	963	8.9%
2	2 = No	2005	18.5%
	Total	2,968	27.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	46	0.4%
-7	-7 = Refused	19	0.2%
-1	-1 = Inapplicable	7801	72.0%
	Total	7,866	72.6%

This variable has 2,968 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11105-11110 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1940: Ever received a positive test result for having COVID-19

Have you ever received a positive test result for having COVID-19?

ASK: Youth respondents who have been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19.

ASK Specification: IF (R07_YM1938_12M = 1 AND R07_YM1940_12M = 2, -8, -7) OR (R07_COVID19 != 1 AND R07_YM1938_12M = 2, -8, -7 AND R07_YM1938 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	891	8.2%
2	2 = No	3866	35.7%
	Total	4,757	43.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%

Value	Missing Data	Unweighted Frequency	%
-8	-8 = Don't know	13	0.1%
-7	-7 = Refused	5	0.0%
-1	-1 = Inapplicable	6059	55.9%
	Total	6,077	56.1%

This variable has 4,757 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11111-11116 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1943_12M: In past 12 months, any members living in your household told by a doctor or other medical professional they had COVID-19

In the past 12 months, have any members living in your household been told by a doctor, nurse, or other health professional they had COVID-19?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4502	41.6%
2	2 = No	6223	57.4%
	Total	10,725	99.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	73	0.7%
-7	-7 = Refused	36	0.3%
-1	-1 = Inapplicable	0	0.0%
	Total	109	1.0%

This variable has 10,725 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11117-11122 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1943: Any members living in your household ever been told by a doctor or other medical professional they had COVID-19

Have any members living in your household ever been told by a doctor, nurse, or other health professional they had COVID-19?

ASK: Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not had any household members told they had COVID-19 in the past 12 months or did not know or refused to report whether they had any household members told they had COVID-19 in the past 12 months.

ASK Specification: IF R07_COVID19 != 1 AND R07_YM1943_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	795	7.3%
2	2 = No	3368	31.1%
	Total	4,163	38.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	56	0.5%
-7	-7 = Refused	17	0.2%
-1	-1 = Inapplicable	6598	60.9%
	Total	6,671	61.6%

This variable has 4,163 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11123-11128 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1936_12M: In past 12 months, was hospitalized because of COVID-19

In the past 12 months, have you been hospitalized because of COVID-19?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R07_YMR38.]

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months.

ASK Specification: IF R07_YM1923_12M = 1 OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5%

Value	Label	Unweighted Frequency	%
2	2 = No	2847	26.3%
	Total	2,906	26.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	7925	73.1%
	Total	7,928	73.2%

This variable has 2,906 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11129-11134 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YM1937_12M: DERIVED - Recoded in past 12 months, total number of days hospitalized because of COVID-19

Long Description: In the past 12 months, in total, how many days were you hospitalized because of COVID-19?

Algorithm: IF 0 <= R07_YM1937_12M <= 6 Then R07R_Y_YM1937_12M = R07_YM1937_12M; Else IF R07_YM1937_12M > = 7 then R07R_Y_YM1937_12M = 7; Else R07R_Y_YM1937_12M = . ;

- Mean: 1.93
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.56

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10775	99.5%
	Total	10,775	99.5%

This variable has 59 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11135-11140 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07_YM1945_12M: In past 12 months, received oxygen therapy because of COVID-19

In the past 12 months, have you received oxygen therapy because of COVID-19?

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months and have been hospitalized in the past 12 months because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have been hospitalized in the past 12 months because of COVID-19.

ASK Specification: IF (R07_YM1923_12M = 1 AND R07_YM1936_12M = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 1 AND R07_YM1936_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	52	0.5%
	Total	59	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10775	99.5%
	Total	10,775	99.5%

This variable has 59 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11141-11146 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1942_12M: In past 12 months, was intubated because of COVID-19

In the past 12 months, have you been intubated because of COVID-19?

[IF NEEDED:]Intubated means having a tube inserted to assist with breathing.

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months and have been hospitalized in the past 12 months because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have been hospitalized in the past 12 months because of COVID-19.

ASK Specification: IF (R07_YM1923_12M = 1 AND R07_YM1936_12M = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 1 AND R07_YM1936_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	52	0.5%
	Total	59	0.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10775	99.5%
	Total	10,775	99.5%

This variable has 59 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11147-11152 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1936: Ever been hospitalized because of COVID-19

Have you ever been hospitalized because of COVID-19?

[If No (2), Don't know (-8), or Refused (-7), GO TO R07_YM1948.]

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been told they had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19, or

Youth respondents who have been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result.

ASK Specification: IF (R07_YM1923_12M = 1 AND R07_YM1936_12M = 2, -8, -7) OR (R07_YM1938_12M = 1

AND R07_YM1940_12M = 1 AND R07_YM1936_12M = 2, -8, -7) OR (R07_COVID19 != 1 AND R07_YM1923_12M = 2, -8, -7 AND R07_YM1923 = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 2, -8, -7 AND R07_YM1940 = 1) OR (R07_COVID19 != 1 AND R07_YM1938_12M = 2, -8, -7 AND R07_YM1938 = 1 AND R07_YM1940 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2%
2	2 = No	3689	34.1%
	Total	3,714	34.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	3	0.0%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	7114	65.7%
	Total	7,120	65.7%

This variable has 3,714 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11153-11158 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_YM1937: DERIVED - Recoded total number of days hospitalized because of COVID-19

Long Description: In total, how many days were you hospitalized because of COVID-19?

Algorithm: IF 0 <= R07_YM1937 <= 6 Then R07R_Y_YM1937 = R07_YM1937;
Else IF R07_YM1937 >= 7 then R07R_Y_YM1937 = 7; Else R07R_Y_YM1937
= . ;

- Mean: 2.56
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.96

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11159-11164 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07_YM1945: Ever received oxygen therapy because of COVID-19

Have you ever received oxygen therapy because of COVID-19?

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been told they had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19 and have been hospitalized because of COVID-19, or

Youth respondents who have been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result and have been hospitalized because of COVID-19, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result and have been hospitalized because of COVID-19.

ASK Specification: IF (R07_YM1923_12M = 1 AND R07_YM1936_12M = 2, -8, -7 AND R07_YM1936 = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 1 AND R07_YM1936_12M = 2, -8, -7 AND R07_YM1936 = 1) OR (R07_COVID19 != 1 AND R07_YM1923_12M = 2, -8, -7 AND R07_YM1923 = 1 AND R07_YM1936 = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 2, -8, -7 AND R07_YM1940 = 1 AND R07_YM1936 = 1) OR (R07_COVID19 != 1 AND R07_YM1938_12M = 2, -8, -7 AND R07_YM1938 = 1 AND R07_YM1940 = 1 AND R07_YM1936 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	21	0.2%
	Total	25	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	0	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%

Value	Missing Data	Unweighted Frequency	%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11165-11170 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1942: Ever been intubated because of COVID-19

Have you ever been intubated because of COVID-19?

[IF NEEDED:]Intubated means having a tube inserted to assist with breathing.

ASK: Youth respondents who have been told they had COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or have been tested for COVID-19 in the past 12 months and received a positive test result for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have been hospitalized because of COVID-19, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been told they had COVID-19 in the past 12 months or did not know or refused to report whether they had been told they had COVID-19 in the past 12 months and have ever been told they had COVID-19 and have been hospitalized because of COVID-19, or

Youth respondents who have been tested for COVID-19 in the past 12 months and have not received a positive test result in the past 12 months or did not know or refused to report whether they received a positive test result in the past 12 months and have received a positive test result and have been hospitalized because of COVID-19, or

Youth respondents who have not answered COVID-19 questions as of their last completed interview and have not been tested for COVID-19 in the past 12 months or did not know or refused to report whether they had been tested for COVID-19 in the past 12 months and have ever been tested for COVID-19 and have received a positive test result and have been hospitalized because of COVID-19.

ASK Specification: IF (R07_YM1923_12M = 1 AND R07_YM1936_12M = 2, -8, -7 AND R07_YM1936 = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 1 AND R07_YM1936_12M = 2, -8, -7 AND R07_YM1936 = 1) OR (R07_COVID19 != 1 AND R07_YM1923_12M = 2, -8, -7 AND R07_YM1923 = 1 AND R07_YM1936 = 1) OR (R07_YM1938_12M = 1 AND R07_YM1940_12M = 2, -8, -7 AND R07_YM1940 = 1 AND R07_YM1936 = 1) OR (R07_COVID19 != 1 AND R07_YM1938_12M = 2, -8, -7 AND R07_YM1938 = 1 AND R07_YM1940 = 1 AND R07_YM1936 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	18	0.2%
	Total	24	0.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	1	0.0%
-7	-7 = Refused	0	0.0%
-1	-1 = Inapplicable	10809	99.8%
	Total	10,810	99.8%

This variable has 24 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11171-11176 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1948: Fully vaccinated against COVID-19

Are you fully vaccinated against COVID-19?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6109	56.4%
2	2 = No	4603	42.5%
	Total	10,712	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	60	0.6%
-7	-7 = Refused	62	0.6%
-1	-1 = Inapplicable	0	0.0%
	Total	122	1.1%

This variable has 10,712 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11177-11182 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1947: Received an additional dose of COVID-19 vaccine since being fully vaccinated (booster shot)

Have you received an additional dose of COVID-19 vaccine since you've been fully vaccinated? This dose is sometimes called a "booster shot."

ASK: Youth respondents who are fully vaccinated against COVID-19.

ASK Specification: IF R07_YM1948 = 1

Value	Label	Unweighted Frequency	%
1	1 = Yes	2808	25.9%
2	2 = No	3235	29.9%
	Total	6,043	55.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	63	0.6%
-7	-7 = Refused	3	0.0%
-1	-1 = Inapplicable	4725	43.6%
	Total	4,791	44.2%

This variable has 6,043 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11183-11188 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07_YM1949: Received at least one dose of a COVID-19 vaccine

Have you received at least one dose of a COVID-19 vaccine?

ASK: Youth respondents who are not fully vaccinated against COVID-19 or did not know if they are fully vaccinated against COVID-19.

ASK Specification: IF R07_YM1948 = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	451	4.2%
2	2 = No	4167	38.5%
	Total	4,618	42.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
-9	-9 = Missing - Not ascertained	0	0.0%
-8	-8 = Don't know	38	0.4%
-7	-7 = Refused	7	0.1%
-1	-1 = Inapplicable	6171	57.0%
	Total	6,216	57.4%

This variable has 4,618 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11189-11194 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R07R_Y_AGE CAT2: DERIVED - Age range when interviewed (2 levels)

Long Description: Age (in years) at the time of interview.

Algorithm: [STEP 1: Create intermediate variable R07R_Y_AGE:]IF
R07_CPT07 (Wave 7 New/Corrected Date of Birth) != . THEN R07R_Y_AGE
= R07_YouthInterviewDT (Youth Wave 7 Interview Date) - R07_CPT07;
ELSE IF R06_CPT07 (Wave 6 New/Corrected Date of Birth) != . THEN
R07R_Y_AGE = R07_YouthInterviewDT - R06_CPT07; ELSE IF X05_CPT07
(Wave 5.5 Corrected Date of Birth) != . THEN R07R_Y_AGE =
R07_YouthInterviewDT - X05_CPT07; ELSE IF R05_CPT07 (Wave 5 Corrected
Date of Birth) != . THEN R07R_Y_AGE = R07_YouthInterviewDT -
R05_CPT07; ELSE IF X04_CPT07 (Wave 4.5 Corrected Date of Birth) != .
THEN R07R_Y_AGE = R07_YouthInterviewDT - X04_CPT07; ELSE IF R04_CPT07
(Wave 4 New/Corrected Date of Birth) != . THEN R07R_Y_AGE =
R07_YouthInterviewDT - R04_CPT07; ELSE IF R03_CPT07 (Wave 3 Corrected
Date of Birth) != . THEN R07R_Y_AGE = R07_YouthInterviewDT -
R03_CPT07; ELSE IF R02_CPT07 (Wave 2 Youth Date of Birth) != . THEN
R07R_Y_AGE = R07_YouthInterviewDT - R02_CPT07; ELSE IF R01_CPT07
(Wave 1 Youth Date of Birth) != . THEN R07R_Y_AGE =
R07_YouthInterviewDT - R01_CPT07; [STEP2: Create R07R_Y_AGE CAT2:]
IF (12 <= R07R_Y_AGE <= 14) THEN R07R_Y_AGE CAT2 = 1; ELSE IF (15 <=
R07R_Y_AGE <= 17) THEN R07R_Y_AGE CAT2 = 2; ELSE R07R_Y_AGE CAT2 = .;

Value	Label	Unweighted Frequency	%
1	1 = 12 to 14 years old	4979	46.0%
2	2 = 15 to 17 years old	5855	54.0%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11195-11200 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_AGE_CHECK: DERIVED - Youth respondent's age (in years) at Wave 7 is within the expected range

Long Description: Youth respondent's age (in years) at the time of the Wave 7 interview is within the expected range.

Algorithm: STEP 1 - DECLARE TWO TEMPORARY VARIABLES: 1) LAST_AGE TO STORE AGE AT LAST COMPLETED WAVE; 2) WAVE_AGE_DIFF TO CALCULATE DIFFERENCE BETWEEN Wave 7 AGE (R07R_Y_AGE) AND AGE FROM LAST COMPLETED WAVE. IF (WAVE5P5_INTERVIEW = 1 AND X05R_A_AGE >= 0) THEN LAST_AGE = X05R_A_AGE ; ELSE IF (WAVE5_INTERVIEW = 2 AND R05R_Y_AGE >= 0) THEN LAST_AGE = R05R_Y_AGE ; ELSE IF (WAVE4P5_INTERVIEW = 2 AND X04R_Y_AGE >= 0) THEN LAST_AGE = R04R_Y_AGE ; ELSE IF (WAVE4_INTERVIEW = 2 AND R04R_Y_AGE >= 0) THEN LAST_AGE = R04R_Y_AGE ; ELSE IF (WAVE3_INTERVIEW = 2 AND R05R_Y_AGE >= 0) THEN LAST_AGE = R03R_A_AGE ; ELSE IF (WAVE2_INTERVIEW = 2 AND R02R_Y_AGE >= 0) THEN LAST_AGE = R02R_Y_AGE ; ELSE IF (WAVE1_INTERVIEW = 2 AND R01R_Y_AGE >= 0) THEN LAST_AGE = R01R_Y_AGE ; IF (R07R_Y_AGE >= 0 AND LAST_AGE >= 0) THEN WAVE_AGE_DIFF = R07R_Y_AGE - LAST_AGE ; ELSE WAVE_AGE_DIFF = -999 ; STEP 2 - CALCULATE R07R_Y_AGE_CHECK: IF (WAVE5P5_INTERVIEW = 2 AND (0 <= LAST_AGE <= 2)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE5_INTERVIEW = 2 AND (1 <= LAST_AGE <= 3)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE4P5_INTERVIEW = 2 AND (2 <= LAST_AGE <= 5)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE4_INTERVIEW = 2 AND (3 <= LAST_AGE <= 7)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE3_INTERVIEW = 2 AND (5 <= LAST_AGE <= 9)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE2_INTERVIEW = 2 AND (7 <= LAST_AGE <= 11)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF (WAVE1_INTERVIEW = 2 AND (8 <= LAST_AGE <= 13)) THEN R07R_Y_AGE_CHECK = 1 ; ELSE IF WAVE_AGE_DIFF = -999 THEN R07R_Y_AGE_CHECK = . ; ELSE R07R_Y_AGE_CHECK = 2 ;

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	3512	32.4%
2	2 = Age is not within expected range	1	0.0%
	Total	3,513	32.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7321	67.6%
	Total	7,321	67.6%

This variable has 3,513 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11201-11206 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_SEX: DERIVED - Wave 7 Youth Sex

What is your sex?

ASK: New baseline youth respondents.

ASK Specification: IF R07_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Male	5645	52.1%
2	2 = Female	5142	47.5%
	Total	10,787	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	47	0.4%
	Total	47	0.4%

This variable has 10,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11207-11212 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_SEX_IMP: IMPUTED - Wave 7 Youth Gender

Long Description: Imputed Wave 7 youth gender.

Algorithm: Same as R07R_Y_SEX. Please see R07R_Y_SEX_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Male	5663	52.3%
2	2 = Female	5171	47.7%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11213-11218 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_SEX_IMPFLAG: IMPUTATION FLAG - R07R_Y_SEX_IMP

Long Description: Imputation flag for R07R_Y_SEX_IMP.

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	10787	99.6%
1	1 = Logically assigned from household screener data	47	0.4%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11219-11224 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_HISP: DERIVED - Wave 7 Youth Hispanic Origin (2 levels)

Long Description: Wave 7 youth Hispanic origin from the interview (2 levels).

Algorithm: IF WAVE5P5_INTERVIEW = 2 THEN R07R_Y_HISP = X05R_Y_HISP; ELSE IF R07_YM0005_NB_01 = 1 THEN R07R_Y_HISP = 2; ELSE IF R07_YM0005_NB_01 = 2 THEN R07R_Y_HISP = 1; ELSE IF WAVE5P5_INTERVIEW IN (0, 9) AND WAVE5_INTERVIEW = 2 THEN R07R_Y_HISP = R05R_Y_HISP; ELSE IF WAVE5_INTERVIEW = 9 AND WAVE4P5_INTERVIEW = 2 THEN R07R_Y_HISP = X04R_Y_HISP; ELSE IF WAVE4P5_INTERVIEW IN (0, 9) AND WAVE4_INTERVIEW = 2 THEN R07R_Y_HISP = R04R_Y_HISP; ELSE IF WAVE4_INTERVIEW = 9 AND WAVE3_INTERVIEW = 2 THEN R07R_Y_HISP = R03R_Y_HISP; ELSE IF WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW = 2 THEN R07R_Y_HISP = R02R_Y_HISP; ELSE IF WAVE2_INTERVIEW = 9 AND WAVE1_INTERVIEW = 2 THEN R07R_Y_HISP = R01R_Y_HISP; ELSE R07R_Y_HISP = .; IF R07R_Y_HISP < 0 THEN R07R_Y_HISP = .;

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	3160	29.2%
2	2 = Not Hispanic	7338	67.7%
	Total	10,498	96.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	336	3.1%
	Total	336	3.1%

This variable has 10,498 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11225-11230 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_HISP_IMP: IMPUTED - Wave 7 Youth Hispanic Origin (2 levels)

Long Description: Imputed Wave 7 youth Hispanic origin (2 levels).

Algorithm: Same as R07R_Y_HISP. Please see R07R_Y_HISP_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	3244	29.9%
2	2 = Not Hispanic	7590	70.1%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11231-11236 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_HISP_IMPFLAG: IMPUTATION FLAG - R07R_Y_HISP_IMP

Long Description: Imputation flag for R07R_Y_HISP_IMP.

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	10498	96.9%
1	1 = Logically assigned from household screener data	334	3.1%
2	2 = Statistically imputed	2	0.0%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11237-11242 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_RACECAT3: DERIVED - Recoded race from the interview (3 levels)

Long Description: Race (3 levels).

Algorithm: IF WAVE1_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R01R_Y_RACECAT3; ELSE IF WAVE2_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R02R_Y_RACECAT3; ELSE IF WAVE3_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R03R_Y_RACECAT3; ELSE IF WAVE4_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R04R_Y_RACECAT3; ELSE IF WAVE4P5_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = X04R_Y_RACECAT3; ELSE IF WAVE5_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R05R_Y_RACECAT3; ELSE IF WAVE5P5_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = X05R_Y_RACECAT3; ELSE IF WAVE6_INTERVIEW = 2 THEN R07R_Y_RACECAT3 = R06R_Y_RACECAT3; ELSE IF WAVE6_INTERVIEW != 2 THEN DO; IF ALL R07_YM0006_NB_xx variables (Youth Race Categories) have values (1,2) THEN do the following:[STEP 1: Create intermediate variable R07R_RACE_COUNT: JIF R07_YM0006_NB_01 IN (1,2) THEN DO; R07R_RACE_COUNT = 0; IF (R07_YM0006_NB_04 = 1 OR R07_YM0006_NB_05 = 1 OR R07_YM0006_NB_06 = 1 OR R07_YM0006_NB_07 = 1 OR R07_YM0006_NB_08 = 1 OR R07_YM0006_NB_09 = 1 OR R07_YM0006_NB_10 = 1) THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_01 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_02 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_03 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_11 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_12 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_13 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; IF R07_YM0006_NB_14 = 1 THEN R07R_RACE_COUNT = R07R_RACE_COUNT+1; END; [STEP 2: Assign R07R_Y_RACECAT3: JIF R07_YM0006_NB_01 = 1 (Youth Race is White) AND R07R_RACE_COUNT = 1 THEN R07R_Y_RACECAT3 = 1; ELSE IF R07_YM0006_NB_02 = 1 (Youth Race is African American) AND

```

R07R_RACE_COUNT = 1 THEN R07R_Y_RACECAT3 =
2; ELSE IF ((R07_YM0006_NB_04 = 1 OR R07_YM0006_NB_05 = 1 OR
R07_YM0006_NB_06 = 1 OR R07_YM0006_NB_07 = 1 OR
R07_YM0006_NB_08 = 1 OR R07_YM0006_NB_09 = 1 OR R07_YM0006_NB_10 = 1)
AND R07R_RACE_COUNT = 1) OR R07_YM0006_NB_03 = 1 OR R07_YM0006_NB_11
= 1 OR R07_YM0006_NB_12 = 1 OR R07_YM0006_NB_13 = 1 OR
R07_YM0006_NB_14 = 1 OR R07R_RACE_COUNT > 1 THEN R07R_Y_RACECAT3 = 3;
ELSE R07R_Y_RACECAT3 = .; IF R07R_Y_RACECAT3 < 0 THEN R07R_Y_RACECAT3
= .;

```

Value	Label	Unweighted Frequency	%
1	1 = White alone	6923	63.9%
2	2 = Black alone	1489	13.7%
3	3 = Other	1816	16.8%
	Total	10,228	94.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	606	5.6%
	Total	606	5.6%

This variable has 10,228 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11243-11248 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_RACECAT3_IMP: DERIVED - Recoded imputed race from the interview (3 levels)

Long Description: Imputed race (3 levels).

Algorithm: Same as R07R_Y_RACECAT3. Please see R07R_Y_RACECAT3_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = White alone	7405	68.3%
2	2 = Black alone	1530	14.1%
3	3 = Other	1899	17.5%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11249-11254 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_RACECAT3_IMPFLAG: DERIVED - IMPUTATION FLAG - R07R_Y_RACECAT3_IMP

Long Description: Imputation flag for R07R_Y_RACECAT3_IMP.

Algorithm: Assigned during imputation

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	10228	94.4%
1	1 = Logically assigned from household screener data	447	4.1%
2	2 = Statistically imputed	159	1.5%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11255-11260 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_BMI: DERIVED - Wave 7 Youth Body mass index

Long Description: Body mass index.

Algorithm: [STEP 1: Create intermediate variable R07R_P_HTINCH:]
IF (R07_PT0007_FT <= 0 AND R07_PT0007_IN <= 0 AND R07_PT0007_MT >= 0)
THEN R07R_P_HTINCH = R07_PT0007_M x 39.3701; ELSE IF (R07_PT0007_FT >= 0 AND R07_PT0007_IN >= 0) THEN R07R_P_HTINCH = R07_PT0007_FT x 12 + R07_PT0007_IN; ELSE IF (R07_PT0007_FT >= 0 AND R07_PT0007_IN < 0 AND R07_PT0007_MT <= 0) THEN R07R_P_HTINCH = R07_PT0007_FT x 12; ELSE IF (R07_PT0007_FT = 0 AND R07_PT0007_MT <= 0) THEN R07R_P_HTINCH =

```

R07_PT0007_IN; [STEP 2: Create intermediate variable R07R_P_WTPNDS: ]
IF R07_PT0008_LB >= 0 THEN R07R_P_WTPNDS = R07_PT0008_LB; ELSE IF
R07_PT0008_KG >= 0 THEN R07R_P_WTPNDS = R07_PT0008_KG x 2.20462; [STEP
3: Create intermediate variable R07R_Y_HTINCH:]IF (R07_YX0310 IN (1,
-7, -8) AND (R07_YT0007_FT >= 0 AND R07_YT0007_IN >= 0)) THEN
R07R_Y_HTINCH = R07_YT0007_FT x 12 + R07_YT0007_IN; ELSE IF (R07_YX0310
IN (1,-7,-8) AND R07_YT0007_FT >= 0 AND R07_YT0007_IN < 0) THEN
R07R_Y_HTINCH = R07_YT0007_FT x 12; ELSE IF (R07_YX0310 IN (1,-7,-8)
AND R07_YT0007_FT < 0 AND R07_YT0007_IN >= 0) THEN R07R_Y_HTINCH =
R07_YT0007_IN; ELSE IF (R07_YX0310 = 2 AND R07_YX0311 >= 0) THEN
R07R_Y_HTINCH = R07_YX0311 x 39.3701; [STEP 4: Create intermediate
variable R07R_Y_WTPNDS:]IF (R07_YX0310 = 1 OR R07_YX0310 = 0) THEN
R07R_Y_WTPNDS = R07_YT0008; ELSE IF R07_YX0310 = 2 AND R07_YX0312 >=
0 THEN R07R_Y_WTPNDS = R07_YX0312 x 2.20462; [STEP 5: Create R07R_Y_BMI
:]IF R07R_P_HTINCH >= 0 and R07R_P_WTPNDS >= 0 THEN R07R_Y_BMI = 703
x (R07R_P_WTPNDS / (R07R_P_HTINCH * R07R_P_HTINCH)); ELSE IF
R07R_P_HTINCH >= 0 and R07R_Y_WTPNDS >= 0 THEN R07R_Y_BMI = 703
x (R07R_Y_WTPNDS / (R07R_P_HTINCH x R07R_P_HTINCH)); ELSE IF
R07R_Y_HTINCH >= 0 and R07R_P_WTPNDS >= 0 THEN R07R_Y_BMI = 703
x (R07R_P_WTPNDS / (R07R_Y_HTINCH * R07R_Y_HTINCH)); ELSE IF
R07R_Y_HTINCH >= 0 and R07R_Y_WTPNDS >= 0 THEN R07R_Y_BMI = 703
x (R07R_Y_WTPNDS / (R07R_Y_HTINCH x R07R_Y_HTINCH)); ELSE R07R_Y_BMI
= .; IF R07R_Y_BMI > 60 THEN R07R_Y_BMI = 60;

```

- Mean: 23.09350256
- Minimum: 8.07813847
- Maximum: 59.06322201
- Standard Deviation: 5.72935687

Value	Missing Data	Unweighted Frequency	%
-97777.00000000	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	82	0.8%
	Total	82	0.8%

This variable has 10,752 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11261-11275 (width: 15; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -97777.00000000 , .

R07X_CB_REGION: DERIVED - Census Region

Long Description: Groupings of states and the District of Columbia that subdivide the United States for the presentation of census data. Additional information on census regions, census divisions, and their constituent states is available at: http://www.census.gov/geo/reference/gtc/gtc_census_divreg.html

Value	Label	Unweighted Frequency	%
1	1 = Northeast	1373	12.7%
2	2 = Midwest	2431	22.4%
3	3 = South	4148	38.3%

Value	Label	Unweighted Frequency	%
4	4 = West	2882	26.6%
	Total	10,834	100.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
	Total	0	0.0%

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11276-11281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R07R_Y_BIOCOLLECT_URINE: DERIVED - Urine Specimen Collected from Wave 7 youth respondent

Long Description: Urine specimen was collected from Wave 7 youth respondent.

Algorithm: IF Urine specimen was collected THEN R07R_Y_BIOCOLLECT_URINE = 1;
ELSE R07R_Y_BIOCOLLECT_URINE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	497	4.6%
2	2 = No	10337	95.4%
	Total	10,834	100.0%

- Minimum: 1.00
- Maximum: 2.00

This variable has 10,834 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11282-11282 (width: 1; decimal: 0)

Variable Type: numeric

R07R_Y_EVR_CIGS: DERIVED - Wave 7 Youth Ever Cigarette Smoker

Long Description: Wave 7 youth respondents who have ever smoked a cigarette.

Algorithm: IF R07_YC1002_NB = 1 OR R07_YC1002_12M = 1 OR X05M_EVR_CIGS = 1 THEN
R07R_Y_EVR_CIGS = 1; ELSE IF R07_YC1002_NB = 2 OR (X05M_EVR_CIGS = 2 AND R07_YC1002_12M = 2
AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_CIGS = 2; ELSE R07R_Y_EVR_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	740	6.8%
2	2 = No	10052	92.8%
	Total	10,792	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	42	0.4%
	Total	42	0.4%

This variable has 10,792 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11283-11288 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_CIGS: DERIVED - Wave 7 Youth Current Cigarette Smoker

Long Description: Wave 7 youth respondents who have smoked a cigarette within the past 30 days.

Algorithm: IF R07R_Y_EVR_CIGS = 1 AND R07_YC1112 IN (1,2,3) THEN R07R_Y_CUR_CIGS = 1;
ELSE IF R07R_Y_EVR_CIGS = 2 OR (R07R_Y_EVR_CIGS = 1 AND R07_YC1112 IN (4,5,6,7)) OR
R07_YC1002_12M = 2 OR R07_YC1002_NB = 2 THEN R07R_Y_CUR_CIGS = 2; ELSE R07R_Y_CUR_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	132	1.2%
2	2 = No	10687	98.6%
	Total	10,819	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	15	0.1%
	Total	15	0.1%

This variable has 10,819 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11289-11294 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_CIGS: DERIVED - Wave 7 Youth Past 12 Month Cigarette Smokers

Long Description: Wave 7 youth respondents who have smoked a cigarette within the past 12 months.

Algorithm: IF R07R_Y_EVR_CIGS =1 AND (R07_YC1002_12M =1 OR R07_YC1112 in (1,2,3,4,5))
 THEN R07R_Y_P12M_CIGS =1; ELSE IF R07R_Y_EVR_CIGS =2 OR R07_YC1002_NB = 2 OR
 R07_YC1002_12M =2 OR R07_YC1112 in (6,7) THEN R07R_Y_P12M_CIGS =2; ELSE R07R_Y_P12M_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	393	3.6%
2	2 = No	10427	96.2%
	Total	10,820	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	14	0.1%
	Total	14	0.1%

This variable has 10,820 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11295-11300 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_CIGS: DERIVED - Wave 7 Youth Never to Ever Cigarette Smoker

Long Description: Wave 7 youth respondents who started smoking cigarettes between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking cigarettes between Wave 5 and Wave 7.

Algorithm: IF X05M_EVR_CIGS = 2 AND R07R_Y_EVR_CIGS = 1 AND (WAVE5P5_INTERVIEW = 2
 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_CIGS = 1; ELSE IF
 (X05M_EVR_CIGS = 1 OR R07R_Y_EVR_CIGS = 2) AND (WAVE5P5_INTERVIEW = 2 OR
 (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_CIGS = 2; ELSE
 R07R_Y_NEW_CIGS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.7%
2	2 = No	3215	29.7%
	Total	3,290	30.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	7544	69.6%
	Total	7,544	69.6%

This variable has 3,290 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11301-11306 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_CIGS: DERIVED - Wave 7 Youth Past 30 Day Cigarette Smoking Frequency

Long Description: Wave 7 youth number of days smoked a cigarette within the past 30 days.

Algorithm: IF R07_YC1022 > 0 THEN R07R_Y_NUMDAYS_CIGS = R07_YC1022; ELSE R07R_Y_NUMDAYS_CIGS = .;

- Mean: 6.73
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.58

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10707	98.8%
	Total	10,707	98.8%

This variable has 127 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11307-11312 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_DAYSREG_CIGS: DERIVED - Wave 7 Youth Number of Days Smoking Regular Brand of Cigarettes

Long Description: Wave 7 Youth Recode of length of time smoking regular brand of cigarettes into days.

Algorithm: IF R07_YC1051_UN = 1 AND R07_YC1051_NN >= 0 THEN R07R_Y_DAYSREG_CIGS = R07_YC1051_NN; ELSE IF R07_YC1051_UN = 2 AND R07_YC1051_NN >= 0 THEN R07R_Y_DAYSREG_CIGS = R07_YC1051_NN * 30.4375; ELSE IF R07_YC1051_UN = 3 AND R07_YC1051_NN >= 0 THEN R07R_Y_DAYSREG_CIGS = R07_YC1051_NN * 365.25; ELSE R07R_Y_DAYSREG_CIGS = .;

- Mean: 762.98
- Median: 547.90
- Mode: 365.30
- Minimum: 1.00
- Maximum: 2556.80
- Standard Deviation: 664.20

Value	Missing Data	Unweighted Frequency	%
-97777.0	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10794	99.6%
	Total	10,794	99.6%

This variable has 40 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11313-11320 (width: 8; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -97777.0 , .

R07R_Y_EVR_THRSH_CIGS: DERIVED - Wave 7 Youth Cigarette Lifetime Threshold of Use - Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R07R_Y_EVR_CIGS =1 AND (X05M_EVR_THRSH_CIGS=1 OR R07_YC1005=7) THEN R07R_Y_EVR_THRSH_CIGS=1; ELSE IF R07R_Y_EVR_CIGS=2 OR (R07R_Y_EVR_CIGS=1 AND R07_YC1005 in (1,2,3,4,5,6)) THEN R07R_Y_EVR_THRSH_CIGS=2; ELSE R07R_Y_EVR_THRSH_CIGS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.5%
2	2 = No	10711	98.9%
	Total	10,762	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	72	0.7%
	Total	72	0.7%

This variable has 10,762 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11321-11326 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_EPRODS: DERIVED - Wave 7 Youth Ever Electronic Nicotine Product User

Long Description: Wave 7 youth respondents who have ever used any electronic nicotine products.

Algorithm: IF R07_YV1002_NB = 1 OR R07_YV1002_12M = 1 OR X05M_EVR_EPRODS = 1 THEN R07R_Y_EVR_EPRODS = 1; ELSE IF R07_YV1001_NB = 2 OR R07_YV1002_NB = 2 OR (X05M_EVR_EPRODS = 2 AND R07_YV1002_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_EPRODS = 2; ELSE R07R_Y_EVR_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1716	15.8%
2	2 = No	9065	83.7%
	Total	10,781	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	53	0.5%
	Total	53	0.5%

This variable has 10,781 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11327-11332 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_EPRODS: DERIVED - Wave 7 Youth Current Electronic Nicotine Product User

Long Description: Wave 7 youth respondents who have used an electronic nicotine product within the past 30 days.

Algorithm: IF R07R_Y_EVR_EPRODS = 1 AND R07_YV1112 IN (1,2,3) THEN R07R_Y_CUR_EPRODS = 1; ELSE IF R07R_Y_EVR_EPRODS = 2 OR (R07R_Y_EVR_EPRODS = 1 AND R07_YV1112 IN (4,5,6,7)) OR R07_YV1002_12M = 2 OR R07_YV1002_NB = 2 OR R07_YV1001_NB = 2 THEN R07R_Y_CUR_EPRODS = 2; ELSE R07R_Y_CUR_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	644	5.9%
2	2 = No	10152	93.7%
	Total	10,796	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	38	0.4%
	Total	38	0.4%

This variable has 10,796 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11333-11338 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_EPRODS: DERIVED - Wave 7 Youth Past 12 Month E-Product Users

Long Description: Wave 7 youth respondents who have used an electronic nicotine product within the past 12 months, including: e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

Algorithm: IF R07R_Y_EVR_EPRODS = 1 AND (R07_YV1002_12M = 1 OR R07_YV1112 IN (1,2,3,4,5)) THEN R07R_Y_P12M_EPRODS = 1; ELSE IF R07_YV1001_NB = 2 OR R07_YV1002_NB = 2 OR R07_YV1002_12M = 2 OR R07R_Y_EVR_EPRODS = 2 OR R07_YV1112 IN (6,7) THEN R07R_Y_P12M_EPRODS = 2; ELSE R07R_Y_P12M_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1290	11.9%
2	2 = No	9511	87.8%
	Total	10,801	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	33	0.3%
	Total	33	0.3%

This variable has 10,801 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11339-11344 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_EPRODS: DERIVED - Wave 7 Youth Never to Ever Electronic Nicotine Product User

Long Description: Wave 7 youth respondents who started using electronic nicotine products between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started using electronic nicotine products between Wave

5 and Wave 7.

Algorithm: IF (X05M_EVR_EPRODS = 2 AND R07R_Y_EVR_EPRODS = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_EPRODS = 1; ELSE IF (X05M_EVR_EPRODS = 1 OR R07R_Y_EVR_EPRODS = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_EPRODS = 2; ELSE R07R_Y_NEW_EPRODS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	2.2%
2	2 = No	3037	28.0%
	Total	3,276	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7558	69.8%
	Total	7,558	69.8%

This variable has 3,276 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11345-11350 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_EPRODS: DERIVED - Wave 7 Youth Past 30 Days E-product Use Frequency

Long Description: Wave 7 youth number of days used an e-product within the past 30 days.

Algorithm: IF R07_YV1022 > 0 THEN R07R_Y_NUMDAYS_EPRODS = R07_YV1022; ELSE R07R_Y_NUMDAYS_EPRODS = .;

- Mean: 12.37
- Median: 6.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.57

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10214	94.3%
	Total	10,214	94.3%

This variable has 620 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11351-11356 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_EPRODS: DERIVED - Wave 7 Youth Electronic Nicotine Product Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used electronic nicotine products fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_EPRODS=1 AND (X05M_EVR_THRSH_EPRODS=1 OR R07_YV1100=1) THEN R07R_Y_EVR_THRSH_EPRODS=1; ELSE IF R07R_Y_EVR_EPRODS=2 OR (R07R_Y_EVR_EPRODS=1 AND R07_YV1100 =2) THEN R07R_Y_EVR_THRSH_EPRODS=2; ELSE R07R_Y_EVR_THRSH_EPRODS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	570	5.3%
2	2 = No	10204	94.2%
	Total	10,774	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	60	0.6%
	Total	60	0.6%

This variable has 10,774 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11357-11362 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_GTRAD: DERIVED - Wave 7 Youth Ever Traditional Cigar Smoker

Long Description: Wave 7 youth respondents who have ever smoked a traditional cigar.

Algorithm: IF R07_YG9104_NB_01 = 1 OR R07_YG9104_12M_01 = 1 OR X05M_EVR_GTRAD = 1 THEN R07R_Y_EVR_GTRAD = 1; ELSE IF R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_01 = 2 OR (X05M_EVR_GTRAD = 2 AND (R07_YG1002_12M = 2 OR R07_YG9104_12M_01 = 2) AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_GTRAD = 2; ELSE R07R_Y_EVR_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.9%

Value	Label	Unweighted Frequency	%
2	2 = No	10665	98.4%
	Total	10,762	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	72	0.7%
	Total	72	0.7%

This variable has 10,762 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11363-11368 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_GTRAD: DERIVED - Wave 7 Youth Current Traditional Cigar Smoker

Long Description: Wave 7 youth respondents who have ever smoked a traditional cigar had have smoked in the past 30 days. Does not include respondents who smoked traditional cigars only as blunts.

Algorithm: IF R07R_Y_EVR_GTRAD = 1 AND R07_YG1112TC IN (1,2,3) THEN
R07R_Y_CUR_GTRAD = 1; ELSE IF R07R_Y_EVR_GTRAD = 2 OR (R07R_Y_EVR_GTRAD = 1 AND
(R07_YG1112TC IN (4,5,6,7) OR R07_YG9106_01 = 1)) OR R07_YG1002_12M = 2 OR R07_YG9104_12M_01 = 2
OR R07_YG1002_NB = 2 OR R07_YG9104_NB_01 = 2 OR R07_YG9101_NB = 2 THEN R07R_Y_CUR_GTRAD = 2;
ELSE R07R_Y_CUR_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2%
2	2 = No	10784	99.5%
	Total	10,802	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	32	0.3%
	Total	32	0.3%

This variable has 10,802 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11369-11374 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_GTRAD: DERIVED - Wave 7 Youth Past 12 Month Traditional Cigar Smokers

Long Description: Wave 7 youth respondents who have smoked a traditional cigar within the past 12 months.

Algorithm: IF R07R_Y_EVR_GTRAD = 1 AND (R07_YG9104_12M_01 = 1 OR R07_YG1112TC IN (1,2,3,4,5)) THEN R07R_Y_P12M_GTRAD = 1; ELSE IF R07R_Y_EVR_GTRAD = 2 OR R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_01 = 2 OR R07_YG1002_12M = 2 OR R07_YG9104_12M_01 = 2 OR R07_YG1112TC IN (6,7) THEN R07R_Y_P12M_GTRAD = 2; ELSE R07R_Y_P12M_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6%
2	2 = No	10733	99.1%
	Total	10,800	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	34	0.3%
	Total	34	0.3%

This variable has 10,800 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11375-11380 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_GTRAD: DERIVED - Wave 7 Youth Never to Ever Traditional Cigar Smoker

Long Description: Wave 7 youth respondents who started smoking traditional cigars between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking traditional cigars between Wave 5 and Wave 6.

Algorithm: IF (X05M_EVR_GTRAD = 2 AND R07R_Y_EVR_GTRAD = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GTRAD = 1; ELSE IF (X05M_EVR_GTRAD = 1 OR R07R_Y_EVR_GTRAD = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GTRAD = 2; ELSE R07R_Y_NEW_GTRAD = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2%
2	2 = No	3257	30.1%
	Total	3,275	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7559	69.8%
	Total	7,559	69.8%

This variable has 3,275 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11381-11386 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_GTRAD: DERIVED - Wave 7 Youth Past 30 Day Traditional Cigar Smoking Frequency

Long Description: Wave 7 youth number of days smoked a traditional cigar within the past 30 days.

Algorithm: IF R07_YG1022TC > 0 THEN R07R_Y_NUMDAYS_GTRAD = R07_YG1022TC; ELSE R07R_Y_NUMDAYS_GTRAD = .;

- Mean: 5.28
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 6.60

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10816	99.8%
	Total	10,816	99.8%

This variable has 18 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11387-11392 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_GTRAD: DERIVED - Wave 7 Youth Traditional Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used traditional cigars fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_GTRAD=1 AND (X05M_EVR_THRSH_GTRAD=1 OR R07_YG1100TC=1) THEN R07R_Y_EVR_THRSH_GTRAD=1; ELSE IF R07R_Y_EVR_GTRAD=2 OR (R07R_Y_EVR_GTRAD=1 AND R07_YG1100TC=2) THEN R07R_Y_EVR_THRSH_GTRAD=2; ELSE R07R_Y_EVR_THRSH_GTRAD= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	10747	99.2%
	Total	10,759	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	75	0.7%
	Total	75	0.7%

This variable has 10,759 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11393-11398 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_GRILLO: DERIVED - Wave 7 Youth Ever Cigarillo Smoker

Long Description: Wave 7 youth respondents who have ever smoked a cigarillo.

Algorithm: IF R07_YG9009_NB_01 = 1 OR R07_YG9009_NB_03 = 1 OR R07_YG9009_12M_01 = 1 OR R07_YG9009_12M_03 = 1 OR X05M_EVR_GRILLO = 1 then R07R_Y_EVR_GRILLO = 1; ELSE IF R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 = 2 OR (R07_YG9009_NB_01 = 2 AND R07_YG9009_NB_03 = 2) OR (X05M_EVR_GRILLO = 2 AND (R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2 OR (R07_YG9009_12M_01 = 2 AND R07_YG9009_12M_03 = 2))) AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_GRILLO = 2; ELSE R07R_Y_EVR_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.5%
2	2 = No	10597	97.8%
	Total	10,761	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	73	0.7%
	Total	73	0.7%

This variable has 10,761 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11399-11404 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_CUR_GRILLO: DERIVED - Wave 7 Youth Current Cigarillo Smoker

Long Description: Wave 7 youth respondents who have ever smoked a cigarillo and have smoked in the past 30 days. Does not include respondents who smoked cigarillos only as blunts.

Algorithm: IF R07R_Y_EVR_GRILLO = 1 AND R07_YG1112CL IN (1,2,3) THEN
R07R_Y_CUR_GRILLO = 1; ELSE IF R07R_Y_EVR_GRILLO = 2 OR (R07R_Y_EVR_GRILLO = 1 AND
(R07_YG1112CL IN (4,5,6,7) OR R07_YG9106_02 = 1)) OR R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2
OR (R07_YG9009_12M_01 = 2 AND R07_YG9009_12M_03 = 2) OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 =
2 OR R07_YG9101_NB = 2 OR (R07_YG9009_NB_01 = 2 AND R07_YG9009_NB_03 = 2) THEN
R07R_Y_CUR_GRILLO = 2; ELSE R07R_Y_CUR_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2%
2	2 = No	10774	99.4%
	Total	10,799	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	35	0.3%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11405-11410 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_P12M_GRILLO: DERIVED - Wave 7 Youth Past 12 Month Cigarillo Smokers

Long Description: Wave 7 youth respondents who have smoked a cigarillo within the past 12 months.

Algorithm: IF R07R_Y_EVR_GRILLO = 1 AND (R07_YG9009_12M_01 = 1 OR R07_YG9009_12M_03 =
1 OR R07_YG1112CL IN (1,2,3,4,5)) THEN R07R_Y_P12M_GRILLO = 1; ELSE IF R07R_Y_EVR_GRILLO =
2 OR R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 = 2 OR (R07_YG9009_NB_01 = 2
AND R07_YG9009_NB_03 = 2) OR R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2 OR (R07_YG9009_12M_01
= 2 AND R07_YG9009_12M_03 = 2) OR R07_YG1112CL IN (6,7) THEN R07R_Y_P12M_GRILLO = 2; ELSE
R07R_Y_P12M_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.8%

Value	Label	Unweighted Frequency	%
2	2 = No	10684	98.6%
	Total	10,771	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	63	0.6%
	Total	63	0.6%

This variable has 10,771 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11411-11416 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_GRILLO: DERIVED - Wave 7 Youth Never to Ever Cigarillo Smoker

Long Description: Wave 7 youth respondents who started smoking cigarillos between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking cigarillos between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_GRILLO = 2 AND R07R_Y_EVR_GRILLO = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GRILLO = 1; ELSE IF (X05M_EVR_GRILLO = 1 OR R07R_Y_EVR_GRILLO = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GRILLO = 2; ELSE R07R_Y_NEW_GRILLO = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1%
2	2 = No	3259	30.1%
	Total	3,275	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7559	69.8%
	Total	7,559	69.8%

This variable has 3,275 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11417-11422 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_GRILLO: DERIVED - Wave 7 Youth Past 30 Day Cigarillo Smoking Frequency

Long Description: Wave 7 youth number of days smoked cigarillos within the past 30 days.

Algorithm: IF R07_YG1022CL > 0 THEN R07R_Y_NUMDAYS_GRILLO = R07_YG1022CL; ELSE R07R_Y_NUMDAYS_GRILLO = .;

- Mean: 4.72
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 6.46

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10809	99.8%
	Total	10,809	99.8%

This variable has 25 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11423-11428 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_GRILLO: DERIVED - Wave 7 Youth Cigarillo Lifetime Threshold of Use - Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used cigarillos fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_GRILLO=1 AND (X05M_EVR_THRSH_GRILLO=1 OR R07_YG1100CL=1) THEN R07R_Y_EVR_THRSH_GRILLO=1; ELSE IF R07R_Y_EVR_GRILLO=2 OR (R07R_Y_EVR_GRILLO=1 AND R07_YG1100CL =2) THEN R07R_Y_EVR_THRSH_GRILLO=2; ELSE R07R_Y_EVR_THRSH_GRILLO= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2%
2	2 = No	10687	98.6%
	Total	10,714	98.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	120	1.1%
	Total	120	1.1%

This variable has 10,714 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11429-11434 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_GFILTR: DERIVED - Wave 7 Youth Ever Filtered Cigar Smoker

Long Description: Wave 7 youth respondents who have ever smoked a filtered cigar.

Algorithm: IF R07_YG9009_NB_02 = 1 OR R07_YG9009_12M_02 = 1 OR X05M_EVR_GFILTR = 1 THEN R07R_Y_EVR_GFILTR = 1; ELSE IF R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 = 2 OR R07_YG9009_NB_02 = 2 OR (X05M_EVR_GFILTR = 2 AND (R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2 OR R07_YG9009_12M_02 = 2) AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_GFILTR = 2; ELSE R07R_Y_EVR_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	65	0.6%
2	2 = No	10693	98.7%
	Total	10,758	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	76	0.7%
	Total	76	0.7%

This variable has 10,758 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11435-11440 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_GFILTR: DERIVED - Wave 7 Youth Current Filtered Cigar Smoker

Long Description: Wave 7 youth respondents who have ever smoked a filtered cigar and have smoked in the past 30 days. Does not include respondents who smoked filtered cigars only as blunts.

Algorithm: IF R07R_Y_EVR_GFILTR = 1 AND R07_YG1112FC IN (1,2,3) THEN R07R_Y_CUR_GFILTR = 1; ELSE IF R07R_Y_EVR_GFILTR = 2 OR (R07R_Y_EVR_GFILTR = 1 AND

(R07_YG1112FC IN (4,5,6,7) OR R07_YG9106_03 = 1)) OR R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2 OR R07_YG9009_12M_02 = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 = 2 OR R07_YG9009_NB_02 = 2 OR R07_YG9101_NB = 2 THEN R07R_Y_CUR_GFILTR = 2; ELSE R07R_Y_CUR_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	10788	99.6%
	Total	10,799	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	35	0.3%
	Total	35	0.3%

This variable has 10,799 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11441-11446 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_GFILTR: DERIVED - Wave 7 Youth Past 12 Month Filtered Cigar Smokers

Long Description: Wave 7 youth respondents who have smoked a filtered cigar within the past 12 months.

Algorithm: IF R07R_Y_EVR_GFILTR = 1 AND (R07_YG9009_12M_02 = 1 OR R07_YG1112FC IN (1,2,3,4,5)) THEN R07R_Y_P12M_GFILTR = 1; ELSE IF R07R_Y_EVR_GFILTR = 2 OR R07_YG9101_NB = 2 OR R07_YG1002_NB = 2 OR R07_YG9104_NB_02 = 2 OR R07_YG9009_NB_02 = 2 OR R07_YG1002_12M = 2 OR R07_YG9104_12M_02 = 2 OR R07_YG9009_12M_02 = 2 OR R07_YG1112FC IN (6,7) THEN R07R_Y_P12M_GFILTR = 2; ELSE R07R_Y_P12M_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3%
2	2 = No	10761	99.3%
	Total	10,798	99.7%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	36	0.3%
	Total	36	0.3%

This variable has 10,798 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11447-11452 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_GFILTR: DERIVED - Wave 7 Youth Never to Ever Filtered Cigar Smoker

Long Description: Wave 7 youth respondents who started smoking filtered cigars between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking filtered cigars between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_GFILTR = 2 AND R07R_Y_EVR_GFILTR = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GFILTR = 1; ELSE IF (X05M_EVR_GFILTR = 1 OR R07R_Y_EVR_GFILTR = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_GFILTR = 2; ELSE R07R_Y_NEW_GFILTR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	3266	30.1%
	Total	3,272	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7562	69.8%
	Total	7,562	69.8%

This variable has 3,272 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11453-11458 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_GFILTR: DERIVED - Wave 7 Youth Past 30 Day Filtered Cigar Smoking Frequency

Long Description: Wave 7 youth number of days smoked filtered cigars within the past 30 days.

Algorithm: IF R07_YG1022FC > 0 THEN R07R_Y_NUMDAYS_GFILTR = R07_YG1022FC; ELSE R07R_Y_NUMDAYS_GFILTR = .;

- Mean: 8.18
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00

- Standard Deviation: 9.71

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11459-11464 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_GFILTR: DERIVED - Wave 7 Youth Filtered Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used filtered cigars fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_GFILTR=1 AND (X05M_EVR_THRSH_GFILTR=1 OR R07_YG1100FC=1) THEN R07R_Y_EVR_THRSH_GFILTR=1; ELSE IF R07R_Y_EVR_GFILTR=2 OR (R07R_Y_EVR_GFILTR=1 AND R07_YG1100FC=2) THEN R07R_Y_EVR_THRSH_GFILTR=2; ELSE R07R_Y_EVR_THRSH_GFILTR=.;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	10746	99.2%
	Total	10,755	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	79	0.7%
	Total	79	0.7%

This variable has 10,755 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11465-11470 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_CIGAR: DERIVED - Wave 7 Youth Ever Cigar Smoker

Long Description: Wave 7 youth respondents who have ever smoked any cigar product.

Algorithm: IF (R07R_Y_EVR_GTRAD = 1 OR R07R_Y_EVR_GRILLO = 1 OR R07R_Y_EVR_GFILTR = 1) THEN R07R_Y_EVR_CIGAR = 1; ELSE IF (R07R_Y_EVR_GTRAD = 2 AND R07R_Y_EVR_GRILLO = 2 AND R07R_Y_EVR_GFILTR = 2) THEN R07R_Y_EVR_CIGAR = 2; ELSE R07R_Y_EVR_CIGAR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	236	2.2%
2	2 = No	10523	97.1%
	Total	10,759	99.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	75	0.7%
	Total	75	0.7%

This variable has 10,759 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11471-11476 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_CIGAR: DERIVED - Wave 7 Youth Current Cigar Smoker

Long Description: Wave 7 youth respondents who have smoked a cigar product within the past 30 days.

Algorithm: IF (R07R_Y_CUR_GTRAD = 1 OR R07R_Y_CUR_GRILLO = 1 OR R07R_Y_CUR_GFILTR = 1) THEN R07R_Y_CUR_CIGAR = 1; ELSE IF (R07R_Y_CUR_GTRAD = 2 AND R07R_Y_CUR_GRILLO = 2 AND R07R_Y_CUR_GFILTR = 2) THEN R07R_Y_CUR_CIGAR = 2; ELSE R07R_Y_CUR_CIGAR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4%
2	2 = No	10748	99.2%
	Total	10,794	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	40	0.4%
	Total	40	0.4%

This variable has 10,794 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11477-11482 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_CIGAR: DERIVED - Wave 7 Youth Past 12 Month Any Cigar Smokers

Long Description: Wave 7 youth respondents who smoked a traditional cigar, cigarillo, or filtered cigar within the past 12 months.

Algorithm: IF R07R_Y_P12M_GTRAD = 1 OR R07R_Y_P12M_GRILLO = 1 OR R07R_Y_P12M_GFILTR = 1 THEN R07R_Y_P12M_CIGAR = 1; ELSE IF R07R_Y_P12M_GTRAD = 2 AND R07R_Y_P12M_GRILLO = 2 AND R07R_Y_P12M_GFILTR = 2 THEN R07R_Y_P12M_CIGAR = 2; ELSE R07R_Y_P12M_CIGAR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	141	1.3%
2	2 = No	10633	98.1%
	Total	10,774	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	60	0.6%
	Total	60	0.6%

This variable has 10,774 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11483-11488 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_CIGAR: DERIVED - Wave 7 Youth Never to Ever Cigar Smoker

Long Description: Wave 7 youth respondents who started smoking traditional cigars, cigarillos and/or filtered cigars between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking traditional cigars, cigarillos and/or filtered cigars between Wave 5 and Wave 7.

Algorithm: IF (R07R_Y_NEW_GTRAD = 1 OR R07R_Y_NEW_GRILLO = 1 OR R07R_Y_NEW_GFILTR = 1) AND (X05M_EVR_GTRAD = 2 AND X05M_EVR_GRILLO = 2 AND X05M_EVR_GFILTR = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_CIGAR = 1; ELSE IF ((R07R_Y_NEW_GTRAD = 2 AND R07R_Y_NEW_GRILLO = 2 AND R07R_Y_NEW_GFILTR = 2) OR (X05M_EVR_GTRAD = 1 OR X05M_EVR_GRILLO = 1 OR X05M_EVR_GFILTR = 1)) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_CIGAR = 2; ELSE R07R_Y_NEW_CIGAR = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3%
2	2 = No	3245	30.0%
	Total	3,275	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7559	69.8%
	Total	7,559	69.8%

This variable has 3,275 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11489-11494 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_PIPE: DERIVED - Wave 7 Youth Ever Pipe Smoker

Long Description: Wave 7 youth respondents who have ever smoked a pipe.

Algorithm: IF R07_YP1002_NB = 1 OR R07_YP1002_12M = 1 OR X05M_EVR_PIPE = 1 THEN
R07R_Y_EVR_PIPE = 1; ELSE IF R07_YP1001_NB = 2 OR R07_YP1002_NB = 2 OR (X05M_EVR_PIPE = 2
AND R07_YP1002_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_PIPE = 2; ELSE
R07R_Y_EVR_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.7%
2	2 = No	10706	98.8%
	Total	10,780	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	54	0.5%
	Total	54	0.5%

This variable has 10,780 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11495-11500 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_PIPE: DERIVED - Wave 7 Youth Current Pipe Smoker

Long Description: Wave 7 youth respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R07R_Y_EVR_PIPE = 1 AND R07_YP1112 IN (1,2,3) THEN R07R_Y_CUR_PIPE = 1;
ELSE IF R07R_Y_EVR_PIPE = 2 OR (R07R_Y_EVR_PIPE = 1 AND R07_YP1112 IN (4,5,6,7)) OR
R07_YP1002_12M = 2 OR R07_YP1002_NB = 2 OR R07_YP1001_NB = 2 THEN R07R_Y_CUR_PIPE = 2; ELSE
R07R_Y_CUR_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	10803	99.7%
	Total	10,814	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	20	0.2%
	Total	20	0.2%

This variable has 10,814 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11501-11506 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_PIPE: DERIVED - Wave 7 Youth Past 12 Month Pipe Smokers

Long Description: Wave 7 youth respondents who have smoked a pipe within the past 12 months.

Algorithm: IF R07R_Y_EVR_PIPE = 1 AND (R07_YP1002_12M = 1 OR R07_YP1112 IN (1,2,3,4,5))
THEN R07R_Y_P12M_PIPE = 1; ELSE IF R07_YP1002_12M = 2 OR R07R_Y_EVR_PIPE = 2 OR R07_YP1112
IN (6,7) OR R07_YP1001_NB = 2 OR R07_YP1002_NB = 2 THEN R07R_Y_P12M_PIPE = 2; ELSE
R07R_Y_P12M_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3%
2	2 = No	10781	99.5%
	Total	10,814	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	20	0.2%
	Total	20	0.2%

This variable has 10,814 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11507-11512 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_PIPE: DERIVED - Wave 7 Youth Never to Ever Pipe Smoker

Long Description: Wave 7 youth respondents who started smoking pipe tobacco between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking pipe tobacco between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_PIPE = 2 AND R07R_Y_EVR_PIPE = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_PIPE = 1; ELSE IF (X05M_EVR_PIPE = 1 OR R07R_Y_EVR_PIPE = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_PIPE = 2; ELSE R07R_Y_NEW_PIPE = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1%
2	2 = No	3271	30.2%
	Total	3,282	30.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7552	69.7%
	Total	7,552	69.7%

This variable has 3,282 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11513-11518 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_PIPE: DERIVED - Wave 7 Youth Past 30 Day Pipe Smoking Frequency

Long Description: Wave 7 Youth number of days smoked pipe tobacco within past 30 days.

Algorithm: IF R07_YP1022 > 0 THEN R07R_Y_NUMDAYS_PIPE = R07_YP1022; ELSE

R07R_Y_NUMDAYS_PIPE= .;

- Mean: 10.18
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.98

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10823	99.9%
	Total	10,823	99.9%

This variable has 11 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11519-11524 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_HOOK: DERIVED - Wave 7 Youth Ever Hookah Smoker

Long Description: Wave 7 youth respondents who have ever smoked a hookah.

Algorithm: IF R07_YH1002_NB = 1 OR R07_YH1002_12M = 1 OR X05M_EVR_HOOK = 1 THEN
R07R_Y_EVR_HOOK = 1; ELSE IF R07_YH1001_NB = 2 OR R07_YH1002_NB = 2 OR (X05M_EVR_HOOK = 2
AND R07_YH1002_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_HOOK = 2; ELSE
R07R_Y_EVR_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.7%
2	2 = No	10717	98.9%
	Total	10,791	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	43	0.4%
	Total	43	0.4%

This variable has 10,791 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11525-11530 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_HOOK: DERIVED - Wave 7 Youth Current Hookah Smoker

Long Description: Wave 7 youth respondents who have smoked a hookah within the past 30 days.

Algorithm: IF R07R_Y_EVR_HOOK = 1 AND R07_YH1112 IN (1,2,3) THEN R07R_Y_CUR_HOOK = 1;
ELSE IF R07R_Y_EVR_HOOK = 2 OR (R07R_Y_EVR_HOOK = 1 AND R07_YH1112 IN (4,5,6,7)) OR
R07_YH1002_12M = 2 OR R07_YH1002_NB = 2 OR R07_YH1001_NB = 2 THEN R07R_Y_CUR_HOOK = 2; ELSE
R07R_Y_CUR_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1%
2	2 = No	10817	99.8%
	Total	10,823	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	11	0.1%
	Total	11	0.1%

This variable has 10,823 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11531-11536 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_HOOK: DERIVED - Wave 7 Youth Past 12 Month Hookah Smoker

Long Description: Wave 7 youth respondents who have smoked a hookah within the past 12 months.

Algorithm: IF R07R_Y_EVR_HOOK = 1 AND (R07_YH1002_12M = 1 OR R07_YH1112 in (1,2,3,4,5))
THEN R07R_Y_P12M_HOOK = 1; ELSE IF R07_YH1001_NB = 2 OR R07_YH1002_NB = 2 OR R07_YH1002_12M
= 2 OR R07R_Y_EVR_HOOK = 2 OR R07_YH1112 in (6,7) THEN R07R_Y_P12M_HOOK = 2; ELSE
R07R_Y_P12M_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.4%
2	2 = No	10782	99.5%
	Total	10,824	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10	0.1%
	Total	10	0.1%

This variable has 10,824 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11537-11542 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_HOOK: DERIVED - Wave 7 Youth Never to Ever Hookah Smoker

Long Description: Wave 7 youth respondents who started smoking hookah between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking hookah between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_HOOK = 2 AND R07R_Y_EVR_HOOK = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_HOOK = 1; ELSE IF (X05M_EVR_HOOK = 1 OR R07R_Y_EVR_HOOK = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_HOOK = 2; ELSE R07R_Y_NEW_HOOK = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	3278	30.3%
	Total	3,287	30.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7547	69.7%
	Total	7,547	69.7%

This variable has 3,287 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11543-11548 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_HOOK: DERIVED - Wave 7 Youth Past 30 Day Hookah Smoking Frequency

Long Description: Wave 7 youth number of days smoked hookah within the past 30 days. Values above 30 are capped at 30.

Algorithm: IF R07_YH9003 = 1 OR R07_YH9004 > 30 OR R07_YH9005 * 4 > 30 THEN
R07R_Y_NUMDAYS_HOOK = 30; ELSE IF R07_YH9004 > 0 THEN R07R_Y_NUMDAYS_HOOK = R07_YH9004;
ELSE IF R07_YH9005 > 0 THEN R07R_Y_NUMDAYS_HOOK = R07_YH9005 * 4; ELSE
R07R_Y_NUMDAYS_HOOK = .;

- Mean: 16.00
- Median: 16.00
- Minimum: 2.00
- Maximum: 30.00
- Standard Deviation: 14.00

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10831	100.0%
	Total	10,831	100.0%

This variable has 3 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11549-11554 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_HOOK: DERIVED - Wave 7 Youth Hookah Lifetime Threshold of Use - Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used hookah fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_HOOK=1 AND (X05M_EVR_THRSH_HOOK=1 OR R07_YH1100=1) THEN
R07R_Y_EVR_THRSH_HOOK=1; ELSE IF R07R_Y_EVR_HOOK=2 OR (R07R_Y_EVR_HOOK=1 AND R07_YH1100
=2) THEN R07R_Y_EVR_THRSH_HOOK=2; ELSE R07R_Y_EVR_THRSH_HOOK= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1%
2	2 = No	10781	99.5%
	Total	10,791	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	43	0.4%
	Total	43	0.4%

This variable has 10,791 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11555-11560 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_EVR_SNUS: DERIVED - Wave 7 Youth Ever Snus User

Long Description: Wave 7 youth respondents who have ever used snus.

Algorithm: IF R07_YU1002_NB = 1 OR R07_YU1002_12M = 1 OR X05M_EVR_SNUS = 1 THEN
R07R_Y_EVR_SNUS = 1; ELSE IF R07_YU1001_NB = 2 OR R07_YU1002_NB = 2 OR (X05M_EVR_SNUS = 2
AND R07_YU1002_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_SNUS = 2; ELSE
R07R_Y_EVR_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.6%
2	2 = No	10718	98.9%
	Total	10,782	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	52	0.5%
	Total	52	0.5%

This variable has 10,782 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11561-11566 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_CUR_SNUS: DERIVED - Wave 7 Youth Current Snus User

Long Description: Wave 7 youth respondents who have used snus within the past 30 days.

Algorithm: IF R07R_Y_EVR_SNUS = 1 AND R07_YU1112 IN (1,2,3) THEN R07R_Y_CUR_SNUS = 1;
ELSE IF R07R_Y_EVR_SNUS = 2 OR (R07R_Y_EVR_SNUS = 1 AND R07_YU1112 IN (4,5,6,7)) OR
R07_YU1002_12M = 2 OR R07_YU1002_NB = 2 OR R07_YU1001_NB = 2 THEN R07R_Y_CUR_SNUS = 2; ELSE
R07R_Y_CUR_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	10804	99.7%
	Total	10,816	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	18	0.2%
	Total	18	0.2%

This variable has 10,816 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11567-11572 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_SNUS: DERIVED - Wave 7 Youth Past 12 Month Snus Users

Long Description: Wave 7 youth respondents who have used snus within the past 12 months.

Algorithm: IF R07R_Y_EVR_SNUS = 1 AND (R07_YU1002_12M = 1 OR R07_YU1112 IN (1,2,3,4,5)) THEN R07R_Y_P12M_SNUS = 1; ELSE IF R07_YU1001_NB = 2 OR R07_YU1002_NB = 2 OR R07_YU1002_12M = 2 OR R07R_Y_EVR_SNUS = 2 OR R07_YU1112 IN (6,7) THEN R07R_Y_P12M_SNUS = 2; ELSE R07R_Y_P12M_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.3%
2	2 = No	10787	99.6%
	Total	10,816	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	18	0.2%
	Total	18	0.2%

This variable has 10,816 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11573-11578 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_SNUS: DERIVED - Wave 7 Youth Never to Ever Snus User

Long Description: Wave 7 youth respondents who started using snus between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started using snus between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_SNUS = 2 AND R07R_Y_EVR_SNUS = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_SNUS = 1; ELSE IF

(X05M_EVR_SNUS = 1 OR R07R_Y_EVR_SNUS = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_SNUS = 2; ELSE R07R_Y_NEW_SNUS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1%
2	2 = No	3277	30.2%
	Total	3,285	30.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7549	69.7%
	Total	7,549	69.7%

This variable has 3,285 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11579-11584 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_SNUS: DERIVED - Wave 7 Youth Past 30 Day Snus Use Frequency

Long Description: Wave 7 Youth number of days used snus within the past 30 days.

Algorithm: IF R07_YU1022 > 0 THEN R07R_Y_NUMDAYS_SNUS = R07_YU1022; ELSE R07R_Y_NUMDAYS_SNUS = .;

- Mean: 5.83
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 5.73

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10822	99.9%
	Total	10,822	99.9%

This variable has 12 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11585-11590 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_SNUS: DERIVED - Wave 7 Youth Snus Lifetime Threshold of Use - Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used snus fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_SNUS=1 AND (X05M_EVR_THRSH_SNUS=1 OR R07_YU1100=1) THEN R07R_Y_EVR_THRSH_SNUS=1; ELSE IF R07R_Y_EVR_SNUS=2 OR (R07R_Y_EVR_SNUS=1 AND R07_YU1100=2) THEN R07R_Y_EVR_THRSH_SNUS=2; ELSE R07R_Y_EVR_THRSH_SNUS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1%
2	2 = No	10773	99.4%
	Total	10,782	99.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	52	0.5%
	Total	52	0.5%

This variable has 10,782 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11591-11596 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_SMKLS: DERIVED - Wave 7 Youth Ever Smokeless Tobacco User

Long Description: Wave 7 youth respondents who have ever used smokeless tobacco.

Algorithm: IF R07_YS1002_NB = 1 OR R07_YS1002_12M = 1 OR X05M_EVR_SMKLS = 1 THEN R07R_Y_EVR_SMKLS = 1; ELSE IF R07_YS1001_NB = 2 OR R07_YS1002_NB = 2 OR (X05M_EVR_SMKLS = 2 AND R07_YS1002_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_SMKLS = 2; ELSE R07R_Y_EVR_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	144	1.3%
2	2 = No	10629	98.1%
	Total	10,773	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	61	0.6%
	Total	61	0.6%

This variable has 10,773 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11597-11602 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_SMKLS: DERIVED - Wave 7 Youth Current Smokeless Tobacco User

Long Description: Wave 7 youth respondents who have used smokeless tobacco within the past 30 days.

Algorithm: IF R07R_Y_EVR_SMKLS = 1 AND R07_YS1112 IN (1,2,3) THEN R07R_Y_CUR_SMKLS = 1; ELSE IF R07R_Y_EVR_SMKLS = 2 OR (R07R_Y_EVR_SMKLS = 1 AND R07_YS1112 IN (4,5,6,7)) OR R07_YS1002_12M = 2 OR R07_YS1002_NB = 2 OR R07_YS1001_NB = 2 THEN R07R_Y_CUR_SMKLS = 2; ELSE R07R_Y_CUR_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1%
2	2 = No	10803	99.7%
	Total	10,817	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	17	0.2%
	Total	17	0.2%

This variable has 10,817 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11603-11608 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_SMKLS: DERIVED - Wave 7 Youth Past 12 Month Smokeless Tobacco Users

Long Description: Wave 7 youth respondents who have used smokeless tobacco within the past 12 months.

Algorithm: IF R07R_Y_EVR_SMKLS = 1 AND (R07_YS1002_12M = 1 OR R07_YS1112 IN (1,2,3,4,5)) THEN R07R_Y_P12M_SMKLS = 1; ELSE IF R07_YS1001_NB = 2 OR R07_YS1002_NB = 2 OR R07_YS1002_12M = 2 OR R07R_Y_EVR_SMKLS = 2 OR R07_YS1112 IN (6,7) THEN R07R_Y_P12M_SMKLS =

2; ELSE R07R_Y_P12M_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5%
2	2 = No	10761	99.3%
	Total	10,817	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	17	0.2%
	Total	17	0.2%

This variable has 10,817 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11609-11614 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_SMKLS: DERIVED - Wave 7 Youth Never to Ever Smokeless Tobacco User

Long Description: Wave 7 youth respondents who started using smokeless tobacco between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started using smokeless tobacco between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_SMKLS = 2 AND R07R_Y_EVR_SMKLS = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_SMKLS = 1; ELSE IF (X05M_EVR_SMKLS = 1 OR R07R_Y_EVR_SMKLS = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_SMKLS = 2; ELSE R07R_Y_NEW_SMKLS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1%
2	2 = No	3260	30.1%
	Total	3,272	30.2%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7562	69.8%
	Total	7,562	69.8%

This variable has 3,272 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11615-11620 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_SMKLS: DERIVED - Wave 7 Youth Past 30 Day Smokeless Tobacco Use Frequency

Long Description: Wave 7 youth number of days used smokeless tobacco within the past 30 days.

Algorithm: IF R07_YS1022 > 0 THEN R07R_Y_NUMDAYS_SMKLS = R07_YS1022; ELSE
R07R_Y_NUMDAYS_SMKLS = .;

- Mean: 6.77
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 6.70

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10821	99.9%
	Total	10,821	99.9%

This variable has 13 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11621-11626 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_SMKLS: DERIVED - Wave 7 Youth Smokeless Tobacco Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used smokeless tobacco fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_SMKLS=1 AND (X05M_EVR_THRSH_SMKLS=1 OR R07_YS1100=1)
THEN R07R_Y_EVR_THRSH_SMKLS=1; ELSE IF R07R_Y_EVR_SMKLS=2 OR (R07R_Y_EVR_SMKLS=1 AND
R07_YS1100 =2) THEN R07R_Y_EVR_THRSH_SMKLS=2; ELSE R07R_Y_EVR_THRSH_SMKLS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2%
2	2 = No	10750	99.2%
	Total	10,772	99.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	62	0.6%
	Total	62	0.6%

This variable has 10,772 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11627-11632 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_BIDI: DERIVED - Wave 7 Youth Ever Bidi Smoker

Long Description: Wave 7 youth respondents who have ever smoked a bidi.

Algorithm: IF R07_YB1002BD_NB = 1 OR R07_YB1002BD_12M = 1 OR X05M_EVR_BIDI = 1 THEN R07R_Y_EVR_BIDI = 1; ELSE IF R07_YB9101_NB_01 = 2 OR R07_YB1002BD_NB = 2 OR (X05M_EVR_BIDI = 2 AND R07_YB1002BD_12M = 2 AND WAVE5P5_INTERVIEW != 9) THEN R07R_Y_EVR_BIDI = 2; ELSE R07R_Y_EVR_BIDI = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2%
2	2 = No	10766	99.4%
	Total	10,787	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	47	0.4%
	Total	47	0.4%

This variable has 10,787 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11633-11638 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_BIDI: DERIVED - Wave 7 Youth Current Bidi Smoker

Long Description: Wave 7 youth respondents who have smoked a bidi within the past 30 days.

Algorithm: IF R07R_Y_EVR_BIDI = 1 AND R07_YB1002BD_30D = 1 THEN R07R_Y_CUR_BIDI = 1; ELSE IF R07R_Y_EVR_BIDI = 2 OR (R07R_Y_EVR_BIDI = 1 AND R07_YB1002BD_30D = 2) OR R07_YB1002BD_12M = 2 OR R07_YB1002BD_NB = 2 OR R07_YB9101_NB_01 = 2 OR R07_YB9101_NB_03 = 1

THEN R07R_Y_CUR_BIDI = 2; ELSE R07R_Y_CUR_BIDI = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0%
2	2 = No	10824	99.9%
	Total	10,828	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	6	0.1%
	Total	6	0.1%

This variable has 10,828 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11639-11644 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_BIDI: DERIVED - Wave 7 Youth Past 12 Month Bidi Smokers

Long Description: Wave 7 youth respondents who have smoked a bidi within the past 12 months.

Algorithm: IF R07R_Y_EVR_BIDI = 1 AND R07_YB1002BD_12M = 1 THEN R07R_Y_P12M_BIDI = 1; ELSE IF R07_YB1002BD_NB = 2 OR R07_YB1002BD_12M = 2 OR R07R_Y_EVR_BIDI = 2 OR R07_YB9101_NB_01 = 2 OR R07_YB9101_NB_03 = 1 THEN R07R_Y_P12M_BIDI = 2; ELSE R07R_Y_P12M_BIDI = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1%
2	2 = No	10821	99.9%
	Total	10,828	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	6	0.1%
	Total	6	0.1%

This variable has 10,828 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11645-11650 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_NEW_BIDI: DERIVED - Wave 7 Youth Never to Ever Bidi Smoker

Long Description: Wave 7 youth respondents who started smoking bidi between Wave 5.5 and Wave 7 or youth respondents who were not in Wave 5.5 and started smoking bidi between Wave 5 and Wave 7.

Algorithm: IF (X05M_EVR_BIDI = 2 AND R07R_Y_EVR_BIDI = 1) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_BIDI = 1; ELSE IF (X05M_EVR_BIDI = 1 OR R07R_Y_EVR_BIDI = 2) AND (WAVE5P5_INTERVIEW = 2 OR (WAVE5P5_INTERVIEW = 0 AND WAVE5_INTERVIEW = 2)) THEN R07R_Y_NEW_BIDI = 2; ELSE R07R_Y_NEW_BIDI = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	3281	30.3%
	Total	3,282	30.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7552	69.7%
	Total	7,552	69.7%

This variable has 3,282 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11651-11656 (width: 6; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , .

R07R_Y_EVR_IQOS: DERIVED - Wave 7 Youth Ever IQOS User

Long Description: Wave 7 youth respondents who have used IQOS.

Algorithm: IF R07_YQ1002 = 1 THEN R07R_Y_EVR_IQOS = 1; ELSE IF R07_YQ1002 = 2 OR R07_YQ1001 = 2 THEN R07R_Y_EVR_IQOS = 2; ELSE R07R_Y_EVR_IQOS = .;

Value	Label	Unweighted Frequency	%
1	1 = Ever	6	0.1%
2	2 = Never	10812	99.8%
3	3 = Wave 6 ever, Wave 7 never	0	0.0%
	Total	10,818	99.9%

Value	Missing Data	Unweighted Frequency	%
.	-	16	0.1%
	Total	16	0.1%

This variable has 10,818 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11657-11657 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

R07R_Y_CUR_IQOS: DERIVED - Wave 7 Youth Current IQOS User

Long Description: Wave 7 youth respondents who have used IQOS within the past 30 days.

Algorithm: IF R07R_Y_EVR_IQOS = 1 AND R07_YQ1002_30D = 1 THEN R07R_Y_CUR_IQOS = 1;
ELSE IF R07R_Y_EVR_IQOS = 2 OR R07_YQ1002_30D = 2 OR R07_YQ1002_12M = 2 OR R07_YQ1001 = 2 OR
R07_YQ1002 = 2 THEN R07R_Y_CUR_IQOS = 2; ELSE R07R_Y_CUR_IQOS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	10820	99.9%
	Total	10,822	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	12	0.1%
	Total	12	0.1%

This variable has 10,822 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11658-11663 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_IQOS: DERIVED - Wave 7 Youth Past 12 Month IQOS Users

Long Description: Wave 7 youth respondents who have used IQOS within the past 12 months.

Algorithm: IF R07R_Y_EVR_IQOS = 1 AND R07_YQ1002_12M = 1 THEN R07R_Y_P12M_IQOS = 1;
ELSE IF R07_YQ1002_12M = 2 OR R07R_Y_EVR_IQOS = 2 OR R07_YQ1001 = 2 OR R07_YQ1002 = 2 THEN
R07R_Y_P12M_IQOS = 2; ELSE R07R_Y_P12M_IQOS = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0%
2	2 = No	10820	99.9%
	Total	10,822	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	12	0.1%
	Total	12	0.1%

This variable has 10,822 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11664-11669 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NUMDAYS_IQOS: DERIVED - Wave 7 Youth Past 30 Days IQOS Use Frequency

Long Description: Wave 7 youth number of days used IQOS within the past 30 days.

Algorithm: IF R07_YQ1022 > 0 THEN R07R_Y_NUMDAYS_IQOS = R07_YQ1022; ELSE R07R_Y_NUMDAYS_IQOS = .;

- Mean: 4.00
- Median: 4.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 4.24

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	10832	100.0%
	Total	10,832	100.0%

This variable has 2 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11670-11675 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_IQOS: DERIVED - Wave 7 Youth Never to Ever IQOS User

Long Description: Wave 7 youth respondents who completed Wave 7 interviews and started using IQOS between Wave 6 and Wave 7.

Algorithm: IF R07R_Y_EVR_IQOS = 2 AND R07R_Y_EVR_IQOS = 1 THEN R07R_Y_NEW_IQOS = 1; ELSE IF (R07R_Y_EVR_IQOS = 1 AND R07R_Y_EVR_IQOS = 2) AND WAVE6_INTERVIEW = 2 THEN R07R_Y_NEW_IQOS = 2; ELSE R07R_Y_NEW_IQOS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	3301	30.5%
	Total	3,302	30.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7532	69.5%
	Total	7,532	69.5%

This variable has 3,302 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11676-11681 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_THRSH_IQOS: DERIVED - Wave 7 Youth IQOS Lifetime Threshold of Use - Intermediate Derived Variable

Long Description: Wave 7 youth respondents who have used IQOS fairly regularly in their lifetime.

Algorithm: IF R07R_Y_EVR_IQOS=1 AND R07_YQ1100=1 THEN R07R_Y_EVR_THRSH_IQOS=1; ELSE IF R07R_Y_EVR_IQOS IN (2, 3) AND R07_YQ1100=1 THEN R07R_Y_EVR_THRSH_IQOS=1; ELSE IF (R07R_Y_EVR_IQOS=1 AND R07_YQ1100 =2) THEN R07R_Y_EVR_THRSH_IQOS=2; ELSE R07R_Y_EVR_THRSH_IQOS= .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0%
2	2 = No	10817	99.8%
	Total	10,818	99.9%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	16	0.1%
	Total	16	0.1%

This variable has 10,818 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11682-11687 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_NP: DERIVED - Wave 7 Youth Ever Nicotine Pouch User

Long Description: Wave 7 youth respondents who have ever used nicotine pouches.

Algorithm: IF R07_YA1002NP=1 THEN R07R_Y_EVR_NP=1; ELSE IF R07_YA1001NP=2 OR R07_YA1002NP=2 THEN R07R_Y_EVR_NP=1; ELSE R07R_Y_EVR_NP=.;

Value	Label	Unweighted Frequency	%
1	1 = Yes	105	1.0%
2	2 = No	10710	98.9%
	Total	10,815	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	19	0.2%
	Total	19	0.2%

This variable has 10,815 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11688-11693 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_NP: DERIVED - Wave 7 Youth Current Nicotine Pouch User

Long Description: Wave 7 youth respondents who have used nicotine pouches within the past 30 days.

Algorithm: IF R07R_Y_EVR_NP = 1 AND R07_YA1004NP = 1 THEN R07R_Y_CUR_NP = 1; ELSE IF R07R_Y_EVR_NP = 2 OR R07_YA1001NP = 2 OR R07_YA1002NP = 2 THEN R07R_Y_CUR_NP = 2; ELSE R07R_Y_CUR_NP = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.3%
2	2 = No	10786	99.6%
	Total	10,815	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%

Value	Missing Data	Unweighted Frequency	%
.	-	19	0.2%
	Total	19	0.2%

This variable has 10,815 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11694-11699 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_NP: DERIVED - Wave 7 Youth Past 12 Month Nicotine Pouch Users

Long Description: Wave 7 youth respondents who have used nicotine pouches within the past 12 months. Algorithm: IF R07R_Y_EVR_NP = 1 AND (R07_YA1004NP = 1 OR R07_YA1002NP_12M = 1) THEN R07R_Y_P12M_NP = 1; ELSE IF R07_YA1002NP_12M = 2 OR R07R_Y_EVR_NP = 2 OR R07_YA1001NP = 2 OR R07_YA1002NP = 2 THEN R07R_Y_P12M_NP = 2; ELSE R07R_Y_P12M_NP = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.7%
2	2 = No	10740	99.1%
	Total	10,815	99.8%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	19	0.2%
	Total	19	0.2%

This variable has 10,815 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11700-11705 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_OT: DERIVED - Wave 7 Youth Ever Oral Tobacco User

Long Description: Wave 7 youth respondents who have ever used oral tobacco.

Algorithm: IF R07_YA1002OT = 1 THEN R07R_Y_EVR_OT = 1; ELSE IF (R07_YA1002OT = 2 OR R07_YA1001OT = 2) AND (R07M_EVR_DISSBL = 2 OR R07_YOUTHTYPE IN (2, 3)) THEN R07R_Y_EVR_OT = 2; ELSE IF (R07_YA1002OT = 2 OR R07_YA1001OT = 2) AND R07M_EVR_DISSBL = 1 THEN R07R_Y_EVR_OT = 3; ELSE R07R_Y_EVR_OT = .;

Value	Label	Unweighted Frequency	%
1	1 = Ever	93	0.9%
2	2 = Never	10672	98.5%
3	3 = Previous wave ever, Wave 7 never	6	0.1%
	Total	10,771	99.4%

Value	Missing Data	Unweighted Frequency	%
.	-	63	0.6%
	Total	63	0.6%

This variable has 10,771 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11706-11706 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

R07R_Y_CUR_OT: DERIVED - Wave 7 Youth Current Oral Tobacco User

Long Description: Wave 7 youth respondents who have used oral tobacco within the past 30 days.

Algorithm: IF R07R_Y_EVR_OT = 1 AND R07_YA1004OT = 1 THEN R07R_Y_CUR_OT = 1; ELSE IF R07R_Y_EVR_OT IN (2, 3) OR R07_YA1004OT = 2 OR R07_YA1001OT = 2 OR R07_YA1002OT = 2 THEN R07R_Y_CUR_OT = 2; ELSE R07R_Y_CUR_OT = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2%
2	2 = No	10772	99.4%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	44	0.4%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11707-11712 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_OT: DERIVED - Wave 7 Youth Past 12 Month Oral Tobacco Users

Long Description: Wave 7 youth respondents who have used oral tobacco within the past 12 months.

Algorithm: IF R07R_Y_EVR_OT = 1 AND (R07_YA1004OT = 1 OR R07_YA1002OT_12M = 1) THEN R07R_Y_P12M_OT = 1; ELSE IF R07_YA1002OT_12M = 2 OR R07R_Y_EVR_OT IN (2, 3) OR R07_YA1001OT = 2 OR R07_YA1002OT = 2 THEN R07R_Y_P12M_OT = 2; ELSE R07R_Y_P12M_OT = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.4%
2	2 = No	10742	99.2%
	Total	10,790	99.6%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	44	0.4%
	Total	44	0.4%

This variable has 10,790 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11713-11718 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_EVR_TOB: DERIVED - Wave 7 Youth Ever Tobacco User

Long Description: Wave 7 youth respondents who have ever smoked cigarettes, traditional cigars, cigarillos, filtered cigars, pipe, hookah, bidis or kretek, or have ever used e-products, smokeless tobacco, snus, dissolvable tobacco, or IQOS.

Algorithm: IF R07R_Y_EVR_CIGS = 1 OR R07R_Y_EVR_EPRODS = 1 OR R07R_Y_EVR_GTRAD = 1 OR R07R_Y_EVR_GRILLO = 1 OR R07R_Y_EVR_GFILTR = 1 OR R07R_Y_EVR_PIPE = 1 OR R07R_Y_EVR_HOOK = 1 OR R07R_Y_EVR_SMKLS = 1 OR R07R_Y_EVR_SNUS = 1 OR R07R_Y_EVR_DISSBL = 1 OR R07R_Y_EVR_BIDI = 1 OR R07R_Y_EVR_KRETEK = 1 OR R07R_Y_EVR_IQOS = 1 THEN R07R_Y_EVR_TOB= 1; ELSE IF R07R_Y_EVR_CIGS = 2 AND R07R_Y_EVR_EPRODS = 2 AND R07R_Y_EVR_GTRAD = 2 AND R07R_Y_EVR_GRILLO = 2 AND R07R_Y_EVR_GFILTR = 2 AND R07R_Y_EVR_PIPE = 2 AND R07R_Y_EVR_HOOK = 2 AND R07R_Y_EVR_SMKLS = 2 AND R07R_Y_EVR_SNUS = 2 AND R07R_Y_EVR_DISSBL = 2 AND R07R_Y_EVR_BIDI = 2 AND R07R_Y_EVR_KRETEK = 2 AND R07R_Y_EVR_IQOS = 2 THEN R07R_Y_EVR_TOB= 2; ELSE R07R_Y_EVR_TOB = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1957	18.1%
2	2 = No	8665	80.0%
	Total	10,622	98.0%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	212	2.0%
	Total	212	2.0%

This variable has 10,622 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11719-11724 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_CUR_TOB: DERIVED - Wave 7 Youth Current Tobacco User

Long Description: Wave 7 youth respondents who have smoked a cigarette, traditional cigar, cigarillo, filtered cigar, pipe, hook, bidi or kretek within the past 30 days or have used an electronic nicotine product, smokeless tobacco, snus, dissolvable tobacco, or IQOS product within the past 30 days.

Algorithm: IF R07R_Y_CUR_CIGS = 1 OR R07R_Y_CUR_EPRODS = 1 OR R07R_Y_CUR_GTRAD = 1 OR R07R_Y_CUR_GRILLO = 1 OR R07R_Y_CUR_GFILTR = 1 OR R07R_Y_CUR_PIPE = 1 OR R07R_Y_CUR_HOOK = 1 OR R07R_Y_CUR_SMKLS = 1 OR R07R_Y_CUR_SNUS = 1 OR R07R_Y_CUR_DISSBL = 1 OR R07R_Y_CUR_BIDI = 1 OR R07R_Y_CUR_KRETEK = 1 OR R07R_Y_CUR_IQOS = 1 THEN R07R_Y_CUR_TOB = 1; ELSE IF R07R_Y_CUR_CIGS = 2 AND R07R_Y_CUR_EPRODS = 2 AND R07R_Y_CUR_GTRAD = 2 AND R07R_Y_CUR_GRILLO = 2 AND R07R_Y_CUR_GFILTR = 2 AND R07R_Y_CUR_PIPE = 2 AND R07R_Y_CUR_HOOK = 2 AND R07R_Y_CUR_SMKLS = 2 AND R07R_Y_CUR_SNUS = 2 AND R07R_Y_CUR_DISSBL = 2 AND R07R_Y_CUR_BIDI = 2 AND R07R_Y_CUR_KRETEK = 2 AND R07R_Y_CUR_IQOS = 2 THEN R07R_Y_CUR_TOB = 2; ELSE R07R_Y_CUR_TOB = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	721	6.7%
2	2 = No	9941	91.8%
	Total	10,662	98.4%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	172	1.6%
	Total	172	1.6%

This variable has 10,662 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11725-11730 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_P12M_TOB: DERIVED - Wave 7 Youth Past 12 Month Tobacco User

Long Description: Wave 7 youth respondents who have smoked or used any of the following tobacco products within the past 12 months: cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, hookah, pipe, smokeless tobacco, snus, dissolvable tobacco, bidis, kreteks, or IQOS.

Algorithm: IF R07R_Y_P12M_CIGS = 1 OR R07R_Y_P12M_EPRODS = 1 OR R07R_Y_P12M_GTRAD = 1 OR R07R_Y_P12M_GRILLO = 1 OR R07R_Y_P12M_GFILTR = 1 OR R07R_Y_P12M_HOOK = 1 OR R07R_Y_P12M_PIPE = 1 OR R07R_Y_P12M_SMKLS = 1 OR R07R_Y_P12M_SNUS = 1 OR R07R_Y_P12M_DISSBL = 1 OR R07R_Y_P12M_BIDI = 1 OR R07R_Y_P12M_KRETEK = 1 OR R07R_Y_P12M_IQOS = 1 THEN R07R_Y_P12M_TOB = 1; ELSE IF R07R_Y_P12M_CIGS = 2 AND R07R_Y_P12M_EPRODS = 2 AND R07R_Y_P12M_GTRAD = 2 AND R07R_Y_P12M_GRILLO = 2 AND R07R_Y_P12M_GFILTR = 2 AND R07R_Y_P12M_HOOK = 2 AND R07R_Y_P12M_PIPE = 2 AND R07R_Y_P12M_SMKLS = 2 AND R07R_Y_P12M_SNUS = 2 AND R07R_Y_P12M_DISSBL = 2 AND R07R_Y_P12M_BIDI = 2 AND R07R_Y_P12M_KRETEK = 2 AND R07R_Y_P12M_IQOS = 2 THEN R07R_Y_P12M_TOB = 2; ELSE R07R_Y_P12M_TOB = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1409	13.0%
2	2 = No	9266	85.5%
	Total	10,675	98.5%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	159	1.5%
	Total	159	1.5%

This variable has 10,675 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11731-11736 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

R07R_Y_NEW_TOB: DERIVED - Wave 7 Youth New Tobacco User of Any Tobacco Product

Long Description: Wave 7 youth respondents who started smoking cigarettes, traditional cigars, cigarillos, filtered cigars, pipe, hookah, bidis or kreteks or using e-products, smokeless tobacco, snus or dissolvable tobacco between Wave 5.5 and Wave 7.

Algorithm: IF R07R_Y_NEW_CIGS = 1 OR R07R_Y_NEW_EPRODS = 1 OR R07R_Y_NEW_GTRAD = 1 OR R07R_Y_NEW_GRILLO = 1 OR R07R_Y_NEW_GFILTR = 1 OR R07R_Y_NEW_PIPE = 1 OR R07R_Y_NEW_HOOK = 1 OR R07R_Y_NEW_SMKLS = 1 OR R07R_Y_NEW_SNUS = 1 OR R07R_Y_NEW_DISSBL = 1 OR R07R_Y_NEW_BIDI = 1 OR R07R_Y_NEW_KRETEK = 1 THEN R07R_Y_NEW_TOB = 1; ELSE IF R07R_Y_NEW_CIGS = 2 AND R07R_Y_NEW_EPRODS = 2 AND R07R_Y_NEW_GTRAD = 2 AND R07R_Y_NEW_GRILLO = 2 AND R07R_Y_NEW_GFILTR = 2 AND R07R_Y_NEW_PIPE = 2 AND R07R_Y_NEW_HOOK = 2 AND R07R_Y_NEW_SMKLS = 2 AND R07R_Y_NEW_SNUS = 2 AND R07R_Y_NEW_DISSBL = 2 AND R07R_Y_NEW_BIDI = 2 AND R07R_Y_NEW_KRETEK = 2 THEN R07R_Y_NEW_TOB = 2; ELSE R07R_Y_NEW_TOB = .;

Value	Label	Unweighted Frequency	%
1	1 = Yes	323	3.0%
2	2 = No	2855	26.4%
	Total	3,178	29.3%

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	0	0.0%
.	-	7656	70.7%
	Total	7,656	70.7%

This variable has 3,178 valid cases out of 10,834 total cases.

Percentages for valid and missing data are based on 10,834 total cases.

Location: 11737-11742 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , .

APPENDIX

**Top Response Options for
Tobacco Brand / Product Variables**

Total tables = 21

Table Name	Variable Name	Top Ranked Response
R07_YC1048_BRAND	R07_YC1048_BRAND	1125 = Marlboro
R07_YC1070_PRODUCT	R07_YC1070_PRODUCT	11031 = Marlboro Red non-menthol kings
R07_YV1048_BRAND	R07_YV1048_BRAND	1324 = Hyde
R07_YJ1048TC_BRAND	R07_YJ1048TC_BRAND	1019 = Backwoods
R07_YJ1070TC_PRODUCT	R07_YJ1070TC_PRODUCT	Multiple
R07_YJ1048CG_BRAND	R07_YJ1048CG_BRAND	1019 = Backwoods
R07_YJ1070CG_PRODUCT	R07_YJ1070CG_PRODUCT	Multiple
R07_YJ1048FC_BRAND	R07_YJ1048FC_BRAND	Multiple
R07_YJ1070FC_PRODUCT	R07_YJ1070FC_PRODUCT	Multiple
R07_YG1048TC_BRAND	R07_YG1048TC_BRAND	1019 = Backwoods
R07_YG1070TC_PRODUCT	R07_YG1070TC_PRODUCT	Multiple
R07_YG1048CL_BRAND	R07_YG1048CL_BRAND	Multiple
R07_YG1070CL_PRODUCT	R07_YG1070CL_PRODUCT	Multiple
R07_YG1048FC_BRAND	R07_YG1048FC_BRAND	Multiple
R07_YG1070FC_PRODUCT	R07_YG1070FC_PRODUCT	Multiple
R07_YH1048_BRAND	R07_YH1048_BRAND	None
R07_YH1070_PRODUCT	R07_YH1070_PRODUCT	None
R07_YU1048_BRAND	R07_YU1048_BRAND	Multiple
R07_YU1070_PRODUCT	R07_YU1070_PRODUCT	Multiple
R07_YS1048_BRAND	R07_YS1048_BRAND	1092 = Grizzly
R07_YS1070_PRODUCT	R07_YS1070_PRODUCT	Multiple

Obs	R07_YC1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1125 = Marlboro	32	0.295
2	1033 = Camel	15	0.138
3	1144 = Newport	11	0.102
4	1012 = American Spirit	3	0.028
5	1152 = Pall Mall	3	0.028
6	1021 = Basic	1	0.009
7	1115 = L & M	1	0.009
8	9995 = Some other brand	3	0.028
9	-1 = Inapplicable	10,765	99.363
10			
11	Total	10,834	100.000

Obs	R07_YC1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11031 = Marlboro Red non-menthol kings	15	0.138
2	10271 = Camel Crush non-menthol and menthol kings	9	0.083
3	11218 = Newport Full Flavor menthol kings	7	0.065
4	11032 = Marlboro Red non-menthol 100s	4	0.037
5	10275 = Camel Filters menthol kings	3	0.028
6	11026 = Marlboro Full Flavor menthol kings	3	0.028
7	10170 = American Spirit Full-bodied menthol kings	2	0.018
8	11006 = Marlboro Black non-menthol 100s	2	0.018
9	11020 = Marlboro Gold non-menthol kingss	2	0.018
10	11025 = Marlboro Gold menthol kingss	2	0.018
11	11219 = Newport Full Flavor menthol 100s	2	0.018
12	10169 = American Spirit Full-bodied non-menthol kings	1	0.009
13	10218 = Basic Full Flavor non-menthol kings	1	0.009
14	10268 = Camel Blue non-menthol kings	1	0.009
15	10269 = Camel Blue non-menthol 99s	1	0.009
16	10273 = Camel Filters non-menthol kings	1	0.009
17	10927 = L & M Filter non-menthol kings	1	0.009
18	11021 = Marlboro Gold non-menthol 100s	1	0.009
19	11047 = Marlboro Smooth Menthol 100s	1	0.009
20	11223 = Newport Gold menthol 100s	1	0.009
21	All other coded responses	4	0.037
22	99995 = Some other product	1	0.009
23	-8 = Don't know	1	0.009
24	-1 = Inapplicable	10,768	99.391
25			
26	Total	10,834	100.000

Obs	R07_YV1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1324 = Hyde	74	0.683
2	1258 = Vuse	39	0.360
3	1363 = Puff	32	0.295
4	1269 = Juul	30	0.277
5	1313 = Cali Bars	11	0.102
6	1028 = Blu Cigs	8	0.074
7	1340 = Lush Ice	6	0.055
8	1254 = eGo Twist	5	0.046
9	1259 = Eleaf	5	0.046
10	1275 = Smok	5	0.046
11	1243 = 21st Century Smoke	4	0.037
12	1245 = E-Swisher	4	0.037
13	1361 = Posh	4	0.037
14	1255 = Kangertech	2	0.018
15	1314 = Cali Pods	2	0.018
16	1325 = iJoy	2	0.018
17	1342 = MEGA	2	0.018
18	1350 = Mr. Vapor	2	0.018
19	1046 = Cloud 9	1	0.009
20	1114 = KRAVE	1	0.009
21	All other coded responses	9	0.083
22	9995 = Some other brand	72	0.665
23	-8 = Don't know	31	0.286
24	-7 = Refused	7	0.065
25	-1 = Inapplicable	10,476	96.696
26			
27	Total	10,834	100.000

Obs	R07_YJ1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	10	0.092
2	1239 = Zig Zag	1	0.009
3	-1 = Inapplicable	10,823	99.898
4			
5	Total	10,834	100.000

Obs	R07_YJ1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	2	0.018
2	10212 = Backwoods Honey Berry	2	0.018
3	10210 = Backwoods Black 'n Sweet Aromatic	1	0.009
4	10213 = Backwoods Original	1	0.009
5	12009 = Zig-Zag Cigarillos Grape	1	0.009
6	99995 = Some other product	4	0.037
7	-1 = Inapplicable	10,823	99.898
8			
9	Total	10,834	100.000

Obs	R07_YJ1048CG_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	65	0.600
2	1204 = Swisher Sweets	17	0.157
3	1061 = Dutch Masters	11	0.102
4	1024 = Black & Mild	9	0.083
5	1231 = White Owl	5	0.046
6	1082 = Game (Garcia y Vega)	4	0.037
7	1239 = Zig Zag	3	0.028
8	1182 = Santa Fe	1	0.009
9	9995 = Some other brand	1	0.009
10	-8 = Don't know	1	0.009
11	-1 = Inapplicable	10,717	98.920
12			
13	Total	10,834	100.000

Obs	R07_YJ1070CG_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	18	0.166
2	10212 = Backwoods Honey Berry	18	0.166
3	10213 = Backwoods Original	13	0.120
4	10244 = Black & Mild Sweets	5	0.046
5	10214 = Backwoods Sweet Aromatic	4	0.037
6	11711 = Swisher Sweets Grape 100s	3	0.028
7	10210 = Backwoods Black 'n Sweet Aromatic	2	0.018
8	10243 = Black & Mild Classic	2	0.018
9	10245 = Black & Mild Wine	2	0.018
10	10498 = Dutch Masters Cigarillos Grape	2	0.018
11	10644 = Game White Grape	2	0.018
12	11699 = Swisher Sweets Blueberry Mini Cigarillos	2	0.018
13	11712 = Swisher Sweets Grape Mini Cigarillos	2	0.018
14	11718 = Swisher Sweets Peach 100s	2	0.018
15	11729 = Swisher Sweets White Grape Cigarillos	2	0.018
16	11929 = White Owl Blunt White Grape	2	0.018
17	10503 = Dutch Masters Cigarillos Vanilla	1	0.009
18	10512 = Dutch Masters Palma	1	0.009
19	10633 = Game Dutch Masters Grape	1	0.009
20	10635 = Game Natural	1	0.009
21	All other coded responses	9	0.083
22	99995 = Some other product	18	0.166
23	-8 = Don't know	3	0.028
24	-1 = Inapplicable	10,719	98.939
25			
26	Total	10,834	100.000

Obs		R07_YJ1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods		1	0.009
2	1024 = Black & Mild		1	0.009
3	1058 = Double Diamond		1	0.009
4	1062 = Dutch Treat		1	0.009
5	1204 = Swisher Sweets		1	0.009
6	-1 = Inapplicable		10,829	99.954
7				
8	Total		10,834	100.000

Obs	R07_YJ1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10244 = Black & Mild Sweets	1	0.009
2	10477 = Double Diamond Black Cherry 100s	1	0.009
3	11711 = Swisher Sweets Grape 100s	1	0.009
4	99995 = Some other product	1	0.009
5	99990 = No data (Brand text response up-coded)	1	0.009
6	-1 = Inapplicable	10,829	99.954
7			
8	Total	10,834	100.000

Obs	R07_YG1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	3	0.028
2	1024 = Black & Mild	1	0.009
3	1047 = Cohiba	1	0.009
4	1204 = Swisher Sweets	1	0.009
5	9995 = Some other brand	1	0.009
6	-1 = Inapplicable	10,827	99.935
7			
8	Total	10,834	100.000

Obs	R07_YG1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10210 = Backwoods Black 'n Sweet Aromatic	1	0.009
2	10211 = Backwoods Honey	1	0.009
3	10213 = Backwoods Original	1	0.009
4	10245 = Black & Mild Wine	1	0.009
5	10399 = Cohiba Puro Dominicana	1	0.009
6	11701 = Swisher Sweets Blunt XL Grape	1	0.009
7	-1 = Inapplicable	10,828	99.945
8			
9	Total	10,834	100.000

Obs		R07_YG1048CL_BRAND	Unweighted Frequency	Percent of Total Frequency
1		1024 = Black & Mild	3	0.028
2		1204 = Swisher Sweets	3	0.028
3		1019 = Backwoods	2	0.018
4		1231 = White Owl	1	0.009
5		-1 = Inapplicable	10,825	99.917
6				
7		Total	10,834	100.000

Obs	R07_YG1070CL_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	1	0.009
2	10213 = Backwoods Original	1	0.009
3	10243 = Black & Mild Classic	1	0.009
4	10244 = Black & Mild Sweets	1	0.009
5	11711 = Swisher Sweets Grape 100s	1	0.009
6	11720 = Swisher Sweets Perfecto	1	0.009
7	11940 = White Owl Cigarillos Green Sweets	1	0.009
8	12115 = Black & Mild Jazz	1	0.009
9	99995 = Some other product	1	0.009
10	-1 = Inapplicable	10,825	99.917
11			
12	Total	10,834	100.000

Obs		R07_YG1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild		1	0.009
2	1082 = Game (Garcia y Vega)		1	0.009
3	1204 = Swisher Sweets		1	0.009
4	-8 = Don't know		1	0.009
5	-1 = Inapplicable		10,830	99.963
6				
7	Total		10,834	100.000

Obs		R07_YG1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic		1	0.009
2	11721 = Swisher Sweets Regular 100s		1	0.009
3	99990 = No data (Brand text response up-coded)		1	0.009
4	-1 = Inapplicable		10,831	99.972
5				
6	Total		10,834	100.000

Obs	R07_YH1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	-1 = Inapplicable	10,834	100.000
2			
3	Total	10,834	100.000

Obs	R07_YH1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	-1 = Inapplicable	10,834	100.000
2			
3	Total	10,834	100.000

Obs	R07_YU1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1085 = General	1	0.009
2	1092 = Grizzly	1	0.009
3	1190 = Skoal	1	0.009
4	1257 = Stoker's	1	0.009
5	9995 = Some other brand	6	0.055
6	-1 = Inapplicable	10,824	99.908
7			
8	Total	10,834	100.000

Obs	R07_YU1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10665 = General Original	1	0.009
2	11977 = Skoal snus Mint	1	0.009
3	99990 = No data (Brand text response up-coded)	2	0.018
4	-1 = Inapplicable	10,830	99.963
5			
6	Total	10,834	100.000

Obs	R07_YS1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1092 = Grizzly	3	0.028
2	1049 = Copenhagen	2	0.018
3	1112 = Kodiak	1	0.009
4	1257 = Stoker's	1	0.009
5	-1 = Inapplicable	10,827	99.935
6			
7	Total	10,834	100.000

Obs	R07_YS1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10403 = Copenhagen Long Cut	1	0.009
2	10407 = Copenhagen Long Cut Wintergreen	1	0.009
3	10719 = Grizzly Long Cut Wintergreen	1	0.009
4	10916 = Kodiak Pouches	1	0.009
5	12050 = Stoker's Wintergreen Long Cut Moist Snuff	1	0.009
6	12151 = Grizzly Dark Fired Tobacco Long Cut Wintergreen	1	0.009
7	12153 = Grizzly Dark Fired Tobacco Wintergreen Pouches	1	0.009
8	-1 = Inapplicable	10,827	99.935
9			
10	Total	10,834	100.000