

GIT

Repositories and branches

Lesson Objectives

- Repositories
- Branches



Repositories and Branches

➤ Repositories:

- It is a collection of refs together with an object database containing all objects which are reachable from the refs, possibly accompanied by meta data from one or more porcelains. A repository can share an object database with other repositories via alternates mechanism.

➤ What to store in repositories?

- Anything, however any sort of editable files are preferred.

Git repositories

➤ How to get GIT repository:

- `$ git clone git://git.kernel.org/pub/scm/git/git.git`

It does approx. 225 MB download.

Git repositories

Creating repositories :

- at default location
 - git init
- at particular location
 - git init c:/testGIT
- Bare repository
 - git init --bare

Repositories and Branches

➤ Branches:

- A "branch" is an active line of development.
- The most recent commit on a branch is referred to as the tip of that branch.
- The tip of the branch is referenced by a branch head, which moves forward as additional development is done on the branch.
- A single git repository can track an arbitrary number of branches, but your working tree is associated with just one of them (the "current" or "checked out" branch), and HEAD points to that branch

Repositories and Branches

➤ Getting different versions of project:

- Git is best thought of as a tool for storing the history of a collection of files. It stores the history as a compressed collection of interrelated snapshots of the project's contents. In git each such version is called a [commit](#).
- Those snapshots aren't necessarily all arranged in a single line from oldest to newest; instead, work may simultaneously proceed along parallel lines of development, called [branches](#), which may merge and diverge.
- A single git repository can track development on multiple branches. It does this by keeping a list of [heads](#) which reference the latest commit on each branch; the [git-branch\(1\)](#) command shows you the list of branch heads:
 - \$ git branch * master
- A freshly cloned repository contains a single branch head, by default named "master", with the working directory initialized to the state of the project referred to by that branch head.
- Most projects also use [tags](#). Tags, like heads, are references into the project's history, and can be listed using the [git-tag\(1\)](#) command:
 - \$ git tag -l

Understanding History


➤ Commits:

- Every change in the history of a project is represented by a commit. The `git-show(1)` command shows the most recent commit on the current branch:
- `$ git show`
- Every commit (except the very first commit in a project) also has a parent commit which shows what happened before this commit. Following the chain of parents will eventually take you back to the beginning of the project.
- However, the commits do not form a simple list; git allows lines of development to diverge and then reconverge, and the point where two lines of development reconverge is called a "merge". The commit representing a merge can therefore have more than one parent, with each parent representing the most recent commit on one of the lines of development leading to that point.
- The best way to see how this works is using the `gitk(1)` command; running `gitk` now on a git repository and looking for merge commits will help understand how the git organizes history.
- In the following, we say that commit X is "reachable" from commit Y if commit X is an ancestor of commit Y. Equivalently, you could say that Y is a descendant of X, or that there is a chain of parents leading from commit Y to commit X.

Understanding History

History Diagrams:

- We will sometimes represent git history using diagrams like the one below:



Working Trees

- The working tree is your current view into the repository. It has all the files from your project: the source code, build files, unit tests, and so on.
- Some VCSs refer to this as your working copy. People coming to Git for the first time from another VCS often have trouble separating the working tree from the repository. In a VCS such as Subversion, your repository exists “over there” on another server.
- In Git, “over there” means in the `.git/` directory inside your project’s directory on your local computer. This means you can look at the history of the repository and see what has changed without having to communicate with a repository on another server.