

Gigi Medication Log

Date: _____

Pred Acetate 1% 10 mL (Drops)

Apply 1 drop to **right eye** only. Steroid for inflammation. Stop if pain or squinting. (Pink cap)

1: _____ (AM/PM) 2: _____ (AM/PM) 3: _____ (AM/PM) 4: _____ (AM/PM)

Ofloxacin 0.3% 10 mL (Drops)

Antibiotic to prevent infection. (Beige cap)

1: _____ (AM/PM) 2: _____ (AM/PM) 3: _____ (AM/PM) 4: _____ (AM/PM)

Dorzolamide 2% Ophthalmic (Drops)

Reduces eye pressure. (Orange cap)

1: _____ (AM/PM) 2: _____ (AM/PM) 3: _____ (AM/PM)

Gabapentin 50 mg Tablets (Epicur) (Tablet)

Give 1 tablet every 8-24 hours for pain and sedation. (Pill bottle)

1: _____ (AM/PM) 2: _____ (AM/PM) 3: _____ (AM/PM)

I-Drop Vet Plus Multi-Dose 10mL (Drops)

Apply a small dot to the **left eye** 3x daily for lubrication. Apply before bedtime. (White bottle)

1: _____ (AM/PM) 2: _____ (AM/PM) 3: _____ (AM/PM)

Tacrolimus 0.03% Drops (Drops)

Tear stimulant for dry eye. Long-term use. (Bottle in pill bottle)

1: _____ (AM/PM) 2: _____ (AM/PM)

Diclofenac 0.1% 5 mL (Drops)

NSAID for pain/inflammation. Stop if squinting. (Grey cap)

1: _____ (AM/PM) 2: _____ (AM/PM)

Clavacillin (Clavamox) 62.5mg (Tablet)

Antibiotic. Give with food. (Single use packets)

1: _____ (AM/PM) 2: _____ (AM/PM)

Prednisone 1 mg Tablets (Tablet)

Steroid for inflammation. Give with food. Start 5/16 night. May cause upset stomach or bloody stools. (Pill bottle)

1: _____ (AM/PM) 2: _____ (AM/PM)

Artificial Tears (e.g. Refresh Liquigel, Blink) (Drops)

Lubricates eyes. Use 1-2 times daily. (OTC)

1: _____ (AM/PM) 2: _____ (AM/PM)

Trazodone 50mg (Tablet)

Give 1/2 tab twice a day with food to relieve anxiety. (Tablet)

1: _____ (AM/PM) 2: _____ (AM/PM)