Jodie Raymond Originals

Signature Hats And Caps

REVISED EDITION

DIAGRAM AND WRITTEN INSTRUCTIONS FOR SEVERAL

METHODS OF PERSONALIZING HATS AND CAPS

THAT SAYS

"Especially for you!"

By: Jodie Raymond
P.O. Box 8631
Jacksonville, Fl., 32211
11020 Whistlewood Court
Jacksonville, Fl., 32225
Phone: 904-642-7148

COPYRIGHT: © July, 1980, by Jodie Raymond. All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the author.

ISBN: 0-939669-00-5

First Printing, July, 1980.
Second Printing, January, 1981.
Third Printing, May, 1981.
Fourth Printing, January, 1982.
Fifth Printing, June, 1982.

Revised Edition, January, 1983.
Second Printing, September, 1983.
Third Printing, February, 1984.
Fourth Printing, October, 1984.
Fifth Printing, April, 1985.
Sixth Printing, October, 1985.
Seventh Printing, June, 1986.
Eighth Printing, March, 1987.
Ninth Printing, June, 1988.

FORWARD

The greatest asset of our knitting machine is the ease with which an unusual, personalized gift can be produced. A hat or cap with a signature or a special slogan really conveys a very special "thinking just of you" that is hard to top. This book of patterns is published to compile some different methods to knit in your unique designs. The patterns all have step-by-step instructions. Some also have diagrams to help explain the positioning of the letters, etc. Several variations are printed of some items to enable you to use the same pattern and knit an entirely different look.

"HATS AND CAPS" is my effort to share with you the fun and satisfaction I have experienced making these special gifts for our family and friends. Most everyone enjoys having their name, nickname, or saying on a hat or cap of their very own. Included in this book are summer type caps for tennis, golf, beach, etc.; berets for dress or sport; hood scarf for warmth and beauty; skull caps and ski hats, both lined and unlined, for those cold and wintry days. Just think, the children will have an easier time keeping up with their hats with names on them. Every teenager will be the envy of his peers with a hat or cap with his school or mascot's name knitted on it. The hood scarf is a lovely warm addition to the wardrobe of ladies of all ages. And men, bless them, enjoy the signature of their club or team on their hats and caps too.

These directions are written STITCHES - ROWS - TIMES when decreases or increases are needed.

I hope that you will enjoy this pattern book as much as I have putting it together. Try one and all of them. You, and everyone you knit for, will love 'em.

Have Fun and Enjoy!
Jodie

DEDICATION

My thanks to the greatest family any gal could possible have. They have assured me that I could do this, helped in every way each could, and loved me in spite of my knitting all these years. Our daughter, Debbie, has been there with the boost and laughter at the right times to get this done. Thanks also to Kristy Palmer for the sketches of these patterns.

TABLE OF CONTENTS

Title Page ..... 0.

Copyright ..... 0.

Forward ..... 1.

Dedication ..... 1.

Table of Contents ..... 2.

Abbreviations and Terminology ..... 3.

Photographs ..... 4.

Original Drawing of Hats and Caps ..... 6.

Script Alphabet Graph ..... 7.

Upper Case Script ..... 8.

Lower Case Script ..... 9.

Written Instructions for Drawing Graph ..... 10.

Signature Skull Cap, Lined ..... 11.

Skull Cap and Hood Scarf Diagrams ..... 13.

Signature Hood Scarf ..... 14.

Easy Double, Double Ski Hat ..... 16.

Lined Ski Hat ..... 17.

Lined Ski Hat and Signature Cap Diagrams ..... 18.

Signature Cap with Visor ..... 19.

Crocheted Button ..... 20.

Pleated Beret ..... 21.

Visor Pattern ..... 23.

Notes ..... 24.

Notes ..... 25.

Notes ..... 26.

ABBREVIATIONS AND TERMINOLOGY

oz.	- ounce	ozs.	- ounces
st.	- stitch	sts.	- stitches
ndl.	- needle	ndls.	- needles
dec.	- decrease	inc.	- increase
cont.	- continue	0	- zero
R.	- row number	R.C.	- row counter
C.O.	- cast-on	S/R	- short row
Even	- same number of rows or stitches	Leading	- button on cam nearest to fabric
E.O.N.	- every other needle	E.O.R.	- every other row

(A) - out of work position
(B) - work position
(C or D) - needle selector position
(E) - hold position

All patterns are written: STITCHES - ROWS - TIMES. Both written and diagram instructions are included in this book.

These patterns can be used on most all makes of machines. The "Empty" buttons of the Toyota are the same as the "Part" buttons of the Brothers and Knitking machines, or the "Slip" buttons of the Studio and Singer machines. The "Partial Knitting" buttons are the "Hold" or "I" buttons on the Toyota; the "Hold" or "II" buttons on the Brothers and Knitking; or the "Russell Levers" for the Studio and Singer machines. For these, or other brands of machines, just use the terminology that fits your particular brand of knitting machine.

Anytime you see an "0" in your particular size, it tells you that you do <u>not</u> use any of that operation. Move on to the next operation. Example: Dec. 1-2-6,(0,13). This means to decrease one stitch on <u>both</u> sides of your knitting, every other row - six times for the small size, NO times for the middle size, and thirteen times for the large size. When you have completed the above, you would have decreased your knitting by 12 stitches, or no stitches, or 26 stitches, according to the size you were using.

If you see only one set of figures on your diagram, this direction applies to all sizes of the pattern (1-3-1 or 1-1-4).

In the "Random Thoughts and Suggestions" section of this, and my other books, many helpful hints and techniques are discussed to help you along with your knitting.

Other publications of mine that you might enjoy are:

"Jodie's Favorite Demonstrations - Volume One" Book
"A Shirt For All Seasons" Book
"Let's Knit Some Blouses" Book
"Let's Knit Some Skirts" Book
"V-Neck Raglan Upside-Down Sweater" Book
"Upside-Down Round Neck Raglan Pullover" Book

Unlined Ski Cap

Patterned Ski Hat

Cap With Visor

Beret

Double Ski Hat Double, Double Ski Hat Name Ski Hat

Signature Skull Cap, Lined

Signature Cap With Visor Signature Hood Scarf

Signature Skull Cap

Double, Double Ski Hat

Lined Name Ski Hat

UnLined Ski Cap

Signature Hood Scarf

Beret

'80
Kristy Palmer
Cap with Visor
Signature

Graph 2001

Script Alphabet

LOWER AND UPPER CASE LETTERS
FOR WRITING WITH YARN





The "Script Alphabet" Graph has been especially designed for use with our knitting machines. Cross-stitch or needle-point graphs must be adjusted to look correct on our knits; they must be elongated to work out. They were drawn on "square" graph paper and our knit stitches are "fat and squatty". So, here is a "no tears" graph for us to enjoy with our machines.

Use another piece of graph paper (any kind - large squares are easier to read), select the letters you need, and your design will flow as you copy the graph as if writing. Create your own very special phrase or name and knit it right into your garment. This saves the time used in going back and working in a cross or duplicate stitch over your knitting. If you use square graph paper, your graph will look a little strange compared to this graph - but it will work up just fine.

In my book "SIGNATURE HATS AND CAPS", there are specific written instructions for several methods of "Yarn Writing". This is the alphabet I used. Not only is this great fun, but signature garments always create lots of admiration and attention.

Below is an illustration of a graph for "Debbie". I selected the letters needed and then copied them on to another sheet of graph paper. Keep about 2 spaces between your letters and about 5 spaces between words. Decide which row your graph should begin. Write the row numbers out to the side of the graph, select placement of graph on your knit, check your needle numbers to be used, and then number your graph with these numbers. One point to remember, we knit on the wrong side - so get the graph going in the right direction. Check it before you run too many rows to make sure it is doing fine.

By the way, start a file on graphs and save all the ones you work out. It is amazing how many times you will need to use the same one again. Have fun knitting loads of "signature" items.



SIGNATURE SKULL CAP
Lined

MATERIAL: Sparkle, Spungee, Trenzado, Batalla.
Main color - 3 ozs. Contrast color - ½ oz.
GAUGE: 7 sts. x 10 rows approximately.
TENSION: 6.0 approximately.
SIZE: Small, Medium, & Large.

DESIGNING YOUR GRAPH

After deciding on your name or slogan, you can either program your machine with punch cards using sideway letters or draw it out on graph paper. Remember to draw it vertically with letters laying horizontally. Use 2 rows of plain knitting to separate your letters. Use 8 rows of plain knitting to separate words. You are able to use 160,(180,200) spaces for your design. That would go completely around your head.

To center your design, determine total rows to be used in cap, (small - 160, medium - 180, large - 200). Count all letters and spaces between letters and words. Subtract this number from total rows. Now, take this answer and divide it by 2 - this is the row to start your design.

Example:	Total rows in cap	200 rows.
	Total spaces used	-107 " .
	Remainder	93 " .

93 rows ÷ 2 = 46½. Start pattern on Row #46.

KNITTING THE CAP

R. C. Ø. "e" cast-on 130,(140,150) sts. with scrap yarn. Knit 7 rows of scrap yarn. Knit 1 row of ravel cord only. (Remember to pull ndls. out to hold position for the first 4 rows to keep sts. from sliding off.) R.C. Ø. Put in main color yarn. *Knit 2 rows. Put on both partial knit buttons (I or II) and short row decrease 20 sts. on both ends of knitting bed 5-2-4 (this means 5 sts. every-other-row 4 times). When this is done, immediately start short row increasing these same 20 sts. back into work (inc. 5-2-4)*. Repeat between *'s throughout the cap. At the row your pattern begins, start your design but continue short rowing at the same time.

SHORT ROWING REFRESHER

Decreases - With carriage on right and partial knit buttons on (I or II), pull one less st. than desired decrease into hold (E) position on left side. (In this case, it is 4 sts.). Knit across. Pull 1 st. next to ones already in (E) position to hold (E) position also (5 sts. now in hold). Pull 4 sts. on right hand side out to hold (E) position. Knit across. Pull 1 st. next to those in (E) position on right to hold position, (5 sts now in hold). Then pull 4 more sts. on left into

hold and knit across. Continue in this fashion, working on both sides of bed until 20 sts. on each side are in hold.

Increases - Using the sts. in hold (E) position, push 1 more st. than necessary to "D" position and knit across. (On this pattern, push in 6 sts. on left side. Knit across to left. Then pull last knitted st. on left back into hold (E) position.) This forms a wrap st. and you will have no holes then. Push 6 sts. into "D" position on right side - knit across to right and pull last knitted st. on right side back to hold (E) position. Continue until all sts. are back in work position. Don't forget to knit the 2 rows of plain knitting between your short row work.

Continue in this fashion until you reach the row to begin your pattern. You must keep on short rowing (Decreasing and Increasing) while you also knit in the pattern by hand.

KNITTING IN YOUR PATTERN

Place your graph on a table by your machine. Use a ruler or yardstick to keep your place. On this cap, the brim turns back and the pattern placement is definite. The pattern MUST be put on ndl. #12 left through ndl. #4 left. If you program your letters by punch card using Toyota #747 - put zigzag on #2. If using Toyota #787 - isolate on #3 and push one set of letters back to work (B) position.

This pattern is knitted by hand feeding the ndls. with contrast yarn in this manner: When you reach your pattern row, complete your short row operation (pulling out the 1st st. in work (B) position next to the carriage). Select pattern ndls. and pull them out to hold (E) position. Do the short row operation (pulling out 4 sts. or pushing in 6 sts.). Knit across with main color yarn. (Notice your pattern did NOT knit because of the partial knit buttons are on for the short rowing). Finish short row operation (pulling 1 st. to (E) position again). Hand knit contrast yarn through pattern ndls. returning them to work (B) position. Select next row of pattern and pull these to hold (E) position. Do the short row operation. Continue through your graph. When pattern is finished, break off contrast color and continue with main color and short row operations until your cap is finished (160,180,200) rows. Break off main color yarn leaving about 3 yards attached for kitchener weaving hat together. Knit 8 rows of scrap yarn. Remove from machine.

BLOCKING AND ASSEMBLY

Tube your hat. Pin the middle part of your cap on a blocking board in an oval shape. The part where your pattern is located should be blocked to 18 (19,20) inches. It is best to only block the middle first. Then double the cap and pin the 2 narrow crowns together and steam on one side and then the other.

Signature Skull Cap, Lined - cont.

With attached yarn, kitchener the long seam to join your cap. When finished, turn your cap inside out and pull the two small circles (crowns) together. Baste these two pieces together very securely and draw them into a tight circle, closing the hole. Secure this crown and tie off. Put a large pom-pom on the hole. I use two plastic lids from margarine cups for these large pom-poms. Cut a 1" circle in center of the two lids. Use about 12 strands of 4 yard long pieces of yarn and wind them around these lids. Cut around edge, between the lids, holding the pieces very tightly. Take another piece of yarn, doubled about four times, and tie the pieces together very securely. Trim around the pom-pom and sew on the crown of the cap.



Signature Skull Cap



SIGNATURE HOOD SCARF

MATERIALS: Trenzado, Spungee, Batalla, Sparkle.
GAUGE: 8 sts x 11 rows = 1".
TENSION: Usually 4.0 to 5.0.
SIZE: Child and Adult.

DESIGNING THE SIGNATURE

On this hood scarf, you are limited to approximately 66 (74) sts., or horizontal spaces, for your signature. This gives a 1" edge on front and back of each side of the hood.

With graph paper, lay out your design using the available script alphabet graph or a graph of your choosing. After completing your graph, count squares and spaces used horizontally. Divide this number by 2. Start numbering your graph with this answer to center your pattern (Ex. 8,7,6,5,4,3,2,1,1,2,3,4,5,6,7).

Vertical placement is determined by the rows of border you wish to use, rows in your signature, plus rows of in-between plain knitting for separation. In a child's hood, use rows 270 to 320 on one side and rows 400 to 450 on the other side. On the adult's hood, use rows 300 to 360 on one side and rows 440 to 500 on the other side. In other words, in the child's size you have approximately 50 rows for the complete design; and in the adult's size, you have approximately 60 rows to use.

KNITTING THE SCARF

With main garment yarn at main garment tension, "e" cast-on 72 (80) sts. Knit even on these sts. to row 270 (300), remembering to pull all ndls. forward for about the first four rows so that your sts. won't slide off the ndls.

R. 270 (300) - slip a small strand of different color yarn over the last st. on the left side of work (this is a marker for sewing later). Carriage is on the right. On right side, pull 17 sts. into hold (E) position. Remove yarn from carriage and "e" cast-on with this yarn over the 17 new sts. in hold. This will be a turned-under facing around the face of the hood, 16 sts. of facing, plus 1 st. slipped every-other-row for a turning edge, (see diagram). These 17 sts. are just like new sts. and will have to be pulled out into hold position for a few rows to keep them from falling off your ndls. You must keep your slip sts. slipping one row and knitting the slip the next row, even when you are pulling these ndls. forward.

Put on your leading (one next to fabric) tuck button. Program your machine so that this st. between hood and facing comes out to "D" position every-other-row. If your machine will not program, mark this ndl. to be slipped on the back of your ndl. bed with a crayon or grease pencil and hand pull this ndl. every other row. (You will be slipping - not knitting this st. - going one way and knitting the slip st. and the knit st. on the going-back row.)

<u>ALSO</u>, at the same time you might be putting in your border,

so check your chart. When you work with fairisle or two color work, it is best to loosen your tension by one dot in order that the second color doesn't tighten your work.

KNITTING THE BORDER AND NAME

Follow your chart and complete border design and separation rows. Start your name in this manner. Using the graph, pull all designated ndls. to color (D) position. START EVERY ROW READING GRAPH FROM LEFT TO RIGHT BUT ALWAYS START EVERY ROW PULLING NEEDLES FROM RIGHT SIDE OF BED MOVING ACROSS TO LEFT SIDE. THIS WILL REVERSE YOUR DESIGN AND MAKE IT CORRECT ON THE FRONT OF THIS SIDE.

With machine set for 2-color work and both yarns in carriage, knit across from right to left. Start at left side of graph again reading your numbers of ndls., but again pull the ndls. out from right side moving across to the left side. Repeat this until name is finished.

On the other end of your hood, turn your graph upside down. You will have to number the rows again from this side. On this other side of your hood, in order to read name correctly, PULL THE LEFT SIDE OF THE GRAPH ON THE RIGHT HAND NDLS. Check carefully from right side of the hood to see if your name is appearing correctly after a couple of rows. (See diagram).

After separation rows, put in your other border rows. Knit even to row 450 (500).

R. 450 (500), latch tool the facing 17 sts. off. Put in contrast yarn on last st. on the left side for a marker st. Continue with main garment yarn, main garment tension and knit even to R. 720 (800). Latch tool off these sts.

BLOCKING AND ASSEMBLY

Pin out on a blocking board for the child's size 9" x 65½" with facing 2" x 16½". For the adult's size - 10" x 73" with facing 2" x 18". Steam lightly.

Place the two marker sts. together and kitchener weave this seam up to the top of the hood. Fold back the facing and slip weave this down on the inside of the hood. If you pull this seam ever so little, it will shape a slight curve around the face - don't pull too much or it will pucker.

Starting at the bottom of hood's back seam, on one side, single crochet around entire scarf and hood until the back seam of hood is reached on the other side. Cut a short fringe and pull through both bottom edges of scarf,if desired. Make a tassel and attach to the back point of the top of the hood.

EASY DOUBLE, DOUBLE SKI HAT

Double Fabric - Double Strand

MATERIAL: Sparkle, Spungee, Batalla, Trenzado - 6 ozs.
Knit double strand throughout.
GAUGE: 4 sts. x 7 rows = 1".
TENSION: 9.0 to 10.0.
SIZE: Small & Large.

R.C. Ø. With 2 strands of yarn of one color, "e" cast-on every fourth ndl. over 160 (180) ndls. (Use ndl. #80 left thru ndl. #81 right for small size. Use ndl. #90 left thru ndl. #91 right for large size). Tension 4.0, knit 2 rows. Tension 5.0, knit 2 rows. Tension 6.0, knit 1 row. (Remember to pull your working ndls. to hold (E) position before knitting these rows to keep your stitches from falling off).

Take yarn from carriage. Put on leading (the one next to your work) empty or part button. Move carriage to the right on a free pass. Take off empty or part buttons. Pull to hold (E) position the middle ndl. of the out-of-work set of three ndls. Using yarn attached at left, "e" cast-on the ndls. just pulled out.

R.C. Ø. Tension 9.0. You probably will need to hang on some weights. It is best to use the cast-on comb that came with your machine. Place this across your work and then hang your weights from this comb. The weight will be distributed more evenly. Knit 140 rows even. Hand transfer every-other-working ndl. to adjoining working ndl. (Now only every fourth st. is again in work). Tension 6.0, knit 2 rows. Tension 5.0, knit 2 rows. Tension 4.0, knit 2 rows.

Bring sts. from beginning "e" cast-on up and hang on corresponding ndls. in work. With double strand of yarn and your double eye ndl. - sew off the sts.

ASSEMBLY

Do not block this hat. It will be more elastic without. So, just "tube" it and kitchener the seams together. Pull top together very tightly and tie off. Make a large pom-pom and attach. (See skull cap assembly for directions of large pompom).

VARIATIONS

For a two color hat, use 40 rows of main color, 100 rows of contrast color, and 40 more rows of main color. Different striping is also beautiful. Try your hand at it.

LINED SKI HAT

MATERIAL: Trenzado, Batalla, Sparkle, Spungee.
GAUGE: 8 sts. x 11 rows =1" approximately.
TENSION: 4.0 to 6.0 (whateven you normally use for yarn).
SIZE: Child and Adult.

LINING

R.C. Ø. "e" cast-on every-other-needle on 133(145) ndls. With main garment yarn, tension 1.0 - knit 2 rows. Change tension to 2.0 and knit 2 more rows. (Remember to pull all working ndls. to hold (E) position for about 4 rows to keep sts. from dropping off.) Turn tension to 3.0 and knit 3 more rows. Carriage is on the left side of bed. Take yarn from carriage, put on "leading" empty or part button (the button on the side next to the knitted work) and make a free pass with carriage across your work to the right. Pull in-between empty ndls. to "E" position, adding 1 extra st. - 134 (146) sts. now. Using yarn from left side, "e" cast-on these new ndls. Return yarn to carriage. Using main garment tension, put R.C. Ø, and knit even 80 rows. Either scrap off this piece or pull it onto the garter bar and lay aside for the moment.

HAT

Using directions from your ribbing manual, cast-on in 1x1 or 2x2 rib. (Mock rib can be used also on a single bed machine). Rib for 60 rows (mock rib would be for 120 rows).

Transfer your ribber sts. up to the main bed. Place the sts. from the scrap yarn or garter bar of your lining on these same ndls. as your ribbing. Make sure the lining purl side is hanging down towards your lap and the purl sts. are looking at you. Pull all ndls. to "E" position, bringing both sts. forward in the hooks of your ndls. Push the back sts. (hat sts.) behind the latches of your ndls. and then pull the front (lining) sts. through the hat sts. (You now only have one st. on each ndl. and your lining is firmly attached to your hat.)

*R.C. Ø. With garment tension, knit 80 rows. Use any pattern or letters for a design. The child's hat will have 11 patterns of 12-wide design with 2 sts. for seaming the hat together; 5½ patterns of 24-wide design with 2 seaming sts. the adult's hat will have 12 patterns of a 12-wide design, plus 2 seaming sts.; or 6 patterns of 24-wide design with the 2 seaming sts.

R.C. 80. Transfer either by lace cam or hand tool every-other-ndl. to the adjoining ndl. Push all empty ndls. back to "A" position (out-of-work). On remaining ndls. with tension at 3.0, knit 4 rows. Turn tension to 2.0 and knit 2 more rows. Turn tension to 1.0 and knit 2 more rows. Bring the sts. of the top of the lining (remember they are every-other-ndl. also) and hang them on the corresponding ndls. you just finished knitting. (There are now 2 sts. on every working ndl). Using

Lined Ski Hat - cont.

a double strand of yarn and your double eye ndl., sew off these sts.

BLOCKING AND ASSEMBLY

Block hat to approximately 20" x 7". Do not steam or pin out the ribbing. Kitchener the seams together. Draw up the double strand of yarn at crown very tightly and tie off. Make a large pom-pom and attach to the crown securely.

VARIATIONS

This hat can be made in a reversible fashion. Make the lining in a contrast color or different fairisle pattern. Cover a large button or crochet a large button for both sides instead of using the pom-pom. The directions for the crocheted button is in the "Signature Cap with Visor".

The same directions also make a nice unlined Ski Hat if you omit all directions pertaining to the lining.

Also, try this with sideways letters to place a name on one side, pattern on the other side.

LINED MOCK SKI HAT

Complete the lining instructions but do not take the sts. off your machine. Using your lace cam or hand tool, transfer every-other-stitch to the adjoining needle. Push all empty ndls. back to "A" position (out-of-work).

R.C. Ø. Tension 2.0 - knit 120 rows. Pull the in-between out-of-work ndls. back to work (B) position. Pick up and fill these empty ndls. with the sts. that you transferred over before you knit the 120 rows.

R.C. Ø. With tension 8.0 - knit 1 row. Then turn to main garment tension and knit 79 more rows to complete hat, as described above in "HAT" paragraph*.



Lined Ski Hat



Signature Cap with Visor

SIGNATURE CAP WITH VISOR

MATERIAL: Trenzado, Serenaide, or other comparable yarn. Main color - 3 ozs. Contrast yarn - ½ oz.
GAUGE: Not important - usual for yarn.
TENSION: Mock rib - 2.0. Stockinette - 4.0 to 5.0.
SIZE: Ladies.

DESIGNING YOUR NAME OR SLOGAN

With graph paper and using a script alphabet, design your name or slogan as if you were writing (reading from left to right). After you have it completed to your satisfaction, count ALL SQUARES AND EMPTY SPACES used, Divide this count in half. Using this number, start numbering your graph from left to right for your ndl. designations (5,4,3, 2,1,1,2,3,4,5, etc.). This will center your design on your cap. Keep figures as close to your design as possible for easier viewing while pulling your design.

Next, number the rows of your graph starting with Row #31. If you have lower case letters in your graph (y's or p's), you will have to adjust your rows so your design won't come out too high. Splitting the difference usually works.

KNITTING THE CAP

With main color yarn, "e" cast-on every-other ndl. from ndl. #90 right to ndl. #89 left (90 sts.). With tension 2.0, knit 41 rows even. (Remember to pull working ndls. only out into hold position for the first 6 rows before knitting across to keep the sts. from dropping off.) Put on your empty or part buttons and make a free pass across bed of machine from left to right. Pull ndl. #90 left and all in-between empty ndls. forward to hold (E) position. With the yarn on the left side of work, "e" cast-on over the new ndls. in hold (E) position from left to right - ending with yarn on the same side as your carriage. Close your casing now by hanging the beginning cast-on sts. onto their corresponding ndls. in work position. Turn tension to 8.0. R.C. Ø. Knit 1 row. Turn tension to 5.0. Knit 19 more rows. Make a garter bar turn on next row. * (How to do a garter bar turn. Turn off row counter. Put on empty or part buttons and make a free pass with carriage from left to right. Pull all sts. into hold position. Hook garter bar on ndl. hooks. Pull all sts. onto garter bar. Turn work over. Replace knitting back on ndls.* Knit 1 row. By using above steps between *'s, turn work over again. You are now back with wrong side facing you and have knit only 1 row. R.C. should now read 21, carriage on left.) Knit even 9 more rows.

KNITTING THE DESIGN

Using the graph, pull all designated ndls. to color position (D). START EVERY ROW READING GRAPH FROM LEFT TO RIGHT BUT ALWAYS START EVERY ROW PULLING NEEDLES FROM RIGHT SIDE OF BED MOVING ACROSS TO LEFT SIDE. THIS WILL REVERSE YOUR DESIGN AND

Signature Cap with Visor - cont.

MAKE IT CORRECT ON THE FRONT OF YOUR WORK.

Set machine for 2-color work. Put in contrast yarn. Knit row 31. Continue through graph always reading left to right BUT pulling ndls. right to left. After design is finished, change machine to plain knitting and tension 4.2. Break off contrast yarn and take off color button. Knit 4 rows. Turn tension to 4.1. Knit even to row 70. Tension 4.0. Pull all ndls. into hold (E) position. Put on partial knit buttons (I or II). Push the first 30 sts. on right into "D" position. *Knit 2 rows on this section. Using 3-prong tool, decrease 1 st. on each side of this section. Knit 2 rows. Continue to decrease this way until 4 sts. remain. Last decrease will have to be done with 2-prong tool. Latch tool or sew off these 4 sts. Remember to put empty sts. out-of-work (A) position after decreases have been made.* Push into work (D) position the next 30 sts. and repeat directions between *'s.

BLOCKING AND ASSEMBLY

Tube cap after removal from machine. Insert a wooden spoon handle into mock ribbing and pull gently to set sts. Pin out cap on blocking board to approximately 20" wide and 8" high at the points. Do not steam mock ribbing. Steam cap and let dry. Weave the top section together forming a crown of the cap. Start at beginning of mock ribbing on underside and weave 4 sts. together. Over-cast the next 12 sts. on one side only (you are leaving an opening to insert visor). Count down 12 sts. on other side and start weaving seam together again. Continue around to front side of cap to top of crown. Tie all strands securely and cover knots with a small pom-pom or a crocheted button.

CROCHETED BUTTON

Using crochet pick from machine and contrast yarn, chain 3, slip together to form loop. Chain 1. Row 1. In the loop, single crochet 8 times. Slip in first st. to join. Chain 3. DO NOT TURN WORK AROUND. Row 2. * 2 double crochets in 1st st. 1 double crochet in next st. Continue from * around circle. Join with slip st., chain 1. Keep work flat here. Row 3. *Single crochet in 1st st., 2 single crochets in next st. Continue from * around circle and join with slip st. Chain 1. Row 4. 1 single crochet in each st. Join with slip st. Chain 1. (This will make the circle start to curl in). Row 5. Single crochet in every-other-stitch. Join and chain 1. Insert 1-1/8" button and start to close opening. Row 6. Repeat Row 5. Row 7. Draw together and tie off. Sew on cap.

PLEATED BERET

MATERIAL: Trenzado, Serenaide, or comparable yarn - 3 ozs.
GAUGE: 8 sts. x 11 rows = 1".
TENSION: Approximately 4.0 to 5.0.
SIZE: Band is approximately 20", variable with elastic.

KNITTING THE BERET

With scrap yarn "e" cast-on 60 sts. Knit 8 rows even. Knit 1 row of ravel cord alone. Carriage at left. Put in garment yarn, set garment tension, knit 1 row from left to right.

R.C. Ø. With carriage on right, begin short row decreases 2-2-30, as follows:

Put on both partial knit levers (I or II). Pull 1 st. at extreme left to hold (E) position. Knit 1 row across. Pull st. next to the st. already in hold, into hold (E) position also. (This forms your wrap st. and prevents holes). Knit back across to the right.

Repeat directions between *'s until all but the last st. on the right is in hold. Take off partial knit levers (I or II) and knit across all sts. Pull out every-other-ndl. to (D) position. Transfer these sts. either by lace cam or hand tool to adjoining ndl. Leave the empty ndls. in work (B) position. Knit 1 row back across all sts. to the right side of your work.

This completes one gusset of the beret. Repeat from R.C. Ø the above instructions until 10 gussets have been completed. At the end of the final gusset, break off yarn leaving a strand of yarn long enough for kitchener weaving seam. Knit 10 rows of scrap yarn and remove from machine.

ASSEMBLY AND BLOCKING

Kitchener weave the beret together to form a circle. Pin out on a blocking board in a circle about 18" in diameter. Steam lightly.

HEADBAND

The headband is made in two parts and two sections. Make two of the following pieces. *With scrap yarn cast-on 80 sts. Knit 7 rows of scrap and then 1 row of ravel cord alone. With garment yarn and garment tension, knit 12 rows. Pull these sts. onto your garter bar or scrap them off. (You can pull both of these pieces onto the same garter bar, stacking them up.)*

The edge of the beret is now hung on these 80 empty ndls. Use your three prong tool and pick up sts. one row in from the edge. Each gusset will use 16 ndls. Start at left side of machine.

Pleated Beret - cont.

R.C. Ø. Hang 4 sts. of beret beginning at picot row; hang 8 more sts. to left; hang 8 sts. back to the right overlapping the last 8 sts; hang 8 more sts. back to the left (overlapping again); hang 4 more sts. to the left. This completes hanging of one gusset and brings you to the next picot row. Notice on the middle 8 sts. of the gusset, you have 3 sts. on each ndl., forming your pleat.

Repeat directions from R.C. Ø for each gusset. When the five gussets have been hung (all 80 ndls. filled), pull all ndls. into hold (E) position. Push all beret sts. picked up back to the ndl. bed - behind ndl. latches. Using one piece of headband made earlier; place sts. from garter bar (or scrap) onto the same 80 ndls. keeping sts. in the hooks of the ndls. Close all ndl. latches. Pull the band sts. through all the beret sts. by hand (now only 1 st. is on each ndl.). Pull all ndls. back into hold (E) position again. (This eases the knitting of the first row over these ndls.). Put in garment yarn, use garment tension, knit 12 rows over all sts.

From the scrap yarn of the top of the band just hung, pick up sts. and hang them on corresponding ndls. of band just knitted (2 sts. again on each ndl.). With latch tool and two strands of garment yarn, latch tool crochet these sts. together. On the first half of this headband just completed, do not break off the double strand of yarn used to latch tool the pieces together. Place a safety pin in the loop to hold it so you are able to continue around the other half of the headband with same two strands of yarn. Remove this half from machine.

Repeat from R.C.Ø the above directions for the other half of headband. Put a wooden spoon or skewer into this casing formed and gently tug on it to set your sts. Weave headband seams together, leaving an opening to insert 3/4" elastic - about 21" long with a sewing overlap of 1". Pull up center hole and close tightly. Cover with pom-pom or crocheted button.

VARIATIONS

This beret is also very attractive without the picot holes. Just knit the two rows in between the gussets, leaving out the transfer directions. Also, the gussets can be made in 2 or more different colors (school, team, etc.)

Try this same beret without pleating it onto the band. Just ease or gather the edge onto the same headband. It will give you a completely different look.

For a very sharp crease around the beret, slip crochet with your machine pick and garment yarn into ½ of a st. of the 18th row from the edge. Slip st. together and tie off yarn and hide.

Give a final touch-up with steam to set headband.

Pattern For Visor Cap

This visor can be purchased at many of the knit, or crafts stores. It is made of plastic and usually comes in an opàgue white. Since you leave an opening in the knitted cuff of the hat, this can be easily removed for laundering.

If you want the clear plastic visors so they can't be seen through the knitted fabric, you can purchase sheets of clear plastic at your hobby shops. They carry this plastic to make plastic windshields for model airplanes, cars, etc. The type I use are "K & S Butyrate Sheets" #306, 8 x 10 inches in size and .030 in thickness. At last purchase, these sheets were 70¢ a piece - you can cut three visors from one sheet with scissors. The manufacturer is K & S Engineering of Chicago, Illinois.

Of course, the old standby of plastic bottles around the house can be used also with great success.