

Master Materials List

355 materials — Grocery · Foraged · Craft · Industrial

Category	Type	Material	Notes
CRAFT			
Craft	Adhesive	Gum Arabic	
Craft	Adhesive	Rubber Cement	
Craft	Bioplastic	Alginate	
Craft	Bioplastic	Sodium Alginate	Spherification, printable casting, food-safe molds.
Craft	Ceramic	Ceramic Glaze	
Craft	Clay	Ball Clay	
Craft	Clay	Clay Slip	
Craft	Clay	Earthenware Clay	
Craft	Clay	Mexican Paste / Florist Paste	
Craft	Clay	Oil Clay	
Craft	Clay	Polymer Clay	
Craft	Clay	Porcelain	
Craft	Clay	Terracotta	
Craft	Dye	Weld (Reseda luteola)	Best historical European yellow dye plant. Very lightfast with alum mordant. Biennial, easy to grow.
Craft	Electronics	Conductive Clay	
Craft	Electronics	Graphite	
Craft	Electronics	Graphite Sticks	
Craft	Electronics	Pencil Graphite	
Craft	Fiber	Bookcloth	
Craft	Fiber	Buckram	
Craft	Fiber	Burlap	
Craft	Fiber	Canvas	
Craft	Fiber	Felted Wool	
Craft	Fiber	Kozo / Mulberry Fiber	
Craft	Fiber	Linen	
Craft	Fiber	Muslin	
Craft	Ink	India Ink	
Craft	Ink	Water based inks	
Craft	Metal	Gold Leaf	
Craft	Metal	Silver Leaf	
Craft	Mineral	Mica/Isinglass	
Craft	Mineral	Pumice Powder	Volcanic glass. Abrasive additive, glaze texture, polishing.
Craft	Mineral	Soap Stone	
Craft	Oil	Hemp Oil	
Craft	Oil	Poppy Oil	
Craft	Oil	Walnut Oil	
Craft	Paint	Acrylic Medium	
Craft	Paint	Acrylic Paint	

Craft	Paint	Milk Paint	Organic, Vegetarian, Not Vegan
Craft	Paint	Oil Paint	
Craft	Paint	Underglaze	
Craft	Paper	Bogus Paper	
Craft	Paper	Chiyogami	
Craft	Paper	Cyanotype Paper (Prepared)	Paper coated with ferric ammonium citrate and potassium ferricyanide. Produces Prussian blue.
Craft	Paper	Fabiano	
Craft	Paper	Kozo Paper	
Craft	Paper	Lokta Paper	
Craft	Paper	Paste Paper	Starch paste applied to paper and textured wet. Traditional German bookbinding decoration.
Craft	Pigment	Bone Black	
Craft	Pigment	Chalk	
Craft	Pigment	Cochineal (Carmine)	Insect-derived vivid red-pink. Very strong. Pre-Columbian origin. pH-sensitive: acid=orange.
Craft	Pigment	Copper Carbonate	
Craft	Pigment	Gamboge	Yellow-orange tree resin from Southeast Asia. Traditional watercolor pigment. Transparent, warm.
Craft	Pigment	Indigo	
Craft	Pigment	Lapis Lazuli	
Craft	Pigment	Madder	
Craft	Pigment	Phthalo Pigments (Phthalocyanine)	Copper phthalocyanine. Intensely strong blue-green range. Non-toxic. Highest tinting strength of common.
Craft	Pigment	Prussian Blue (PB27)	First modern synthetic pigment, 1704. Cool dark transparent blue. Non-toxic. Accidentally discovered.
Craft	Pigment	Quinacridone Pigments	Synthetic organic pigments, 1958. Vivid transparent reds, pinks, violets. Non-toxic. Replaced alizarin.
Craft	Pigment	Titanium White (PW6)	Most opaque modern white pigment. Non-toxic. Replaced lead white. Standard in all modern paints.
Craft	Pigment	Woad	Traditional European blue plant dye and pigment. Same indigo chemistry but lower concentration than.
Craft	Resin	Damar Resin	
Craft	Resin	Rosin	
Craft	Sealant	Shellac	Organic, Not vegetarian,
Craft	Sheet	Horn	
Craft	Sheet	Leather	
Craft	Sheet	Vellum	
Craft	Soap	Glycerin Soap	
Craft	Surface	Carrageenan Marbling Bath	Seaweed gel thickened water surface for traditional paper marbling. Supports floating oil-based inks.
Craft	Surface	Gesso	
Craft	Surface	Heat Transfer Foil	
Craft	Surface	Rub and Buff	
Craft	Surface	Suminagashi	Japanese ink marbling — ink dropped on water surface, pattern transferred to paper.
Craft	Tape	Filmoplast R	
Craft	Tape	Gummed Linen Tape	
Craft	Tape	Tissue Repair Tape	
Craft	Wax	Bees Wax	
Craft	Wax	Carnauba Wax	
Craft	Wax	Cobbler's Wax (Beeswax + Rosin)	Historic adhesive and leather finish. Tacky, water-resistant.
Craft	Wax	Encaustic Paint	
Craft	Wax	Japan Wax / Bayberry Wax	Plant-based hard wax. Higher melting point than beeswax.

Craft	Wax	Lanolin	<i>Wool fat — secreted by sheep, extracted during processing. Excellent skin and leather conditioner.</i>
Craft	Wax	Paraben Wax	
Craft	Wax	Sculpting Wax	
Craft	Wax	Soy Wax	
FORAGED			
Foraged	Additive	Coffee Grounds	
Foraged	Additive	Peatmoss	
Foraged	Bioplastic	Banana Peel	
Foraged	Bioplastic	Mycelium	
Foraged	Bioplastic	Orange Peel	
Foraged	Bioplastic	SCOBY / Bacterial Cellulose	<i>Cellulose mat produced by kombucha bacteria. Dried into leather-like sheet. Genuinely DIY accessible.</i>
Foraged	Bioplastic	Seaweed	
Foraged	Bioplastic	Seaweed Gel	
Foraged	Cellulose	Cardboard	
Foraged	Cellulose	Cellulose Pulp	
Foraged	Cellulose	Paper	
Foraged	Chemical	Wood Ash	
Foraged	Electronics	Charcoal	
Foraged	Fiber	Cattail	
Foraged	Fiber	Coir (Coconut Fiber)	<i>Coarse brown fiber from coconut husks. Water-resistant, cheap. Traditional upholstery base filling.</i>
Foraged	Fiber	Corn Husks	
Foraged	Fiber	Dogbane Fiber	<i>Native North American bast fiber. Among the strongest natural cordage fibers. Traditional indigenous material.</i>
Foraged	Fiber	Horse Hair	
Foraged	Fiber	Horsehair (Curled)	<i>Traditional top-layer upholstery filling. Resilient, breathable, very durable. Curled for loft and recovery.</i>
Foraged	Fiber	Iris Leaves	
Foraged	Fiber	Milkweed Fiber	<i>Native wildflower. Strong bast fiber and silky seed floss. Monarch butterfly larval food plant.</i>
Foraged	Fiber	Rice Straw	
Foraged	Fiber	Rice/Grain Husks	
Foraged	Fiber	Sawdust	
Foraged	Fiber	Seagrass	
Foraged	Fiber	Sisal Fiber	<i>Natural bast fiber from agave. Traditional rope and composite reinforcement. Documented ovumum.</i>
Foraged	Fiber	Stinging Nettle Fiber	<i>One of strongest natural cordage fibers. Perennial weed, spreads readily. Ret and process like flax.</i>
Foraged	Mineral	Seashells	
Foraged	Mineral	Shell	
Foraged	Paper	Newspaper	
Foraged	Paper	Newsprint	
Foraged	Pigment	Black Walnut Hull	<i>Deep warm brown dye and ink from green outer husk. Very archival. Stains skin permanently — gloves.</i>
Foraged	Pigment	Caput Mortuum	
Foraged	Pigment	Charcoal Powder	<i>Ground wood charcoal. Deep matte black. Conductive. Free from any fire source.</i>
Foraged	Pigment	Goldenrod (Solidago)	<i>Common wildflower. Warm yellow-gold dye with alum mordant. Good lightfastness. Grows across North</i>
Foraged	Pigment	Hematite	
Foraged	Pigment	Iron Gall Pigment	<i>Tannins (tea, oak gall) + iron sulfate (rusty nails in vinegar). Traditional brown-black ink and pigment.</i>
Foraged	Pigment	Iron Oxide	

Foraged	Pigment	Lamp Black	
Foraged	Pigment	Limonite	
Foraged	Pigment	Mineral Pigment	
Foraged	Pigment	Onion Skins (Yellow)	Most accessible lightfast natural dye. Brilliant gold-yellow with alum mordant. Food waste source.
Foraged	Pigment	Red Ochre	Anhydrous iron oxide. Made by roasting yellow ochre clay. Red-orange. Used since prehistoric times.
Foraged	Pigment	Terre Verte	
Foraged	Pigment	Verdigris	
Foraged	Pigment	Vine Black	
Foraged	Pigment	Walnut Ink / Pigment	Boiled black walnut hulls reduced to paste or powder. Archival warm brown. Stains permanently.
Foraged	Pigment	Wood Ash White	Sifted fine wood ash. Pale gray-white. Can be used as a pigment extender and white tint.
Foraged	Pigment	Yellow Ochre (Local Clay)	Iron-rich yellow clay from local soil. The most ancient pigment. Roast to shift to red ochre.
Foraged	Resin	Pine Resin	
Foraged	Shell	Cuttlebone	
Foraged	Wax	Animal Fat	
Foraged	Wax	Tallow	

GROCERY			
Grocery	Adhesive	Albumin	
Grocery	Adhesive	Casein	Organic, Vegetarian, Not Vegan
Grocery	Adhesive	Egg White	
Grocery	Adhesive	Starch Paste	
Grocery	Binder	Egg Yolk	
Grocery	Binder	Eggs	
Grocery	Binder	Milk	Organic, Vegetarian, Not Vegan
Grocery	Bioplastic	Agar	
Grocery	Bioplastic	Carrageenan	
Grocery	Bioplastic	Gelatin	
Grocery	Bioplastic	Gelatin Sheet	
Grocery	Bioplastic	Glycerin	
Grocery	Bioplastic	Pectin	Natural gelling agent from citrus peel and apple pomace. Food additive. Bioplastic binder.
Grocery	Bioplastic	Wheat Gluten Bioplastic	Strong bioplastic from wheat gluten protein. Interesting mechanical properties. earthy color.
Grocery	Casting	Chocolate	
Grocery	Casting	Isomalt Sugar	
Grocery	Casting	Sugar Glass	
Grocery	Chemical	Baking Soda	
Grocery	Chemical	Cream of Tartar	
Grocery	Chemical	Ferric Sulfate (Rusty Nail Water)	Iron acetate solution made from steel wool or rusty nails in vinegar. Mordant modifier.
Grocery	Chemical	Salt	
Grocery	Chemical	Vinegar	
Grocery	Food	Gourds	
Grocery	Food	Potato	
Grocery	Mineral	Eggshells	
Grocery	Oil	Castor Oil	
Grocery	Oil	Coconut Oil	

Grocery	Oil	Fractionated Coconut Oil	
Grocery	Oil	Jojoba Oil	
Grocery	Oil	Olive Oil	
Grocery	Oil	Vegetable Oil	
Grocery	Pigment	Avocado Skin and Pit	Produces warm salmon-pink. No mordant needed. Substantive dye. Better lightfastness than beet.
Grocery	Pigment	Beet Powder (Fugitive)	Dried and ground beet. Vivid magenta-pink. Very fugitive—fades rapidly in light. Good for
Grocery	Pigment	Saffron	Intense golden yellow from dried stigmas. Very lightfast for a plant pigment. Traditional illumination pigment.
Grocery	Pigment	Spirulina Powder	Blue-green algae pigment. Vivid blue-green. Fugitive. Used for anathema photography and natural paint.
Grocery	Pigment	Turmeric (Fugitive Pigment)	Curcumin pigment. Vivid orange-yellow. No mordant needed. Highly fugitive but brilliant for demonstrations.
Grocery	Preservative	Clove Oil	
Grocery	Preservative	Tea Tree Oil	
Grocery	Starch	Arrowroot Starch	Bioplastic source. Very fine. Substitute for cornstarch.
Grocery	Starch	Cassava	
Grocery	Starch	Rice	
Grocery	Starch	Tapioca / Cassava Starch	Bioplastic source. Clearer film than cornstarch.
Grocery	Sugar	Glucose	
Grocery	Sugar	Sugar	

INDUSTRIAL

Industrial	Adhesive	Bone Glue / Hide Glue	
Industrial	Adhesive	CA glue	
Industrial	Adhesive	Contact Cement	
Industrial	Adhesive	Fish Glue	
Industrial	Adhesive	Methylcellulose	Wallpaper paste, bookbinding, bioplastic additive. Very safe, no VOCs.
Industrial	Adhesive	Oogoo (Silicone Caulk + Cornstarch)	Hardware store silicone caulk + cornstarch filler/accelerator. DIY flexible rubber compound. Tin-
Industrial	Adhesive	PUR	
Industrial	Adhesive	PVA Glue	
Industrial	Adhesive	Pros-Aide	
Industrial	Adhesive	Rice Starch Paste	Finer than wheat paste. Traditional East Asian bookbinding. Archival, reversible.
Industrial	Adhesive	Shoe Goo	
Industrial	Adhesive	Spray Adhesive	
Industrial	Adhesive	Tylose Powder	
Industrial	Adhesive	Wheat Starch Paste	Cooked wheat starch adhesive. Archival, fully reversible with moisture. Traditional Japanese.
Industrial	Armature	Aluminum Armature Wire (Annealed)	Soft annealed aluminum wire for sculpture and stop motion armature. Holds position without springing back.
Industrial	Armature	Chicken Wire	
Industrial	Armature	Hardware Cloth (Welded Wire Mesh)	Square-grid welded steel mesh. Stiffer and flatter than chicken wire. Rigid armature and structural panels.
Industrial	Armature	Rebar / Steel Rod	Deformed steel rod for concrete reinforcement. Internal armature for large sculpture and outdoor structures.
Industrial	Bioplastic	PHA	
Industrial	Bioplastic	Sodium Alginate Yarn	Extruded sodium alginate crosslinked with calcium chloride. DIY bio yarn. Compostable, not water-stable.
Industrial	Board	Binders Board	
Industrial	Board	Book Board	
Industrial	Board	Chip Board	
Industrial	Board	Gray Board	
Industrial	Board	Museum Board	

Industrial	Carbon	Activated Charcoal	
Industrial	Casting	Green Sand	
Industrial	Casting	Oil Sand	
Industrial	Cellulose	Bamboo	
Industrial	Cellulose	Cork	
Industrial	Cellulose	Wood	
Industrial	Cement	Aircrete (Foam Concrete)	Portland cement + foaming agent. Very lightweight concrete. Thermal insulation, large-scale casting.
Industrial	Cement	Concrete	
Industrial	Cement	Ferrocement	Thin cement layer reinforced with wire mesh. Very strong, lightweight. Traditional boat and tank building.
Industrial	Cement	Hypertufa	
Industrial	Cement	Jesmonite AC100	Water-based acrylic/gypsum composite. Low toxicity, professional finish. Essentially commercial polymer.
Industrial	Cement	Portland Cement	
Industrial	Chemical	Borax	
Industrial	Chemical	Boric Acid	Flame retardant for cellulose. Mild fungicide. Low toxicity.
Industrial	Chemical	Cationic Polyacrylamide	
Industrial	Chemical	Chlorine Bleach	
Industrial	Chemical	Copper Sulfate	Electroforming, mordant, patina agent. Toxic.
Industrial	Chemical	Ferric Ammonium Citrate	Cyanotype and kallitype sensitizer. Substantially non-toxic iron salt. Light-sensitive.
Industrial	Chemical	Lime(Calcium Hydroxide)	
Industrial	Chemical	Lye	
Industrial	Chemical	Oxalic Acid	Wood bleaching, rust removal, mordant aid. Toxic dust.
Industrial	Chemical	Potassium Dichromate	Gum bichromate and dichromate printing sensitizer. Highly toxic, carcinogenic. Adult-supervised only.
Industrial	Chemical	Potassium Ferricyanide	Cyanotype sensitizer. Not the same as cyanide — stable, safe under normal use. Produces Prussian blue.
Industrial	Chemical	Quicklime	
Industrial	Chemical	Silver Nitrate	Photographic sensitizer. Caustic — causes permanent black skin staining. Core of Van Dyke and salted paper.
Industrial	Chemical	Soda Ash	
Industrial	Chemical	Sodium Percarbonate	
Industrial	Chemical	Sodium Thiosulfate (Hypo)	Photographic fixer. Dissolves unexposed silver salts. Non-toxic at working concentrations.
Industrial	Clay	Grog	
Industrial	Clay	Roma Plastilina / Sulfur-Free Oil Clay	Non-drying oil-based sculpting clay. Sulfur-free — platinum/silicone compatible. Non-hardening, fully.
Industrial	Composite	Fiberglass	
Industrial	Electronics	Aluminum Foil Tape	
Industrial	Electronics	Batteries	
Industrial	Electronics	Conductive Dough (Salt)	Flour + salt + water + cream of tartar. Conducts through ionic movement. Educational circuits standard.
Industrial	Electronics	Conductive Fabric	
Industrial	Electronics	Conductive Paint	
Industrial	Electronics	Conductive velcro	
Industrial	Electronics	Copper Tape	
Industrial	Electronics	Electrical Metallic Tubing	
Industrial	Electronics	Nichrome Wire	Nickel-chromium resistance wire. Used in hot wire foam cutters and heating elements.
Industrial	Electronics	Resistive Dough (Sugar)	Flour + sugar + vegetable oil. Non-conductive. Insulating companion to salt dough in educational.
Industrial	Electronics	Velostat	
Industrial	Fabric	Fleece	

Industrial	Fabric	Fusable Interface	
Industrial	Fabric	Polyester Fabric	
Industrial	Fastener	Brass Fasteners	
Industrial	Fastener	Rivets	
Industrial	Fastener	Staples	
Industrial	Fiber	Abaca	
Industrial	Fiber	Cotton	
Industrial	Fiber	Dacron / Polyester Batting	<i>Bonded polyester fiber batting. Wraps over foam to soften edges and add surface comfort layer.</i>
Industrial	Fiber	Flax	
Industrial	Fiber	Fosshape	
Industrial	Fiber	Hemp	
Industrial	Fiber	Polyurethane Foam — High Density	<i>Flexible PU foam for seating. Spec by density (PCF) and firmness (ILD). Not petroleum-free.</i>
Industrial	Fiber	Tyvek	
Industrial	Fiber	Wool	
Industrial	Film	BOPET film	
Industrial	Film	Mylar	
Industrial	Foam	Articulated Foam	
Industrial	Foam	Cushion Foam	
Industrial	Foam	EVA Foam	
Industrial	Foam	Expanding Foam	
Industrial	Foam	Foam Rubber	
Industrial	Lubricant	Mineral Oil/Baby Oil	
Industrial	Metal	Aluminum	
Industrial	Metal	Bismuth	
Industrial	Metal	Copper	
Industrial	Metal	Pewter	
Industrial	Metal	Steel	
Industrial	Metal	Tin	
Industrial	Metal	Woods/Field Metal	
Industrial	Mineral	Aluminum Powder	
Industrial	Mineral	Bentonite Clay	<i>Swells with water. Sand casting binder, slip stabilizer.</i>
Industrial	Mineral	Bronze Powder	
Industrial	Mineral	Calcium Carbonate	
Industrial	Mineral	Fumed Silica	
Industrial	Mineral	Iron Powder	
Industrial	Mineral	Kaolin	
Industrial	Mineral	Perlite	
Industrial	Mineral	Sand	
Industrial	Mineral	Sand+Sodium Silicate	
Industrial	Mineral	Whiting / Precipitated Chalk	<i>Paint extender, primer base, putty filler.</i>
Industrial	Oil	Linseed Oil	
Industrial	Oil	Stand Oil	<i>Heat-polymerized linseed oil. Thick, slow-drying, self-levelling. Less yellowing than raw. Traditional glazing.</i>
Industrial	Oil	Sun-Thickened Linseed Oil	<i>Linseed oil partially polymerized by exposure to sunlight in a shallow dish. Traditional. DIY-makeable.</i>

Industrial	Oil	Tung Oil	
Industrial	Paint	Alcohol Activated Makeup	
Industrial	Paint	Enamel Paint	
Industrial	Paint	PAX paint	
Industrial	Paint	Psycho Paint	
Industrial	Paint	Scenic Paint	
Industrial	Paint	Spray Paint	
Industrial	Pigment	Carbon Black	
Industrial	Pigment	Manganese Dioxide	
Industrial	Pigment	Manganese Oxide	
Industrial	Pigment	Synthetic Pigment	
Industrial	Plaster	Dental Plaster	Extreme detail
Industrial	Plaster	Earthen Plaster	
Industrial	Plaster	Hydrocal	Harder than plaster less porous than PoP
Industrial	Plaster	Plaster of Paris	
Industrial	Plaster	Polymer Modified Gypsum	
Industrial	Plaster	Ultracal 30	Harder industry standard
Industrial	Plastic	ABS	
Industrial	Plastic	Acrylic Coating	
Industrial	Plastic	Epoxy Resin	
Industrial	Plastic	Foam	
Industrial	Plastic	HDPE	
Industrial	Plastic	High Temp Resin	
Industrial	Plastic	LDPE	
Industrial	Plastic	Linoleum	
Industrial	Plastic	Nylon	
Industrial	Plastic	PETG	
Industrial	Plastic	PLA	
Industrial	Plastic	PP	
Industrial	Plastic	PS	
Industrial	Plastic	Platisol	
Industrial	Plastic	Polycarbonate	
Industrial	Plastic	Polyester Resin	
Industrial	Plastic	UV Resin	
Industrial	Plastic	Urethane Resin	
Industrial	Resin	Epoxy Tooling Board	Machinable rigid foam board. CNC-friendly mold master material for vacuum forming and injection molding.
Industrial	Rubber	Natural Rubber Latex	Pourable, flexible when cured, fully natural. Traditional mold and flexible casting material.
Industrial	Rubber	Rubber	
Industrial	Rubber	Slush Latex	
Industrial	Sealant	Water glass (sodium silicate)	May seal concrete/plaster make non-porous.
Industrial	Sheet	Acrylic Sheet	
Industrial	Sheet	Cellulose Acetate	
Industrial	Sheet	Polycarbonate Sheet	

Industrial	Silicone	Clear Silicone Sheet	
Industrial	Silicone	Platinum Cure Silicone	
Industrial	Silicone	Silicone Caulk	
Industrial	Silicone	Tin Cure Silicone	
Industrial	Soap	Soap	
Industrial	Solvent	Acetone	
Industrial	Solvent	D-Limonene / Citrus Solvent	Terpene solvent from citrus peel. Dissolves EPS/polystyrene. Bio-based but NOT non-toxic.
Industrial	Solvent	Denatured Alcohol (Methylated Spirits)	Ethanol with toxic denaturants (methanol). Primary solvent for shellac. Flammable, hazardous.
Industrial	Solvent	Isopropyl Alcohol	
Industrial	Solvent	Mineral Spirits / White Spirit	Petroleum distillate. Thins oil paint and varnishes, cleans brushes. DMS is odorless variant.
Industrial	Structure	EPS Foam (Expanded Polystyrene)	White bead foam. Extremely lightweight, carvable with hot wire. Solvent-sensitive — water-based paints only.
Industrial	Structure	Woven Polypropylene Bags	Dog food, feed, rice bags. Industrial-grade woven PP textile. Sewable, unravelable into tape strips, heat.
Industrial	Structure	XPS Foam (Extruded Polystyrene)	Pink or blue rigid insulation board. Denser than EPS, smoother surface, better detail. Solvent-sensitive.
Industrial	Surface	Anodising Solution (Sodium Dichromate)	Safer electrolyte for DIY aluminum anodising. Produces thickened oxide layer that accents dye.
Industrial	Surface	Patina Chemicals	
Industrial	Surface	Saline Sulfate Etch (Copper Sulfate + Salt)	Low-hazard ferric chloride alternative for etching copper and aluminum. Developed for printmaking safety.
Industrial	Surface	Scenic Dope	
Industrial	Tape	Gaffer Tape	
Industrial	Tape	Gummed Tape	

Cost	Safety	Hazard	Organic	Vegetarian	Vegan	Biodegradable	Grow Your Own
\$\$	1 — Low		Y	Y	Y	Y	N
\$\$	2 — Med	Flammable	N	Y	Y	N	N
\$\$	1 — Low		Y	Y	Y	Y	N
\$\$	1 — Low		Y	Y	Y	Y	N
\$\$	2 — Med	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$\$	1 — Low		Y	Y	Y	Y	N
\$\$	1 — Low	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low		Y	Y	Y	Y	Y
\$\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$\$	1 — Low		P	Y	Y	P	N
\$	1 — Low		P	Y	Y	P	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$\$	1 — Low	Biological	Y	Y	N	Y	N
\$\$\$	1 — Low		Y	Y	Y	Y	N
\$\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$\$	2 — Med		N	Y	Y	P	N
\$\$	1 — Low		N	Y	Y	P	N
\$\$\$\$\$	1 — Low		N	Y	Y	N	N
\$\$\$\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$\$	1 — Low	Inhalant	N	Y	Y	N	N
\$\$	1 — Low	Flammable	Y	Y	Y	Y	Y
\$\$\$	1 — Low	Flammable	Y	Y	Y	Y	Y
\$\$	1 — Low	Flammable	Y	Y	Y	Y	Y
\$	1 — Low	Irritant	N	Y	Y	P	N
\$	2 — Med	Irritant	N	Y	Y	P	N

\$	1 — Low	Biological	Y	Y	N	Y	N
\$ \$	2 — Med	Toxic	P	Y	Y	P	N
\$ \$	2 — Med	Inhalant	N	Y	Y	P	N
\$	1 — Low		Y	Y	Y	Y	N
\$ \$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	2 — Med	Irritant	P	Y	Y	P	N
\$ \$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low	Inhalant	Y	N	N	Y	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$ \$ \$ \$	1 — Low		Y	N	N	Y	N
\$ \$	2 — Med	Toxic	N	Y	Y	N	N
\$ \$ \$ \$	2 — Med		Y	Y	Y	Y	N
\$ \$	2 — Med		Y	Y	Y	Y	Y
\$ \$ \$ \$ \$	1 — Low	Inhalant	N	Y	Y	N	N
\$ \$	1 — Low		Y	Y	Y	Y	Y
\$ \$ \$	1 — Low	Inhalant	N	Y	Y	N	N
\$ \$	1 — Low	Inhalant	N	Y	Y	N	N
\$ \$ \$	1 — Low	Inhalant	N	Y	Y	N	N
\$ \$	1 — Low	Inhalant	N	Y	Y	N	N
\$ \$	1 — Low		Y	Y	Y	Y	Y
\$ \$ \$	2 — Med	Flammable	Y	Y	Y	Y	N
\$	2 — Med	Flammable	Y	Y	Y	Y	Y
\$ \$	2 — Med	Flammable	Y	N	N	Y	N
\$ \$ \$	1 — Low		Y	N	N	Y	N
\$ \$ \$	1 — Low		Y	Y	N	Y	N
\$ \$ \$ \$	1 — Low		Y	Y	N	Y	N
\$	1 — Low		P	P	P	Y	N
\$ \$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		N	Y	Y	P	N
\$ \$	1 — Low		N	Y	Y	N	N
\$ \$	2 — Med	Toxic	N	Y	Y	N	N
\$ \$	1 — Low		P	Y	Y	P	N
\$ \$ \$	1 — Low		N	Y	Y	P	N
\$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$ \$	1 — Low		N	Y	Y	P	N
\$ \$	1 — Low	Flammable	Y	Y	N	Y	Y
\$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low	Flammable	Y	N	N	Y	N
\$ \$ \$	2 — Med	Flammable	Y	Y	N	P	N
\$ \$ \$	1 — Low		Y	Y	Y	Y	N

\$\$	1 — Low		Y	Y	N	Y	N
\$\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	2 — Med	Caustic	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$\$	1 — Low	Biological	Y	N	N	Y	Y
\$\$	2 — Med	Biological	Y	N	N	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	2 — Med		Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	N	Y	N	P	Y
\$	1 — Low	Inhalant	N	Y	N	P	Y
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	2 — Med	Irritant	Y	Y	Y	Y	Y
\$\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Irritant	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	N	Y	Y	N	N

\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	2 — Med	Toxic	N	Y	Y	N	N
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	2 — Med	Irritant	Y	Y	Y	Y	Y
\$	2 — Med	Caustic	Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	2 — Med	Flammable	Y	Y	Y	Y	Y
\$	1 — Low		N	Y	N	P	Y
\$	1 — Low		Y	N	N	Y	Y
\$	1 — Low		Y	N	N	Y	Y
\$	1 — Low	Biological	Y	Y	N	Y	N
\$	1 — Low	Biological	Y	Y	N	Y	N
\$	1 — Low	Biological	Y	Y	N	Y	Y
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low	Biological	Y	Y	N	Y	Y
\$	1 — Low	Biological	Y	Y	N	Y	Y
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low	Biological	Y	N	N	Y	N
\$	1 — Low	Biological	Y	N	N	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	2 — Med		Y	Y	Y	Y	N
\$	1 — Low		Y	N	N	Y	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low	Irritant	N	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low	Irritant	N	Y	Y	N	Y
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low	Irritant	Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	N	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y

\$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Flammable	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$ \$ \$ \$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	2 — Med		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	Y
\$ \$	2 — Med	Irritant	Y	Y	Y	Y	Y
\$ \$	1 — Low	Irritant	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	Y
\$ \$	1 — Low	Biological	Y	N	N	Y	N
\$	2 — Med	Irritant	N	Y	Y	N	N
\$ \$	3 — High	Flammable	N	Y	Y	N	N
\$ \$	1 — Low	Biological	Y	N	N	Y	N
\$	1 — Low		P	Y	Y	P	N
\$	1 — Low	Irritant	P	Y	Y	N	N
\$ \$	3 — High	Toxic	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	P	N
\$ \$ \$	1 — Low		N	Y	Y	N	N
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$	2 — Med	Irritant	N	Y	Y	N	N
\$ \$	2 — Med	Flammable	N	Y	Y	N	N
\$ \$	1 — Low		N	Y	Y	P	N
\$	1 — Low	Biological	Y	Y	Y	Y	Y
\$ \$	1 — Low		N	Y	Y	N	N
\$	1 — Low	Irritant	N	Y	Y	N	N
\$	1 — Low	Irritant	N	Y	Y	N	N
\$	2 — Med	Irritant	N	Y	Y	N	N
\$ \$ \$ \$	2 — Med		P	Y	Y	Y	N
\$ \$	1 — Low		Y	Y	Y	Y	N
\$ \$	1 — Low		N	Y	Y	P	N
\$ \$	1 — Low		N	Y	Y	P	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	N
\$ \$ \$	1 — Low		N	Y	Y	P	N

\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	2 — Med		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low	Inhalant	Y	Y	Y	Y	Y
\$	2 — Med	Caustic	N	Y	Y	P	N
\$	2 — Med	Caustic	N	Y	Y	P	N
\$	2 — Med	Caustic	N	Y	Y	N	N
\$	1 — Low	Caustic	N	Y	Y	P	N
\$	2 — Med	Irritant	N	Y	Y	P	N
\$	2 — Med	Caustic	N	Y	Y	P	N
\$	2 — Med	Irritant	N	Y	Y	N	N
\$	2 — Med	Irritant	N	Y	Y	N	N
\$	3 — High	Toxic	N	Y	Y	N	N
\$	3 — High	Reactive	N	Y	Y	P	N
\$	3 — High	Toxic	N	Y	Y	N	N
\$	2 — Med	Irritant	N	Y	Y	N	N
\$	3 — High	Caustic	N	Y	Y	P	N
\$	4 — Caution	Caustic	N	Y	Y	P	N
\$	3 — High	Toxic	N	Y	Y	N	N
\$	4 — Caution	Carcinogen	N	Y	Y	N	N
\$	2 — Med	Reactive	N	Y	Y	N	N
\$	4 — Caution	Caustic	N	Y	Y	P	N
\$	3 — High	Caustic	N	Y	Y	N	N
\$	2 — Med	Irritant	N	Y	Y	P	N
\$	2 — Med	Irritant	N	Y	Y	P	N
\$	1 — Low		N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	2 — Med	Inhalant	N	Y	Y	N	N
\$	3 — High	Irritant	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	2 — Med	Toxic	N	Y	Y	N	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		N	Y	Y	N	N
\$	2 — Med	Toxic	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	2 — Med		N	Y	Y	N	N
\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N

\$	1 — Low		N	Y	Y	N	N
\$	2 — Med		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$\$	1 — Low		Y	Y	Y	Y	N
\$	1 — Low		Y	Y	Y	Y	Y
\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low		Y	Y	Y	Y	Y
\$\$\$	2 — Med		N	Y	Y	N	N
\$\$	1 — Low		Y	Y	Y	Y	Y
\$\$	2 — Med		N	Y	Y	N	N
\$\$	2 — Med		N	Y	Y	N	N
\$	1 — Low	Biological	Y	Y	N	Y	Y
\$\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$	2 — Med	Reactive	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$	2 — Med		N	Y	Y	N	N
\$\$\$\$	2 — Med		N	Y	Y	N	N
\$\$	2 — Med		N	Y	Y	N	N
\$\$\$	2 — Med	Toxic	N	Y	Y	N	N
\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$	2 — Med		N	Y	Y	N	N
\$\$\$\$	2 — Med		N	Y	Y	N	N
\$\$	2 — Med	Flammable	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	N	Y
\$	2 — Med	Caustic	N	Y	Y	N	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	2 — Med	Flammable	Y	Y	Y	Y	N
\$\$	2 — Med	Flammable	Y	Y	Y	Y	N
\$\$	1 — Low	Flammable	Y	Y	Y	Y	N

\$\$	2 — Med	Flammable	Y	Y	Y	Y	N
\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$	2 — Med	Toxic	N	Y	Y	N	N
\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$	2 — Med	Irritant	N	Y	Y	P	N
\$	2 — Med	Toxic	N	Y	Y	N	N
\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$	2 — Med	Inhalant	N	Y	Y	N	N
\$\$\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	Y	Y
\$\$	1 — Low	Inhalant	N	Y	Y	P	N
\$	1 — Low	Inhalant	N	Y	Y	P	N
\$\$\$	2 — Med	Inhalant	N	Y	Y	P	N
\$\$\$	1 — Low	Inhalant	N	Y	Y	P	N
\$\$	2 — Med		N	Y	Y	N	N
\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$\$	3 — High	Toxic	N	Y	Y	N	N
\$	2 — Med		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$\$\$	3 — High	Toxic	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$	2 — Med		P	Y	Y	P	N
\$\$	3 — High		N	Y	Y	N	N
\$\$	1 — Low		N	Y	Y	N	N
\$\$	1 — Low		P	Y	Y	P	N
\$	1 — Low		N	Y	Y	N	N
\$	2 — Med		N	Y	Y	N	N
\$\$\$	3 — High	Toxic	N	Y	Y	N	N
\$\$\$	2 — Med		N	Y	Y	N	N
\$\$	3 — High	Toxic	N	Y	Y	N	N
\$\$\$	3 — High	Toxic	N	Y	Y	N	N
\$\$\$	3 — High	Toxic	N	Y	Y	N	N
\$\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$	2 — Med		Y	Y	Y	Y	Y
\$\$	2 — Med		P	Y	Y	P	N
\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$\$	3 — High	Caustic	N	Y	Y	N	N
\$\$\$	2 — Med		N	Y	Y	N	N
\$\$\$	2 — Med	Flammable	P	Y	Y	P	N
\$\$\$	2 — Med		N	Y	Y	N	N

\$\$\$	1 — Low		N	Y	Y	N	N
\$\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$	1 — Low	Irritant	N	Y	Y	N	N
\$\$\$	2 — Med	Irritant	N	Y	Y	N	N
\$	1 — Low	Irritant	P	P	P	Y	Y
\$	3 — High	Flammable	N	Y	Y	P	N
\$\$	2 — Med	Flammable	Y	Y	Y	Y	N
\$	3 — High	Toxic	P	Y	Y	P	N
\$	2 — Med	Flammable	N	Y	Y	P	N
\$	2 — Med	Toxic	N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		N	Y	Y	N	N
\$\$	2 — Med	Caustic	N	Y	Y	N	N
\$\$	3 — High	Toxic	N	Y	Y	N	N
\$\$	2 — Med	Toxic	N	Y	Y	N	N
\$\$	2 — Med	Flammable	N	Y	Y	N	N
\$\$	1 — Low		N	Y	Y	N	N
\$	1 — Low		P	Y	Y	P	N

Zone	Waterproof	Longevity	Uses
N/A	None	20–100 Years	Watercolor binder, lithography, ink additive, adhesive
N/A	None	2–20 Years	Temporary adhesive for paper, resist for etching
N/A	None	< 1 Year	Body casting, food-safe mold-making, dental impressions
N/A	None	< 1 Year	Casting, printing, food-safe molding
N/A	Waterproof	Indefinite	Ceramic surface finish, color, waterproofing
N/A	None	Indefinite	Ceramics, slip, glaze, modelling
N/A	None	Indefinite	Ceramic joining, casting, surface coating
N/A	None	Indefinite	Hand-building, wheel throwing, tiles, sculpture
N/A	None	< 1 Year	Fine modelling, flower making, cake decoration
N/A	None	Indefinite	Modelling, maquette, prototype — non-hardening
N/A	None	Indefinite	Modelling, jewellery, fine detail work — oven-cure
N/A	None	Indefinite	Fine ceramics, tableware, electrical insulators
N/A	None	Indefinite	Pottery, tiles, sculpture, garden ware
	None	Indefinite	Natural yellow dye, lake pigment making, over-dyeing for dyes
N/A	None	20–100 Years	Educational circuits, soft electronics, modelling
N/A	None	Indefinite	Drawing, conductive coating, dry lubricant, electronics
N/A	None	Indefinite	Drawing, conductive coating, shielding
N/A	None	Indefinite	Drawing, conductive traces on paper, dry lubricant
N/A	None	20–100 Years	Bookbinding cover, conservation
N/A	None	20–100 Years	Bookbinding stiffener, millinery, garment construction
N/A	None	20–100 Years	Reinforcement, armature, papier-mache, texture, composite fiber, upholstery base
N/A	None	20–100 Years	Painting surface, reinforcement, upholstery
N/A	None	20–100 Years	Structure, padding, surface material, hat-making
N/A	None	20–100 Years	Japanese papermaking, fiber reinforcement
N/A	None	20–100 Years	Bookbinding, canvas, fiber reinforcement, upholstery
N/A	None	20–100 Years	Armature skin, bookbinding, pattern making, mold release
N/A	Resistant	Indefinite	Drawing, printmaking, illustration — permanent
N/A	Resistant	2–20 Years	Screen printing, block printing, fabric printing
N/A	Resistant	Indefinite	Gilding, decorative surface, conservation
N/A	Resistant	Indefinite	Gilding, decorative surface
N/A	None	Indefinite	Pearlescent pigment additive, heat-resistant window, electrical insulator
N/A	None	Indefinite	Abrasive, glaze additive, surface prep
N/A	None	Indefinite	Carving, mold-making for low-temp metals, drawing
	Resistant	2–20 Years	Drying oil finish, paint medium, skin care
	Resistant	2–20 Years	Slow-drying paint medium, pale color
	Resistant	2–20 Years	Drying oil finish, paint medium, wood treatment
N/A	Resistant	2–20 Years	Paint extender, gel medium, varnish, texture additive
N/A	Resistant	2–20 Years	General purpose paint, paint medium, surface coating

N/A	None	2–20 Years	Interior paint, furniture finish, historically authentic
N/A	Resistant	20–100 Years	Traditional painting, slow drying, blending, glazing
N/A	Waterproof	Indefinite	Ceramic surface color applied before glaze firing
N/A	None	< 1 Year	Bookbinding, papier-mache, temporary surface
N/A	None	20–100 Years	Decorative surface, bookbinding, collage
N/A	None	20–100 Years	Alternative photography, photograms, UV-sensitive surface design, bookbinding
N/A	None	20–100 Years	Printmaking, watercolor, drawing
N/A	None	20–100 Years	Bookbinding, conservation repair, printing, collage
N/A	None	20–100 Years	Bookbinding, printing, wrapping
N/A	None	< 1 Year	Bookbinding endpapers, decorative paper, marbling
N/A	None	Indefinite	Pigment — calcined bone, cool black, high tinting strength
N/A	None	Indefinite	Drawing, pigment, whiting, marking
N/A	None	20–100 Years	Natural red pigment, lake pigment, fabric dye, food coloring
N/A	None	Indefinite	Green pigment, ceramic colorant, patina
N/A	None	20–100 Years	Watercolor pigment, glazing, traditional Asian painting
	None	Indefinite	Natural blue vat dye for textiles
N/A	None	Indefinite	Historic blue pigment — ultramarine source
	None	Indefinite	Natural red-orange dye for textiles and leather
N/A	None	Indefinite	Paint pigment, ink, coloring agent — use sparingly, dominated mixtures
N/A	None	Indefinite	Paint pigment, ink, cyanotype image IS Prussian blue, historical painting
N/A	None	Indefinite	Paint pigment, ink, watercolor, acrylic and oil media
N/A	None	Indefinite	Paint pigment, gesso, primer, white base for all paint media
	None	20–100 Years	Natural blue pigment, fabric dye, historical painting, lake pigment
N/A	Resistant	20–100 Years	Varnish, encaustic medium, picture varnish
	Resistant	20–100 Years	Varnish, adhesive, soldering flux, bow rosin, etching
N/A	Resistant	Indefinite	Sealant, UV protection, Water Resistant, Sealant, primer, finish, mixed with alcohol
N/A	Resistant	Indefinite	Carving, sheet material, buttons — thermoplastic when heated
N/A	Resistant	Indefinite	Bookbinding, tooling, strapping, mold making
N/A	Resistant	Indefinite	Bookbinding, manuscripts, drum skin
N/A	None	2–20 Years	Casting, embeds, skin-safe mold filling
N/A	None	< 1 Year	Paper marbling, bookbinding endpapers, surface design
N/A	None	2–20 Years	Surface preparation for painting, priming canvas and board
N/A	Resistant	Indefinite	Decorative surface finish, fabric embellishment
N/A	Resistant	Indefinite	Metallic surface finish, gilding alternative
N/A	None	< 1 Year	Decorative paper making, bookbinding endpapers, printmaking, surface design
N/A	None	20–100 Years	Conservation document and book repair
N/A	None	20–100 Years	Conservation bookbinding, spine lining
N/A	None	20–100 Years	Conservation paper repair
	Resistant	Indefinite	Surface finish, resist, casting, adhesive, candles, polish
N/A	Resistant	Indefinite	Hard surface polish, wax resist, food coating, release agent
N/A	Resistant	20–100 Years	Adhesive, leather finish, thread waxing
N/A	Resistant	Indefinite	Hot wax painting — beeswax and pigment, Hot wax painting medium
N/A	Resistant	20–100 Years	Surface finish, candles, polish

N/A	Resistant	2–20 Years	Leather conditioner, skin balm, lubricant, wax additive, hair products
N/A	Resistant	Indefinite	Candles, surface finish, encaustic
N/A	Resistant	Indefinite	Fine modelling, maquette, jewellery prototype
	Resistant	Indefinite	Candles, surface finish, encaustic alternative
	None	< 1 Year	Filler, texture, bioplastic additive, natural dye
	None	2–20 Years	Lightweight aggregate for hypertufa, growing medium
	None	< 1 Year	Bioplastic source, natural dye, composting
	None	< 1 Year	Bioplastic composite, packaging, insulation, structure
	None	< 1 Year	Bioplastic source, natural dye, oil extraction
	None	< 1 Year	Bioplastic sheet, experimental leather substitute, material study, packaging
	None	< 1 Year	Bioplastic source, natural dye, agar/carrageenan source
	None	< 1 Year	Bioplastic binder, marbling size, food thickener
N/A	None	< 1 Year	Structure, joinery, armature, packaging, printing
N/A	None	< 1 Year	Papier-mache, paper casting, paper clay, handmade paper
N/A	None	< 1 Year	Drawing, printing, pulp, lamination, packaging
	None	Indefinite	Lye source, glaze flux, soil amendment, mordant
	None	Indefinite	Drawing, conductive ink, activated charcoal, soil amendment
	None	2–20 Years	Weaving, basketry, insulation, papermaking
	Resistant	Indefinite	Upholstery base, composite reinforcement, rope, basketry, matting, hypertufa aggregate
	None	< 1 Year	Weaving, fiber reinforcement, natural packaging
	None	20–100 Years	Cordage, traditional textile, basketry
	None	Indefinite	Plaster reinforcement, upholstery, traditional building
	None	Indefinite	Traditional upholstery padding, plaster reinforcement, historical restoration
	None	< 1 Year	Weaving, basketry, natural fiber
	None	20–100 Years	Cordage, spinning fiber, insulation, seed floss textile
	None	2–20 Years	Fiber reinforcement, papermaking, weaving, bioplastic
	None	Indefinite	Lightweight aggregate, bioplastic filler, insulation
	None	2–20 Years	Filler, texture additive, papier-mache, lightweight concrete
	None	2–20 Years	Weaving, basketry, rope, matting
	None	20–100 Years	Rope and cordage, composite reinforcement for gypsum and plaster, matting, basketry
	None	20–100 Years	Cordage, textile fiber, papermaking, traditional European fiber plant
	None	Indefinite	Calcium carbonate source, mosaic, decoration, mold
	None	Indefinite	Mosaic, inlay, carving, pigment — calcium carbonate
N/A	None	< 1 Year	Papier-mache, armature, packaging
N/A	None	< 1 Year	Papier-mache, printing, packaging, drawing
	None	< 1 Year	Natural brown-black dye and ink, wood staining, mordanting agent, historical ink
N/A	None	Indefinite	Dark violet-red iron oxide pigment
	None	Indefinite	Pigment, conductive paint additive, drawing, ink, paper pulp additive
	None	2–20 Years	Natural yellow dye, fabric and paper dyeing
N/A	None	Indefinite	Red iron oxide pigment, polishing — specular hematite
	None	2–20 Years	Natural brown-black pigment, ink, watercolor, historical painting medium
N/A	None	Indefinite	Pigment, rust, ceramic colorant, polishing compound

	None	Indefinite	Pigment, ink, drawing — carbon soot based, Pigment for paint and ink, conductive paint additive, P.V. carbon black
N/A	None	Indefinite	Yellow-brown iron oxide pigment, ochre
N/A	None	Indefinite	Pigment for paint, plaster coloring, glaze
	None	< 1 Year	Natural yellow-gold dye, fabric dyeing, paper dyeing, mordant for natural dyes
	None	Indefinite	Natural red pigment, paint, fresco, stain, wood treatment
N/A	None	Indefinite	Green earth pigment, underpainting, fresco
N/A	None	Indefinite	Historic green pigment — copper acetate, mildly toxic
	None	Indefinite	Pigment — charred grape vines, warm black
	None	2–20 Years	Natural brown-black pigment and ink, wood stain, textile dye, historical ink
	None	Indefinite	Pigment extender, glaze flux, pale tint, traditional water-based cement
	None	Indefinite	Natural yellow-gold pigment, paint, fresco, stain, cave painting, traditional
	Resistant	20–100 Years	Adhesive, varnish, pitch, rosin source, waterproofing
	None	Indefinite	Metal casting mold, polishing, carving
	Resistant	< 1 Year	Soap-making, candles, leather dressing, lubricant
	Resistant	2–20 Years	Candles, soap-making, leather treatment, lubricant
N/A	None	< 1 Year	Binder for pigment, gilding, historical gesso
N/A	None	2–20 Years	Adhesive, paint binder, plastic — derived from milk
	None	< 1 Year	Adhesive, varnish, gilding size, binder
	None	< 1 Year	Bookbinding adhesive, papier-mache, conservation
	None	< 1 Year	Tempera paint binder, gilding, emulsifier
	None	< 1 Year	Tempera binder, casting, bioplastic
	None	< 1 Year	Casein source, bioplastic, milk paint
N/A	None	< 1 Year	Bioplastic, microbiology, food, marbling size
N/A	None	< 1 Year	Marbling size, bioplastic, food thickener
N/A	None	2–20 Years	Bioplastic casting, mold-making, food, photography
N/A	None	2–20 Years	Bioplastic casting, gel filtration, food, photography
N/A	None	Indefinite	Bioplastic plasticizer, soap additive, shelf-life extension, film, soap
N/A	None	< 1 Year	Bioplastic film, paper size, food gel, adhesive, bioplastic composite
N/A	None	< 1 Year	Bioplastic casting, film, structural biopolymer research
N/A	None	< 1 Year	Food casting, sculpture, mold filling
N/A	None	20–100 Years	Sugar casting, transparent casting, food sculpture
N/A	None	< 1 Year	Breakaway props, transparent casting, food sculpture
N/A	None	Indefinite	Chemical process, cleaning, bioplastic pH adjustment, casting
N/A	None	2–20 Years	Bioplastic additive, food casting, mordant aid
	None	< 1 Year	Iron mordant for natural dyeing — darkens and saddens colors, shifts yellow to green
N/A	None	Indefinite	Preservative, mordant aid, chemical process, texture
N/A	None	< 1 Year	pH adjustment, bioplastic process, cleaning, mordant aid
	Resistant	Indefinite	Natural vessel, mold, instrument body
	None	< 1 Year	Starch source for bioplastic, adhesive, block printing
	None	Indefinite	Calcium carbonate filler, texture, mosaic, Mosaic, pigment filler, soap additive, calcium carbonate source, garden
	None	2–20 Years	Plasticizer for bioplastics, lubricant, soap additive
	Resistant	2–20 Years	Mold release, bioplastic plasticizer, finish

N/A	None	2–20 Years	Stable plasticizer, mold release, skin-safe
	None	Indefinite	Lubricant, skin-safe release agent, wax-like at room temperature
	None	< 1 Year	Mold release, soap-making, skin-safe lubricant
	None	< 1 Year	Mold release, bioplastic additive, finish
	None	< 1 Year	Natural pink-peach dye for textiles and paper, mordant-free
	None	< 1 Year	Natural pink-red pigment, food coloring, temporary textile dye, anthotype photography
N/A	None	20–100 Years	Natural gold-yellow pigment, illumination, ink, food coloring
N/A	None	< 1 Year	Natural blue-green pigment, anthotype photography, food coloring, paint
	None	< 1 Year	Natural yellow pigment, fabric dye, anthotype photography, food coloring
	Resistant	2–20 Years	Preservative, biocide for organic materials, oil paint retarder
	None	2–20 Years	Mild preservative and biocide for organic stored materials
	None	2–20 Years	Bioplastic, adhesive
	None	2–20 Years	Starch source for bioplastic, adhesive, food
	None	2–20 Years	Starch source, rice paper, casting, food
	None	2–20 Years	Bioplastic, adhesive, food casting
N/A	None	< 1 Year	Sugar casting, bioplastic additive
	None	2–20 Years	Sugar glass casting, food sculpture, bioplastic
N/A	None	20–100 Years	Joinery adhesive, gesso binder, instrument making
N/A	None	Indefinite	Fast adhesive, gap filling with baking soda, wood repair
N/A	None	Indefinite	Permanent flexible bonding — solvent-based, flammable
N/A	None	2–20 Years	Conservation adhesive, gilding size, flexible bond
N/A	None	20–100 Years	Bookbinding, papier-mache, bioplastic
N/A	Resistant	20–100 Years	Flexible casting, DIY rubber, grip coating, mold liner, gap filler
N/A	Resistant	Indefinite	Structural adhesive, gap filling, construction joinery — moisture activated, expanding
N/A	None	20–100 Years	Adhesive, binder, sealant, paper mache, bookbinding
N/A	None	20–100 Years	Prosthetic adhesive — skin-safe, waterproof
	None	< 1 Year	Bookbinding, conservation repair, Japanese paper work, fine lamination
N/A	Resistant	Indefinite	Flexible adhesive and sealant for rubber and fabric
N/A	Resistant	20–100 Years	Temporary and permanent lamination, fabric bonding
N/A	None	20–100 Years	Binder for modelling pastes, tile adhesive additive
	None	< 1 Year	Bookbinding, paper conservation, papier-mache, paste paper decoration, mounting
N/A	Waterproof	Indefinite	Sculpture armature, stop motion puppet skeleton, small enclosures, model, reusable structures
N/A	Waterproof	Indefinite	Armature for papier-mache and plaster, sculptural structures
N/A	Waterproof	Indefinite	Rigid armature, sifting screens, concrete reinforcement, small enclosures, plaster bath
N/A	Waterproof	Indefinite	Structural armature, concrete reinforcement, ground anchoring, large enclosures
N/A	Resistant	20–100 Years	Biodegradable bioplastic — marine compostable
N/A	None	< 1 Year	Bio yarn, textile experiment, educational chemistry — ionic crosslinking demonstration
N/A	None	20–100 Years	Bookbinding, hard cover construction
N/A	None	20–100 Years	Bookbinding, hard cover construction
N/A	None	2–20 Years	Bookbinding, packaging, lightweight structure
N/A	None	2–20 Years	Bookbinding, packaging, model making
N/A	None	20–100 Years	Conservation matting, archival mounting

	None	Indefinite	Water filtration, soil amendment, biochar
N/A	Resistant	Indefinite	Metal casting mold — traditional foundry, reusable, water-based sand
N/A	Resistant	Indefinite	Sand casting, metal casting mold, modelling — petrobond
	None	Indefinite	Structure, joinery, weaving, pulp
	None	Indefinite	Insulation, lightweight armature, surface texture, stamps
	None	Indefinite	Structure, joinery, carving, armature, casting
N/A	Resistant	Indefinite	Lightweight casting, insulating blocks, large-scale set construction
N/A	Waterproof	Indefinite	Construction, casting, sculpture, furniture
N/A	Waterproof	Indefinite	Sculptural construction, water features, tanks, large-scale outdoor structures
N/A	None	20–100 Years	Lightweight cast planters and garden objects
N/A	Resistant	Indefinite	Casting, sculpture, props, architectural elements, decorative objects
N/A	Waterproof	Indefinite	Concrete, mortar, casting, construction
N/A	None	Indefinite	Flux, fire retardant, slime activator, cleaning, preservative
N/A	None	Indefinite	Flame retardant, fungicide, preservative
N/A	None	20–100 Years	Paper formation aid — do not use near waterways
N/A	None	Indefinite	Disinfectant, whitening — produces toxic fumes when mixed with acids or ammonia
N/A	None	Indefinite	Electroforming, mordant, patina
N/A	None	20–100 Years	Alternative photography — cyanotype, Van Dyke brown, heliotype
N/A	None	Indefinite	Plaster, whitewash, mordant, caustic — handle with care
N/A	None	Indefinite	Soap-making, lye solution for mordant, wood treatment — highly caustic
N/A	None	Indefinite	Wood bleaching, rust removal, dyeing
N/A	None	Indefinite	Gum bichromate photographic process — sensitizer
N/A	None	Indefinite	Alternative photography — cyanotype sensitizer
N/A	None	Indefinite	Lime plaster source — highly caustic, exothermic with water
N/A	None	Indefinite	Alternative photography — Van Dyke brown, salted paper, heliotype, silver processes
N/A	None	Indefinite	Dye fixative for fiber reactive dyes, pH adjustment, cleaning
N/A	None	Indefinite	Oxygen bleach, dye fixative, cleaning
N/A	None	Indefinite	Alternative photography fixer, gold and selenium toning bath
N/A	None	Indefinite	Clay additive for strength and texture, refractory
N/A	None	Indefinite	Sculpting masters for mold-making, stop motion construction, industrial design
N/A	Waterproof	Indefinite	Structural lamination, mold-making, composite construction
N/A	Waterproof	Indefinite	Conductive traces, heat shielding, duct sealing
N/A	None	20–100 Years	Power source for circuits, electronics projects
N/A	None	< 1 Year	Educational circuits, soft electronics demonstration, conductive conductor
N/A	Resistant	Indefinite	Wearable electronics, EMI shielding, soft circuits
N/A	Resistant	20–100 Years	Conductive traces, sensor making, circuit repair
N/A	Resistant	Indefinite	Connectors for wearable electronics, soft circuits
N/A	Waterproof	Indefinite	Conductive traces, paper circuits, EMI shielding
N/A	Waterproof	Indefinite	Conduit, structural armature, bending
N/A	Waterproof	Indefinite	Hot wire foam cutting, heating elements, resistance wire applications
N/A	None	< 1 Year	Educational circuits — insulating element, prevents short circuits with conductive dough
N/A	None	Indefinite	Pressure-sensitive resistive material for soft sensors
N/A	Resistant	Indefinite	Insulation, padding, soft sculpture, wearables

N/A	None	Indefinite	Garment stiffening, bookbinding, applique
N/A	Resistant	Indefinite	Fabric, reinforcement, fusible base
N/A	Waterproof	Indefinite	Paper fastening, bookbinding, hardware
N/A	Waterproof	Indefinite	Permanent mechanical fastening, leatherwork
N/A	Waterproof	Indefinite	Mechanical fastening, bookbinding, construction
N/A	None	20–100 Years	Papermaking, rope, fiber reinforcement
	None	20–100 Years	Fiber reinforcement, fabric, paper, padding
N/A	None	Indefinite	Upholstery batting, quilting, padding, soft sculpture fill, puppet bodies
	None	20–100 Years	Linen fiber, linseed oil source, papermaking
N/A	None	Indefinite	Thermoplastic felt — heat-formed hats, masks, armor
	None	20–100 Years	Fiber reinforcement, papermaking, rope, fabric
N/A	None	Indefinite	Upholstery seating, props, stage padding, armature building, impact protection
N/A	None	Indefinite	Weatherproof surface, bookbinding, envelopes, protective clothing
	None	20–100 Years	Felting, weaving, insulation, fiber reinforcement
N/A	Resistant	Indefinite	Stencil material, heat-resistant film, packaging
N/A	Resistant	Indefinite	Stencil material, reflective surface, film, template
N/A	None	Indefinite	Flexible armor and costume construction
N/A	None	Indefinite	Upholstery, seating, packaging, prop padding
N/A	None	Indefinite	Armor, props, cosplay, padding, lightweight structure
N/A	Resistant	Indefinite	Void filling, lightweight armature, insulation
N/A	None	Indefinite	Padding, puppet-making, props, soft sculpture
N/A	None	Indefinite	Mold release, lubricant, skin barrier
N/A	Waterproof	Indefinite	Casting, sheet, structural — higher temp than low-temp alloys
N/A	Waterproof	Indefinite	Very low melting point casting alloy component
N/A	Waterproof	Indefinite	Electroforming, casting, conductive traces, patina
N/A	Waterproof	Indefinite	Low-temp metal casting — tin alloy, lead-free modern versions
N/A	Waterproof	Indefinite	Structural, armature, casting — high temp process
N/A	Waterproof	Indefinite	Low-temp casting, soldering, plating
N/A	Waterproof	Indefinite	Low-temp casting alloy — bismuth, tin, indium
N/A	None	Indefinite	Metallic pigment, resin filler, cold metal casting
N/A	None	Indefinite	Sand casting binder, slip stabilizer, sealing
N/A	None	Indefinite	Metallic pigment, resin filler, cold bronze effect
N/A	None	Indefinite	Filler, pH adjustment, bioplastic additive, whiting
N/A	None	Indefinite	Thickener for resins and silicone, matting agent — fine dust based
N/A	None	Indefinite	Patina effects, metal-filled resin, magnetic additive
N/A	None	Indefinite	Clay additive, paper coating, cosmetics, glaze
N/A	None	Indefinite	Lightweight aggregate for hypertufa and concrete, insulation
	None	Indefinite	Casting, aggregate for concrete and plaster, abrasive, texture
N/A	Resistant	Indefinite	Sand casting, core making
N/A	None	Indefinite	Paint extender, gesso, putty, filler
N/A	Resistant	20–100 Years	Wood finish, paint binder, putty, rust inhibitor
N/A	Resistant	20–100 Years	Oil painting medium, glazing, transparent layers, wood finish
N/A	Resistant	20–100 Years	Oil painting medium, glazing medium, traditional Renaissance technique

N/A	Resistant	20–100 Years	Hard-drying penetrating wood finish — highly durable
N/A	Resistant	2–20 Years	Prosthetic and body paint — alcohol-activated, waterproof
N/A	Resistant	Indefinite	Hard surface finish, model making, signage
N/A	None	2–20 Years	Prosthetic and skin-safe paint — Pros-Aide and acrylic
N/A	None	2–20 Years	Flexible paint for foam and latex — Pros-Aide and
N/A	None	2–20 Years	Large-scale theatrical and scenic painting
N/A	Resistant	Indefinite	Surface finish, color, weathering effects
N/A	None	Indefinite	Pigment, conductive additive, rubber reinforcement
N/A	None	Indefinite	Pigment, ceramic colorant, glaze additive
N/A	None	Indefinite	Brown-black pigment, ceramic colorant
N/A	None	Indefinite	Color for paint, resin, clay — varies by specific pigment
N/A	Resistant	Indefinite	High-detail casting, dental prosthetics, fine mold-making,
	None	20–100 Years	Interior wall finish, natural building, sculpture
N/A	Resistant	Indefinite	Mold-making, casting, theatrical props, harder than
N/A	Resistant	Indefinite	Mold-making, casting, sculpture, construction, surface
N/A	Resistant	Indefinite	High-strength plaster casting, dental, industrial molds
N/A	Resistant	Indefinite	Industrial mold-making, high-detail casting, foam latex
N/A	Resistant	Indefinite	FDM 3D printing, structural parts, vapor smoothing
N/A	Waterproof	Indefinite	Sealing, surface protection, weatherproofing
N/A	Waterproof	Indefinite	Casting, lamination, adhesive, coating
N/A	None	Indefinite	Armature, padding, lightweight structure, texture
N/A	Waterproof	Indefinite	Recycled casting, sheet material, containers
N/A	Resistant	Indefinite	High-temperature casting, tooling
N/A	Resistant	Indefinite	Film, bags, flexible sheet, recycled casting
N/A	Resistant	Indefinite	Block printing, flooring, surface material
N/A	Resistant	Indefinite	FDM 3D printing, gears, structural parts, fabric
N/A	Resistant	Indefinite	FDM 3D printing, food-safe applications, transparent
N/A	Resistant	20–100 Years	FDM 3D printing, packaging, disposable items
N/A	Waterproof	Indefinite	FDM 3D printing, living hinges, food containers
N/A	Resistant	Indefinite	Foam, clear packaging, lost-foam casting
N/A	Resistant	Indefinite	PVC plastisol — casting, screen printing, dip coating
N/A	Resistant	Indefinite	FDM 3D printing, transparent structural parts, safety
N/A	Resistant	Indefinite	Casting, fiberglass lamination, structural parts
N/A	Resistant	Indefinite	Fine casting, coating, electronics encapsulation
N/A	Resistant	Indefinite	Casting, props, foam, flexible parts
N/A	Resistant	Indefinite	CNC mold masters, vacuum forming tools, set
	Resistant	20–100 Years	Mold-making, casting, flexible parts, printing stamps,
N/A	Resistant	Indefinite	Mold-making, printing stamps, flexible parts
N/A	None	20–100 Years	Hollow latex casting, mask-making, props
N/A	Resistant	Indefinite	Sealing, Adhesive, Binder, Deflocculate, Egg
N/A	Resistant	Indefinite	Transparent structural panel, laser cutting, engraving
N/A	Resistant	20–100 Years	Transparent sheet, film, frames — acetone soluble
N/A	Resistant	Indefinite	Impact-resistant transparent panel, glazing

N/A	Resistant	Indefinite	Flexible transparent sheet, gasket, mold liner
N/A	Resistant	Indefinite	Food-safe mold-making, prosthetics, high-detail casting
N/A	Resistant	Indefinite	Sealing, flexible mold material, gap filling
N/A	Resistant	Indefinite	Mold-making, casting — inhibited by sulfur and latex
	None	2–20 Years	Mold release, surface treatment, lubricant, cleaning
N/A	None	20–100 Years	Solvent for ABS, cleaning resin tools, nail polish remover
N/A	None	2–20 Years	Dissolves EPS foam, solvent for oils and adhesives, degreaser, natural citrus cleaner
N/A	None	2–20 Years	Dissolving shellac flakes, alcohol-based stains, fuel for spirit lamps
N/A	None	20–100 Years	Solvent, cleaning, shellac thinner, sanitiser
N/A	None	2–20 Years	Thinning oil paint and varnish, cleaning brushes, degreasing, removing wax
N/A	None	Indefinite	Large sculpture volume, theatrical props, scenic elements, lost foam casting, armature, lost foam casting
N/A	Waterproof	Indefinite	Totes, basketry strips, structural fabric, weaving, sandbags, earthbag construction
N/A	None	Indefinite	Scenic terrain, rock forms, carving, insulation, lightweight set construction
N/A	None	Indefinite	Aluminum surface coloring, anodising, jewellery finishing
N/A	None	Indefinite	Metal surface coloring — varies by specific chemical
N/A	None	Indefinite	Metal etching for printmaking, decorative metalwork, circuit board etching alternative
N/A	None	20–100 Years	Stiffening fabric for theatrical scenery
N/A	Resistant	20–100 Years	Temporary bonding, cable management, theatrical use
N/A	None	2–20 Years	Paper sealing, bookbinding, parcel wrapping

PRIMARY CATEGORIES	
Grocery	Available from a supermarket or food store
Foraged	Collected from nature, scavenged, or recovered from the waste stream
Craft	Art supply, craft, or specialist maker shop
Industrial	Hardware store, builders merchant, or online industrial supplier
COLUMNS	
Category	Primary source category
Type	Material type — single word
Cost	\$ to \$\$\$\$\$ — approximate cost at school / small-batch quantities
Safety	1 Low · 2 Med · 3 High · 4 Caution — intrinsic hazard in working state
Hazard	None · Inhalant · Irritant · Caustic · Toxic · Flammable · Reactive · Carcinogen ·
Organic	Y = no synthetic processing (includes minerals and plant/animal materials)
Vegetarian	Y = no animal slaughter byproducts (beeswax, dairy, eggs are OK)
Vegan	Y = no animal products or byproducts of any kind
Biodegradable	Y = Yes · P = Partial · N = No
Grow Your Own	Y = can be cultivated, foraged, or made from household/local waste
Waterproof	None · Resistant · Waterproof — unfinished material in working state
Longevity	< 1 Year · 2–20 Years · 20–100 Years · Indefinite
Uses	Primary uses across Sources, Stock, and Applications
NOTES	
Pigments	Foraged pigments include earth pigments (ochres, hematite, limonite) and carbon
Fugitive pigments	Beet, turmeric, avocado, spirulina — vivid but fade over time. Good for
Combination hazards	Ratings are for the material in isolation. Combination hazards are noted in
Spelling	American English: fiber, color, mold, aluminum, gray, sulfur.