

VANTORA DIGITAL

DIGITAL LIFE GROWTH

Website Documentation & Source Code

vantoradigital.info

Version 1.0 · 3 November 2026
GitHub: github.com/sjanu0309-jpg/vantora-digital

Contents

1. Website Overview
2. Brand Identity
3. Pages and Content
4. Features
5. Publishing on vantoradigital.info
6. Contact Form → Google Sheets
7. Editing the Website
8. Technology
9. Source Code (complete)

1. Website Overview

This document describes the official VANTORA DIGITAL website: its brand, pages, content, technology, how to publish it on vantoradigital.info, how to connect the enquiry form to Google Sheets, and the complete source code.



Homepage hero with the 3D VANTORA "V" logo and growth arrow

Item	Details
Business name	VANTORA DIGITAL
Tagline	DIGITAL LIFE GROWTH
Website	https://vantoradigital.info
Email	vantoradigital197@gmail.com
Phone / WhatsApp	+91 80729 44769
Facebook	https://www.facebook.com/share/19opepAbXi/
Google Business Profile	https://share.google/d2l6oHwE4L45O2fEv
LinkedIn	Temporary search link — send page URL to update
Source code	https://github.com/sjanu0309-jpg/vantora-digital

2. Brand Identity

The website uses the official VANTORA DIGITAL logo unchanged, with the approved seven-colour palette.

Colour	HEX	Use
Midnight Navy	#071426	Main background
Deep Blue	#0B3B78	Section backgrounds
Electric Blue	#087BFF	Buttons and highlights
Digital Cyan	#20D4FF	Glow and motion effects
Metallic Silver	#D8DEE8	Logo, borders and details
Pure White	#FFFFFF	Text and light sections
Steel Grey	#9AA9BD	Secondary text

- **Headings:** Sora · **Body text:** Inter · **Numbers & labels:** Space Grotesk
- **Style:** dark navy for premium sections, white for content sections, electric blue for actions.

3. Pages and Content

Page (address)	What it contains
Home (/)	3D hero "We don't just market. We create digital growth.", brand intro, 6 services, Why choose VANTORA, 5-step process, portfolio preview, testimonials, industries, FAQs, consultation call-to-action
About (/about)	Story, vision, mission, philosophy, values, approach, reasons to choose VANTORA, founder section (shown once details are added)
Services (/services)	All services, process, industries, FAQs
Service pages (/services/…)	One page per service: introduction, deliverables, benefits, approach, examples, FAQs, consultation button
Portfolio (/portfolio)	Filterable gallery of 9 concept projects with detail pages
Testimonials (/testimonials)	Genuine reviews only + links to Google, Facebook, LinkedIn
Process (/process)	Discover → Strategise → Create → Launch → Optimise
Contact (/contact)	Enquiry form, phone, email, WhatsApp, social links, FAQs
Privacy Policy / Terms	Legal pages
404 page	Custom "page not found" page

3.1 Services

Service	Description
Meta Advertising	Facebook & Instagram ads, campaign strategy, audience targeting, optimisation, paid lead generation.
Social Media Management	Social strategy, content calendars, account management, brand positioning, audience engagement.

Service	Description
Video & Creative Production	Promotional videos, reels, ad creatives, AI-assisted video production, visual storytelling.
Content & Copywriting	Marketing copy, ad headlines, captions, brand messaging, persuasive content.
Customer Avatar & Strategy	Customer research, audience profiling, personas, competitor analysis, campaign strategy.
Lead Generation & Landing Pages	Lead campaigns, conversion-focused landing pages, enquiry funnels, optimisation.

3.2 Industries served

- Textiles & Retail
- Healthcare
- Real Estate
- Restaurants & Hospitality
- Manufacturing
- E-commerce

3.3 Contact form fields

Full Name*, Business Name, Email Address*, Contact Number*, Country, Industry, Required Service, Monthly Marketing Budget, Website URL, Project Details, Preferred Contact Method (WhatsApp / Phone Call / Email). Fields marked * are required. The button reads "Send My Inquiry".

3.4 Content rules followed

- No invented testimonials, client names, campaign results or founder details.
- Portfolio items are clearly labelled "Concept project".
- Sample figures from the mock-up images (1,248 leads, 2,85,000 reach, 7.2%) were not used as real results.

4. Features

- Interactive 3D hero (Three.js) with a static logo fallback and reduced-motion support
- Scroll animations, 3D card tilt, animated process timeline and growth arrow
- Floating WhatsApp button, back-to-top button, sticky navigation, animated mobile menu
- Fully responsive: desktop, laptop, tablet and mobile
- SEO: page titles, descriptions, canonical URLs, Open Graph, structured data, sitemap.xml, robots.txt
- Accessibility: keyboard navigation, skip link, visible focus, screen-reader labels
- Optional Google Analytics with cookie notice; optional booking calendar link

5. Publishing on vantoradigital.info

The code is on GitHub. Every update pushed to the main branch automatically rebuilds and republishes the website through GitHub Pages.

5.1 GitHub Pages settings

1. Open github.com/sjanu0309-jpg/vantora-digital → **Settings** → **Pages**.
2. **Source:** GitHub Actions.
3. **Custom domain:** type vantoradigital.info and click **Save**.
4. After the DNS check succeeds, tick **Enforce HTTPS**.

5.2 DNS records at WordPress.com

1. Go to wordpress.com/domains/manage → vantoradigital.info → **DNS records** → **Manage**.
2. Delete existing A records for the root domain and any old CNAME for www (keep MX and TXT records).
3. Add the records below. Leave the Name empty for the A records.

Type	Name	Value
A	(empty / @)	185.199.108.153
A	(empty / @)	185.199.109.153
A	(empty / @)	185.199.110.153
A	(empty / @)	185.199.111.153
CNAME	www	sjanu0309-jpg.github.io

DNS changes can take from a few minutes up to 24 hours.

6. Contact Form → Google Sheets

Enquiries are saved into a Google Sheet by a Google Apps Script (code in section 9, file backend/google-apps-script/Code.gs). Until this is set up, the form offers to send the enquiry by WhatsApp or email.

1. Create a Google Spreadsheet and copy its ID from the address bar.
2. Open **Extensions** → **Apps Script** and paste the full Code.gs.
3. Project Settings → Script properties: add **SPREADSHEET_ID** (required) and optionally **NOTIFY_EMAIL** = vantoradigital197@gmail.com.
4. Run the **setup** function once and approve permissions.
5. **Deploy** → **New deployment** → **Web app**: Execute as Me, Access: Anyone. Copy the URL ending in /exec.
6. In GitHub: **Settings** → **Secrets and variables** → **Actions** → **Variables** → add **VITE_GOOGLE_SCRIPT_URL** with that URL.
7. Re-run the "Deploy website to GitHub Pages" workflow, then send a test enquiry and check the sheet.

Spreadsheet columns: Timestamp, Lead ID, Full Name, Business Name, Email, Phone, Country, Industry, Required Service, Monthly Budget, Website, Project Details, Contact Preference, Lead Source, Submission Status.

7. Editing the Website

To change…	Edit this file
Phone, email, social links	src/config/site.ts
Founder profile	src/config/site.ts (founder)
Testimonials	src/data/testimonials.ts
Services text and FAQs	src/data/services.ts
Portfolio projects	src/data/portfolio.ts
General FAQs	src/data/faqs.ts
Industries	src/data/industries.ts
Colours, fonts, layout	src/styles/global.css
3D hero animation	src/three/heroScene.ts

Commands for a developer: npm install · npm run dev (local preview) · npm run build (production files in dist/).

8. Technology

React 19, TypeScript, Vite 6, React Router 7, Three.js, Framer Motion, Lucide icons, custom CSS design system, Google Apps Script backend, GitHub Actions + GitHub Pages hosting.

9. Source Code

Complete source code of the website. Images are in public/images and are not reproduced here. The same code is in the GitHub repository and in vantora-digital-website.zip.

package.json

```
{
  "name": "vantora-digital",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "tsc -b && vite build",
    "build:preview": "tsc -b && vite build --mode preview",
    "preview": "vite preview"
  },
  "dependencies": {
    "framer-motion": "^12.43.0",
    "lucide-react": "^1.66.0",
    "react": "^19.3.1",
    "react-dom": "^19.3.1",
    "react-router-dom": "^7.18.5",
    "three": "^0.187.0"
  },
  "devDependencies": {
    "@types/react": "^19.3.0",
    "@types/react-dom": "^19.3.0",
    "@types/three": "^0.187.0",
    "@vitejs/plugin-react": "^4.7.0",
    "typescript": "^5.9.3",
    "vite": "^6.4.5"
  }
}
```

index.html

```
<!doctype html>
<html lang="en-IN">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0, viewport-fit=cover" />
    <title>VANTORA DIGITAL — Digital Life Growth | Creative Digital Marketing Agency</title>
    <meta name="description" content="VANTORA DIGITAL is a creative digital marketing agency helping businesses grow through Meta advertising, social media management, creative production, content and lead generation." />
    <meta name="theme-color" content="#071426" />
    <meta name="robots" content="index, follow" />
    <link rel="canonical" href="https://vantoradigital.info/" />
    <link rel="icon" type="image/png" href="/favicon.png" />
    <link rel="apple-touch-icon" href="/apple-touch-icon.png" />
    <link rel="manifest" href="/site.webmanifest" />

    <meta property="og:type" content="website" />
    <meta property="og:site_name" content="VANTORA DIGITAL" />
    <meta property="og:locale" content="en_IN" />
    <meta property="og:title" content="VANTORA DIGITAL — Digital Life Growth" />
    <meta property="og:description" content="Turn your business into a digital growth story with strategy, creative content and performance-driven advertising." />
```

```
    <meta property="og:url" content="https://vantoradigital.info/" />
    <meta property="og:image" content="https://vantoradigital.info/og-image.jpg" />
    <meta property="og:image:width" content="1200" />
    <meta property="og:image:height" content="630" />
    <meta name="twitter:card" content="summary_large_image" />
    <meta name="twitter:title" content="VANTORA DIGITAL — Digital Life Growth" />
    <meta name="twitter:description" content="Creative digital marketing agency: Meta ads, social media, video, content and lead generation." />
    <meta name="twitter:image" content="https://vantoradigital.info/og-image.jpg" />
    <!-- Google Search Console: paste your verification meta tag here -->
    <!-- <meta name="google-site-verification" content="YOUR_CODE" /> -->

    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600&family=Space+Grotesk:wght@500;600;700&family=Sora:wght@500;600;700;800&display=swap" />

    <script type="application/ld+json">
      {
        "@context": "https://schema.org",
        "@type": "ProfessionalService",
        "name": "VANTORA DIGITAL",
        "alternateName": "Vantora Digital",
        "slogan": "Digital Life Growth",
        "description": "Creative digital marketing agency offering Meta advertising, social media management, video and creative production, content and copywriting, customer strategy and lead generation.",
        "url": "https://vantoradigital.info/",
        "logo": "https://vantoradigital.info/images/vantora-logo-512.png",
        "image": "https://vantoradigital.info/og-image.jpg",
        "email": "vantoradigital197@gmail.com",
        "telephone": "+91-8072944769",
        "address": { "@type": "PostalAddress", "addressCountry": "IN" },
        "areaServed": "Worldwide",
        "sameAs": [
          "https://www.facebook.com/share/19opepAbXi/",
          "https://share.google/d2l6oHwE4L45O2fEv"
        ]
      }
    </script>
  </head>
  <body>
    <div id="root"></div>
    <noscript>
      <div style="padding:24px;font-family:sans-serif;background:#071426;color:#fff">
        VANTORA DIGITAL — Digital Life Growth. Please enable JavaScript to view this website, or contact us:
        <a style="color:#20D4FF" href="tel:+918072944769">+91 80729 44769</a> ·
        <a style="color:#20D4FF" href="mailto:vantoradigital197@gmail.com">vantoradigital197@gmail.com</a>
      </div>
    </noscript>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>
```

vite.config.ts

```
import { defineConfig } from 'vite';
import react from '@vitejs/plugin-react';
```

```

export default defineConfig(({ mode }) => ({
  plugins: [react()],
  base: mode === 'preview' ? './' : '/',
  build: {
    target: 'es2020',
    cssCodeSplit: true,
    rollupOptions: {
      output: {
        manualChunks: {
          three: ['three'],
          motion: ['framer-motion'],
          react: ['react', 'react-dom', 'react-router-dom'],
        },
      },
    },
  },
}));
```

tsconfig.json

```
{
  "compilerOptions": {
    "target": "ES2020",
    "lib": ["ES2020", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "moduleResolution": "bundler",
    "jsx": "react-jsx",
    "strict": true,
    "noUnusedLocals": true,
    "noUnusedParameters": true,
    "skipLibCheck": true,
    "isolatedModules": true,
    "noEmit": true,
    "resolveJsonModule": true,
    "allowImportingTsExtensions": false
  },
  "include": ["src", "vite.config.ts"]
}
```

.env.example

```
# Google Apps Script Web App URL (see backend/google-apps-script/README.md)
VITE_GOOGLE_SCRIPT_URL=
# Google Analytics 4 measurement ID, e.g. G-XXXXXXXXXX (optional)
VITE_GA_ID=
# Optional booking calendar link (Calendly / Google Calendar appointment page)
VITE_BOOKING_URL=
```

.github/workflows/deploy.yml

```
name: Deploy website to GitHub Pages

on:
  push:
    branches: [main]
  workflow_dispatch:

permissions:
  contents: read
```

```
  pages: write
  id-token: write

concurrency:
  group: pages
  cancel-in-progress: true

jobs:
  build:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - uses: actions/setup-node@v4
        with:
          node-version: 22
          cache: npm
      - run: npm ci
      - run: npm run build
        env:
          VITE_GOOGLE_SCRIPT_URL: ${{ vars.VITE_GOOGLE_SCRIPT_URL }}
          VITE_GA_ID: ${{ vars.VITE_GA_ID }}
          VITE_BOOKING_URL: ${{ vars.VITE_BOOKING_URL }}
      # GitHub Pages SPA fallback: unknown routes load the app
      - run: cp dist/index.html dist/404.html
      - uses: actions/upload-pages-artifact@v3
        with:
          path: dist

  deploy:
    needs: build
    runs-on: ubuntu-latest
    environment:
      name: github-pages
      url: ${{ steps.deployment.outputs.page_url }}
    steps:
      - id: deployment
        uses: actions/deploy-pages@v4
```

src/App.tsx

```
import { lazy, Suspense, useEffect } from 'react';
import { Routes, Route, useLocation } from 'react-router-dom';
import { AnimatePresence, motion, useReducedMotion } from 'framer-motion';
import { Header } from './components/Header';
import { Footer } from './components/Footer';
import { FloatingActions } from './components/FloatingActions';
import { CookieNotice } from './components/CookieNotice';
import Home from './pages/Home';

const About = lazy(() => import('./pages/About'));
const Services = lazy(() => import('./pages/Services'));
const ServiceDetail = lazy(() => import('./pages/ServiceDetail'));
const Portfolio = lazy(() => import('./pages/Portfolio'));
const ProjectDetail = lazy(() => import('./pages/ProjectDetail'));
const Testimonials = lazy(() => import('./pages/Testimonials'));
const Process = lazy(() => import('./pages/Process'));
const Contact = lazy(() => import('./pages/Contact'));
const Privacy = lazy(() => import('./pages/Legal').then((m) => ({ default: m.Privacy })));
const Terms = lazy(() => import('./pages/Legal').then((m) => ({ default: m.Terms })));
const NotFound = lazy(() => import('./pages/NotFound'));

```

```
function ScrollManager() {
  const { pathname, hash } = useLocation();
  useEffect(() => {
    if (hash) {
      const el = document.getElementById(hash.slice(1));
      if (el) { el.scrollIntoView(); return; }
    }
    window.scrollTo({ top: 0, left: 0, behavior: 'instant' as ScrollBehavior });
  }, [pathname, hash]);
  return null;
}

export default function App() {
  const location = useLocation();
  const reduce = useReducedMotion();
  return (
    <>
      <a href="#main" className="skip-link" onClick={(e) => { e.preventDefault();
document.getElementById('main')?.focus(); }}>Skip to content</a>
      <ScrollManager />
      <Header />
      <AnimatePresence mode="wait" initial={false}>
        <motion.main
          id="main"
          tabIndex={-1}
          key={location.pathname}
          initial={reduce ? false : { opacity: 0 }}
          animate={{ opacity: 1 }}
          exit={reduce ? undefined : { opacity: 0 }}
          transition={{ duration: 0.3 }}
        >
          <Suspense fallback={<div className="page-loading" aria-label="Loading page" />}>
            <Routes location={location}>
              <Route path="/" element={<Home />} />
              <Route path="/about" element={<About />} />
              <Route path="/services" element={<Services />} />
              <Route path="/services/:slug" element={<ServiceDetail />} />
              <Route path="/portfolio" element={<Portfolio />} />
              <Route path="/portfolio/:slug" element={<ProjectDetail />} />
              <Route path="/testimonials" element={<Testimonials />} />
              <Route path="/process" element={<Process />} />
              <Route path="/contact" element={<Contact />} />
              <Route path="/privacy-policy" element={<Privacy />} />
              <Route path="/terms-and-conditions" element={<Terms />} />
              <Route path="*" element={<NotFound />} />
            </Routes>
          </Suspense>
        </motion.main>
      </AnimatePresence>
      <Footer />
      <FloatingActions />
      <CookieNotice />
    </>
  );
}
```

src/components/CookieNotice.tsx

```
import { useEffect, useState } from 'react';
import { Link } from 'react-router-dom';
import { site } from '../config/site';
```

```
import { loadAnalytics } from '../lib/analytics';

const KEY = 'vantora-consent';
const read = () => { try { return localStorage.getItem(KEY); } catch { return null; } };
const write = (v: string) => { try { localStorage.setItem(KEY, v); } catch { /* storage unavailable */ } };

/** Cookie notice — shown only when analytics is configured (VITE_GA_ID). */
export function CookieNotice() {
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    if (!site.gaId) return;
    const c = read();
    if (c === 'accepted') loadAnalytics(site.gaId);
    else if (!c) setVisible(true);
  }, []);
  if (!visible) return null;
  const choose = (v: 'accepted' | 'declined') => {
    write(v);
    if (v === 'accepted') loadAnalytics(site.gaId);
    setVisible(false);
  };
  return (
    <div className="cookie" role="dialog" aria-live="polite" aria-label="Cookie notice">
      <p>
        We use analytics cookies to understand how visitors use our website and improve it. See our{' '}
        <Link to="/privacy-policy">Privacy Policy</Link>.
      </p>
      <div>
        <button className="btn btn-ghost btn-sm" onClick={() => choose('declined')}>Decline</button>
        <button className="btn btn-primary btn-sm" onClick={() => choose('accepted')}>Accept</button>
      </div>
    </div>
  );
}
```

src/components/CtaSection.tsx

```
import { Link } from 'react-router-dom';
import { ArrowRight, CheckCircle2 } from 'lucide-react';
import { GrowthArrow } from './GrowthArrow';
import { Reveal, MaskText } from './Reveal';
import { whatsappLink } from '../config/site';

export function CtaSection({
  title = <>Ready to <span className="grad">Grow</span> Your Business <span className="grad">Digitally?</span></>,
  text = "Let's create a digital strategy that moves your business forward.",
}: { title?: React.ReactNode; text?: string }) {
  return (
    <section className="cta-section dark" aria-labelledby="cta-title">
      <div className="container cta-grid">
        <div>
          <span className="eyebrow">Free consultation</span>
          <h2 id="cta-title" className="display-2"><MaskText lines={[title]} /></h2>
          <Reveal><p className="lead">{text}</p></Reveal>
          <Reveal delay={0.1} className="cta-actions">
            <Link to="/contact" className="btn btn-primary btn-lg">Book Your Free Consultation <ArrowRight size={18} /></Link>
```

```
            <a href={whatsappLink()} target="_blank" rel="noopener noreferrer" className="btn btn-ghost btn-lg">WhatsApp Us</a>
          </Reveal>
          <ul className="checks">
            {['More Visibility', 'Quality Leads', 'Higher Conversions', 'Business Growth'].map((c) => (
              <li key={c}><CheckCircle2 size={18} aria-hidden="true" /> {c}</li>
            ))}
          </ul>
        </div>
        <GrowthArrow />
      </div>
    </section>
  );
}
```

src/components/FaqList.tsx

```
import { useId, useState } from 'react';
import { Plus } from 'lucide-react';

export function FaqList({ items }: { items: { q: string; a: string }[] }) {
  const [open, setOpen] = useState<number | null>(0);
  const base = useId();
  return (
    <div className="faq">
      {items.map((f, i) => {
        const isOpen = open === i;
        return (
          <div className={`faq-item ${isOpen ? 'is-open' : ''}`} key={f.q}>
            <h3>
              <button aria-expanded={isOpen} aria-controls={`${base}-${i}`} id={`${base}-b${i}`} onClick={() => setOpen(isOpen ? null : i)}>
                <span>{f.q}</span>
                <Plus aria-hidden="true" className="faq-icon" />
              </button>
            </h3>
            <div className="faq-panel" id={`${base}-${i}`} role="region" aria-labelledby={`${base}-b${i}`} hidden={!isOpen}>
              <p>{f.a}</p>
            </div>
          </div>
        );
      })}
    </div>
  );
}
```

src/components/FloatingActions.tsx

```
import { useEffect, useState } from 'react';
import { ArrowUp } from 'lucide-react';
import { whatsappLink } from '../config/site';

export function FloatingActions() {
  const [show, setShow] = useState(false);
  useEffect(() => {
    const on = () => setShow(window.scrollY > 700);
    on();
    window.addEventListener('scroll', on, { passive: true });
    return () => window.removeEventListener('scroll', on);
```

```
  }, []);
  return (
    <div className="floating">
      <button
        className={`fab fab-top ${show ? 'is-visible' : ''}`}
        aria-label="Back to top"
        tabIndex={show ? 0 : -1}
        onClick={() => window.scrollTo({ top: 0, behavior: 'smooth' })}
      >
        <ArrowUp size={20} />
      </button>
      <a className="fab fab-wa" href={whatsappLink()} target="_blank" rel="noopener noreferrer" aria-label="Chat with VANTORA DIGITAL on WhatsApp">
        <svg viewBox="0 0 32 32" width="28" height="28" aria-hidden="true" fill="currentColor">
          <path d="M16 3a13 13 0 00-11.2 19.6L3 29l6.6-1.7A13 13 0 1016 3zm0 23.7c-2 0-4-.5-5.7-1.6l-.4-.2-3.9 1 1-3.8-.3-.4A10.7 10.7 0 1116 26.7zm5.9-8c-.3-.2-1.9-1-2.2-1s-.5-.2-.7.2l-1 1.2c-.2.2-.4.2-.7.1a8.8 8.8 0 01-4.4-3.8c-.3-.6.3-.5.9-1.7.1-.2 0-.4 0-.5l-1-2.4c-.3-.6-.5-.5-.7-.5h-.6a1.2 1.2 0 00-.9.4 3.7 3.7 0 00-1.1 2.7 6.4 6.4 0 001.3 3.4 14.6 14.6 0 005.6 5c2.1.9 2.9 1 4 .8a3.4 3.4 0 002.2-1.6 2.8 2.8 0 00.2-1.6c0-.1-.3-.2-.6-.4z" />
        </svg>
      </a>
    </div>
  );
}
```

src/components/Footer.tsx

```
import { Link } from 'react-router-dom';
import { Mail, Phone, MapPin, Globe } from 'lucide-react';
import { asset, site, whatsappLink } from '../config/site';
import { services } from '../data/services';
import { SocialLinks } from './SocialIcons';
import { navItems } from './Header';

export function Footer() {
  return (
    <footer className="site-footer">
      <div className="footer-glow" aria-hidden="true" />
      <div className="container footer-grid">
        <div className="footer-brand">
          <Link to="/" aria-label={`${site.name} — home`}>
            <img src={asset('images/vantora-logo.webp')} width={120} height={120} alt="VANTORA DIGITAL logo — Digital Life Growth" loading="lazy" />
          </Link>
          <p className="footer-tag">{site.tagline}</p>
          <p>
            VANTORA DIGITAL is a creative digital marketing agency helping businesses build a powerful online presence through
            strategy, creative content and performance-driven advertising.
          </p>
          <SocialLinks />
        </div>
        <div>
          <h3>Explore</h3>
          <ul>
            {navItems.map((n) => (
              <li key={n.to}><Link to={n.to}>{n.label}</Link></li>
            ))}
          </ul>
        </div>
        <div>
```

```
          <h3>Services</h3>
          <ul>
            {services.map((s) => (
              <li key={s.slug}><Link to={`/services/${s.slug}`}>{s.name}</Link></li>
            ))}
          </ul>
        </div>
        <div>
          <h3>Contact</h3>
          <ul className="footer-contact">
            <li><Phone size={16} aria-hidden="true" /><a href={`tel:${site.phoneE164}`}>{site.phoneDisplay}</a></li>
            <li><Mail size={16} aria-hidden="true" /><a href={`mailto:${site.email}`}>{site.email}</a></li>
            <li><Globe size={16} aria-hidden="true" /><a href={site.domain}>vantoradigital.info</a></li>
            <li><MapPin size={16} aria-hidden="true" /><span>{site.country} · Serving clients worldwide</span></li>
          </ul>
          <a className="btn btn-whatsapp btn-sm" href={whatsappLink()} target="_blank" rel="noopener noreferrer">
            Chat on WhatsApp
          </a>
        </div>
      </div>
      <div className="container footer-bottom">
        <p>© {new Date().getFullYear()} {site.name}. All rights reserved.</p>
        <ul>
          <li><Link to="/privacy-policy">Privacy Policy</Link></li>
          <li><Link to="/terms-and-conditions">Terms &amp;amp; Conditions</Link></li>
        </ul>
      </div>
    </footer>
  );
}
```

src/components/GrowthArrow.tsx

```
/** Animated "3D" upward growth arrow (SVG + CSS, lightweight). */
export function GrowthArrow() {
  return (
    <div className="growth-arrow" aria-hidden="true">
      <svg viewBox="0 0 400 400">
        <defs>
          <linearGradient id="ga-body" x1="0" y1="1" x2="1" y2="0">
            <stop offset="0" stopColor="#0B3B78" />
            <stop offset=".55" stopColor="#087BFF" />
            <stop offset="1" stopColor="#20D4FF" />
          </linearGradient>
          <linearGradient id="ga-side" x1="0" y1="1" x2="1" y2="0">
            <stop offset="0" stopColor="#071426" />
            <stop offset="1" stopColor="#0B3B78" />
          </linearGradient>
          <filter id="ga-glow" x="-30%" y="-30%" width="160%" height="160%">
            <feGaussianBlur stdDeviation="8" result="b" />
            <feMerge><feMergeNode in="b" /><feMergeNode in="SourceGraphic" /></feMerge>
          </filter>
        </defs>
        <g className="ga-bars">
          {[0, 1, 2, 3].map((i) => (
```

```
            <rect key={i} x={70 + i * 62} y={300 - (i + 1) * 46} width="38" height={(i + 1) * 46 + 40} rx="6" fill="url(#ga-body)" opacity={0.25 + i * 0.12} style={{ animationDelay: `${i * 0.12}s` }} />
          ))}
        </g>
        <g className="ga-arrow" filter="url(#ga-glow)">
          <path d="M40 330 L170 210 L220 250 L320 120 L300 108 L360 70 L352 140 L334 128 L224 275 L172 236 L58 345 Z" fill="url(#ga-side)" transform="translate(8 10)" />
          <path className="ga-path" d="M40 330 L170 210 L220 250 L320 120 L300 108 L360 70 L352 140 L334 128 L224 275 L172 236 L58 345 Z" fill="url(#ga-body)" stroke="#D8DEE8" strokeOpacity=".5" strokeWidth="1.5" />
        </g>
        <circle className="ga-spark" cx="360" cy="70" r="6" fill="#20D4FF" />
      </svg>
    </div>
  );
}
```

src/components/Header.tsx

```
import { useEffect, useState } from 'react';
import { createPortal } from 'react-dom';
import { NavLink, Link, useLocation } from 'react-router-dom';
import { AnimatePresence, motion } from 'framer-motion';
import { Menu, X, ArrowRight, Phone } from 'lucide-react';
import { Logo } from './Logo';
import { site } from '../config/site';
import { SocialLinks } from './SocialIcons';

export const navItems = [
  { to: '/', label: 'Home' },
  { to: '/about', label: 'About' },
  { to: '/services', label: 'Services' },
  { to: '/portfolio', label: 'Portfolio' },
  { to: '/process', label: 'Process' },
  { to: '/testimonials', label: 'Testimonials' },
  { to: '/contact', label: 'Contact' },
];

export function Header() {
  const [open, setOpen] = useState(false);
  const [scrolled, setScrolled] = useState(false);
  const { pathname } = useLocation();

  useEffect(() => setOpen(false), [pathname]);
  useEffect(() => {
    const on = () => setScrolled(window.scrollY > 24);
    on();
    window.addEventListener('scroll', on, { passive: true });
    return () => window.removeEventListener('scroll', on);
  }, []);
  useEffect(() => {
    document.body.style.overflow = open ? 'hidden' : '';
    const esc = (e: KeyboardEvent) => e.key === 'Escape' && setOpen(false);
    window.addEventListener('keydown', esc);
    return () => window.removeEventListener('keydown', esc);
  }, [open]);

  return (
    <header className={`site-header ${scrolled ? 'is-scrolled' : ''}`}>
      <div className="container header-inner">
        <Logo />
```

```
        <nav aria-label="Main" className="main-nav">
          <ul>
            {navItems.map((n) => (
              <li key={n.to}>
                <NavLink to={n.to} end={n.to === '/'}>
                  {n.label}
                </NavLink>
              </li>
            ))}
          </ul>
        </nav>
        <Link to="/contact" className="btn btn-primary btn-sm header-cta">
          Book a Free Consultation <ArrowRight size={16} />
        </Link>
        <button
          className="menu-toggle"
          aria-expanded={open}
          aria-controls="mobile-menu"
          aria-label={open ? 'Close menu' : 'Open menu'}
          onClick={() => setOpen((v) => !v)}
        >
          {open ? <X /> : <Menu />}
        </button>
      </div>

      {createPortal(<AnimatePresence>
        {open && (
          <motion.div
            id="mobile-menu"
            className="mobile-menu"
            initial={{ opacity: 0, clipPath: 'circle(0% at 92% 4%)' }}
            animate={{ opacity: 1, clipPath: 'circle(150% at 92% 4%)' }}
            exit={{ opacity: 0, clipPath: 'circle(0% at 92% 4%)' }}
            transition={{ duration: 0.5, ease: [0.22, 1, 0.36, 1] }}
          >
            <nav aria-label="Mobile">
              <ul>
                {navItems.map((n, i) => (
                  <motion.li key={n.to} initial={{ opacity: 0, x: 24 }} animate={{ opacity: 1, x:
0 }} transition={{ delay: 0.1 + i * 0.05 }}>
                    <NavLink to={n.to} end={n.to === '/'}>
                      <span className="num">0{i + 1}</span> {n.label}
                    </NavLink>
                  </motion.li>
                ))}
              </ul>
            </nav>
            <div className="mobile-menu__foot">
              <Link to="/contact" className="btn btn-primary">
                Book a Free Consultation <ArrowRight size={18} />
              </Link>
              <a href={`tel:${site.phoneE164}`} className="btn btn-ghost">
                <Phone size={18} /> {site.phoneDisplay}
              </a>
              <SocialLinks />
            </div>
          </motion.div>
        )}
      </AnimatePresence>, document.body)}
    </header>
  );
```

```
}
```

src/components/Hero.tsx

```
import { useEffect, useRef, useState } from 'react';
import { Link } from 'react-router-dom';
import { motion, useReducedMotion } from 'framer-motion';
import { ArrowRight, ArrowDown } from 'lucide-react';
import { asset } from '../config/site';
import { useMedia } from '../hooks/useMedia';

function hasWebGL() {
  try {
    const c = document.createElement('canvas');
    return !!(window.WebGLRenderingContext && (c.getContext('webgl2') || c.getContext('webgl')));
  } catch {
    return false;
  }
}

export function Hero() {
  const stage = useRef<HTMLDivElement>(null);
  const reduce = useReducedMotion() ?? false;
  const mobile = useMedia('(max-width: 767px)');
  const [mode, setMode] = useState<'loading' | '3d' | 'fallback'>('loading');

  useEffect(() => {
    if (!stage.current) return;
    if (!hasWebGL()) { setMode('fallback'); return; }
    let handle: { dispose: () => void; setActive: (a: boolean) => void } | null = null;
    let cancelled = false;
    let io: IntersectionObserver | null = null;
    import('../three/heroScene')
      .then(({ createHeroScene }) => {
        if (cancelled || !stage.current) return;
        handle = createHeroScene(stage.current, { mobile, reducedMotion: reduce });
        setMode('3d');
        io = new IntersectionObserver(([e]) => handle?.setActive(e.isIntersecting));
        io.observe(stage.current);
      })
      .catch(() => setMode('fallback'));
    return () => {
      cancelled = true;
      io?.disconnect();
      handle?.dispose();
    };
  }, [mobile, reduce]);

  const ease = [0.22, 1, 0.36, 1] as const;
  const line = (d: number) => ({
    initial: reduce ? false : { y: '110%' },
    animate: { y: '0%' },
    transition: { duration: 1, delay: d, ease },
  });

  return (
    <section className="hero dark" aria-labelledby="hero-title">
      <div className="hero__bg" aria-hidden="true">
        <div className="grid-lines" />
        <div className="orb orb-1" />
        <div className="orb orb-2" />
```

```
        </div>
        <div className={`hero__stage is-${mode}`} ref={stage} aria-hidden="true">
          {mode !== '3d' && (
            <img className="hero__fallback" src={asset('images/vantora-logo.webp')} alt="" width={520} height={520} fetchPriority="high" />
          )}
        </div>
        <div className="container hero__inner">
          <motion.span className="eyebrow" initial={reduce ? false : { opacity: 0, y: 10 }} animate={{ opacity: 1, y: 0 }} transition={{ duration: 0.7, delay: 0.1 }}>
            Your Digital Growth Partner
          </motion.span>
          <h1 id="hero-title" className="hero__title">
            <span className="mask-line"><motion.span className="mask-inner" {...line(0.2)}>We don't just market.</motion.span></span>
            <span className="mask-line"><motion.span className="mask-inner" {...line(0.35)}>We create</motion.span></span>
            <span className="mask-line"><motion.span className="mask-inner grad" {...line(0.5)}>digital growth.</motion.span></span>
          </h1>
          <motion.p className="lead hero__lead" initial={reduce ? false : { opacity: 0, y: 16 }} animate={{ opacity: 1, y: 0 }} transition={{ duration: 0.8, delay: 0.75 }}>
            Transform your business into a powerful digital brand through strategic marketing, creative storytelling and
            performance-driven advertising.
          </motion.p>
          <motion.div className="hero__actions" initial={reduce ? false : { opacity: 0, y: 16 }} animate={{ opacity: 1, y: 0 }} transition={{ duration: 0.8, delay: 0.9 }}>
            <Link to="/contact" className="btn btn-primary btn-lg">Get Free Consultation <ArrowRight size={18} /></Link>
            <Link to="/portfolio" className="btn btn-ghost btn-lg">Explore Our Work</Link>
          </motion.div>
        </div>
        <a href="#intro" className="scroll-cue" aria-label="Scroll to next section">
          <span className="scroll-cue__mouse"><span /></span>
          <span className="scroll-cue__text">Scroll</span>
          <ArrowDown size={14} aria-hidden="true" />
        </a>
      </section>
    );
  }
```

src/components/Logo.tsx

```
import { Link } from 'react-router-dom';
import { asset, site } from '../config/site';

export function Logo({ size = 46, withText = true }: { size?: number; withText?: boolean }) {
  return (
    <Link to="/" className="logo" aria-label={`${site.name} — home`}>
      <img src={asset('images/vantora-logo-160.webp')} width={size} height={size} alt="" />
      {withText && (
        <span className="logo-text">
          <strong>VANTORA <em>DIGITAL</em></strong>
          <small>{site.tagline}</small>
        </span>
      )}
    </Link>
  );
}
```

src/components/PageHero.tsx

```tsx
import type { ReactNode } from 'react';
import { Link } from 'react-router-dom';
import { ChevronRight } from 'lucide-react';
import { MaskText, Reveal } from './Reveal';

export function PageHero({
  eyebrow, title, text, crumbs, children, image,
}: {
  eyebrow: string; title: ReactNode[]; text?: ReactNode; crumbs: { to?: string; label: string }[];
children?: ReactNode; image?: string;
}) {
  return (
    <section className="page-hero dark">
      <div className="page-hero__bg" aria-hidden="true">
        {image && <img src={image} alt="" />}
        <div className="grid-lines" />
        <div className="orb orb-1" /><div className="orb orb-2" />
      </div>
      <div className="container page-hero__inner">
        <nav aria-label="Breadcrumb" className="crumbs">
          <ol>
            <li><Link to="/">Home</Link></li>
            {crumbs.map((c) => (
              <li key={c.label}>
                <ChevronRight size={14} aria-hidden="true" />
                {c.to ? <Link to={c.to}>{c.label}</Link> : <span
aria-current="page">{c.label}</span>}
              </li>
            ))}
          </ol>
        </nav>
        <span className="eyebrow">{eyebrow}</span>
        <h1 className="display-1"><MaskText lines={title} /></h1>
        {text && <Reveal delay={0.2}><p className="lead">{text}</p></Reveal>}
        {children && <Reveal delay={0.3}>{children}</Reveal>}
      </div>
    </section>
  );
}
```

src/components/Reveal.tsx

```tsx
import { motion, useReducedMotion } from 'framer-motion';
import type { ReactNode } from 'react';

interface Props {
  children: ReactNode;
  delay?: number;
  y?: number;
  className?: string;
  as?: 'div' | 'li' | 'section' | 'article';
}

/** Scroll-triggered reveal. Disabled automatically for reduced-motion users. */
export function Reveal({ children, delay = 0, y = 28, className, as = 'div' }: Props) {
  const reduce = useReducedMotion();
  const Comp = motion[as];
  return (
    <Comp
      className={className}
```

```
      initial={reduce ? false : { opacity: 0, y }}
      whileInView={{ opacity: 1, y: 0 }}
      viewport={{ once: true, margin: '0px 0px -60px 0px' }}
      transition={{ duration: 0.7, delay, ease: [0.22, 1, 0.36, 1] }}
    >
      {children}
    </Comp>
  );
}

/** Masked line-by-line headline reveal. */
export function MaskText({ lines, className, delay = 0 }: { lines: ReactNode[]; className?: string; delay?: number }) {
  const reduce = useReducedMotion();
  return (
    <span className={className}>
      {lines.map((l, i) => (
        <span className="mask-line" key={i}>
          <motion.span
            className="mask-inner"
            initial={reduce ? false : { y: '110%' }}
            whileInView={{ y: '0%' }}
            viewport={{ once: true }}
            transition={{ duration: 0.9, delay: delay + i * 0.12, ease: [0.22, 1, 0.36, 1] }}
          >
            {l}
          </motion.span>
        </span>
      ))}
    </span>
  );
}
```

src/components/SectionHeading.tsx

```
import type { ReactNode } from 'react';
import { Reveal } from './Reveal';

export function SectionHeading({
  eyebrow,
  title,
  text,
  align = 'center',
  id,
}: {
  eyebrow: string;
  title: ReactNode;
  text?: ReactNode;
  align?: 'center' | 'left';
  id?: string;
}) {
  return (
    <Reveal className={`section-heading ${align === 'left' ? 'is-left' : ''}`}>
      <span className="eyebrow">{eyebrow}</span>
      <h2 id={id}>{title}</h2>
      {text && <p className="lead">{text}</p>}
    </Reveal>
  );
}
```

src/components/Sections.tsx

```
import { Link } from 'react-router-dom';
import { ArrowRight, ArrowUpRight, Search, Target, Sparkles, Rocket, LineChart, Star, Quote } from 'lucide-react';
import { motion, useScroll, useTransform, useReducedMotion } from 'framer-motion';
import { useRef } from 'react';
import { services } from '../data/services';
import { industries } from '../data/industries';
import { testimonials } from '../data/testimonials';
import type { Project } from '../data/portfolio';
import { asset, site } from '../config/site';
import { Reveal } from './Reveal';
import { ServiceIcon } from './ServiceIcon';
import { TiltCard } from './TiltCard';
import { SocialIcon } from './SocialIcons';

export function ServicesGrid() {
  return (
    <ul className="services-grid">
      {services.map((s, i) => (
        <Reveal as="li" key={s.slug} delay={(i % 3) * 0.08}>
          <TiltCard className="service-card">
            <span className="service-card__num">0{i + 1}</span>
            <ServiceIcon name={s.icon} />
            <h3>{s.name}</h3>
            <p>{s.short}</p>
            <Link to={`/services/${s.slug}`} className="link-arrow" aria-label={`Learn more about ${s.name}`}>
              Learn More <ArrowRight size={16} aria-hidden="true" />
            </Link>
          </TiltCard>
        </Reveal>
      ))}
    </ul>
  );
}

export const processSteps = [
  { icon: Search, title: 'Discover', text: 'Understand your business, audience and goals.' },
  { icon: Target, title: 'Strategise', text: 'Develop a clear, result-driven marketing strategy.' },
  { icon: Sparkles, title: 'Create', text: 'Produce content and advertising creatives.' },
  { icon: Rocket, title: 'Launch', text: 'Execute campaigns and generate enquiries.' },
  { icon: LineChart, title: 'Optimise', text: 'Analyse performance and improve results.' },
];

export function ProcessTimeline() {
  const ref = useRef<HTMLOListElement>(null);
  const reduce = useReducedMotion();
  const { scrollYProgress } = useScroll({ target: ref, offset: ['start 80%', 'end 60%'] });
  const scale = useTransform(scrollYProgress, [0, 1], [0, 1]);
  return (
    <ol className="timeline" ref={ref}>
      <span className="timeline__track" aria-hidden="true">
        <motion.span className="timeline__fill" style={{ ['--p' as string]: reduce ? 1 : scale } as React.CSSProperties} />
      </span>
      {processSteps.map((s, i) => (
        <Reveal as="li" key={s.title} delay={i * 0.1} className="timeline__step">
          <span className="timeline__icon"><s.icon aria-hidden="true" strokeWidth={1.6} /></span>
          <span className="timeline__num">Step 0{i + 1}</span>
          <h3>{s.title}</h3>
```

```
          <p>{s.text}</p>
        </Reveal>
      ))}
    </ol>
  );
}

export function IndustriesGrid() {
  return (
    <ul className="industries">
      {industries.map((ind, i) => (
        <Reveal as="li" key={ind.name} delay={(i % 3) * 0.08}>
          <TiltCard className="industry-card" max={5}>
            <img src={asset(ind.image)} alt="" loading="lazy" width={600} height={260} />
            <div className="industry-card__body">
              <h3>{ind.name}</h3>
              <p>{ind.text}</p>
            </div>
          </TiltCard>
        </Reveal>
      ))}
    </ul>
  );
}

export function ProjectCard({ p, i = 0 }: { p: Project; i?: number }) {
  return (
    <Reveal as="article" delay={(i % 3) * 0.08} className="project-card">
      <Link to={`/portfolio/${p.slug}`} aria-label={`${p.title} — view project`}>
        <div className="project-card__media">
          <img src={asset(p.image)} alt={`${p.title} — ${p.category}`} loading="lazy" />
          <span className="badge">{p.type}</span>
          <span className="project-card__go" aria-hidden="true"><ArrowUpRight /></span>
        </div>
        <div className="project-card__body">
          <span className="project-card__cat">{p.category} · {p.industry}</span>
          <h3>{p.title}</h3>
          <p>{p.summary}</p>
        </div>
      </Link>
    </Reveal>
  );
}

export function TestimonialsBlock() {
  if (testimonials.length === 0) {
    return (
      <Reveal className="reviews-empty">
        <div className="reviews-empty__quote" aria-hidden="true"><Quote /></div>
        <div>
          <h3>Client stories are on their way</h3>
          <p>
            We only publish genuine, approved feedback from real clients. Meanwhile, you can read and
leave reviews on
            our official profiles.
          </p>
          <div className="reviews-empty__links">
            <a className="btn btn-primary btn-sm" href={site.social.googleBusiness} target="_blank"
rel="noopener noreferrer">
              <SocialIcon name="google" /> Google reviews
            </a>
```

```
            <a className="btn btn-ghost btn-sm" href={site.social.facebook} target="_blank" rel="noopener noreferrer">
              <SocialIcon name="facebook" /> Facebook
            </a>
          </div>
        </div>
      </Reveal>
    );
  }
  return (
    <ul className="testimonials">
      {testimonials.map((t, i) => (
        <Reveal as="li" key={t.name + i} delay={(i % 3) * 0.08} className="testimonial">
          <Quote className="testimonial__q" aria-hidden="true" />
          {t.rating && (
            <div className="stars" aria-label={`Rated ${t.rating} out of 5`}>
              {Array.from({ length: 5 }, (_, k) => <Star key={k} size={16} fill={k < t.rating! ? 'currentColor' : 'none'} aria-hidden="true" />)}
            </div>
          )}
          <blockquote><p>{t.text}</p></blockquote>
          <div className="testimonial__who">
            {t.photo && <img src={asset(t.photo)} alt="" width={48} height={48} loading="lazy" />}
            <div>
              <strong>{t.name}</strong>
              {t.business && <span>{t.business}</span>}
            </div>
            {t.source && <a href={t.source.url} target="_blank" rel="noopener noreferrer" className="testimonial__src">View on {t.source.label}</a>}
          </div>
        </Reveal>
      ))}
    </ul>
  );
}
```

src/components/ServiceIcon.tsx

```
import { Megaphone, Layers, Clapperboard, PenTool, UsersRound, ChartNoAxesCombined } from 'lucide-react';
import type { ServiceIconName } from '../data/services';

const map = { meta: Megaphone, social: Layers, video: Clapperboard, content: PenTool, avatar: UsersRound, leads: ChartNoAxesCombined };

/** Floating glass "3D" icon tile. */
export function ServiceIcon({ name, size = 'md' }: { name: ServiceIconName; size?: 'md' | 'lg' }) {
  const Icon = map[name];
  return (
    <span className={`svc-icon svc-icon--${size}`} aria-hidden="true">
      <span className="svc-icon__glow" />
      <Icon strokeWidth={1.6} />
    </span>
  );
}
```

src/components/SocialIcons.tsx

```
import { site } from '../config/site';

const paths = {
```

```
  facebook: 'M13.5 21v-7.5h2.6l.4-3h-3V8.6c0-.9.3-1.5 1.5-1.5h1.6V4.4c-.3 0-1.2-.1-2.3-.1-2.3 0-3.9 1.4-3.9 4v2.2H7.8v3h2.6V21h3.1z',
  linkedin: 'M6.9 8.6H3.6V20h3.3V8.6zM5.3 3.5a1.9 1.9 0 100 3.8 1.9 1.9 0 000-3.8zM20.4 13.6c0-3.1-1.7-5.2-4.5-5.2-1.5 0-2.6.8-3 1.6V8.6H9.7V20H13v-5.9c0-1.5.6-2.6 2-2.6s1.9 1.1 1.9 2.6V20h3.4l.1-6.4z',
  instagram: 'M12 7.3a4.7 4.7 0 100 9.4 4.7 4.7 0 000-9.4zm0 7.7a3 3 0 110-6 3 3 0 010 6zm6-7.9a1.1 1.1 0 11-2.2 0 1.1 1.1 0 012.2 0zM21 8c-.1-1.6-.4-3-1.6-4.2S16.6 2.1 15 2c-1.7-.1-6.4-.1-8 0-1.6.1-3 .4-4.2 1.6S1.1 6.4 1 8c-.1 1.7-.1 6.4 0 8 .1 1.6.4 3 1.6 4.2S5.4 21.9 7 22c1.7.1 6.4.1 8 0 1.6-.1 3-.4 4.2-1.6s1.5-2.6 1.6-4.2c.1-1.7.1-6.3.2-8zm-2.2 9.8a3.2 3.2 0 01-1.8 1.8c-1.3.5-4.3.4-5.6.4s-4.4.1-5.6-.4a3.2 3.2 0 01-1.8-1.8c-.5-1.3-.4-4.3-.4-5.6s-.1-4.4.4-5.6a3.2 3.2 0 011.8-1.8C7 4.3 10 4.4 11.4 4.4s4.4-.1 5.6.4a3.2 3.2 0 011.8 1.8c.5 1.3.4 4.3.4 5.6s.1 4.4-.4 5.6z',
  google: 'M21.6 12.2c0-.7-.1-1.4-.2-2H12v3.8h5.4a4.6 4.6 0 01-2 3v2.5h3.2c1.9-1.7 3-4.3 3-7.3zM12 22c2.7 0 5-.9 6.6-2.4l-3.2-2.5c-.9.6-2 1-3.4 1-2.6 0-4.8-1.8-5.6-4.1H3.1v2.6A10 10 0 0012 22zM6.4 14a6 6 0 010-3.9V7.5H3.1a10 10 0 000 9L6.4 14zM12 6c1.5 0 2.8.5 3.8 1.5l2.9-2.9A10 10 0 003.1 7.5L6.4 10C7.2 7.7 9.4 6 12 6z',
};

export function SocialIcon({ name }: { name: keyof typeof paths }) {
  return (
    <svg viewBox="0 0 24 24" width="18" height="18" aria-hidden="true" fill="currentColor">
      <path d={paths[name]} />
    </svg>
  );
}

export function SocialLinks({ className = '' }: { className?: string }) {
  const items = [
    { key: 'facebook' as const, url: site.social.facebook, label: 'Facebook' },
    { key: 'instagram' as const, url: site.social.instagram, label: 'Instagram' },
    { key: 'linkedin' as const, url: site.social.linkedin, label: 'LinkedIn' },
    { key: 'google' as const, url: site.social.googleBusiness, label: 'Google Business Profile' },
  ].filter((i) => i.url);
  return (
    <ul className={`socials ${className}`}>
      {items.map((i) => (
        <li key={i.key}>
          <a href={i.url} target="_blank" rel="noopener noreferrer" aria-label={`${site.shortName} on ${i.label}`}>
            <SocialIcon name={i.key} />
          </a>
        </li>
      ))}
    </ul>
  );
}
```

src/components/TiltCard.tsx

```
import { useRef, type ReactNode, type PointerEvent } from 'react';
import { useReducedMotion } from '../hooks/useMedia';

/** Subtle 3D tilt that follows the pointer (mouse only). */
export function TiltCard({ children, className = '', max = 7 }: { children: ReactNode; className?: string; max?: number }) {
  const ref = useRef<HTMLDivElement>(null);
  const reduce = useReducedMotion();
  const move = (e: PointerEvent<HTMLDivElement>) => {
    if (reduce || e.pointerType !== 'mouse' || !ref.current) return;
    const r = ref.current.getBoundingClientRect();
    const x = (e.clientX - r.left) / r.width - 0.5;
    const y = (e.clientY - r.top) / r.height - 0.5;
    ref.current.style.setProperty('--rx', `${-y * max}deg`);
```

```
    ref.current.style.setProperty('--ry', `${x * max}deg`);
    ref.current.style.setProperty('--mx', `${(x + 0.5) * 100}%`);
    ref.current.style.setProperty('--my', `${(y + 0.5) * 100}%`);
  };
  const leave = () => {
    ref.current?.style.setProperty('--rx', '0deg');
    ref.current?.style.setProperty('--ry', '0deg');
  };
  return (
    <div ref={ref} className={`tilt ${className}`} onPointerMove={move} onPointerLeave={leave}>
      {children}
    </div>
  );
}
```

src/config/site.ts

```
/**
 * Central business configuration.
 * Edit this file to update contact details, social links and integrations.
 * Only VERIFIED details should be placed here.
 */
export const site = {
  name: 'VANTORA DIGITAL',
  shortName: 'Vantora Digital',
  tagline: 'DIGITAL LIFE GROWTH',
  domain: 'https://vantoradigital.info',
  description:
    'VANTORA DIGITAL is a creative digital marketing agency helping businesses grow through Meta advertising, social media management, creative production, content and lead generation.',
  email: 'vantoradigital197@gmail.com',
  phoneDisplay: '+91 80729 44769',
  phoneE164: '+918072944769',
  whatsappNumber: '918072944769',
  whatsappMessage: "Hi VANTORA DIGITAL, I'd like a free consultation for my business.",
  country: 'India',
  social: {
    facebook: 'https://www.facebook.com/share/19opepAbXi/?mibextid=wwXIfr',
    googleBusiness: 'https://share.google/d2l6oHwE4L45O2fEv',
    /**
     * LinkedIn: no direct page URL was supplied, so this opens a LinkedIn
     * company search for "Vantora Digital". Replace with your page URL,
     * e.g. https://www.linkedin.com/company/your-page/
     */
    linkedin: 'https://www.linkedin.com/search/results/companies/?keywords=Vantora%20Digital',
    /** Add your Instagram profile URL here; it stays hidden while empty. */
    instagram: '',
  },
  /** Google Apps Script Web App URL (set VITE_GOOGLE_SCRIPT_URL in .env). */
  formEndpoint: (import.meta.env.VITE_GOOGLE_SCRIPT_URL as string | undefined) ?? '',
  /** Google Analytics 4 measurement ID, e.g. G-XXXXXXX (set VITE_GA_ID). */
  gaId: (import.meta.env.VITE_GA_ID as string | undefined) ?? '',
  /** Optional booking calendar link (Calendly / Google Calendar appointment page). */
  bookingUrl: (import.meta.env.VITE_BOOKING_URL as string | undefined) ?? '',
};

export const whatsappLink = (msg = site.whatsappMessage) =>
  `https://wa.me/${site.whatsappNumber}?text=${encodeURIComponent(msg)}`;

export const asset = (p: string) => `${import.meta.env.BASE_URL}${p.replace(/^\//, '')}`;

```

```
/**
 * Founder profile — fill in ONLY verified, approved details.
 * The founder section on the About page stays hidden while `name` is empty.
 */
export const founder = {
  name: '',
  designation: '',
  photo: '', // e.g. 'images/founder.webp' placed in /public/images
  bio: '',
};
```

src/data/faqs.ts

```
export const generalFaqs = [
  { q: 'What does VANTORA DIGITAL do?', a: 'We are a creative digital marketing agency. We help businesses grow online through Meta advertising, social media management, video and creative production, copywriting, customer strategy and lead generation.' },
  { q: 'Is the first consultation really free?', a: 'Yes. The first consultation is free and without obligation. We discuss your business, goals and the best next steps.' },
  { q: 'Do you work with small businesses?', a: 'Yes. We work with small and growing businesses as well as established brands across many industries.' },
  { q: 'Do you work with clients outside India?', a: 'Yes. We can work remotely with businesses in other countries. Mention your country in the enquiry form.' },
  { q: 'Do you guarantee results?', a: 'We do not promise specific rankings, leads or sales — no honest agency can. We commit to a clear strategy, quality work, transparent reporting and continuous improvement.' },
  { q: 'How do I get started?', a: 'Fill in the enquiry form, call us or message us on WhatsApp. We will get back to you to arrange your free consultation.' },
];
```

src/data/industries.ts

```
export const industries = [
  { name: 'Textiles & Retail', image: 'images/industry-textiles-retail.webp', text: 'Showcase collections, promote offers and drive store and online sales.' },
  { name: 'Healthcare', image: 'images/industry-healthcare.webp', text: 'Build patient trust and grow appointment enquiries responsibly.' },
  { name: 'Real Estate', image: 'images/industry-real-estate.webp', text: 'Generate qualified buyer and site-visit enquiries for projects.' },
  { name: 'Restaurants & Hospitality', image: 'images/industry-restaurants-hospitality.webp', text: 'Fill tables and rooms with mouth-watering content and local reach.' },
  { name: 'Manufacturing', image: 'images/industry-manufacturing.webp', text: 'Reach B2B buyers and distributors with credible brand presence.' },
  { name: 'E-commerce', image: 'images/industry-ecommerce.webp', text: 'Drive traffic, sales and repeat customers for online stores.' },
];
```

src/data/portfolio.ts

```
/**
 * Portfolio items. All current items are CONCEPT / DEMONSTRATION projects
 * created to show VANTORA DIGITAL's creative direction. Replace or add real
 * client work only with client approval, and add metrics only when verified.
 */
export interface Project {
  slug: string;
  title: string;
  category: string;
  industry: string;
  image: string;
```

```
  type: 'Concept project' | 'Client project';
  summary: string;
  objective: string;
  deliverables: string[];
  approach: string;
  /** Only verified metrics. Leave empty for concept work. */
  metrics?: { label: string; value: string }[];
}

export const portfolioCategories = [
  'All',
  'Social Media Campaigns',
  'Meta Advertising',
  'Brand Identity',
  'Creative Design',
  'Video Production',
  'Landing Pages',
  'Industry Campaigns',
];

export const projects: Project[] = [
  {
    slug: 'textile-brand-social-campaign',
    title: 'Textile Brand Social Campaign',
    category: 'Social Media Campaigns',
    industry: 'Textiles & Retail',
    image: 'images/work-textile-campaign.webp',
    type: 'Concept project',
    summary: 'A rich, texture-led Instagram campaign concept for a fabric and saree retailer.',
    objective: 'Showcase new fabric collections and drive showroom visits and WhatsApp enquiries.',
    deliverables: ['Content calendar', 'Carousel & story designs', 'Reels concept', 'Captions'],
    approach: 'Close-up texture photography, warm colour grading and collection-led storytelling with clear calls to action.',
  },
  {
    slug: 'hospital-awareness-campaign',
    title: 'Hospital Awareness Campaign',
    category: 'Meta Advertising',
    industry: 'Healthcare',
    image: 'images/work-hospital-campaign.webp',
    type: 'Concept project',
    summary: 'A trust-first Meta ad concept promoting health check-up packages.',
    objective: 'Increase awareness of preventive health packages and appointment enquiries.',
    deliverables: ['Audience strategy', 'Ad creatives', 'Lead form copy', 'Landing page wireframe'],
    approach: 'Calm, clinical visuals, clear package information and a simple appointment booking journey that respects healthcare advertising policies.',
  },
  {
    slug: 'real-estate-lead-funnel',
    title: 'Real Estate Lead Funnel',
    category: 'Landing Pages',
    industry: 'Real Estate',
    image: 'images/work-realestate-campaign.webp',
    type: 'Concept project',
    summary: 'A landing page and lead campaign concept for a premium residential project.',
    objective: 'Generate qualified site-visit enquiries from home buyers.',
    deliverables: ['Landing page design', 'Lead campaign plan', 'Brochure-style creatives', 'WhatsApp follow-up flow'],
    approach: 'Lifestyle-led visuals, amenity highlights and a short, mobile-first enquiry form connected to Google Sheets.',
  },
```

```
  {
    slug: 'restaurant-launch-promo',
    title: 'Restaurant Launch Promo',
    category: 'Video Production',
    industry: 'Restaurants & Hospitality',
    image: 'images/work-restaurant-campaign.webp',
    type: 'Concept project',
    summary: 'A short-form reel and ad creative concept for a burger restaurant launch.',
    objective: 'Build local buzz and footfall for a new outlet launch.',
    deliverables: ['Reel script', 'Food styling direction', 'Short-form edits', 'Local reach ads'],
    approach: 'Fast-paced, appetite-driven video with warm cinematic lighting and a clear launch-offer message.',
  },
  {
    slug: 'meta-ads-creative-system',
    title: 'Meta Ads Creative System',
    category: 'Meta Advertising',
    industry: 'E-commerce',
    image: 'images/meta-ads.webp',
    type: 'Concept project',
    summary: 'A scalable set of sponsored-post templates for Facebook and Instagram.',
    objective: 'Create consistent, testable ad creatives for ongoing campaigns.',
    deliverables: ['Ad templates', 'Video ad frames', 'Copy variations', 'Testing plan'],
    approach: 'Modular templates that make A/B testing of hooks, visuals and offers quick and consistent.',
  },
  {
    slug: 'brand-identity-growth-kit',
    title: 'Brand Identity Growth Kit',
    category: 'Brand Identity',
    industry: 'Industry Campaigns',
    image: 'images/studio-growth.webp',
    type: 'Concept project',
    summary: 'A premium brand presentation and digital identity kit.',
    objective: 'Give a growing business a confident, consistent digital identity.',
    deliverables: ['Brand presentation', 'Social profile kit', 'Colour & type guide', 'Launch posts'],
    approach: 'Dark, cinematic visuals with metallic and electric-blue accents to communicate premium quality.',
  },
  {
    slug: 'video-studio-production',
    title: 'Studio Video Production',
    category: 'Video Production',
    industry: 'Industry Campaigns',
    image: 'images/video-production.webp',
    type: 'Concept project',
    summary: 'A product video and editing workflow concept for brand storytelling.',
    objective: 'Produce professional product videos for social media and ads.',
    deliverables: ['Shot list', 'Product video', 'Reel cut-downs', 'Thumbnail design'],
    approach: 'Controlled studio lighting, clean compositions and platform-specific edits.',
  },
  {
    slug: 'campaign-performance-dashboard',
    title: 'Campaign Reporting Dashboard',
    category: 'Creative Design',
    industry: 'Industry Campaigns',
    image: 'images/campaign-dashboard.webp',
    type: 'Concept project',
    summary: 'A clear reporting dashboard design for tracking leads, reach and conversions.',
    objective: 'Help business owners understand campaign performance at a glance.',
```

```
      deliverables: ['Dashboard design', 'KPI definitions', 'Monthly report template'],
      approach: 'Simple visual hierarchy that highlights what matters: enquiries, cost and growth trends. Figures shown are illustrative only.',
    },
    {
      slug: 'targeted-strategy-campaign',
      title: 'Targeted Strategy Campaign',
      category: 'Industry Campaigns',
      industry: 'Manufacturing',
      image: 'images/target-strategy.webp',
      type: 'Concept project',
      summary: 'An audience-first campaign strategy concept for a B2B manufacturer.',
      objective: 'Reach distributors and business buyers with a credible brand message.',
      deliverables: ['Customer avatars', 'Channel strategy', 'Content pillars', 'Ad concepts'],
      approach: 'Research-led targeting combined with educational content that builds trust with B2B buyers.',
    },
  ];

  export const getProject = (slug: string) => projects.find((p) => p.slug === slug);
```

src/data/services.ts

```
  export type ServiceIconName = 'meta' | 'social' | 'video' | 'content' | 'avatar' | 'leads';

  export interface Service {
    slug: string;
    icon: ServiceIconName;
    name: string;
    short: string;
    summary: string;
    heroLine: string;
    intro: string;
    deliverables: string[];
    benefits: { title: string; text: string }[];
    approach: { title: string; text: string }[];
    faqs: { q: string; a: string }[];
    portfolioCategory: string;
  }

  export const services: Service[] = [
    {
      slug: 'meta-advertising',
      icon: 'meta',
      name: 'Meta Advertising',
      short: 'Facebook & Instagram ads that reach the right people and bring real enquiries.',
      summary:
        'Facebook and Instagram advertising, campaign strategy, audience targeting, optimisation and paid lead generation.',
      heroLine: 'Reach the right customers on Facebook and Instagram.',
      intro:
        'Meta advertising lets your business appear in front of the people most likely to buy — by location, interests, behaviour and intent. We plan, build and manage Facebook and Instagram campaigns around one goal: turning ad spend into genuine business conversations.',
      deliverables: [
        'Campaign strategy and objective planning',
        'Audience research and targeting setup',
        'Ad creatives and ad copy (static, carousel and video)',
        'Meta Pixel and conversion event setup guidance',
        'A/B testing of audiences, creatives and offers',
        'Regular performance reporting and optimisation',
```

```
      ],
      benefits: [
        { title: 'Precise targeting', text: 'Spend your budget on the audiences that matter to your business.' },
        { title: 'Measurable results', text: 'Track reach, clicks, leads and cost per result in clear reports.' },
        { title: 'Faster enquiries', text: 'Lead and message campaigns bring prospects straight to you.' },
        { title: 'Continuous improvement', text: 'Ongoing testing keeps campaigns improving over time.' },
      ],
      approach: [
        { title: 'Audit & goals', text: 'Review your account, offer and goals to set clear campaign objectives.' },
        { title: 'Build & target', text: 'Structure campaigns, define audiences and prepare scroll-stopping creatives.' },
        { title: 'Launch & monitor', text: 'Go live with tracking in place and monitor early signals closely.' },
        { title: 'Optimise & scale', text: 'Shift budget to what works and scale winning campaigns responsibly.' },
      ],
      faqs: [
        { q: 'What budget do I need to start Meta advertising?', a: 'It depends on your goals, location and industry. We recommend a budget during your free consultation, so you can start small, learn quickly and scale what works.' },
        { q: 'Is the ad budget included in your fee?', a: 'No. Ad spend is paid directly to Meta from your own ad account. Our fee covers strategy, creative, setup and management.' },
        { q: 'How soon will I see results?', a: 'Campaigns usually begin delivering within days, but the first few weeks are a learning phase. We share honest progress updates — we never guarantee specific results.' },
      ],
      portfolioCategory: 'Meta Advertising',
    },
    {
      slug: 'social-media-management',
      icon: 'social',
      name: 'Social Media Management',
      short: 'Consistent, on-brand content and engagement that grows your audience.',
      summary:
        'Social strategy, content calendars, account management, brand positioning and audience engagement.',
      heroLine: 'Show up consistently. Build a brand people trust.',
      intro:
        'Your social media is often the first place customers check before they contact you. We manage your Facebook, Instagram and LinkedIn presence with a clear strategy, a planned content calendar and on-brand creatives — so your business looks professional and stays top of mind.',
      deliverables: [
        'Social media strategy and brand positioning',
        'Monthly content calendar',
        'Post and story designs',
        'Captions, hashtags and posting schedule',
        'Profile optimisation (bio, highlights, cover)',
        'Monthly insights report',
      ],
      benefits: [
        { title: 'Consistent presence', text: 'A steady posting rhythm without the daily stress.' },
        { title: 'Professional brand image', text: 'Cohesive visuals that build credibility.' },
        { title: 'Stronger engagement', text: 'Content designed for your audience and their questions.' },
        { title: 'Time saved', text: 'Focus on your business while we handle the planning and posting.' },
```

```
    ],
    approach: [
      { title: 'Brand discovery', text: 'Understand your audience, tone of voice and competitors.' },
      { title: 'Content plan', text: 'Create content pillars and a monthly calendar for approval.' },
      { title: 'Design & publish', text: 'Produce creatives and captions, then schedule and publish.'
},
      { title: 'Review & refine', text: 'Analyse insights monthly and refine what we post.' },
    ],
    faqs: [
      { q: 'Which platforms do you manage?', a: 'Primarily Facebook, Instagram and LinkedIn. We
recommend platforms based on where your customers spend their time.' },
      { q: 'Will I approve content before it goes live?', a: 'Yes. You review the monthly calendar
and creatives before anything is published.' },
      { q: 'How many posts per month?', a: 'This depends on the plan we agree together. We focus on
quality and consistency rather than volume.' },
    ],
    portfolioCategory: 'Social Media Campaigns',
  },
  {
    slug: 'video-creative-production',
    icon: 'video',
    name: 'Video & Creative Production',
    short: 'Promotional videos, reels and ad creatives that stop the scroll.',
    summary:
      'Promotional videos, reels, ad creatives, AI-assisted video production and visual
storytelling.',
    heroLine: 'Visual stories that make people stop, watch and act.',
    intro:
      'Video and strong visuals are the fastest way to capture attention online. We create
promotional videos, short-form reels and ad creatives — including AI-assisted production — that explain
your offer clearly and make your brand memorable.',
    deliverables: [
      'Promotional and brand videos',
      'Instagram Reels and short-form videos',
      'Static and motion ad creatives',
      'AI-assisted video and visual production',
      'Script writing and storyboarding',
      'Editing, captions and platform-ready formats',
    ],
    benefits: [
      { title: 'Higher attention', text: 'Motion and storytelling stand out in busy feeds.' },
      { title: 'Clearer message', text: 'Explain your product or service in seconds.' },
      { title: 'Better ad performance', text: 'Fresh creatives help prevent ad fatigue.' },
      { title: 'Reusable assets', text: 'One shoot, many formats for every platform.' },
    ],
    approach: [
      { title: 'Concept', text: 'Define the message, audience and creative idea.' },
      { title: 'Script & plan', text: 'Write the script and plan visuals, shots or AI assets.' },
      { title: 'Produce', text: 'Shoot, generate and edit with your brand style.' },
      { title: 'Deliver', text: 'Export in the right sizes for reels, stories, feeds and ads.' },
    ],
    faqs: [
      { q: 'Do you shoot on location?', a: 'We can plan on-location shoots depending on your location
and project scope. We also produce videos using your existing footage, product images and AI-assisted
visuals.' },
      { q: 'What is AI-assisted video production?', a: 'We use AI tools to support visuals, voice-
overs and editing — combined with human creative direction — to produce quality content efficiently.' },
      { q: 'How many revisions are included?', a: 'Revision rounds are agreed upfront for each
project so expectations are clear.' },
    ],
    portfolioCategory: 'Video Production',
```

```
  },
  {
    slug: 'content-copywriting',
    icon: 'content',
    name: 'Content & Copywriting',
    short: 'Persuasive words for ads, captions, websites and brand messaging.',
    summary:
      'Marketing copy, advertising headlines, captions, brand messaging and persuasive content.',
    heroLine: 'Words that connect, persuade and convert.',
    intro:
      'Great design gets attention — great copy gets action. We write clear, persuasive content for your ads, social posts, landing pages and brand messaging, written for your customers and focused on the next step you want them to take.',
    deliverables: [
      'Brand messaging and tone of voice',
      'Ad headlines and primary text',
      'Social media captions',
      'Landing page and website copy',
      'Offer and call-to-action writing',
      'Content ideas and hooks for reels',
    ],
    benefits: [
      { title: 'Clear communication', text: 'Customers instantly understand what you offer.' },
      { title: 'More conversions', text: 'Copy built around benefits and strong calls to action.' },
      { title: 'Consistent voice', text: 'One recognisable brand voice across every channel.' },
      { title: 'Audience-first', text: 'Language that speaks to real customer needs.' },
    ],
    approach: [
      { title: 'Research', text: 'Learn your product, customers and competitors.' },
      { title: 'Message map', text: 'Define key messages, benefits and proof points.' },
      { title: 'Write', text: 'Draft copy tailored to each platform and format.' },
      { title: 'Refine', text: 'Polish with your feedback and test variations in ads.' },
    ],
    faqs: [
      { q: 'Do you write in languages other than English?', a: 'Please mention your preferred language in the enquiry form and we will confirm what we can support.' },
      { q: 'Can you rewrite my existing website content?', a: 'Yes. We can review and improve existing copy so it is clearer and more persuasive.' },
      { q: 'Do I own the copy you write?', a: 'Yes, once the project is complete and paid for, the final approved copy is yours to use.' },
    ],
    portfolioCategory: 'Creative Design',
  },
  {
    slug: 'customer-avatar-strategy',
    icon: 'avatar',
    name: 'Customer Avatar & Strategy',
    short: 'Know your audience deeply and plan marketing that actually fits them.',
    summary:
      'Customer research, audience profiling, personas, competitor analysis and campaign strategy.',
    heroLine: 'Know exactly who you are talking to — and how to win them.',
    intro:
      'Every successful campaign starts with understanding the customer. We research your market, define detailed customer avatars and analyse competitors to build a marketing strategy that targets the right people with the right message.',
    deliverables: [
      'Customer research and audience profiling',
      'Detailed customer avatars / personas',
      'Competitor analysis',
      'Positioning and unique selling points',
      'Channel and campaign strategy',
```

```
        'Marketing roadmap with priorities',
      ],
      benefits: [
        { title: 'Less wasted spend', text: 'Target the people most likely to buy.' },
        { title: 'Sharper messaging', text: 'Speak directly to real customer problems.' },
        { title: 'Competitive edge', text: 'Find gaps your competitors are missing.' },
        { title: 'Clear direction', text: 'A practical plan your whole team can follow.' },
      ],
      approach: [
        { title: 'Discover', text: 'Workshops and questions about your business and customers.' },
        { title: 'Research', text: 'Market, audience and competitor analysis.' },
        { title: 'Define', text: 'Build customer avatars and positioning.' },
        { title: 'Plan', text: 'Turn insights into a step-by-step marketing strategy.' },
      ],
      faqs: [
        { q: 'What is a customer avatar?', a: 'A customer avatar is a detailed profile of your ideal customer — their needs, goals, objections and buying behaviour — used to guide your marketing.' },
        { q: 'Is strategy a one-time project?', a: 'It can be. Many clients start with a strategy project and then continue with execution services.' },
        { q: 'Do I need strategy before running ads?', a: 'It is strongly recommended. A clear strategy makes every rupee of ad spend work harder.' },
      ],
      portfolioCategory: 'Brand Identity',
    },
    {
      slug: 'lead-generation-landing-pages',
      icon: 'leads',
      name: 'Lead Generation & Landing Pages',
      short: 'Conversion-focused funnels that turn visitors into quality enquiries.',
      summary:
        'Lead campaigns, conversion-focused landing pages, enquiry funnels and campaign optimisation.',
      heroLine: 'Turn attention into quality enquiries.',
      intro:
        'Traffic alone does not grow a business — enquiries do. We build lead generation campaigns and conversion-focused landing pages that guide visitors to take action, with forms and follow-up flows that make it easy for prospects to reach you.',
      deliverables: [
        'Lead generation campaign setup',
        'Conversion-focused landing page design',
        'Enquiry forms and lead capture',
        'Thank-you pages and WhatsApp follow-up flows',
        'Lead tracking in Google Sheets or CRM',
        'Funnel analysis and optimisation',
      ],
      benefits: [
        { title: 'More quality leads', text: 'Focused pages that convert better than generic websites.' },
        { title: 'Organised follow-up', text: 'Every enquiry captured and tracked in one place.' },
        { title: 'Lower cost per lead', text: 'Testing and optimisation improve efficiency over time.' },
        { title: 'Faster response', text: 'Instant notifications and WhatsApp follow-up options.' },
      ],
      approach: [
        { title: 'Offer', text: 'Define a compelling offer and lead magnet.' },
        { title: 'Build', text: 'Design the landing page, form and tracking.' },
        { title: 'Drive traffic', text: 'Launch targeted campaigns to the page.' },
        { title: 'Optimise', text: 'Test headlines, forms and audiences to improve results.' },
      ],
      faqs: [
        { q: 'Where will my leads be stored?', a: 'We can send leads to Google Sheets, email or your preferred CRM, depending on your setup.' },
```

```
      { q: 'Do you build the landing pages?', a: 'Yes. We design and build fast, mobile-friendly landing pages focused on conversion.' },
      { q: 'Can you guarantee a number of leads?', a: 'No honest agency can guarantee numbers. We commit to a clear process, transparent reporting and continuous optimisation.' },
    ],
    portfolioCategory: 'Landing Pages',
  },
];

export const getService = (slug: string) => services.find((s) => s.slug === slug);
```

src/data/testimonials.ts

```
/**
 * Testimonials — add ONLY genuine, approved customer reviews.
 * Each review should have the customer's permission. `source` links to the
 * original review (Google Business Profile, Facebook, LinkedIn or Instagram).
 * Rating is optional — include it only when it is verified from the source.
 *
 * Example:
 * {
 *   name: 'Customer Name',
 *   business: 'Business Name, City',
 *   photo: 'images/testimonials/customer.webp',
 *   text: 'Their genuine review text…',
 *   rating: 5,
 *   source: { label: 'Google', url: 'https://…' },
 * }
 */
export interface Testimonial {
  name: string;
  business?: string;
  photo?: string;
  text: string;
  rating?: number;
  source?: { label: string; url: string };
}

export const testimonials: Testimonial[] = [];
```

src/hooks/useMedia.ts

```
import { useEffect, useState } from 'react';

export function useMedia(query: string) {
  const [match, setMatch] = useState(() => typeof window !== 'undefined' && window.matchMedia(query).matches);
  useEffect(() => {
    const mq = window.matchMedia(query);
    const on = () => setMatch(mq.matches);
    on();
    mq.addEventListener('change', on);
    return () => mq.removeEventListener('change', on);
  }, [query]);
  return match;
}

export const useReducedMotion = () => useMedia('(prefers-reduced-motion: reduce)');
```

src/hooks/useSeo.ts

```
import { useEffect } from 'react';
import { useLocation } from 'react-router-dom';
import { site, asset } from '../config/site';

function setMeta(attr: 'name' | 'property', key: string, content: string) {
  let el = document.head.querySelector<HTMLMetaElement>(`meta[${attr}="${key}"]`);
  if (!el) {
    el = document.createElement('meta');
    el.setAttribute(attr, key);
    document.head.appendChild(el);
  }
  el.content = content;
}

/** Page-specific title, description, canonical URL and Open Graph tags. */
export function useSeo(title: string, description: string, opts: { noindex?: boolean } = {}) {
  const { pathname } = useLocation();
  useEffect(() => {
    const full = title ? `${title} | ${site.name}` : `${site.name} — ${site.tagline}`;
    const url = `${site.domain}${pathname === '/' ? '/' : pathname.replace(/\/$/, '')}`;
    document.title = full;
    setMeta('name', 'description', description);
    setMeta('name', 'robots', opts.noindex ? 'noindex, follow' : 'index, follow');
    setMeta('property', 'og:title', full);
    setMeta('property', 'og:description', description);
    setMeta('property', 'og:url', url);
    setMeta('property', 'og:image', `${site.domain}/og-image.jpg`);
    setMeta('name', 'twitter:title', full);
    setMeta('name', 'twitter:description', description);
    let link = document.head.querySelector<HTMLLinkElement>('link[rel="canonical"]');
    if (!link) {
      link = document.createElement('link');
      link.rel = 'canonical';
      document.head.appendChild(link);
    }
    link.href = url;
  }, [title, description, pathname, opts.noindex]);
}

export { asset };
```

src/lib/analytics.ts

```
declare global {
  interface Window { dataLayer: unknown[]; gtag?: (...args: unknown[]) => void }
}

let loaded = false;
/** Google Analytics 4 — loaded only after consent and only if VITE_GA_ID is set. */
export function loadAnalytics(id: string) {
  if (loaded || !id) return;
  loaded = true;
  const s = document.createElement('script');
  s.async = true;
  s.src = `https://www.googletagmanager.com/gtag/js?id=${encodeURIComponent(id)}`;
  document.head.appendChild(s);
  window.dataLayer = window.dataLayer || [];
  window.gtag = function gtag() { window.dataLayer.push(arguments); };
  window.gtag('js', new Date());
  window.gtag('config', id, { anonymize_ip: true });
```

```
}

export function trackEvent(name: string, params: Record<string, unknown> = {}) {
  window.gtag?.('event', name, params);
}
```

src/lib/submitLead.ts

```
import { site } from '../config/site';

export interface LeadPayload {
  fullName: string;
  businessName: string;
  email: string;
  phone: string;
  country: string;
  industry: string;
  service: string;
  budget: string;
  website: string;
  details: string;
  contactPreference: string;
  /** honeypot — must be empty */
  website_hp: string;
  pageUrl: string;
  leadSource: string;
  elapsedMs: number;
}

export type SubmitResult = { ok: true; leadId?: string } | { ok: false; error: string };

/**
 * Sends the enquiry to the Google Apps Script Web App.
 * Uses `text/plain` so the browser sends a "simple" CORS request (no preflight,
 * which Apps Script cannot answer). Apps Script responds via a redirect to
 * googleusercontent.com, which returns the JSON with permissive CORS headers.
 */
export async function submitLead(payload: LeadPayload): Promise<SubmitResult> {
  const controller = new AbortController();
  const timer = setTimeout(() => controller.abort(), 20000);
  try {
    const res = await fetch(site.formEndpoint, {
      method: 'POST',
      headers: { 'Content-Type': 'text/plain;charset=utf-8' },
      body: JSON.stringify(payload),
      redirect: 'follow',
      signal: controller.signal,
    });
    const data = (await res.json().catch(() => null)) as { ok?: boolean; leadId?: string; error?:
string } | null;
    if (res.ok && data?.ok) return { ok: true, leadId: data.leadId };
    return { ok: false, error: data?.error || 'The server could not process your request.' };
  } catch (e) {
    return { ok: false, error: (e as Error).name === 'AbortError' ? 'The request timed out.' :
'Please check your internet connection.' };
  } finally {
    clearTimeout(timer);
  }
}
```

src/main.tsx

```tsx
import { StrictMode } from 'react';
import { createRoot } from 'react-dom/client';
import { BrowserRouter, HashRouter } from 'react-router-dom';
import App from './App';
import './styles/global.css';

// Hash routing is only used for static previews without server rewrites.
const Router = import.meta.env.VITE_ROUTER === 'hash' ? HashRouter : BrowserRouter;

createRoot(document.getElementById('root')!).render(
  <StrictMode>
    <Router>
      <App />
    </Router>
  </StrictMode>,
);
```

src/pages/About.tsx

```tsx
import { Check, Eye, Target, Lightbulb, ShieldCheck, Sparkles, TrendingUp, HeartHandshake } from 'lucide-react';
import { PageHero } from '../components/PageHero';
import { SectionHeading } from '../components/SectionHeading';
import { Reveal, MaskText } from '../components/Reveal';
import { CtaSection } from '../components/CtaSection';
import { ProcessTimeline } from '../components/Sections';
import { asset, founder } from '../config/site';
import { useSeo } from '../hooks/useSeo';

const values = [
  { icon: ShieldCheck, title: 'Honesty', text: 'Transparent communication, realistic expectations and no fake promises.' },
  { icon: Sparkles, title: 'Creativity', text: 'Fresh ideas and modern design that help brands stand out.' },
  { icon: TrendingUp, title: 'Growth', text: 'Every decision is guided by what grows your business.' },
  { icon: HeartHandshake, title: 'Partnership', text: 'We work as an extension of your team, not just a vendor.' },
];

const reasons = [
  'A dedicated team that understands both creativity and performance',
  'Clear strategy before spending a single rupee on ads',
  'Modern, premium creative work for every platform',
  'Transparent reporting you can actually understand',
  'Flexible solutions for small, growing and established businesses',
  'Fast communication via phone, email and WhatsApp',
];

export default function About() {
  useSeo('About Us', 'Learn about VANTORA DIGITAL — a creative digital marketing agency that believes every business deserves to grow digitally. Our story, vision, mission and values.');
  return (
    <>
      <PageHero
        eyebrow="About Us"
        title={['We believe every business', <span className="grad" key="g">deserves to grow digitally.</span>]}
```

```
          text="VANTORA DIGITAL is a creative digital marketing agency helping businesses build a powerful online presence through strategic marketing, creative storytelling and performance-driven advertising."
          crumbs={[{ label: 'About Us' }]}
          image={asset('images/studio-growth.webp')}
        />

        <section className="section light" aria-labelledby="story-title">
          <div className="container intro-grid">
            <div>
              <span className="eyebrow">Our Story</span>
              <h2 id="story-title" className="display-2"><MaskText lines={['Built for businesses', <>ready to <span className="grad">grow.</span></>]} /></h2>
              <Reveal delay={0.1}>
                <p className="lead">
                  Many great businesses struggle online — not because their products or services are weak, but because
                  their digital presence doesn't reflect their true value. VANTORA DIGITAL was created to change that.
                </p>
                <p>
                  We bring together strategy, creative content and targeted advertising so businesses can reach the right
                  customers, communicate clearly and turn attention into real enquiries. Our name reflects our promise:
                  <strong> Digital Life Growth</strong> — helping brands build a stronger, longer-lasting digital life.
                </p>
              </Reveal>
            </div>
            <Reveal className="intro-media">
              <div className="media-frame">
                <img src={asset('images/brand-partnership.webp')} alt="Business handshake beside a checklist: brand strategy, creative content, Meta advertising, lead generation and business growth" loading="lazy" width={552} height={467} />
              </div>
            </Reveal>
          </div>
        </section>

        <section className="section dark" aria-labelledby="vm-title">
          <div className="container">
            <SectionHeading id="vm-title" eyebrow="Vision & Mission" title={<>What drives <span className="grad">us</span></>} />
            <div className="vm-grid">
              <Reveal className="vm-card glass">
                <Eye aria-hidden="true" />
                <h3>Our Vision</h3>
                <p>To become a trusted digital growth partner for businesses — known for premium creative work, honest strategy and measurable progress.</p>
              </Reveal>
              <Reveal delay={0.1} className="vm-card glass">
                <Target aria-hidden="true" />
                <h3>Our Mission</h3>
                <p>To help businesses establish a powerful online presence by combining strategic thinking, engaging content and performance-driven marketing.</p>
              </Reveal>
              <Reveal delay={0.2} className="vm-card glass">
                <Lightbulb aria-hidden="true" />
                <h3>Our Philosophy</h3>
```

```
              <p>Marketing should be both beautiful and useful. Creativity earns attention; strategy turns that attention into growth.</p>
            </Reveal>
          </div>
        </div>
      </section>

      <section className="section light alt" aria-labelledby="values-title">
        <div className="container">
          <SectionHeading id="values-title" eyebrow="Our Values" title={<>The principles behind <span className="grad">our work</span></>} />
          <ul className="values-grid">
            {values.map((v, i) => (
              <Reveal as="li" key={v.title} delay={i * 0.08} className="value-card">
                <span className="why-item__icon"><v.icon aria-hidden="true" strokeWidth={1.6} /></span>
                <h3>{v.title}</h3>
                <p>{v.text}</p>
              </Reveal>
            ))}
          </ul>
        </div>
      </section>

      <section className="section dark" aria-labelledby="approach-title">
        <div className="container">
          <SectionHeading id="approach-title" eyebrow="Our Approach" title={<>From discovery to <span className="grad">growth</span></>} />
          <ProcessTimeline />
        </div>
      </section>

      {founder.name && (
        <section className="section light" aria-labelledby="founder-title">
          <div className="container founder">
            {founder.photo && <img src={asset(founder.photo)} alt={founder.name} width={360} height={420} loading="lazy" />}
            <div>
              <span className="eyebrow">Meet the Founder</span>
              <h2 id="founder-title" className="display-3">{founder.name}</h2>
              <p className="founder__role">{founder.designation}</p>
              <p>{founder.bio}</p>
            </div>
          </div>
        </section>
      )}

      <section className="section light" aria-labelledby="reasons-title">
        <div className="container intro-grid">
          <Reveal className="intro-media">
            <div className="media-frame">
              <img src={asset('images/target-strategy.webp')} alt="A dart hitting the bullseye above blocks showing audience, promotion, growth, video and image icons" loading="lazy" width={552} height={466} />
            </div>
          </Reveal>
          <div>
            <span className="eyebrow">Why work with us</span>
            <h2 id="reasons-title" className="display-2"><MaskText lines={['Reasons businesses', <>choose <span className="grad">VANTORA</span></>]} /></h2>
            <ul className="tick-list">
```

```
              {reasons.map((r, i) => (
                <Reveal as="li" key={r} delay={i * 0.05}><Check size={16} aria-hidden="true" /> {r}</Reveal>
              ))}
            </ul>
          </div>
        </div>
      </section>

      <CtaSection />
    </>
  );
}
```

src/pages/Contact.tsx

```
import { useMemo, useRef, useState, type FormEvent } from 'react';
import { Link, useSearchParams } from 'react-router-dom';
import { Mail, Phone, Clock, Loader2, CheckCircle2, AlertTriangle, Send, CalendarDays } from 'lucide-react';
import { PageHero } from '../components/PageHero';
import { Reveal } from '../components/Reveal';
import { SocialLinks } from '../components/SocialIcons';
import { FaqList } from '../components/FaqList';
import { site, whatsappLink } from '../config/site';
import { services } from '../data/services';
import { industries } from '../data/industries';
import { generalFaqs } from '../data/faqs';
import { submitLead, type LeadPayload } from '../lib/submitLead';
import { trackEvent } from '../lib/analytics';
import { useSeo } from '../hooks/useSeo';

type Fields = Omit<LeadPayload, 'website_hp' | 'pageUrl' | 'leadSource' | 'clientId' | 'elapsedMs'>;
type Errors = Partial<Record<keyof Fields, string>>;

const empty: Fields = {
  fullName: '', businessName: '', email: '', phone: '', country: 'India', industry: '', service: '',
  budget: '', website: '', details: '', contactPreference: 'WhatsApp',
};

const budgets = ['Below ₹10,000', '₹10,000 – ₹25,000', '₹25,000 – ₹50,000', '₹50,000 – ₹1,00,000', 'Above ₹1,00,000', 'Not sure yet'];
const EMAIL_RE = /^[^\s@]+@[^\s@]+\.[^\s@]{2,}$/;
const PHONE_RE = /^\+?[0-9\s\-()]{7,20}$/;

function validate(f: Fields): Errors {
  const e: Errors = {};
  if (f.fullName.trim().length < 2) e.fullName = 'Please enter your full name.';
  if (!f.email.trim()) e.email = 'Please enter your email address.';
  else if (!EMAIL_RE.test(f.email.trim())) e.email = 'Please enter a valid email address (e.g. name@company.com).';
  const digits = f.phone.replace(/\D/g, '');
  if (!f.phone.trim()) e.phone = 'Please enter your contact number.';
  else if (!PHONE_RE.test(f.phone.trim()) || digits.length < 7 || digits.length > 15) e.phone = 'Please enter a valid phone number, including country code if outside India.';
  if (f.website.trim() && !/^(https?:\/\/)?[\w-]+(\.[\w-]+)+[^\s]*$/i.test(f.website.trim())) e.website = 'Please enter a valid website address.';
  if (f.details.length > 3000) e.details = 'Please keep project details under 3000 characters.';
  return e;
}

```

```
function leadSummary(f: Fields) {
  return [
    `Hi ${site.name}, I'd like a free consultation.`,
    `Name: ${f.fullName}`,
    f.businessName && `Business: ${f.businessName}`,
    `Email: ${f.email}`,
    `Phone: ${f.phone}`,
    f.service && `Service: ${f.service}`,
    f.budget && `Budget: ${f.budget}`,
    f.details && `Details: ${f.details}`,
  ].filter(Boolean).join('\n');
}

export default function Contact() {
  useSeo('Contact Us', `Contact VANTORA DIGITAL for a free consultation. Call ${site.phoneDisplay}, email ${site.email} or send an enquiry online.`);
  const [params] = useSearchParams();
  const preService = params.get('service') ?? '';
  const [f, setF] = useState<Fields>(() => ({ ...empty, service: services.some((s) => s.name === preService) ? preService : '' }));
  const [errors, setErrors] = useState<Errors>({});
  const [status, setStatus] = useState<'idle' | 'sending' | 'success' | 'error' | 'offline'>('idle');
  const [message, setMessage] = useState('');
  const [hp, setHp] = useState('');
  const startedAt = useRef(Date.now());
  const lastSubmit = useRef<string>('');
  const formRef = useRef<HTMLFormElement>(null);
  const summary = useMemo(() => leadSummary(f), [f]);

  const set = (k: keyof Fields) => (e: { target: { value: string } }) => {
    setF((p) => ({ ...p, [k]: e.target.value }));
    if (errors[k]) setErrors((p) => ({ ...p, [k]: undefined }));
  };

  const onSubmit = async (e: FormEvent) => {
    e.preventDefault();
    if (status === 'sending' || status === 'success') return; // prevent duplicates
    const errs = validate(f);
    setErrors(errs);
    if (Object.keys(errs).length) {
      const first = Object.keys(errs)[0];
      formRef.current?.querySelector<HTMLElement>(`[name="${first}"]`)?.focus();
      return;
    }
    const fingerprint = JSON.stringify(f);
    if (fingerprint === lastSubmit.current && status !== 'error') return;
    lastSubmit.current = fingerprint;

    if (!site.formEndpoint) {
      setStatus('offline');
      return;
    }
    setStatus('sending');
    const res = await submitLead({
      ...f,
      website_hp: hp,
      pageUrl: window.location.href,
      leadSource: 'Website contact form',
      elapsedMs: Date.now() - startedAt.current,
    });
    if (res.ok) {
```

```
        setStatus('success');
        setMessage(res.leadId ? `Your reference: ${res.leadId}` : '');
        trackEvent('generate_lead', { service: f.service || 'unspecified' });
      } else {
        setStatus('error');
        setMessage(res.error);
      }
    };

    const field = (k: keyof Fields, label: string, opts: { required?: boolean; type?: string; autoComplete?: string; placeholder?: string; inputMode?: 'email' | 'tel' | 'url'; className?: string } = {}) => (
      <div className={`field ${opts.className ?? ''} ${errors[k] ? 'has-error' : ''}`}>
        <label htmlFor={k}>{label}{opts.required ? <span aria-hidden="true"> *</span> : <span className="opt"> (optional)</span>}</label>
        <input
          id={k}
          name={k}
          type={opts.type ?? 'text'}
          value={f[k]}
          onChange={set(k)}
          required={opts.required}
          aria-required={opts.required}
          aria-invalid={!!errors[k]}
          aria-describedby={errors[k] ? `${k}-err` : undefined}
          autoComplete={opts.autoComplete}
          inputMode={opts.inputMode}
          placeholder={opts.placeholder}
          maxLength={200}
        />
        {errors[k] && <p className="field-error" id={`${k}-err`}>{errors[k]}</p>}
      </div>
    );

    return (
      <>
        <PageHero eyebrow="Contact Us" title={["Let's build something", <span className="grad" key="g">that grows.</span>]} text="Tell us about your business and goals. We'll get back to you to arrange your free consultation." crumbs={[{ label: 'Contact' }]} />

        <section className="section light contact" aria-label="Contact details and enquiry form">
          <div className="container contact-grid">
            <aside className="contact-info">
              <Reveal className="contact-card dark-card">
                <h2 className="display-3">Get in touch</h2>
                <p>Prefer a quick chat? Call, email or WhatsApp us directly.</p>
                <ul>
                  <li><span className="ci"><Phone size={18} aria-hidden="true" /></span><div><small>Call us</small><a href={`tel:${site.phoneE164}`}>{site.phoneDisplay}</a></div></li>
                  <li><span className="ci"><Mail size={18} aria-hidden="true" /></span><div><small>Email us</small><a href={`mailto:${site.email}`}>{site.email}</a></div></li>
                  <li><span className="ci"><Clock size={18} aria-hidden="true" /></span><div><small>Response</small><span>We reply to every enquiry as soon as possible.</span></div></li>
                </ul>
                <a className="btn btn-whatsapp" href={whatsappLink()} target="_blank" rel="noopener noreferrer">Chat on WhatsApp</a>
                {site.bookingUrl && (
                  <a className="btn btn-ghost" href={site.bookingUrl} target="_blank" rel="noopener noreferrer"><CalendarDays size={18} aria-hidden="true" /> Book a call slot</a>
                )}
                <div className="contact-social"><small>Follow us</small><SocialLinks /></div>
```

```
              </Reveal>
            </aside>

            <Reveal className="form-card">
              {status === 'success' ? (
                <div className="form-state success" role="status">
                  <CheckCircle2 size={56} aria-hidden="true" />
                  <h2 className="display-3">Thank you, {f.fullName.split(' ')[0]}!</h2>
                  <p>Your inquiry has been received. Our team will contact you soon via your preferred method.</p>
                  {message && <p className="ref">{message}</p>}
                  <a className="btn btn-whatsapp" href={whatsappLink(summary)} target="_blank" rel="noopener noreferrer">Follow up on WhatsApp</a>
                </div>
              ) : status === 'offline' ? (
                <div className="form-state" role="status">
                  <Send size={48} aria-hidden="true" />
                  <h2 className="display-3">Send your inquiry directly</h2>
                  <p>Online form delivery is being set up. Your details are ready — send them to us instantly on WhatsApp or by email.</p>
                  <div className="hero__actions center">
                    <a className="btn btn-whatsapp" href={whatsappLink(summary)} target="_blank" rel="noopener noreferrer">Send via WhatsApp</a>
                    <a className="btn btn-dark" href={`mailto:${site.email}?subject=${encodeURIComponent('Website inquiry — ' + (f.businessName || f.fullName))}&body=${encodeURIComponent(summary)}`}>Send via Email</a>
                  </div>
                  <button className="btn-text" onClick={() => setStatus('idle')}>← Edit my details</button>
                </div>
              ) : (
                <form ref={formRef} onSubmit={onSubmit} noValidate aria-describedby="form-note">
                  <h2 className="display-3">Tell us about your project</h2>
                  <p id="form-note" className="form-note">Fields marked * are required.</p>
                  {/* Honeypot — hidden from people, visible to bots */}
                  <div className="hp" aria-hidden="true">
                    <label htmlFor="company_website">Leave this field empty</label>
                    <input id="company_website" name="company_website" tabIndex={-1} autoComplete="off" value={hp} onChange={(e) => setHp(e.target.value)} />
                  </div>
                  <div className="form-grid">
                    {field('fullName', 'Full Name', { required: true, autoComplete: 'name' })}
                    {field('businessName', 'Business Name', { autoComplete: 'organization' })}
                    {field('email', 'Email Address', { required: true, type: 'email', autoComplete: 'email', inputMode: 'email' })}
                    {field('phone', 'Contact Number', { required: true, type: 'tel', autoComplete: 'tel', inputMode: 'tel', placeholder: '+91 98765 43210' })}
                    {field('country', 'Country', { autoComplete: 'country-name' })}
                    <div className="field">
                      <label htmlFor="industry">Industry <span className="opt">(optional)</span></label>
                      <select id="industry" name="industry" value={f.industry} onChange={set('industry')}>
                        <option value="">Select your industry</option>
                        {industries.map((i) => <option key={i.name}>{i.name}</option>)}
                        <option>Education</option>
                        <option>Professional Services</option>
                        <option>Other</option>
                      </select>
                    </div>
                    <div className="field">
```

```
                    <label htmlFor="service">Required Service <span
className="opt">(optional)</span></label>
                    <select id="service" name="service" value={f.service} onChange={set('service')}>
                      <option value="">Select a service</option>
                      {services.map((s) => <option key={s.slug}>{s.name}</option>)}
                      <option>Complete Digital Growth Package</option>
                      <option>Not sure — need advice</option>
                    </select>
                  </div>
                  <div className="field">
                    <label htmlFor="budget">Monthly Marketing Budget <span
className="opt">(optional)</span></label>
                    <select id="budget" name="budget" value={f.budget} onChange={set('budget')}>
                      <option value="">Select a range</option>
                      {budgets.map((b) => <option key={b}>{b}</option>)}
                    </select>
                  </div>
                  {field('website', 'Website URL', { type: 'url', autoComplete: 'url', inputMode:
'url', placeholder: 'https://', className: 'span-2' })}
                  <div className={`field span-2 ${errors.details ? 'has-error' : ''}`}>
                    <label htmlFor="details">Project Details <span
className="opt">(optional)</span></label>
                    <textarea id="details" name="details" rows={5} value={f.details}
onChange={set('details')} maxLength={3000} placeholder="Tell us about your business, goals and what you'd
like help with." aria-invalid={!!errors.details} aria-describedby={errors.details ? 'details-err' :
undefined} />
                    {errors.details && <p className="field-error" id="details-
err">{errors.details}</p>}
                  </div>
                  <fieldset className="field span-2 radios">
                    <legend>Preferred Contact Method</legend>
                    {['WhatsApp', 'Phone Call', 'Email'].map((m) => (
                      <label key={m} className={f.contactPreference === m ? 'is-checked' : ''}>
                        <input type="radio" name="contactPreference" value={m}
checked={f.contactPreference === m} onChange={set('contactPreference')} />
                        {m}
                      </label>
                    ))}
                  </fieldset>
                </div>
                {status === 'error' && (
                  <div className="form-alert" role="alert">
                    <AlertTriangle size={20} aria-hidden="true" />
                    <div>
                      <strong>We couldn't send your inquiry.</strong> {message}
                      <br />Please try again, or <a href={whatsappLink(summary)} target="_blank"
rel="noopener noreferrer">send it on WhatsApp</a>.
                    </div>
                  </div>
                )}
                <button type="submit" className="btn btn-primary btn-lg btn-block" disabled={status
=== 'sending'} aria-busy={status === 'sending'}>
                  {status === 'sending' ? <><Loader2 className="spin" size={18} aria-hidden="true" />
Sending…</> : <>Send My Inquiry <Send size={18} aria-hidden="true" /></>}
                </button>
                <p className="form-privacy">By submitting, you agree to be contacted about your
inquiry. We respect your privacy — see our <Link to="/privacy-policy">Privacy Policy</Link>.</p>
              </form>
            )}
          </Reveal>
        </div>
```

```
      </section>

      <section className="section light alt">
        <div className="container faq-wrap">
          <div className="section-heading is-left"><span className="eyebrow">FAQs</span><h2>Before you <span className="grad">reach out</span></h2></div>
          <FaqList items={generalFaqs} />
        </div>
      </section>
    </>
  );
}
```

src/pages/Home.tsx

```
import { Link } from 'react-router-dom';
import { ArrowRight, Compass, Palette, TrendingUp, Handshake } from 'lucide-react';
import { Hero } from '../components/Hero';
import { SectionHeading } from '../components/SectionHeading';
import { Reveal, MaskText } from '../components/Reveal';
import { ServicesGrid, ProcessTimeline, IndustriesGrid, ProjectCard, TestimonialsBlock } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { FaqList } from '../components/FaqList';
import { projects } from '../data/portfolio';
import { generalFaqs } from '../data/faqs';
import { asset, site } from '../config/site';
import { useSeo } from '../hooks/useSeo';

const why = [
  { icon: Compass, title: 'Strategy-Driven Marketing', text: 'Every campaign starts with research, clear goals and a plan built around your customers.' },
  { icon: Palette, title: 'Creative Brand Experiences', text: 'Modern, scroll-stopping content that makes your brand look premium and memorable.' },
  { icon: TrendingUp, title: 'Performance-Focused Campaigns', text: 'We track what matters — enquiries, cost and growth — and keep optimising.' },
  { icon: Handshake, title: 'Business Growth Partnerships', text: 'Transparent communication and long-term thinking. We grow when you grow.' },
];

export default function Home() {
  useSeo('', site.description);
  return (
    <>
      <Hero />

      {/* 02 — Brand introduction */}
      <section id="intro" className="section light intro" aria-labelledby="intro-title">
        <div className="container intro-grid">
          <Reveal className="intro-media">
            <div className="media-frame">
              <img src={asset('images/studio-growth.webp')} alt="Laptop showing a rising growth chart beside the VANTORA DIGITAL logo" loading="lazy" width={553} height={466} />
            </div>
            <div className="intro-chip glass">
              <img src={asset('images/vantora-logo-160.webp')} alt="" width={44} height={44} />
              <div><strong>Digital Life Growth</strong><span>Strategy · Creative · Performance</span></div>
            </div>
          </Reveal>
          <div>
```

```
            <span className="eyebrow">About VANTORA DIGITAL</span>
            <h2 id="intro-title" className="display-2">
              <MaskText lines={['More than marketing.', <>We build <span className="grad">digital
growth.</span></>]} />
            </h2>
            <Reveal delay={0.15}>
              <p className="lead">
                VANTORA DIGITAL is a creative digital marketing agency helping businesses establish a
powerful online
                presence. We combine strategic thinking, engaging content and performance-driven
marketing to connect
                brands with their ideal customers.
              </p>
              <ul className="pill-list">
                {['Brand Strategy', 'Creative Content', 'Meta Advertising', 'Lead Generation',
'Business Growth'].map((t) => (
                  <li key={t}>{t}</li>
                ))}
              </ul>
              <Link to="/about" className="btn btn-dark">Discover Our Story <ArrowRight size={18}
/></Link>
            </Reveal>
          </div>
        </div>
      </section>

      {/* 03 — Services */}
      <section className="section light alt" aria-labelledby="svc-title">
        <div className="container">
          <SectionHeading id="svc-title" eyebrow="Our Services" title={<>Complete digital <span
className="grad">growth solutions</span></>} text="End-to-end digital marketing services to grow your brand
and generate more business." />
          <ServicesGrid />
        </div>
      </section>

      {/* 04 — Why choose */}
      <section className="section dark why" aria-labelledby="why-title">
        <div className="container why-grid">
          <div className="why-head">
            <span className="eyebrow">Why choose VANTORA?</span>
            <h2 id="why-title" className="display-2"><MaskText lines={['Creativity', <span
className="grad" key="s">meets strategy.</span>]} /></h2>
            <Reveal delay={0.1}><p className="lead">We blend creative thinking with data-informed
marketing to build campaigns that look exceptional and work hard for your business.</p></Reveal>
          </div>
          <ul className="why-list">
            {why.map((w, i) => (
              <Reveal as="li" key={w.title} delay={i * 0.08} className="why-item glass">
                <span className="why-item__icon"><w.icon aria-hidden="true" strokeWidth={1.6}
/></span>
                <div><h3>{w.title}</h3><p>{w.text}</p></div>
              </Reveal>
            ))}
          </ul>
        </div>
      </section>

      {/* 05 — Process */}
      <section className="section dark process" aria-labelledby="proc-title">
        <div className="container">
```

```
          <SectionHeading id="proc-title" eyebrow="Our Process" title={<>A simple &amp;amp; proven <span
className="grad">growth process</span></>} text="A clear, result-driven process to grow your business
online." />
          <ProcessTimeline />
        </div>
      </section>

      {/* 06 — Portfolio preview */}
      <section className="section dark portfolio-preview" aria-labelledby="work-title">
        <div className="container">
          <div className="split-head">
            <SectionHeading id="work-title" align="left" eyebrow="Our Work" title={<>A glimpse of our
<span className="grad">creative work</span></>} text="Concept and demonstration projects that show our
creative direction across industries." />
            <Link to="/portfolio" className="btn btn-ghost">View Full Portfolio <ArrowRight size={18}
/></Link>
          </div>
          <div className="project-grid">
            {projects.slice(0, 6).map((p, i) => <ProjectCard p={p} i={i} key={p.slug} />)}
          </div>
        </div>
      </section>

      {/* 07 — Testimonials */}
      <section className="section light" aria-labelledby="t-title">
        <div className="container">
          <SectionHeading id="t-title" eyebrow="Testimonials" title={<>What our <span
className="grad">clients say</span></>} />
          <TestimonialsBlock />
        </div>
      </section>

      {/* 08 — Industries */}
      <section className="section light alt" aria-labelledby="ind-title">
        <div className="container">
          <SectionHeading id="ind-title" eyebrow="Industries We Serve" title={<>Digital growth for
<span className="grad">diverse businesses</span></>} text="We work with businesses across many sectors —
each with a strategy shaped around its customers." />
          <IndustriesGrid />
        </div>
      </section>

      {/* FAQ */}
      <section className="section light" aria-labelledby="faq-title">
        <div className="container faq-wrap">
          <SectionHeading id="faq-title" align="left" eyebrow="FAQs" title={<>Questions, <span
className="grad">answered</span></>} text={<>Can't find what you're looking for? <Link
to="/contact">Contact us</Link> — we're happy to help.</>} />
          <FaqList items={generalFaqs} />
        </div>
      </section>

      {/* 09 — Final CTA */}
      <CtaSection />
    </>
  );
}
```

src/pages/Legal.tsx

```
import { Link } from 'react-router-dom';
```

```
import { PageHero } from '../components/PageHero';
import { site } from '../config/site';
import { useSeo } from '../hooks/useSeo';

const updated = '3 November 2026';

export function Privacy() {
  useSeo('Privacy Policy', 'How VANTORA DIGITAL collects, uses and protects the information you share through our website.');
  return (
    <>
      <PageHero eyebrow="Legal" title={['Privacy Policy']} text={`Last updated: ${updated}`} crumbs={[{ label: 'Privacy Policy' }]} />
      <section className="section light">
        <div className="container prose">
          <p>This Privacy Policy explains how {site.name} ("we", "us", "our") collects, uses and protects personal information when you visit <a href={site.domain}>vantoradigital.info</a> or contact us.</p>
          <h2>1. Information we collect</h2>
          <p>When you submit our enquiry form, we collect the details you provide: your name, business name, email address, phone number, country, industry, required service, marketing budget, website, project details and preferred contact method.</p>
          <p>If you have accepted analytics cookies, we may also collect anonymous usage data such as pages visited and device type.</p>
          <h2>2. How we use your information</h2>
          <ul>
            <li>To respond to your enquiry and arrange your consultation</li>
            <li>To prepare proposals and provide our services</li>
            <li>To improve our website and services</li>
          </ul>
          <p>We do not sell your personal information.</p>
          <h2>3. Where your data is stored</h2>
          <p>Enquiry submissions are stored securely in a Google Spreadsheet controlled by {site.name}, using Google's infrastructure. Access is limited to our team.</p>
          <h2>4. Cookies and analytics</h2>
          <p>We use Google Analytics only after you accept analytics cookies. You can decline, and the website will continue to work normally.</p>
          <h2>5. Third-party links</h2>
          <p>Our website links to third-party platforms such as Facebook, LinkedIn, Google and WhatsApp. Their own privacy policies apply when you use them.</p>
          <h2>6. Data retention</h2>
          <p>We keep enquiry information only as long as needed to respond, provide services or meet legal obligations.</p>
          <h2>7. Your rights</h2>
          <p>You may ask us to access, correct or delete the personal information we hold about you by emailing <a href={`mailto:${site.email}`}>{site.email}</a>.</p>
          <h2>8. Contact</h2>
          <p>{site.name}<br />Email: <a href={`mailto:${site.email}`}>{site.email}</a><br />Phone: <a href={`tel:${site.phoneE164}`}>{site.phoneDisplay}</a></p>
        </div>
      </section>
    </>
  );
}

export function Terms() {
  useSeo('Terms and Conditions', 'Terms and conditions for using the VANTORA DIGITAL website and services.');
  return (
    <>
```

```
      <PageHero eyebrow="Legal" title={['Terms & Conditions']} text={`Last updated: ${updated}`} crumbs={[{ label: 'Terms & Conditions' }]} />
      <section className="section light">
        <div className="container prose">
          <p>By using <a href={site.domain}>vantoradigital.info</a>, you agree to these terms. Please read them carefully.</p>
          <h2>1. Website use</h2>
          <p>The content on this website is for general information about {site.name} and our services. You agree not to misuse the website or attempt to disrupt its operation.</p>
          <h2>2. Services and proposals</h2>
          <p>Specific services, deliverables, timelines and fees are agreed separately in a written proposal or agreement. Information on this website does not form a contract.</p>
          <h2>3. No guaranteed results</h2>
          <p>Marketing results depend on many factors outside our control, including market conditions, budgets and platform policies. We do not guarantee specific rankings, leads, sales or returns.</p>
          <h2>4. Advertising spend</h2>
          <p>Advertising budgets paid to platforms such as Meta are separate from our service fees and are paid directly by the client unless agreed otherwise in writing.</p>
          <h2>5. Intellectual property</h2>
          <p>The {site.name} name, logo, website design and content belong to {site.name}. Concept projects shown in our portfolio are demonstration work. Final deliverables for clients are transferred as agreed in each project contract.</p>
          <h2>6. Limitation of liability</h2>
          <p>To the extent permitted by law, {site.name} is not liable for indirect or consequential losses arising from use of this website.</p>
          <h2>7. Changes</h2>
          <p>We may update these terms from time to time. The latest version will always be available on this page.</p>
          <h2>8. Contact</h2>
          <p>Questions about these terms? <Link to="/contact">Contact us</Link> or email <a href={`mailto:${site.email}`}>{site.email}</a>.</p>
        </div>
      </section>
    </>
  );
}
```

src/pages/NotFound.tsx

```
import { Link } from 'react-router-dom';
import { ArrowRight } from 'lucide-react';
import { asset } from '../config/site';
import { useSeo } from '../hooks/useSeo';

export default function NotFound() {
  useSeo('Page Not Found', 'The page you are looking for could not be found.', { noindex: true });
  return (
    <section className="notfound dark">
      <div className="hero__bg" aria-hidden="true"><div className="grid-lines" /><div className="orb orb-1" /></div>
      <div className="container notfound__inner">
        <img src={asset('images/vantora-logo-160.webp')} alt="" width={96} height={96} />
        <p className="notfound__code">404</p>
        <h1 className="display-2">This page took a different growth path.</h1>
        <p className="lead">The page you're looking for doesn't exist or has moved.</p>
        <div className="hero__actions">
          <Link to="/" className="btn btn-primary">Back to Home <ArrowRight size={18} /></Link>
          <Link to="/contact" className="btn btn-ghost">Contact Us</Link>
        </div>
      </div>
```

```
    </section>
  );
}
```

src/pages/Portfolio.tsx

```
import { useMemo, useState } from 'react';
import { AnimatePresence, motion } from 'framer-motion';
import { Info } from 'lucide-react';
import { PageHero } from '../components/PageHero';
import { ProjectCard } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { portfolioCategories, projects } from '../data/portfolio';
import { asset } from '../config/site';
import { useSeo } from '../hooks/useSeo';

export default function Portfolio() {
  useSeo('Portfolio — Our Work', 'Explore VANTORA DIGITAL creative work: social media campaigns, Meta advertising, brand identity, creative design, video production and landing pages.');
  const [cat, setCat] = useState('All');
  const list = useMemo(() => (cat === 'All' ? projects : projects.filter((p) => p.category === cat)), [cat]);
  return (
    <>
      <PageHero
        eyebrow="Portfolio"
        title={['Creative work that', <span className="grad" key="g">builds brands.</span>]}
        text="A showcase of our creative direction across campaigns, content, video and landing pages."
        crumbs={[{ label: 'Portfolio' }]}
        image={asset('images/video-production.webp')}
      />
      <section className="section dark portfolio-page" aria-label="Portfolio gallery">
        <div className="container">
          <p className="notice"><Info size={18} aria-hidden="true" /><span>Projects marked <strong>Concept project</strong> are demonstration work created by VANTORA DIGITAL to show our creative style. They are not presented as completed client work.</span></p>
          <div className="filters" role="toolbar" aria-label="Filter projects by category">
            {portfolioCategories.map((c) => {
              const n = c === 'All' ? projects.length : projects.filter((p) => p.category === c).length;
              return (
                <button key={c} aria-pressed={cat === c} className={cat === c ? 'is-active' : ''} onClick={() => setCat(c)}>
                  {c} <span>{n}</span>
                </button>
              );
            })}
          </div>
          <p className="sr-only" aria-live="polite">{list.length} projects shown</p>
          <motion.div layout className="project-grid masonry">
            <AnimatePresence mode="popLayout">
              {list.map((p, i) => (
                <motion.div key={p.slug} layout initial={{ opacity: 0, scale: 0.96 }} animate={{ opacity: 1, scale: 1 }} exit={{ opacity: 0, scale: 0.96 }} transition={{ duration: 0.35 }}>
                  <ProjectCard p={p} i={i} />
                </motion.div>
              ))}
            </AnimatePresence>
          </motion.div>
          {list.length === 0 && (
```

```
            <div className="empty-state">
              <p>New <strong>{cat}</strong> projects are coming soon.</p>
              <button className="btn btn-ghost btn-sm" onClick={() => setCat('All')}>Show all projects</button>
            </div>
          )}
        </div>
      </section>
      <CtaSection title={<>Want work like this for <span className="grad">your brand?</span></>} />
    </>
  );
}
```

src/pages/Process.tsx

```
import { PageHero } from '../components/PageHero';
import { SectionHeading } from '../components/SectionHeading';
import { ProcessTimeline, processSteps } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { Reveal } from '../components/Reveal';
import { asset } from '../config/site';
import { useSeo } from '../hooks/useSeo';

const detail = [
  ['A free consultation call', 'Business, audience and competitor review', 'Goal setting and success measures'],
  ['Customer avatars and positioning', 'Channel and campaign plan', 'Content pillars and budget recommendations'],
  ['Ad creatives, reels and posts', 'Copywriting and landing pages', 'Your review and approval'],
  ['Campaign setup and tracking', 'Publishing and lead capture', 'Fast follow-up flows'],
  ['Performance reporting', 'A/B testing and refinements', 'Scaling what works'],
];

export default function Process() {
  useSeo('Our Process', 'Discover, Strategise, Create, Launch, Optimise — the simple, proven five-step process VANTORA DIGITAL uses to grow businesses online.');
  return (
    <>
      <PageHero eyebrow="Our Process" title={['A simple & proven', <span className="grad" key="g">growth process.</span>]} text="Five clear stages that take your business from idea to measurable digital growth." crumbs={[{ label: 'Our Process' }]} image={asset('images/campaign-dashboard.webp')} />
      <section className="section dark">
        <div className="container">
          <SectionHeading eyebrow="Overview" title={<>Five steps to <span className="grad">growth</span></>} />
          <ProcessTimeline />
        </div>
      </section>
      <section className="section light">
        <div className="container">
          <ol className="process-detail">
            {processSteps.map((s, i) => (
              <Reveal as="li" key={s.title} className="process-row">
                <div className="process-row__n">0{i + 1}</div>
                <div className="process-row__head">
                  <span className="why-item__icon"><s.icon aria-hidden="true" strokeWidth={1.6} /></span>
                  <h2 className="display-3">{s.title}</h2>
                  <p>{s.text}</p>
                </div>
                <ul>{detail[i].map((d) => <li key={d}>{d}</li>)}</ul>
```

```
              </Reveal>
            ))}
          </ol>
        </div>
      </section>
      <CtaSection />
    </>
  );
}
```

src/pages/ProjectDetail.tsx

```
import { Link, useParams } from 'react-router-dom';
import { ArrowLeft, ArrowRight, Check, Info } from 'lucide-react';
import { getProject, projects } from '../data/portfolio';
import { PageHero } from '../components/PageHero';
import { Reveal } from '../components/Reveal';
import { ProjectCard } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { asset } from '../config/site';
import { useSeo } from '../hooks/useSeo';
import NotFound from './NotFound';

export default function ProjectDetail() {
  const { slug = '' } = useParams();
  const p = getProject(slug);
  useSeo(p ? p.title : 'Project not found', p ? p.summary : 'Page not found', { noindex: !p });
  if (!p) return <NotFound />;
  const more = projects.filter((x) => x.slug !== p.slug).slice(0, 3);
  return (
    <>
      <PageHero eyebrow={`${p.category} · ${p.industry}`} title={[p.title]} text={p.summary}
crumbs={[{ to: '/portfolio', label: 'Portfolio' }, { label: p.title }]} />
      <section className="section light">
        <div className="container project-detail">
          <Reveal className="project-detail__media">
            <div className="device device--desktop">
              <div className="device__bar"><span /><span /><span /></div>
              <img src={asset(p.image)} alt={`${p.title} preview`} />
            </div>
            <div className="device device--phone">
              <img src={asset(p.image)} alt="" />
            </div>
          </Reveal>
          <div className="project-detail__info">
            {p.type === 'Concept project' && (
              <p className="notice notice--light"><Info size={18} aria-hidden="true" /><span>This is
a <strong>concept project</strong> created to demonstrate our creative approach. It is not a completed
client campaign.</span></p>
            )}
            <dl className="facts">
              <div><dt>Category</dt><dd>{p.category}</dd></div>
              <div><dt>Industry</dt><dd>{p.industry}</dd></div>
              <div><dt>Type</dt><dd>{p.type}</dd></div>
            </dl>
            <h2 className="display-3">Objective</h2>
            <p>{p.objective}</p>
            <h2 className="display-3">Deliverables</h2>
            <ul className="tick-list">{p.deliverables.map((d) => <li key={d}><Check size={16} aria-
hidden="true" /> {d}</li>)}</ul>
            <h2 className="display-3">Creative approach</h2>
```

```
              <p>{p.approach}</p>
              {p.metrics && p.metrics.length > 0 && (
                <>
                  <h2 className="display-3">Verified results</h2>
                  <div className="metrics">{p.metrics.map((m) => <div key={m.label}><strong>{m.value}</strong><span>{m.label}</span></div>)}</div>
                </>
              )}
              <div className="hero__actions">
                <Link to="/contact" className="btn btn-primary">Start a Similar Project <ArrowRight size={18} /></Link>
                <Link to="/portfolio" className="btn btn-dark-ghost"><ArrowLeft size={18} /> All Projects</Link>
              </div>
            </div>
          </div>
        </section>
        <section className="section dark">
          <div className="container">
            <h2 className="display-3 center">More projects</h2>
            <div className="project-grid">{more.map((x, i) => <ProjectCard p={x} i={i} key={x.slug} />)}</div>
          </div>
        </section>
        <CtaSection />
      </>
    );
  }
```

src/pages/ServiceDetail.tsx

```
  import { Link, useParams } from 'react-router-dom';
  import { ArrowRight, Check } from 'lucide-react';
  import { getService, services } from '../data/services';
  import { projects } from '../data/portfolio';
  import { PageHero } from '../components/PageHero';
  import { SectionHeading } from '../components/SectionHeading';
  import { Reveal, MaskText } from '../components/Reveal';
  import { ServiceIcon } from '../components/ServiceIcon';
  import { ProjectCard } from '../components/Sections';
  import { FaqList } from '../components/FaqList';
  import { CtaSection } from '../components/CtaSection';
  import { useSeo } from '../hooks/useSeo';
  import NotFound from './NotFound';

  export default function ServiceDetail() {
    const { slug = '' } = useParams();
    const s = getService(slug);
    useSeo(s ? s.name : 'Service not found', s ? `${s.name} by VANTORA DIGITAL — ${s.summary}` : 'Page not found', { noindex: !s });
    if (!s) return <NotFound />;
    const related = projects.filter((p) => p.category === s.portfolioCategory);
    const shown = (related.length ? related : projects).slice(0, 3);
    const others = services.filter((x) => x.slug !== s.slug);

    return (
      <>
        <PageHero eyebrow={s.name} title={[s.heroLine]} text={s.summary} crumbs={[{ to: '/services', label: 'Services' }, { label: s.name }]}>
          <div className="hero__actions">
```

```
            <Link to={`/contact?service=${encodeURIComponent(s.name)}`} className="btn btn-primary btn-lg">Get Free Consultation <ArrowRight size={18} /></Link>
            <a href="#deliverables" className="btn btn-ghost btn-lg">What's Included</a>
          </div>
        </PageHero>

        <section className="section light" aria-labelledby="svc-intro">
          <div className="container intro-grid">
            <Reveal className="svc-feature">
              <ServiceIcon name={s.icon} size="lg" />
            </Reveal>
            <div>
              <span className="eyebrow">Overview</span>
              <h2 id="svc-intro" className="display-2"><MaskText lines={[s.name]} /></h2>
              <Reveal delay={0.1}><p className="lead">{s.intro}</p></Reveal>
            </div>
          </div>
        </section>

        <section id="deliverables" className="section light alt" aria-labelledby="deliv-title">
          <div className="container">
            <SectionHeading id="deliv-title" eyebrow="Deliverables" title={<>What's <span className="grad">included</span></>} />
            <ul className="deliverables">
              {s.deliverables.map((d, i) => (
                <Reveal as="li" key={d} delay={(i % 3) * 0.06}><span className="tick"><Check size={16} aria-hidden="true" /></span>{d}</Reveal>
              ))}
            </ul>
          </div>
        </section>

        <section className="section dark" aria-labelledby="benefit-title">
          <div className="container">
            <SectionHeading id="benefit-title" eyebrow="Benefits" title={<>How it helps <span className="grad">your business</span></>} />
            <ul className="values-grid">
              {s.benefits.map((b, i) => (
                <Reveal as="li" key={b.title} delay={i * 0.08} className="value-card glass">
                  <span className="value-num">0{i + 1}</span>
                  <h3>{b.title}</h3>
                  <p>{b.text}</p>
                </Reveal>
              ))}
            </ul>
          </div>
        </section>

        <section className="section light" aria-labelledby="approach-title">
          <div className="container">
            <SectionHeading id="approach-title" eyebrow="Our Approach" title={<>Step by step, <span className="grad">with clarity</span></>} />
            <ol className="approach">
              {s.approach.map((a, i) => (
                <Reveal as="li" key={a.title} delay={i * 0.08}>
                  <span className="approach__n">{String(i + 1).padStart(2, '0')}</span>
                  <h3>{a.title}</h3>
                  <p>{a.text}</p>
                </Reveal>
              ))}
            </ol>
```

```
          </div>
        </section>

        <section className="section dark" aria-labelledby="rel-title">
          <div className="container">
            <SectionHeading id="rel-title" eyebrow="Related Work" title={<>Concept <span
className="grad">examples</span></>} text="Demonstration projects that show our creative direction for this
service." />
            <div className="project-grid">{shown.map((p, i) => <ProjectCard p={p} i={i} key={p.slug}
/>)}</div>
          </div>
        </section>

        <section className="section light alt" aria-labelledby="sfaq">
          <div className="container faq-wrap">
            <SectionHeading id="sfaq" align="left" eyebrow="FAQs" title={<>{s.name} <span
className="grad">FAQs</span></>} />
            <FaqList items={s.faqs} />
          </div>
        </section>

        <section className="section light" aria-labelledby="more-svc">
          <div className="container">
            <SectionHeading id="more-svc" eyebrow="Explore more" title={<>Other <span
className="grad">services</span></>} />
            <ul className="mini-services">
              {others.map((o) => (
                <li key={o.slug}>
                  <Link to={`/services/${o.slug}`}><ServiceIcon name={o.icon}
/><span>{o.name}</span><ArrowRight size={16} aria-hidden="true" /></Link>
                </li>
              ))}
            </ul>
          </div>
        </section>

        <CtaSection title={<>Ready to start with <span className="grad">{s.name}?</span></>} text="Book
a free consultation and we'll recommend the right plan for your business." />
      </>
    );
  }
```

src/pages/Services.tsx

```
import { SectionHeading } from '../components/SectionHeading';
import { PageHero } from '../components/PageHero';
import { ServicesGrid, ProcessTimeline, IndustriesGrid } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { FaqList } from '../components/FaqList';
import { generalFaqs } from '../data/faqs';
import { asset } from '../config/site';
import { useSeo } from '../hooks/useSeo';

export default function Services() {
  useSeo('Services', 'Meta advertising, social media management, video & creative production, content
& copywriting, customer avatar & strategy, and lead generation & landing pages.');
  return (
    <>
      <PageHero
        eyebrow="Our Services"
        title={['Complete digital', <span className="grad" key="g">growth solutions.</span>]}
```

```
          text="From strategy to creative to advertising — everything your business needs to grow online, under one roof."
          crumbs={[{ label: 'Services' }]}
          image={asset('images/meta-ads.webp')}
        />
        <section className="section light alt" aria-labelledby="all-svc">
          <div className="container">
            <SectionHeading id="all-svc" eyebrow="What we do" title={<>Six services. <span className="grad">One growth goal.</span></>} text="Choose a single service or combine them into a complete growth plan." />
            <ServicesGrid />
          </div>
        </section>
        <section className="section dark" aria-labelledby="svc-proc">
          <div className="container">
            <SectionHeading id="svc-proc" eyebrow="How we work" title={<>Our <span className="grad">process</span></>} />
            <ProcessTimeline />
          </div>
        </section>
        <section className="section light" aria-labelledby="svc-ind">
          <div className="container">
            <SectionHeading id="svc-ind" eyebrow="Industries" title={<>Industries <span className="grad">we serve</span></>} />
            <IndustriesGrid />
          </div>
        </section>
        <section className="section light alt" aria-labelledby="svc-faq">
          <div className="container faq-wrap">
            <SectionHeading id="svc-faq" align="left" eyebrow="FAQs" title={<>Common <span className="grad">questions</span></>} />
            <FaqList items={generalFaqs} />
          </div>
        </section>
        <CtaSection />
      </>
    );
  }
```

src/pages/Testimonials.tsx

```
import { PageHero } from '../components/PageHero';
import { SectionHeading } from '../components/SectionHeading';
import { TestimonialsBlock } from '../components/Sections';
import { CtaSection } from '../components/CtaSection';
import { Reveal } from '../components/Reveal';
import { SocialIcon } from '../components/SocialIcons';
import { site } from '../config/site';
import { useSeo } from '../hooks/useSeo';

export default function Testimonials() {
  useSeo('Testimonials', 'Genuine client feedback for VANTORA DIGITAL. Read and leave reviews on our Google Business Profile, Facebook and LinkedIn.');
  const profiles = [
    { name: 'google' as const, label: 'Google Business Profile', text: 'Read our reviews or share your experience on Google.', url: site.social.googleBusiness, cta: 'Open Google profile' },
    { name: 'facebook' as const, label: 'Facebook', text: 'Follow our latest work and leave a recommendation.', url: site.social.facebook, cta: 'Visit Facebook page' },
    { name: 'linkedin' as const, label: 'LinkedIn', text: 'Connect with VANTORA DIGITAL on LinkedIn.', url: site.social.linkedin, cta: 'Find us on LinkedIn' },
```

```
    ...(site.social.instagram ? [{ name: 'instagram' as const, label: 'Instagram', text: 'See our creative work and reels.', url: site.social.instagram, cta: 'Visit Instagram' }] : []),
  ];
  return (
    <>
      <PageHero eyebrow="Testimonials" title={['Real words from', <span className="grad" key="g">real clients.</span>]} text="We only publish genuine feedback shared with permission by our clients." crumbs={[{ label: 'Testimonials' }]} />
      <section className="section light">
        <div className="container">
          <SectionHeading eyebrow="Client feedback" title={<>What our <span className="grad">clients say</span></>} />
          <TestimonialsBlock />
        </div>
      </section>
      <section className="section dark">
        <div className="container">
          <SectionHeading eyebrow="Find us online" title={<>Our official <span className="grad">profiles</span></>} text="Verified places to see our work, read reviews and connect with us." />
          <ul className="profile-grid">
            {profiles.map((p, i) => (
              <Reveal as="li" key={p.label} delay={i * 0.08} className="profile-card glass">
                <span className="profile-card__icon"><SocialIcon name={p.name} /></span>
                <h3>{p.label}</h3>
                <p>{p.text}</p>
                <a href={p.url} target="_blank" rel="noopener noreferrer" className="link-arrow">{p.cta} →</a>
              </Reveal>
            ))}
          </ul>
        </div>
      </section>
      <CtaSection />
    </>
  );
}
```

src/styles/global.css

```
/* ============================================================
   VANTORA DIGITAL — Design system
   Approved palette (7 colours) + transparent tints of them.
   ============================================================ */
:root {
  --navy: #071426;
  --deep: #0b3b78;
  --electric: #087bff;
  --cyan: #20d4ff;
  --silver: #d8dee8;
  --white: #ffffff;
  --steel: #9aa9bd;

  --ink: var(--navy);
  --ink-soft: #3d4f66; /* navy tint for body copy on light (contrast AA) */
  --light-bg: var(--white);
  --light-alt: #f3f6fb; /* silver tint */
  --line-light: rgba(11, 59, 120, 0.12);
  --line-dark: rgba(216, 222, 232, 0.14);
  --glass: rgba(11, 59, 120, 0.22);

```

```
    --grad: linear-gradient(100deg, var(--electric) 0%, var(--cyan) 100%);
    --radius: 20px;
    --radius-sm: 12px;
    --shadow-light: 0 20px 50px -24px rgba(7, 20, 38, 0.28);
    --shadow-glow: 0 10px 40px -10px rgba(8, 123, 255, 0.6);

    --font-head: 'Sora', 'Space Grotesk', system-ui, sans-serif;
    --font-body: 'Inter', system-ui, -apple-system, 'Segoe UI', sans-serif;
    --font-num: 'Space Grotesk', 'Inter', system-ui, sans-serif;
    --ease: cubic-bezier(0.22, 1, 0.36, 1);
    --header-h: 76px;
    --gutter: clamp(16px, 4vw, 40px);
    color-scheme: light;
  }

  *,
  *::before,
  *::after { box-sizing: border-box; }
  html { scroll-behavior: smooth; -webkit-text-size-adjust: 100%; }
  body {
    margin: 0;
    font-family: var(--font-body);
    font-size: 16px;
    line-height: 1.65;
    color: var(--ink);
    background: var(--navy);
    -webkit-font-smoothing: antialiased;
    overflow-x: hidden;
  }
  img { max-width: 100%; display: block; height: auto; }
  a { color: inherit; }
  button { font: inherit; cursor: pointer; }
  h1, h2, h3, h4 { font-family: var(--font-head); line-height: 1.12; margin: 0 0 0.5em; letter-spacing: -0.02em; }
  p { margin: 0 0 1em; }
  ul, ol { margin: 0; padding: 0; list-style: none; }
  main { display: block; outline: none; }
  :focus-visible { outline: 3px solid var(--cyan); outline-offset: 3px; border-radius: 6px; }
  ::selection { background: var(--electric); color: var(--white); }

  .sr-only { position: absolute; width: 1px; height: 1px; padding: 0; margin: -1px; overflow: hidden; clip: rect(0 0 0 0); white-space: nowrap; border: 0; }
  .skip-link { position: fixed; left: 16px; top: -60px; z-index: 200; background: var(--electric); color: #fff; padding: 10px 16px; border-radius: 10px; font-weight: 600; transition: top 0.2s; }
  .skip-link:focus { top: 12px; }

  .container { width: 100%; max-width: 1240px; margin-inline: auto; padding-inline: var(--gutter); }
  .center { text-align: center; justify-content: center; }

  /* ---------- Typography helpers ---------- */
  .eyebrow {
    display: inline-flex; align-items: center; gap: 10px;
    font-family: var(--font-num); font-weight: 600; font-size: 0.78rem;
    letter-spacing: 0.22em; text-transform: uppercase;
    color: var(--electric); margin-bottom: 18px;
  }
  .eyebrow::before { content: ''; width: 28px; height: 2px; background: var(--grad); border-radius: 2px; }
  .dark .eyebrow { color: var(--cyan); }
  .grad { background: var(--grad); -webkit-background-clip: text; background-clip: text; color: transparent; }
```

```
.display-1 { font-size: clamp(2.3rem, 5.6vw, 4.6rem); font-weight: 800; letter-spacing: -0.035em; }
.display-2 { font-size: clamp(1.9rem, 4vw, 3.2rem); font-weight: 700; letter-spacing: -0.03em; }
.display-3 { font-size: clamp(1.35rem, 2.4vw, 1.75rem); font-weight: 700; }
.lead { font-size: clamp(1.02rem, 1.4vw, 1.18rem); color: var(--ink-soft); max-width: 62ch; }
.dark .lead { color: var(--silver); }
.mask-line { display: block; overflow: hidden; padding-bottom: 0.08em; margin-bottom: -0.08em; }
.mask-inner { display: inline-block; will-change: transform; }

/* ---------- Buttons ---------- */
.btn {
  --h: 48px;
  display: inline-flex; align-items: center; justify-content: center; gap: 10px;
  min-height: var(--h); padding: 0 24px; border-radius: 999px;
  font-family: var(--font-head); font-weight: 600; font-size: 0.95rem; letter-spacing: 0.01em;
  text-decoration: none; border: 1px solid transparent; white-space: nowrap;
  transition: transform 0.3s var(--ease), box-shadow 0.3s var(--ease), background 0.3s, color 0.3s, border-color 0.3s;
  position: relative; overflow: hidden; isolation: isolate;
}
.btn svg { transition: transform 0.3s var(--ease); flex-shrink: 0; }
.btn:hover svg:last-child { transform: translateX(3px); }
.btn-sm { --h: 42px; padding: 0 18px; font-size: 0.875rem; }
.btn-lg { --h: 56px; padding: 0 30px; font-size: 1rem; }
.btn-block { width: 100%; }
.btn-primary { background: var(--electric); color: var(--white); box-shadow: var(--shadow-glow); }
.btn-primary::before {
  content: ''; position: absolute; inset: 0; z-index: -1;
  background: linear-gradient(100deg, transparent 20%, rgba(255,255,255,0.35) 50%, transparent 80%);
  transform: translateX(-120%); transition: transform 0.7s var(--ease);
}
.btn-primary:hover { transform: translateY(-2px); box-shadow: 0 16px 44px -10px rgba(8, 123, 255, 0.85); background: #1a86ff; }
.btn-primary:hover::before { transform: translateX(120%); }
.btn-primary:disabled { opacity: 0.75; cursor: progress; transform: none; }
.btn-ghost { background: rgba(216, 222, 232, 0.06); color: var(--white); border-color: rgba(216, 222, 232, 0.35); backdrop-filter: blur(8px); }
.btn-ghost:hover { border-color: var(--cyan); background: rgba(32, 212, 255, 0.1); transform: translateY(-2px); }
.light .btn-ghost, .btn-dark-ghost { color: var(--navy); border-color: rgba(7, 20, 38, 0.2); background: transparent; }
.light .btn-ghost:hover, .btn-dark-ghost:hover { border-color: var(--electric); color: var(--electric); }
.btn-dark { background: var(--navy); color: var(--white); }
.btn-dark:hover { background: var(--deep); transform: translateY(-2px); }
.btn-whatsapp { background: #128c4a; color: #fff; }
.btn-whatsapp:hover { background: #0f7a40; transform: translateY(-2px); }
.btn-text { background: none; border: 0; color: var(--electric); font-weight: 600; margin-top: 12px; }
.link-arrow { display: inline-flex; align-items: center; gap: 8px; font-family: var(--font-head); font-weight: 600; font-size: 0.92rem; color: var(--electric); text-decoration: none; }
.dark .link-arrow { color: var(--cyan); }
.link-arrow svg { transition: transform 0.3s var(--ease); }
.link-arrow:hover svg { transform: translateX(4px); }
.spin { animation: spin 0.9s linear infinite; }
@keyframes spin { to { transform: rotate(360deg); } }

/* ---------- Sections ---------- */
.section { padding-block: clamp(72px, 10vw, 128px); position: relative; }
.light { background: var(--light-bg); color: var(--ink); }
.light.alt { background: var(--light-alt); }
.dark { background: var(--navy); color: var(--white); }
```

```
.dark p { color: var(--silver); }
.section-heading { text-align: center; max-width: 760px; margin: 0 auto clamp(40px, 6vw, 64px); }
.section-heading .lead { margin-inline: auto; }
.section-heading h2 { font-size: clamp(1.9rem, 4vw, 3rem); font-weight: 700; letter-spacing: -0.03em;
}
.section-heading.is-left { text-align: left; margin-inline: 0; }
.section-heading.is-left .lead { margin-inline: 0; }
.split-head { display: flex; align-items: flex-end; justify-content: space-between; gap: 24px; flex-
wrap: wrap; margin-bottom: clamp(32px, 5vw, 56px); }
.split-head .section-heading { margin-bottom: 0; }
.glass { background: linear-gradient(160deg, rgba(11, 59, 120, 0.35), rgba(7, 20, 38, 0.4)); border:
1px solid var(--line-dark); backdrop-filter: blur(14px); }

.grid-lines {
  position: absolute; inset: 0;
  background-image: linear-gradient(rgba(216,222,232,0.05) 1px, transparent 1px), linear-
gradient(90deg, rgba(216,222,232,0.05) 1px, transparent 1px);
  background-size: 64px 64px;
  mask-image: radial-gradient(ellipse at 60% 40%, #000 20%, transparent 75%);
}
.orb { position: absolute; border-radius: 50%; filter: blur(80px); pointer-events: none; }
.orb-1 { width: 560px; height: 560px; background: rgba(8, 123, 255, 0.35); top: -160px; right: -
120px; }
.orb-2 { width: 420px; height: 420px; background: rgba(32, 212, 255, 0.16); bottom: -180px; left: -
120px; }

/* ---------- Header ---------- */
.site-header { position: fixed; inset: 0 0 auto; z-index: 100; height: var(--header-h); transition:
background 0.4s, box-shadow 0.4s, height 0.4s; color: var(--white); }
.site-header.is-scrolled { background: rgba(7, 20, 38, 0.82); backdrop-filter: blur(16px)
saturate(140%); box-shadow: 0 1px 0 var(--line-dark); --header-h: 66px; }
.header-inner { height: 100%; display: flex; align-items: center; gap: 24px; max-width: 1360px; }
.logo { display: inline-flex; align-items: center; gap: 12px; text-decoration: none; color: var(--
white); flex-shrink: 0; }
.logo img { border-radius: 50%; filter: drop-shadow(0 0 12px rgba(8, 123, 255, 0.55)); }
.logo-text { display: flex; flex-direction: column; line-height: 1.1; }
.logo-text strong { font-family: var(--font-head); font-weight: 800; letter-spacing: 0.06em; font-
size: 1.02rem; }
.logo-text em { font-style: normal; color: var(--cyan); }
.logo-text small { font-family: var(--font-num); font-size: 0.6rem; letter-spacing: 0.3em; color:
var(--silver); margin-top: 3px; }
.main-nav { margin-left: auto; }
.main-nav ul { display: flex; gap: 4px; }
.main-nav a { position: relative; display: block; padding: 8px 12px; font-size: 0.92rem; font-weight:
500; text-decoration: none; color: var(--silver); transition: color 0.25s; }
.main-nav a::after { content: ''; position: absolute; left: 12px; right: 12px; bottom: 2px; height:
2px; border-radius: 2px; background: var(--grad); transform: scaleX(0); transform-origin: left; transition:
transform 0.35s var(--ease); }
.main-nav a:hover, .main-nav a.active { color: var(--white); }
.main-nav a:hover::after, .main-nav a.active::after { transform: scaleX(1); }
.menu-toggle { display: none; margin-left: auto; width: 46px; height: 46px; border-radius: 12px;
border: 1px solid var(--line-dark); background: rgba(216, 222, 232, 0.06); color: var(--white); align-
items: center; justify-content: center; position: relative; z-index: 2; }
.mobile-menu { position: fixed; inset: 0; z-index: 99; background: radial-gradient(circle at 80% 0%,
rgba(8, 123, 255, 0.35), transparent 50%), var(--navy); padding: calc(var(--header-h) + 24px) var(--gutter)
32px; display: flex; flex-direction: column; overflow-y: auto; }
.mobile-menu nav ul { display: grid; gap: 4px; }
.mobile-menu nav a { display: flex; align-items: baseline; gap: 14px; padding: 12px 4px; font-family:
var(--font-head); font-size: clamp(1.6rem, 7vw, 2.2rem); font-weight: 700; text-decoration: none; color:
var(--white); border-bottom: 1px solid var(--line-dark); }
.mobile-menu nav a.active { color: var(--cyan); }
```

```
.mobile-menu .num { font-family: var(--font-num); font-size: 0.8rem; color: var(--steel); }
.mobile-menu__foot { margin-top: auto; padding-top: 28px; display: grid; gap: 12px; }
.mobile-menu__foot .socials { justify-content: center; margin-top: 6px; }

/* ---------- Hero ---------- */
.hero { position: relative; min-height: 100svh; display: flex; align-items: center; overflow: hidden; padding: calc(var(--header-h) + 40px) 0 110px; background: radial-gradient(ellipse at 70% 40%, #0b2a55 0%, var(--navy) 60%); }
.hero__bg { position: absolute; inset: 0; pointer-events: none; }
.hero__stage { position: absolute; top: 0; bottom: 0; right: 0; width: 58%; z-index: 0; }
.hero__stage canvas { width: 100% !important; height: 100% !important; display: block; }
.hero__fallback { position: absolute; top: 50%; left: 50%; width: min(80%, 480px); transform: translate(-50%, -50%); filter: drop-shadow(0 0 60px rgba(8, 123, 255, 0.45)); animation: float 6s ease-in-out infinite; }
.hero__stage.is-loading .hero__fallback { opacity: 0.0; animation: fadeIn 0.8s 0.6s forwards, float 6s ease-in-out infinite; }
@keyframes fadeIn { to { opacity: 1; } }
@keyframes float { 0%, 100% { translate: 0 0; } 50% { translate: 0 -14px; } }
.hero__inner { position: relative; z-index: 1; }
.hero__title { font-size: clamp(2.4rem, 5.4vw, 4.9rem); font-weight: 800; letter-spacing: -0.04em; line-height: 1.02; text-transform: uppercase; max-width: 12ch; margin-bottom: 28px; }
.hero__lead { max-width: 52ch; margin-bottom: 36px; }
.hero__actions { display: flex; flex-wrap: wrap; gap: 14px; }
.scroll-cue { position: absolute; left: 50%; bottom: 28px; transform: translateX(-50%); display: flex; flex-direction: column; align-items: center; gap: 6px; color: var(--steel); text-decoration: none; font-family: var(--font-num); font-size: 0.68rem; letter-spacing: 0.3em; text-transform: uppercase; z-index: 2; }
.scroll-cue__mouse { width: 24px; height: 38px; border: 1.5px solid rgba(216, 222, 232, 0.5); border-radius: 14px; display: flex; justify-content: center; padding-top: 7px; }
.scroll-cue__mouse span { width: 3px; height: 8px; border-radius: 3px; background: var(--cyan); animation: wheel 1.8s var(--ease) infinite; }
@keyframes wheel { 0% { transform: translateY(0); opacity: 1; } 70% { transform: translateY(12px); opacity: 0; } 100% { opacity: 0; } }

/* ---------- Page hero ---------- */
.page-hero { position: relative; overflow: hidden; padding: calc(var(--header-h) + clamp(56px, 9vw, 110px)) 0 clamp(64px, 9vw, 110px); background: radial-gradient(ellipse at 80% 20%, #0b2f5f 0%, var(--navy) 65%); }
.page-hero__bg { position: absolute; inset: 0; pointer-events: none; }
.page-hero__bg img { position: absolute; right: 0; top: 0; height: 100%; width: 55%; object-fit: cover; opacity: 0.28; mask-image: linear-gradient(90deg, transparent, #000 60%); }
.page-hero__inner { position: relative; }
.page-hero h1 { max-width: 18ch; }
.crumbs ol { display: flex; flex-wrap: wrap; align-items: center; gap: 6px; font-size: 0.85rem; color: var(--steel); margin-bottom: 28px; }
.crumbs li { display: inline-flex; align-items: center; gap: 6px; }
.crumbs a { color: var(--silver); text-decoration: none; }
.crumbs a:hover { color: var(--cyan); }
.crumbs [aria-current] { color: var(--white); }

/* ---------- Intro / media ---------- */
.intro-grid { display: grid; grid-template-columns: 1fr 1fr; gap: clamp(40px, 6vw, 88px); align-items: center; }
.intro-media { position: relative; }
.media-frame { position: relative; border-radius: var(--radius); overflow: hidden; box-shadow: 0 40px 80px -40px rgba(7, 20, 38, 0.6); border: 1px solid var(--line-light); }
.media-frame::after { content: ''; position: absolute; inset: 0; border-radius: inherit; box-shadow: inset 0 0 0 1px rgba(255,255,255,0.08); pointer-events: none; }
.media-frame img { width: 100%; aspect-ratio: 553 / 466; object-fit: cover; transition: transform 1.2s var(--ease); }
.media-frame:hover img { transform: scale(1.04); }
```

```
 213  .intro-chip { position: absolute; left: -24px; bottom: -28px; display: flex; gap: 12px; align-items: center; padding: 14px 18px; border-radius: 16px; color: var(--white); background: rgba(7, 20, 38, 0.86); box-shadow: var(--shadow-light); }
 214  .intro-chip img { border-radius: 50%; }
 215  .intro-chip strong { display: block; font-family: var(--font-head); font-size: 0.95rem; }
 216  .intro-chip span { font-size: 0.78rem; color: var(--steel); }
 217  .pill-list { display: flex; flex-wrap: wrap; gap: 10px; margin: 8px 0 32px; }
 218  .pill-list li { padding: 8px 16px; border-radius: 999px; background: var(--light-alt); border: 1px solid var(--line-light); font-size: 0.86rem; font-weight: 500; color: var(--deep); }
 219
 220  /* ---------- Service cards ---------- */
 221  .services-grid { display: grid; grid-template-columns: repeat(3, 1fr); gap: 24px; }
 222  .services-grid > li { display: flex; }
 223  .tilt { transform: perspective(900px) rotateX(var(--rx, 0)) rotateY(var(--ry, 0)); transition: transform 0.5s var(--ease), box-shadow 0.5s var(--ease), border-color 0.4s; transform-style: preserve-3d; will-change: transform; }
 224  .service-card { position: relative; width: 100%; display: flex; flex-direction: column; padding: 34px 30px 30px; border-radius: var(--radius); background: var(--white); border: 1px solid var(--line-light); box-shadow: 0 1px 2px rgba(7,20,38,0.04); overflow: hidden; }
 225  .service-card::before { content: ''; position: absolute; inset: 0; background: radial-gradient(400px circle at var(--mx, 50%) var(--my, 0%), rgba(8, 123, 255, 0.1), transparent 45%); opacity: 0; transition: opacity 0.4s; pointer-events: none; }
 226  .service-card:hover { box-shadow: var(--shadow-light); border-color: rgba(8, 123, 255, 0.35); }
 227  .service-card:hover::before { opacity: 1; }
 228  .service-card__num { position: absolute; right: 24px; top: 20px; font-family: var(--font-num); font-weight: 700; font-size: 2.6rem; color: rgba(11, 59, 120, 0.07); line-height: 1; }
 229  .service-card h3 { font-size: 1.28rem; margin: 22px 0 10px; }
 230  .service-card p { color: var(--ink-soft); font-size: 0.96rem; flex: 1; }
 231  .svc-icon { --s: 64px; position: relative; width: var(--s); height: var(--s); border-radius: 18px; display: grid; place-items: center; color: var(--white); background: linear-gradient(145deg, var(--electric), var(--deep)); box-shadow: inset 0 1px 0 rgba(255,255,255,0.35), inset 0 -6px 12px rgba(7,20,38,0.35), 0 14px 26px -10px rgba(8, 123, 255, 0.7); transform: translateZ(30px); animation: iconFloat 5s ease-in-out infinite; flex-shrink: 0; }
 232  .svc-icon svg { width: 46%; height: 46%; position: relative; z-index: 1; filter: drop-shadow(0 2px 4px rgba(7,20,38,0.4)); }
 233  .svc-icon__glow { position: absolute; inset: 0; border-radius: inherit; background: linear-gradient(145deg, rgba(255,255,255,0.4), transparent 50%); }
 234  .svc-icon--lg { --s: clamp(160px, 22vw, 240px); border-radius: 48px; }
 235  .services-grid li:nth-child(2n) .svc-icon { animation-delay: -1.5s; }
 236  .services-grid li:nth-child(3n) .svc-icon { animation-delay: -3s; }
 237  @keyframes iconFloat { 0%, 100% { translate: 0 0; } 50% { translate: 0 -6px; } }
 238  .svc-feature { display: grid; place-items: center; min-height: 340px; border-radius: var(--radius); background: radial-gradient(circle at 50% 45%, rgba(8, 123, 255, 0.35), transparent 60%), var(--navy); position: relative; overflow: hidden; }
 239  .svc-feature::before { content: ''; position: absolute; width: 70%; aspect-ratio: 1; border-radius: 50%; border: 1px solid rgba(32, 212, 255, 0.4); box-shadow: 0 0 40px rgba(32, 212, 255, 0.2); }
 240
 241  /* ---------- Why ---------- */
 242  .why { background: radial-gradient(ellipse at 0% 50%, rgba(11, 59, 120, 0.55), transparent 60%), var(--navy); overflow: hidden; }
 243  .why-grid { display: grid; grid-template-columns: 0.9fr 1.1fr; gap: clamp(40px, 6vw, 80px); align-items: center; }
 244  .why-list { display: grid; grid-template-columns: 1fr 1fr; gap: 18px; }
 245  .why-item { padding: 28px 24px; border-radius: var(--radius); transition: transform 0.4s var(--ease), border-color 0.4s; }
 246  .why-item:hover { transform: translateY(-6px); border-color: rgba(32, 212, 255, 0.45); }
 247  .why-item h3 { font-size: 1.1rem; margin: 18px 0 8px; }
 248  .why-item p { font-size: 0.93rem; margin: 0; }
 249  .why-item__icon { width: 52px; height: 52px; border-radius: 14px; display: grid; place-items: center; background: linear-gradient(145deg, rgba(8, 123, 255, 0.25), rgba(32, 212, 255, 0.08)); border: 1px solid rgba(32, 212, 255, 0.35); color: var(--cyan); }
```

```
 250  .light .why-item__icon { color: var(--electric); background: linear-gradient(145deg, rgba(8, 123,
255, 0.12), rgba(32, 212, 255, 0.05)); border-color: rgba(8, 123, 255, 0.25); }
 251
 252  /* ---------- Timeline ---------- */
 253  .process { background: linear-gradient(180deg, var(--navy), #0a1d38); }
 254  .timeline { position: relative; display: grid; grid-template-columns: repeat(5, 1fr); gap: 24px; }
 255  .timeline__track { position: absolute; top: 38px; left: 10%; right: 10%; height: 2px; background:
var(--line-dark); }
 256  .timeline__fill { position: absolute; inset: 0; background: var(--grad); box-shadow: 0 0 12px var(--
cyan); transform-origin: left; transform: scaleX(var(--p, 0)); }
 257  .timeline__step { position: relative; text-align: center; }
 258  .timeline__icon { width: 78px; height: 78px; margin: 0 auto 20px; border-radius: 50%; display: grid;
place-items: center; background: radial-gradient(circle at 30% 30%, #12407e, var(--navy)); border: 1.5px
solid var(--cyan); color: var(--cyan); box-shadow: 0 0 0 8px rgba(32, 212, 255, 0.06), 0 0 30px rgba(32,
212, 255, 0.35); position: relative; z-index: 1; }
 259  .timeline__icon svg { width: 30px; height: 30px; }
 260  .timeline__num { font-family: var(--font-num); font-size: 0.72rem; letter-spacing: 0.2em; text-
transform: uppercase; color: var(--steel); }
 261  .timeline__step h3 { font-size: 1.2rem; margin: 6px 0 8px; text-transform: uppercase; letter-spacing:
0.02em; }
 262  .timeline__step p { font-size: 0.92rem; max-width: 22ch; margin-inline: auto; }
 263
 264  /* ---------- Projects ---------- */
 265  .portfolio-preview { background: radial-gradient(ellipse at 100% 0%, rgba(11, 59, 120, 0.5),
transparent 55%), var(--navy); }
 266  .project-grid { display: grid; grid-template-columns: repeat(3, 1fr); gap: 24px; }
 267  .project-card a { display: block; height: 100%; text-decoration: none; color: inherit; border-radius:
var(--radius); overflow: hidden; background: linear-gradient(180deg, rgba(11, 59, 120, 0.25), rgba(7, 20,
38, 0.6)); border: 1px solid var(--line-dark); transition: transform 0.5s var(--ease), border-color 0.4s,
box-shadow 0.5s; }
 268  .project-card a:hover { transform: translateY(-8px); border-color: rgba(32, 212, 255, 0.45); box-
shadow: 0 30px 60px -30px rgba(8, 123, 255, 0.6); }
 269  .project-card__media { position: relative; aspect-ratio: 4 / 3; overflow: hidden; }
 270  .project-card__media img { width: 100%; height: 100%; object-fit: cover; transition: transform 1s
var(--ease), filter 0.6s; filter: saturate(0.95); }
 271  .project-card a:hover .project-card__media img { transform: scale(1.08); filter: saturate(1.1); }
 272  .project-card__media::after { content: ''; position: absolute; inset: 0; background: linear-
gradient(180deg, transparent 55%, rgba(7, 20, 38, 0.75)); }
 273  .badge { position: absolute; top: 14px; left: 14px; z-index: 1; padding: 5px 12px; border-radius:
999px; background: rgba(7, 20, 38, 0.75); backdrop-filter: blur(6px); border: 1px solid var(--line-dark);
color: var(--silver); font-family: var(--font-num); font-size: 0.72rem; letter-spacing: 0.06em; }
 274  .project-card__go { position: absolute; right: 14px; bottom: 14px; z-index: 1; width: 44px; height:
44px; border-radius: 50%; display: grid; place-items: center; background: var(--electric); color: #fff;
transform: scale(0.6) rotate(-45deg); opacity: 0; transition: transform 0.45s var(--ease), opacity 0.3s; }
 275  .project-card a:hover .project-card__go, .project-card a:focus-visible .project-card__go { transform:
none; opacity: 1; }
 276  .project-card__body { padding: 22px 24px 26px; }
 277  .project-card__cat { font-family: var(--font-num); font-size: 0.74rem; letter-spacing: 0.08em; text-
transform: uppercase; color: var(--cyan); }
 278  .project-card h3 { font-size: 1.18rem; margin: 8px 0 8px; color: var(--white); }
 279  .project-card p { font-size: 0.92rem; margin: 0; }
 280  .masonry > div:nth-child(3n + 2) { transform: translateY(28px); }
 281
 282  .notice { display: flex; gap: 12px; align-items: flex-start; padding: 14px 18px; border-radius:
var(--radius-sm); background: rgba(32, 212, 255, 0.08); border: 1px solid rgba(32, 212, 255, 0.25); font-
size: 0.92rem; margin-bottom: 28px; }
 283  .notice svg { color: var(--cyan); flex-shrink: 0; margin-top: 3px; }
 284  .notice--light { background: var(--light-alt); border-color: var(--line-light); color: var(--ink-
soft); }
 285  .notice--light svg { color: var(--electric); }
 286  .filters { display: flex; flex-wrap: wrap; gap: 10px; margin-bottom: 40px; }
```

```
.filters button { display: inline-flex; align-items: center; gap: 8px; min-height: 42px; padding: 0 16px; border-radius: 999px; border: 1px solid var(--line-dark); background: rgba(216, 222, 232, 0.04); color: var(--silver); font-size: 0.88rem; font-weight: 500; transition: all 0.3s var(--ease); }
.filters button span { font-family: var(--font-num); font-size: 0.75rem; color: var(--steel); }
.filters button:hover { border-color: var(--cyan); color: var(--white); }
.filters button.is-active { background: var(--electric); border-color: var(--electric); color: #fff; box-shadow: var(--shadow-glow); }
.filters button.is-active span { color: rgba(255,255,255,0.85); }
.empty-state { text-align: center; padding: 48px 0; }

/* ---------- Industries ---------- */
.industries { display: grid; grid-template-columns: repeat(3, 1fr); gap: 22px; }
.industries > li { display: flex; }
.industry-card { position: relative; width: 100%; min-height: 250px; border-radius: var(--radius); overflow: hidden; background: var(--navy); color: var(--white); display: flex; align-items: flex-end; box-shadow: var(--shadow-light); }
.industry-card img { position: absolute; inset: 0; width: 100%; height: 100%; object-fit: cover; transition: transform 1s var(--ease); }
.industry-card::after { content: ''; position: absolute; inset: 0; background: linear-gradient(180deg, rgba(7, 20, 38, 0.1) 0%, rgba(7, 20, 38, 0.55) 45%, rgba(7, 20, 38, 0.95) 100%); }
.industry-card:hover img { transform: scale(1.08); }
.industry-card__body { position: relative; z-index: 1; padding: 24px; transform: translateZ(20px); }
.industry-card h3 { font-size: 1.2rem; margin-bottom: 6px; }
.industry-card p { margin: 0; font-size: 0.9rem; color: var(--silver); max-height: 0; opacity: 0; overflow: hidden; transition: max-height 0.5s var(--ease), opacity 0.4s; }
.industry-card:hover p, .industry-card:focus-within p { max-height: 80px; opacity: 1; }
@media (hover: none) { .industry-card p { max-height: none; opacity: 1; } }

/* ---------- Testimonials ---------- */
.reviews-empty { display: flex; gap: 28px; align-items: center; max-width: 860px; margin: 0 auto; padding: clamp(28px, 4vw, 44px); border-radius: var(--radius); background: var(--light-alt); border: 1px dashed rgba(8, 123, 255, 0.35); }
.reviews-empty__quote { width: 84px; height: 84px; flex-shrink: 0; border-radius: 24px; display: grid; place-items: center; background: linear-gradient(145deg, var(--electric), var(--deep)); color: #fff; box-shadow: var(--shadow-glow); }
.reviews-empty__quote svg { width: 38px; height: 38px; }
.reviews-empty h3 { font-size: 1.35rem; }
.reviews-empty p { color: var(--ink-soft); }
.reviews-empty__links { display: flex; flex-wrap: wrap; gap: 12px; }
.testimonials { display: grid; grid-template-columns: repeat(3, 1fr); gap: 24px; }
.testimonial { position: relative; padding: 32px; border-radius: var(--radius); background: var(--white); border: 1px solid var(--line-light); box-shadow: var(--shadow-light); }
.testimonial__q { color: var(--electric); opacity: 0.25; width: 40px; height: 40px; }
.testimonial blockquote { margin: 12px 0 20px; color: var(--ink-soft); }
.stars { display: flex; gap: 2px; color: #f5b301; }
.testimonial__who { display: flex; align-items: center; gap: 12px; flex-wrap: wrap; }
.testimonial__who img { border-radius: 50%; object-fit: cover; }
.testimonial__who strong { display: block; font-family: var(--font-head); }
.testimonial__who span { font-size: 0.85rem; color: var(--ink-soft); }
.testimonial__src { margin-left: auto; font-size: 0.82rem; color: var(--electric); }
.profile-grid { display: grid; grid-template-columns: repeat(auto-fit, minmax(240px, 1fr)); gap: 22px; }
.profile-card { padding: 30px; border-radius: var(--radius); }
.profile-card__icon { width: 52px; height: 52px; border-radius: 14px; display: grid; place-items: center; background: var(--electric); color: #fff; margin-bottom: 18px; }
.profile-card__icon svg { width: 24px; height: 24px; }
.profile-card h3 { font-size: 1.15rem; }

/* ---------- FAQ ---------- */
.faq-wrap { display: grid; grid-template-columns: 0.8fr 1.2fr; gap: clamp(32px, 6vw, 80px); align-items: start; }
```

```
 332  .faq-wrap .section-heading { position: sticky; top: calc(var(--header-h) + 24px); }
 333  .faq-item { border-bottom: 1px solid var(--line-light); }
 334  .faq-item h3 { margin: 0; font-size: 1.05rem; }
 335  .faq-item button { width: 100%; display: flex; justify-content: space-between; align-items: center;
gap: 16px; padding: 22px 0; background: none; border: 0; text-align: left; font-family: var(--font-head);
font-weight: 600; font-size: 1.05rem; color: var(--ink); }
 336  .faq-item button:hover { color: var(--electric); }
 337  .faq-icon { flex-shrink: 0; width: 34px; height: 34px; padding: 7px; border-radius: 50%; background:
var(--light-alt); color: var(--electric); transition: transform 0.4s var(--ease), background 0.3s, color
0.3s; }
 338  .alt .faq-icon { background: var(--white); }
 339  .faq-item.is-open .faq-icon { transform: rotate(45deg); background: var(--electric); color: #fff; }
 340  .faq-panel p { color: var(--ink-soft); padding-bottom: 22px; margin: 0; max-width: 68ch; animation:
faqIn 0.4s var(--ease); }
 341  @keyframes faqIn { from { opacity: 0; transform: translateY(-6px); } }
 342
 343  /* ---------- CTA ---------- */
 344  .cta-section { position: relative; overflow: hidden; padding-block: clamp(80px, 10vw, 130px);
background: radial-gradient(ellipse at 85% 50%, rgba(8, 123, 255, 0.35), transparent 55%), linear-
gradient(135deg, var(--navy), #0a2448); }
 345  .cta-grid { display: grid; grid-template-columns: 1.2fr 0.8fr; gap: 40px; align-items: center; }
 346  .cta-actions { display: flex; flex-wrap: wrap; gap: 14px; margin: 8px 0 30px; }
 347  .checks { display: flex; flex-wrap: wrap; gap: 12px 24px; }
 348  .checks li { display: inline-flex; align-items: center; gap: 8px; font-size: 0.92rem; color: var(--
silver); }
 349  .checks svg { color: var(--cyan); }
 350  .growth-arrow { position: relative; width: 100%; max-width: 420px; margin-inline: auto; perspective:
800px; }
 351  .growth-arrow svg { width: 100%; height: auto; overflow: visible; transform: rotateY(-14deg)
rotateX(8deg); animation: arrowFloat 6s ease-in-out infinite; }
 352  .ga-bars rect { transform-origin: bottom; transform-box: fill-box; animation: barGrow 1.4s var(--
ease) both; }
 353  .ga-path { stroke-dasharray: 1400; stroke-dashoffset: 1400; animation: draw 2.4s 0.3s var(--ease)
forwards; }
 354  .ga-spark { animation: spark 2s ease-in-out infinite; transform-origin: center; transform-box: fill-
box; }
 355  @keyframes barGrow { from { transform: scaleY(0); } }
 356  @keyframes draw { to { stroke-dashoffset: 0; } }
 357  @keyframes spark { 50% { transform: scale(1.8); opacity: 0.4; } }
 358  @keyframes arrowFloat { 0%, 100% { translate: 0 0; } 50% { translate: 0 -12px; } }
 359
 360  /* ---------- About / misc ---------- */
 361  .vm-grid { display: grid; grid-template-columns: repeat(3, 1fr); gap: 22px; }
 362  .vm-card { padding: 34px 30px; border-radius: var(--radius); }
 363  .vm-card > svg { width: 40px; height: 40px; color: var(--cyan); margin-bottom: 18px; }
 364  .vm-card h3 { font-size: 1.25rem; }
 365  .values-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 20px; }
 366  .value-card { padding: 30px 26px; border-radius: var(--radius); background: var(--white); border: 1px
solid var(--line-light); transition: transform 0.4s var(--ease), box-shadow 0.4s; }
 367  .value-card:hover { transform: translateY(-6px); box-shadow: var(--shadow-light); }
 368  .value-card.glass { background: linear-gradient(160deg, rgba(11, 59, 120, 0.35), rgba(7, 20, 38,
0.4)); }
 369  .value-card h3 { font-size: 1.12rem; margin-top: 18px; }
 370  .value-card p { color: var(--ink-soft); font-size: 0.94rem; margin: 0; }
 371  .dark .value-card p { color: var(--silver); }
 372  .value-num { font-family: var(--font-num); font-size: 2.2rem; font-weight: 700; line-height: 1; }
 373  .tick-list { display: grid; gap: 12px; margin-top: 12px; }
 374  .tick-list li { display: flex; gap: 12px; align-items: flex-start; font-weight: 500; }
 375  .tick-list svg { flex-shrink: 0; margin-top: 4px; color: #fff; background: var(--electric); border-
radius: 50%; padding: 3px; width: 20px; height: 20px; }
 376  .founder { display: grid; grid-template-columns: 360px 1fr; gap: 56px; align-items: center; }
```

```
.founder img { border-radius: var(--radius); object-fit: cover; }
.founder__role { color: var(--electric); font-weight: 600; }

/* Service detail */
.deliverables { display: grid; grid-template-columns: repeat(3, 1fr); gap: 16px; }
.deliverables li { display: flex; gap: 14px; align-items: center; padding: 20px 22px; border-radius: var(--radius-sm); background: var(--white); border: 1px solid var(--line-light); font-weight: 500; }
.tick { width: 30px; height: 30px; flex-shrink: 0; border-radius: 50%; display: grid; place-items: center; background: rgba(8, 123, 255, 0.1); color: var(--electric); }
.approach { display: grid; grid-template-columns: repeat(4, 1fr); gap: 20px; counter-reset: a; }
.approach li { padding: 28px 24px; border-radius: var(--radius); border: 1px solid var(--line-light); position: relative; background: var(--white); }
.approach li::after { content: ''; position: absolute; left: 24px; right: 24px; top: 0; height: 3px; border-radius: 0 0 3px 3px; background: var(--grad); }
.approach__n { font-family: var(--font-num); font-weight: 700; font-size: 2rem; color: var(--electric); }
.approach h3 { font-size: 1.12rem; margin-top: 10px; }
.approach p { color: var(--ink-soft); font-size: 0.94rem; margin: 0; }
.mini-services { display: grid; grid-template-columns: repeat(auto-fit, minmax(220px, 1fr)); gap: 14px; }
.mini-services a { display: flex; align-items: center; gap: 14px; padding: 14px 18px; border-radius: var(--radius-sm); border: 1px solid var(--line-light); text-decoration: none; font-family: var(--font-head); font-weight: 600; transition: border-color 0.3s, transform 0.3s var(--ease); }
.mini-services a:hover { border-color: var(--electric); transform: translateY(-3px); }
.mini-services a > span { flex: 1; }
.mini-services .svc-icon { --s: 44px; border-radius: 12px; animation: none; }

/* Project detail */
.project-detail { display: grid; grid-template-columns: 1.15fr 0.85fr; gap: clamp(32px, 5vw, 64px); align-items: start; }
.project-detail__media { position: sticky; top: calc(var(--header-h) + 24px); padding-bottom: 40px; }
.device--desktop { border-radius: 14px; overflow: hidden; background: var(--navy); box-shadow: 0 40px 80px -40px rgba(7, 20, 38, 0.7); border: 1px solid var(--line-light); }
.device__bar { display: flex; gap: 6px; padding: 12px 14px; background: #0d1f38; }
.device__bar span { width: 10px; height: 10px; border-radius: 50%; background: var(--steel); opacity: 0.5; }
.device--desktop img { width: 100%; aspect-ratio: 16 / 10; object-fit: cover; }
.device--phone { position: absolute; right: -12px; bottom: 0; width: 28%; border-radius: 22px; padding: 6px; background: var(--navy); box-shadow: 0 30px 60px -20px rgba(7, 20, 38, 0.7); border: 1px solid rgba(216, 222, 232, 0.25); }
.device--phone img { border-radius: 16px; aspect-ratio: 9 / 18; object-fit: cover; width: 100%; }
.project-detail__info h2 { margin-top: 28px; }
.project-detail__info p { color: var(--ink-soft); }
.facts { display: grid; grid-template-columns: repeat(3, 1fr); gap: 12px; margin: 0 0 8px; }
.facts div { padding: 14px; border-radius: var(--radius-sm); background: var(--light-alt); }
.facts dt { font-family: var(--font-num); font-size: 0.7rem; letter-spacing: 0.14em; text-transform: uppercase; color: var(--ink-soft); }
.facts dd { margin: 4px 0 0; font-weight: 600; font-size: 0.9rem; }
.project-detail .hero__actions { margin-top: 32px; }
.metrics { display: flex; gap: 16px; flex-wrap: wrap; }
.metrics div { padding: 16px 20px; border-radius: var(--radius-sm); background: var(--navy); color: #fff; }
.metrics strong { display: block; font-family: var(--font-num); font-size: 1.6rem; }

/* Process page */
.process-detail { display: grid; gap: 20px; }
.process-row { display: grid; grid-template-columns: 100px 1fr 1fr; gap: 32px; align-items: center; padding: 32px; border-radius: var(--radius); border: 1px solid var(--line-light); background: var(--white); transition: box-shadow 0.4s, border-color 0.4s; }
.process-row:hover { box-shadow: var(--shadow-light); border-color: rgba(8, 123, 255, 0.3); }
```

```
 .process-row__n { font-family: var(--font-num); font-weight: 700; font-size: 3.4rem; line-height: 1; background: var(--grad); -webkit-background-clip: text; background-clip: text; color: transparent; }
 .process-row__head h2 { margin: 14px 0 6px; }
 .process-row__head p { color: var(--ink-soft); margin: 0; }
 .process-row ul { display: grid; gap: 10px; }
 .process-row li { position: relative; padding-left: 22px; color: var(--ink-soft); }
 .process-row li::before { content: ''; position: absolute; left: 0; top: 0.6em; width: 8px; height: 8px; border-radius: 50%; background: var(--electric); box-shadow: 0 0 0 4px rgba(8, 123, 255, 0.15); }

 /* ---------- Contact ---------- */
 .contact-grid { display: grid; grid-template-columns: 0.75fr 1.25fr; gap: clamp(24px, 4vw, 48px); align-items: start; }
 .contact-card { position: sticky; top: calc(var(--header-h) + 24px); padding: 34px 30px; border-radius: var(--radius); color: #fff; background: radial-gradient(circle at 100% 0%, rgba(8, 123, 255, 0.45), transparent 50%), var(--navy); display: grid; gap: 14px; }
 .contact-card p { color: var(--silver); margin: 0 0 6px; }
 .contact-card ul { display: grid; gap: 18px; margin-bottom: 10px; }
 .contact-card li { display: flex; gap: 14px; align-items: center; }
 .contact-card small { display: block; font-family: var(--font-num); font-size: 0.7rem; letter-spacing: 0.16em; text-transform: uppercase; color: var(--steel); }
 .contact-card a:not(.btn) { color: #fff; text-decoration: none; font-weight: 600; word-break: break-word; }
 .contact-card a:not(.btn):hover { color: var(--cyan); }
 .contact-card li span:not(.ci) { color: var(--silver); font-size: 0.92rem; }
 .ci { width: 44px; height: 44px; flex-shrink: 0; border-radius: 12px; display: grid; place-items: center; background: rgba(8, 123, 255, 0.2); border: 1px solid rgba(32, 212, 255, 0.3); color: var(--cyan); }
 .contact-social { margin-top: 8px; padding-top: 18px; border-top: 1px solid var(--line-dark); }
 .contact-social small { margin-bottom: 10px; }
 .form-card { padding: clamp(24px, 4vw, 44px); border-radius: var(--radius); background: var(--white); border: 1px solid var(--line-light); box-shadow: var(--shadow-light); }
 .form-note { color: var(--ink-soft); font-size: 0.9rem; }
 .form-grid { display: grid; grid-template-columns: 1fr 1fr; gap: 18px 20px; margin: 20px 0 26px; }
 .span-2 { grid-column: 1 / -1; }
 .field { display: grid; gap: 7px; min-width: 0; align-content: start; }
 .field label, .field legend { font-weight: 600; font-size: 0.9rem; color: var(--ink); }
 .field label span[aria-hidden] { color: var(--electric); }
 .opt { font-weight: 400; color: var(--ink-soft); font-size: 0.82rem; }
 .field input, .field select, .field textarea { width: 100%; min-height: 50px; padding: 12px 16px; border-radius: 12px; border: 1.5px solid #d3dbe7; background: #fbfcfe; color: var(--ink); font: inherit; font-size: 16px; transition: border-color 0.25s, box-shadow 0.25s, background 0.25s; }
 .field textarea { resize: vertical; min-height: 130px; }
 .field select { appearance: none; background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' width='12' height='8' fill='none' stroke='%230B3B78' stroke-width='2'%3E%3Cpath d='M1 1l5 5 5-5'/%3E%3C/svg%3E"); background-repeat: no-repeat; background-position: right 16px center; padding-right: 40px; }
 .field input:focus, .field select:focus, .field textarea:focus { outline: none; border-color: var(--electric); background: #fff; box-shadow: 0 0 0 4px rgba(8, 123, 255, 0.15); }
 .has-error input, .has-error textarea { border-color: #c62828; background: #fff7f7; }
 .field-error { margin: 0; color: #b42318; font-size: 0.84rem; font-weight: 500; }
 .radios { border: 0; padding: 0; margin: 0; display: flex; flex-wrap: wrap; gap: 10px; }
 .radios legend { margin-bottom: 8px; padding: 0; }
 .radios label { display: inline-flex; align-items: center; gap: 8px; min-height: 46px; padding: 0 18px; border-radius: 999px; border: 1.5px solid #d3dbe7; cursor: pointer; font-weight: 500; transition: all 0.25s; }
 .radios label.is-checked { border-color: var(--electric); background: rgba(8, 123, 255, 0.08); color: var(--deep); }
 .radios input { accent-color: var(--electric); width: 16px; height: 16px; }
 .radios label:focus-within { box-shadow: 0 0 0 3px rgba(32, 212, 255, 0.5); }
 .hp { position: absolute !important; left: -9999px; width: 1px; height: 1px; overflow: hidden; }
```

```
.form-alert { display: flex; gap: 12px; padding: 14px 16px; border-radius: 12px; background: #fff4f2; border: 1px solid #f3c1b9; color: #7a1c10; font-size: 0.92rem; margin-bottom: 18px; }
.form-alert a { color: inherit; font-weight: 600; }
.form-privacy { font-size: 0.82rem; color: var(--ink-soft); margin: 14px 0 0; text-align: center; }
.form-privacy a { color: var(--electric); }
.form-state { text-align: center; padding: 32px 8px; display: grid; justify-items: center; gap: 6px; }
.form-state > svg { color: var(--electric); margin-bottom: 10px; }
.form-state.success > svg { color: #128c4a; }
.form-state p { color: var(--ink-soft); max-width: 46ch; }
.form-state .ref { font-family: var(--font-num); color: var(--ink); font-weight: 600; }

/* ---------- Legal prose ---------- */
.prose { max-width: 820px; }
.prose h2 { font-size: 1.3rem; margin-top: 2em; }
.prose p, .prose li { color: var(--ink-soft); }
.prose ul { list-style: disc; padding-left: 1.4em; margin-bottom: 1em; }
.prose a { color: var(--electric); }

/* ---------- 404 ---------- */
.notfound { position: relative; min-height: 100svh; display: grid; place-items: center; text-align: center; overflow: hidden; padding: calc(var(--header-h) + 40px) 0 60px; }
.notfound__inner { position: relative; display: grid; justify-items: center; }
.notfound__inner img { border-radius: 50%; margin-bottom: 12px; }
.notfound__code { font-family: var(--font-num); font-weight: 700; font-size: clamp(5rem, 18vw, 10rem); line-height: 1; margin: 0; background: linear-gradient(180deg, var(--silver), var(--electric)); -webkit-background-clip: text; background-clip: text; color: transparent; }
.notfound .lead { margin-inline: auto; }
.notfound .hero__actions { justify-content: center; }

/* ---------- Footer ---------- */
.site-footer { position: relative; overflow: hidden; background: #050f1d; color: var(--silver); padding-top: clamp(64px, 8vw, 96px); border-top: 1px solid var(--line-dark); }
.footer-glow { position: absolute; top: -200px; left: 50%; width: 800px; height: 400px; transform: translateX(-50%); background: radial-gradient(ellipse, rgba(8, 123, 255, 0.22), transparent 65%); pointer-events: none; }
.footer-grid { position: relative; display: grid; grid-template-columns: 1.4fr 0.8fr 1.1fr 1.2fr; gap: 40px; padding-bottom: 56px; }
.footer-brand img { border-radius: 50%; filter: drop-shadow(0 0 22px rgba(8, 123, 255, 0.4)); }
.footer-tag { font-family: var(--font-num); letter-spacing: 0.3em; font-size: 0.72rem; color: var(--cyan); margin: 14px 0 12px; }
.footer-brand p { font-size: 0.92rem; max-width: 40ch; color: var(--steel); }
.site-footer h3 { font-size: 0.82rem; font-family: var(--font-num); letter-spacing: 0.2em; text-transform: uppercase; color: var(--white); margin-bottom: 18px; }
.site-footer ul { display: grid; gap: 10px; }
.site-footer a { text-decoration: none; color: var(--silver); font-size: 0.93rem; transition: color 0.25s; }
.site-footer a:hover { color: var(--cyan); }
.footer-contact li { display: flex; gap: 10px; align-items: center; font-size: 0.93rem; word-break: break-word; }
.footer-contact svg { color: var(--cyan); flex-shrink: 0; }
.footer-contact + .btn { margin-top: 20px; color: #fff; }
.footer-bottom { position: relative; display: flex; justify-content: space-between; align-items: center; flex-wrap: wrap; gap: 12px; padding-block: 24px 96px; border-top: 1px solid var(--line-dark); font-size: 0.85rem; color: var(--steel); }
.footer-bottom p { margin: 0; }
.footer-bottom ul { display: flex; gap: 20px; }
.socials, .site-footer .socials, .contact-card .socials { display: flex; gap: 10px; flex-wrap: wrap; }
.footer-brand .socials { margin-top: 20px; }
```

```
 505  .socials a { width: 42px; height: 42px; border-radius: 12px; display: grid; place-items: center;
border: 1px solid var(--line-dark); background: rgba(216, 222, 232, 0.05); color: var(--silver);
transition: all 0.3s var(--ease); }
 506  .socials a:hover { background: var(--electric); border-color: var(--electric); color: #fff;
transform: translateY(-3px); }
 507  .contact-card .socials a { color: var(--silver); }
 508
 509  /* ---------- Floating ---------- */
 510  .floating { position: fixed; right: 18px; bottom: 18px; z-index: 90; display: grid; gap: 12px;
justify-items: center; }
 511  .fab { width: 56px; height: 56px; border-radius: 50%; display: grid; place-items: center; border: 0;
color: #fff; text-decoration: none; transition: transform 0.35s var(--ease), opacity 0.3s; }
 512  .fab-wa { background: #128c4a; box-shadow: 0 12px 28px -8px rgba(18, 140, 74, 0.7); animation: pulse
2.6s infinite; }
 513  .fab-wa:hover { transform: scale(1.08); }
 514  @keyframes pulse { 0% { box-shadow: 0 0 0 0 rgba(18, 140, 74, 0.55); } 70% { box-shadow: 0 0 0 16px
rgba(18, 140, 74, 0); } 100% { box-shadow: 0 0 0 0 rgba(18, 140, 74, 0); } }
 515  .fab-top { width: 46px; height: 46px; background: rgba(7, 20, 38, 0.85); border: 1px solid var(--
line-dark); backdrop-filter: blur(8px); opacity: 0; transform: translateY(12px); pointer-events: none; }
 516  .fab-top.is-visible { opacity: 1; transform: none; pointer-events: auto; }
 517  .fab-top:hover { background: var(--electric); }
 518
 519  .cookie { position: fixed; left: 18px; bottom: 18px; z-index: 95; max-width: 420px; padding: 18px
20px; border-radius: 16px; background: rgba(7, 20, 38, 0.96); border: 1px solid var(--line-dark); color:
var(--silver); box-shadow: 0 20px 50px -20px rgba(0,0,0,0.6); font-size: 0.9rem; }
 520  .cookie a { color: var(--cyan); }
 521  .cookie div { display: flex; gap: 10px; justify-content: flex-end; }
 522  .page-loading { min-height: 100vh; background: var(--navy); }
 523
 524  /* ============================================================
 525     Responsive
 526     ============================================================ */
 527  @media (max-width: 1180px) {
 528    .main-nav a { padding: 8px 9px; font-size: 0.88rem; }
 529  }
 530  @media (max-width: 1080px) {
 531    .main-nav, .header-cta { display: none; }
 532    .menu-toggle { display: inline-flex; }
 533    .footer-grid { grid-template-columns: 1fr 1fr; }
 534    .values-grid, .approach { grid-template-columns: repeat(2, 1fr); }
 535  }
 536  @media (max-width: 1023px) {
 537    .services-grid, .project-grid, .industries, .testimonials, .deliverables { grid-template-columns:
repeat(2, 1fr); }
 538    .why-grid, .faq-wrap, .contact-grid, .project-detail { grid-template-columns: 1fr; }
 539    .faq-wrap .section-heading, .contact-card, .project-detail__media { position: static; }
 540    .vm-grid { grid-template-columns: 1fr; }
 541    .timeline { grid-template-columns: 1fr; gap: 0; max-width: 560px; margin-inline: auto; }
 542    .timeline__track { top: 0; bottom: 0; left: 38px; right: auto; width: 2px; height: auto; }
 543    .timeline__fill { transform-origin: top; transform: scaleY(var(--p, 0)); }
 544    .timeline__step { display: grid; grid-template-columns: 78px 1fr; column-gap: 22px; text-align:
left; padding-bottom: 30px; }
 545    .timeline__icon { grid-row: span 3; margin: 0; }
 546    .timeline__step p { margin: 0; max-width: none; }
 547    .timeline__num { align-self: end; }
 548    .hero__stage { width: 100%; opacity: 0.35; }
 549    .hero__title { max-width: 14ch; }
 550    .masonry > div:nth-child(3n + 2) { transform: none; }
 551    .process-row { grid-template-columns: 70px 1fr; }
 552    .process-row ul { grid-column: 2; }
 553    .cta-grid { grid-template-columns: 1fr; }
```

```
  .growth-arrow { max-width: 300px; }
}
@media (max-width: 767px) {
  :root { --header-h: 66px; }
  .intro-grid { grid-template-columns: 1fr; }
  .intro-chip { left: 12px; bottom: -22px; }
  .services-grid, .project-grid, .industries, .testimonials, .deliverables, .why-list, .values-grid, .approach, .form-grid, .facts { grid-template-columns: 1fr; }
  .hero { flex-direction: column; align-items: stretch; min-height: auto; padding: var(--header-h) 0 96px; }
  .hero__stage { position: relative; inset: auto; width: 100%; height: min(46vh, 360px); opacity: 1; }
  .hero__title { font-size: clamp(2.1rem, 10vw, 3rem); }
  .scroll-cue { display: none; }
  .hero__actions .btn { flex: 1 1 100%; }
  .cta-actions .btn { flex: 1 1 100%; }
  .reviews-empty { flex-direction: column; text-align: center; }
  .reviews-empty__links { justify-content: center; }
  .footer-grid { grid-template-columns: 1fr; gap: 32px; }
  .process-row { grid-template-columns: 1fr; padding: 24px; gap: 16px; }
  .process-row ul { grid-column: auto; }
  .device--phone { width: 32%; right: 0; }
  .page-hero__bg img { width: 100%; opacity: 0.18; }
  .logo-text small { display: none; }
  .split-head .btn { width: 100%; }
  .cookie { left: 12px; right: 84px; bottom: 12px; }
  .floating { right: 12px; bottom: 12px; }
  .footer-bottom { flex-direction: column; align-items: flex-start; }
}
@media (max-width: 380px) {
  .logo-text strong { font-size: 0.9rem; }
  .btn-lg { padding: 0 20px; }
}

@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after { animation-duration: 0.001ms !important; animation-iteration-count: 1 !important; transition-duration: 0.001ms !important; scroll-behavior: auto !important; }
  .ga-path { stroke-dashoffset: 0; }
  html { scroll-behavior: auto; }
}
```

src/three/heroScene.ts

```
import * as THREE from 'three';
import { RoomEnvironment } from 'three/examples/jsm/environments/RoomEnvironment.js';

/**
 * Signature hero scene: a 3D interpretation of the VANTORA "V" mark with a
 * growth arrow, metallic silver + electric-blue materials, cyan energy trails
 * and floating particles. Vanilla Three.js, loaded lazily.
 */
export interface HeroSceneHandle {
  dispose: () => void;
  setActive: (active: boolean) => void;
}

const COLORS = {
  navy: 0x071426,
  deep: 0x0b3b78,
  electric: 0x087bff,
  cyan: 0x20d4ff,
```

```
  silver: 0xd8dee8,
};

function dotTexture() {
  const c = document.createElement('canvas');
  c.width = c.height = 64;
  const g = c.getContext('2d')!;
  const grd = g.createRadialGradient(32, 32, 0, 32, 32, 32);
  grd.addColorStop(0, 'rgba(255,255,255,1)');
  grd.addColorStop(0.25, 'rgba(160,230,255,0.85)');
  grd.addColorStop(1, 'rgba(32,212,255,0)');
  g.fillStyle = grd;
  g.fillRect(0, 0, 64, 64);
  const t = new THREE.CanvasTexture(c);
  t.colorSpace = THREE.SRGBColorSpace;
  return t;
}

function shape(points: [number, number][]) {
  const s = new THREE.Shape();
  points.forEach(([x, y], i) => (i ? s.lineTo(x, y) : s.moveTo(x, y)));
  s.closePath();
  return s;
}

export function createHeroScene(
  container: HTMLElement,
  opts: { mobile: boolean; reducedMotion: boolean },
): HeroSceneHandle {
  const renderer = new THREE.WebGLRenderer({ antialias: !opts.mobile, alpha: true, powerPreference:
'high-performance' });
  renderer.setPixelRatio(Math.min(window.devicePixelRatio, opts.mobile ? 1.5 : 2));
  renderer.outputColorSpace = THREE.SRGBColorSpace;
  renderer.toneMapping = THREE.ACESFilmicToneMapping;
  renderer.toneMappingExposure = 1.15;
  renderer.setClearColor(0x000000, 0);
  container.appendChild(renderer.domElement);
  renderer.domElement.setAttribute('aria-hidden', 'true');

  const scene = new THREE.Scene();
  const pmrem = new THREE.PMREMGenerator(renderer);
  const envTex = pmrem.fromScene(new RoomEnvironment(), 0.04).texture;
  scene.environment = envTex;

  const camera = new THREE.PerspectiveCamera(38, 1, 0.1, 100);
  camera.position.set(0, 0.2, 9);

  // Lights — cinematic, controlled
  scene.add(new THREE.AmbientLight(0x6c8cff, 0.35));
  const key = new THREE.DirectionalLight(0xffffff, 2.2);
  key.position.set(-4, 5, 6);
  scene.add(key);
  const rimBlue = new THREE.PointLight(COLORS.electric, 40, 20);
  rimBlue.position.set(3.5, 1.5, 2.5);
  scene.add(rimBlue);
  const rimCyan = new THREE.PointLight(COLORS.cyan, 25, 18);
  rimCyan.position.set(-3, -2, 3);
  scene.add(rimCyan);

  const root = new THREE.Group();
  scene.add(root);
```

```
  const mark = new THREE.Group();
  root.add(mark);

  // ---- The V mark (based on the supplied logo: silver left stroke, blue right stroke)
  const extrude: THREE.ExtrudeGeometryOptions = {
    depth: 0.42,
    bevelEnabled: true,
    bevelThickness: 0.06,
    bevelSize: 0.05,
    bevelSegments: opts.mobile ? 2 : 4,
    curveSegments: 4,
  };
  const silver = new THREE.MeshPhysicalMaterial({
    color: COLORS.silver,
    metalness: 1,
    roughness: 0.18,
    clearcoat: 1,
    clearcoatRoughness: 0.08,
    envMapIntensity: 1.4,
  });
  const blue = new THREE.MeshPhysicalMaterial({
    color: COLORS.electric,
    metalness: 0.75,
    roughness: 0.15,
    clearcoat: 1,
    emissive: new THREE.Color(COLORS.deep),
    emissiveIntensity: 0.6,
    envMapIntensity: 1.3,
  });
  const glow = new THREE.MeshStandardMaterial({
    color: COLORS.cyan,
    emissive: new THREE.Color(COLORS.electric),
    emissiveIntensity: 0.9,
    metalness: 0.4,
    roughness: 0.3,
  });

  const left = new THREE.Mesh(
    new THREE.ExtrudeGeometry(shape([[-1.45, 1.15], [-0.7, 1.15], [0.02, -0.55], [0.02, -1.2], [-
0.32, -1.2]]), extrude),
    silver,
  );
  const right = new THREE.Mesh(
    new THREE.ExtrudeGeometry(shape([[0.02, -0.55], [0.6, 0.85], [1.22, 0.85], [0.32, -1.2], [0.02, -
1.2]]), extrude),
    blue,
  );
  // inner blue facet on the silver stroke (logo detail)
  const facet = new THREE.Mesh(
    new THREE.ExtrudeGeometry(shape([[-1.0, 1.0], [-0.82, 1.0], [-0.12, -0.72], [-0.28, -0.72]]),
{ ...extrude, depth: 0.5 }),
    blue,
  );
  facet.position.z = 0.02;

  // Growth arrow rising from the right stroke
  const shaft = new THREE.Mesh(
    new THREE.ExtrudeGeometry(shape([[0.95, 0.55], [1.12, 0.55], [1.78, 1.72], [1.62, 1.8]]),
{ ...extrude, depth: 0.22 }),
    glow,
  );
```

```
    const head = new THREE.Mesh(
      new THREE.ExtrudeGeometry(shape([[1.35, 1.82], [2.15, 2.25], [1.95, 1.38]]), { ...extrude, depth: 0.24 }),
      glow,
    );
    shaft.position.z = head.position.z = 0.1;

    [left, right, facet, shaft, head].forEach((m) => mark.add(m));
    mark.position.set(-0.32, -0.25, -0.21);

    // Halo ring echoing the circular logo badge
    const ringMat = new THREE.MeshBasicMaterial({ color: COLORS.cyan, transparent: true, opacity: 0.55, blending: THREE.AdditiveBlending, depthWrite: false });
    const ring = new THREE.Mesh(new THREE.TorusGeometry(2.75, 0.012, 8, 160), ringMat);
    root.add(ring);
    const ring2 = new THREE.Mesh(new THREE.TorusGeometry(3.1, 0.006, 8, 160), ringMat.clone());
    (ring2.material as THREE.MeshBasicMaterial).opacity = 0.25;
    ring2.rotation.x = 1.2;
    root.add(ring2);

    // Glow disc behind the mark
    const halo = new THREE.Mesh(
      new THREE.PlaneGeometry(9, 9),
      new THREE.MeshBasicMaterial({ map: dotTexture(), color: COLORS.electric, transparent: true, opacity: 0.35, blending: THREE.AdditiveBlending, depthWrite: false }),
    );
    halo.position.z = -1.5;
    root.add(halo);

    // ---- Energy trails (cyan curves with travelling sparks)
    const trails: { curve: THREE.CatmullRomCurve3; spark: THREE.Sprite; speed: number; offset: number }[] = [];
    const sparkMat = new THREE.SpriteMaterial({ map: dotTexture(), color: COLORS.cyan, blending: THREE.AdditiveBlending, depthWrite: false, transparent: true });
    const trailCount = opts.mobile ? 3 : 5;
    for (let i = 0; i < trailCount; i++) {
      const a = (i / trailCount) * Math.PI * 2;
      const r = 2.2 + Math.random() * 0.9;
      const pts = [];
      for (let k = 0; k <= 8; k++) {
        const t = a + k * 0.55;
        pts.push(new THREE.Vector3(Math.cos(t) * r, Math.sin(t) * r * 0.62 + (k - 4) * 0.12, Math.sin(t * 1.3) * 1.2));
      }
      const curve = new THREE.CatmullRomCurve3(pts);
      const line = new THREE.Mesh(
        new THREE.TubeGeometry(curve, 80, 0.006, 4, false),
        new THREE.MeshBasicMaterial({ color: i % 2 ? COLORS.cyan : COLORS.electric, transparent: true, opacity: 0.35, blending: THREE.AdditiveBlending, depthWrite: false }),
      );
      root.add(line);
      const spark = new THREE.Sprite(sparkMat);
      spark.scale.setScalar(0.28);
      root.add(spark);
      trails.push({ curve, spark, speed: 0.05 + Math.random() * 0.05, offset: Math.random() });
    }

    // ---- Floating particles
    const count = opts.mobile ? 450 : 1300;
    const pos = new Float32Array(count * 3);
    for (let i = 0; i < count; i++) {
```

```
      pos[i * 3] = (Math.random() - 0.5) * 22;
      pos[i * 3 + 1] = (Math.random() - 0.5) * 14;
      pos[i * 3 + 2] = (Math.random() - 0.5) * 12 - 2;
    }
    const pGeo = new THREE.BufferGeometry();
    pGeo.setAttribute('position', new THREE.BufferAttribute(pos, 3));
    const particles = new THREE.Points(
      pGeo,
      new THREE.PointsMaterial({ size: 0.06, map: dotTexture(), color: 0x9fdcff, transparent: true,
opacity: 0.8, blending: THREE.AdditiveBlending, depthWrite: false }),
    );
    scene.add(particles);

    // ---- Sizing
    const resize = () => {
      const w = container.clientWidth || 1;
      const h = container.clientHeight || 1;
      renderer.setSize(w, h, false);
      camera.aspect = w / h;
      // keep the mark fully visible on narrow screens
      camera.position.z = w / h < 0.8 ? 12.5 : w / h < 1.1 ? 10.5 : 9.5;
      root.position.x = w / h > 0.85 && window.innerWidth > 1023 ? 0.7 : 0;
      camera.updateProjectionMatrix();
    };
    resize();
    const ro = new ResizeObserver(resize);
    ro.observe(container);

    // ---- Interaction
    const pointer = { x: 0, y: 0 };
    const onPointer = (e: PointerEvent) => {
      pointer.x = (e.clientX / window.innerWidth) * 2 - 1;
      pointer.y = (e.clientY / window.innerHeight) * 2 - 1;
    };
    window.addEventListener('pointermove', onPointer, { passive: true });

    const clock = new THREE.Clock();
    let active = true;
    let raf = 0;
    const intro = { t: 0 };

    const render = () => {
      raf = 0;
      if (!active) return;
      const dt = Math.min(clock.getDelta(), 0.05);
      const t = clock.elapsedTime;
      const motion = opts.reducedMotion ? 0 : 1;

      // cinematic reveal: rise + spin-in over ~2s
      intro.t = Math.min(1, intro.t + dt / 2.2);
      const e = 1 - Math.pow(1 - intro.t, 3);
      mark.scale.setScalar(0.6 + 0.4 * e);
      mark.rotation.y = (1 - e) * -1.6 + Math.sin(t * 0.5) * 0.18 * motion;
      mark.rotation.x = Math.sin(t * 0.35) * 0.06 * motion;
      mark.position.y = -0.25 + (1 - e) * -1.2 + Math.sin(t * 0.9) * 0.06 * motion;

      // scroll-based transformation
      const scroll = Math.min(1, window.scrollY / Math.max(window.innerHeight, 1));
      root.rotation.y = scroll * 0.9;
      root.rotation.x = scroll * -0.25;
      root.position.y = scroll * 1.4;
```

```
    ring.rotation.z = t * 0.12 * motion;
    ring2.rotation.z = -t * 0.08 * motion;
    ring2.rotation.y = Math.sin(t * 0.2) * 0.3 * motion;
    glow.emissiveIntensity = 0.8 + Math.sin(t * 2.2) * 0.25 * motion;

    trails.forEach((tr) => {
      const u = (tr.offset + t * tr.speed * motion) % 1;
      tr.curve.getPointAt(u, tr.spark.position);
    });
    particles.rotation.y = t * 0.015 * motion;
    particles.position.y = Math.sin(t * 0.2) * 0.15 * motion;

    // subtle camera drift following the pointer
    camera.position.x += (pointer.x * 0.6 * motion - camera.position.x) * 0.04;
    camera.position.y += (0.2 - pointer.y * 0.4 * motion - camera.position.y) * 0.04;
    camera.lookAt(0, 0, 0);

    renderer.render(scene, camera);
    raf = requestAnimationFrame(render);
  };
  raf = requestAnimationFrame(render);

  const onVisibility = () => setActive(!document.hidden);
  document.addEventListener('visibilitychange', onVisibility);

  function setActive(next: boolean) {
    if (next === active) return;
    active = next;
    if (active && !raf) {
      clock.getDelta();
      raf = requestAnimationFrame(render);
    }
  }

  return {
    setActive,
    dispose() {
      active = false;
      cancelAnimationFrame(raf);
      ro.disconnect();
      window.removeEventListener('pointermove', onPointer);
      document.removeEventListener('visibilitychange', onVisibility);
      scene.traverse((o) => {
        const m = o as THREE.Mesh;
        m.geometry?.dispose?.();
        const mat = m.material as THREE.Material | THREE.Material[] | undefined;
        (Array.isArray(mat) ? mat : mat ? [mat] : []).forEach((x) => x.dispose());
      });
      envTex.dispose();
      pmrem.dispose();
      renderer.dispose();
      renderer.domElement.remove();
    },
  };
}
```

src/vite-env.d.ts

```
/// <reference types="vite/client" />
interface ImportMetaEnv {
```

```
  readonly VITE_GOOGLE_SCRIPT_URL?: string;
  readonly VITE_GA_ID?: string;
  readonly VITE_BOOKING_URL?: string;
  readonly VITE_ROUTER?: 'hash' | 'browser';
}
```

backend/google-apps-script/Code.gs

```
/**
 * VANTORA DIGITAL — Website enquiry backend (Google Apps Script)
 * ---------------------------------------------------------------
 * Receives JSON enquiries from the website contact form and appends them
 * to a Google Spreadsheet. See README.md in this folder for setup.
 *
 * Configuration lives in Script Properties (Project Settings → Script
 * properties), NOT in this code:
 *   SPREADSHEET_ID   (required)  ID from the spreadsheet URL
 *   SHEET_NAME       (optional)  defaults to "Leads"
 *   NOTIFY_EMAIL     (optional)  address to receive a short new-lead alert
 *   ALLOWED_ORIGINS  (optional)  comma-separated, e.g. https://vantoradigital.info
 */

var HEADERS = [
  'Timestamp', 'Lead ID', 'Full Name', 'Business Name', 'Email', 'Phone',
  'Country', 'Industry', 'Required Service', 'Monthly Budget', 'Website',
  'Project Details', 'Contact Preference', 'Lead Source', 'Submission Status'
];

var LIMITS = {
  maxPerEmailPerHour: 3,     // same email address
  maxGlobalPerMinute: 30,    // whole site
  minFillMs: 2500            // humans take longer than this to fill the form
};

var EMAIL_RE = /^[^\s@]+@[^\s@]+\.[^\s@]{2,}$/;
var PHONE_RE = /^\+?[0-9\s\-()]{7,20}$/;

function doPost(e) {
  try {
    if (!e || !e.postData || !e.postData.contents) return json_({ ok: false, error: 'Empty
request.' });
    if (e.postData.contents.length > 20000) return json_({ ok: false, error: 'Request too large.' });

    var data;
    try { data = JSON.parse(e.postData.contents); } catch (err) { return json_({ ok: false, error:
'Invalid JSON.' }); }

    // Optional origin allow-list (the page URL is sent by the form).
    var allowed = prop_('ALLOWED_ORIGINS');
    if (allowed) {
      var page = String(data.pageUrl || '');
      var okOrigin = allowed.split(',').some(function (o) { o = o.trim(); return o && page.indexOf(o)
=== 0; });
      if (!okOrigin) return json_({ ok: false, error: 'Origin not allowed.' });
    }

    // Spam protection: honeypot + too-fast submissions are silently accepted but not stored.
    if (clean_(data.website_hp, 200) !== '' || Number(data.elapsedMs || 0) < LIMITS.minFillMs) {
      return json_({ ok: true, leadId: 'VD-' + Utilities.getUuid().slice(0, 8).toUpperCase() });
    }

```

```
    var lead = {
      fullName: clean_(data.fullName, 120),
      businessName: clean_(data.businessName, 160),
      email: clean_(data.email, 160).toLowerCase(),
      phone: clean_(data.phone, 30),
      country: clean_(data.country, 80),
      industry: clean_(data.industry, 80),
      service: clean_(data.service, 120),
      budget: clean_(data.budget, 60),
      website: clean_(data.website, 300),
      details: clean_(data.details, 3000),
      contactPreference: clean_(data.contactPreference, 30),
      leadSource: clean_(data.leadSource, 80) || 'Website'
    };

    // Server-side validation
    var errors = [];
    if (lead.fullName.length < 2) errors.push('Full name is required.');
    if (!EMAIL_RE.test(lead.email)) errors.push('A valid email address is required.');
    var digits = lead.phone.replace(/\D/g, '');
    if (!PHONE_RE.test(lead.phone) || digits.length < 7 || digits.length > 15) errors.push('A valid
contact number is required.');
    if (errors.length) return json_({ ok: false, error: errors.join(' ') });

    // Rate limits
    var cache = CacheService.getScriptCache();
    var emailKey = 'e_' +
Utilities.base64EncodeWebSafe(Utilities.computeDigest(Utilities.DigestAlgorithm.SHA_256, lead.email));
    var perEmail = Number(cache.get(emailKey) || 0);
    if (perEmail >= LIMITS.maxPerEmailPerHour) return json_({ ok: false, error: 'Too many
submissions. Please contact us on WhatsApp or by phone.' });
    var globalKey = 'g_' + Math.floor(Date.now() / 60000);
    var global = Number(cache.get(globalKey) || 0);
    if (global >= LIMITS.maxGlobalPerMinute) return json_({ ok: false, error: 'Server is busy. Please
try again in a minute.' });

    var lock = LockService.getScriptLock();
    lock.waitLock(10000);
    var leadId;
    try {
      var sheet = getSheet_();
      leadId = 'VD-' + Utilities.formatDate(new Date(), 'Asia/Kolkata', 'yyMMdd') + '-' +
Utilities.getUuid().slice(0, 5).toUpperCase();
      sheet.appendRow([
        new Date(), leadId, safeCell_(lead.fullName), safeCell_(lead.businessName),
safeCell_(lead.email),
        safeCell_(lead.phone), safeCell_(lead.country), safeCell_(lead.industry),
safeCell_(lead.service),
        safeCell_(lead.budget), safeCell_(lead.website), safeCell_(lead.details),
        safeCell_(lead.contactPreference), safeCell_(lead.leadSource), 'New'
      ]);
    } finally {
      lock.releaseLock();
    }
    cache.put(emailKey, String(perEmail + 1), 3600);
    cache.put(globalKey, String(global + 1), 120);

    notify_(leadId, lead);
    return json_({ ok: true, leadId: leadId });
  } catch (err) {
    // Log only the error message — never the lead's personal data.
```

```
    console.error('Lead submission failed: ' + (err && err.message));
    return json_({ ok: false, error: 'Server error. Please try again or contact us on WhatsApp.' });
  }
}

/** Simple health check: open the Web App URL in a browser. */
function doGet() {
  return json_({ ok: true, service: 'VANTORA DIGITAL enquiry endpoint' });
}

/** Run once from the editor to create the sheet + headers and authorise. */
function setup() {
  var sheet = getSheet_();
  Logger.log('Ready: ' + sheet.getParent().getName() + ' → ' + sheet.getName());
}

/** Run from the editor to append a clearly-marked test row. */
function testSubmission() {
  var res = doPost({ postData: { contents: JSON.stringify({
    fullName: 'TEST — delete me', email: 'test@example.com', phone: '+91 90000 00000',
    service: 'Meta Advertising', details: 'Apps Script test row', contactPreference: 'Email',
    leadSource: 'Apps Script test', website_hp: '', elapsedMs: 10000, pageUrl:
'https://vantoradigital.info/contact'
  }) } });
  Logger.log(res.getContent());
}

// ---------- helpers ----------
function getSheet_() {
  var id = prop_('SPREADSHEET_ID');
  if (!id) throw new Error('SPREADSHEET_ID script property is not set.');
  var ss = SpreadsheetApp.openById(id);
  var name = prop_('SHEET_NAME') || 'Leads';
  var sheet = ss.getSheetByName(name) || ss.insertSheet(name);
  if (sheet.getLastRow() === 0) {
    sheet.appendRow(HEADERS);
    sheet.getRange(1, 1, 1,
HEADERS.length).setFontWeight('bold').setBackground('#071426').setFontColor('#FFFFFF');
    sheet.setFrozenRows(1);
  }
  return sheet;
}

function notify_(leadId, lead) {
  var to = prop_('NOTIFY_EMAIL');
  if (!to) return;
  try {
    MailApp.sendEmail({
      to: to,
      subject: 'New website enquiry ' + leadId + (lead.service ? ' — ' + lead.service : ''),
      body: 'A new enquiry has been added to the Leads sheet.\n\nLead ID: ' + leadId +
        '\nName: ' + lead.fullName + '\nBusiness: ' + (lead.businessName || '-') +
        '\nService: ' + (lead.service || '-') + '\nPreferred contact: ' + (lead.contactPreference ||
'-') +
        '\n\nOpen the spreadsheet for full details.'
    });
  } catch (err) {
    console.error('Notification email failed: ' + err.message);
  }
}

```

```
 163  function prop_(k) { return PropertiesService.getScriptProperties().getProperty(k) || ''; }
 164  function clean_(v, max) { return String(v == null ? '' : v).replace(/[\u0000-\u0008\u000B\u000C\
u000E-\u001F]/g, '').trim().slice(0, max); }
 165  /** Prevent spreadsheet formula injection. */
 166  function safeCell_(v) { return /^[=+\-@]/.test(v) ? "'" + v : v; }
 167  function json_(obj) { return
ContentService.createTextOutput(JSON.stringify(obj)).setMimeType(ContentService.MimeType.JSON); }
```