Table of Specific Exceptions

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`AbstractMethodError`	E	`java.lang`	
`AccessControlException`	R	`java.security`	This is an exception that is thrown whenever a reference is made to a non-existent **ACL**(**A**ccess **C**ontrol **L**ist) (Access Control List).Refer to handout.
`AccessException`	C	`java.rmi`	Thrown by certain methods of the java.rmi.Naming class.
`AclNotFoundException`	C	`java.security.acl`	Thrown whenever a reference is made to a non-existent **ACL** (Access Control List).
`ActivateFailedException`	C	`java.rmi.activation`	thrown by the **RMI** (**R**emote **M**ethod**I**nvocation) runtime when activation fails during a remote call to an activatable object.
`ActivationException`	C	`java.rmi.activation`	
`AlreadyBoundException`	C	`javax.naming`	
`ApplicationException`	C	`org.omg.CORBA.portable`	Used for reporting application level exceptions between **ORBs** (**O**bject **R**equest**B**rokers) and stubs
`ArithmeticException`	R	`java.lang`	Most commonly a divide by zero. Refer to handout.
`ArrayIndexOutOfBoundsException`	R	`java.lang`	Can be handled more generically with IndexOutOfBoundsException. Refer to handout.
`ArrayStoreException`	R	`java.lang`	Thrown to indicate that an attempt has been made to store the wrong type of object into an

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
			array of objects. Refer to handout.
`AttributeInUseException`	C	`javax.naming.directory`	
`AttributeModificationException`	C	`javax.naming.directory`	
`AuthenticationException`	C	`javax.naming`	
`AuthenticationNotSupportedException`	C	`javax.naming`	
`AWTError`	E	`java.awt`	
`AWTError`	E	`java/awt`	
`AWTException`	C	`java.awt`	
`BadLocationException`	C	`javax.swing.text`	This exception is to report bad locations within a document model.
`BatchUpdateException`	C	`java.sql`	
`BindException`	C	`java.net`	Signals that an error occurred while attempting to bind a socket to a local address and port
`CannotProceedException`	C	`javax.naming`	
`CannotRedoException`	R	`javax.swing.undo`	
`CannotUndoException`	R	`javax.swing.undo`	
`CertificateEncodingException`	C	`java.security.cert`	
`CertificateException`	C	`java.security.cert`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`CertificateExpiredException`	C	`java.security.cert`	
`CertificateNotYetValidException`	C	`java.security.cert`	
`CertificateParsingException`	C	`java.security.cert`	
`ChangedCharSetException`	C	`javax.swing.text`	
`CharConversionException`	C	`java.io`	
`ClassCastException`	R	`java.lang`	Refer to handout.
`ClassCircularityError`	E	`java.lang`	
`ClassFormatError`	E	`java.lang`	Refer to handout.
`ClassNotFoundException`	C	`java.lang`	Refer to handout.
`CloneNotSupportedException`	C	`java.lang`	
`CMMException`	R	`java.awt.color`	
`CommunicationException`	C	`javax.naming`	
`ConcurrentModificationException`	R	`java.util`	This exception may be thrown by methods that have detected concurrent modification of a backing object when such modification is not permissible, e. g. two threads modifying a `HashMap` simultaneously.Refer to handout.
`ConfigurationException`	C	`javax.naming`	
`ConnectException`	C	`java.rmi`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`ConnectIOException`	C	`java.rmi`	
`ContextNotEmptyException`	C	`javax.naming`	
`CRLException`	C	`java.security.cert`	**CRL** (**C**ertificate **R**evocation **L**ist)(Certificate Revocation List) Exception.
`DataFormatException`	C	`java.util.zip`	
`DigestException`	C	`java.security`	
`EmptyStackException`	R	`java.util`	Thrown by methods in the Stack class to indicate that the stack is empty. Does not refer to the system stack.
`EOFException`	C	`java.io`	Refer to handout.
`Error`	E	`java.lang`	Catches any serious error such as`OutOfMemoryError` that you unlikely can recover from.
`Exception`	C	`java.lang`	generic. Catches any specify Exception plus general Runtime exceptions, but not Errors.
`ExceptionInInitializerError`	E	`java.lang`	Refer to handout.
`ExceptionInInitializerError`	E	`java.lang`	
`ExpandVetoException`	C	`javax.swing.tree`	
`ExportException`	C	`java.rmi.server`	
`FileNotFoundException`	C	`java.io`	
`FontFormatException`	C	`java.awt`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`GeneralSecurityException`	C	`java.security`	
`IllegalAccessError`	E	`java.lang`	Refer to handout.
`IllegalAccessException`	C	`java.lang`	Thrown when an application tries to load in a class, but the currently executing method does not have access to the definition of the specified class, because the class is not public and in another package.
`IllegalArgumentException`	R	`java.lang`	Most common exception to reject a bad parameter to a method.
`IllegalComponentStateException`	R	`java.awt`	
`IllegalMonitorStateException`	R	`java.lang`	
`IllegalPathStateException`	R	`java.awt.geom`	
`IllegalStateException`	R	`java.lang`	Signals that a method has been invoked at an illegal or inappropriate time.
`IllegalThreadStateException`	R	`java.lang`	
`ImagingOpException`	R	`java.awt.image`	
`IncompatibleClassChangeError`	E	`java.lang`	Refer to handout.
`IndexOutOfBoundsException`	R	`java.lang`	Similar to`ArrayIndexOutOfBoundsException`for `ArrayList`.
`IndirectionException`	R	`org.omg.CORBA.portable`	
`InstantiationError`	E	`java.lang`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`InstantiationException`	C	`java.lang`	
`InsufficientResourcesException`	C	`javax.naming`	
`InternalError`	E	`java.lang`	
`InterruptedException`	C	`java.lang`	Thrown when a thread is waiting, sleeping, or otherwise paused for a long time and another thread interrupts it using the interrupt method in class Thread.
`InterruptedIOException`	C	`java.io`	
`InterruptedNamingException`	C	`javax.naming`	
`IntrospectionException`	C	`java.beans`	
`InvalidAlgorithmParameterException`	C	`java.security`	This is a GeneralSecurityException. See IllegalArgumentException.
`InvalidAttributeIdentifierException`	C	`javax.naming.directory`	
`InvalidAttributesException`	C	`javax.naming.directory`	
`InvalidAttributeValueException`	C	`javax.naming.directory`	
`InvalidClassException`	C	`java.io`	Refer to handout.
`InvalidDnDOperationException`	R	`java.awt.dnd`	
`InvalidKeyException`	C	`java.security`	
`InvalidKeySpecException`	C	`java.security.spec`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
InvalidMidiDataException	C	javax.sound.midi	
InvalidNameException	C	javax.naming	
InvalidObjectException	C	java.io	
InvalidParameterException	R	java.security	
InvalidParameterSpecException	C	java.security.spec	
InvalidSearchControlsException	C	javax.naming.directory	
InvalidSearchFilterException	C	javax.naming.directory	
InvalidTransactionException	C	javax.transaction	
InvocationTargetException	C	java.lang.reflect	
IOException	C	java.io	
JarException	C	java.util.jar	
KeyException	C	java.security	
KeyManagementException	C	java.security	
KeyStoreException	C	java.security	
LastOwnerException	C	java.security.acl	
LdapReferralException	C	javax.naming.ldap	
LimitExceededException	C	javax.naming	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
LineUnavailableException	C	javax.sound.sampled	
LinkageError	E	java.lang	
LinkException	C	javax.naming	
LinkLoopException	C	javax.naming	
MalformedLinkException	C	javax.naming	
MalformedURLException	C	java.net	
MarshalException	C	java.rmi	
MidiUnavailableException	C	javax.sound.midi	
MimeTypeParseException	C	java.awt.datatransfer	
MissingResourceException	R	java.util	
NameAlreadyBoundException	C	javax.naming	
NameNotFoundException	C	javax.naming	
NamingException	C	javax.naming	
NamingSecurityException	C	javax.naming	
NegativeArraySizeException	R	java.lang	
NoClassDefFoundError	E	java.lang	Refer to handout.
NoInitialContextException	C	javax.naming	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`NoninvertibleTransformException`	C	`java.awt.geom`	
`NoPermissionException`	C	`javax.naming`	
`NoRouteToHostException`	C	`java.net`	
`NoSuchAlgorithmException`	C	`java.security`	
`NoSuchAttributeException`	C	`javax.naming.directory`	
`NoSuchElementException`	R	`java.util`	
`NoSuchFieldError`	E	`java.lang`	
`NoSuchFieldException`	C	`java.lang`	
`NoSuchMethodError`	E	`java.lang`	Refer to handout.
`NoSuchMethodException`	C	`java.lang`	
`NoSuchObjectException`	C	`java.rmi`	
`NoSuchProviderException`	C	`java.security`	Refer to handout.
`NotActiveException`	C	`java.io`	Thrown when serialization or deserialization is not active
`NotBoundException`	C	`java.rmi`	
`NotContextException`	C	`javax.naming`	
`NotOwnerException`	C	`java.security.acl`	
`NotSerializableException`	C	`java.io`	Refer to handout.

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`NullPointerException`	R	`java.lang`	Actually a null reference exception.Refer to handout.
`NumberFormatException`	R	`java.lang`	Commonly thrown when a String is converted to internal binary numeric format. Refer to handout.
`ObjectStreamException`	C	`java.io`	
`OperationNotSupportedException`	C	`javax.naming`	
`OptionalDataException`	C	`java.io`	Unexpected data appeared in an ObjectInputStream trying to read an Object. Occurs when the stream contains primitive data instead of the object that is expected by readObject. The **EOF** (**E**nd **O**f**F**ile) flag in the exception is true indicating that no more primitive data is available. The count field contains the number of bytes available to read.
`OutOfMemoryError`	E	`java.lang`	By the time this happens it is almost too late. gc has already done what it could. Possibly some process has just started gobbling**RAM**, or perhaps the problem you are trying to solve is just too big for the size of the allotted virtual ram. You can control that with the `java.exe` command line switches.
`ParseException`	C	`java.text`	
`PartialResultException`	C	`javax.naming`	
`PolicyError`	E	`org.omg.CORBA`	
`PrinterAbortException`	C	`java.awt.print`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`PrinterException`	C	`java.awt.print`	
`PrinterIOException`	C	`java.awt.print`	
`PrivilegedActionException`	C	`java.security`	
`ProfileDataException`	R	`java.awt.color`	
`PropertyVetoException`	C	`java.beans`	
`ProtocolException`	C	`java.net`	
`ProviderException`	R	`java.security`	
`RasterFormatException`	R	`java.awt.image`	
`ReferralException`	C	`javax.naming`	
`RemarshalException`	C	`org.omg.CORBA.portable`	
`RemoteException`	C	`java.rmi`	
`RMISecurityException`	C	`java.rmi`	
`RuntimeException`	R	`java.lang`	Error that can occur in almost any code e.g.`NullPointerException`. Use this when to catch general errors when no specific exception is being thrown.
`SchemaViolationException`	C	`javax.naming.directory`	
`SecurityException`	R	`java.lang`	
`ServerCloneException`	C	`java.rmi.server`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`ServerError`	E	`java.rmi`	
`ServerException`	C	`java.rmi`	
`ServerNotActiveException`	C	`java.rmi.server`	
`ServerRuntimeException`	C	`java.rmi`	
`ServiceUnavailableException`	C	`javax.naming`	
`SignatureException`	C	`java.security`	
`SizeLimitExceededException`	C	`javax.naming`	
`SkeletonMismatchException`	C	`java.rmi.server`	
`SkeletonNotFoundException`	C	`java.rmi.server`	
`SocketException`	C	`java.net`	
`SocketSecurityException`	C	`java.rmi.server`	
`SQLException`	C	`java.sql`	
`StackOverflowError`	E	`java.lang`	Refer to handout.
`StreamCorruptedException`	C	`java.io`	ObjectStream data are scrambled. Refer to handout.
`StringIndexOutOfBoundsException`	R	`java.lang`	Can be handled more generically with IndexOutOfBoundsException. Refer to handout.
`StubNotFoundException`	C	`java.rmi`	

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
SyncFailedException	C	java.io	
SystemException	R	org.omg.CORBA	
TimeLimitExceededException	C	javax.naming	
TooManyListenersException	C	java.util	
TransactionRequiredException	C	javax.transaction	
TransactionRolledbackException	C	javax.transaction	
UndeclaredThrowableException	R	java.lang.reflect	
UnexpectedException	R	java.rmi	
UnknownError	E	java.lang	
UnknownException	R	org.omg.CORBA.portable	
UnknownGroupException	C	java.rmi.activation	
UnknownHostException	C	java.rmi	
UnknownHostException	C	java.net	
UnknownObjectException	C	java.rmi.activation	
UnknownServiceException	C	java.net	
UnknownUserException	C	org.omg.CORBA	
UnmarshalException	C	java.rmi	Refer to handout.

Specific Exceptions			
Exception Name	**Type**	**Package**	**Refer to handout**
`UnrecoverableKeyException`	C	`java.security`	
`UnsatisfiedLinkError`	E	`java.lang`	Refer to handout.
`UnsupportedAudioFileException`	C	`javax.sound.sampled`	
`UnsupportedClassVersionError`	E	`java.lang`	Refer to handout.
`UnsupportedDataTypeException`	C	`java.io`	undocumented. Refer to handout.
`UnsupportedEncodingException`	C	`java.io`	
`UnsupportedFlavorException`	C	`java.awt.datatransfer`	
`UnsupportedLookAndFeelException`	C	`javax.swing`	
`UnsupportedOperationException`	R	`java.lang`	Use for code not yet implemented, or that you deliberately did not implement.
`UserException`	C	`org.omg.CORBA`	
`UTFDataFormatException`	C	`java.io`	
`VerifyError`	E	`java.lang`	Refer to handout.
`VirtualMachineError`	E	`java.lang`	
`WriteAbortedException`	C	`java.io`	
`ZipException`	C	`java.util.zip`	Refer to handout.

Missing BadDataFormatException

There is no `BadDataFormatException` to complain about badly formatted data files. You would expect there to be one either derived from `IllegalArgumentException` like `NumberFormatException` or from `IOException` like `UTFDataFormatException`. You can either reuse`IllegalArgumentException` or `IOException`, or roll your own `BadDataFormatException`.