

Profile Summary (Total time: 15454.813 s)

Generated 10-Sep-2020 06:06:28 using performance time.

Function Name	Calls	Total Time (s)	Self Time* (s)	Total Time Plot (dark band = self time)
generateChf8_10	1	15454.813	0.010	
chaffElt>chaffElt.maximizerRCSAvgSymm	1	15454.799	0.003	
ga	1	15454.681	0.003	
globaloptim\private\gaminlp	1	15454.614	0.000	
globaloptim\private\gapenalty	1	15454.592	0.001	
globaloptim\private\galincon	1	15451.197	0.019	
globaloptim\private\createAnonymousFcn>@(x)fcn(x,FcnArgs{:})	4856	15449.209	0.087	
chaffElt>@(pointsOn)-obj.null2minRCSAvgQuarter(pointsOn)	4856	15449.122	0.045	
chaffElt>chaffElt.null2minRCSAvgQuarter	4856	15449.078	0.078	
chaffElt>chaffElt.null2minRCSAvg	4856	15448.745	2286.461	
...tim\private\gapenalty>@(x)gaminlppenaltyfcn(x,problem,conScale)	51	15445.905	0.001	
globaloptim\private\gaminlppenaltyfcn	51	15445.904	0.007	
globaloptim\private\fcnvectorizer	51	15445.896	0.077	
globaloptim\private\stepGA	50	15254.953	0.023	
thePlate>thePlate.changeEinc	29136000	8076.953	7149.843	
thePlate>thePlate.getRCSVal	29136000	4651.137	634.204	
thePlate>thePlate.getRCSValThesis	58272000	4016.933	4016.933	
sinc	116544000	927.111	927.111	
chaffElt>chaffElt.nullNew	4857	434.179	433.403	
globaloptim\private\makeState	1	191.353	0.002	
globaloptim\private\gadsplot	52	4.861	0.754	
globaloptim\private\gapenalty>i_generateOutput	1	3.391	0.001	
globaloptim\private\gadsplot>callOnePlotFcn	208	1.239	0.013	
...rsManager.SubplotListenersManager>@(o,e)subplotlayout(ax,e,fig)	52	0.946	0.463	
...xesInteractions>UnifiedAxesInteractions.createDefaultInteractions	472	0.666	0.071	
subplot	208	0.630	0.218	
...ractions>UnifiedAxesInteractions.createDefaultInteractionsOnAxes	472	0.567	0.113	
globaloptim\private\gaminlpplotbestf	52	0.548	0.002	
unique	9880	0.534	0.205	
gaplotbestf	52	0.531	0.164	
gaplotbestindiv	52	0.523	0.020	
PoolArrayManager>PoolArrayManager.cleanupStalePools	1	0.502	0.000	
PoolArrayManager>iManipulatePoolArray	2	0.502	0.003	
...bstractClusterPool>AbstractClusterPool.hDeleteLeaveHandleValid	1	0.497	0.000	
AbstractClusterPool.delete	1	0.496	0.003	
InteractiveClient>InteractiveClient.stopLabsAndDisconnect	1	0.489	0.001	
InteractiveClient>InteractiveClient.pStopLabsAndDisconnect	1	0.487	0.004	
tickCallback	102	0.418	0.010	
updateTicks	102	0.408	0.197	
...nal.tickCallback(ancestor(hObject,'axes'),hObj,XData,hObj,Horizontal)	100	0.367	0.013	

<u>unique>uniqueR2012a</u>	9880	0.329	0.329	
<u>globaloptim\private\gamin\pcrossoverlaplace</u>	50	0.302	0.074	
<u>..._eractionContainer>BaseAxesInteractionContainer.setupInteractions</u>	472	0.263	0.082	
<u>InteractiveClient>iDeleteJobs</u>	1	0.249	0.001	
<u>chaffElt>chaffElt.getBxnSizeFull</u>	14571	0.246	0.246	
<u>InteractiveClient>@()java.lang.System.gc()</u>	1	0.232	0.232	
<u>Cluster.Cluster>Cluster.hDeleteOneJob</u>	1	0.225	0.001	
<u>Bar.doUpdate</u>	104	0.215	0.102	
<u>hetfun</u>	2	0.206	0.003	
<u>chaffElt>chaffElt.quarter2FullArray</u>	4857	0.201	0.125	
<u>Bar.getXYZDataExtents</u>	156	0.176	0.018	
<u>globaloptim\private\gamin\psatisfyintconstr</u>	4850	0.157	0.038	
<u>bar</u>	2	0.153	0.021	
<u>xlabel</u>	4	0.151	0.017	
<u>Job.Job>Job.delete</u>	1	0.147	0.000	
<u>Job.Job>iDeleteJobs</u>	1	0.145	0.001	
<u>CJSConcurrentJob>CJSConcurrentJob.destroyJob</u>	1	0.143	0.000	
<u>...Methods.destroyOneJob(job.Parent.job.job.Support.job.SupportID)</u>	1	0.143	0.000	
<u>CJSJobMethods>CJSJobMethods.destroyOneJob</u>	1	0.142	0.001	
<u>findall</u>	209	0.131	0.074	
<u>legend</u>	2	0.127	0.004	
<u>Local.Local>Local.hDestroyJob</u>	1	0.122	0.000	
<u>Local.cancelOrDestroyJob</u>	1	0.121	0.001	
<u>gaplotstopping</u>	52	0.120	0.021	
<u>globaloptim\private\gamin\psatisfyintconstr>i_SatisfyIntConstr</u>	4850	0.119	0.074	
<u>legend>make_legend</u>	2	0.118	0.004	
<u>Job.Job>Job.get.StateEnum</u>	1	0.117	0.000	
<u>CJSJobMixin>CJSJobMixin.hGetStateEnum</u>	1	0.117	0.002	
<u>CJSCluster>CJSCluster.hGetJobState</u>	1	0.113	0.005	
<u>updateLegendMenuToolbar</u>	215	0.105	0.094	
<u>...tlab.graphics.illustration.internal.updateLegendMenuToolbar(h,e,[])</u>	213	0.104	0.003	
<u>chaffElt>chaffElt.getNumCellsRow</u>	14571	0.101	0.101	
<u>Bar.getLayoutHints</u>	772	0.099	0.073	
<u>chaffElt>chaffElt.nullNewFromOneArray</u>	1	0.092	0.000	
<u>clf</u>	1	0.091	0.002	
<u>...iner>BaseAxesInteractionContainer.createDefaultAxesInteractions</u>	4	0.086	0.010	
<u>chaffElt>chaffElt.array2rowcol</u>	4857	0.084	0.084	
<u>CJSSupport>CJSSupport.getProperties</u>	39	0.078	0.006	
<u>subplot>datasiblings</u>	208	0.077	0.063	
<u>Legend.doUpdate</u>	1	0.075	0.005	
<u>Legend.doMethod</u>	9	0.075	0.004	
<u>globaloptim\private\gamin\pcrossoverlaplace>i_ensureVarsInBox</u>	3800	0.074	0.035	
<u>AnnotationPane.AnnotationPane>AnnotationPane.getParentImpl</u>	2106	0.070	0.070	
<u>Bar.Bar>Bar.doGetBaselineAxis</u>	772	0.069	0.051	
<u>Bar.computeLayout</u>	156	0.068	0.037	

<u>Job.Job>Job.cancel</u>	1	0.068	0.001	
<u>graphics\private\clo</u>	4	0.064	0.013	
<u>CJSJobMixin>CJSJobMixin.hSetTerminalStateFromCluster</u>	1	0.064	0.001	
<u>FileStorage>FileStorage.getFields</u>	39	0.063	0.018	
<u>Bar.getColorAlphaDataExtents</u>	572	0.058	0.034	
<u>InteractionContainer>InteractionContainer.updateCanvasAndFigure</u>	472	0.057	0.045	
<u>Bar.Bar>Bar.get.Horizontal</u>	2270	0.057	0.037	
<u>CJSJobMixin>CJSJobMixin.hGetProperty</u>	15	0.056	0.002	
<u>CJSSupport>CJSSupport.getJobProperties</u>	15	0.054	0.001	
<u>CJSJobMethods>CJSJobMethods.setJobTerminalStateFromCluster</u>	1	0.052	0.002	
<u>Job.Job>@(jobs)iCancelJobs(jobs,exceptionBuilder)</u>	1	0.051	0.000	
<u>Job.Job>iCancelJobs</u>	1	0.051	0.002	
<u>globaloptim\private\gamin\pmutationpower</u>	50	0.051	0.019	
<u>Bar.getSingleBarExtentsArray</u>	156	0.049	0.030	
<u>CJSConcurrentJob>CJSConcurrentJob.cancelJob</u>	1	0.048	0.001	
<u>...ner>StandardAxesInteractionContainer.shouldRecreateInteractions</u>	472	0.048	0.015	
<u>...b,ce)CJSJobMethods.cancelOneJob(job.Parent,job.job.Support,ce)</u>	1	0.047	0.000	
<u>CJSJobMethods>CJSJobMethods.cancelOneJob</u>	1	0.047	0.002	
<u>graph2d\private\subplot_parseargs</u>	208	0.046	0.041	
<u>...xesInteractions>UnifiedAxesInteractions.checkIfHWCallbacksExist</u>	472	0.046	0.046	
<u>Legend.Legend>Legend.Legend</u>	1	0.044	0.006	
<u>FileStorage>iLoadWithRetry</u>	38	0.043	0.002	
<u>...youtManager.AxesLayoutManager>AxesLayoutManager.doUpdate</u>	1	0.042	0.007	
<u>Legend.Legend>Legend.set.Axes</u>	1	0.042	0.000	
<u>Legend.Legend>Legend.set.Axes_I</u>	1	0.042	0.000	
<u>makeValidName</u>	52	0.042	0.006	
<u>subplot>isSubplotCandidate</u>	2060	0.042	0.042	
<u>globaloptim\private\gamin\partificialbound</u>	3511	0.041	0.012	
<u>Legend.Legend>Legend.setAxesImpl</u>	1	0.041	0.001	
<u>gaoptimset</u>	6	0.039	0.026	
<u>isUIFigure</u>	488	0.039	0.039	
<u>barh</u>	1	0.038	0.001	
<u>setdiff</u>	3	0.036	0.005	
<u>Bar.Bar>@(~,~)hObj.markAllSeriesDirty</u>	100	0.036	0.001	
<u>gaplotexpectation</u>	52	0.036	0.015	
<u>arraytolimits</u>	312	0.035	0.006	
<u>Bar.markAllSeriesDirty</u>	100	0.035	0.007	
<u>globaloptim\private\gamin\pcrossoveroverlaplace>i_generateLaplace</u>	100	0.034	0.034	
<u>ismember</u>	34	0.033	0.006	
<u>rot90</u>	4857	0.032	0.032	
<u>...tionContainer>StandardAxesInteractionContainer.createInteraction</u>	16	0.032	0.002	
<u>Legend.doMethod>createEntries</u>	1	0.032	0.005	
<u>setdiff>setdiffR2012a</u>	3	0.032	0.005	
<u>InteractionContainer>InteractionContainer.get.InteractionsArray</u>	948	0.031	0.010	

<u>legendcolorbarlayout</u>	1	0.030	0.001	
<u>makeValidName>@(n)makeValid(n,@replaceWithUnderscore)</u>	52	0.030	0.002	
<u>title</u>	4	0.030	0.013	
<u>arraytolimits>localGetLimits</u>	312	0.030	0.030	
<u>DataTipsBase>DataTipsBase.enable</u>	8	0.030	0.003	
<u>shg</u>	1	0.030	0.020	
<u>globaloptim\private\pCreateCandidatePointBounds</u>	3511	0.029	0.029	
<u>flipud</u>	4964	0.028	0.024	
<u>Bar.Bar>Bar.get.CData</u>	676	0.028	0.022	
<u>makeValidName>getMakeValidFcnHandle/makeValid</u>	52	0.028	0.021	
<u>ismember>ismemberR2012a</u>	34	0.028	0.008	
<u>getBarPeers</u>	100	0.028	0.003	
<u>CJSTask>CJSTask,hGetProperty</u>	24	0.027	0.002	
<u>CJSJobMixin>CJSJobMixin,hGetStateFromTasks</u>	1	0.027	0.000	
<u>globaloptim\private\gacommon</u>	1	0.027	0.002	
<u>CJSJobMethods>CJSJobMethods,getJobStateFromTasks</u>	1	0.027	0.002	
<u>Bar.calculateBarRectangleData</u>	104	0.027	0.016	
<u>Legend,autoUpdateCallback</u>	1	0.026	0.002	
<u>UnifiedAxesInteractions>UnifiedAxesInteractions.getCanvas</u>	944	0.026	0.026	
<u>Legend,doSetup</u>	1	0.025	0.003	
<u>CJSSupport>CJSSupport,getTaskProperties</u>	24	0.025	0.001	
<u>ylabel</u>	4	0.025	0.014	
<u>flipr</u>	4857	0.025	0.025	
<u>findall>showHiddenHandlesToFindAllHandles</u>	209	0.024	0.024	
<u>...nager.SubplotListenersManager>SubplotListenersManager.disable</u>	53	0.024	0.024	
<u>...AxesInteractions>UnifiedAxesInteractions.checkIfCameraPropsSet</u>	472	0.023	0.023	
<u>...ncurrentJob>CJSConcurrentJob,hWorkerCrashedDuringExecution</u>	1	0.023	0.000	
<u>globaloptim\private\gamin\psatisfyintconstr>i_Floor</u>	4850	0.023	0.023	
<u>CJSJobMixin>CJSJobMixin,hGetCrashDumpFiles</u>	1	0.023	0.000	
<u>CJSSupport>CJSSupport,getCashDumpsForJob</u>	1	0.022	0.002	
<u>globaloptim\private\gamin\psatisfyintconstr>i_Ceil</u>	4850	0.022	0.022	
<u>graphics\private\clearscribe</u>	1	0.022	0.005	
<u>legend>process_inputs</u>	2	0.022	0.004	
<u>CJSJobMixin>CJSJobMixin,h SetPropertyNoCheck</u>	2	0.021	0.002	
<u>setPrimitiveColors</u>	208	0.021	0.021	
<u>Legend,doMethod>layoutEntries</u>	1	0.021	0.004	
<u>...ntainer>BaseAxesInteractionContainer,unpackagedInteractionsArray</u>	4	0.021	0.001	
<u>...er>CartesianAxesInteractionContainer,getDefaultInteractionsArray</u>	948	0.020	0.012	
<u>globaloptim\private\gamin\poverwriteoptions</u>	1	0.020	0.001	
<u>InteractionsList>InteractionsList,hasValidInteractions</u>	468	0.020	0.020	
<u>attributes</u>	6	0.020	0.004	
<u>LegendEntry,LegendEntry>LegendEntry,LegendEntry</u>	2	0.020	0.001	
<u>TextInteractions>TextInteractions,createAndRegisterTextControl</u>	635	0.020	0.007	
<u>...esInteractionSet>DefaultAxesInteractionSet.createInteractionArray</u>	4	0.020	0.003	
<u>Bar.Bar>Bar.getHorizontalImpl</u>	2270	0.020	0.020	

<u>CJSSupport>CJSSupport.setJobProperties</u>	2	0.020	0.002	
<u>Bar.Bar>Bar.getBarPeers</u>	100	0.019	0.001	
<u>Bar.Bar>Bar.Bar</u>	2	0.019	0.005	
<u>CJSJobMixin>CJSJobMixin.getTasks</u>	7	0.018	0.001	
<u>ismember>ismemberClassTypes</u>	33	0.018	0.008	
<u>Bar.Bar>Bar.getBarPeersImpl</u>	100	0.018	0.016	
<u>globaloptim\private\validate</u>	1	0.018	0.004	
<u>...utManager.AxesLayoutManager>AxesLayoutManager.getManager</u>	2	0.018	0.001	
<u>CJSSupport>CJSSupport.destroyJob</u>	1	0.018	0.000	
<u>Job.Job>Job.get.Tasks</u>	6	0.018	0.001	
<u>CJSSupport>CJSSupport.setProperties</u>	2	0.017	0.003	
<u>markFigure</u>	210	0.017	0.017	
<u>CJSSupport>CJSSupport.getTasks</u>	7	0.017	0.002	
<u>validateBarRectangleData</u>	104	0.017	0.007	
<u>fullfile</u>	14	0.017	0.006	
<u>LegendEntry.LegendEntry>LegendEntry.doSetup</u>	2	0.017	0.004	
<u>subplot>addAxesToGrid</u>	4	0.016	0.006	
<u>Local.Local>Local.getJobSchedDataIfAvailable</u>	8	0.016	0.001	
<u>Legend.getPreferredSize</u>	1	0.016	0.000	
<u>Legend.getMethod>getsizeinfo</u>	2	0.016	0.006	
<u>...enersManager>@(o,e)matlab.graphics.internal.axesDestroyed(o,e)</u>	4	0.016	0.001	
<u>FileFormat>iLoadMat</u>	16	0.016	0.013	
<u>SolverOptions>SolverOptions.copyForOutputAndPlotFcn</u>	1	0.016	0.002	
<u>axesDestroyed</u>	4	0.015	0.002	
<u>...nager.SubplotListenersManager>SubplotListenersManager.enable</u>	53	0.015	0.015	
<u>hggetbehavior</u>	2	0.015	0.001	
<u>CJSSupport>@(x,y)obj.getTasksForJob(x,y{1})</u>	7	0.015	0.001	
<u>FileStorage>FileStorage.destroyJob</u>	1	0.015	0.001	
<u>CJSJobMethods>iDeriveJobStateFromTasks</u>	1	0.014	0.004	
<u>CJSSupport>CJSSupport.getTasksForJob</u>	7	0.014	0.004	
<u>cell.unique</u>	4	0.014	0.005	
<u>DatatipsClick>DatatipsClick.attachListeners</u>	4	0.014	0.001	
<u>...nager.AxesLayoutManager>AxesLayoutManager.insertAboveAxes</u>	1	0.014	0.006	
<u>Local.Local>Local.getJobState</u>	1	0.014	0.001	
<u>FileFormat>iLoadDate</u>	2	0.014	0.002	
<u>DataTipInteraction>DataTipInteraction.createInteraction</u>	4	0.014	0.002	
<u>hggetbehavior>localGet</u>	2	0.014	0.004	
<u>globaloptim\private\gadsplot>foundfunc</u>	624	0.014	0.014	
<u>legend>getLegendableChildren</u>	2	0.014	0.000	
<u>findall>@()set(rootobj,'ShowHiddenHandles',Temp)</u>	209	0.014	0.014	
<u>FileStorage>FileStorage.setFields</u>	2	0.014	0.005	
<u>getLegendableChildren</u>	2	0.014	0.002	
<u>cell.intersect</u>	1	0.013	0.002	
<u>removeAxesFromGrid</u>	3	0.013	0.005	
<u>newplot</u>	5	0.013	0.003	

<u>Legend</u> .doSetup>@(<u>h,e</u>)hObj,doDelete	1	0.013	0.006	
computeBars	156	0.013	0.004	
<u>TextInteractions</u> > <u>TextInteractions</u> .getCanvas	635	0.013	0.013	
... <u>outManager</u> .AxesLayoutManager>AxesLayoutManager.addToTree	1	0.013	0.001	
<u>InteractionContainer</u> >InteractionContainer.get.Enabled	944	0.012	0.012	
... <u>edAxes</u> .Interactions>UnifiedAxesInteractions.isFigureToolbarHidden	472	0.012	0.012	
<u>datetime.datetime</u> >datetime.datetime	2	0.012	0.005	
<u>DatatipsClick</u> >DatatipsClick.clickEvent	4	0.012	0.002	
cell.intersect>cellintersectR2012a	1	0.012	0.003	
<u>Bar.createBarVertexData</u>	104	0.012	0.009	
<u>Local.deriveJobStateFromTasks</u>	1	0.012	0.003	
<u>DataTipsBase</u> >@(<u>e,d</u>)hObj,delete()	8	0.011	0.003	
configureAxes	2	0.011	0.003	
<u>FileFormat</u> >iLoadState	20	0.011	0.006	
<u>Bar.Bar</u> >Bar.get.YOffset	260	0.011	0.009	
globaloptim\private\gadsplot>change_runtime	52	0.011	0.003	
globaloptim\private\gaminlp\creationuniform	1	0.011	0.002	
<u>Text.Text</u> >Text.Text	4	0.010	0.002	
<u>DataTipsBase</u> >DataTipsBase,DataTipsBase	8	0.010	0.003	
<u>selectiontournament</u>	50	0.010	0.002	
globaloptim\private\gadsplot>removeDup	52	0.010	0.003	
<u>CJSJobMethods</u> >@(<u>t</u>)hGetProperty(t,'StateEnum')	4	0.010	0.001	
<u>isValidInLogScale</u>	520	0.010	0.004	
<u>CJSJobMethods</u> >iDeriveFinishDateFromTasks	1	0.010	0.001	
<u>makehgtform</u>	2	0.010	0.007	
... <u>ubplotListenersManager</u> >SubplotListenersManager.addToListeners	4	0.009	0.006	
<u>CJSSupport</u> >CJSSupport.getJobDirOnClient	1	0.009	0.000	
<u>ZoomInteraction</u> >ZoomInteraction.createInteraction	4	0.009	0.001	
<u>Legend.attachAxesListeners</u>	1	0.009	0.003	
<u>Bar.Bar</u> >Bar.get.EdgeColor	208	0.009	0.008	
<u>zoomInteraction</u>	4	0.009	0.002	
... <u>r.AxesLayoutManager</u> >AxesLayoutManager.updateInnnerOuterLists	1	0.009	0.001	
<u>Pan3D</u> >Pan3D.enable	4	0.009	0.004	
<u>hold</u>	2	0.009	0.003	
<u>hbbehaviorfactory</u>	2	0.009	0.001	
<u>ClickEvent</u> >ClickEvent.enable	4	0.009	0.004	
<u>Local.Local</u> >Local.awaitWorkerCompletion	1	0.009	0.001	
... <u>teractionSet</u> >DefaultAxesInteractionSet,DefaultAxesInteractionSet	948	0.009	0.006	
globaloptim\private\gadsplot>gadsplotagain	52	0.008	0.001	
globaloptim\private\gadsplot>mouseaction	53	0.008	0.008	
<u>FileStorage</u> >FileStorage.getTaskSIds	7	0.008	0.001	
<u>FileFormat</u> >FileFormat.save	2	0.008	0.000	
<u>hbbehaviorfactory</u> >localCreate	2	0.008	0.003	
<u>Local.Local</u> >Local.hGetTaskStateEnum	4	0.008	0.003	

C.I.S.IohMixin>iMaybel.UpdateTaskFinishTimes	1	0.008	0.001
<u>newplotwrapper</u>	3	0.008	0.001
<u>removeFromListeners</u>	3	0.008	0.003
<u>cell.unique>celluniqueR2012a</u>	4	0.008	0.008
<u>FileStorage>iDeleteExtensions</u>	1	0.008	0.002
<u>Bar.Bar>Bar.get.BarLayout</u>	158	0.008	0.006
<u>selectiontournament>tournament</u>	50	0.008	0.008
<u>attributes>checkInputs</u>	6	0.008	0.003
<u>Text.Text>Text.doSetup</u>	4	0.008	0.006
<u>collectSeriesData</u>	156	0.008	0.008
<u>FileStorage>FileStorage.getSortedTaskIDsFromDisk</u>	7	0.008	0.001
<u>gaoptimset>checkfield</u>	46	0.008	0.006
<u>DatatipsClick>DatatipsClick.DatatipsClick</u>	4	0.007	0.001
<u>parseplotapi</u>	2	0.007	0.002
<u>Bar.Bar>Bar.get.WidthScaleFactor</u>	1032	0.007	0.005
<u>newplot>ObserveAxesNextPlot</u>	5	0.007	0.002
<u>configureAxes>checkChildren</u>	2	0.007	0.002
<u>mustBeMember</u>	28	0.007	0.001
<u>mustBeValidGraphicsObject</u>	476	0.007	0.007
<u>DataTipsBase>DataTipsBase.createLinger</u>	4	0.007	0.002
<u>Legend/doDelete</u>	1	0.007	0.002
<u>CJSsupport>iMapCJSProperties</u>	41	0.007	0.006
<u>ctorHelper</u>	3	0.007	0.003
<u>DataTipsBase>DataTipsBase.initializeBufferScale</u>	8	0.007	0.001
<u>FileFormat>@()fclose(fid)</u>	24	0.007	0.007
<u>attributes>checkAttrs</u>	6	0.006	0.004
<u>States>States.isValidState</u>	4	0.006	0.001
<u>ScrollZoom>ScrollZoom.ScrollZoom</u>	4	0.006	0.002
<u>updateLegendMenuToolbar>isValidLegendHandleObject</u>	213	0.006	0.006
<u>DataTipsBase>DataTipsBase.attachListeners</u>	8	0.006	0.006
<u>isPublishingTest</u>	472	0.006	0.006
<u>Legend/doMethod>getStringSizes</u>	2	0.006	0.004
<u>DataTipsBase>DataTipsBase.delete</u>	8	0.006	0.004
<u>Bar.Bar>Bar.get.CData_</u>	678	0.006	0.006
<u>... Manager.AxesLayoutManager>AxesLayoutManager.ValidateObject</u>	1	0.006	0.001
<u>isValidInLogScale>providerImpl</u>	520	0.006	0.006
<u>cell.strcat</u>	4	0.006	0.005
<u>... ger.SubplotListenersManager>@(o,e)subplotlayoutInvalidate(ax,e,fig)</u>	112	0.006	0.006
<u>DatatipsHoverLinger>DatatipsHoverLinger.attachListeners</u>	4	0.006	0.001
<u>CJSJobMethods>@(t).hGetProperty('FinishDateTime')</u>	4	0.006	0.000
<u>FileStorage>iDeleteFolder</u>	1	0.006	0.005
<u>FileStorage>FileStorage.getTaskRangesFromDisk</u>	7	0.006	0.003
<u>PanBase>PanBase.PanBase</u>	8	0.006	0.003
<u>FileFormat>iSaveDate</u>	1	0.006	0.001
<u>Legend/doMethod>pushLegendPropsToLabels</u>	1	0.005	0.002

<u>makeNumeric</u>	2	0.005	0.002	
<u>DataTipsBase>DataTipsBase.getDpiScale</u>	8	0.005	0.001	
<u>ScribeLayer.ScribeLayer>@(src,event)hObj.childAdded(src,event)</u>	16	0.005	0.001	
<u>...actions>UnifiedAxesInteractions.createHardwareCallbackListeners</u>	4	0.005	0.005	
<u>convertStringToCharArgs</u>	222	0.005	0.005	
<u>globaloptim\private\isItTimeToStop</u>	50	0.005	0.005	
<u>makeValidName>getMakeValidFcnHandle</u>	52	0.005	0.005	
<u>axescheck</u>	4	0.005	0.004	
<u>...listenersManager>SubplotListenersManager.removeFromListeners</u>	3	0.005	0.005	
<u>objArrayDispatch</u>	14	0.005	0.004	
<u>Legend.doMethod>getsize</u>	2	0.005	0.001	
<u>cla</u>	3	0.005	0.003	
<u>generateArgumentDescriptor</u>	6	0.005	0.004	
<u>globaloptim\private\functionHandleOrCell</u>	4	0.005	0.001	
<u>cell.ismember</u>	32	0.005	0.005	
<u>Bar.getSingleBarExtentsArray>applyConstraints</u>	156	0.005	0.005	
<u>isUIContextMenuSupported</u>	1	0.005	0.001	
<u>ScribeLayer.ScribeLayer>ScribeLayer.childAdded</u>	16	0.005	0.003	
<u>Bar.Bar>Bar.get.FaceAlpha</u>	104	0.005	0.004	
<u>PositionUtils>PositionUtils.getDevicePixelScreenSize</u>	8	0.005	0.001	
<u>Legend,Legend>Legend.set.AxesListenerList</u>	4	0.004	0.003	
<u>RulerPanInteraction>RulerPanInteraction.createInteraction</u>	4	0.004	0.001	
<u>Bar.Bar>Bar.set.Edge_I</u>	2	0.004	0.001	
<u>Bar.Bar>Bar.doPostSetup</u>	2	0.004	0.001	
<u>...ayoutManager>AxesLayoutManager.removeInvalidLayoutListItems</u>	1	0.004	0.000	
<u>updateLegendMenuToolbar>isValidColorBarHandleObject</u>	213	0.004	0.004	
<u>num2str</u>	1	0.004	0.002	
<u>parseArgs</u>	2	0.004	0.004	
<u>islegendable</u>	3	0.004	0.003	
<u>flip</u>	107	0.004	0.004	
<u>configureAxes>checkDim</u>	4	0.004	0.002	
<u>Bar.Bar>Bar.get.EdgeAlpha</u>	104	0.004	0.003	
<u>allchild</u>	2	0.004	0.003	
<u>DatatipsHoverLinger>DatatipsHoverLinger.DatatipsHoverLinger</u>	4	0.004	0.001	
<u>rng</u>	1	0.004	0.001	
<u>FileStorage>iDeleteFileNoError</u>	5	0.004	0.004	
<u>UnconstrainedPan>UnconstrainedPan.UnconstrainedPan</u>	4	0.004	0.001	
<u>LegendEntry,LegendEntry>LegendEntry.doUpdate</u>	2	0.004	0.002	
<u>JavaMigrationTools>JavaMigrationTools.suppressedJavaFrame</u>	1	0.004	0.001	
<u>hgbehaviorfactory>localGetBehaviorInfo</u>	2	0.004	0.004	
<u>States>States.fromName</u>	24	0.004	0.003	
<u>globaloptim\private\isFcn</u>	8	0.004	0.002	
<u>Bar.Bar>Bar.setEdge_IFanoutProps</u>	2	0.004	0.003	
<u>...outManager.AxesLayoutManager>AxesLayoutManager.findMethod</u>	4	0.004	0.004	
<u>globaloptim\private\functionHandleOrCellArray</u>	2	0.004	0.004	

<u>erase</u>	52	0.004	0.002	
<u>Bar.Bar>Bar.get.YOffset_I</u>	416	0.003	0.003	
<u>gobjects</u>	30	0.003	0.003	
<u>... layoutManager>AxesLayoutManager.updateStartingLayoutPosition</u>	1	0.003	0.001	
<u>RulerPan>RulerPan.RulerPan</u>	4	0.003	0.001	
<u>Legend.Legend>Legend.set.BoxEdge_I</u>	1	0.003	0.001	
<u>strip</u>	13	0.003	0.002	
<u>Linger>Linger.Linger</u>	4	0.003	0.002	
<u>... tesianAxesInteractionContainer.CartesianAxesInteractionContainer</u>	4	0.003	0.000	
<u>Legend.Legend>Legend.setLayoutPosition</u>	1	0.003	0.000	
<u>isCategorical</u>	1030	0.003	0.003	
<u>Legend.addToLayout</u>	1	0.003	0.001	
<u>Legend.setupBoxEdge</u>	1	0.003	0.003	
<u>JavaMigrationTools>suppressWarning</u>	1	0.003	0.002	
<u>panInteraction</u>	4	0.003	0.001	
<u>Legend.Legend>Legend.set.Position_I</u>	1	0.003	0.000	
<u>optimoptions</u>	1	0.003	0.000	
<u>CJSSupport>CJSSupport.getRootStorageDir</u>	1	0.003	0.001	
<u>fullfile>refinePath</u>	14	0.003	0.002	
<u>LegendIcon.LegendIcon>LegendIcon.LegendIcon</u>	4	0.003	0.003	
<u>ModifierKeyListener>ModifierKeyListener.ModifierKeyListener</u>	12	0.003	0.002	
<u>AxisPan>AxisPan.AxisPan</u>	4	0.003	0.000	
<u>... esInteractionContainer>BaseAxesInteractionContainer.getStrategy</u>	4	0.003	0.001	
<u>... tackManager.ScribeStackManager>ScribeStackManager.getLayer</u>	7	0.003	0.001	
<u>PositionUtils>changeUnitsToDevicePixelsScopeGuard</u>	8	0.003	0.000	
<u>Legend.Legend>Legend.setBoxEdge_IFanoutProps</u>	1	0.003	0.002	
<u>getChildrenForRuler</u>	2	0.003	0.003	
<u>PanInteraction>PanInteraction.createInteraction</u>	4	0.003	0.001	
<u>Bar.Bar>Bar.addBarListeners</u>	2	0.003	0.003	
<u>... andardAxesInteractionContainer.StandardAxesInteractionContainer</u>	4	0.003	0.000	
<u>createSolverOptions</u>	1	0.003	0.001	
<u>globaloptim\private\convertStringCellToCellStr</u>	7	0.003	0.002	
<u>Bar.Bar>@(~,~)hObj sendDataChangedEvent</u>	100	0.003	0.003	
<u>Bar.Bar>Bar.set.Face_I</u>	2	0.003	0.001	
<u>Bar.Bar>Bar.set.NumPeers</u>	2	0.003	0.001	
<u>TwoLevelCache>TwoLevelCache.remove</u>	1	0.003	0.003	
<u>Bar.Bar>Bar.get.FaceColor_I</u>	320	0.003	0.003	
<u>Bar.Bar>Bar.set.EdgeColor</u>	2	0.003	0.001	
<u>Legend.doMethod>@(src,ed)defaultContextMenuCB(uic,ed,h)</u>	3	0.003	0.001	
<u>getRulersForChild</u>	2	0.003	0.002	
<u>Bar.Bar>Bar.get.WidthScaleFactor_I</u>	1188	0.003	0.003	
<u>Bar.Bar>Bar.get.BarWidth</u>	260	0.003	0.002	
<u>logStack</u>	1	0.003	0.001	
<u>... dAxesInteractions>UnifiedAxesInteractions.createToolbarListeners</u>	4	0.003	0.003	
<u>BaseInteractionSet>BaseInteractionSet.BaseInteractionSet</u>	948	0.003	0.003	

<u>Legend.Legend>Legend.get.Position_I</u>	4	0.003	0.001	
<u>globaloptim\private\gapenalty>i_displayAndPlot</u>	1	0.003	0.001	
<u>nextstyle</u>	2	0.003	0.003	
<u>Drag>Drag.enable</u>	8	0.003	0.002	
<u>fileparts</u>	1	0.002	0.002	
<u>dataTipInteraction</u>	4	0.002	0.002	
<u>PositionUtils>changeUnitsScopeGuard</u>	8	0.002	0.002	
<u>Drag>Drag.Drag</u>	8	0.002	0.002	
<u>repmat</u>	2	0.002	0.002	
<u>fitscalingrank</u>	50	0.002	0.002	
<u>fgetl</u>	20	0.002	0.002	
<u>legend>find_legend</u>	4	0.002	0.002	
<u>expandLegendChildren</u>	3	0.002	0.002	
<u>Bar.Bar>Bar.get.NumPeers</u>	256	0.002	0.002	
<u>RandStream.RandStream>RandStream.subsref</u>	4	0.002	0.002	
<u>ismember>ismemberBuiltinTypes</u>	3	0.002	0.002	
<u>PoolArrayManager>PoolArrayManager.remove</u>	1	0.002	0.000	
<u>updateFontProperties</u>	1	0.002	0.002	
<u>AnnotationPane.AnnotationPane>AnnotationPane.doGetChildren</u>	12	0.002	0.002	
<u>Legend.Legend>Legend.setPositionImpl</u>	1	0.002	0.001	
<u>rulerPanInteraction</u>	4	0.002	0.001	
<u>usev6plotapi</u>	2	0.002	0.002	
<u>attributes>checkClass</u>	6	0.002	0.002	
<u>FileFormat>iSaveState</u>	1	0.002	0.001	
<u>...iner>BaseAxesInteractionContainer.BaseAxesInteractionContainer</u>	4	0.002	0.001	
<u>FileStorage>FileStorage.parseTaskRanges</u>	7	0.002	0.002	
<u>GacommonOptions>GacommonOptions.get.MaxGenerations</u>	53	0.002	0.002	
<u>KeyListener>KeyListener.delete</u>	12	0.002	0.001	
<u>makehgtform>matrixMultiply</u>	4	0.002	0.002	
<u>parseCData</u>	104	0.002	0.002	
<u>ModifierKeyListener>ModifierKeyListener.enable</u>	12	0.002	0.001	
<u>...esLayoutManager>@(obj,evt)(localDestroyLayoutManager(hObj))</u>	1	0.002	0.000	
<u>ScribeLayer.ScribeLayer>@(src,event)hObj.childRemoved(src,event)</u>	4	0.002	0.001	
<u>CJSSupport>iCorrectSlash</u>	2	0.002	0.000	
<u>...isscalar,A.'scalar',fname,'expectedScalar',msgId,argname,argpos)</u>	5	0.002	0.001	
<u>fcnchk</u>	8	0.002	0.002	
<u>Bar.Bar>Bar.get.XOffset</u>	260	0.002	0.002	
<u>LegendEntry.LegendEntry>LegendEntry.set.Label</u>	4	0.002	0.002	
<u>Legend.Legend>Legend.set.BoxFace_I</u>	1	0.002	0.001	
<u>dctSchedulerMessage</u>	14	0.002	0.001	
<u>strlength</u>	56	0.002	0.002	
<u>Legend.Legend>Legend.get.Units</u>	4	0.002	0.001	
<u>Legend.getEntries</u>	2	0.002	0.001	
<u>Legend.doMethod>defaultContextMenuCB</u>	3	0.002	0.002	

<u>num2str>handleNumericPrecision</u>	1	0.002	0.000	
<u>parseInteractionInputs</u>	12	0.002	0.002	
<u>Bar.Bar>Bar.setFace(IFanoutProps)</u>	2	0.002	0.001	
<u>SubplotListenersManager.SubplotListenersManager>find3emptycells</u>	4	0.002	0.002	
<u>Bar.Bar>Bar.get.EdgeColor_I</u>	210	0.002	0.002	
<u>GaOptions>GaOptions.GaOptions</u>	1	0.002	0.000	
<u>Legend.Legend>Legend.set.TitleSeparator_I</u>	1	0.002	0.001	
<u>datetime.datetime>datetime.horzcat</u>	1	0.002	0.000	
<u>SingleActionZoom>SingleActionZoom.SingleActionZoom</u>	4	0.002	0.001	
<u>Legend.Legend>Legend.get.Axes_I</u>	10	0.002	0.001	
<u>Legend.Legend>Legend.getPositionImpl</u>	4	0.002	0.002	
<u>FileStorage>FileStorage.getLocation</u>	41	0.002	0.002	
<u>@datetime\private\verifyTimeZone</u>	2	0.002	0.001	
<u>...ractionContainer>StandardAxesInteractionContainer.isFirst2DTo3D</u>	472	0.002	0.002	
<u>GacommonOptions>GacommonOptions.GacommonOptions</u>	1	0.002	0.000	
<u>cellstr</u>	15	0.002	0.002	
<u>legend>setOutArgs</u>	2	0.002	0.000	
<u>...utManager.AxesLayoutManager>@(h,e)localReparentCB(h,e,hObj)</u>	1	0.002	0.000	
<u>Local.Local>Local.wasSubmittedByThisType</u>	1	0.002	0.000	
<u>...xesLayoutManager.addAxesListeners/localDestroyLayoutManager</u>	1	0.002	0.002	
<u>datetime.datetime>datetime.cat</u>	1	0.002	0.000	
<u>Bar.Bar>Bar.set.BarOrder</u>	104	0.002	0.002	
<u>Legend.Legend>Legend.get.Axes</u>	9	0.002	0.001	
<u>...er.AxesLayoutManager>AxesLayoutManager.AxesLayoutManager</u>	1	0.002	0.000	
<u>InteractionContainer>InteractionContainer.InteractionContainer</u>	4	0.002	0.001	
<u>..seAxesInteractionContainer>BaseAxesInteractionContainer.set.is2d</u>	472	0.002	0.002	
<u>partialMatchString</u>	4	0.002	0.001	
<u>Legend.doMethod>createDefaultContextMenu</u>	1	0.002	0.002	
<u>Legend.Legend>Legend.get.Orientation</u>	8	0.002	0.001	
<u>Legend.Legend>Legend.set.FontSize</u>	2	0.002	0.001	
<u>Legend.getNamesForLayout</u>	2	0.002	0.001	
<u>FileStorage>iGetFiles</u>	1	0.002	0.001	
<u>FilenameUtils>FilenameUtils.fixSlashes</u>	2	0.002	0.001	
<u>...lusterPool.AbstractClusterPool>AbstractClusterPool.hGetIsUsable</u>	1	0.002	0.002	
<u>Bar.Bar>Bar.get.BarLayout_I</u>	158	0.002	0.002	
<u>Linger>Linger.delete</u>	4	0.002	0.001	
<u>ScrollZoom>ScrollZoom.set.Dimensions</u>	4	0.002	0.001	
<u>TwoLevelCache>TwoLevelCache.retrieveIfPresent</u>	28	0.002	0.002	
<u>Job.Job>@(job)exceptionBuilder(job.hGetClusterUsername())</u>	1	0.002	0.000	
<u>...ayoutManager.AxesLayoutManager>AxesLayoutManager.set.Axes</u>	1	0.002	0.000	
<u>prepareOptionsForSolver</u>	1	0.002	0.002	
<u>axescheck>@(x)(isStringScalar(x) ischar(x))&&strcmpi('parent',x)</u>	10	0.002	0.001	
<u>WarningSuppressor>WarningSuppressor.WarningSuppressor</u>	16	0.002	0.002	
<u>num2str>convertUsingRecycledSprint</u>	1	0.002	0.002	
<u>Legend.Legend>Legend.get.Location</u>	5	0.002	0.001	

fullfile>ensureTrailingFilesep	14	0.002	0.001
GacommonOptions>GacommonOptions.get.MaxTime	52	0.002	0.002
Pan3D>Pan3D.Pan3D	4	0.002	0.001
Bar.Bar>Bar.set.PrepWasAlreadyRun	104	0.001	0.001
...Manager>AxesLayoutManager.addAxesListeners/localReparentCB	1	0.001	0.001
Legend,Legend>Legend.setBoxFace_IFanoutProps	1	0.001	0.001
legend>find_legend_info	2	0.001	0.001
datetime.isequalUtil	1	0.001	0.001
ScribeLayer,ScribeLayer>ScribeLayer.childRemoved	4	0.001	0.001
GacommonOptions>GacommonOptions.get.MaxStallGenerations	52	0.001	0.001
SingleAlgorithm>SingleAlgorithm.SingleAlgorithm	1	0.001	0.001
graph2d\private\labelcheck	12	0.001	0.001
Legend,doMethod>supportsTitle	3	0.001	0.001
Legend,Legend>Legend.get.Units_I	4	0.001	0.001
convertUnits	8	0.001	0.001
GaOptions>GaOptions.get.MaxStallTime	52	0.001	0.001
KeyListener>KeyListener.enable	12	0.001	0.001
specgraph\private\getRealData	2	0.001	0.001
ScrollEvent>ScrollEvent.enable	4	0.001	0.001
gaoptimget	2	0.001	0.001
...ager.AxesLayoutManager>AxesLayoutManager.addAxesListeners	1	0.001	0.001
Text.Text>Text.set.TextComp	4	0.001	0.001
Legend,Legend>Legend.setTitleSeparator_IFanoutProps	1	0.001	0.001
AxesToolbar,AxesToolbar>AxesToolbar,doGetChildren	4	0.001	0.001
Legend,Legend>Legend.get.AxesListenerList	8	0.001	0.001
KeyListener>KeyListener.disable	12	0.001	0.001
legend>setDisplayNames	2	0.001	0.001
AxesLayoutManager,AxesLayoutManager>calculateLooseInset	1	0.001	0.001
LegendEntry,LegendEntry>LegendEntry.set.Object	2	0.001	0.001
strfun\private\convertStringToOriginalTextType	65	0.001	0.001
attributes>valueAttributor	5	0.001	0.001
graphics\private\claNotify	3	0.001	0.001
SubplotListenersManager.SubplotListenersManager>findemptycell	4	0.001	0.001
setRulerLayerTop	2	0.001	0.001
CJSSupport>CJSSupport.notifyDeleteJob	1	0.001	0.000
Bar,Bar>Bar.get.XOffset_I	416	0.001	0.001
pctconfig	2	0.001	0.001
Bar,Bar>Bar.get.FaceColorMode	104	0.001	0.001
Local.cancelOrDestroyJob>iCancelOrDestroyCommands	1	0.001	0.001
Linger>Linger.enable	4	0.001	0.001
States>iStateMaps	24	0.001	0.001
gacreationuniform	1	0.001	0.001
ToolbarDropdown>ToolbarDropdown.doGetChildren	3	0.001	0.001
LegendEntry,LegendEntry>LegendEntry.set.Icon	4	0.001	0.001
InteractiveClient>InteractiveClient.pGetClusterAdaptor	1	0.001	0.001

<u>logStack>nLog</u>	11	0.001	0.001	
<u>strfun\private\isTextStrict</u>	65	0.001	0.001	
<u>datetime.convertFrom</u>	2	0.001	0.001	
<u>makeValidName>getMakeValidFcnHandle/replaceWithUnderscore</u>	52	0.001	0.001	
<u>Legend,Legend>Legend.set,AxesListenerListMode</u>	4	0.001	0.001	
<u>States>States.gt</u>	2	0.001	0.001	
<u>Bar.Bar>Bar.get.Edge</u>	118	0.001	0.001	
<u>isoptimargdbl</u>	1	0.001	0.001	
<u>Bar.Bar>Bar.set.NumPeersMode</u>	2	0.001	0.001	
<u>Bar.Bar>Bar.get.Face</u>	112	0.001	0.001	
<u>ruler2num</u>	102	0.001	0.001	
<u>InteractionBase>InteractionBase.InteractionBase</u>	24	0.001	0.001	
<u>Legend,Legend>Legend.get.AutoUpdate</u>	3	0.001	0.001	
<u>globaloptim\private\migrate</u>	50	0.001	0.001	
<u>Linger>Linger.disable</u>	4	0.001	0.001	
<u>gaplotbestf>meanf</u>	51	0.001	0.001	
<u>isCharOrString</u>	210	0.001	0.001	
<u>Bar.Bar>Bar.get.FaceAlpha_I</u>	104	0.001	0.001	
<u>gaoptimset>checkValidStrings</u>	3	0.001	0.001	
<u>...bStorageEventManager>JobStorageEventManager.notifyDeleteJob</u>	1	0.001	0.001	
<u>configureRuler</u>	2	0.001	0.001	
<u>Bar.Bar>Bar.set.EdgeColorMode</u>	2	0.001	0.001	
<u>...nContainer>CartesianAxesInteractionContainer.getDefaultStrategy</u>	4	0.001	0.001	
<u>iskeyword</u>	52	0.001	0.001	
<u>globaloptim\private\gaoutput</u>	52	0.001	0.001	
<u>Bar.Bar>Bar.get.BarWidth_I</u>	260	0.001	0.001	
<u>Legend,Legend>Legend.get.Orientation_I</u>	10	0.001	0.001	
<u>...tackManager.ScribeStackManager>ScribeStackManager.findLayer</u>	7	0.001	0.001	
<u>fullfile>addTrailingFileSep</u>	14	0.001	0.001	
<u>Text,Text>Text.set.String</u>	2	0.001	0.001	
<u>Legend,doGetChildren</u>	9	0.001	0.001	
<u>Legend,Legend>Legend.setViewportPosition</u>	1	0.001	0.001	
<u>settings</u>	1	0.001	0.000	
<u>hasbehavior</u>	6	0.001	0.001	
<u>ScrollEvent>ScrollEvent.ScrollEvent</u>	4	0.001	0.001	
<u>WarningSuppressor>WarningSuppressor.delete</u>	16	0.001	0.001	
<u>Legend,Legend>Legend.get.standalone</u>	3	0.001	0.001	
<u>num2ruler</u>	51	0.001	0.001	
<u>Bar.Bar>Bar.get.NumPeers_I</u>	258	0.001	0.001	
<u>Legend,Legend>Legend.get.Interpreter</u>	4	0.001	0.001	
<u>globaloptim\private\checkPopulationInitRange</u>	1	0.001	0.001	
<u>Legend,Legend>Legend.set.PlotChildrenSpecified</u>	2	0.001	0.001	
<u>CJSJobMethods>@(x)x.isTerminal()</u>	4	0.001	0.000	
<u>ZoomInteraction>ZoomInteraction.ZoomInteraction</u>	4	0.001	0.001	
<u>fullfile>fixIRI</u>	10	0.001	0.001	

<u>ClickEvent>ClickEvent.ClickEvent</u>	4	0.001	0.001	
<u>Legend.Legend>Legend.getBackgroundColor</u>	2	0.001	0.001	
<u>ChildEventData>ChildEventData.ChildEventData</u>	20	0.001	0.001	
<u>Legend.Legend>Legend.getLocation</u>	5	0.001	0.001	
<u>PanInteraction>PanInteraction.PanInteraction</u>	4	0.001	0.001	
<u>Legend.Legend>Legend.getUnitsImpl</u>	4	0.001	0.001	
<u>globaloptim\private\preProcessLinearConstr</u>	1	0.001	0.001	
<u>FileStorage>@(entry)fullfile(entry.folder,entry.name)</u>	5	0.001	0.000	
<u>Text.Text>Text.doUpdate</u>	2	0.001	0.001	
<u>datetime.datetime>datetime.getsetLocalTimeZone</u>	2	0.001	0.001	
<u>Bar.Bar>Bar.get.EdgeAlpha</u>	104	0.001	0.001	
<u>Bar.Bar>@(varargin)hObj.deleteBar(varargin{:})</u>	2	0.001	0.000	
<u>isScalarText</u>	6	0.001	0.001	
<u>RulerPanInteraction>RulerPanInteraction.RulerPanInteraction</u>	4	0.001	0.001	
<u>Legend.Legend>Legend.getGraphicsAxes</u>	5	0.001	0.001	
<u>InteractiveClient>InteractiveClient.isPossiblyRunning</u>	1	0.001	0.000	
<u>newplot>ObserveFigureNextPlot</u>	5	0.001	0.001	
<u>globaloptim\private\gamin\pvalidateoptions</u>	1	0.001	0.001	
<u>LegendEntry.LegendEntry>LegendEntry.addLabel</u>	2	0.001	0.000	
<u>Bar.Bar>Bar.get.BarPeerID</u>	200	0.001	0.001	
<u>DragSingleton>DragSingleton.getInstance</u>	8	0.001	0.001	
<u>globaloptim\private\gadsplot>plotLayout</u>	52	0.001	0.001	
<u>allchild>getchildren</u>	2	0.001	0.001	
<u>globaloptim\private\gapenalty>i_initialize</u>	1	0.001	0.001	
<u>hggetbehavior>localPeek</u>	2	0.001	0.001	
<u>attributes>findSupportedAttr</u>	5	0.001	0.001	
<u>Legend.Legend>Legend.setFontSizeMode</u>	2	0.001	0.000	
<u>PrintBehavior>PrintBehavior.PrintBehavior</u>	1	0.001	0.001	
<u>Legend.Legend>Legend.getItemTokenSize</u>	4	0.001	0.000	
<u>parallel\private\dctSchedulerMessageHandler</u>	14	0.001	0.001	
<u>LimitInteractionBase>LimitInteractionBase.LimitInteractionBase</u>	16	0.001	0.001	
<u>Legend.Legend>Legend.set.SelfListenerList</u>	1	0.001	0.000	
<u>Legend.initializePositionCache</u>	1	0.001	0.000	
<u>BaseInteraction>BaseInteraction.BaseInteraction</u>	16	0.001	0.001	
<u>Bar.Bar>Bar.get.SelectionHandle</u>	104	0.001	0.001	
<u>Legend.Legend>Legend.getAxesImpl</u>	10	0.001	0.001	
<u>settings</u>	1	0.001	0.001	
<u>isMATLABOnline</u>	1	0.001	0.000	
<u>Legend.Legend>Legend.set.DataSpace</u>	1	0.001	0.001	
<u>PositionUtils>@()set(h,unitsProp.origUnits)</u>	8	0.001	0.001	
<u>ScrollZoom>ScrollZoom.enable</u>	4	0.001	0.001	
<u>Legend.doMethod>hasTitle</u>	3	0.001	0.001	
<u>makeNumeric>numericDim</u>	4	0.001	0.001	
<u>Bar.Bar>Bar.get.BrushHandles</u>	104	0.001	0.001	

<u>Legend</u> . <u>Legend</u> > <u>Legend</u> .setEntryContainer_I	1	0.001	0.001	
<u>Legend</u> .addEntry	2	0.001	0.001	
globaloptim\private\validate>rangeCorrection	1	0.001	0.001	
States>States.compare	3	0.001	0.001	
SolverOptions>SolverOptions.SolverOptions	1	0.001	0.001	
FileStorage>iUnique	41	0.001	0.001	
Legend.Legend>Legend.set.ColorSpace_I	1	0.001	0.001	
Drag>Drag.delete_listeners	8	0.001	0.001	
CJSJobMixin>CJSJobMixin.hGetClusterUsername	1	0.001	0.000	
incrementPeerID	2	0.001	0.001	
Legend.autoUpdateCallback>processGroups	1	0.001	0.000	
isStringScalar	10	0.001	0.001	
Legend.Legend>Legend.set.SelectionHandle_I	1	0.001	0.001	
LegendEntry.LegendEntry>LegendEntry.addIcon	2	0.001	0.000	
Legend.Legend>Legend.set.LimitMaxLegendEntries	1	0.001	0.000	
Legend.Legend>Legend.getSelfListenerList	2	0.001	0.000	
Job.Job>@(username)CancelException.getDefaultForJob(username)	1	0.001	0.000	
FileStorage>@(range)range(1):range(end)	14	0.001	0.001	
refresh	1	0.001	0.001	
... tManager.AxesLayoutManager>AxesLayoutManager.addToLayout	1	0.001	0.000	
isplotyyaxes	3	0.001	0.001	
PrintBehavior>PrintBehavior.dosupport	1	0.001	0.001	
ScribeLayer.ScribeLayer>ScribeLayer.findCanvas	20	0.001	0.001	
... istenersManager>SubplotDeleteListenersManager.addToListeners	4	0.001	0.001	
PlotEditBehavior.PlotEditBehavior>PlotEditBehavior.PlotEditBehavior	1	0.001	0.000	
DataTipInteraction>DataTipInteraction.DataTipInteraction	4	0.001	0.000	
Bar.deleteBar	2	0.001	0.001	
Legend.autoUpdateCallback>removeNestedObjects	1	0.001	0.001	
Legend.Legend>Legend.getAxesListenerList_I	12	0.001	0.001	
Legend.Legend>Legend.set.EdgeColor_I	1	0.001	0.001	
globaloptim\private\checkbound	1	0.001	0.001	
LegendEntry.LegendEntry>LegendEntry.setOverlay	2	0.001	0.001	
...nableInteraction>ConstrainableInteraction.ConstrainableInteraction	12	0.001	0.001	
LegendIcon.LegendIcon>LegendIcon.addGraphic	2	0.001	0.001	
replaceEnumStringWithFcnHdl	7	0.001	0.001	
States>States.isTerminal	10	0.001	0.001	
...b.graphics.illustration.ColorBar') isa(obj,'matlab.ui.control.UIAxes')	195	0.001	0.001	
InteractiveClient>@(p)isempty(obj.(p))	2	0.001	0.001	
CJSJobMixin>CJSJobMixin.hGetSupportID	23	0.000	0.000	
generateDisplayNames	1	0.000	0.000	
datetime.max	1	0.000	0.000	
...gy>DefaultAxesInteractionStrategy.DefaultAxesInteractionStrategy	4	0.000	0.000	
validateopts_UseParallel	2	0.000	0.000	
ScribeLayer.ScribeLayer>ScribeLayer.checkValidity	7	0.000	0.000	
Legend.Legend>Legend.set.DecorationContainer_I	1	0.000	0.000	

<u>...xesLayoutManager>AxesLayoutManager.syncLayoutInfoFromAxes</u>	1	0.000	0.000	
<u>CJSJobMixin>CJSJobMixin.checkForChangesInStateEnum</u>	1	0.000	0.000	
<u>configureAxes>classcheck</u>	4	0.000	0.000	
<u>CancelException>CancelException.getDefaultForJob</u>	1	0.000	0.000	
<u>FileStorage>FileStorage.getJobLocation</u>	8	0.000	0.000	
<u>Linger>Linger.set.MoveEventObject</u>	4	0.000	0.000	
<u>KeyListener>KeyListener.KeyListener</u>	12	0.000	0.000	
<u>TwoLevelCache>TwoLevelCache.delete</u>	1	0.000	0.000	
<u>generateArgumentDescriptor>isCharOrString</u>	18	0.000	0.000	
<u>pGetDefaultUsername</u>	1	0.000	0.000	
<u>Legend.removeAllEntries</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.version</u>	13	0.000	0.000	
<u>globaloptim\private\gamin\p>i_intconstrvalidate</u>	1	0.000	0.000	
<u>fullfile>@(x)~iscell(x)&&isempty(x)</u>	8	0.000	0.000	
<u>datetime.datetime>datetimeisempty</u>	11	0.000	0.000	
<u>States>States.lt</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.AxesListenerList_I</u>	4	0.000	0.000	
<u>allchild>@()set(rootobj,'ShowHiddenHandles',Temp)</u>	2	0.000	0.000	
<u>Bar.Bar>Bar.doSetup</u>	2	0.000	0.000	
<u>Legend.doMethod>calculateYLocations</u>	1	0.000	0.000	
<u>ScrollZoom>ScrollZoom.set.strategy</u>	4	0.000	0.000	
<u>globaloptim\private\positiveInteger</u>	4	0.000	0.000	
<u>JobStorageEventData>JobStorageEventData,JobStorageEventData</u>	1	0.000	0.000	
<u>Task.Task>Task.hInvalidate</u>	1	0.000	0.000	
<u>uitools\private\allchildRootHelper</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.getPlotChildrenExcluded</u>	1	0.000	0.000	
<u>LegendEntry,LegendEntry>LegendEntry.set.Legend</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.getPlotChildrenSpecified</u>	1	0.000	0.000	
<u>...sLayoutManager,AxesLayoutManager>AxesLayoutManager.is2Dim</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.SelfListenerList_I</u>	3	0.000	0.000	
<u>Legend.doMethod>@(h,e)delete(uic)</u>	1	0.000	0.000	
<u>Worker>Worker.isMATLABOnline</u>	1	0.000	0.000	
<u>...esInteractionContainer>BaseAxesInteractionContainer.set.Strategy</u>	4	0.000	0.000	
<u>convertDistances</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set,PlotChildrenSpecifiedMode</u>	2	0.000	0.000	
<u>...tManager.AxesLayoutManager>AxesLayoutManager.setParentImpl</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.BoxLayout</u>	18	0.000	0.000	
<u>Legend.doUpdate>convertUnits</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.Camera</u>	15	0.000	0.000	
<u>Legend.doMethod>calculateXLocations</u>	1	0.000	0.000	
<u>Linger>Linger.set.Target</u>	4	0.000	0.000	
<u>AxesLayoutManager,AxesLayoutManager>isNearlyEqual</u>	1	0.000	0.000	
<u>HGBehavior>HGBehavior.HGBehavior</u>	2	0.000	0.000	
<u>...dardAxesInteractionContainer,shouldCreateDefaultWebInteractions</u>	4	0.000	0.000	
<u>Legend.Legend>Legend.get.TitleSeparator</u>	17	0.000	0.000	

<u>...tManager.AxesLayoutManager>AxesLayoutManager.set.LayoutList</u>	2	0.000	0.000	
<u>InteractionEvent>InteractionEvent.InteractionEvent</u>	8	0.000	0.000	
<u>ispc</u>	4	0.000	0.000	
<u>globaloptim\private\stringSet</u>	7	0.000	0.000	
<u>legend>get_legend_properties</u>	2	0.000	0.000	
<u>OsType>OsType.forClient</u>	2	0.000	0.000	
<u>RandStream.RandStream>RandStream.getGlobalStream</u>	1	0.000	0.000	
<u>FevalQueue.FevalQueue>FevalQueue.delete</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.Interpreter_I</u>	6	0.000	0.000	
<u>Legend.Legend>Legend.get.EntryContainer</u>	9	0.000	0.000	
<u>clearNotify</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.DataSpace</u>	4	0.000	0.000	
<u>Legend.Legend>Legend.getOrientationImpl</u>	10	0.000	0.000	
<u>Legend.Legend>Legend.getAutoUpdateImpl</u>	3	0.000	0.000	
<u>CJSSupport>ilsJobType</u>	41	0.000	0.000	
<u>CJSSupport>CJSSupport.getRootStorageStruct</u>	1	0.000	0.000	
<u>DataTipProvider>DataTipProvider.get</u>	8	0.000	0.000	
<u>Legend.Legend>Legend.get.Box_I</u>	7	0.000	0.000	
<u>expandLegendChildren>@(x)isa(x,'matlab.graphics.primitive.Group')</u>	6	0.000	0.000	
<u>InteractionsList>InteractionsList.InteractionsList</u>	4	0.000	0.000	
<u>Text.Text>Text.getParentImpl</u>	8	0.000	0.000	
<u>legend>lcl_is2D</u>	1	0.000	0.000	
<u>Bar.Bar>Bar.get.Clipping_I</u>	4	0.000	0.000	
<u>CJSJobMethods>@(x)isequal(x,States.Pending)</u>	4	0.000	0.000	
<u>Text.Text>Text.set.FontAngle</u>	2	0.000	0.000	
<u>globaloptim\private\gaminlp>i_intinbounds</u>	1	0.000	0.000	
<u>Text.Text>Text.set.Color</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.DecorationContainer</u>	6	0.000	0.000	
<u>legend>istextscalarvector</u>	4	0.000	0.000	
<u>Legend.Legend>Legend.get.BoxFace</u>	7	0.000	0.000	
<u>legend>istextscalar</u>	16	0.000	0.000	
<u>Legend.Legend>Legend.get.ColorSpace</u>	5	0.000	0.000	
<u>Legend.Legend>Legend.get.FontSizeMode</u>	3	0.000	0.000	
<u>Legend.Legend>Legend.get.PlotChildrenExcluded</u>	1	0.000	0.000	
<u>AnalysedSet>AnalysedSet.delete</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.ItemTokenSize_I</u>	4	0.000	0.000	
<u>...ndEntry.LegendEntry>mustBe_matlab_graphics_mixin_Legendable</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.FontSize_I</u>	8	0.000	0.000	
<u>...tManager.AxesLayoutManager>AxesLayoutManager.getParentImpl</u>	23	0.000	0.000	
<u>Job.Job>Job.errorIfInvalid</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.standalone_I</u>	3	0.000	0.000	
<u>Legend.Legend>Legend.get.SelectionHandle</u>	5	0.000	0.000	
<u>Task.Task>Task.getId</u>	4	0.000	0.000	
<u>globaloptim\private\initialPopulationCheck</u>	1	0.000	0.000	

AbstractClusterPool.delete>@(\iAllowDeletion(aPool)	1	0.000	0.000
Legend.Legend>Legend.get.TextColor_I	3	0.000	0.000
Bar.Bar>Bar.get.LineStyle_I	2	0.000	0.000
FileStorage>FileStorage.errorIfInvalid	1	0.000	0.000
Legend.doMethod>getpixelsperpoint	2	0.000	0.000
RandStream,RandStream>localGetSetGlobalStream	1	0.000	0.000
Legend.Legend>Legend.get.EdgeColor_I	5	0.000	0.000
...esInteractionContainer>BaseAxesInteractionContainer.get.Strategy	4	0.000	0.000
Legend.Legend>Legend.set.SelfListenerListMode	1	0.000	0.000
LegendEntry.LegendEntry>LegendEntry.set.PeerVisible	2	0.000	0.000
Legend,Legend>Legend.get.PlotChildrenSpecified	1	0.000	0.000
Legend,Legend>Legend.get.FontName_I	5	0.000	0.000
Legend,Legend>Legend.get.LineWidth_I	5	0.000	0.000
LegendEntry.LegendEntry>LegendEntry.set.LayoutInfo	2	0.000	0.000
InteractionContainer>InteractionContainer.clearList	8	0.000	0.000
Legend.Legend>Legend.get.AxesListenerListMode	4	0.000	0.000
Legend.attachAxesListeners>safeMarkDirty	1	0.000	0.000
Legend.Legend>Legend.getLocationImpl	5	0.000	0.000
Legend.Legend>Legend.get.FontWeight_I	5	0.000	0.000
Text.Text>Text.set.Position	2	0.000	0.000
Legend.Legend>Legend.get.NumColumnsInternal	3	0.000	0.000
Text.Text>Text.set.Interpreter	2	0.000	0.000
Text.Text>Text.set.FontName	2	0.000	0.000
globaloptim\private\constrValidate	1	0.000	0.000
Legend.Legend>Legend.get.Color_I	4	0.000	0.000
Legend.Legend>Legend.get.FontAngle_I	5	0.000	0.000
Task.Task>Task.delete	1	0.000	0.000
Bar.Bar>Bar.get.EdgeColorMode	2	0.000	0.000
...anager.AxesLayoutManager>AxesLayoutManager.isValidParent	1	0.000	0.000
Text.Text>Text.set.FontSize	2	0.000	0.000
Bar.Bar>Bar.set.BarPeerID	2	0.000	0.000
Text.Text>Text.set.FontWeight	2	0.000	0.000
repmat>checkSizesType	4	0.000	0.000
Bar.Bar>Bar.set.HorizontalMode	1	0.000	0.000
Legend.Legend>Legend.get.NumRowsInternal	3	0.000	0.000
Legend,doPostSetup	1	0.000	0.000
Bar.Bar>Bar.set.CData_I	2	0.000	0.000
Legend.Legend>Legend.set.LimitMaxLegendEntriesMode	1	0.000	0.000
Bar.Bar>Bar.get.CDataMode	2	0.000	0.000
Bar.Bar>Bar.set.FaceColor_I	2	0.000	0.000
AxesLayoutManager,AxesLayoutManager>setInstancePropOnAxes	1	0.000	0.000
InteractionBase>mustBe_matlab_graphics_axis_AbstractAxes	24	0.000	0.000
Legend,Legend>Legend.set.Camera_I	1	0.000	0.000
FileStorage>iGetNumAttempts	1	0.000	0.000
Bar.Bar>Bar.get.LineWidth_I	2	0.000	0.000

<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.Color</u>	2	0.000	0.000	
<u>Bar</u> . <u>Bar</u> > <u>Bar.get.NumPeersMode</u>	2	0.000	0.000	
<u>...sLayoutManager</u> . <u>AxesLayoutManager</u> >@(~,~)(<u>hObj</u> . <u>MarkDirty</u> ('all'))	1	0.000	0.000	
<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.FontSize</u>	2	0.000	0.000	
<u>AbstractClusterPool</u> . <u>delete</u> > <u>iAllowDeletion</u>	1	0.000	0.000	
<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.FontAngle</u>	2	0.000	0.000	
<u>...outManager</u> . <u>AxesLayoutManager</u> >@(<u>obj</u> , <u>evd</u>)(<u>hObj</u> . <u>MarkDirty</u> ('all'))	2	0.000	0.000	
<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.FontWeight</u>	2	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.set.CLim_1</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.set.AxesMode</u>	1	0.000	0.000	
<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.Interpreter</u>	2	0.000	0.000	
<u>...r>SubplotDeleteListenersManager</u> . <u>SubplotDeleteListenersManager</u>	4	0.000	0.000	
<u>Legend</u> . <u>setParentImpl</u>	1	0.000	0.000	
<u>LegendEntry</u> . <u>LegendEntry</u> > <u>LegendEntry.set.FontName</u>	2	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.get.Box</u>	2	0.000	0.000	
<u>ListComponent</u> . <u>ListComponent</u> > <u>ListComponent.ListComponent</u>	1	0.000	0.000	
<u>DataTipProvider</u> > <u>DataTipProvider.DataTipProvider</u>	4	0.000	0.000	
<u>PlotEditBehavior</u> . <u>PlotEditBehavior</u> > <u>PlotEditBehavior.dosupport</u>	1	0.000	0.000	
<u>AxesLayoutManager</u> . <u>AxesLayoutManager</u> > <u>addInstancePropToAxes</u>	1	0.000	0.000	
<u>CancelException</u> > <u>iGetHostName</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.get.Color</u>	2	0.000	0.000	
<u>InteractionStrategy</u> > <u>InteractionStrategy.InteractionStrategy</u>	4	0.000	0.000	
<u>globaloptim\private\gadsplot\updateclist</u>	1	0.000	0.000	
<u>Legend</u> . <u>getPreferredLocation</u>	1	0.000	0.000	
<u>Text</u> . <u>Text</u> >@(<u>h,e</u>) <u>hObj</u> . <u>MarkDirty</u> ('all')	2	0.000	0.000	
<u>datetime.datetime</u> > <u>datetime.posixtime</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.get.LimitMaxLegendEntries</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.get.EdgeColor</u>	2	0.000	0.000	
<u>dctPathAndClearNotificationGateway</u>	1	0.000	0.000	
<u>globaloptim\private\positiveIntegerArray</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.getPlotChildrenExcludedImpl</u>	1	0.000	0.000	
<u>RandStream</u> . <u>RandStream</u> > <u>RandStream.compatName</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.get.LimitMaxLegendEntries_1</u>	2	0.000	0.000	
<u>AxesLayoutManager</u> . <u>AxesLayoutManager</u> > <u>capMinimumSize</u>	1	0.000	0.000	
<u>CJSCluster</u> . <u>CJSCluster.hGetSupportID</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.getPlotChildrenSpecifiedImpl</u>	1	0.000	0.000	
<u>...ntainer</u> > <u>StandardAxesInteractionContainer.addInternalInteractions</u>	4	0.000	0.000	
<u>Legend</u> . <u>updateTitleProperties</u>	1	0.000	0.000	
<u>InteractiveClient</u> > <u>InteractiveClient.pCheckAndSetInteractiveType</u>	1	0.000	0.000	
<u>Legend</u> . <u>Legend</u> > <u>Legend.set.NumColumnsInternal</u>	2	0.000	0.000	
<u>...utManager</u> . <u>AxesLayoutManager</u> > <u>AxesLayoutManager.doMarkDirty</u>	1	0.000	0.000	
<u>Legend</u> . <u>doMethod</u> > <u>setButtonDownFcn</u>	1	0.000	0.000	
<u>globaloptim\private\realUnitScalar</u>	2	0.000	0.000	
<u>globaloptim\private\gaminlpconscale</u>	1	0.000	0.000	
<u>globaloptim\private\validate>validNumberofVariables</u>	1	0.000	0.000	

<u>Legend.Legend>Legend.get.NumColumnsMode</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.PlotChildrenSpecifiedMode</u>	2	0.000	0.000	
<u>globaloptim\private\nonNegScalar</u>	2	0.000	0.000	
<u>globaloptim\private\positiveScalar</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.set.NumRowsInternal</u>	2	0.000	0.000	
<u>Legend.Legend>Legend.get.NumColumns_I</u>	2	0.000	0.000	
<u>parallel\private\dctPathAndClearNotification (MEX-file)</u>	1	0.000	0.000	
<u>java.util.HashMap\$KeyIterator (Java method)</u>	9	0.000	0.000	
<u>FileStorage>@()warning(warningState1)</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.PositionCache</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.InitPositionCache</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.SelfListenerListMode</u>	1	0.000	0.000	
<u>CJSSupport>@(x)x.Name</u>	1	0.000	0.000	
<u>isdatetime</u>	1	0.000	0.000	
<u>Bar.Bar>Bar.set.EdgeColor_I</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.version</u>	1	0.000	0.000	
<u>Local.Local>Local.delete</u>	1	0.000	0.000	
<u>HostNameUtils>HostNameUtils.getLocalCanonicalHostName</u>	1	0.000	0.000	
<u>JavaMigrationTools>@()warning(w)</u>	1	0.000	0.000	
<u>globaloptim\private\createAnonymousFcn</u>	1	0.000	0.000	
<u>CJSCluster>CJSCluster.delete</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.FontSize_I</u>	1	0.000	0.000	
<u>Cluster.Cluster>Cluster.delete</u>	1	0.000	0.000	
<u>Bar.Bar>Bar.get.HorizontalMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.SelfListenerList_I</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.PositionMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.FontNameMode</u>	1	0.000	0.000	
<u>globaloptim\private\realScalar</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.FontAngleMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.LimitMaxLegendEntriesMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.SPosition</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.FontWeightMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.InitPositionCache</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.set.PositionCache</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.LineWidthMode</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.get.AxesMode</u>	1	0.000	0.000	
<u>JavaMigrationTools>@()lastwarn(lastmsg,lastid)</u>	1	0.000	0.000	
<u>FileStorage>@()warning(warningState3)</u>	1	0.000	0.000	
<u>globaloptim\private\gaminlpcreateexitmsg</u>	1	0.000	0.000	
<u>FileStorage>@()warning(warningState2)</u>	1	0.000	0.000	
<u>java.util.HashSet (Java method)</u>	2	0.000	0.000	
<u>ItemLayoutInfo>ItemLayoutInfo.ItemLayoutInfo</u>	2	0.000	0.000	
<u>...ode.pool.messaging.ConnectionManager\$Acceptor (Java method)</u>	1	0.000	0.000	
<u>Constants>Constants.Constants</u>	1	0.000	0.000	
<u>com.mathworks.toolbox.distcomp.pmode.Session (Java method)</u>	2	0.000	0.000	

<u>Cluster.Cluster>Cluster.hIsClusterAvailable</u>	1	0.000	0.000	
<u>java.util.concurrent.atomic.AtomicBoolean</u> (Java method)	2	0.000	0.000	
<u>Legend.isStretchToFill</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setDataSpace(IFanoutProps)</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setCamera(IFanoutProps)</u>	1	0.000	0.000	
<u>..esLayoutManager.AxesLayoutManager>AxesLayoutManager.delete</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setColorSpace(IFanoutProps)</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setEntryContainer(IFanoutProps)</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setDecorationContainer(IFanoutProps)</u>	1	0.000	0.000	
<u>Legend.Legend>Legend.setSelectionHandle(IFanoutProps)</u>	1	0.000	0.000	
<u>...distcomp.pmode.taskqueue.TaskCompletionWaiter</u> (Java method)	1	0.000	0.000	

***Self time** is the time spent in a function excluding any time spent in child functions. The time includes any overhead time resulting from the profiling process.