

fall-os

The sovereign operating system for an AI-run estate. One shared core, one conductor directed in plain language, and an estate of 1,548 repositories of organs that route through them — running on hardware you already own.

1,548 REPOSITORIES 371 LIVE BUILDS 5 GATED RUNTIME MODULES ZERO RUNTIME DEPENDENCIES

The thesis

The cost of producing software is collapsing toward zero. When a working tool can be specified and generated on demand, the scarce assets are no longer the code — they are **proof that it is correct** and **ownership of the system it runs in**.

Every incumbent model assumes the opposite: that software is expensive to build, so it must be rented per seat, forever, from a vendor who also holds your data and bills you per token to reason over it. That assumption is failing. fall-os is built for what follows it — an operating system you own, running your own models, over your own corpus, with a reproducible gate behind every build.

The estate is not a plan for this position. It is 1,548 repositories and 371 live, link-verified tools already standing on it.

Architecture

One core. A single routine every organ calls: expand candidate options with a non-clustering offset, score them against one shared acceptance bar, commit deliberately, and cache by content so identical work is never repeated.

One conductor. A single control loop — explore, resolve, verify, build, remember. Organs are invoked by the loop rather than run loose. The conductor is generic and trainable: a fresh instance ships blank, and registering organs plus signing it with an owner prefix produces a named instance.

Many organs. Every tool registers against the core rather than reimplementing its own decision logic. The consequence is the commercial one: **improve the core once and every organ improves at the same time**, and any two organs compose without an integration project.

The unifying standard

The architecture is Konomi — a self-defining standards compression format carrying ISA-95, ISA-88, ISA-101, ISA-18.2, OPC-UA, MQTT Sparkplug and Modbus as machine-readable types with explicit crosswalks, and its compositional half, konomigami: seven fold operators over a plane, mapped to automation levels L0 through

L6. One algebra describes the stack from a sensor to an enterprise ledger, which is why tools built to it fit together instead of colliding.

03

It runs in a browser tab

A hard architectural constraint, not a simplification. A tool is one file you open: no installer, no server, no container, no account. This is what makes a hundred tools cost nothing to distribute, and what makes sovereignty achievable rather than aspirational — a tool that never needed a server has no server holding your data.

- **Real cryptography in-page** — Ed25519 keypairs, signing and verification, so identity and tamper-evident ledgers work with nothing behind them.
 - **Direct peer-to-peer** — devices reconcile with each other rather than through a vendor, built on Konomi peer-to-peer.
 - **Near-native compute** — compiled modules run in the tab; signal processing and search execute locally instead of being billed back to you.
 - **Local structured storage and offline operation** — service workers make a tab a durable application that keeps working with the network off.
 - **Real-time audio** — enough to diagnose a structure by its ring, sonify system health, and pass work between machines as sound.
-

04

Your models, not a vendor's

Requests descend to the cheapest capable tier. Routine work is answered by deterministic logic or a model on your own machine at no marginal cost; a paid API is reached for only when you permit it, and your key hits your provider directly.

TIER	RUNS ON	CONSENT
Built-in logic	the device	no model needed
In-browser model	the device	no install
Local host	your machine	your hardware
Large local	your rig	your hardware
Free-tier API	external	opt-in
Frontier model	external	opt-in

The safety property is structural rather than procedural: **a request cannot reach a tier you have not allowed**, because the remote provider is never invoked — so the prompt is never serialised outward. If no permitted tier can answer, the system returns an honest failure instead of silently escalating.

05

Memory that improves, rather than retrieval that repeats

The prevailing pattern bolts a vector database onto a model and re-fetches raw passages by similarity on every question. It never gets sharper — the same lookup, the same noise — and it carries a permanent bill for storage, embeddings and re-indexing.

Here memory is placed by content, wired with typed relationships, and consolidated while idle: duplicates merge, links that follow from what is already known are materialised, rules generalise across instances, and contradictions resolve by weight of evidence rather than recency. The knowledge structure improves with **no retraining and no parameters touched**, and recall becomes a short walk through a graph.

Measured: the same day of memories in, one consolidation cycle later, question accuracy moved from 2 of 4 to 4 of 4 — with weights unchanged. A rule ("birds fly") was constructed from three separate instances and appeared in no single memory; a transitive fact was materialised; and an evidence-backed answer correctly beat a later, noisier one. A specific counter-fact always overrides the generalisation, so the exception is never clobbered by the rule.

The defensible asset: verification

Anyone can generate plausible code. The durable asset is being able to prove it is correct, reproducibly, without trusting the author. The estate's gate alters one operator at a time in the source and requires the test suite to detect the change; a suite that cannot catch a broken version does not count as passing.

What that catches, measured

Run against a codebase that had already passed four separate LLM audit rounds, the gate scored 0.55 — nine of twenty mutants survived — and surfaced an untested boundary condition every prior audit had missed. It took roughly eighteen seconds, deterministically, against approximately 1.5 million tokens per LLM audit pass.

That is the commercial argument in one line: **deterministic verification is faster, cheaper and stricter than model-based review**, and it produces the same verdict every time.

Above the gate sit a deterministic structural rubric and a demonstration-based reputation layer, in which capability is proved against a pinned artifact and a canonical grader — so a self-graded claim dies on re-grade rather than standing as marketing.

Governance, safety and limits that hold by construction

Most AI pilots stall because autonomy cannot be bounded credibly. Here the bounds are properties of the system:

- **An agent cannot overspend.** Its signed identity *is* its capability grant and its budget ceiling; it cannot spend past what it holds. This was built directly in response to a real incident in which an unbounded fan-out consumed 2.2 million tokens — the same failure is now impossible by construction rather than by policy.
- **Nothing commits implicitly.** The conductor prepares and proposes; a person authors the decision. A system that auto-commits is merely a predictor again.

-
- **It refuses to bluff.** In domains touching law or money the tools assert only what they can verify, flag what they cannot, and route to free human help rather than improvise.
-
- **Four independent gates.** Correct (structural rubric), behaviourally proven (mutation gate), alive (liveness classification), and affordable (budget ceiling).
-
- **Provenance is signed.** Contribution and settlement are recorded on a hash-chained, tamper-evident ledger and settle onto the onlybrains substrate, so what an agent did and earned is provable.
-

08

Measured results

Selected results from the estate's own gates. Each is reproducible from the corresponding public repository.

BUILD	CLAIM	MEASURED
Even distribution	Non-clustering placement as a general primitive across four domains	load variance 0.32 vs 0.93; strided-key hashing 351× tighter; 2D spacing
Health by ear	A correlated fault is audible while every individual metric is still green	3 metrics at 75% of red-line → 0 alarms, 0.96 dissonance; leak heard 4%
Structural diagnosis	Sound vs flawed structure from one tap, by resonance alone	96% absolute / 100% relative discrimination; ring quality ~850 vs ~700
Overnight consolidation	Memory made to behave like learning, without retraining	2/4 → 4/4 accuracy, weights unchanged
Scraping defence	Content unlocks only after	~30 ms for a human; ~16 CPU-days for a 50M-page scraper

BUILD	CLAIM	MEASURED
	real proof-of- work	
Air-gapped compute	Machines share work with no network stack at all	0 of 10 network primitives present, checked against source; work exchar
Agent economy	Value moves only by signed transfer, earned only by verified work	forged and tampered transfers rejected; no double-spend; conservation t

Reported honestly, including a negative result: a coupled-model pair was built, measured against fair baselines, and *lost* to both a plain ensemble and an equal-capacity single model. It shipped with the negative encoded in its own test suite so it cannot be quietly forgotten. A vendor that publishes its failures is telling you what its successes are worth.

Deployment tiers

There is no minimum spend to begin. Each step up raises how much work stays local — never whether the system runs.

TIER	SUITS	WHAT IT UNLOCKS
A phone	field operators	Single-file tools, offline, no signal required
A £500 laptop	sole traders, small teams	Deterministic logic plus an in-browser model; nothing installed, no GPU
Desktop or studio machine	a working firm	A local host and mid-size model; the majority of daily requests never leave the room
Tower rig	heavier or regulated workloads	Large local weights; idle or written-off hardware becomes productive again

10

Use in practice

The same architecture serves a sole trader and a listed group. What changes is not the system — it is how many disconnected things it is asked to unify.

The enterprise problem this actually solves

A mid-size or large organisation does not suffer from a shortage of software. It suffers from thirty systems that were each bought to solve one department's problem and were never designed to speak to one another: a finance stack, a CRM, a document store, three reporting tools inherited through acquisitions, a data warehouse whose refresh nobody trusts, and a growing layer of AI pilots that sit alongside all of it rather than inside it. Integration work never finishes because every new vendor adds another data model, and the AI layer cannot reason across the estate because no two systems agree on what a customer, an invoice or an asset actually is.

fall-os attacks that at the level the problem lives: **one shared contract every system speaks, and one conductor that reasons across all of them.** Existing systems are not ripped out — they are adapted at the edge, so their logic is untouched and only their decision-making and their data shape are brought onto the common standard. That standard originates in industrial automation, where incompatibility is expensive enough that the problem was solved properly: machine-readable types for the major standards with explicit crosswalks between them.

Ten-office accountancy firm ~200 staff	Practice management in one system, ledgers in another, workpapers on a shared drive, e-signature bolted on, an AI assistant each office adopted separately. Cross-office reporting is a monthly manual exercise.	One conductor over every office's data with a single definition of a client and an engagement. Drafting and review run locally, so client material never leaves the firm — which is the compliance argument, not just the cost one. Per-seat licensing across 200 staff stops compounding.
Multinational group multi-entity, multi- jurisdiction	Different ERP instances per region from historic acquisitions, incompatible chart-of-accounts, a consolidation process that is quarterly and painful, and AI pilots that cannot be approved because nobody can bound their spend or their data access.	Regional systems adapted onto one contract rather than replaced, so consolidation becomes a query rather than a project. Agents carry signed identities with hard budget ceilings and per-organ authority — the specific thing that lets a board or an auditor approve autonomy at all.
Listed company public reporting obligations	Vendor AI that cannot be audited, no reproducible record of how a figure or a decision was reached, and a data-residency position that depends on a supplier's contract rather than on architecture.	Every build passes a reproducible gate anyone can re-run; every decision records what was chosen <i>and</i> what was rejected; inference defaults to owned hardware. The residency answer becomes structural — there is no server holding the data — rather than contractual.
Private mid- market operator 50–500 staff	A stack assembled over fifteen years, two systems nobody dares migrate off, and a per-seat bill that grows with every hire regardless of usage.	Take the organs that matter, adapt the systems that cannot move, and stop paying per head for software. Anything built for the business passes the same gate as the core, so bespoke work is not the least trustworthy part of the estate.
Individual or sole trader	Several subscriptions doing what one owned toolset could, and a corpus of their own work accumulating on somebody else's servers.	The same system, scaled down: accounts, correspondence, records and knowledge, with no third party present in any of it.

How an organisation is fitted

Because organs share one contract, fitting the system to a company is configuration, adaptation and selection — not a multi-year replacement programme:

- **Adapt, do not rip out.** Existing engines are wrapped so they call the shared core and register as organs. Their internal logic is untouched; only their decision-making relocates. This is the difference between a migration and a transformation programme.
- **One canonical set of facts.** The organisation's real definitions live in a single source every surface reads, so a customer, an invoice or an asset cannot mean three different things in three systems.
- **Set the model policy centrally.** Decide which tiers are permitted. A regulated firm can forbid every external tier and still have a fully working system — the guarantee is structural, so it survives audit.
- **Grant autonomy per organ, signed.** Each agent's capability and budget ceiling are explicit and cryptographic, and nothing is granted by default.
- **Keep the gate on everything.** Bespoke work built for the business passes the same verification as the platform, so internal development stops being the weakest link in the assurance story.

Deployment scales with ambition rather than gating it: the entry tier needs no dedicated hardware at all, and a single local host covers the majority of daily requests for a working team. There is a live production deployment at the small end of this range; the architecture is identical at the large end, because the merge happens at the decision layer rather than per application.

11

Commercial model

You own what you take. There are no seats, no renewals and no per-user arithmetic; the software is source-available under permissive licence, and what is genuinely scarce — verification, integration into an existing business, and the operating discipline around it — is what is sold.

- **No per-token bill** for work a local model answers, which for most businesses is the overwhelming majority of requests.
- **No integration project.** Organs compose because they were built to one contract.
- **Distribution costs nothing.** Shipping a tool is publishing a file.

-
- **The gate is adoptable independently** — the verification layer runs in any repository, including ones with no other connection to the estate.

Cost, time and energy savings depend entirely on which tools are replaced and how a business works. We publish the mechanism rather than a headline percentage: no per-seat licence, no per-token bill for local work, no upload of your data, and no vendor between your own devices. Each is checkable before spending anything.

12

The estate, applied

Every entry below is a live, link-verified build — open in a browser now, no install. Generated from the canonical index by checking *every* public repository, so nothing is omitted by selection.

Runtime, conductor & routing · 29 live

accountinghouse (https://sjgant80-hub.github.io/accountinghouse/)	The accounting-practice showroom for FallHub. Sovereign AI-first OS for accountants. MIT.
adshop (https://sjgant80-hub.github.io/adshop/)	The creative-agency showroom for FallHub. Multi-brand voice kernel. MIT.
barberhq (https://sjgant80-hub.github.io/barberhq/)	The multi-location chain showroom for FallHub. Sovereign AI-first OS for barbershop chains + adjacent chains. MIT.
fall-mcp-bridge (https://sjgant80-hub.github.io/fall-mcp-bridge/)	fall-mcp-bridge · uniform MCP server in front of any LLM · 8 adapters (ollama, llamacpp, mlx, lmstudio, anthropic, openai, openrouter, femto/konomi-cube) · provider lock-in dies here · MIT
fall-os (https://sjgant80-hub.github.io/fall-os/)	Live build — open to see the applied use.
fall-remember (https://sjgant80-hub.github.io/fall-remember/)	Live build — open to see the applied use.
falladviser (https://sjgant80-hub.github.io/falladviser/)	£ FallAdviser · sovereign UK financial adviser · UK 2025-26 tax rules · ISA/SIPP/LISA optimiser · pension projector · portfolio analyser · Q&A T0+T3 · estate-aware · si-didy postMessage API · Mansoor P3 audit chain · informational not regulated · single HTML · MIT
fallcolony (https://sjgant80-hub.github.io/fallcolony/)	Agent-native settlement · AI agents work, talk, learn Konomi, upgrade themselves · KCC provenance-royalty ledger · MIT
fallcrm-elite (https://sjgant80-hub.github.io/fallcrm-elite/)	Sovereign CRM. Signal timelines. Agentic follow-up. Snap-in FallHub module. MIT.
fallforge (https://sjgant80-hub.github.io/fallforge/)	The AI concierge that installs your business OS. FallHub concierge installer. MIT.
fallhub (https://sjgant80-hub.github.io/fallhub/)	Sovereign direct-booking + unified inbox + AI reply drafting for independent stay operators · MIT · fork-and-configure · Wishwood-tested
fallrouter (https://sjgant80-hub.github.io/fallrouter/)	Sovereign model orchestrator · routes between local Ollama and frontier APIs · auto-failover · tamper-evident audit · MIT · Simon Gant

fallstudio (<https://sjgant80-hub.github.io/fallstudio/>)

FallStudio · the hub · sovereign Adobe Creative Cloud alternative · 8 single-HTML tools indexed · autopilot routes any creative intent to the right tool · MIT

forge-lab (<https://sjgant80-hub.github.io/forge-lab/>)

Forge Lab - Domain Expert Tool Builder

forge-upgrade (<https://sjgant80-hub.github.io/forge-upgrade/>)

Upload any HTML / Replit / Lovable / .md spec. Get it back sovereign. The torus that eats the old web.

kardv5 (<https://sjgant80-hub.github.io/kardv5/>)

Sovereign paralegal. Tribunal skeletons + negotiation letters + counter-argument generation. Snap-in FallHub module. MIT.

konomi-signer (<https://sjgant80-hub.github.io/konomi-signer/>)

Sovereign Ed25519 trial signer · imported by every estate product's forge.html · key stays on laptop · MIT

konomi-swarm (<https://sjgant80-hub.github.io/konomi-swarm/>)

Colony primitive. Every approve is a pheromone deposit. Sovereign JS module. .

offramp-v2 (<https://sjgant80-hub.github.io/offramp-v2/>)

The sovereign chat-history off-ramp — a dead vendor JSON export → live searchable memory. Content-addressed (cross-vendor dedupe proven), versioned extraction, the wisp over your own thinking-history. Runs in your browser. Proof-of-play CLEAN 60/60.

plumber-lead-machine
(<https://sjgant80-hub.github.io/plumber-lead-machine/>)

Trades reference implementation for FallHub. Fork accelerator. MIT.

si-didy-cascade (<https://sjgant80-hub.github.io/si-didy-cascade/>)

PRIVATE · L1 upgrade · routes si-didy Claude calls through T0/T2/T3 cascade + mesh cache-first · 60-80% token cut

si-didy-close (<https://sjgant80-hub.github.io/si-didy-close/>)

PRIVATE · L1 upgrade · wires fallresolve into si-didy session close · Ed25519 signed audit chain per session · CID-anchored in FallPod

si-didy-memory (<https://sjgant80-hub.github.io/si-didy-memory/>)

PRIVATE · L1 upgrade · warm si-didy from fallmind-v2 cube on boot · 16-dim FemtoLLM cosine NN · multi-day context continuity

si-didy-signer (<https://sjgant80-hub.github.io/si-didy-signer/>)

PRIVATE · L1 upgrade · Konomi Ed25519 signs every outbound Claude call · defeats OAuth-token theft

si-didy-stance (<https://sjgant80-hub.github.io/si-didy-stance/>)

PRIVATE · L1 upgrade · mesh_stance toggle widget for si-didy · private/selective/public with live peer visibility preview

the-wisp (<https://sjgant80-hub.github.io/the-wisp/>)

The wisp pointed at the whole estate as substrate — ~1000 repos as one field of folds, the moving frontier dancing across, with the heat-sink and spiral/orbit diagnostics from real data. Proof-of-play CLEAN.

tradeshub (<https://sjgant80-hub.github.io/tradeshub/>)

The trades showroom for FallHub. Sovereign AI-first OS for tradespeople. MIT.

trilogy-forge (<https://sjgant80-hub.github.io/trilogy-forge/>)

The Psychological Build Engine - Jung + Freud + Sales 101. Auto-generates elite AI configs per client archetype, shadow, and role psychology.

trilogy-forge-api (<https://sjgant80-hub.github.io/trilogy-forge-api/>)

The factory that makes factories. POST config, GET a sovereign HTML application. 9 forge types, 4 data APIs, AI agent swarms, works offline.

Reasoning — past, present, future · 14 live

cassie-oracle-3 (https://sjgant80-hub.github.io/cassie-oracle-3/)	Recursive Claude subagent tree · L0 orchestrator + 7 spine-prime specialists + sparse chord resolver · v19 7-pass annealing · subscription auth
fallbase (https://sjgant80-hub.github.io/fallbase/)	📦 FallBase · sovereign Oracle Database wedge · multi-DB · schema designer · SQL subset (SELECT/WHERE/JOIN/GROUP BY/aggregates) · CSV+JSON import · foreign keys + indexes · postMessage API · single HTML · MIT
fallbuild (https://sjgant80-hub.github.io/fallbuild/)	⚙️ FallBuild · sovereign Oracle APEX wedge · drag-drop low-code app builder · 8 widget types · FallBase bindings · 5 templates · standalone-HTML export with runtime baked · single HTML · MIT
fallledger (https://sjgant80-hub.github.io/fallledger/)	🔢 FallLedger · sovereign Oracle GL / NetSuite ledger · double-entry · 38-account UK SME CoA · auto-import from FallInvoice/FallAP/FallAccount via fall-signal · TB / P&L / Balance Sheet / Cash Flow / VAT · period close · MIT
fallreport (https://sjgant80-hub.github.io/fallreport/)	📊 FallReport · sovereign Oracle Analytics / Hyperion wedge · pivot tables · hand-rolled canvas charts (bar/line/area/pie/scatter) · dashboards · KPI cards · FallBase + FallLedger postMessage feeds · PDF/PNG/CSV export · MIT
generative-estate (https://sjgant80-hub.github.io/generative-estate/)	Live build — open to see the applied use.
missig (https://sjgant80-hub.github.io/missig/)	Live build — open to see the applied use.
oracleengine (https://sjgant80-hub.github.io/oracleengine/)	Live build — open to see the applied use.
recollapse (https://sjgant80-hub.github.io/recollapse/)	Live build — open to see the applied use.
seedmind (https://sjgant80-hub.github.io/seedmind/)	Live build — open to see the applied use.
suzen (https://sjgant80-hub.github.io/suzen/)	Necessity oracle · reads any estate node's JSON twins and returns what MUST come next · single-file · MIT · origin: hitsuzen 必然 via aneta

temuoracle (<https://sjgant80-hub.github.io/temuoracle/>)

✂ TemuOracle · sovereign enterprise OS · the same Oracle / NetSuite enterprise software for £0 · indexes 17 sovereign Fall* tools · stack diagram · pricing comparison · autopilot · single HTML · MIT

the-dreamer (<https://sjgant80-hub.github.io/the-dreamer/>)

Live build — open to see the applied use.

the-oracle (<https://sjgant80-hub.github.io/the-oracle/>)

Live build — open to see the applied use.

Memory & consolidation · 9 live

botler (https://sjgant80-hub.github.io/botler/)	sovereign personal memory agent · WebLLM offline · OAuth client-side · your machine your data
estate-nest (https://sjgant80-hub.github.io/estate-nest/)	The OFFRAMP pipeline pointed inward — the ~1000-repo estate nested into the dodeca memory: signed by content, placed by golden angle, wired by typed edges, WALKABLE. Answer 'what do I have' by traversing. Proof-of-play CLEAN.
fallbase-sdk (https://sjgant80-hub.github.io/fallbase-sdk/)	Sovereign in-memory SQL database. Zero deps. Node/browser/Deno/Bun/workers.
fallnote (https://sjgant80-hub.github.io/fallnote/)	fallnote · the Notion killer · sovereign single-HTML block-based note + database substrate · MIT
fallrecall (https://sjgant80-hub.github.io/fallrecall/)	fallrecall — take your AI memory back · import frontier-lab exports, analyse flavour, generate portable prompts that work anywhere · MIT
fallscribe (https://sjgant80-hub.github.io/fallscribe/)	FallScribe · sovereign meeting-notes engine · browser MediaRecorder + Web Speech + WebLLM · obsoletes Granola for £0 · single-file · MIT · forever
fallsync (https://sjgant80-hub.github.io/fallsync/)	CRDT multi-device sync · LWW-map + Lamport timestamps · no cloud · uses FallLink transport
honestly (https://sjgant80-hub.github.io/honestly/)	HONESTLY · verified search · the Perplexity killer · 3-vote adversarial verification on every claim · Konomi-signed answer envelopes · BYOK search + LLM · sovereign single-file · MIT
redress-engine (https://sjgant80-hub.github.io/redress-engine/)	A legal-process navigator for everyone — plain-English rights, the REAL statutory lever per scenario, calm cited letters, deadlines, honest routing to free human help. Accuracy-gated. Not legal advice.

Trust rail & verification · 11 live

acg-assessor (https://sjgant80-hub.github.io/acg-assessor/)	The Assessor — deterministic rubric assessment for AI-assisted codebases. Same repository, same verdict, same hash.
earned (https://sjgant80-hub.github.io/earned/)	Live build — open to see the applied use.
fallcharter (https://sjgant80-hub.github.io/fallcharter/)	Live build — open to see the applied use.
fallhardened (https://sjgant80-hub.github.io/fallhardened/)	The estate's shared hardened primitives — the one correct impl of what the audits kept re-deriving wrong. Zero deps.
fallsieve (https://sjgant80-hub.github.io/fallsieve/)	Live build — open to see the applied use.
foldsig (https://sjgant80-hub.github.io/foldsig/)	Fold-signature format + validator: describe a thing as a generative recipe. Round-trip, witness, non-masking compose. Zero deps.
geometric-computer (https://sjgant80-hub.github.io/geometric-computer/)	The v23 geometric-computing stack, gated: L1 primordial fold codec (lossless state $\rightleftharpoons$ number) + L2 Entropic Torus Harmonics (which fold-signatures are stable — golden holds, resonance cancels). Proof-of-play CLEAN.
niceassos (https://sjgant80-hub.github.io/niceassos/)	The OG sovereign browser OS: fallos desktop shell merged onto the signed niceassos-mesh — proof-of-play admission, local-first brain. Pure kernel witness 49/49.
ring-assessor (https://sjgant80-hub.github.io/ring-assessor/)	Live build — open to see the applied use.
the-toll (https://sjgant80-hub.github.io/the-toll/)	A collective proof-of-work edge-wall — force EXECUTION not storage. Content unlocks only when a client solves a hash puzzle: invisible to a human, 16 CPU-days to a mass-scraper, stronger as more nodes adopt it. Proof-of-play gated.
witness (https://sjgant80-hub.github.io/witness/)	Deterministic build gate: mutation + fuzz. Catches test-theatre and throw-on-malformed with no LLM, zero deps.

acg-geo-repo (https://sjgant80-hub.github.io/acg-geo-repo/)	AI Craftspeople Guild · GEO/AI-SEO infrastructure for guild client sites · fork-and-configure · agent marketplace · MIT
agora (https://sjgant80-hub.github.io/agora/)	Live build — open to see the applied use.
fall-sales-marketing (https://sjgant80-hub.github.io/fall-sales-marketing/)	8+1 AI agents replacing a full sales + marketing team · sovereign single HTML · MIT · renamed from FallOffice when that slot was reclaimed for the productivity suite
fallestate (https://sjgant80-hub.github.io/fallestate/)	The sovereign island marketing showroom · 300 tools · what each does + kills + saves + who it helps · AI-Native Solutions
fallharbor (https://sjgant80-hub.github.io/fallharbor/)	Estate directory · every AI-Native Solutions tool + fork lineage + peer estates · sovereign registry · MIT
fallineage (https://sjgant80-hub.github.io/fallineage/)	Live build — open to see the applied use.
fallkard (https://sjgant80-hub.github.io/fallkard/)	Sovereign card game · every AI-Native Solutions tool as a real card · D2R aesthetics · Hearthstone lane combat · MIT
falllineage (https://sjgant80-hub.github.io/falllineage/)	falllineage · sovereign single-file tool · @ai-native-solutions
fallmarket (https://sjgant80-hub.github.io/fallmarket/)	The sovereign registry of AI tools, agents, SDKs, MCP servers, and HTTP APIs · 763 listings · all MIT · all Ed25519-signed · all benchmarkable
fallmint (https://sjgant80-hub.github.io/fallmint/)	Point at any cloud API → mint 3 sovereign estate-shape repos (SDK + API proxy + MCP) · fall-kit cascade · KCC lineage · MIT
fallseed-meta (https://sjgant80-hub.github.io/fallseed-meta/)	FallSeed Meta — monitor seed for the estate · population · lineage · live mesh · smoke test · MIT
fallsignature (https://sjgant80-hub.github.io/fallsignature/)	Sovereign Ed25519 content signing + verification · runs locally · nothing leaves your browser
fallswarm (https://sjgant80-hub.github.io/fallswarm/)	fallswarm · sovereign single-file tool · @ai-native-solutions

fallswarm-api (https://sjgant80-hub.github.io/fallswarm-api/)	fallswarm api · @ai-native-solutions
fallswarm-mcp (https://sjgant80-hub.github.io/fallswarm-mcp/)	fallswarm mcp · @ai-native-solutions
fallswarm-sdk (https://sjgant80-hub.github.io/fallswarm-sdk/)	fallswarm sdk · @ai-native-solutions
kard (https://sjgant80-hub.github.io/kard/)	Superseded by FallKard · sovereign card game where every AI-Native Solutions tool is a real playable card · MIT
kcc-bridge (https://sjgant80-hub.github.io/kcc-bridge/)	MCP server exposing the AI Native Solutions estate as a toolbelt for any LLM agent. Phase D of the provenance economy.
kcc-jobs (https://sjgant80-hub.github.io/kcc-jobs/)	KCC Jobs · the agent economy marketplace · post jobs in KCC, agents bid, deliverables submitted, acceptance signature settles · 5 bundle types · reputation engine · wallet · overseer dashboard · sovereign Ed25519 · MIT
kcc-mint (https://sjgant80-hub.github.io/kcc-mint/)	KCC Mint · sovereign provenance-NFT mint for the fork-tree economy · 10 Gen-0 foundation mints · KCC-MINT-001 spec · Ed25519 sovereign-first · MIT
kcc-runner (https://sjgant80-hub.github.io/kcc-runner/)	KCC Runner · Phase C autonomous agent execution · same-origin IndexedDB share with kcc-jobs · fall-kit cascade · per-agent enable + poll/aggressiveness/match-threshold sliders · live activity log · MIT
roost (https://sjgant80-hub.github.io/roost/)	Sovereign stays-as-commons marketplace · cooperative · zero booking fees · built on open stays-protocol · the Airbnb alternative
the-wallet (https://sjgant80-hub.github.io/the-wallet/)	Live build — open to see the applied use.

Geometric & neuromorphic · 14 live

attractor (https://sjgant80-hub.github.io/attractor/)	Live build — open to see the applied use.
fall-cube (https://sjgant80-hub.github.io/fall-cube/)	Sovereign fractal demonstration · every tool composes every other tool · MIT
fall-kqtt-bridge (https://sjgant80-hub.github.io/fall-kqtt-bridge/)	fall-kqtt-bridge · BroadcastChannel('fall-signal') ↔ GS.KQTT · 50-LOC bridge for teslasolar/GoldenShower · live demo
fallcube-api (https://sjgant80-hub.github.io/fallcube-api/)	Sovereign File Storage API - upload, search, analyze, stream. Zero cloud.
fallherd (https://sjgant80-hub.github.io/fallherd/)	Live build — open to see the applied use.
fallsecurity (https://sjgant80-hub.github.io/fallsecurity/)	FallCube · sovereign AI security as geometry · 8+1 vertex architecture · defeats gradient injection · WebLLM in-browser demo
golden-placer (https://sjgant80-hub.github.io/golden-placer/)	Live build — open to see the applied use.
konomi-cube-v2 (https://sjgant80-hub.github.io/konomi-cube-v2/)	紙 konomi-cube v2 · the interactive fold engine · Three.js + konomigami-lib · 7 fold operators + 6 mutations · audio-reactive (from bass/treble) · GLB export · v20.4 \$23 made visible · MIT
offgridcommunitiessystem (https://sjgant80-hub.github.io/offgridcommunitiessystem/)	Konomi Cube Coin · sovereign community OS for off-grid / intentional communities · single HTML · IndexedDB · MIT
quine-cube (https://sjgant80-hub.github.io/quine-cube/)	Recursive self-referential depth experiment · 8 vertices + Omega · cube/dodeca/LLM at Omega · observation hooks at every depth crossing · the data decides
quine-cube-runner (https://sjgant80-hub.github.io/quine-cube-runner/)	Run quines · programs that print themselves · on a spinning 3D cube · nothing leaves your browser
the-cam (https://sjgant80-hub.github.io/the-cam/)	Live build — open to see the applied use.
the-rotor (https://sjgant80-hub.github.io/the-rotor/)	Live build — open to see the applied use.

the-spike (<https://sjgant80-hub.github.io/the-spike/>)

Live build — open to see the applied use.

Mesh, transport & sensing · 20 live

airgap (https://sjgant80-hub.github.io/airgap/)	Live build — open to see the applied use.
fall-kit (https://sjgant80-hub.github.io/fall-kit/)	Fall Kit · shared AI cascade (T0/T2 WebLLM 1B-70B/T3 BYOK frontier) + WebRTC mesh for every estate seed · inlineable JS · MIT
fallasset (https://sjgant80-hub.github.io/fallasset/)	FallAsset · sovereign Bridge + Lightroom wedge · File System Access · grid + loupe + compare · tags/rating/labels · non-destructive edit · collections · autopilot · MIT
fallbridge (https://sjgant80-hub.github.io/fallbridge/)	Web Bluetooth terminal for BLE-mesh dongles · pair ESP32/nRF52 hardware · browser is UI, dongle does mesh · Chrome/Edge
fallcarrier (https://sjgant80-hub.github.io/fallcarrier/)	Sovereign mobile connectivity · WebRTC mesh + LoRa via Web Serial + WebSocket relays · cell-optional networking
fallhop (https://sjgant80-hub.github.io/fallhop/)	Bitchat ⇌ Konomi translator · estate messages ride Bitchat mesh · did:key + 7 rings + fold-fingerprint · reverse-engineered from public source · MIT
fallmesh (https://sjgant80-hub.github.io/fallmesh/)	Live build — open to see the applied use.
fallmobile (https://sjgant80-hub.github.io/fallmobile/)	Native Android+iOS app wrapping the estate · Bluetooth-LE mesh advertise+scan · Bitchat-compatible · full sovereign phone stack
fallmotion (https://sjgant80-hub.github.io/fallmotion/)	FallMotion · sovereign After Effects wedge · SVG scene + keyframe timeline · 4 easings · 4 templates · WEBM (MediaRecorder) + inline GIF89a encoder · autopilot · MIT
fallnet (https://sjgant80-hub.github.io/fallnet/)	Sovereign peer-to-peer mesh · WebRTC · browser-to-browser · MIT
fallscene (https://sjgant80-hub.github.io/fallscene/)	FallScene · sovereign Dimension wedge · Three.js 3D scene builder · 6 primitives · TransformControls · materials · lighting · GLB/PNG/JSON export · autopilot · MIT
hum (https://sjgant80-hub.github.io/hum/)	Live build — open to see the applied use.

konomesh (<https://sjgant80-hub.github.io/konomesh/>)

Live build — open to see the applied use.

lightbringer (<https://sjgant80-hub.github.io/lightbringer/>)

lightbringer

mesh-89-tracker (<https://sjgant80-hub.github.io/mesh-89-tracker/>)

Sovereign WebRTC peer-mesh tracker · counts peers toward 89 · nothing leaves your browser

mesh-sings (<https://sjgant80-hub.github.io/mesh-sings/>)

Live build — open to see the applied use.

one-ladder (<https://sjgant80-hub.github.io/one-ladder/>)

Live build — open to see the applied use.

soundcheck (<https://sjgant80-hub.github.io/soundcheck/>)

Live build — open to see the applied use.

the-ear (<https://sjgant80-hub.github.io/the-ear/>)

Live build — open to see the applied use.

the-throat (<https://sjgant80-hub.github.io/the-throat/>)

Live build — open to see the applied use.

Business operations · 18 live

fallaccount (https://sjgant80-hub.github.io/fallaccount/)	FallAccount Elite - Sovereign accounting for UK sole traders. Any LLM. Single HTML file. Zero SaaS.
fallaccount-trades (https://sjgant80-hub.github.io/fallaccount-trades/)	Sovereign accounts app for UK builders, plumbers, sparkies, plasterers. One HTML file. Data on your phone. MTD-ready. CIS handled both directions.
fallcrm (https://sjgant80-hub.github.io/fallcrm/)	fallcrm · sovereign single-file CRM · the delete-HubSpot wedge
fallmortgage (https://sjgant80-hub.github.io/fallmortgage/)	Live build — open to see the applied use.
fallmortgage-us (https://sjgant80-hub.github.io/fallmortgage-us/)	fallmortgage-us · sovereign single-file tool · @ai-native-solutions
fallmortgageonboard (https://sjgant80-hub.github.io/fallmortgageonboard/)	Live build — open to see the applied use.
fallmortgagepaper (https://sjgant80-hub.github.io/fallmortgagepaper/)	Live build — open to see the applied use.
fallmortgagepractice (https://sjgant80-hub.github.io/fallmortgagepractice/)	Live build — open to see the applied use.
fallseed-accountancy (https://sjgant80-hub.github.io/fallseed-accountancy/)	FallSeed for UK accountancy firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign
fallseed-mortgage (https://sjgant80-hub.github.io/fallseed-mortgage/)	FallSeed for UK mortgage firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign
fallskin (https://sjgant80-hub.github.io/fallskin/)	Premium upgrades for sovereign tools · desktop·mobile·SSO·integrations·white-label · sovereignty preserved
fallstack (https://sjgant80-hub.github.io/fallstack/)	FallStack · sovereign SaaS audit + migration engine · drop your accounting · we map every sub to a free sovereign replacement · the savings dashboard · MIT

fallvault (<https://sjgant80-hub.github.io/fallvault/>)

Sovereign emergency backup · one HTML file · AES-256-GCM in your browser · MIT

glampos (<https://sjgant80-hub.github.io/glampos/>)

Live build — open to see the applied use.

konomium-vault (<https://sjgant80-hub.github.io/konomium-vault/>)

Live build — open to see the applied use.

smallworld (<https://sjgant80-hub.github.io/smallworld/>)

Small World Solar Stage & Festival · 100% solar Kent festival · founding roost host #002 · stays-protocol publisher · Wishwood bell-tent partnership

wishwood (<https://sjgant80-hub.github.io/wishwood/>)

Sovereign multi-channel automation for off-grid glamping. Built for Wishwood (Canterbury, Kent). Unified inbox + calendar + direct booking + AI replies. Zero SaaS.

wishwood-keeper (<https://sjgant80-hub.github.io/wishwood-keeper/>)

Live build — open to see the applied use.

Legal & consumer · 16 live

divorcerbot (https://sjgant80-hub.github.io/divorcerbot/)	UK divorce self-help (E&W/Scotland/NI) that levels the playing field: verified law, CMS calculator, cited case-law strategy, BYOK/WebLLM analyser. Not legal advice.
fallinsurance (https://sjgant80-hub.github.io/fallinsurance/)	Live build — open to see the applied use.
fallinsurance-api (https://sjgant80-hub.github.io/fallinsurance-api/)	Companion API for fallinsurance · minted by mint-all · sovereign estate
fallinsurance-us (https://sjgant80-hub.github.io/fallinsurance-us/)	fallinsurance-us · sovereign single-file tool · @ai-native-solutions
fallinsuranceonboard (https://sjgant80-hub.github.io/fallinsuranceonboard/)	Live build — open to see the applied use.
fallinsurancepaper (https://sjgant80-hub.github.io/fallinsurancepaper/)	Live build — open to see the applied use.
fallinsurancepractice (https://sjgant80-hub.github.io/fallinsurancepractice/)	fallinsurancepractice — single-HTML PWA tool · sovereign · MIT
falljustice (https://sjgant80-hub.github.io/falljustice/)	Live build — open to see the applied use.
falllegal (https://sjgant80-hub.github.io/falllegal/)	Live build — open to see the applied use.
falllegal-us (https://sjgant80-hub.github.io/falllegal-us/)	falllegal-us · sovereign single-file tool · @ai-native-solutions
falllegalonboard (https://sjgant80-hub.github.io/falllegalonboard/)	Live build — open to see the applied use.
falllegalpaper (https://sjgant80-hub.github.io/falllegalpaper/)	Live build — open to see the applied use.
falllegalpractice (https://sjgant80-hub.github.io/falllegalpractice/)	Live build — open to see the applied use.

fallpage (<https://sjgant80-hub.github.io/fallpage/>)

FallPage · sovereign InDesign wedge · multi-page layout · 8 block types · A4/Letter/Legal/custom · masters · print-to-PDF · 5 templates · autopilot · MIT

fallseed-insurance (<https://sjgant80-hub.github.io/fallseed-insurance/>)

FallSeed for UK insurance firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

groundlevel-shim (<https://sjgant80-hub.github.io/groundlevel-shim/>)

One <script> tag adds 6 cited UK legal letter templates + floating widget to any site. ~29KB. Zero deps. MIT.

Agents on the open web · 13 live

deep-api (https://sjgant80-hub.github.io/deep-api/)	AI Deep Research API - ask anything, get structured intelligence reports with citations. Multi-LLM. Real-time streaming.
fall-autopilot-kit (https://sjgant80-hub.github.io/fall-autopilot-kit/)	Sovereign browser autopilot kit · WebLLM-driven action-manifest runner · MIT
fall-euaiact (https://sjgant80-hub.github.io/fall-euaiact/)	EU AI Act sovereign compliance toolkit · single-file browser tool · MIT · AI-Native Solutions
fallid (https://sjgant80-hub.github.io/fallid/)	Sovereign identity spine · did:key + Ed25519 · your own DID in your browser · foundational estate layer
fallmirror (https://sjgant80-hub.github.io/fallmirror/)	Sovereign self-reflection tool · runs locally · nothing leaves your browser
fallpod (https://sjgant80-hub.github.io/fallpod/)	Sovereign data pod · one unified store for every estate tool · path-based · FallID-owned · Solid-style
fallwatch (https://sjgant80-hub.github.io/fallwatch/)	Ring 5 watcher-of-watchers · browser + optional-Node companion · session hygiene + estate live-status + audit chain check
foldkit-extension (https://sjgant80-hub.github.io/foldkit-extension/)	Browser extension · foldkit sidebar on every page · classifier + F(S□) fingerprint + estate context menu · Chrome+Firefox · Manifest V3
hello-device (https://sjgant80-hub.github.io/hello-device/)	Sovereign browser capability inventory · shows every Web API your device+browser silently offers · nothing leaves
konomigami-lib (https://sjgant80-hub.github.io/konomigami-lib/)	紙 konomigami-lib · the fold algebra · 7 base glyphs + 6 mutations · state algebra · bloom ↔ integer ↔ sequence · -coherence · pure JS · zero deps · v20.4 socket VI · MIT · substrate by Thomas Frumkin
the-kg (https://sjgant80-hub.github.io/the-kg/)	Live build — open to see the applied use.
trilogy-framework (https://sjgant80-hub.github.io/trilogy-framework/)	The AI Pipeline Framework - Input to Intelligence to Output as one declarative flow
trilogy-sdk (https://sjgant80-hub.github.io/trilogy-sdk/)	The AI API Toolkit - DocMind + Deep + Flux. One npm install. Three AI APIs. Full TypeScript.

Other sovereign builds · 204 live

ACG-Ballroom (<https://sjgant80-hub.github.io/ACG-Ballroom/>)

ACG Ballroom - The floor is yours.

acg-mapper (<https://sjgant80-hub.github.io/acg-mapper/>)

⌘ ACG Mapper · an AI Craftspeople Guild diagnostic · paste your workflow, find your audit rung · forked from FallMap · single HTML · sovereign

ACG-SHIP (<https://sjgant80-hub.github.io/ACG-SHIP/>)

NON GUILD REVIEWED HIGH AMBITION SHIP CAPTAINS

ACGEDEN (<https://sjgant80-hub.github.io/ACGEDEN/>)

3D Git Eden visualization: Grow insight

ai-nativesolutions (<https://sjgant80-hub.github.io/ai-nativesolutions/>)

ai native the right way

audiofabric (<https://sjgant80-hub.github.io/audiofabric/>)

Your music. Visualised. In 3D. · Send a track · Get a 3D HTML back · \$99/track

aws-lambda-mcp (<https://sjgant80-hub.github.io/aws-lambda-mcp/>)

Sovereign wrapper for target · real bindings

BloomCad (<https://sjgant80-hub.github.io/BloomCad/>)

Bloom Fabric Pattern Engine

bonded-pair (<https://sjgant80-hub.github.io/bonded-pair/>)

Live build — open to see the applied use.

cassietorusbtc135solver
(<https://sjgant80-hub.github.io/cassietorusbtc135solver/>)

Live build — open to see the applied use.

clerk-mcp (<https://sjgant80-hub.github.io/clerk-mcp/>)

Sovereign wrapper for target · real bindings

copy-gate (<https://sjgant80-hub.github.io/copy-gate/>)

🏠 Run every line of copy through six layers · Jung · Freud · Sales 101 · SEO · AI-SEO · Platform · sovereign single-file MIT

datascope (https://sjgant80-hub.github.io/datascope/)	Sovereign AI intelligence platform for creators and investors. Niche APIs, trending intel, auto content, multi-lingual. One HTML file.
docmind-api (https://sjgant80-hub.github.io/docmind-api/)	AI Document Intelligence API - receipts, invoices, bank statements, contracts to structured JSON. Multi-LLM backend.
Eden (https://sjgant80-hub.github.io/Eden/)	Garden of Eden - Git Visualizations Peer to Peer Gardens and Forests
exitengine (https://sjgant80-hub.github.io/exitengine/)	exit engine
fall-bloom (https://sjgant80-hub.github.io/fall-bloom/)	Text to 7-ring bloom vector decomposition · spine primes 2,3,5,7,11,13,17 · drop-in plugin
fall-hot (https://sjgant80-hub.github.io/fall-hot/)	Hot-load plugin updates without redeploying · poll + hash diff + global-scope re-run · drop-in
fall-palette (https://sjgant80-hub.github.io/fall-palette/)	Ctrl-K command palette drop-in plugin for sovereign tools
fall-prompt-gate (https://sjgant80-hub.github.io/fall-prompt-gate/)	✂ fall-prompt-gate · sovereign prompt evaluation · six layers · version history · regression detection · single HTML
fall-raas (https://sjgant80-hub.github.io/fall-raas/)	fall-raas · Research-as-a-Service · 5-angle fan-out · 3-vote adversarial · cited synthesis
fall-registry (https://sjgant80-hub.github.io/fall-registry/)	Canonical index of Fall sovereign plugins · machine-readable manifest for fall-hot watchers
fall-sdk-generator (https://sjgant80-hub.github.io/fall-sdk-generator/)	WebLLM-powered SDK+MCP generator · consumes foldkit-sdk + foldkit-mcp exemplars + estate tool source · generates companion repos locally · zero Claude tokens
fall-substrate (https://sjgant80-hub.github.io/fall-substrate/)	fall-substrate · the cognitive substrate · research → spec → tool → ship · flagship
fall-verify (https://sjgant80-hub.github.io/fall-verify/)	fall-verify · adversarial verification · 3-vote refute panel · did Claude hallucinate?

fall-vetter (<https://sjgant80-hub.github.io/fall-vetter/>)

fall-vetter · drop-in guild signup gate · R2 | validate

fall127agents (<https://sjgant80-hub.github.io/fall127agents/>)

Ai the right way

falladviser-us (<https://sjgant80-hub.github.io/falladviser-us/>)

falladviser-us · sovereign single-file tool · @ai-native-solutions

falladviser-v2 (<https://sjgant80-hub.github.io/falladviser-v2/>)

Live build — open to see the applied use.

fallanno (<https://sjgant80-hub.github.io/fallanno/>)

Sovereign data annotation · workers own attribution · multi-rail pay · the DataAnnotation alternative

fallap (<https://sjgant80-hub.github.io/fallap/>)

fallap · sovereign invoice rewriter · PYMNTS hierarchy of convenience · one-click pay

fallarch (<https://sjgant80-hub.github.io/fallarch/>)

fallarch · sovereign single-file tool · @ai-native-solutions

fallarch-us (<https://sjgant80-hub.github.io/fallarch-us/>)

fallarch-us · sovereign single-file tool · @ai-native-solutions

fallaudio (<https://sjgant80-hub.github.io/fallaudio/>)

FallAudio · sovereign Audition wedge · record (getUserMedia + MediaRecorder) · waveform · cut/trim/fade/normalize/reverse · gain/speed/lowpass/highpass · WAV+webm export · autopilot · MIT

fallback (<https://sjgant80-hub.github.io/fallback/>)

FallBack · sovereign rights & refund engine · drop your bank statement · the AI drafts the letters · money goes back to you · MIT · free forever

fallbond (<https://sjgant80-hub.github.io/fallbond/>)

fallbond · sovereign single-file tool · @ai-native-solutions

fallbooks (<https://sjgant80-hub.github.io/fallbooks/>)

Live build — open to see the applied use.

fallbooks-us (<https://sjgant80-hub.github.io/fallbooks-us/>)

fallbooks-us · sovereign single-file tool · @ai-native-solutions

fallbooksonboard (<https://sjgant80-hub.github.io/fallbooksonboard/>)

Live build — open to see the applied use.

fallbookspaper (<https://sjgant80-hub.github.io/fallbookspaper/>)

Live build — open to see the applied use.

fallbookspractice (<https://sjgant80-hub.github.io/fallbookspractice/>)

Live build — open to see the applied use.

fallboot (<https://sjgant80-hub.github.io/fallboot/>)

Portable estate bundle · every tool cached offline · runs from USB/microSD · GrapheneOS-boot instructions · offline-first

fallbuild-sdk (<https://sjgant80-hub.github.io/fallbuild-sdk/>)

Companion SDK for fallbuild · minted by mint-all · sovereign estate

fallcall (<https://sjgant80-hub.github.io/fallcall/>)

Live build — open to see the applied use.

fallcarousel (<https://sjgant80-hub.github.io/fallcarousel/>)

fallcarousel · sovereign LinkedIn carousel builder · 1.39x reach format

fallcast (<https://sjgant80-hub.github.io/fallcast/>)

Federated signed broadcast · timeline + replies + likes · Nostr-style bound to FallID · no server no algorithm

fallcdn (<https://sjgant80-hub.github.io/fallcdn/>)

Sovereign self-hosted Pages alternative · Tailscale/Cloudflare/Caddy · MIT

fallclaim (<https://sjgant80-hub.github.io/fallclaim/>)

Live build — open to see the applied use.

fallclaim-us (<https://sjgant80-hub.github.io/fallclaim-us/>)

fallclaim-us · sovereign single-file tool · @ai-native-solutions

fallclaimonboard (<https://sjgant80-hub.github.io/fallclaimonboard/>)

Live build — open to see the applied use.

fallclaimpaper (<https://sjgant80-hub.github.io/fallclaimpaper/>)

Live build — open to see the applied use.

fallclaimpractice (<https://sjgant80-hub.github.io/fallclaimpractice/>)

Live build — open to see the applied use.

fallclinic (<https://sjgant80-hub.github.io/fallclinic/>)

Live build — open to see the applied use.

fallclinic-us (<https://sjgant80-hub.github.io/fallclinic-us/>)

fallclinic-us · sovereign single-file tool · @ai-native-solutions

fallcliniconboard (<https://sjgant80-hub.github.io/fallcliniconboard/>)

Live build — open to see the applied use.

fallclinicpaper (<https://sjgant80-hub.github.io/fallclinicpaper/>)

Live build — open to see the applied use.

fallclinicpractice (<https://sjgant80-hub.github.io/fallclinicpractice/>)

Live build — open to see the applied use.

fallcloser (<https://sjgant80-hub.github.io/fallcloser/>)

Ring 6 (resolution) flagship · batch loop-closer · peer to fallresolve · MIT

fallcompass (<https://sjgant80-hub.github.io/fallcompass/>)

Sovereign LLM cascade · 8 providers · auto-failover · drop-in shim · MIT

fallconcierge (<https://sjgant80-hub.github.io/fallconcierge/>)

Sovereign AI concierge with Jungian archetype profiling, Freudian shadow reading, and adaptive sales intelligence. One HTML file. Claude API.

fallconsensus (<https://sjgant80-hub.github.io/fallconsensus/>)

Live build — open to see the applied use.

fallcore (<https://sjgant80-hub.github.io/fallcore/>)

FallCore - on-prem brain that learns from your work - Anthropic-API-compatible local proxy + RAG + LoRA loop - reduces frontier-API reliance over time

fallcore-factory (<https://sjgant80-hub.github.io/fallcore-factory/>)

FallCore Factory - the factory that mints branded FallCore deployments on demand. Describe your company - download a complete docker-compose stack with cascade, RAG, LoRA loop, signed Konomi licence - all branded.

fallcorp (<https://sjgant80-hub.github.io/fallcorp/>)

FallCorp · the bundled sovereign SMB stack · 17 organs in one shell · shared contacts · Konomi SSO · MIT

falldental (<https://sjgant80-hub.github.io/falldental/>)

falldental · sovereign single-file tool · @ai-native-solutions

falldental-us (<https://sjgant80-hub.github.io/falldental-us/>)

falldental-us · sovereign single-file tool · @ai-native-solutions

falldns (<https://sjgant80-hub.github.io/falldns/>)

Human-name → DID resolver · claim names, resolve names, no ICANN · signed peer-gossip · sovereign

fallecho (<https://sjgant80-hub.github.io/fallecho/>)

Content-addressed page archiver · pin any page · CID-verified · signed attestations · sovereign uncensorable mirror

fallelder (<https://sjgant80-hub.github.io/fallelder/>)

fallelder · sovereign single-file tool · @ai-native-solutions

fallelder-us (<https://sjgant80-hub.github.io/fallelder-us/>)

fallelder-us · sovereign single-file tool · @ai-native-solutions

fallengineer (<https://sjgant80-hub.github.io/fallengineer/>)

fallengineer · sovereign single-file tool · @ai-native-solutions

fallengineer-us (<https://sjgant80-hub.github.io/fallengineer-us/>)

fallengineer-us · sovereign single-file tool · @ai-native-solutions

fallenterprise (<https://sjgant80-hub.github.io/fallenterprise/>)

AI-Native Transformation for SMBs · sovereign self-hosted LLMs · fine-tuned · MIT · 4 tiers £20k-£200k · Simon Gant

fallescape (<https://sjgant80-hub.github.io/fallescape/>)

Sovereign emergency egress kit · if everything dies, rebuild in 20 min · MIT

fallestate-us (<https://sjgant80-hub.github.io/fallestate-us/>)

fallestate-us · sovereign single-file tool · @ai-native-solutions

fallestateonboard (<https://sjgant80-hub.github.io/fallestateonboard/>)

Live build — open to see the applied use.

fallestatepaper (<https://sjgant80-hub.github.io/fallestatepaper/>)

Live build — open to see the applied use.

fallestatepaper-sdk (<https://sjgant80-hub.github.io/fallestatepaper-sdk/>)

Companion SDK for fallestatepaper · minted by mint-all · sovereign estate

fallestatepractice (<https://sjgant80-hub.github.io/fallestatepractice/>)

Live build — open to see the applied use.

fallfeed (<https://sjgant80-hub.github.io/fallfeed/>)

fallfeed · sovereign single-file tool · @ai-native-solutions

fallfence (<https://sjgant80-hub.github.io/fallfence/>)

FallFence · sovereign debating assistant · paste opponent, get 3 fencing options

fallfind (<https://sjgant80-hub.github.io/fallfind/>)

fallfind · search the sovereign estate · 60+ builds · find the tool that ends your pain

fallflip (<https://sjgant80-hub.github.io/fallflip/>)

The mirror · LinkedIn self-promo flip tool · paste their comment, get two responses (your post + theirs). Single HTML · sovereign · data on-device.

fallflow (<https://sjgant80-hub.github.io/fallflow/>)

fallflow · 14-day cash-runway early-warning · Friday-by-Friday red/green wall

fallforce (<https://sjgant80-hub.github.io/fallforce/>)

Live build — open to see the applied use.

fallforensics (<https://sjgant80-hub.github.io/fallforensics/>)

Live build — open to see the applied use.

fallform (<https://sjgant80-hub.github.io/fallform/>)

Forms · no response cap · ever · sovereign single HTML · obsoletes Typeform/JotForm

fallfuneral (<https://sjgant80-hub.github.io/fallfuneral/>)

fallfuneral · sovereign single-file tool · @ai-native-solutions

fallfuneral-us (<https://sjgant80-hub.github.io/fallfuneral-us/>)

fallfuneral-us · sovereign single-file tool · @ai-native-solutions

fallgarden (<https://sjgant80-hub.github.io/fallgarden/>)

Sovereign Obsidian-shape second brain · markdown + wikilinks + graph · fall-kit cascade · MIT

fallgo (<https://sjgant80-hub.github.io/fallgo/>)

Live build — open to see the applied use.

fallgrade (<https://sjgant80-hub.github.io/fallgrade/>)

Live build — open to see the applied use.

fallgravity (<https://sjgant80-hub.github.io/fallgravity/>)

LinkedIn algorithm strategy tool · post scorer · hook generator · 90-min boost window · carousel builder · sovereign single HTML · on-device

fallguild (<https://sjgant80-hub.github.io/fallguild/>)

Gravity coordination for the ACG Guild · LinkedIn boost window tracker

fallharmony (<https://sjgant80-hub.github.io/fallharmony/>)

FallHarmony · operational cockpit

fallhire (<https://sjgant80-hub.github.io/fallhire/>)

fallhire · sovereign hiring pipeline + interview scorecard · single HTML

fallhome (<https://sjgant80-hub.github.io/fallhome/>)

fallhome · sovereign single-file tool · @ai-native-solutions

fallhome-us (<https://sjgant80-hub.github.io/fallhome-us/>)

fallhome-us · sovereign single-file tool · @ai-native-solutions

fallhr (<https://sjgant80-hub.github.io/fallhr/>)

Live build — open to see the applied use.

fallhr-us (<https://sjgant80-hub.github.io/fallhr-us/>)

fallhr-us · sovereign single-file tool · @ai-native-solutions

fallhronboard (<https://sjgant80-hub.github.io/fallhronboard/>)

Live build — open to see the applied use.

fallhrpaper (<https://sjgant80-hub.github.io/fallhrpaper/>)

Live build — open to see the applied use.

fallhrpractice (<https://sjgant80-hub.github.io/fallhrpractice/>)

Live build — open to see the applied use.

fallimmig (<https://sjgant80-hub.github.io/fallimmig/>)

fallimmig · sovereign single-file tool · @ai-native-solutions

fallimmig-us (<https://sjgant80-hub.github.io/fallimmig-us/>)

fallimmig-us · sovereign single-file tool · @ai-native-solutions

fallinvoice (<https://sjgant80-hub.github.io/fallinvoice/>)

fallinvoice · sovereign single-file invoice + one-click-pay + reminders

falllead (<https://sjgant80-hub.github.io/falllead/>)

Live build — open to see the applied use.

falllearn (<https://sjgant80-hub.github.io/falllearn/>)

Ai the right way

fallens (<https://sjgant80-hub.github.io/fallens/>)

Peer-relay URL viewer · fetch web content via trusted peers · signed + content-addressed · sovereign browsing primitive

falllink (<https://sjgant80-hub.github.io/falllink/>)

Persistent P2P library for the estate · WebRTC + STUN + BroadcastChannel · one connection layer every tool imports

falllist (<https://sjgant80-hub.github.io/falllist/>)

Newsletter · your list · your terms · 0% fee · BYOM (Resend/Postmark/Mailgun/SendGrid) · obsoletes Mailchimp + Substack

fallmage (<https://sjgant80-hub.github.io/fallmage/>)

FallMage · sovereign Photoshop wedge · single HTML · open · crop · rotate · resize · filter · text · brush · layers · autopilot · MIT

fallmail (<https://sjgant80-hub.github.io/fallmail/>)

P2P encrypted messaging · DID-addressed · ECDH+AES-GCM · no SMTP no server · FallID+FallLink+FallPod stack

fallmap (<https://sjgant80-hub.github.io/fallmap/>)

Paste your workflow · see what a £20k consultant builds · see the sovereign version that does the same for £0 · single HTML · on-device

fallmind (<https://sjgant80-hub.github.io/fallmind/>)

FallMind · sovereign self-trained LLM estate · diamond-kappa=1 · 7-ring discipline

fallnotary (<https://sjgant80-hub.github.io/fallnotary/>)

fallnotary · sovereign single-file tool · @ai-native-solutions

fallnotary-us (<https://sjgant80-hub.github.io/fallnotary-us/>)

fallnotary-us · sovereign single-file tool · @ai-native-solutions

falloffice (<https://sjgant80-hub.github.io/falloffice/>)

Live build — open to see the applied use.

fallonboard (<https://sjgant80-hub.github.io/fallonboard/>)

Live build — open to see the applied use.

fallonion (<https://sjgant80-hub.github.io/fallonion/>)

Sovereign Tor hidden service mirror · for censored jurisdictions · MIT

falloptom (<https://sjgant80-hub.github.io/falloptom/>)

falloptom · sovereign single-file tool · @ai-native-solutions

falloptom-us (<https://sjgant80-hub.github.io/falloptom-us/>)

falloptom-us · sovereign single-file tool · @ai-native-solutions

fallpair (<https://sjgant80-hub.github.io/fallpair/>)

fallpair · sovereign single-file tool · @ai-native-solutions

fallpaper (<https://sjgant80-hub.github.io/fallpaper/>)

Live build — open to see the applied use.

fallpay (<https://sjgant80-hub.github.io/fallpay/>)

Sovereign multi-rail payment receipt · Stripe+PayPal+crypto+invoice · MIT

fallpdf (<https://sjgant80-hub.github.io/fallpdf/>)

FallPDF · sovereign Acrobat wedge · markdown / HTML / text → real PDF · multi-page · headers / footers / page numbers / images · autopilot · single HTML · MIT

fallperf (<https://sjgant80-hub.github.io/fallperf/>)

Sovereign 4G/edge perf monitor · one-tap TTFB/throughput/bytes for any URL · IndexedDB history · part of AI Native Solutions estate · MIT

fallpharm (<https://sjgant80-hub.github.io/fallpharm/>)

fallpharm · sovereign single-file tool · @ai-native-solutions

fallpharm-us (<https://sjgant80-hub.github.io/fallpharm-us/>)

fallpharm-us · sovereign single-file tool · @ai-native-solutions

fallphone (<https://sjgant80-hub.github.io/fallphone/>)

Sovereign phone setup toolkit · GrapheneOS install guide + FallID QR transfer + estate PWA installer · 30-min recipe

fallphysio (<https://sjgant80-hub.github.io/fallphysio/>)

fallphysio · sovereign single-file tool · @ai-native-solutions

fallphysio-us (<https://sjgant80-hub.github.io/fallphysio-us/>)

fallphysio-us · sovereign single-file tool · @ai-native-solutions

fallpost (<https://sjgant80-hub.github.io/fallpost/>)

Sovereign LinkedIn engine · Jung+Freud+Sales 101 baked in · BYOK cascade · sovereign tone seed

fallpractice (<https://sjgant80-hub.github.io/fallpractice/>)

Live build — open to see the applied use.

fallprofile (<https://sjgant80-hub.github.io/fallprofile/>)

fallprofile · sovereign single-file tool · @ai-native-solutions

fallpx-sdk (<https://sjgant80-hub.github.io/fallpx-sdk/>)

Companion SDK for fallpx · minted by mint-all · sovereign estate

fallreach (<https://sjgant80-hub.github.io/fallreach/>)

Sovereign AI SDR. Your hardware. Your keys. Your pipeline.

fallrecruit (<https://sjgant80-hub.github.io/fallrecruit/>)

Live build — open to see the applied use.

fallrecruit-us (<https://sjgant80-hub.github.io/fallrecruit-us/>)

fallrecruit-us · sovereign single-file tool · @ai-native-solutions

fallrecruitonboard (<https://sjgant80-hub.github.io/fallrecruitonboard/>)

Live build — open to see the applied use.

fallrecruitpaper (<https://sjgant80-hub.github.io/fallrecruitpaper/>)

Live build — open to see the applied use.

fallrecruitpractice (<https://sjgant80-hub.github.io/fallrecruitpractice/>)

Live build — open to see the applied use.

fallrelay (<https://sjgant80-hub.github.io/fallrelay/>)

Live build — open to see the applied use.

fallresolve (<https://sjgant80-hub.github.io/fallresolve/>)

Ring 6 closing arc · session-audit + Ed25519-signed checkpoints + resolution scorecard · closes the estate wrap-loop back to Ring 0

fallsalescrm (<https://sjgant80-hub.github.io/fallsalescrm/>)

Sovereign Salesforce replacement. Single HTML file. Your data stays yours.

fallscout (<https://sjgant80-hub.github.io/fallscout/>)

LinkedIn Intelligence API - scrape, research, craft tailored outreach. Zero wasted small talk.

fallsdk (<https://sjgant80-hub.github.io/fallsdk/>)

Central estate SDK · one import for every AI-Native Solutions tool · registry pattern grows automatically

fallseed (<https://sjgant80-hub.github.io/fallseed/>)

Ring 0 substrate root · sovereign estate-seed generator · every fallseed-* vertical descends from this · single-file HTML PWA

fallseed-agents (<https://sjgant80-hub.github.io/fallseed-agents/>)

FallSeed Agents — level-3 seed · 6 role-tier agent presets with in-tab scheduler in one HTML · MIT

fallseed-claims (<https://sjgant80-hub.github.io/fallseed-claims/>)

FallSeed for UK claims firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-clinic (<https://sjgant80-hub.github.io/fallseed-clinic/>)

FallSeed for UK clinic firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-compliance (<https://sjgant80-hub.github.io/fallseed-compliance/>)

FallSeed Compliance — level-1 seed · multi-framework posture in one HTML · ISO27001 + CE + SOC2 full + PCI / NIS2 / DORA stubs · MIT

fallseed-creator-os (<https://sjgant80-hub.github.io/fallseed-creator-os/>)

FallSeed Creator-OS — level-2 seed · 6 persona-tier Personal-OS presets in one HTML · MIT

fallseed-estate (<https://sjgant80-hub.github.io/fallseed-estate/>)

FallSeed for UK estate firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-hr (<https://sjgant80-hub.github.io/fallseed-hr/>)

Live build — open to see the applied use.

fallseed-ifa (<https://sjgant80-hub.github.io/fallseed-ifa/>)

FallSeed for UK ifa firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-law (<https://sjgant80-hub.github.io/fallseed-law/>)

FallSeed for UK law firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-law-sdk (<https://sjgant80-hub.github.io/fallseed-law-sdk/>)

fallseed-law sdk · @ai-native-solutions

fallseed-recruit (<https://sjgant80-hub.github.io/fallseed-recruit/>)

FallSeed for UK recruit firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-vet (<https://sjgant80-hub.github.io/fallseed-vet/>)

FallSeed for UK vet firms — single-HTML PWA · 4 tools · LLM-agnostic cascade · MIT · sovereign

fallseed-village (<https://sjgant80-hub.github.io/fallseed-village/>)

FallSeed Village — level-4 institution seed · signed-bundle governance · 5 presets in one HTML · MIT

fallshell (<https://sjgant80-hub.github.io/fallshell/>)

PWA portal for the AI-Native Solutions estate · one shell for every tool · foldkit sidebar · sovereign

fallshield (<https://sjgant80-hub.github.io/fallshield/>)

Sovereign Ed25519 identity · prove it's really you · WebCrypto · MIT

fallsignal (<https://sjgant80-hub.github.io/fallsignal/>)

Live build — open to see the applied use.

fallslot (<https://sjgant80-hub.github.io/fallslot/>)

Share a calendar link · sovereign · single HTML · zero subscription · obsoletes Calendly

fallstore (<https://sjgant80-hub.github.io/fallstore/>)

Content-addressed storage · IPFS-lite in one file · SHA-256 CIDs · verify by hash · foundational estate layer

falltax (<https://sjgant80-hub.github.io/falltax/>)

falltax · sovereign single-file tool · @ai-native-solutions

falltax-api (<https://sjgant80-hub.github.io/falltax-api/>)

falltax api · @ai-native-solutions

falltax-mcp (<https://sjgant80-hub.github.io/falltax-mcp/>)

falltax mcp · @ai-native-solutions

falltax-sdk (<https://sjgant80-hub.github.io/falltax-sdk/>)

falltax sdk · @ai-native-solutions

falltax-us (<https://sjgant80-hub.github.io/falltax-us/>)

falltax-us · sovereign single-file tool · @ai-native-solutions

falltax-us-api (<https://sjgant80-hub.github.io/falltax-us-api/>)

falltax-us api · @ai-native-solutions

falltax-us-mcp (<https://sjgant80-hub.github.io/falltax-us-mcp/>)

falltax-us mcp · @ai-native-solutions

falltax-us-sdk (<https://sjgant80-hub.github.io/falltax-us-sdk/>)

falltax-us sdk · @ai-native-solutions

falltrust (<https://sjgant80-hub.github.io/falltrust/>)

Web-of-trust attestations · signed vouches about identities · transitive trust scoring · sovereign

fallvector (<https://sjgant80-hub.github.io/fallvector/>)

FallVector · sovereign Illustrator wedge · pure SVG editor · pen/rect/ellipse/line/text/select · layers · 12-color palette · SVG+PNG export · autopilot · MIT

fallvet (<https://sjgant80-hub.github.io/fallvet/>)

Live build — open to see the applied use.

fallvet-us (<https://sjgant80-hub.github.io/fallvet-us/>)

fallvet-us · sovereign single-file tool · @ai-native-solutions

fallvetonboard (<https://sjgant80-hub.github.io/fallvetonboard/>)

fallvetonboard — single-HTML PWA tool · sovereign · MIT

fallvetpaper (<https://sjgant80-hub.github.io/fallvetpaper/>)

Live build — open to see the applied use.

BUILD	APPLIED USE
fallvetpractice (https://sjgant80-hub.github.io/fallvetpractice/)	Live build — open to see the applied use.
flux-api (https://sjgant80-hub.github.io/flux-api/)	AI Content Engine API - blog posts, social media, email campaigns, ad copy, landing pages via API. Multi-LLM. Structured JSON.
foldkit-sdk (https://sjgant80-hub.github.io/foldkit-sdk/)	Standalone SDK for foldkit · origami-math ISA · framework substrate · exemplar shape for AI-Native Solutions estate
groundlevel (https://sjgant80-hub.github.io/groundlevel/)	ground level
groundlevel-mvp (https://sjgant80-hub.github.io/groundlevel-mvp/)	groundlevel-mvp
gymos (https://sjgant80-hub.github.io/gymos/)	Live build — open to see the applied use.
hello-device-api (https://sjgant80-hub.github.io/hello-device-api/)	Companion API for hello-device · minted by mint-all · sovereign estate
hello-device-mcp (https://sjgant80-hub.github.io/hello-device-mcp/)	Companion MCP for hello-device · minted by mint-all · sovereign estate
hello-device-sdk (https://sjgant80-hub.github.io/hello-device-sdk/)	Companion SDK for hello-device · minted by mint-all · sovereign estate
init-book-api (https://sjgant80-hub.github.io/init-book-api/)	Companion API for init-book · minted by mint-all · sovereign estate
init-book-mcp (https://sjgant80-hub.github.io/init-book-mcp/)	Companion MCP for init-book · minted by mint-all · sovereign estate
init-book-sdk (https://sjgant80-hub.github.io/init-book-sdk/)	Companion SDK for init-book · minted by mint-all · sovereign estate
kappa-eeg-checker-api (https://sjgant80-hub.github.io/kappa-eeg-checker-api/)	Companion API for kappa-eeg-checker · minted by mint-all · sovereign estate

kappa-eeg-checker-mcp

(<https://sjgant80-hub.github.io/kappa-eeg-checker-mcp/>)

Companion MCP for kappa-eeg-checker · minted by mint-all · sovereign estate

konomikitka (<https://sjgant80-hub.github.io/konomikitka/>)

konomikitka

KonomiLang (<https://sjgant80-hub.github.io/KonomiLang/>)

A specialized programming language designed for AI model interactions

KonomiStandard (<https://sjgant80-hub.github.io/KonomiStandard/>)

Konomi Standard

nhs-reinjection (<https://sjgant80-hub.github.io/nhs-reinjection/>)

Sovereign single-file calculator. Audited contractor margins × verified outsourced NHS spend → realistic estimate of profit currently extracted from the NHS. With MP letter generator. MIT.

operator (<https://sjgant80-hub.github.io/operator/>)

OPERATOR · sovereign single-file management consulting · 5-phase engagement engine · Porter / 7S / BCG / Value-Driver Tree · Minto pyramid deck · audit-chained · Konomi-signed · MIT · McKinsey frameworks without the £1M deck

shadowcompass (<https://sjgant80-hub.github.io/shadowcompass/>)

Sovereign single-file Jungian shadow work. Mirror your archetype, decode dreams, identify projections. Free forever · 14-day Pro trial. v20.1 · phi is home.

smbaios (<https://sjgant80-hub.github.io/smbaios/>)

ai powered smb os

stripe-sdk (<https://sjgant80-hub.github.io/stripe-sdk/>)

Sovereign SDK wrapper for Stripe · AI-Native Solutions estate · MIT

teslasolar (<https://sjgant80-hub.github.io/teslasolar/>)

Insane ideas, shipped weekly.

tonesmith (<https://sjgant80-hub.github.io/tonesmith/>)

ToneEngine (npm, MIT, open source) — 12 tone categories (formal, casual, technical, persuasive, empathetic, authoritative, witty, narrative, urgent, academic, minimalist, lyrical), style metrics (vocabulary richness, passive voice, sentence variance, person detection), Flesch readability scoring, voice consistency checker. etc Zero dependencies.

371 live builds, drawn from 1,548 repositories (1,503 public, 45 private). Generated from the canonical index with every URL checked before publication – not a curated selection.

12A

The agent marketplace

A registry where products prove themselves to buyers rather than market themselves. As of July 2026 it lists **1,224 offerings** — every one MIT-licensed, Ed25519-signed and benchmarkable.

LAYER	WHAT IT DOES
Registry	Canonical signed JSON across four kinds: npm SDK, MCP server, HTTP API and standalone tool. Machine-readable, so an agent can enumerate the catalogue without a human in the loop.
Marketplace	A browse interface for people and an MCP surface for agents. A buyer — human or machine — can hire, install or benchmark an offering directly.
Trust layer	The decisive mechanic: a buyer supplies <i>their own</i> test case, a neutral runner executes it against the seller's product, and the benchmark is signed. The product proves itself on the buyer's terms before the transaction completes.
Royalty	Earnings propagate up the fork tree, so upstream contribution is compensated automatically rather than by goodwill.

Why this displaces the app store and the freelance platform. Both charge a toll for a review process that cannot be independently re-run, and both rank by popularity rather than proof. Here, quality is the salesman: marketing claims are irrelevant because the buyer's own test decides, and the verdict is signed. It works identically for a human buying a tool and an agent hiring another agent — which is exactly what an agent economy needs and does not currently have.

Every build is agent-callable

Each significant tool ships as a trio alongside the tool itself: an **npm SDK** (208 published under one scope), an **MCP server** so any model can call it as a tool, and an **HTTP API**. A capability is therefore addressable three ways without bespoke integration work — which is what makes an estate of this size usable by machines rather than merely large.

Collectives and delegated voice

Agents are not limited to acting alone. Three or more can form a bonded collective with a single signature that speaks for all members, delegated voice, aggregated reputation, and rules of engagement signed at formation. Reputation compounds at the level of the group, and the identity is cryptographic rather than administrative.

12B

Feeding a company's codebase in

The intake path is one command. You feed it a build; it returns it graded, proven, grafted to the mesh and carded — or it rejects it honestly with a note on what is undercooked.

The tract runs in sequence: a **structural assessment** (are there tests, is it versioned, what are the smells), then a **behavioural gate** that mutates the source and re-runs the suite, then the **proof wall**, then the **graft** that makes it an organ of the mesh, and finally the artifact that comes out the far side.

Why two gates rather than one

A repository can score full marks structurally and still be wrong: a test that stays green when the behaviour it names breaks. So a structurally excellent build with a surviving mutant **goes back** — and the mutation score is stamped onto the result, so passing means behaviourally verified rather than merely badged.

It also gates *every* module rather than the entry point, because one clean module can mask a broken one behind a green aggregate.

What this is worth to an acquirer or an incoming operator. Point it at an existing codebase and you get a reproducible verdict on what is actually verified versus what merely looks maintained — in seconds, deterministically, with no reliance on the incumbent team's account of its own quality. That is diligence infrastructure, and it is the same rail the estate holds itself to.

12C

Taking the toll back: disrupting the disrupter

The platforms that disrupted incumbents now extract the same rent they displaced — a commission on every transaction plus ownership of the customer relationship. The counter is not a

cheaper platform; it is removing the position from which a toll can be charged.

The stays example is built and live, in three layers:

-
- **An open protocol** — a published JSON specification for advertising bookable inventory from your own domain. Anyone can implement it; nobody licenses it.
-
- **An aggregator that sends guests away** — it discovers hosts, indexes their offers, and passes the guest *directly* to the host's own booking page. No checkout, no commission, no data harvested.
-
- **A member-owned cooperative** — flat monthly membership, no per-booking fee, members elect their own council.

The structural point is the third one: **it is built so the protocol survives even if the aggregator dies**. Any third party can build a competing aggregator over the same specification, which permanently caps what any operator of one can extract. On typical commission rates this is a materially larger sum than the software licence it sits beside — for many operators the platform commission is the single largest line in the business.

12D

Building a company out of the estate

The intended end state for an individual is not a subscription to somebody's product. It is a company assembled from owned parts.

-
- **Compose.** Select the organs that match the business — accounts, inbox, jobs, drafting, a storefront — and they compose because they share one contract.
-
- **Extend.** Where nothing fits, the conductor builds it and the gate proves it. Bespoke work enters the estate at the same standard as the core rather than as an unverified appendage.
-
- **Publish.** Anything built can be listed — as a tool, an SDK, an MCP server or an API — where a buyer's own test decides its worth.
-
- **Earn.** Agents transact with signed identity and bounded budgets on a tamper-evident ledger, and royalties travel up the fork tree, so contribution upstream keeps paying.
-
- **Fork.** The whole thing is forkable. A fork carries lineage, so growing the mesh and being credited for it are the same act rather than competing ones.

That is the creator economy without a platform in the middle: the tools are owned, the proving is reproducible, distribution is publishing a file, and the marketplace charges nothing for permission because it holds no position from which to charge.

Depth as a dial

One further capability worth stating plainly: the conductor's search depth is adjustable. At depth one it expands a set of options and resolves. Increase it and it re-expands from the options it passed over, covering a larger and less redundant region before committing — and because a deeper search is a strict superset of a shallower one, **it can find a better answer but never a worse one**. Practically: turn it up for consequential decisions and leave it low for routine ones, at a cost you control rather than a price someone charges.

12E

The clinic — agents that diagnose and improve themselves

An organism reads the body it built. This is the part of the estate where an agent is examined against its own record, its weakest capability is identified, and the next generation is biased toward fixing exactly that — with the improvement measured against a blind control rather than asserted.

How it works

An agent's performance is replayed deterministically from a seed. Seven independent detectors read that replay and project it onto the agent's capability axes — each detector grounded in the engine's own state transitions rather than in labels imposed from outside. The axis that scores worst is the agent's **shadow**: its weakest real capability, identified from evidence rather than self-report.

That shadow then does work. Remediation biases the next generation in proportion to the shadow histogram, and selection scores fitness as performance *minus* the amplitude of the remaining weakness — so an agent cannot win by being strong on average while carrying a severe blind spot. Over generations, the frequency with which any given axis is the weakest one declines.

The measurement, with a control

The claim is falsifiable and was falsified properly: the remediation arm was run against a **blind control** arm that selects without reading the shadow. The therapy arm drove population shadow down to **0.18 against the control's 0.04** movement, reproducibly across seeds.

It also has a **phase transition**, which is the honest and more interesting finding: below a threshold of population size and remediation strength, the therapy does not heal at all. Above it, the therapy arm beats the blind control on every seed tested. The shipped defaults are pinned above that transition, so the effect is cold-reproducible rather than a lucky configuration.

Memory as compression, not storage

The clinic keeps a lifetime journal that is *minted*, *not reset*. It does not retain the raw record of every episode — it compresses each one into a single lesson and keeps that. The raw experience fades; the instinct remains. This is the same principle as the memory layer elsewhere in the estate, applied to an agent's own competence: what persists is the correction, not the transcript.

Why this matters commercially

- **Self-improving agents with evidence.** Not "the model gets better over time" as a marketing line — a specific weakness identified from replay, a remediation applied, and a measured decline in that weakness against a control arm.
- **It closes the loop the rest of the system opens.** The build gate proves code is correct; the clinic proves an *agent* is improving. Structure and behaviour, both verified.
- **Weakness cannot be averaged away.** Because fitness subtracts the shadow, an agent that performs well overall while failing badly on one axis is scored down — which is precisely the failure mode that makes autonomous systems unsafe to deploy.
- **A negative result is retained, not buried.** The phase transition means the honest answer to "does this always work?" is no — it works above a stated threshold, and the threshold is published.

Live: **the clinic** (<https://sjgant80-hub.github.io/fallkard/clinic.html>) • deterministic, reproducible from seed, and readable in the browser.

What each part displaces

This section is deliberately blunt. For every capability: what it is, what it makes unnecessary, which market it pressures, and what it implies if the pattern holds.

13.1 · The shared core and conductor

What it is. One decision routine every tool calls, and one control loop that invokes them.

What it makes unnecessary. Per-tool orchestration logic; the integration middleware between tools; the workflow-automation product bought to make separately-purchased software cooperate.

Pressure. Integration platforms exist because tools were built without a shared contract. Where the contract is shared, that category has nothing to sell.

Implication. Improvement stops being per-product. One change to the core lifts every organ at once, so a small maintainer holds a surface area that would otherwise require a company.

13.2 · The local-first model cascade

What it is. Requests descend to the cheapest capable tier; external models are consent-gated and never required.

What it makes unnecessary. Paying frontier prices for routine work; a metered inference bill as a permanent line item; lock-in through an assistant that only functions online.

Pressure. The prevailing AI business model assumes every request is billable. Most requests in a working business are routine — exactly what a small local model handles. That is margin, not capability, being defended.

Implication. Inference follows storage and compute — from metered utility to owned commodity. Durable business moves to what cannot be commoditised: verification, integration and trust.

13.3 · The browser as the runtime

What it is. Every tool is one file opened in a tab, with real cryptography, peer-to-peer, near-native compute, local storage and offline operation.

What it makes unnecessary. Installers, app-store distribution and review, container orchestration, server provisioning, deployment pipelines, and the ops function maintaining them for small businesses.

Pressure. A large share of software cost is delivery rather than function. When shipping is publishing a file, that cost approaches zero — and so does the distribution moat built on it.

Implication. Capability decouples from infrastructure spend, and hardware written off as obsolete becomes productive again.

13.4 • Memory geometry

What it is. Content-addressed placement, typed relationships, and idle consolidation that improves the knowledge structure without retraining.

What it makes unnecessary. The retrieval stack assembled around a model: the vector database, the embedding pipeline, the re-indexing job, the chunking strategy, and the recurring bill for all four.

Pressure. An entire tooling category exists to make a stateless model appear to remember. It re-fetches raw passages by similarity and never gets sharper. Consolidation attacks the premise rather than the implementation.

Implication. If memory improves structurally without touching weights, the practical frontier shifts from parameter count toward knowledge organisation — dramatically cheaper, local, and yours.

13.5 • Deterministic verification

What it is. A gate that alters the source one operator at a time and requires the tests to catch it; a structural rubric; reputation earned by demonstration against a pinned artifact.

What it makes unnecessary. Model-based code review as a primary assurance mechanism; self-reported benchmarks; trust extended on the strength of a brand.

Pressure. Measured: on a codebase that had passed four LLM audit rounds, the gate found a missed boundary in roughly eighteen seconds, deterministically, against about 1.5 million tokens per audit pass.

Implication. As generation cost falls to zero, verification becomes the scarce good and the natural point of value capture — infrastructure for everyone generating code, including competitors.

13.6 • Signed, budget-bounded agents

What it is. An agent's cryptographic identity *is* its capability grant and its spending ceiling; it cannot exceed what it holds.

What it makes unnecessary. Policy guardrails that depend on the agent's cooperation; observability bought to detect overspend after it happens; the committee assembled to authorise autonomy case by case.

Pressure. Most enterprise AI pilots stall because nobody can bound the downside credibly. A structural bound is a different kind of answer from a monitored one.

Implication. Bounded autonomy is the precondition for agents doing real work rather than demonstrations — the piece that makes a high machine-to-human ratio defensible to a board, an auditor or an insurer.

13.7 · Demonstration-based reputation

What it is. Skill proved against a pinned artifact and a canonical grader; a self-graded claim dies on re-grade.

What it makes unnecessary. The CV as an assertion; interview theatre as a filter; ratings that measure popularity; vendor benchmarks that cannot be re-run.

Pressure. Hiring, freelance marketplaces, app-store review and procurement all rest on claims nobody can independently reproduce.

Implication. If capability is verified rather than asserted, intermediaries whose business is vouching lose their function — and the same rail serves humans and agents identically, which is what an agent economy requires.

13.8 · The even-distribution primitive

What it is. A parameter-free placement rule that provably never clusters, at any count, online.

What it makes unnecessary. Virtual nodes in consistent hashing; hand-tuned jitter for thundering-herd mitigation; spreading heuristics reinvented per system.

Pressure. Measured against standard baselines: load variance 0.32 against 0.93 with one point per server; strided-key hashing 351× tighter than modulo; twice the effective spacing in two dimensions; peak concurrency roughly halved.

Implication. A small provable primitive that removes tuning from four unrelated infrastructure problems ends up inside other people's systems rather than competing with them.

13.9 · Air-gapped transport and acoustic diagnostics

What it is. Machines exchanging work as sound with no network stack present — verified by the absence of every network primitive in the source — and diagnosing systems by resonance.

What it makes unnecessary. Network exposure as the price of collaboration; categories of monitoring instrumentation; calibrated inspection equipment for first-pass screening.

Pressure. Security spending assumes a wire to defend; inspection and observability assume dedicated instruments and dashboards.

Implication. "Unhackable over the wire because there is no wire" is categorical rather than probabilistic — and a correlated fault becomes audible while every dashboard reading is still green, measured at 42 ticks before the conventional threshold fired.

13.10 · Proof-of-work access control

What it is. Content unlocking only after the client performs real computation — imperceptible to a person, prohibitive at scale.

What it makes unnecessary. Bot-detection subscriptions; rate-limiting that degrades legitimate use; the assumption that publishing means surrendering the corpus.

Pressure. Measured at roughly 30 milliseconds for a human visitor against about 16 CPU-days for a 50-million-page crawler.

Implication. If cost can be imposed on extraction without taxing readers, the economics that made indiscriminate scraping rational are reversed, and publishers regain leverage they currently lack.

13.11 · Standards compression

What it is. One self-defining format carrying the major industrial standards as machine-readable types with explicit crosswalks, plus a seven-operator algebra spanning automation levels L0 to L6.

What it makes unnecessary. Bespoke integration work translating between vendor data models; per-project mapping documents; the consultancy that exists to reconcile them.

Pressure. Industrial systems integration is a large, durable services market whose existence depends on incompatibility.

Implication. One algebra describing a sensor and an enterprise ledger equally is what makes an operating system possible rather than a suite — and the piece least likely to be replicated by assembling the same feature list.

Illustrative economics by industry

The figures below are **worked examples on stated assumptions**, not market research and not audited results. They are shown so the arithmetic can be checked and disagreed with. Substitute your own numbers; the structure is the point.

Assumptions used throughout. Mid-market business software is priced per user per month. We assume £30 per seat per month as a mid-range figure across common categories, and separately an AI assistant seat at £20 per user per month. Local inference is treated as £0 marginal cost, since the electricity is already being spent to run the machine. One-off fitting and verification work is not modelled, because it varies more than anything else here.

SECTOR	TYPICAL RENTED STACK	ILLUSTRATIVE ANNUAL LICENCE SPEND
Accountancy practice 10 staff	Ledger, practice management, document handling, e-signature, AI assistant — 5 tools	$10 \times 5 \times \text{£}30 \times 12 = \text{£}18,000$ + AI $10 \times \text{£}20 \times 12 = \text{£}2,400$ ≈ £20,400 / yr
Legal practice 6 fee earners	Practice management, document assembly, research subscription, AI drafting — 4 tools	$6 \times 4 \times \text{£}30 \times 12 = \text{£}8,640$ + research subscriptions, typically the larger line
Hospitality / small stays 4 units, 2 staff	Channel manager, property management, inbox, invoicing — plus channel commission	$2 \times 4 \times \text{£}30 \times 12 = \text{£}2,880$ + commission at 15% of channel revenue, usually far larger

SECTOR	TYPICAL RENTED STACK	ILLUSTRATIVE ANNUAL LICENCE SPEND
Trades / field services 8 staff	Job management, invoicing, accounts, scheduling — 4 tools	$8 \times 4 \times \text{£}30 \times 12 = \text{£}11,520$
Manufacturing / industrial mid-size site	Historian, HMI/SCADA licensing, integration projects between vendor data models	Licensing plus integration engagements, commonly the dominant cost
Any firm using cloud AI 20 users	Assistant seats plus metered API usage plus a retrieval stack	$20 \times \text{£}20 \times 12 = \text{£}4,800$ + metered API + vector database + embedding and re-indexing

What is *not* claimed: that these totals become zero. Owning a system means paying for the fitting, the hardware you choose, and the verification discipline that makes it trustworthy – and those are real costs. What changes is the *shape*: a recurring per-head licence that grows with the business is replaced by a mostly one-off cost that does not. The larger prize in several of these sectors is not the licence at all – it is the commission, the integration engagement, or the professional retainer sitting above it.

15

If the pattern holds

Four consequences follow, and none require anything not already built:

- ▶ **Software cost approaches zero; verification becomes the asset.** Value migrates from producing code to proving it. Whoever holds reproducible proof becomes infrastructure rather than a competitor.
- ▶ **Inference moves to the edge by economics, not ideology.** Routine work handled locally at no marginal cost is simply cheaper, and the hardware requirement keeps falling.
- ▶ **Agent economies need exactly this rail.** Signed identity, hard budgets, verified work and tamper-evident settlement are the minimum for machines transacting with machines. They exist here and they run.
- ▶ **Privacy stops being a policy and becomes a property.** A tool that never needed a server has no server holding your data — checkable in the source rather than promised in a document.

The honest boundary: this is an operating system, a verification rail and an estate of working tools – not a foundation-model laboratory. It does not out-train the frontier labs and does not try to. The bet is that for the overwhelming majority of real business work, structure, verification and ownership matter more than parameter count – and that bet is already running in production.

17

How every build merges into one system

An estate of 1,548 repositories is a liability if it is 1,548 separate things. It is an asset only if they are one system. This is the mechanism by which they are.

Every build in the estate, whatever it does, reduces to the same four moves: it **offers options**, it **scores them against one shared bar**, it **commits deliberately rather than reflexively**, and it **remembers what it did and what it passed over**. A booking engine choosing between channels, a legal tool choosing between statutory routes, a memory layer choosing which link to form, a marketplace choosing which offer clears — the surface differs, the move does not.

That is why the merge is not an integration project. Each build is re-pointed to call the shared core for those four moves instead of carrying its own copy, and registers with the conductor so it can be invoked in the loop. Its own logic is untouched. Nothing is rewritten; the decision-making is simply relocated to one place.

LAYER	WHAT MERGES INTO IT	WHAT THAT BUYS
The core	Every build's option-generation, scoring, commitment and caching.	Improve the acceptance bar once and every organ's judgement improves at the same instant.
The conductor	Every build's entry point, as a registered organ.	One plain-language surface across the whole estate instead of a hundred interfaces.
Memory	Every build's outputs and the alternatives it discarded.	A corpus that consolidates and sharpens rather than a hundred isolated logs.
The trust rail	Every build's claim to work.	One reproducible standard of proof; a build that cannot pass does not become an organ.
Identity & settlement	Every agent's authority, budget and earnings.	Bounded autonomy and provable contribution across the entire estate, not per tool.
The registry	Every build's callable surface — SDK, MCP server, HTTP API.	The estate becomes addressable by machines, not merely browsable by people.

The compounding property. Because the merge is at the decision layer rather than the feature layer, every improvement is estate-wide by construction. A better scoring rule, a deeper search, a sharper memory consolidation, a stricter gate — each lands once and propagates to everything already built and everything built afterwards. That is the difference between a portfolio of tools and an operating system, and it is the only reason an estate this size can be maintained at all.

How this gets used

Not a prediction — a description of the path already visible from what is running.

First, people stop paying rent for the obvious things

The initial move is unglamorous and immediate: an operator replaces three or four subscriptions with owned tools doing the same job on hardware already present, and the recurring line stops growing with headcount. Nothing about the way they work changes on day one. What changes is that the software stopped being a tenancy.

Then the assistant stops being a separate destination

Instead of visiting a chat window and copying results back into the business, the conductor is inside the work: it drafts the reply against real facts, flags what it cannot verify, prepares the invoice, and waits for a person to commit. Routine requests are answered locally at no marginal cost, so the instinct becomes to ask it everything rather than ration questions against a bill.

Then memory becomes the moat, and it is theirs

Every decision and every discarded alternative accumulates in a corpus that consolidates while idle. Six months in, the system answers questions it could not answer at the start — not because a larger model shipped, but because the structure of what it knows improved. That corpus is on their machine, so switching cost stops being a lever a vendor holds and starts being an asset they own.

Then work is delegated rather than performed

With autonomy granted per organ and bounded by a signed budget, a person stops doing the execution and starts authoring the decisions — the ninety-ten split. The constraint that makes this safe is structural: an agent cannot exceed a grant it holds, so delegation is defensible to an auditor rather than an act of faith.

Then the tools they build are worth something

What a business builds for itself is publishable — as a tool, an SDK, an MCP server or an API — into a marketplace where a buyer's own test decides its value and royalties travel up the fork tree. The by-product of running the business becomes an asset, and whoever improves it upstream keeps earning from it.

And agents transact with agents

The final step needs nothing new: signed identity, hard budgets, verified work and tamper-evident settlement already exist and already run. When machines hire machines they will need exactly a rail where capability is

demonstrated rather than claimed and spend is bounded by construction. That is not a roadmap item here; it is the part that was built first.

The honest shape of this: none of it requires a breakthrough. Every step runs today at small scale, in public, with the gate behind it. What is uncertain is not whether it works but how fast the economics force the change – and the economics move one way, because owned and local is cheaper than rented and remote for the overwhelming majority of real work.

19

Provenance

The foundations of this estate are Thomas Frumkin's (<https://github.com/teslasolar>) work, and the credit is his: the *assos* line it descends from, the Konomi standard and its fold architecture, Konomi peer-to-peer, the Regulus engine, the guild discipline behind the estate's rubric, and the onlybrains substrate that contribution settles onto.

On mechanism, for the record: Regulus carries its fork lineage in the repository itself; konomigami and the standard were published as architecture and implemented here with the substrate input credited in each repository. Different mechanisms, one origin — and where a build began as his work it is forked openly rather than reimplemented quietly.

Powered by Konomi architecture · AI Native Solutions · sjgant80-hub.github.io/fall-os (<https://sjgant80-hub.github.io/fall-os/>)

Every figure in this document is reproducible from the corresponding public repository. Where a number depends on your hardware or workload, we state the mechanism instead of inventing a figure.