Supplementary Tables

Supplementary Table S1

Table 1: CN cohort: Top-10 cortical ROIs with highest CAM energy fraction (Top-5%). Each entry reports mean fraction of total Top-5% CAM energy localized within the ROI ($\mu \pm \sigma$).

(a) Gradient-based CAMs

Rank	Grad-CAM	Grad-CAM++	LayerCAM
1	Middle Frontal Gyrus (0.0782±0.0323)	Middle Frontal Gyrus (0.0680±0.0289)	Middle Frontal Gyrus (0.0636±0.0272)
2	Insular Cortex (0.0609±0.0345)	Insular Cortex (0.0490±0.0285)	Temporal Pole (0.0514±0.0236)
3	Cingulate Gyrus, ant. (0.0481±0.0268)	Temporal Pole (0.0485±0.0242)	Superior Parietal Lobule (0.0511±0.0241)
4	Cingulate Gyrus, post. (0.0481±0.0264)	Superior Parietal Lobule (0.0454±0.0246)	Insular Cortex (0.0453±0.0273)
5	IFG, pars triangularis (0.0428±0.0319)	Cingulate Gyrus, post. (0.0431±0.0226)	Cingulate Gyrus, post. (0.0422±0.0219)
6	Temporal Pole (0.0353±0.0271)	Cingulate Gyrus, ant. (0.0410±0.0225)	Supramarginal Gyrus, ant. (0.0401±0.0214)
7	Subcallosal Cortex (0.0209±0.0146)	Supramarginal Gyrus, ant. (0.0342±0.0212)	Cingulate Gyrus, ant. (0.0394±0.0224)
8	Precuneous Cortex (0.0166±0.0134)	Precuneous Cortex (0.0335±0.0141)	Cuneal Cortex (0.0378±0.0221)
9	Superior Parietal Lobule (0.0160±0.0185)	IFG, pars triangularis (0.0330±0.0249)	Precuneous Cortex (0.0361±0.0141)
10	Cuneal Cortex (0.0160±0.0202)	Cuneal Cortex (0.0325±0.0214)	IFG, pars triangularis (0.0296±0.0236)

(b) Gradient-free CAMs

Rank	EigenCAM	ScoreCAM	ReciproCAM
1	Superior Parietal Lobule (0.0695±0.0274)	Middle Frontal Gyrus (0.1029±0.0399)	Middle Frontal Gyrus (0.0625±0.0263)
2	Temporal Pole (0.0629±0.0234)	Cingulate Gyrus, post. (0.0578±0.0336)	Temporal Pole (0.0493±0.0224)
3	Supramarginal Gyrus, ant. (0.0559±0.0249)	Cingulate Gyrus, ant. (0.0551±0.0321)	Superior Parietal Lobule (0.0490±0.0203)
4	Middle Frontal Gyrus (0.0530±0.0270)	Insular Cortex (0.0520±0.0301)	Insular Cortex (0.0459±0.0270)
5	Cuneal Cortex (0.0507±0.0242)	IFG, pars triangularis (0.0430±0.0332)	Cingulate Gyrus, post. (0.0427±0.0211)
6	Precuneous Cortex (0.0446±0.0138)	Temporal Pole (0.0387±0.0297)	Cingulate Gyrus, ant. (0.0399±0.0222)
7	Cingulate Gyrus, post. (0.0385±0.0204)	Precuneous Cortex (0.0275±0.0201)	Supramarginal Gyrus, ant. (0.0391±0.0181)
8	Insular Cortex (0.0356±0.0248)	Subcallosal Cortex (0.0244±0.0172)	Cuneal Cortex (0.0379±0.0218)
9	Cingulate Gyrus, ant. (0.0331±0.0221)	Superior Parietal Lobule (0.0223±0.0255)	Precuneous Cortex (0.0346±0.0141)
10	IFG, pars triangularis (0.0214±0.0198)	Supramarginal Gyrus, ant. (0.0184±0.0227)	IFG, pars triangularis (0.0288±0.0241)

Supplementary Table S2

Table 2: Kruskal–Wallis test results for the AD class.

roi_name	kw_stat	p_value
Supramarginal Gyrus, anterior division	194.853	3.583×10^{-40}
Superior Parietal Lobule	129.124	3.652×10^{-26}
Cuneal Cortex	119.078	4.922×10^{-24}
Lateral Occipital Cortex, inferior division	58.672	2.286×10^{-11}
Middle Frontal Gyrus	57.089	4.848×10^{-11}
Precuneous Cortex	54.716	1.494×10^{-10}
Temporal Fusiform Cortex, anterior division	45.555	1.119×10^{-8}
Subcallosal Cortex	29.834	1.590×10^{-5}
Planum Polare	21.396	6.817×10^{-4}
Supracalcarine Cortex	20.381	0.001
Central Opercular Cortex	20.093	0.001
Temporal Occipital Fusiform Cortex	17.894	0.003
Angular Gyrus	17.870	0.003
Inferior Frontal Gyrus, pars triangularis	17.436	0.004
Occipital Pole	17.141	0.004
Planum Temporale	16.882	0.005
Paracingulate Gyrus	16.039	0.007
Lateral Occipital Cortex, superior division	15.154	0.010
Insular Cortex	14.525	0.013
Parietal Operculum Cortex	14.440	0.013
Superior Frontal Gyrus	12.990	0.023
Temporal Pole	10.613	0.060
Frontal Orbital Cortex	3.086	0.079
Postcentral Gyrus	9.136	0.104
Supramarginal Gyrus, posterior division	8.920	0.112
Lingual Gyrus	8.812	0.117
Precentral Gyrus	8.618	0.125
Cingulate Gyrus, anterior division	7.184	0.207
Juxtapositional Lobule Cortex (formerly Supplementary Motor Cortex)	6.893	0.229
Frontal Operculum Cortex	4.531	0.476
Frontal Medial Cortex	4.352	0.500
Parahippocampal Gyrus, anterior division	3.589	0.610
Inferior Frontal Gyrus, pars opercularis	2.293	0.807
Occipital Fusiform Gyrus	1.951	0.856
Cingulate Gyrus, posterior division	1.886	0.865
Heschl's Gyrus (includes H1 and H2)	1.383	0.926
Middle Temporal Gyrus, temporooccipital part	1.197	0.945

Supplementary Table S3

Table 3: Kruskal–Wallis test results for the CN class.

roi_name	kw_stat	p_value
Superior Parietal Lobule	227.618	3.464×10^{-47}
Supramarginal Gyrus, anterior division	208.877	3.579×10^{-43}
Cuneal Cortex	164.630	1.020×10^{-33}
Precuneous Cortex	161.998	3.713×10^{-33}
Middle Frontal Gyrus	112.949	9.750×10^{-23}
Temporal Pole	79.027	1.340×10^{-15}
Inferior Frontal Gyrus, pars triangularis	41.773	6.548×10^{-8}
Insular Cortex	38.125	3.562×10^{-7}
Cingulate Gyrus, anterior division	38.076	3.643×10^{-7}
Cingulate Gyrus, posterior division	28.965	2.356×10^{-5}
Inferior Frontal Gyrus, pars opercularis	28.372	3.078×10^{-5}
Supracalcarine Cortex	21.269	7.205×10^{-4}
Lateral Occipital Cortex, inferior division	20.897	8.473×10^{-4}
Parahippocampal Gyrus, posterior division	17.330	0.002
Frontal Medial Cortex	16.312	0.003
Parietal Operculum Cortex	17.612	0.003
Temporal Occipital Fusiform Cortex	16.462	0.006
Precentral Gyrus	15.119	0.010
Lateral Occipital Cortex, superior division	14.656	0.012
Frontal Orbital Cortex	14.463	0.013
Planum Temporale	13.736	0.017
Parahippocampal Gyrus, anterior division	12.970	0.024
Superior Frontal Gyrus	12.428	0.029
Heschl's Gyrus (includes H1 and H2)	12.211	0.032
Lingual Gyrus	12.180	0.032
Central Opercular Cortex	9.144	0.103
Paracingulate Gyrus	7.831	0.166
Planum Polare	7.688	0.174
Temporal Fusiform Cortex, anterior division	7.476	0.188
Angular Gyrus	7.290	0.200
Middle Temporal Gyrus, temporooccipital part	1.350	0.245
Occipital Fusiform Gyrus	6.107	0.296
Juxtapositional Lobule Cortex (formerly Supplementary Motor Cortex)	6.014	0.305
Occipital Pole	5.988	0.307
Postcentral Gyrus	3.573	0.311
Subcallosal Cortex	5.175	0.395
Supramarginal Gyrus, posterior division	4.953	0.422

Supplementary Table S4

Table 4: Kruskal–Wallis test results for the MCI class.

roi_name	kw_stat	p_value
Supramarginal Gyrus, anterior division	346.635	9.279×10^{-73}
Superior Parietal Lobule	340.124	2.340×10^{-71}
Precuneous Cortex	200.246	2.517×10^{-41}
Middle Frontal Gyrus	142.325	5.734×10^{-29}
Cuneal Cortex	141.551	8.374×10^{-29}
Lateral Occipital Cortex, superior division	116.578	1.665×10^{-23}
Temporal Pole	111.784	1.720×10^{-22}
Angular Gyrus	106.211	2.588×10^{-21}
Supracalcarine Cortex	102.469	1.594×10^{-20}
Planum Polare	91.464	3.309×10^{-18}
Parietal Operculum Cortex	84.401	1.005×10^{-16}
Planum Temporale	83.962	1.243×10^{-16}
Lateral Occipital Cortex, inferior division	81.494	4.085×10^{-16}
Inferior Frontal Gyrus, pars triangularis	76.640	4.229×10^{-15}
Insular Cortex	75.296	8.068×10^{-15}
Temporal Fusiform Cortex, anterior division	66.875	4.574×10^{-13}
Subcallosal Cortex	48.631	2.639×10^{-9}
Central Opercular Cortex	43.931	2.393×10^{-8}
Superior Frontal Gyrus	40.655	1.101×10^{-7}
Paracingulate Gyrus	39.862	1.592×10^{-7}
Cingulate Gyrus, anterior division	39.591	1.805×10^{-7}
Supramarginal Gyrus, posterior division	33.524	2.961×10^{-6}
Precentral Gyrus	31.448	7.642×10^{-6}
Heschl's Gyrus (includes H1 and H2)	30.268	1.306×10^{-5}
Temporal Occipital Fusiform Cortex	28.489	2.920×10^{-5}
Cingulate Gyrus, posterior division	26.706	6.508×10^{-5}
Inferior Frontal Gyrus, pars opercularis	24.748	1.559×10^{-4}
Frontal Medial Cortex	20.117	0.001
Postcentral Gyrus	14.387	0.006
Frontal Orbital Cortex	16.148	0.006
Middle Temporal Gyrus, temporooccipital part	12.054	0.007
Occipital Fusiform Gyrus	11.596	0.041
Occipital Pole	11.178	0.048
Lingual Gyrus	10.966	0.052
Juxtapositional Lobule Cortex (formerly Supplementary Motor Cortex)	9.815	0.081
Parahippocampal Gyrus, posterior division	4.068	0.397
Parahippocampal Gyrus, anterior division	2.687	0.748

Supplementary Table S5

Table 5: Dunn's post hoc test results with Bonferroni correction for the AD class.

method_1	**method_2**	**p_value**	**roi_name**
GradCAM	EigenCAM	1.863×10^{-36}	Supramarginal Gyrus, anterior division
GradCAM++	EigenCAM	1.123×10^{-12}	Supramarginal Gyrus, anterior division
LayerCAM	EigenCAM	3.290×10^{-7}	Supramarginal Gyrus, anterior division
ReciproCAM	EigenCAM	1.456×10^{-14}	Supramarginal Gyrus, anterior division
ScoreCAM	EigenCAM	4.003×10^{-24}	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM	1.863×10^{-36}	Supramarginal Gyrus, anterior division
GradCAM++	GradCAM	3.914×10^{-7}	Supramarginal Gyrus, anterior division
LayerCAM	GradCAM	2.159×10^{-12}	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM	7.327×10^{-6}	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM	0.092	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM++	1.123×10^{-12}	Supramarginal Gyrus, anterior division
GradCAM	GradCAM++	3.914×10^{-7}	Supramarginal Gyrus, anterior division
LayerCAM	GradCAM++	0.895	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM++	1.000	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM++	0.054	Supramarginal Gyrus, anterior division
EigenCAM	LayerCAM	3.290×10^{-7}	Supramarginal Gyrus, anterior division
GradCAM	LayerCAM	2.159×10^{-12}	Supramarginal Gyrus, anterior division
GradCAM++	LayerCAM	0.895	Supramarginal Gyrus, anterior division
ReciproCAM	LayerCAM	0.224	Supramarginal Gyrus, anterior division
ScoreCAM	LayerCAM	2.416×10^{-5}	Supramarginal Gyrus, anterior division
EigenCAM	ReciproCAM	1.456×10^{-14}	Supramarginal Gyrus, anterior division
GradCAM	ReciproCAM	7.327×10^{-6}	Supramarginal Gyrus, anterior division

Table 5: Dunn's post hoc test results with Bonferroni correction for the AD class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
GradCAM++	ReciproCAM	1.000	Supramarginal Gyrus, anterior division
LayerCAM	ReciproCAM	0.224	Supramarginal Gyrus, anterior division
ScoreCAM	ReciproCAM	0.272	Supramarginal Gyrus, anterior division
EigenCAM	ScoreCAM	4.003×10^{-24}	Supramarginal Gyrus, anterior division
GradCAM	ScoreCAM	0.092	Supramarginal Gyrus, anterior division
GradCAM++	ScoreCAM	0.054	Supramarginal Gyrus, anterior division
LayerCAM	ScoreCAM	2.416×10^{-5}	Supramarginal Gyrus, anterior division
ReciproCAM	ScoreCAM	0.272	Supramarginal Gyrus, anterior division
GradCAM	EigenCAM	4.445×10^{-24}	Superior Parietal Lobule
GradCAM++	EigenCAM	6.536×10^{-6}	Superior Parietal Lobule
LayerCAM	EigenCAM	0.002	Superior Parietal Lobule
ReciproCAM	EigenCAM	9.091×10^{-8}	Superior Parietal Lobule
ScoreCAM	EigenCAM	2.691×10^{-15}	Superior Parietal Lobule
EigenCAM	GradCAM	4.445×10^{-24}	Superior Parietal Lobule
GradCAM++	GradCAM	1.207×10^{-6}	Superior Parietal Lobule
LayerCAM	GradCAM	9.194×10^{-10}	Superior Parietal Lobule
ReciproCAM	GradCAM	6.069×10^{-5}	Superior Parietal Lobule
ScoreCAM	GradCAM	0.411	Superior Parietal Lobule
EigenCAM	GradCAM++	6.536×10^{-6}	Superior Parietal Lobule
GradCAM	GradCAM++	1.207×10^{-6}	Superior Parietal Lobule
LayerCAM	GradCAM++	1.000	Superior Parietal Lobule
ReciproCAM	GradCAM++	1.000	Superior Parietal Lobule
ScoreCAM	GradCAM++	0.022	Superior Parietal Lobule
EigenCAM	LayerCAM	0.002	Superior Parietal Lobule
GradCAM	LayerCAM	9.194×10^{-10}	Superior Parietal Lobule
GradCAM++	LayerCAM	1.000	Superior Parietal Lobule
ReciproCAM	LayerCAM	0.776	Superior Parietal Lobule
ScoreCAM	LayerCAM	1.904×10^{-4}	Superior Parietal Lobule
EigenCAM	ReciproCAM	9.091×10^{-8}	Superior Parietal Lobule
GradCAM	ReciproCAM	6.069×10^{-5}	Superior Parietal Lobule
GradCAM++	ReciproCAM	1.000	Superior Parietal Lobule
LayerCAM	ReciproCAM	0.776	Superior Parietal Lobule
ScoreCAM	ReciproCAM	0.233	Superior Parietal Lobule
EigenCAM	ScoreCAM	2.691×10^{-15}	Superior Parietal Lobule
GradCAM	ScoreCAM	0.411	Superior Parietal Lobule
GradCAM++	ScoreCAM	0.022	Superior Parietal Lobule
LayerCAM	ScoreCAM	1.904×10^{-4}	Superior Parietal Lobule
ReciproCAM	ScoreCAM	0.233	Superior Parietal Lobule
GradCAM	EigenCAM	3.069×10^{-22}	Cuneal Cortex
GradCAM++	EigenCAM	9.632×10^{-8}	Cuneal Cortex

Table 5: Dunn's post hoc test results with Bonferroni correction for the AD class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
LayerCAM	EigenCAM	1.309×10^{-4}	Cuneal Cortex
ReciproCAM	EigenCAM	6.678×10^{-8}	Cuneal Cortex
ScoreCAM	EigenCAM	1.315×10^{-15}	Cuneal Cortex
EigenCAM	GradCAM	3.069×10^{-22}	Cuneal Cortex
GradCAM++	GradCAM	2.387×10^{-4}	Cuneal Cortex
LayerCAM	GradCAM	2.560×10^{-7}	Cuneal Cortex
ReciproCAM	GradCAM	3.119×10^{-4}	Cuneal Cortex
ScoreCAM	GradCAM	0.931	Cuneal Cortex
EigenCAM	GradCAM++	9.632×10^{-8}	Cuneal Cortex
GradCAM	GradCAM++	2.387×10^{-4}	Cuneal Cortex
LayerCAM	GradCAM++	1.000	Cuneal Cortex
ReciproCAM	GradCAM++	1.000	Cuneal Cortex
ScoreCAM	GradCAM++	0.179	Cuneal Cortex
EigenCAM	LayerCAM	1.309×10^{-4}	Cuneal Cortex
GradCAM	LayerCAM	2.560×10^{-7}	Cuneal Cortex
GradCAM++	LayerCAM	1.000	Cuneal Cortex
ReciproCAM	LayerCAM	1.000	Cuneal Cortex
ScoreCAM	LayerCAM	0.002	Cuneal Cortex
EigenCAM	ReciproCAM	6.678×10^{-8}	Cuneal Cortex
GradCAM	ReciproCAM	3.119×10^{-4}	Cuneal Cortex
GradCAM++	ReciproCAM	1.000	Cuneal Cortex
LayerCAM	ReciproCAM	1.000	Cuneal Cortex
ScoreCAM	ReciproCAM	0.212	Cuneal Cortex
EigenCAM	ScoreCAM	1.315×10^{-15}	Cuneal Cortex
GradCAM	ScoreCAM	0.931	Cuneal Cortex
GradCAM++	ScoreCAM	0.179	Cuneal Cortex
LayerCAM	ScoreCAM	0.002	Cuneal Cortex
ReciproCAM	ScoreCAM	0.212	Cuneal Cortex
GradCAM	EigenCAM	0.009	Lateral Occipital Cortex, inferior division
GradCAM++	EigenCAM	4.514×10^{-5}	Lateral Occipital Cortex, inferior division
LayerCAM	EigenCAM	9.997×10^{-6}	Lateral Occipital Cortex, inferior division
ReciproCAM	EigenCAM	2.198×10^{-5}	Lateral Occipital Cortex, inferior division
ScoreCAM	EigenCAM	5.341×10^{-11}	Lateral Occipital Cortex, inferior division
EigenCAM	GradCAM	0.009	Lateral Occipital Cortex, inferior division
GradCAM++	GradCAM	1.000	Lateral Occipital Cortex, inferior division
LayerCAM	GradCAM	1.000	Lateral Occipital Cortex, inferior division
ReciproCAM	GradCAM	1.000	Lateral Occipital Cortex, inferior division
ScoreCAM	GradCAM	0.032	Lateral Occipital Cortex, inferior division

Table 5: Dunn's post hoc test results with Bonferroni correction for the AD class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
EigenCAM	GradCAM++	4.514×10^{-5}	Lateral Occipital Cortex, inferior division
GradCAM	GradCAM++	1.000	Lateral Occipital Cortex, inferior division
LayerCAM	GradCAM++	1.000	Lateral Occipital Cortex, inferior division
ReciproCAM	GradCAM++	1.000	Lateral Occipital Cortex, inferior division
ScoreCAM	GradCAM++	0.175	Lateral Occipital Cortex, inferior division
EigenCAM	LayerCAM	9.997×10^{-6}	Lateral Occipital Cortex, inferior division
GradCAM	LayerCAM	1.000	Lateral Occipital Cortex, inferior division
GradCAM++	LayerCAM	1.000	Lateral Occipital Cortex, inferior division
ReciproCAM	LayerCAM	1.000	Lateral Occipital Cortex, inferior division
ScoreCAM	LayerCAM	0.193	Lateral Occipital Cortex, inferior division
EigenCAM	ReciproCAM	2.198×10^{-5}	Lateral Occipital Cortex, inferior division
GradCAM	ReciproCAM	1.000	Lateral Occipital Cortex, inferior division
GradCAM++	ReciproCAM	1.000	Lateral Occipital Cortex, inferior division
LayerCAM	ReciproCAM	1.000	Lateral Occipital Cortex, inferior division
ScoreCAM	ReciproCAM	0.272	Lateral Occipital Cortex, inferior division
EigenCAM	ScoreCAM	5.341×10^{-11}	Lateral Occipital Cortex, inferior division
GradCAM	ScoreCAM	0.032	Lateral Occipital Cortex, inferior division
GradCAM++	ScoreCAM	0.175	Lateral Occipital Cortex, inferior division
LayerCAM	ScoreCAM	0.193	Lateral Occipital Cortex, inferior division
ReciproCAM	ScoreCAM	0.272	Lateral Occipital Cortex, inferior division
GradCAM	EigenCAM	4.768×10^{-4}	Middle Frontal Gyrus
GradCAM++	EigenCAM	1.000	Middle Frontal Gyrus
LayerCAM	EigenCAM	1.000	Middle Frontal Gyrus
ReciproCAM	EigenCAM	1.000	Middle Frontal Gyrus
ScoreCAM	EigenCAM	6.203×10^{-10}	Middle Frontal Gyrus
EigenCAM	GradCAM	4.768×10^{-4}	Middle Frontal Gyrus
GradCAM++	GradCAM	0.101	Middle Frontal Gyrus
LayerCAM	GradCAM	0.123	Middle Frontal Gyrus

Table 5: Dunn's post hoc test results with Bonferroni correction for the AD class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
ReciproCAM	GradCAM	0.190	Middle Frontal Gyrus
ScoreCAM	GradCAM	0.221	Middle Frontal Gyrus
EigenCAM	GradCAM++	1.000	Middle Frontal Gyrus
GradCAM	GradCAM++	0.101	Middle Frontal Gyrus
LayerCAM	GradCAM++	1.000	Middle Frontal Gyrus
ReciproCAM	GradCAM++	1.000	Middle Frontal Gyrus
ScoreCAM	GradCAM++	3.947×10^{-6}	Middle Frontal Gyrus
EigenCAM	LayerCAM	1.000	Middle Frontal Gyrus
GradCAM	LayerCAM	0.123	Middle Frontal Gyrus
GradCAM++	LayerCAM	1.000	Middle Frontal Gyrus
ReciproCAM	LayerCAM	1.000	Middle Frontal Gyrus
ScoreCAM	LayerCAM	5.602×10^{-6}	Middle Frontal Gyrus
EigenCAM	ReciproCAM	1.000	Middle Frontal Gyrus
GradCAM	ReciproCAM	0.190	Middle Frontal Gyrus
GradCAM++	ReciproCAM	1.000	Middle Frontal Gyrus
LayerCAM	ReciproCAM	1.000	Middle Frontal Gyrus
ScoreCAM	ReciproCAM	1.218×10^{-5}	Middle Frontal Gyrus
EigenCAM	ScoreCAM	6.203×10^{-10}	Middle Frontal Gyrus
GradCAM	ScoreCAM	0.221	Middle Frontal Gyrus
GradCAM++	ScoreCAM	3.947×10^{-6}	Middle Frontal Gyrus
LayerCAM	ScoreCAM	5.602×10^{-6}	Middle Frontal Gyrus
ReciproCAM	ScoreCAM	1.218×10^{-5}	Middle Frontal Gyrus

Supplementary Table S6

Table 6: Dunn's post hoc test results with Bonferroni correction for the CN class.

method_1	method_2	p_value	roi_name
GradCAM	EigenCAM	5.659×10^{-35}	Superior Parietal Lobule
GradCAM++	EigenCAM	1.220×10^{-6}	Superior Parietal Lobule
LayerCAM	EigenCAM	0.002	Superior Parietal Lobule
ReciproCAM	EigenCAM	4.593×10^{-4}	Superior Parietal Lobule
ScoreCAM	EigenCAM	1.789×10^{-27}	Superior Parietal Lobule
EigenCAM	GradCAM	5.659×10^{-35}	Superior Parietal Lobule
GradCAM++	GradCAM	1.069×10^{-12}	Superior Parietal Lobule
LayerCAM	GradCAM	7.994×10^{-18}	Superior Parietal Lobule
ReciproCAM	GradCAM	9.971×10^{-17}	Superior Parietal Lobule
ScoreCAM	GradCAM	1.000	Superior Parietal Lobule
EigenCAM	GradCAM++	1.220×10^{-6}	Superior Parietal Lobule
GradCAM	GradCAM++	1.069×10^{-12}	Superior Parietal Lobule
LayerCAM	GradCAM++	1.000	Superior Parietal Lobule
ReciproCAM	GradCAM++	1.000	Superior Parietal Lobule
ScoreCAM	GradCAM++	2.929×10^{-8}	Superior Parietal Lobule
EigenCAM	LayerCAM	0.002	Superior Parietal Lobule
GradCAM	LayerCAM	7.994×10^{-18}	Superior Parietal Lobule
GradCAM++	LayerCAM	1.000	Superior Parietal Lobule
ReciproCAM	LayerCAM	1.000	Superior Parietal Lobule
ScoreCAM	LayerCAM	1.628×10^{-12}	Superior Parietal Lobule
EigenCAM	ReciproCAM	4.593×10^{-4}	Superior Parietal Lobule
GradCAM	ReciproCAM	9.971×10^{-17}	Superior Parietal Lobule
GradCAM++	ReciproCAM	1.000	Superior Parietal Lobule
LayerCAM	ReciproCAM	1.000	Superior Parietal Lobule
ScoreCAM	ReciproCAM	1.360×10^{-11}	Superior Parietal Lobule
EigenCAM	ScoreCAM	1.789×10^{-27}	Superior Parietal Lobule
GradCAM	ScoreCAM	1.000	Superior Parietal Lobule
GradCAM++	ScoreCAM	2.929×10^{-8}	Superior Parietal Lobule
LayerCAM	ScoreCAM	1.628×10^{-12}	Superior Parietal Lobule
ReciproCAM	ScoreCAM	1.360×10^{-11}	Superior Parietal Lobule
GradCAM	EigenCAM	1.079×10^{-34}	Supramarginal Gyrus, anterior division
GradCAM++	EigenCAM	5.836×10^{-7}	Supramarginal Gyrus, anterior division
LayerCAM	EigenCAM	0.003	Supramarginal Gyrus, anterior division
ReciproCAM	EigenCAM	0.002	Supramarginal Gyrus, anterior division
ScoreCAM	EigenCAM	7.297×10^{-22}	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM	1.079×10^{-34}	Supramarginal Gyrus, anterior division
GradCAM++	GradCAM	1.257×10^{-12}	Supramarginal Gyrus, anterior division

Table 6: Dunn's post hoc test results with Bonferroni correction for the CN class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
LayerCAM	GradCAM	1.538×10^{-18}	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM	3.893×10^{-18}	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM	0.310	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM++	5.836×10^{-7}	Supramarginal Gyrus, anterior division
GradCAM	GradCAM++	1.257×10^{-12}	Supramarginal Gyrus, anterior division
LayerCAM	GradCAM++	1.000	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM++	1.000	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM++	1.462×10^{-5}	Supramarginal Gyrus, anterior division
EigenCAM	LayerCAM	0.003	Supramarginal Gyrus, anterior division
GradCAM	LayerCAM	1.538×10^{-18}	Supramarginal Gyrus, anterior division
GradCAM++	LayerCAM	1.000	Supramarginal Gyrus, anterior division
ReciproCAM	LayerCAM	1.000	Supramarginal Gyrus, anterior division
ScoreCAM	LayerCAM	1.200×10^{-9}	Supramarginal Gyrus, anterior division
EigenCAM	ReciproCAM	0.002	Supramarginal Gyrus, anterior division
GradCAM	ReciproCAM	3.893×10^{-18}	Supramarginal Gyrus, anterior division
GradCAM++	ReciproCAM	1.000	Supramarginal Gyrus, anterior division
LayerCAM	ReciproCAM	1.000	Supramarginal Gyrus, anterior division
ScoreCAM	ReciproCAM	2.328×10^{-9}	Supramarginal Gyrus, anterior division
EigenCAM	ScoreCAM	7.297×10^{-22}	Supramarginal Gyrus, anterior division
GradCAM	ScoreCAM	0.310	Supramarginal Gyrus, anterior division
GradCAM++	ScoreCAM	1.462×10^{-5}	Supramarginal Gyrus, anterior division
LayerCAM	ScoreCAM	1.200×10^{-9}	Supramarginal Gyrus, anterior division
ReciproCAM	ScoreCAM	2.328×10^{-9}	Supramarginal Gyrus, anterior division
GradCAM	EigenCAM	1.996×10^{-21}	Cuneal Cortex
GradCAM++	EigenCAM	7.171×10^{-6}	Cuneal Cortex

Table 6: Dunn's post hoc test results with Bonferroni correction for the CN class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
LayerCAM	EigenCAM	0.012	Cuneal Cortex
ReciproCAM	EigenCAM	0.015	Cuneal Cortex
ScoreCAM	EigenCAM	8.702×10^{-24}	Cuneal Cortex
EigenCAM	GradCAM	1.996×10^{-21}	Cuneal Cortex
GradCAM++	GradCAM	2.272×10^{-6}	Cuneal Cortex
LayerCAM	GradCAM	2.026×10^{-10}	Cuneal Cortex
ReciproCAM	GradCAM	1.339×10^{-10}	Cuneal Cortex
ScoreCAM	GradCAM	1.000	Cuneal Cortex
EigenCAM	GradCAM++	7.171×10^{-6}	Cuneal Cortex
GradCAM	GradCAM++	2.272×10^{-6}	Cuneal Cortex
LayerCAM	GradCAM++	1.000	Cuneal Cortex
ReciproCAM	GradCAM++	1.000	Cuneal Cortex
ScoreCAM	GradCAM++	4.452×10^{-7}	Cuneal Cortex
EigenCAM	LayerCAM	0.012	Cuneal Cortex
GradCAM	LayerCAM	2.026×10^{-10}	Cuneal Cortex
GradCAM++	LayerCAM	1.000	Cuneal Cortex
ReciproCAM	LayerCAM	1.000	Cuneal Cortex
ScoreCAM	LayerCAM	1.426×10^{-11}	Cuneal Cortex
EigenCAM	ReciproCAM	0.015	Cuneal Cortex
GradCAM	ReciproCAM	1.339×10^{-10}	Cuneal Cortex
GradCAM++	ReciproCAM	1.000	Cuneal Cortex
LayerCAM	ReciproCAM	1.000	Cuneal Cortex
ScoreCAM	ReciproCAM	9.005×10^{-12}	Cuneal Cortex
EigenCAM	ScoreCAM	8.702×10^{-24}	Cuneal Cortex
GradCAM	ScoreCAM	1.000	Cuneal Cortex
GradCAM++	ScoreCAM	4.452×10^{-7}	Cuneal Cortex
LayerCAM	ScoreCAM	1.426×10^{-11}	Cuneal Cortex
ReciproCAM	ScoreCAM	9.005×10^{-12}	Cuneal Cortex
GradCAM	EigenCAM	5.542×10^{-31}	Precuneous Cortex
GradCAM++	EigenCAM	1.340×10^{-5}	Precuneous Cortex
LayerCAM	EigenCAM	0.004	Precuneous Cortex
ReciproCAM	EigenCAM	3.792×10^{-4}	Precuneous Cortex
ScoreCAM	EigenCAM	5.290×10^{-14}	Precuneous Cortex
EigenCAM	GradCAM	5.542×10^{-31}	Precuneous Cortex
GradCAM++	GradCAM	2.182×10^{-11}	Precuneous Cortex
LayerCAM	GradCAM	1.646×10^{-15}	Precuneous Cortex
ReciproCAM	GradCAM	1.304×10^{-13}	Precuneous Cortex
ScoreCAM	GradCAM	0.001	Precuneous Cortex
EigenCAM	GradCAM++	1.340×10^{-5}	Precuneous Cortex
GradCAM	GradCAM++	2.182×10^{-11}	Precuneous Cortex
LayerCAM	GradCAM++	1.000	Precuneous Cortex
ReciproCAM	GradCAM++	1.000	Precuneous Cortex
ScoreCAM	GradCAM++	0.032	Precuneous Cortex
EigenCAM	LayerCAM	0.004	Precuneous Cortex
GradCAM	LayerCAM	1.646×10^{-15}	Precuneous Cortex
GradCAM++	LayerCAM	1.000	Precuneous Cortex
ReciproCAM	LayerCAM	1.000	Precuneous Cortex
ScoreCAM	LayerCAM	2.527×10^{-4}	Precuneous Cortex

Table 6: Dunn's post hoc test results with Bonferroni correction for the CN class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
EigenCAM	ReciproCAM	3.792×10^{-4}	Precuneous Cortex
GradCAM	ReciproCAM	1.304×10^{-13}	Precuneous Cortex
GradCAM++	ReciproCAM	1.000	Precuneous Cortex
LayerCAM	ReciproCAM	1.000	Precuneous Cortex
ScoreCAM	ReciproCAM	0.003	Precuneous Cortex
EigenCAM	ScoreCAM	5.290×10^{-14}	Precuneous Cortex
GradCAM	ScoreCAM	0.001	Precuneous Cortex
GradCAM++	ScoreCAM	0.032	Precuneous Cortex
LayerCAM	ScoreCAM	2.527×10^{-4}	Precuneous Cortex
ReciproCAM	ScoreCAM	0.003	Precuneous Cortex
GradCAM	EigenCAM	2.858×10^{-8}	Middle Frontal Gyrus
GradCAM++	EigenCAM	0.006	Middle Frontal Gyrus
LayerCAM	EigenCAM	0.227	Middle Frontal Gyrus
ReciproCAM	EigenCAM	0.516	Middle Frontal Gyrus
ScoreCAM	EigenCAM	2.697×10^{-20}	Middle Frontal Gyrus
EigenCAM	GradCAM	2.858×10^{-8}	Middle Frontal Gyrus
GradCAM++	GradCAM	0.202	Middle Frontal Gyrus
LayerCAM	GradCAM	0.005	Middle Frontal Gyrus
ReciproCAM	GradCAM	0.001	Middle Frontal Gyrus
ScoreCAM	GradCAM	0.004	Middle Frontal Gyrus
EigenCAM	GradCAM++	0.006	Middle Frontal Gyrus
GradCAM	GradCAM++	0.202	Middle Frontal Gyrus
LayerCAM	GradCAM++	1.000	Middle Frontal Gyrus
ReciproCAM	GradCAM++	1.000	Middle Frontal Gyrus
ScoreCAM	GradCAM++	2.197×10^{-8}	Middle Frontal Gyrus
EigenCAM	LayerCAM	0.227	Middle Frontal Gyrus
GradCAM	LayerCAM	0.005	Middle Frontal Gyrus
GradCAM++	LayerCAM	1.000	Middle Frontal Gyrus
ReciproCAM	LayerCAM	1.000	Middle Frontal Gyrus
ScoreCAM	LayerCAM	1.360×10^{-11}	Middle Frontal Gyrus
EigenCAM	ReciproCAM	0.516	Middle Frontal Gyrus
GradCAM	ReciproCAM	0.001	Middle Frontal Gyrus
GradCAM++	ReciproCAM	1.000	Middle Frontal Gyrus
LayerCAM	ReciproCAM	1.000	Middle Frontal Gyrus
ScoreCAM	ReciproCAM	1.365×10^{-12}	Middle Frontal Gyrus
EigenCAM	ScoreCAM	2.697×10^{-20}	Middle Frontal Gyrus
GradCAM	ScoreCAM	0.004	Middle Frontal Gyrus
GradCAM++	ScoreCAM	2.197×10^{-8}	Middle Frontal Gyrus
LayerCAM	ScoreCAM	1.360×10^{-11}	Middle Frontal Gyrus
ReciproCAM	ScoreCAM	1.365×10^{-12}	Middle Frontal Gyrus

Supplementary Table S7

Table 7: Dunn's post hoc test results with Bonferroni correction for the MCI class.

method_1	**method_2**	**p_value**	**roi_name**
GradCAM	EigenCAM	6.364×10^{-60}	Supramarginal Gyrus, anterior division
GradCAM++	EigenCAM	2.703×10^{-10}	Supramarginal Gyrus, anterior division
LayerCAM	EigenCAM	9.292×10^{-7}	Supramarginal Gyrus, anterior division
ReciproCAM	EigenCAM	4.926×10^{-17}	Supramarginal Gyrus, anterior division
ScoreCAM	EigenCAM	7.642×10^{-40}	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM	6.364×10^{-60}	Supramarginal Gyrus, anterior division
GradCAM++	GradCAM	1.035×10^{-21}	Supramarginal Gyrus, anterior division
LayerCAM	GradCAM	1.018×10^{-27}	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM	5.178×10^{-14}	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM	0.025	Supramarginal Gyrus, anterior division
EigenCAM	GradCAM++	2.703×10^{-10}	Supramarginal Gyrus, anterior division
GradCAM	GradCAM++	1.035×10^{-21}	Supramarginal Gyrus, anterior division
LayerCAM	GradCAM++	1.000	Supramarginal Gyrus, anterior division
ReciproCAM	GradCAM++	0.702	Supramarginal Gyrus, anterior division
ScoreCAM	GradCAM++	2.516×10^{-10}	Supramarginal Gyrus, anterior division
EigenCAM	LayerCAM	9.292×10^{-7}	Supramarginal Gyrus, anterior division
GradCAM	LayerCAM	1.018×10^{-27}	Supramarginal Gyrus, anterior division
GradCAM++	LayerCAM	1.000	Supramarginal Gyrus, anterior division
ReciproCAM	LayerCAM	0.014	Supramarginal Gyrus, anterior division
ScoreCAM	LayerCAM	1.321×10^{-14}	Supramarginal Gyrus, anterior division
EigenCAM	ReciproCAM	4.926×10^{-17}	Supramarginal Gyrus, anterior division
GradCAM	ReciproCAM	5.178×10^{-14}	Supramarginal Gyrus, anterior division

Table 7: Dunn's post hoc test results with Bonferroni correction for the MCI class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
GradCAM++	ReciproCAM	0.702	Supramarginal Gyrus, anterior division
LayerCAM	ReciproCAM	0.014	Supramarginal Gyrus, anterior division
ScoreCAM	ReciproCAM	3.087×10^{-5}	Supramarginal Gyrus, anterior division
EigenCAM	ScoreCAM	7.642×10^{-40}	Supramarginal Gyrus, anterior division
GradCAM	ScoreCAM	0.025	Supramarginal Gyrus, anterior division
GradCAM++	ScoreCAM	2.516×10^{-10}	Supramarginal Gyrus, anterior division
LayerCAM	ScoreCAM	1.321×10^{-14}	Supramarginal Gyrus, anterior division
ReciproCAM	ScoreCAM	3.087×10^{-5}	Supramarginal Gyrus, anterior division
GradCAM	EigenCAM	4.174×10^{-60}	Superior Parietal Lobule
GradCAM++	EigenCAM	7.363×10^{-10}	Superior Parietal Lobule
LayerCAM	EigenCAM	2.221×10^{-7}	Superior Parietal Lobule
ReciproCAM	EigenCAM	1.346×10^{-19}	Superior Parietal Lobule
ScoreCAM	EigenCAM	8.626×10^{-38}	Superior Parietal Lobule
EigenCAM	GradCAM	4.174×10^{-60}	Superior Parietal Lobule
GradCAM++	GradCAM	2.088×10^{-22}	Superior Parietal Lobule
LayerCAM	GradCAM	1.406×10^{-26}	Superior Parietal Lobule
ReciproCAM	GradCAM	6.977×10^{-12}	Superior Parietal Lobule
ScoreCAM	GradCAM	0.007	Superior Parietal Lobule
EigenCAM	GradCAM++	7.363×10^{-10}	Superior Parietal Lobule
GradCAM	GradCAM++	2.088×10^{-22}	Superior Parietal Lobule
LayerCAM	GradCAM++	1.000	Superior Parietal Lobule
ReciproCAM	GradCAM++	0.080	Superior Parietal Lobule
ScoreCAM	GradCAM++	1.034×10^{-9}	Superior Parietal Lobule
EigenCAM	LayerCAM	2.221×10^{-7}	Superior Parietal Lobule
GradCAM	LayerCAM	1.406×10^{-26}	Superior Parietal Lobule
GradCAM++	LayerCAM	1.000	Superior Parietal Lobule
ReciproCAM	LayerCAM	0.003	Superior Parietal Lobule
ScoreCAM	LayerCAM	1.572×10^{-12}	Superior Parietal Lobule
EigenCAM	ReciproCAM	1.346×10^{-19}	Superior Parietal Lobule
GradCAM	ReciproCAM	6.977×10^{-12}	Superior Parietal Lobule
GradCAM++	ReciproCAM	0.080	Superior Parietal Lobule
LayerCAM	ReciproCAM	0.003	Superior Parietal Lobule
ScoreCAM	ReciproCAM	0.003	Superior Parietal Lobule
EigenCAM	ScoreCAM	8.626×10^{-38}	Superior Parietal Lobule
GradCAM	ScoreCAM	0.007	Superior Parietal Lobule
GradCAM++	ScoreCAM	1.034×10^{-9}	Superior Parietal Lobule
LayerCAM	ScoreCAM	1.572×10^{-12}	Superior Parietal Lobule
ReciproCAM	ScoreCAM	0.003	Superior Parietal Lobule
GradCAM	EigenCAM	1.626×10^{-42}	Precuneous Cortex
GradCAM++	EigenCAM	4.511×10^{-9}	Precuneous Cortex

Table 7: Dunn's post hoc test results with Bonferroni correction for the MCI class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
LayerCAM	EigenCAM	3.154×10^{-5}	Precuneous Cortex
ReciproCAM	EigenCAM	3.928×10^{-12}	Precuneous Cortex
ScoreCAM	EigenCAM	1.358×10^{-9}	Precuneous Cortex
EigenCAM	GradCAM	1.626×10^{-42}	Precuneous Cortex
GradCAM++	GradCAM	2.102×10^{-13}	Precuneous Cortex
LayerCAM	GradCAM	3.994×10^{-19}	Precuneous Cortex
ReciproCAM	GradCAM	3.241×10^{-10}	Precuneous Cortex
ScoreCAM	GradCAM	1.051×10^{-12}	Precuneous Cortex
EigenCAM	GradCAM++	4.511×10^{-9}	Precuneous Cortex
GradCAM	GradCAM++	2.102×10^{-13}	Precuneous Cortex
LayerCAM	GradCAM++	1.000	Precuneous Cortex
ReciproCAM	GradCAM++	1.000	Precuneous Cortex
ScoreCAM	GradCAM++	1.000	Precuneous Cortex
EigenCAM	LayerCAM	3.154×10^{-5}	Precuneous Cortex
GradCAM	LayerCAM	3.994×10^{-19}	Precuneous Cortex
GradCAM++	LayerCAM	1.000	Precuneous Cortex
ReciproCAM	LayerCAM	0.148	Precuneous Cortex
ScoreCAM	LayerCAM	1.000	Precuneous Cortex
EigenCAM	ReciproCAM	3.928×10^{-12}	Precuneous Cortex
GradCAM	ReciproCAM	3.241×10^{-10}	Precuneous Cortex
GradCAM++	ReciproCAM	1.000	Precuneous Cortex
LayerCAM	ReciproCAM	0.148	Precuneous Cortex
ScoreCAM	ReciproCAM	1.000	Precuneous Cortex
EigenCAM	ScoreCAM	1.358×10^{-9}	Precuneous Cortex
GradCAM	ScoreCAM	1.051×10^{-12}	Precuneous Cortex
GradCAM++	ScoreCAM	1.000	Precuneous Cortex
LayerCAM	ScoreCAM	1.000	Precuneous Cortex
ReciproCAM	ScoreCAM	1.000	Precuneous Cortex
GradCAM	EigenCAM	4.393×10^{-17}	Middle Frontal Gyrus
GradCAM++	EigenCAM	3.790×10^{-5}	Middle Frontal Gyrus
LayerCAM	EigenCAM	1.482×10^{-4}	Middle Frontal Gyrus
ReciproCAM	EigenCAM	3.561×10^{-8}	Middle Frontal Gyrus
ScoreCAM	EigenCAM	2.052×10^{-26}	Middle Frontal Gyrus
EigenCAM	GradCAM	4.393×10^{-17}	Middle Frontal Gyrus
GradCAM++	GradCAM	8.570×10^{-4}	Middle Frontal Gyrus
LayerCAM	GradCAM	2.431×10^{-4}	Middle Frontal Gyrus
ReciproCAM	GradCAM	0.088	Middle Frontal Gyrus
ScoreCAM	GradCAM	0.421	Middle Frontal Gyrus
EigenCAM	GradCAM++	3.790×10^{-5}	Middle Frontal Gyrus
GradCAM	GradCAM++	8.570×10^{-4}	Middle Frontal Gyrus
LayerCAM	GradCAM++	1.000	Middle Frontal Gyrus
ReciproCAM	GradCAM++	1.000	Middle Frontal Gyrus
ScoreCAM	GradCAM++	7.819×10^{-9}	Middle Frontal Gyrus
EigenCAM	LayerCAM	1.482×10^{-4}	Middle Frontal Gyrus
GradCAM	LayerCAM	2.431×10^{-4}	Middle Frontal Gyrus
GradCAM++	LayerCAM	1.000	Middle Frontal Gyrus
ReciproCAM	LayerCAM	1.000	Middle Frontal Gyrus
ScoreCAM	LayerCAM	1.211×10^{-9}	Middle Frontal Gyrus

Table 7: Dunn's post hoc test results with Bonferroni correction for the MCI class. (continued)

method_1	**method_2**	**p_value**	**roi_name**
EigenCAM	ReciproCAM	3.561×10^{-8}	Middle Frontal Gyrus
GradCAM	ReciproCAM	0.088	Middle Frontal Gyrus
GradCAM++	ReciproCAM	1.000	Middle Frontal Gyrus
LayerCAM	ReciproCAM	1.000	Middle Frontal Gyrus
ScoreCAM	ReciproCAM	1.136×10^{-5}	Middle Frontal Gyrus
EigenCAM	ScoreCAM	2.052×10^{-26}	Middle Frontal Gyrus
GradCAM	ScoreCAM	0.421	Middle Frontal Gyrus
GradCAM++	ScoreCAM	7.819×10^{-9}	Middle Frontal Gyrus
LayerCAM	ScoreCAM	1.211×10^{-9}	Middle Frontal Gyrus
ReciproCAM	ScoreCAM	1.136×10^{-5}	Middle Frontal Gyrus
GradCAM	EigenCAM	8.037×10^{-25}	Cuneal Cortex
GradCAM++	EigenCAM	2.870×10^{-5}	Cuneal Cortex
LayerCAM	EigenCAM	9.233×10^{-4}	Cuneal Cortex
ReciproCAM	EigenCAM	1.109×10^{-7}	Cuneal Cortex
ScoreCAM	EigenCAM	4.495×10^{-18}	Cuneal Cortex
EigenCAM	GradCAM	8.037×10^{-25}	Cuneal Cortex
GradCAM++	GradCAM	3.854×10^{-8}	Cuneal Cortex
LayerCAM	GradCAM	3.319×10^{-10}	Cuneal Cortex
ReciproCAM	GradCAM	1.023×10^{-5}	Cuneal Cortex
ScoreCAM	GradCAM	1.000	Cuneal Cortex
EigenCAM	GradCAM++	2.870×10^{-5}	Cuneal Cortex
GradCAM	GradCAM++	3.854×10^{-8}	Cuneal Cortex
LayerCAM	GradCAM++	1.000	Cuneal Cortex
ReciproCAM	GradCAM++	1.000	Cuneal Cortex
ScoreCAM	GradCAM++	3.319×10^{-4}	Cuneal Cortex
EigenCAM	LayerCAM	9.233×10^{-4}	Cuneal Cortex
GradCAM	LayerCAM	3.319×10^{-10}	Cuneal Cortex
GradCAM++	LayerCAM	1.000	Cuneal Cortex
ReciproCAM	LayerCAM	1.000	Cuneal Cortex
ScoreCAM	LayerCAM	8.695×10^{-6}	Cuneal Cortex
EigenCAM	ReciproCAM	1.109×10^{-7}	Cuneal Cortex
GradCAM	ReciproCAM	1.023×10^{-5}	Cuneal Cortex
GradCAM++	ReciproCAM	1.000	Cuneal Cortex
LayerCAM	ReciproCAM	1.000	Cuneal Cortex
ScoreCAM	ReciproCAM	0.019	Cuneal Cortex
EigenCAM	ScoreCAM	4.495×10^{-18}	Cuneal Cortex
GradCAM	ScoreCAM	1.000	Cuneal Cortex
GradCAM++	ScoreCAM	3.319×10^{-4}	Cuneal Cortex
LayerCAM	ScoreCAM	8.695×10^{-6}	Cuneal Cortex
ReciproCAM	ScoreCAM	0.019	Cuneal Cortex