Neronet

Toolbox for managing the training neural networks

CSE-C2610 Software Project

Aalto University

December 3, 2015

Progress report

Neronet

Introduction

Results

D

Quality

Effort





Introduction

Goals

Our goal is to develop a tool for computational researchers to enable easy

specification and management of experiment queues

Progress report

Neronet

Introduction

Results

Duality

ffort



Introduction

Goals

Our goal is to develop a tool for computational researchers to enable easy

- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters

Progress report

Neronet

Introduction

Results

uality

ffort



- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters
- monitoring of ongoing experiments' logs and parameter values

Neronet

Introduction

Results

emo

aaney



Effort

Retros

- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters
- monitoring of ongoing experiments' logs and parameter values
- access to experiment information during and after the run



Goals

Retros

- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters
- monitoring of ongoing experiments' logs and parameter values
- access to experiment information during and after the run
- configurable notifications on experiment state and progress



Goals

Effort

Retros

- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters
- monitoring of ongoing experiments' logs and parameter values
- access to experiment information during and after the run
- configurable notifications on experiment state and progress
- configurable criteria for experiment autotermination



Goals

- specification and management of experiment queues
- batch submission of experiment jobs to computing clusters
- monitoring of ongoing experiments' logs and parameter values
- access to experiment information during and after the run
- configurable notifications on experiment state and progress
- configurable criteria for experiment autotermination
- logging of experiment history

Introduction

What

In essence the product is a Python-based tool that enables computational researchers to conduct their research more effectively.

Progress report

Neronet

Introduction

Results

Demo

uality

ttort



In essence the product is a Python-based tool that enables computational researchers to conduct their research more effectively.

► It utilizes SSH and TCP sockets to distribute the computational workload into computer clusters. It supports the Slurm job and resource manager but can function without it as well. Progress report

Neronet

Introduction

Result

Demo

a dancy



In essence the product is a Python-based tool that enables computational researchers to conduct their research more effectively.

- It utilizes SSH and TCP sockets to distribute the computational workload into computer clusters. It supports the Slurm job and resource manager but can function without it as well.
- ▶ It is framework agnostic in that it permits the use of a very wide variety of tools to actually conduct the computing.

Progress report

Neronet

Introduction

Result

Demo

Qualit

Effort







Neronet

Introduction

Results

emo

ality

ffort



Neronet

Introduction

Results

emo

uality

LITOIL

Goal: Team building and preparing for sprint 1 Done Product Backlog Items: *None*

Sprint 0 took a lot of effort from us since the project topic was very challenging to dive into. Also none of us had done this course before. Interviews with Jelena & Simo helped us to understand the project.

Progress report

Neronet

Introduction

Results

Demo

Quality

Effort



Product Backlog Items: None

Sprint 0 took a lot of effort from us since the project topic was very challenging to dive into. Also none of us had done this course before. Interviews with Jelena & Simo helped us to understand the project.

We were proud of our efforts in the sprint.

Progress report

Neronet

Introduction

Results

Demo

Quality

-ffort



Sprint 1

Goal: Develop a prototype that offers the most basic functionality via a CLI

Progress report

Neronet

Introduction

Results

)emo

uality

. . . .

tros



Sprint 1

Goal: Develop a prototype that offers the most basic functionality via a CLI Done

Progress report

Neronet

Introduction

Results

)emo

uality

fort

tros



Sprint 1

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

Progress report

Neronet

ntroduction

Results

.

uality

ffort



Sprint 1

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.

Progress report

Neronet

ntroduction

Results

Demo



Sprint 1

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

► US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done Progress report

Neronet

Introduction

Results



- US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.
 Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources.

Neronet

ntroduction

Results

Demo

a dancy



- ► US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done

Neronet

Introduction

Results

Effort



- ► US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ► US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them.

Neronet

Introduction

Results

201110

Effort



- US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.
 Done
- ► US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ► US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done

Neronet

Introduction

Results

Demo

F.C....



Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

- ▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ▶ US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done
- ▶ US4: As a user, I want to submit experiments to unmanaged nodes.

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

- ▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ▶ US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done
- ▶ US4: As a user, I want to submit experiments to unmanaged nodes. Done

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

Results

▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.

Done ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done

▶ US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done

- ▶ US4: As a user, I want to submit experiments to unmanaged nodes. Done
- ▶ US5: As a user, I want an experiment status report so that I can review experiment status details.

- US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.
 Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ► US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done
- ► US4: As a user, I want to submit experiments to unmanaged nodes. Done
- ▶ US5: As a user, I want an experiment status report so that I can review experiment status details. Done

Neronet

IIIIIOGUCLIOI

Results

Quality

ttort

Goal: Develop a prototype that offers the most basic functionality via a CLI Done Product Backlog Items:

- ▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI. Done
- ▶ US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ▶ US3: As a user, I want to specify experiments by name, files and parameters and edit and delete them. Done
- ▶ US4: As a user, I want to submit experiments to unmanaged nodes. Done
- ▶ US5: As a user, I want an experiment status report so that I can review experiment status details. Done

Just a prototype, a lot of work to do before user testing.

Progress report

Neronet

Results

Retro

Demo script:

- 1. Presentation of Neronet's CLI user guide
- 2. Neronet Installation, preferences and initial setup of clusters
- 3. Specification of clusters via CLI
- 4. Specification of an experiment
- 5. Submission of the specified experiment to an unmanaged node
- 6. Retrieval of experiment status report
- 7. Experiment status report

Retro

Definition of done:

- ▶ We defined Done in three levels: BI, sprint and project
- ▶ BI level: unit test coverage 90%, functional test coverage 80%, conformity (PEP-8), commented, documented, peer reviewed
- Sprint level: Bl:s are Done, increment is tested and reviewed, sprint goal is achieved
- We have followed our DoD almost as planned.

US	UTC	FTC	Com	Doc	Rev
1	199911 <u>-</u> 11	0%	0%	0%	0%
2	0%	0%	0%	0%	0%
3	0%	0%	0%	0%	0%
4	0%	0%	0%	0%	0%
5	0%	0%	0%	0%	0%
01,010	0%	0%	0%	0%	0%

Progress report Neronet

Reculto

Demo

Quality

=TFOTT

Retro

Qualitatively we achieved our standards only partially:

- Unit and functional test coverage only satisfactory
- Quality of comments and documentation mediocre
- Peer review done quickly



Quality

Used QA practices and tools:

- Python standard unittest framework
- Peer review

Relevant quality attributes:

- Usability
 - Reliability
 - Extendability
 - Performance

Progress report

Neronet

Introduction

Results

emo

Quality

Effort



Sa	Te	Tu	Jo	i Acti	Ma	
140/50	36/35	45/35	40/35	36/35	43/35	
28/30	22/33	25/33	30/33	20/33	25/33	
0/30	0/33	0/33	0/33	0/33	0/33	
0/15	0/33	0/33	0/33	0/33	0/33	
0/15	0/33	0/33	0/33	0/33	0/33	
0/15	0/33	0/33	0/33	0/33	0/33	
0/20	0/25	0/25	0/25	0/25	0/25	
168/175	58/225	70/225	70/225	56/225	68/225	
	140/50 28/30 0/30 0/15 0/15 0/15 0/20	140/50 36/35 28/30 22/33 0/30 0/33 0/15 0/33 0/15 0/33 0/15 0/33 0/15 0/33 0/20 0/25	140/50 36/35 45/35 28/30 22/33 25/33 0/30 0/33 0/33 0/15 0/33 0/33 0/15 0/33 0/33 0/15 0/33 0/33 0/15 0/33 0/33 0/20 0/25 0/25	140/50 36/35 45/35 40/35 28/30 22/33 25/33 30/33 0/30 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/20 0/25 0/25 0/25	140/50 36/35 45/35 40/35 36/35 28/30 22/33 25/33 30/33 20/33 0/30 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/20 0/25 0/25 0/25 0/25	140/50 36/35 45/35 40/35 36/35 43/35 28/30 22/33 25/33 30/33 20/33 25/33 0/30 0/33 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/33 0/15 0/33 0/33 0/33 0/33 0/33 0/20 0/25 0/25 0/25 0/25 0/25

Neronet

muoduc

uality

Effort

A¹¹

Effort

Retros

Sprint planning:

- backlog items must be clear and simple -teemu
- backlog items have been unclear, but the user guide probably helps
- it would have been better if the PO had created the stories from scratch -matias, tuomo
- the PO should give input when developing the user guide
- we should make sure we reserve enough time for the actual story selection on Monday -matias

Jenio

LIIOIL

Retros

Daily scrums:

- we have mostly been doing teamwork, so there has been little new info in the scrums -Matias -Joona -Teemu
- they have been overly long and they have extended due to inexperience.
- people are late.



Retros: Sprint 0

Teamwork sessions:

- sessions are too long and sometimes people get hungry.
- generally someone has to leave early or comes late

Progress report

Neronet

Introduction

Results

.....

Quality

Effort



Effort

Retros

Tools:

- flowdock is good x6
- for remote work we have been using google hangout and skype. Skype has proven to be the most stable.
- for faster communication we are using whatsapp.
- agilefant has a steep learning curve. -liro
- people tend to forget to log their time at agilefant.
- hope to use more github during sprints
- floobits ain't very good. Doesn't seem to work in its intended purpose.
- ► Top 3 tools: 1) GitHub 2) Flowdock 3) Agilefant
- ▶ Worst 3 tools: 1) Floobits 2) Six tactics 3) Agilefant

Retros: Sprint 0

How teamwork could be improved:

- People should be more on time.
- hard to think on improvements on sprint 0

Progress report

Neronet

Introduction

Result

Quality

Trort

