Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project level

Definition of Done

Neronet

Project 2
Toolbox for managing the training
neural networks (Pyry Takala)

CSE-C2610 Software Project
Aalto University

October 30, 2015

Outline

Definition of Done

Neronet

Introduction
Quality attributes
DoD at BI level
DoD at sprint level
DoD at project
level

Overview

We have defined *Done* in three levels:

1. At the backlog item level
2. At the sprint level
3. At the project level

To ensure high quality we have specified important quality
attributes to make sure non-functional requirements are
respected.

Quality attributes

High priority quality attributes:

- ▶ Usability (easy for newbies)
- ▶ Security (user data)
- ▶ Performance

Aalto University
School of Science
and Technology

DoD at BI level

A backlog item is *Done* if

- unit test coverage $> 90\%$
- functional system test coverage $> 80\%$
- code confroms to guidelines
- code is commented and documented
- independent peer review has been completed

A"
Aalto University
School of Science
and Technology

DoD at sprint level

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project
level

A sprint is *Done* if

- ▶ All BIs in the sprint backlog are *Done*
- ▶ Increment is tested and reviewed
- ▶ Sprint goal is achieved

DoD at project level

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project level

A project is *Done* if

▶ All sprints are *Done*
▶ The project is documented, tested and reviewed
▶ The project results reflects the Product Vision
▶ The PO is satisfied

Aalto University
School of Science
and Technology