# Definition of Done

### Neronet

Toolbox for managing the training neural networks

CSE-C2610 Software Project Aalto University

November 3, 2015

#### Definition of Done

#### Neronet

Introdu


uality attributes

DoD at BI level

DoD at sprint lev

vel





# Definition of Done

Neronet

Quality attributes

D at BI level

D at sprint level

D at pro

## Overview

We have defined Done in three levels:

- 1. At the backlog item (BI) level
- 2. At the sprint level
- 3. At the project level

In addition, important quality attributes are specified to ensure fulfillment of nonfunctional requirements.

#### Definition of Done

#### Neronet

### Introduction

Quality attributes

oD at BI level

oD at sprint le

evel



# Quality attributes

## High priority quality attributes:

- Usability (easy to learn by newbies)
- Security (user data remains private)
- Performance (low overhead)

### Definition of Done

Neronet

Introduc

Quality attributes

DoD at BI level

oD at sprint leve

evel



# DoD at BI level

## A backlog item is Done if

- ▶ unit test coverage > 90%
- ▶ functional system test coverage > 80%
- code confroms to guidelines
- code is commented and documented
- ▶ independent peer review has been completed

### Definition of Done

Neronet

Introduc

Quality attributes

DoD at BI level

oD at sprint level

oD at project evel



# DoD at sprint level

## A sprint is Done if

- ► All Bls in the sprint backlog are *Done*
- Increment is tested and reviewed
- Sprint goal is achieved

### Definition of Done

Neronet

Introduction

Quality attributes

op at Bi level

DoD at sprint level

oD at projec vel



# DoD at project level

## A project is Done if

- All sprints are Done
- ► The project is documented, tested and reviewed
- The project results reflect the Product Vision
- ► The PO, coach and course staff are satisfied

#### Definition of Done

#### Neronet

Introdu

Quality attribute

DoD at BI level

DoD at sprin

DoD at project level

