Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project
level

Definition of Done

Neronet

*Toolbox for managing the training
neural networks*

CSE-C2610
Software Project

Aalto University

November 14, 2015

Outline

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project level

Overview

We have defined *Done* in three levels:

1. At the backlog item (BI) level
2. At the sprint level
3. At the project level

In addition, important quality attributes are specified to ensure fulfillment of nonfunctional requirements.

Aalto University
School of Science
and Technology

Quality attributes

High priority quality attributes:

- Usability (easy to learn by newbies)
- Reliability (no crashes or lost data)
- Extendability (can be customized)
- Performance (low overhead)

Aalto University
School of Science
and Technology

DoD at BI level

A backlog item is *Done* if

- unit test coverage $> 90\%$
- functional system test coverage $> 80\%$
- code confroms to guidelines
- code is commented and documented
- independent peer review has been completed

A''
Aalto University
School of Science
and Technology

DoD at sprint level

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project
level

A sprint is *Done* if

- ► All BIs in the sprint backlog are *Done*
- ► Increment is tested and reviewed
- ► Sprint goal is achieved

Aalto University
School of Science
and Technology

DoD at project level

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

DoD at sprint level

DoD at project level

A project is *Done* if

▶ All sprints are *Done*

▶ The project is documented, tested and reviewed

▶ The project results reflect the Product Vision

▶ The PO, coach and course staff are satisfied

Aalto University
School of Science
and Technology