Project report

Neronet

Toolbox for managing the training neural networks

CSE-C2610 Software Project

Aalto University

April 12, 2016

Project report

Neronet

Peop

Projec

Result

Demo

Quality

ETTOTE

Retro:





(uality

TIOIL

etros

I have supervised several bachelors' theses and other student projects.

You surprised me with your commitment and effort.

Pyry Takala, PO







At the start of the course, we were all both

- terrified, and
- inspired

by our project topic!

Project report

Neronet

People

Proje

Result

Demo

uality

ffort



Product owner



- Machine learning researcher at Aalto
- ▶ Past: Amazon, McKinsey & Company, Goldman Sachs, August...
- ► A great PO!

Project report

Neronet

People

Projec

Courts

Demo

Quality

Effort

Retros

Asito University School of Science

- Continuous Delivery researcher at Aalto
- Past: Prosys PMS Ltd, WiRCA-miehet, Aalto...
- ► A great coach!

Project report

Neronet

People

Projec

Result

Demo

Quality

Effort





Pyry's problem

Challenges in training neural networks

- Takes forever!
- Might anything be wrong?
- ▶ If yes, what?
- Is it developing better than its precedants?
- Why does it take forever?

Project report

Neronet

People

Project

esults

Demo

Quality



Vision

Project report

Neronet

Peop

Project

Results


Quality


LIIOIL

Retros

A tool that would

- facilitate experiment management
- provide information on ongoing experiments
- be able to autoterminate experiments
- archive all results
- possibly even facilitate analysis





Technical challenges & ASRs

Project report

Neronet

Peopl

Project

esults


0 11.

20+200

- deeply technical and an advanced domain
- remote computing nodes and cluster management
- good usability? according to whom?
- framework agnostic?



Solution



Project report

Neronet

Peopl


Project


sults

uality

ffort








Quality

Retro

In essence the product is a Python-based tool that enables computational researchers to conduct their research more effectively.

- It utilizes SSH and TCP sockets to distribute the computational workload into computer clusters. It supports the Slurm job and resource manager but can function without it as well.
- It is framework agnostic in that it permits the use of a very wide variety of tools to actually conduct the computing.



Neronet

People

Projec

Results

Jemo

Quality

Retros

Goal: Team building and preparing for sprint 1 Done

Product Backlog Items: None

Sprint 0 took a lot of effort from us since the project topic was very challenging to dive into. Also none of us had done this course before. Interviews with Jelena & Simo helped us to understand the project.

We were proud of our efforts in the sprint.

LIIOI

Retros

Goal: Develop a prototype that offers the most basic functionality via a CLI
Product Backlog Items:

- ▶ US1: As a user, I want a basic user guide that would cover the installation of Neronet and its use via CLI.

 Done
- ► US2: As a user, I want to specify clusters by address and type to specify my computing resources. Done
- ► US3: As a user, I want to specify experiments by name, files and parameters. Done
- ► US4: As a user, I want to submit experiments to unmanaged nodes. Done
- ▶ US5: As a user, I want an experiment status report so that I can review experiment status details. Done

Just a prototype, not ready for release to users.

Results

Goal: Develop a stable version for end user testing Product Backlog Items:

- US6: as a user, I want to set preferences (name, email, default cluster) Done
- ► US7: As a user, I want my experiment config attributes to support generation of value combinations Done
- ► US8: As a user, I want my experiment specifications to be able to inherit properties Done
- ▶ US9: As a user, I want to see a basic status report in the gui Done
- ► US10: Aas a user, I want the program to enable easy setup. Done

Stable but very limited functionality.

Results



Sprint 3

Goal: Finish asynchronous system functionality and create a GUI mockup

Product Backlog Items:

- ▶ US11: As a user, I want to save important information about my clusters Done
- ▶ US12: As a user, I want to group my clusters Done
- ▶ US13: As a user, I want to delete obsolete versions of my experiments Done
- ► US14: As a user, I want configurable criteria for experiment warnings and autotermination Done
- ▶ US15:: As a user, I want a status report so that I can get an overview Done

Rewriting, refactoring and development under the hood.

Results Sprint 4

> Goal: Publish Neronet as an open source project Product Backlog Items:

- ▶ US16: As a user, I want to have example use cases that I can study Done
- ▶ US17: As a user, I want to use basic functionalities via gui Done
- ► US18: As a user, I want to be able to easily visualize variable changes over time. Done
- ▶ US19: As a maintainer, I want a clear maintenance guide Done
- ▶ US20:: As a user, I want to have a helpful web community to help me out Done

Improving user experience; set up a continuous integration system

► US22: As a user I want to see cluster resource info easily Done

► US23: As a user I want a cluster status report on individual clusters as well as an overview on all clusters Done

► US24: As a user, I want to cancel a submitted experiment Done

► US25: As a user I want to use the tool collaboratively Undone

► US26: As a user I want clear feedback and messages and error handling Done

► US27: As a user I want to filter by parameters in the GUI table Done

► US28: As a user I want to have a big table with all experiments Done

Project report

Neronet

People

Project

Results

Jeilio

Quality


User testing

We reached out to Triton admin and he gave us great feedback.

- Synchronizing files between clusters and client computers:
 - Our system so far has used rsync and it has exceeding amounts of I/O operations when used with large experiments.
 - We should use scp as to reduce disk operations.
 - ► Home directory cannot be used in some clusters, we need to have an option to choose working directory.
- In general he liked our usability.

Our PO gave us some input regarding usability after his initial testing.

- ► Test connection when specifying clusters to assure the ssh address is valid. FIXED
- Error and success messages should be more specific.
- Some bugs were also found and fixed.



Demo

(Live demonstration of the current release.)

- 1. Installation
- 2. Cluster & experiment configuration
- 3. Status review
- 4. Experiment submission
- 5. Viewing updates
- 6. Viewing plots
- 7. GUI

Project report

Neronet

Peopl

Project


esults

Demo

Quality

TIOIL





Definition of done:

Quality

- ▶ We defined Done in three levels: Bl, sprint and project
- ▶ BI level: Unit tests are written where applicable, Code confroms to guidelines (PEP8), Code is commented and documented, Independent peer review has been completed
- Sprint level: All Bls in the sprint backlog are Done, Reasonable automated tests written, Comprehensive system tests are conducted, reported and reviewed, Sprint goal is achieved
- Updates to DoD:
 - All updates to DoD at the end of each sprint are written in the retrospectives section
- We have mainly followed our DoD as planned, but in sprint 3 we didn't yet have automated tests so we replaced that with manual user testing. Documentation of system testing could also be better.

Used QA practices and tools:

- Commenting & documentation forces to rethink from another perspective, facilitates peer review
- Python standard unittest framework white-box test automation
- ► Travis CI runs unit tests automatically after every push
- ► Functional testing manual black-box testing based on specs
- Peer review quality assurance


LIIOIL

Relevant quality attributes:

- ▶ Usability We have put a lot of effort in creating a helpful user manual, start guide and example use cases to help newbies better understand our product. Some error and success messages could be more helpful though, but we will make them better right at the start of the next sprint.
- Reliability Our software's reliability should be good at this point. Tests haven't shown many unexpected crashes.

Relevant quality attributes:

- Extendability We have paid attention to making our software easily extendable from the start, and in the last sprint we put effort in creating a maintenance guide so it's easier to extend our software even without having been in the development team.
- ▶ Performance We found out at the end of this sprint that our software using rsync might cause too much I/O operations in some cases. We will replace that with scp and after that our software's performance should be pretty good.



S	Samuel	Teemu	Tuomo	Joona	liro	Matias	
0	140/50	36/35	45/35	40/35	36/35	43/35	Demo
1	52/30	37/33	42/33	46/33	32/33	37/33	Quality
2	42/30	27/33	41/33	25/33	27/33	30/33	Effort
3	24/15	28/33	14/33	23/33	20/33	27/33	
4	33/15	33/33	22/33	26/33	23/33	31/33	
5	0/15	0/33	0/33	0/33	0/33	0/33	
6	0/20	0/25	0/25	0/25	0/25	0/25	
	291/175	161/225	164/225	160/225	138/225	168/225	_

Our team had comparatively little experience


Effort

sprint:

▶ The project's problem domain was challenging to understand

Spent and budgeted effort in hours by team member and

- Studying existing products and technologies took a lot of time
- At the beginning scrum master served also as team looder and lood developer



Effort

Retros

Sprint planning:

- ► BI clarity and simplicity (user guide helps)
- ▶ It might have been better if the PO had created the stories from scratch -Matias, Tuomo
- We should actively seek more input from PO when developing the user guide
- we should make sure we reserve enough time for the actual story selection on Monday -Matias

Retros

Daily scrums:

- We have mostly been doing teamwork, so there has been little new info in the scrums -Matias -Joona -Teemu
- They have been overly long and they have extended due to inexperience.
- People are late.

Neronet

т сор

Projec

1054115

Quality

LITOIL

Retros

Teamwork sessions:

- Sessions are too long and sometimes people get hungry
- ► Generally someone has to leave early or comes late

1000110

Quality

EHOLL

Retros

Tools:

- Flowdock is good x6
- Agilefant has a steep learning curve. -liro
- People tend to forget to log their time at agilefant
- Github hasn't been used much. Hope to use it more during future sprints
- Floobits is very buggy.
- ▶ Top 3 tools: 1) GitHub 2) Flowdock 3) Agilefant
- ▶ Worst 3 tools: 1) Floobits 2) Six tactics 3) Agilefant

Retros

How teamwork could be improved:

- ► People should be more on time
- Scrum Master shouldn't have to work as a team leader too.
- Hard to think of improvements since we haven't really started coding yet

Aalto University School of Science Improvements since sprint 0:

- Replaced six tactics with Team spirit recap
- ► Balanced our team's power structure by selecting a team leader for each sprint.
- Punctuality: Many have improved, liro hasn't. Samuel has also been more absent. Everybody should try to be more punctual or at least inform early about being late.
- Ambiguity in user stories got less of an issue due to the user guide



Evaluating practises:

- Team leader per sprint:
 - Matias: Great not to give Samuel all responsibility
 - ▶ liro: Might be a bit confusing for the PO and I'm not sure how I'll manage it in the next sprint
 - ► Tuomo, Teemu, Joona and Samuel like the idea
- Pair programming
 - Matias: Works fine, a lot of time used for coordination within the pair
 - liro: I feel that our pair work might have been a bit inefficient in development and testing, but it helped a lot in planning and documentation
 - ► Teemu: Difficult to share work. Otherwise works well.
 - Samuel: In sprint 2 I suggest we program in pairs but do not employ pair programming, work together as they best see fit.



Retros

Evaluating practises:

Retros: Sprint 1

Developing user guide first:

Matias: We shall see

▶ liro: I feel we have strayed from the reason we began to implement a user guide. Now it feels to be restrictive rather than descriptive.

Joona: I feel that it is very good as it reflects the requirements of the PO.

Samuel: It should be considered as a sort of prototype. It is not useful to hang ourselves to it.

Sprint planning

Matias: Difficult to break user stories into useful and small tasks

liro: Our stories were already small, they were difficult to break even smaller.

There was slight contradictions in understanding user stories

Integration work took a lot more time than expected."

Evaluating practises:

- Daily Scrums:
 - Matias: Worked fine this time, not of much use
 - ▶ liro: Need to attend more of them...
 - ► Teemu: They could have been used more in integration and inter pair coordination
- ► Teamwork sessions:
 - Matias: times fine, people are away too often, peer reviews should be distributed evenly throughout the sprint
 - ▶ liro: Sometimes too much commotion
- Peer review:
 - Done in a big hurry, we should reserve more time for it
 - ► We should study more about how it should be done



Retros

Evaluating tools:

- flowdock:
 - Matias: Hasn't used much
 - ▶ liro: doesn't like the idea of PO reading the messages
- Whatsapp:
 - ► Matias: reads often
 - liro: I don't keep my phones internet always on so it hasn't been optimal
- Agilefant:
 - Matias: No complaints
 - liro: Still feels bit rigid



Retros

Evaluating tools:

- Google calendar:
 - Matias: works fine
 - liro: Haven't used it much after we scheduled regular times
- ► Github:
 - Matias: works fine
 - liro: The usage still needs some working. There are some files that shouldn't have been pushed to the remote
- ► Floobits:
 - Matias: Hasn't used much
 - liro: Good for meetings



Improvement to teamwork:

- people are away too often -Matias
- peer reviews should be distributed evenly throughout the sprint -Matias
- ► The pace is not always the best -Matias
- Pair programming needs to be streamlined -liro
- Let's have a team review of the whole project at the beginning of next sprint.
- Let's design all interfaces at the start of the sprint.

Retros: Sprint 1

Implementation of improvements:

- Team review in the beginning of January
- More whole team reviews of matters and changes
- Samuel tries to be less of a lead developer

Project report

Neronet

Георі

Projec

O. . . . 154. .

ffort

Retros



Visiting and updating the team's DoD:

- Review and update DOD more often
- Moved system tests from BI level to sprint level
- Removed the percentage from system test coverage
- Implement automated functional tests
- Added specifics to guidelines (PEP8)

Visiting and reviewing the commitments done in the last sprint retrospective

- We managed to do some more team reviews of tricky stuff
- There was slight improvement in punctuality
- ▶ Not all planned improvements were deemed important



_11011

Retros

Identifying things the team should start doing

- Consider employing CI with Travis
- System test automation
- ▶ liro starts being early (and being a good team leader)

Identifying things the team should stop doing

Let's try not to mix too many topics everywhere all the time

Identifying things the team should continue doing

Periodic team reviews



LIIOIL

Retros

Listing actionable commitments

- (Actionable = has clear steps to completion and acceptance criteria. f.ex "Check in code at least twice per day: before lunch and before going home")
- Joona sets up and teaches CI with Travis
- Write automated system test and run them daily
- liro starts being early (and being a good team leader)
- More experiments and trials, less debating on whether to do what
- List items in sprint planning that should be worked on when time permits

Visiting and updating the team's DoD:

No updates, after the last update the result was good Visiting and reviewing the commitments done in the last sprint retrospective

- Unfortunately we were busy with other stuff so CI and automated tests weren't set up
- More experiments and trials, less debating on whether to do what. Somewhat successful
- List items in sprint planning that should be worked on when time permits. Successful

Effort

Retros

Identifying things the team should start doing

- CI and automated tests -Joona
- Following the hours spent by all the developers and properly adjusting them

Identifying things the team should continue doing

 Hold daily scrums only when some of the developers feel the need for them (At some point during this sprint we started holding daily scrums less often and found out they were often not necessary)



Retros

Listing actionable commitments

- (Actionable = has clear steps to completion and acceptance criteria. f.ex "Check in code at least twice per day: before lunch and before going home")
- ▶ Joona sets up and teaches CI with Travis
- Everybody checks their spent hours and properly adjusts their participation so that the required 225 hours will be filled



1000110

Quality

ttort

Retros

Visiting and updating the team's DoD:

► No updates, after the last update the result was good

Visiting and reviewing the commitments done in the last sprint retrospective

- Employed CI with Travis
- Continued holding daily scrums when necessary



Retros: Sprint 4

Project report

Neronet

People

rojec

Kesuits

Quality

. .

Retros

Identifying things the team should start doing

- Improving unit tests
- Report hours done to agilefant after each session
- Work more in the same room to improve communication Identifying things the team should continue doing
 - Continue improving testing and continuous integration



_11011

Retros

Listing actionable commitments

- (Actionable = has clear steps to completion and acceptance criteria. f.ex "Check in code at least twice per day: before lunch and before going home")
- Everybody starts marking the hours spent after each session
- Joona continues writing tests to be used with travis CI

