Definition of Done

Neronet

Toolbox for managing the training neural networks

CSE-C2610 Software Project Aalto University

December 6, 2015

Definition of Done

Neronet

Introdu


uality attributes

DoD at BI level

DoD at sprint leve

evel





Definition of Done

Neronet

Quality attributes

D at BI level

D at sprint level

D at pro

Overview

We have defined Done in three levels:

- 1. At the backlog item (BI) level
- 2. At the sprint level
- 3. At the project level

In addition, important quality attributes are specified to ensure fulfillment of nonfunctional requirements.

Definition of Done

Neronet

Introduction

Quality attributes

oD at BI level

oD at sprint le

evel



Quality attributes

High priority quality attributes:

- Usability (easy to learn by newbies)
- Reliability (no crashes or lost data)
- Extendability (can be customized)
- Performance (low overhead)

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

oD at sprint le

DoD at proje



DoD at BI level

A backlog item is Done if

- unit tests are written where applicable
- ▶ functional system test coverage > 80%
- code confroms to guidelines
- code is commented and documented
- ▶ independent peer review has been completed

Definition of Done

Neronet

Introduction

Quality attributes

DoD at BI level

OoD at sprint level

oD at projec vel



DoD at sprint level

A sprint is Done if

- ► All Bls in the sprint backlog are *Done*
- Increment is tested and reviewed
- Sprint goal is achieved

Definition of Done

Neronet

Introduction

Quality attributes

op at Bi level

DoD at sprint level

oD at projec vel



DoD at project level

A project is Done if

- All sprints are Done
- ► The project is documented, tested and reviewed
- The project results reflect the Product Vision
- ► The PO, coach and course staff are satisfied

Definition of Done

Neronet

Introdu

Quality attribute

DoD at BI level

DoD at sprin

DoD at project level

