Paired final-loss winrates · row vs column · ties = ½ win

Wine (n=25)

Row method \ Column method	Greedy → swap	Backward → swap	IP → greedy → swap	IP → backward → swap
Greedy → swap	50.0%	22.0%	38.0%	22.0%
Backward → swap	78.0%	50.0%	68.0%	54.0%
IP → greedy → swap	62.0%	32.0%	50.0%	32.0%
IP → backward → swap	78.0%	46.0%	68.0%	50.0%

Iris (n=25)

Row method \ Column method	Greedy → swap	Backward → swap	IP → greedy → swap	IP → backward → swap
Greedy → swap	50.0%	36.0%	44.0%	44.0%
Backward → swap	64.0%	50.0%	66.0%	64.0%
IP → greedy → swap	56.0%	34.0%	50.0%	46.0%
IP → backward → swap	56.0%	36.0%	54.0%	50.0%

Ethanol (n=25)

Row method \ Column method	Greedy → swap	Backward → swap	IP → greedy → swap	IP → backward → swap
Greedy → swap	50.0%	44.0%	58.0%	58.0%
Backward → swap	56.0%	50.0%	66.0%	66.0%
IP → greedy → swap	42.0%	34.0%	50.0%	50.0%
IP → backward → swap	42.0%	34.0%	50.0%	50.0%

Synthetic identity (all dimensions) (n=300)

Row method \ Column method	Greedy → swap	Backward → swap	IP → greedy → swap	IP → backward → swap
Greedy → swap	50.0%	36.8%	32.7%	32.7%
Backward → swap	63.2%	50.0%	45.3%	45.3%
IP → greedy → swap	67.3%	54.7%	50.0%	50.0%
IP → backward → swap	67.3%	54.7%	50.0%	50.0%

Row winrate (ties = ½ win)

100%
80%
60%
40%
20%
0%