

# PrivBench – Admin Manual

Han My Do, Simeon Ivanov, Souraya Kharfi, Tobias Unterhauser


12<sup>th</sup> February 2025

Chair of Software Engineering for Business Information Systems (sebis)  
Department of Computer Science  
School of Computation, Information and Technology (CIT)  
Technical University of Munich (TUM)  
[www.matthes.in.tum.de](http://www.matthes.in.tum.de)

1. Login as Admin
2. Benchmarking Modules Overview
3. Update Benchmarking Module
4. Delete Benchmarking Module
5. Add Benchmarking Module

# 1: Login as Admin

Click on Login



The image shows the PrivBench login interface. At the top, there is a navigation bar with the 'PrivBench' logo, links for 'Rankings', 'Submission', and 'How does it work?', a dark mode toggle, and a 'Login' button. The main content area features a 'Login to PrivBench' form with two input fields: 'Username \*' and 'Password \*'. Below these fields are buttons for 'Login' and 'Create new account', separated by an 'or' text. Red callout boxes provide instructions: 'Enter username: admin' points to the username field, 'Enter password: test123' points to the password field, and 'Click on Login' points to the top-right 'Login' button.

PrivBench

Rankings Submission How does it work?

Dark mode toggle Login

Login to PrivBench

Username \*

Password \*

Login

or

Create new account

Enter username: **admin**

Enter password: **test123**

# 2: Benchmarking Modules Overview



Click here to see overview of all Modules

Click here to see overview of all Datasets

Click here to add a new Benchmarking Module

Click on a Module to see it's details

Navigate to Admin Panel

PrivBench

RankingsAdmin PanelHow does it work?

admin

ADMIN PANEL

ModulesDatasets

Search for Benchmarking Modules

Add Module +

NER Evaluation

Active since: 4.2.2025

Associated Datasets:

NERpriv

Text Coherence

Active since: 4.2.2025

Associated Datasets:

Coherence

Nearest Neighbor Search

Active since: 4.2.2025

Associated Datasets:

NearestNeighbor

Text Similarity

Active since: 4.2.2025

Associated Datasets:

Similarity

Masked Token Inference

Active since: 4.2.2025

Associated Datasets:

MaskedTokenInference

# Step 3: Update Benchmarking Module



PrivBench

Rankings Admin Panel How does it work?

ADMIN PANEL

Modules

Datasets

Search for Benchmarking Modules

Add Module +

|                                                          |                                              |
|----------------------------------------------------------|----------------------------------------------|
| <b>NER Evaluation</b><br>Active since: 4.2.2025          | Associated Datasets:<br>NERpriv              |
| <b>Text Coherence</b><br>Active since: 4.2.2025          | Associated Datasets:<br>Coherence            |
| <b>Nearest Neighbor Search</b><br>Active since: 4.2.2025 | Associated Datasets:<br>NearestNeighbor      |
| <b>Text Similarity</b><br>Active since: 4.2.2025         | Associated Datasets:<br>Similarity           |
| <b>Masked Token Inference</b><br>Active since: 4.2.2025  | Associated Datasets:<br>MaskedTokenInference |

NERpriv

Details Files

Name \*

NERpriv

Description

On the surfacesdf, text privatization should pay particular attention to named entities, or words or groups of words that point to some real-world object, person, organization, etc. Ensuring that such entities are not leaked into the privatized text, while

Active Since

04 Feb 2025

Version

1.0.0

Path

/modules/NERpriv.py

Save Updates

Delete Module

Selected Module shown on the right

Apply changes to Name or Description

Click here to save changes

# Step 3A: Delete a Benchmarking Module



ADMIN PANEL

Modules

Datasets

Search for Benchmarking Modules

Add Module +

|                                                          |                                              |
|----------------------------------------------------------|----------------------------------------------|
| <b>NER Evaluation</b><br>Active since: 4.2.2025          | Associated Datasets:<br>NERpriv              |
| <b>Text Coherence</b><br>Active since: 4.2.2025          | Associated Datasets:<br>Coherence            |
| <b>Nearest Neighbor Search</b><br>Active since: 4.2.2025 | Associated Datasets:<br>NearestNeighbor      |
| <b>Text Similarity</b><br>Active since: 4.2.2025         | Associated Datasets:<br>Similarity           |
| <b>Masked Token Inference</b><br>Active since: 4.2.2025  | Associated Datasets:<br>MaskedTokenInference |

NERpriv

DetailsFiles

Name \*

NERpriv

Description

On the surface, text privatization should pay particular attention to named entities, or words or groups of words that point to some real-world object, person, organization, etc. Ensuring that such entities are not leaked into the privatized text, while

Active Since

04 Feb 2025

Version

1.0.0

Path


/modules/NERpriv.py

Save Updates


Delete Module

Click here open the confirmation dialog to delete the module

## Step 3A: Delete a Benchmarking Module



## Step 4A: Add Benchmarking Module



The screenshot shows a dark-themed dialog box titled "Add New Benchmarking Module" with a close button (X) in the top right corner. The dialog is divided into two main sections: "Step 1: General Module Information" and "Step 2: Dataset Configuration".


**Step 1: General Module Information**

- Name \***: A text input field with a red box around it. A red callout points to it with the text: "The name must correspond to the Class Name in the python file".
- Description \***: A larger text input field.
- Upload Algorithm \***: A button with a cloud icon and the text "Upload a python file". A red callout points to it with the text: "Upload the python file of the Benchmarking Algorithm and a separate txt file including the package requirements".
- Requirements File**: A button with a cloud icon and the text "Upload requirements.txt".
- Save Module**: A button with a save icon at the bottom of Step 1.


**Step 2: Dataset Configuration**

- Selected Dataset**: A section with the text "No Dataset selected yet".
- Add Datasets +**: A button with a plus icon. A red callout points to it with the text: "Click here to associate a Dataset to the Module (required)".

## Step 4B: Add Benchmarking Module



## Step 4C: Add Benchmarking Module





Prof. Dr.

**Florian Matthes**

Technical University of Munich (TUM)  
TUM School of CIT  
Department of Computer Science (CS)  
Chair of Software Engineering for Business  
Information Systems (sebis)

Boltzmannstraße 3  
85748 Garching bei München

+49.89.289.17132  
matthes@in.tum.de  
[www.matthes.in.tum.de](http://www.matthes.in.tum.de)

