

**Pretrial Services Agency *for the* District of Columbia
(PSA)**

CMS Modernization Project



PRISM Functional Requirements

Version 1.0

Table of Contents

Introduction	5
Purpose.....	5
Scope	5
Definitions	5
1. Drug Testing Specimen Collection (DTSC).....	6
1.1. Find client and client profile	6
1.2. Lockup list and streamlined drug testing	9
1.3. Drug testing and sample collection	14
1.4. Random drug testing placement and schedules.....	17
1.5. Client photos functionality	20
1.6. Specimen boxing functionality.....	21
1.7. Appointment slips	21
1.8. Drug testing interfaces	23
1.9. Accessing the system.....	24
2. Client information (CI) and Criminal History (CH) information	25
2.1. Name, identifiers, birth/death, and Social Security information.....	25
2.2. Characteristics and language.....	25
2.3. Addresses, communications, and community ties	26
2.4. Education, employment, military service, and financial information	29
2.5. Health and substance use.....	31
2.6. Citizenship, travel and associates	32
2.7. Document Library	33
2.8. Criminal History and warrants	34
2.9. Sealing and Unsealing information.....	35
2.10. Release Services	36
2.11. Criminal History report.....	38
2.12. Criminal History interfaces	38
3. Risk-Based Supervision Services (RBS)	40
3.1. Release orders, team assignment and activities.....	40
3.2. Case Review.....	41
3.3. Dashboard alerts and responses to defendant conduct	43

3.4.	Check-In, appointments, and event chronology	44
3.5.	Electronic notifications and messages (to defendants).....	45
3.6.	Supervision log	46
3.7.	My Case Load, watch list and match list	51
3.8.	Case assignment, reassignments, and alternates	52
3.9.	Report writing, approval, and delegation	53
3.10.	Case Audit functionality.....	54
3.11.	Client reports.....	55
3.12.	EM (Electronic Monitoring) Reports	56
3.13.	Form Letters.....	56
3.14.	Summary Reports	57
3.15.	Court Letter Tracking	57
3.16.	Supervision Interfaces	57
4.	Treatment (TRT)	59
4.1.	Treatment registration.....	59
4.2.	Treatment client sessions.....	60
4.3.	Treatment multiple client registration	61
4.4.	Treatment group maintenance	61
4.5.	Treatment notes	62
4.6.	Group search	62
4.7.	Treatment maintenance	63
4.8.	Treatment Placements.....	64
4.9.	Treatment reports- PSA STARS Reports	67
4.10.	Behavioral Health Services Entry Report	68
5.	Diagnostic and Release Information (DRI).....	71
5.1.	Diagnostic processing screen	71
5.2.	Diagnostic interview.....	80
5.3.	Reports - PSR (Pretrial Services Report) List.....	81
5.4.	Release orders, team assignment and activities,.....	82
5.5.	Arrests, case filing, and BACE	82
5.6.	Diagnostic reports	83
5.7.	FTA (failure to appear) log	84
5.8.	Charge flagging and classification.....	84

5.9.	Criminal history	85
5.10.	Case folder management and tracking.....	86
5.11.	Diagnostic Interfaces	87
6.	Framework Functional Requirements	89
6.1.	Records Management	89
6.2.	System Security	100
6.3.	System Administration.....	100
6.4.	System Architecture	101
6.5.	Other	102

Introduction

Purpose

This document describes the PRISM functional business requirements.

Scope

The CMS is comprised of PRISM, PRISMJ, and DTMS. This document only describes PRISM and PRISMJ functional requirements.

Definitions

Application Modernization: is the process of taking existing legacy applications and modernizing their platform infrastructure, internal architecture, and/or features.

Client Management System (CMS): the collective name given to DESS's web-based applications named PRISM, PRISMJ, and DTMS.

PRISM Juvenile (PRISMJ): to support the District of Columbia Family Court drug testing specimen collection process, PSA created a separate instance of PRISM dubbed PRISMJ. This instance is supported by the same codebase and only needs basic defendant information necessary to collect and process drug testing samples.

1. Drug Testing Specimen Collection (DTSC)

1.1. Find client and client profile

The purpose of the Find Client screen is to allow the user to locate a particular defendant within PRISM. The Find Client screen is the default screen presented to the user upon successfully logging into the application. If more than one defendant matches the entered criteria the user is presented with the Search Results paginated list with potential matches. Once a user selects someone from the list the Client Profile screen is presented displaying snapshots of the defendant's demographic data.

The purpose of the Client Profile screen is to allow the user to view basic demographic, warrant, and case information about the selected defendant. It shows information such as name, identifiers, birth date, active warrants, risk scores, court cases, etc. If a photograph of the client is on file, it is displayed in the right-hand side of the Client Profile screen along with the verification information relating to the photograph.

Menu Option	Req-ID	Requirement						
		There are six methods by which to find a defendant in PRISM. 1. By Name (last, first, and middle) 2. By Identifier (different types) 3. By Docket Number 4. By Case Number (BACE) 5. By Street Address 6. By Date of Birth						
Find Client	11005	In addition to those 6, the system shall allow for searching using Lock-up type, Lock-up date, Arrest date, Charge code, and other criteria to be determined at the time of implementation. <table><tr><td>Acceptance criteria</td><td>The system incorporates the additional search criteria in the Find Client screen.</td></tr><tr><td>Performance metrics</td><td>Results shall return within 10 seconds.</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The system incorporates the additional search criteria in the Find Client screen.	Performance metrics	Results shall return within 10 seconds.	Detail/specifics	n/a
Acceptance criteria	The system incorporates the additional search criteria in the Find Client screen.							
Performance metrics	Results shall return within 10 seconds.							
Detail/specifics	n/a							
Find Client	11010	The following information is displayed on the Search Results screen: client photo, name (last, first, and maiden), aliases, PDID, BAID, DOB, sex, race, height, and weight. In addition to the existent information, the Search Results list shall include the assigned Case Manager and the Case Manager’s Team name if the defendant is under active supervision.						

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The results screen shows the additional information for the defendants under active supervision.
		Performance metrics	Return the first 50 records within 5 seconds
		Detail/specifics	Active supervision: a defendant is under a court-imposed release condition requiring recurring contact with an A/PSO, either in person or by phone, for supervision meetings.
Find Client	11015	The Docket Number prompt shall allow a user to search a docket number with or without the dashes. I.e., 2019-CPO-000999 or 2019CPO000999.	
		Acceptance criteria	The user successfully finds a defendant record using a docket number with dashes and one not using dashes.
		Performance metrics	Record returns within 5 seconds.
		Detail/specifics	n/a
Find Client	11020	The system shall be able to perform a SEARCH based on scanning the 2D PDF417 barcode on the back of a REAL-ID compliant state identification card. It needs to read the information in the barcode and search PRISM using any of the following criteria combination as per REAL ID specifications: - First name and last name - Middle name and last name - Date of Birth or/and last name - Street address, city, state, and ZIP code - ID or License Number If the search is successful, the system shall verify and if needed supplement (ADD) missing information to the defendant's record in the appropriate PRISM section (i.e. address, name/alias, DOB, identifiers, etc.) The additional information that can be obtained from the 2D PDF417 barcode is: First Name, Last Name, Middle Name, Date of Birth, Street Address, City, State, Zip Code, Height, Weight, Hair Color, Eye Color, Issue Date, Expiration Date, Over 21 Date (if under 21), ID/License Number, License Class, Restrictions, Corrective Lens, Sex, Is REAL ID, and County..	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	A) User can successfully find a defendant using a REAL ID compliant identification card. B) User can add scanned REAL ID compliant identification information to an existing record.
		Performance metrics	Within 3 seconds
		Detail/specifics	n/a
Search Results	11035	When the search returns multiple defendants, the system shall provide a detail view for each client's record. In addition, hovering over the results will display additional information such as current address, pending cases, assigned PSO with team name, active warrants, etc.	
		Acceptance criteria	Hovering over the results the system displays the additional information requested.
		Performance metrics	1 second response
		Detail/specifics	n/a
Search Results	11040	Add Client: when adding a new Client search for duplicate entries and show the alternatives.	
		Acceptance criteria	When trying to save a new client the system checks for possible duplicates, alerts the user, and allows for information consolidation or overwrite.
		Performance metrics	3 seconds
		Detail/specifics	n/a
Find Client	11045	Add a Caseload category to the A/PSO PRISM Dashboard screen. The category shall display the same information contained in the My Case Load screen grouped by Queues.	
		Acceptance criteria	The new category is visible and accessible through the PRISM Dashboard after the user logs in.
		Performance metrics	4 seconds
		Detail/specifics	n/a

1.2. Lockup list and streamlined drug testing

There are two basic Drug Testing Specimen Collection modalities. In other words, there are two ways of collecting samples. One, is going where the defendant or offender (client) is located called a **mobile collection**. The other, is when the defendant or offender (client) goes to a Pretrial Services Agency (PSA) or the Court Services and Offender Supervision Agency (CSOSA) facility to provide a sample called **fixed-site collection**.

In a mobile collection PSA collects urine or saliva specimens from adult (female and male) defendants in the DCSC and USDC cellblocks and from (male and female) respondents in the at-risk detention cellblock. Mobile collections are made throughout the day until the cut-off time. The Lockup List (Drug) module contains a record of all the clients found on a given day's lockup list and it is used by the Drug Collection Teams to generate drug testing labels used during the mobile collection process.

In a fixed-site collection the defendant or offender (client) goes to any of the PSA or CSOSA drug collection sites and provides a urine or saliva specimen there. The Streamlined Drug Testing (SDT) module simplified the workflow to collect samples for the Drug Testing process. SDT incorporated data validation and automated business rules to reduce the potential for errors. It also incorporated functionality to search for medication usage and add or edit defendant/offender over the counter and prescription medications.

Menu Option	Req-ID	Requirement	
Lockup List (Drug Testing)	12005	The mobile specimen collection hardware shall be updated to use the latest barcode scanners, label printers, and mobile devices to track specimens from collection to disposal (chain of custody).	
		Acceptance criteria	The user will generate a detention list. The system will auto populate A PDF list of all the defendants in lock-up. (Information will include arrest number, true name, arrest name, sex, race, DOB, PDID, Age and lock-up number.
		Performance metrics	Record returns within 5 seconds.
		Detail/specifics	n/a
Lockup List (Drug Testing)	12006	The mobile specimen collection shall work online and offline. In other words, when there is access to the PSA network the modules retrieve and update data real-time. However, when there is no	

Menu Option	Req-ID	Requirement	
		access to the network the information is cached before and after the collection and then updated in the main database when the connectivity is reestablished.	
		Acceptance criteria	The user will generate a detention list. The system will auto populate A PDF list of all the defendants in lock-up. (Information will include arrest number, charges, true name, arrest name, sex, race, DOB, PDID, Age and lock-up number.
		Performance metrics	Record returns within 20 seconds of returning to the office.
		Detail/specifics	n/a
SDTM (Streamlined Drug Testing Module)	120003	The fixed-site specimen collection hardware shall be updated to use the latest barcode scanners, label printers, and mobile devices to track specimens from collection to disposal (chain of custody).	
		Acceptance criteria	The results screen shows the defendants scheduled to test on current date.
		Performance metrics	3 Seconds
		Detail/specifics	n/a
Lockup List (Drug Testing)	12008	System shall give the option to run a report displaying the Arrest number, True Name, Arrest Name, Sex, Race, Heritage, Date of Birth, PDID number, and Lockup date, and Lockup number.	
		Acceptance criteria	The system allows is the user to successfully run a report (Information will include arrest number, charges, true name, arrest name, sex, race, DOB, PDID and lock-up number)
		Performance metrics	3 Seconds
		Detail/specifics	n/a
Lockup List (Drug Testing)	12010	System shall give the option to create barcode labels for each defendant in the lockup list. In other words, allow for one, all, multiple, or none labels to be generated and printed.	
		Acceptance criteria	The system allows the user to successfully print one label at a time and/or a batch of labels.

Menu Option	Req-ID	Requirement	
Lockup List (Drug Testing)	12015	Performance metrics	3-30 seconds based on how many people are in lock-up
		Detail/specifics	n/a
		System shall have the ability to receive information from document scanners. The document scanning takes place during the drug testing check-in process, and it must be integrated with PRISM, so defendants can continue to drug testing collection expeditiously. Some of the documents that must be scanned into PRISM are release orders, drug testing orders, probations officer referrals, medication paperwork, etc.	
		Acceptance criteria	The system will successfully receive scanned documents and load them into the defendant's record.
Lockup List (Drug Testing)	12020	Performance metrics	3 – 5 Seconds
		Detail/specifics	n/a
		Drug Testing Labels should be printed from lockup list view.	
		Acceptance criteria	The system allows is the user to successfully print labels from this screen as opposed to using another application.
Lockup List (Drug Testing)	12025	Performance metrics	3-30 seconds based on how many people are in lock-up
		Detail/specifics	n/a
		Status should always be displayed. No blanks.	
		Acceptance criteria	The system should be real-time and always display the current disposition status throughout the entire process.
Lockup List (Drug Testing)	12030	Performance metrics	3 Seconds
		Detail/specifics	n/a
		The column heading called "Status" shall be renamed "Disposition Status"	
		Acceptance criteria	The column heading on the screen reads "Disposition Status".
Lockup List (Drug Testing)	12030	Performance metrics	n/a
		Detail/specifics	n/a
		Acceptance criteria	

Menu Option	Req-ID	Requirement	
Lockup List (Drug Testing)	12035	New Status values should be added to account for disposition etc.	
		Acceptance criteria	New Status values should always display. (Scheduled, Label Print, Collection in Progress, Testing In-Progress, Unable, Unavailable, Insufficient, Administrative Error, Bad Specimen, etc.
		Performance metrics	3 Seconds
		Detail/specifics	n/a
Lockup List (Drug Testing)	12040	Auto reconcile the lockup list (with current status) each day and auto-email to a set list of recipients.	
		Acceptance criteria	The system will successfully provide a daily overview in a report from the previous date to a selected group of recipients.
		Performance metrics	24 hours
		Detail/specifics	n/a
SDTM (Streamlined Drug Testing Module)	12047	This module also supports CSOSA's Illegal Substance Collection Units (ISCU) and it needs to support and track multiple locations.	
		Acceptance criteria	The results screen shows the defendants scheduled to test on current date.
		Performance metrics	3 Seconds
		Detail/specifics	n/a
SDTM (Streamlined Drug Testing Module)	12050	System shall provide a view for all clients scheduled for drug testing per site.	
		Acceptance criteria	The system successfully provides a list of all the clients. (Photograph, Name, DOB, Sex, ID, Testing Center, Test Type, and Status.
		Performance metrics	3 Seconds
		Detail/specifics	n/a
SDTM (Streamlined Drug Testing Module)	12055	System shall provide the functionality of exporting the clients scheduled for drug testing in Excel (CSV) format.	
		Acceptance criteria	The system should successfully generate a Excel list when "Export" is selected.
		Performance metrics	5 Seconds
		Detail/specifics	n/a

Menu Option	Req-ID	Requirement	
Status should always be displayed. No blanks.			
SDTM (Streamlined Drug Testing Module)	12060	Acceptance criteria	Status should always display. (Scheduled, Collected, Testing In-Progress, Unable, , Insufficient, Administrative Error, Bogus, Declined, etc.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
The column heading called “Status” shall be renamed “Disposition Status”.			
SDTM (Streamlined Drug Testing Module)	12065	Acceptance criteria	The column heading reads “Disposition Status”.
		Performance metrics	n/a
		Detail/specifics	n/a
New Status values should be added to account for disposition etc.			
SDTM (Streamlined Drug Testing Module)	12070	Acceptance criteria	This new set of values will only display and apply to lock-up.
		Performance metrics	n/a
		Detail/specifics	1. Administrative error 2. Contaminated specimen 3. Defendant unavailable in lock-up 4. Did not report for testing 5. Duplicate - Invalid specimen number 6. Excused from testing 7. Insufficient quantity for testing 8. Sample Rejected-Bogus 9. Unable to submit 10. Collected 11. Defendant incarcerated 12. Label printed 13. Refused 14. No test results available 15. Scheduled for testing 16. Sample rejected 17. Sample spilled in transit 18. Defendant unavailable in lock-up 19. Defendant unavailable in treatment 20. Defendant unavailable due to sanctions 21. In transit 22. In storage 23. Client checked in 24. Test in progress 25. Results pending 26. Results unavailable

Menu Option	Req-ID	Requirement	
			27. Pending further testing 28. Received in lab 29. Scheduled for testing 30. Turned in to the lab 31. Unreadable sample 32. Completed 33. Do not release results
SDTM (Streamlined Drug Testing Module)	12075	Integrate Drug Testing processes into a single screen or a group of related screens that flow together.	
		Acceptance criteria	The System should display, the client's information, release order, team assignment, activities, previous and current drug testing, supervision log, check-in and label printing functions, random drug testing placements from this centralized module.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
SDTM (Streamlined Drug Testing Module)	12080	Have release conditions appear on the placement page. For each client.	
		Acceptance criteria	The system will include release order in the Centralized Drug Testing Module.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a

1.3. Drug testing and sample collection

The purpose of the Drug Testing module is to view a defendant's drug test results, update a defendant's compliance with testing and enter comments.

The purpose of the Chain of Custody module is to view the chain of custody record for a particular specimen number.

The purpose of the Custody Event Logging module is to record and store the chain of custody during the drug testing process.

[NIST](#) defines **Chain of Custody (COC)** as a process that tracks the movement of evidence through its collection, safeguarding, and analysis lifecycle by documenting

each person who handled the evidence, the date/time it was collected or transferred, and the purpose for the transfer. At PSA we also track the location where the information was collected.

At PSA OFTS is responsible for the full chain of custody (COC) on all specimens. PSA tracks specimen COC based on collection location. All event that occurs outside the Forensic Laboratories is called external chain of custody. Whereas all the events that occur inside the Forensic Laboratories are called internal chain of custody. There are four (4) main COC paths based on location:

1. Cell block collection and at-risk room behind the courtroom.
2. Local drug testing team collection.
3. Remote site collection.
4. CSOSA CSS collection.

On mobile collections DTTs use the handheld scanning devices (HT 630) to record the chain of custody events in the collection process. This includes:

- ✓ The time that each specimen is collected.
- ✓ The disposition (e.g., unable to submit, defendant not found, etc.).
- ✓ The name of the DTT who collected the sample; and
- ✓ The DTT who transported the sample from the cellblock to the lab.

The data from the device is uploaded into PRISM as specimens are turned over to the lab for processing by the DTT performing the transfer. DTTs perform the transfers typically every 30 to 45 minutes.

Menu Option	Req-ID	Requirement
Drug Testing	13005	Create a new Drug Testing placement screen that combines the information from Release Orders, Release Conditions, Team Assignment and scheduling (formerly programs and activities), and the existing Random Drug Testing Placements list. The screen will be similar to the Streamlined Drug Testing Module (SDTM) screen, but for drug testing. The screen shall provide a one-stop shop for drug testing placements and testing for defendants on a random pattern or surveillance (regularly scheduled) pattern.
		Acceptance criteria The system will refer to this module as Centralized Drug Testing Module.
		Performance metrics 3-5 Seconds
		Detail/specifics n/a

Menu Option	Req-ID	Requirement	
Custody Event Logging	13025	All workstation and devices used for collection shall track location. When a new workstation is used in a drug collection site, the site information for the workstation shall be captured in the chain of custody.	
		Acceptance criteria	The system will successfully recognize the physical location of any device to include check-in station, chain of custody computers, mobile handheld devices.
		Performance metrics	n/a
		Detail/specifics	n/a
Drug Testing	13030	Generate an automatic entry in the supervision log for results that are considered non-compliant (bogus, insufficient quantity, did not submit, did not report, etc.)	
		Acceptance criteria	The system automatically creates a supervision log entry for results that are considered non-compliant.
		Performance metrics	The supervision log entry appears within a minute of the non-compliant test result entered in the system.
		Detail/specifics	n/a
Drug Testing	13035	Send alert to A/PSO when a defendant does not provide adequate specimen for testing.	
		Acceptance criteria	The system sends an alert to the A/PSO when a defendant does not provide adequate specimen for testing.
		Performance metrics	The system sends the alert within 1 minute the invalid specimen is entered.
		Detail/specifics	n/a

Menu Option	Req-ID	Requirement	
Drug Testing	13040	When a DTT enters insufficient quantity in the chain of custody, generate an alert to notify the DTT to provide instructions to the defendant for retesting.	
		Acceptance criteria	The system generates an alert to notify the DTT to provide instructions to the defendant for retesting when a entering an insufficient quantity event in the chain of custody.
		Performance metrics	The system generates the alert within 2 seconds of the individual entering the chain of custody event.
		Detail/specifics	n/a

1.4. Random drug testing placement and schedules

The purpose of this screen is to place a defendant on a random Drug Testing schedule.

About random schedules. A defendant can be placed on a random drug testing schedule. PRISM automatically assigns a color (i.e., purple, yellow, red, and blue) or a shape (i.e., triangle, square, circle, etc.) based on the supervising team. Defendants placed into the Treatment, Drug Court and Sanction Based Treatment team use colors. Whereas all other defendants on supervision (general supervision, electronic monitoring, and traffic safety teams) use shapes.

Clients are instructed to call a hotline every evening after 7:00 PM to find out if their assigned color is scheduled to drug test the next day. If the defendants color or shape is announced, they are instructed to report the following day for drug testing.

Each day, the supervisor on duty assigns a DTT to update the hotline's recorded message to reflect the color(s) of the day. The random drug testing hotline must be recorded in English and Spanish. If at any time the DTT is unable to record the message in Spanish, the DTT will record both messages in English and re-record the message when a Spanish speaker is available.

In order to review the colors that are scheduled for the next business day, the employee selects the "PSO/CSO" tab in PRISM and then selects "Random Drug Test

Schedules”. The colors for the next day as well as the colors for the last 30 days appear.

Menu Option	Req-ID	Requirement	
Random Drug Testing Placements	14000	Ensure the Drug Testing Placement screen provides full support for random testing by having information related to contacting the defendants via mobile phones, email, or text messages.	
Random Drug Testing Placements	14005	System shall automatically produce random color and shape parings for random drug testing groups.	
		Acceptance criteria	The system will autogenerated the organization, drug test site, frequency and group with the assigned shape and color. This changes frequently to ensure randomization.
		Performance metrics	3-5 seconds
		Detail/specifics	n/a
Random Drug Testing Placements	14010	System shall show Random drug testing placements in a list.	
		Acceptance criteria	The system will successfully display one shape and one color.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Random Drug Testing Schedule	14030	System shall show algorithm results for Random Drug Testing results by date	
		Acceptance criteria	The system will successfully display the algorithm results for Random Drug Testing results by date in the Centralized Drug Testing Module.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Random Drug Testing Schedule	14040	The system shall text message defendants when their random group is picked for testing The system shall have the functionality to send defendants a text message when their assigned color or shape is called for the following day.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system sends defendants a text message when their assigned color or shape is called for the following day.
		Performance metrics	n/a
		Detail/specifics	n/a
Random Drug Testing Schedule	14045	Allow for text recipient to respond to text and input into PRISM	
		Acceptance criteria	The system will have the functionality for the defendant to acknowledge receipt of the text message with their assigned color or shape is called on any given day.
		Performance metrics	n/a
		Detail/specifics	n/a
Random Drug Testing Schedule	14050	Add auto message daily for the following days shape and color. For incoming calls	
		Acceptance criteria	The system will have the functionality to send defendants a text message when their assigned color or shape is call for the following day.
		Performance metrics	n/a
		Detail/specifics	n/a
Random Drug Testing Schedule	14055	Provide a filter for all dates on Random Drug Testing List (default to current view logic)	
		Acceptance criteria	The system will display a button for filtering options.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Random Drug Testing Schedule	14060	Provide the ability to update future colors and shape values for random drug testing.	
		Acceptance criteria	The system will grant permission and a button for Supervisors only to have the ability to manipulate colors as needed.

Menu Option	Req-ID	Requirement	
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Random Drug Testing Schedule	14065	System should support random drug testing groups as appointed.	
		Acceptance criteria	The system will display a button for filtering options.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a

1.5. Client photos functionality

The purpose of the Drug Test Photo module is to allow the user to view a drug testing photo that is associated with a specimen number.

Menu Option	Req-ID	Requirement	
Client Photos	15005	Client Photo be taken from within PRISM instead of 3rd party application.	
		Acceptance criteria	The system will have an integrated camera to the workstation monitor and give employees the ability to take photographs.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Client Photos	15020	The system should also download pictures from SMART 21.	
		Acceptance criteria	The system will interface with other databases such as SMART, JUSTIS, COBALT.
		Performance metrics	n/a
		Detail/specifics	n/a

1.6. Specimen boxing functionality

The purpose of the Specimen Boxing functionality is to allow drug testing specimens to be transported from the collection sites to the OFTS laboratory. Each box, identified by an 8-digit number and barcode, can contain up to 30 specimens in it. Only valid specimen numbers can be loaded into a box. Boxes have their own chain of custody which includes Workstation ID, Create Operator ID, Create Operation Date, and other tracking information.

These are some of the Chain of custody events that can be applied to specimens as they interact with transport boxes.

- ✓ SL: Specimen retrieved from temporary storage for shipment
- ✓ SB: Specimen added to transport box
- ✓ XL: Specimen placed in locked transport box
- ✓ XD: Specimen placed in transport box for disposal
- ✓ SU: Specimen removed from box
- ✓ LO: Specimen turned in to lab
- ✓ LD: Specimen turned in to lab for disposal
- ✓ LR: Specimen received in lab

Menu Option	Req-ID	Requirement

1.7. Appointment slips

An appointment slip is a piece of paper tells defendants the time and date of their next drug test collection. PSA gives appointment slips to the defendants to remind them of their next visit and what they need to do to prepare. A defendant can be placed on a random (color or shape) or fixed drug testing schedule. Currently there are 14 appointment slips templates in PRISM.

- 1) Adult PRISM RANDOM COLOR
- 2) Adult PRISM RANDOM COLOR SPANISH
- 3) Adult PRISM EVALUATION
- 4) Adult PRISM EVALUATION SPANISH
- 5) Adult PRISM FIXED
- 6) Adult PRISM FIXED SPANISH
- 7) Adult PRISM RANDOM SHAPE
- 8) Adult PRISM RANDOM SHAPE SPANISH
- 9) PRISM Juvenile RANDOM COLOR

- 10) PRISM Juvenile RANDOM COLOR SPANISH
- 11) PRISM Juvenile EVALUATION
- 12) PRISM Juvenile EVALUATION SPANISH
- 13) PRISM Juvenile FIXED
- 14) PRISM Juvenile FIXED SPANISH

Menu Option	Req-ID	Requirement	
Appointment slips	17005	Adult – English: the system shall implement the following appointment slips: Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule].	
		Acceptance criteria	The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule].
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Appointment slips	17010	Adult – Spanish: the system shall implement the following appointment slips: Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule].	
		Acceptance criteria	The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule] in Spanish.
		Performance metrics	3-5 Seconds
		Detail/specifics	n/a
Appointment slips	17015	Juvenile (family) – English: the system shall implement the following appointment slips: Evaluation, Fixed [schedule], and Random Color [schedule].	
		Acceptance criteria	The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule] in integrated Juvenile/Family PRISM.
		Performance metrics	n/a
		Detail/specifics	n/a

Menu Option	Req-ID	Requirement						
Appointment slips	17020	Juvenile (family) – Spanish: the system shall implement the following appointment slips: Evaluation, Fixed [schedule], and Random Color [schedule].						
		<table><tr><td>Acceptance criteria</td><td>The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule] in integrated Juvenile/Family PRISM, in Spanish.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule] in integrated Juvenile/Family PRISM, in Spanish.	Performance metrics	n/a	Detail/specifics	n/a
		Acceptance criteria	The system will successfully generate an appointment slip with Evaluation, Fixed [schedule], Random Shape [schedule], and Random Color [schedule] in integrated Juvenile/Family PRISM, in Spanish.					
		Performance metrics	n/a					
Detail/specifics	n/a							

1.8. Drug testing interfaces

Interface Name	Req-ID	Requirement
Drug Test Results Adult for CSOSA	18005	CSOSA has direct access to our PSA databases on PAVSQL1 and PSAHCMSSQL2 pull drug data into SMART. Source: PRISM . --> Destination: SMART .
Drug Test Results Adult	18010	Internal SQL job populates DTMS to PRISM. Source: DTMS . --> Destination: PRISM .
Drug Test Results Juvenile	18015	Internal SQL job populates DTMS to PRISMJ. Source: DTMS . --> Destination: PRISM .
MPD Arrests (1.0) – Mugshots	18020	PsahDW..MPDArrestFeed ==> PSAVSQL1..Image (PRISM pull the the data store on Image database to display in PRISM). Source: CJCC CIP from MPD . --> Destination: PRISM .
MPD Arrests (1.0)	18025	Get MPD arrest info into PRISM Lockup module with detail of defendant information such as PDID, Arrest Number, etc. Source: PRISM . --> Destination: CJCC CIP .
MPD Arrests (1.0)	18030	Initiate the communication with CJCC's Transact 1.1 (MPD Arrest Feed) by making request for MPD Arrest data. Source: CJCC CIP from MPD . --> Destination: PRISM .
PSA FBI NICS contribution	18035	CSOSA Job scheduled every Friday 6 pulling data from PSA. Source: PRISM . --> Destination: FBI NICS from CSOSA .
PSA to JUSTIS Juvenile Drug Test Results	18040	Push SQL job populates data from PRISM to CJCC's SQL Server JustisPSA and database NewPSA (). Source: PRISMJ . --> Destination: JUSTIS .

Interface Name	Req-ID	Requirement

1.9. Accessing the system

Menu Option	Req-ID	Requirement
Change Password	19005	Rename "Forgot your password?" link on Login screen to read "Change password or reset."
Change Password	19007	Consider allowing PIV access to the system.
My Profile	19015	System shall show User Profile with limited editability. Users should be allowed to edit phone number, location, team assignments, and other information.

2. Client information (CI) and Criminal History (CH) information

2.1. Name, identifiers, birth/death, and Social Security information

The purpose of the Name module is to record and store the defendant's true name and any aliases.

The purpose of the Identifiers module is to record and store all numerical identifiers associated with the defendant, such as PDID number, BAID number, DCDC number, Driver License number, and many others.

The purpose of the Birth/Death module is to record and store information relating to the defendant's birth and death, if applicable.

The purpose of the SSN module is to record and store a defendant's social security number.

Menu Option	Req-ID	Requirement

2.2. Characteristics and language

The purpose of the Characteristics module is to record and store the defendant's sex and physical characteristics.

The purpose of the Languages module is to record and store the primary language spoken by the defendant and whether or not he or she needs an interpreter.

Menu Option	Req-ID	Requirement	
Characteristics	22005	Race classification shall match that from Census Bureau.	
		Acceptance criteria	The system shall receive, store and update Race Characteristics. Data shall include race values contained in the Census Bureau matrix. Race characteristics entered via the Diagnostic interview shall transfer to the "client tables".
		Performance metrics	n/a

Menu Option	Req-ID	Requirement	
		Detail/specifics	n/a
Language	22020	Add a field to capture Secondary Language.	
		Acceptance criteria	The system shall receive, store and update Language. Data shall include the top 100 languages spoken. The list shall be able to be updated with additional languages as needed. Language entered via the Diagnostic interview shall transfer to the "client tables".
		Performance metrics	n/a
		Detail/specifics	n/a

2.3. Addresses, communications, and community ties

The purpose of the Address module is to record and store all current and prior addresses for the defendant.

The purpose of the Communications module is to record and store a list of contact information for the defendant, e.g. cell phone, home phone, work phone, e-mail address.

The purpose of the Community Ties module is to record and store the defendant's marital status, area residency information, and ties to the community.

Menu Option	Req-ID	Requirement	
Addresses	23003	Simplify capturing and validating addresses and use predictive text technology.	
		Acceptance criteria	System shall be able to collect, store and update address information. User should not be required to separately enter various address data points. It shall accept various address formats to include PO box and international address format. The system shall also conduct address validation. If address is not valid, the system shall notify the user and provide alternative address

Menu Option	Req-ID	Requirement	
			format. Addresses entered into via the Diagnostic interview shall transfer to the “client tables”.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23005	Import address information from USPS with predictive factor.	
		Acceptance criteria	The system shall conduct address validation against USPS data base. If address is not valid, the system shall notify the user and provide alternative address format.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23010	Add homeowner information to main address list page for each entry.	
		Acceptance criteria	The system shall display homeowner’s name on the screen which displays the list of known address in the system.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23015	List address entries in chronological order and current address at the top.	
		Acceptance criteria	The system shall display the list of known address in chronological order. Most recent address shall display at the top of the list. The status and type of the address shall also be displayed.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23020	Calculate the distance from Washington D.C. to verified “Can Stay” address or home address.	
		Acceptance criteria	The system shall calculate the distance of the most recent address to PSA headquarters. The distance shall be displayed on the list of address screen. The

Menu Option	Req-ID	Requirement	
			calculation shall be automated and occur each time an address is entered and stored.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23025	Compare “Can Stay” address to any stay away orders and show warning if close in proximity.	
		Acceptance criteria	The system shall query and compare court ordered live at address against court ordered stay away location. If can stay and court order stay away falls with 5 feet, the system shall alert the user and display an indicator of the potential closeness violation.
		Performance metrics	Comparison happens within 5 seconds
		Detail/specifics	Close proximity is defined as within 5 feet.
Addresses	23030	Allow to capture Ward, Police District (PD), and Police Service Area (PSA) and Advisory Neighborhood Commission (ANC) information on Washington, DC addresses.	
		Acceptance criteria	The system shall capture Ward, Police District (PD), and Police Service Area (PSA) information on Washington, DC addresses. The system be able automatically add the ward and PSA based on information data valuable.
		Performance metrics	n/a
		Detail/specifics	n/a
Addresses	23035	Once an address is verified, address log should populate in Supervision Log and Check-in Log.	
		Acceptance criteria	Address log populates in Supervision Log and Check-in Log when an address is verified.
		Performance metrics	n/a
		Detail/specifics	n/a
Communications	23045	Simplify capturing communications such as phone numbers and email addresses.	
		Acceptance criteria	Entering phone numbers and emails addresses is easy and user friendly. The system takes care of formatting.
		Performance metrics	n/a

Menu Option	Req-ID	Requirement	
		Detail/specifics	n/a
Communications	23050	List phone entries in chronological order and current phone number at the top.	
		Acceptance criteria	The system shall capture list of telephone numbers associated with a defendant. The list shall be listed in chronological order. If associated number is the defendants, the system shall display the number association, such as mother, attorney etc...
		Performance metrics	n/a
		Detail/specifics	n/a
Community Ties	23060	Simplify capturing the information contained in the Community Ties screen.	
		Acceptance criteria	The screen is redesign, so it is easy to capture the information contained in it such as: marital status, children and number of dependent's information, time of residency within the DMV area, etc.
		Performance metrics	n/a
		Detail/specifics	n/a

2.4. Education, employment, military service, and financial information

The purpose of the Education module is to record a defendant's education information.

The purpose of the Employment module is to record and store a defendant's employment status and history.

Menu Option	Req-ID	Requirement
Education	24005	Simplify capturing and validating school addresses

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system shall capture and store school name and address information. Address information shall be validated by USPS. If address is not validated, system shall notify the user and provide alternative addresses. School information entered via diagnostic interview shall transfer to the education tables.
		Performance metrics	n/a
		Detail/specifics	n/a
Employment	24015	Simplify capturing and validating employment addresses	
		Acceptance criteria	The system shall capture and store Employment and employment address information. Address information shall be validated by USPS. If address is not validated, system shall notify the user and provide alternative addresses. Employment School information entered via diagnostic interview shall transfer to the Employment tables.
		Performance metrics	n/a
		Detail/specifics	n/a
Employment	24020	Included last employment verification information i.e. paystubs uploaded in the document library	
		Acceptance criteria	The system shall have a section in which stores and captures employment verification information.
		Performance metrics	n/a
		Detail/specifics	n/a
Employment	24025	Use predictive text for address information	
		Acceptance criteria	When entering an address, the system uses predictive text to assist the user.
		Performance metrics	n/a
		Detail/specifics	n/a

2.5. Health and substance use

The purpose of the Health module is to record and store a defendant's health information and history.

The purpose of the Substance Use module is to record and store a defendant's self-reported substance use history. There are no drug test results in this module.

Menu Option	Req-ID	Requirement	
Health	25005	Add the following field: Thoughts to Harm Self, Attempts to Harm Self. IF yes, when and If yes when/how	
		Acceptance criteria	The system shall have a section where self-reported suicidal ideation is captured.
		Performance metrics	3-5 seconds
		Detail/specifics	Currently the system does not capture self-reported information regarding suicidal ideation. This information is considered when determining recommendations for assessments, mental health services and SST eligibility and placement.
Health	25010	Add a drop down for “unknown” for the Length of Illness section.	
		Acceptance criteria	The system shall have a section that captures when the length of illness is unknown.
		Performance metrics	3-5 seconds
		Detail/specifics	Currently the system requires the user to enter the Length of Illness (recorded free text and by drop down) in order to save information into the Health module. The length of time someone has an illness is frequently unknown (defendant may not know or information is entered via documentation received from the defendant/ a service provide). An additional option is needed to allow the user to select “unknown” and bypass the requirement to enter a number in the free text section.
Health	25015	Save selected drop-down Source of Information section; currently when the drop down is selected the information does not save.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria The system shall save new information when the user exits and reenters the module.	
		Performance metrics 3-5 seconds	
		Detail/specifics Currently when new information is entered in the “Source Of Information” section, the information is not saved.	
Substance Use	25025	Remove ETG and replace with Alcohol in Self-Reported Information.	
		Acceptance criteria	When users select Substances in the “Self-Reported Information” section, Alcohol should be one of the substances listed. ETG will be removed.
		Performance metrics	n/a
		Detail/specifics	The term ETG is a term associated with determining the presence of alcohol in a drug testing sample, and would not be self-reported. This information is captured in the “Self-Reported Information” section.
Substance Use	25030	Remove Self-Reported Alcohol section.	
		Acceptance criteria	The Self-Reported Alcohol Section will not appear in the module.
		Performance metrics	n/a
		Detail/specifics	n/a

2.6. Citizenship, travel and associates

The purpose of the Citizenship module is to record and store citizenship, passport and visa information relating to the defendant.

The purpose of the Travel module is to add defendant travel information, like travel plans and whether they have a passport.

The purpose of the Associates module is to record and store information pertaining to defendant's collateral contacts and references.

Menu Option	Req-ID	Requirement
Associates	26010	Simplify capturing associates
		Acceptance criteria n/a
		Performance metrics n/a
		Detail/specifics n/a

2.7. Document Library

The Document Library is an electronic document repository which replaced the paper-based case folders and serves as a warehouse of all documents relating to the supervision of a defendant. The document repository is contained on a separate and distinct database from PRISM. However, PRISM is the primary and only portal where users can interact with it.

During its normal course of business PSA receives, creates, collects, and updates several documents directly relating to its supervision of defendants. While most of these documents are already in electronic form, some are printouts must be scanned and uploaded to the library.

Menu Option	Req-ID	Requirement
Documents	27010	Add a Document Library to PRISMJ (like PRISM).
		Acceptance criteria n/a
		Performance metrics n/a
		Detail/specifics n/a
Documents	27015	Email documents from the Document Library
		Acceptance criteria The system shall have the ability to select documents and email them internally to PSA employees or externally. If the email is internal send link to document in the library instead of a copy of the file.

Menu Option	Req-ID	Requirement	
		Performance metrics	3-5 seconds
		Detail/specifics	Currently users download the documents and attach them it to an email to send documents internally and externally. The system should allow the user to select a document from the Document Library and send via email from this module.

2.8. Criminal History and warrants

The Criminal History module can be accessed through the Diagnostic Processing Screen (DPS), the Diagnostic menu, or the Client menu and it is divided in three main sections as follows:

I. Adult Criminal History, which has the following sub-sections/categories:

- a) Pending Cases
- b) Post Sentencing Supervision Cases
- c) Open on Appeal Cases
- d) Closed Cases (Convictions and Non-Convictions)
- e) Disposition Unknown

Note: All internal and external cases entered in Adult Criminal History appear under one of the above-listed sub-sections, depending on the status of the case.

II. Select Juvenile Adjudications

III. Warrant and Criminal History Record Checks

The purpose of the Warrants module is to record all known outstanding warrant information.

Menu Option	Req-ID	Requirement	
Criminal History	28005	Make the arrest date and other date fields to be datetime instead of varchar	
		Acceptance criteria	n/a
		Performance metrics	n/a

Menu Option	Req-ID	Requirement						
		<table><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Detail/specifics	n/a				
Detail/specifics	n/a							
Criminal History	28007	Find a way to simplify navigating and displaying criminal history. Allow for multiple ways of sorting the data, and filtering data. Find a way to correlate internal and external criminal history and incorporate juvenile information. <table><tr><td>Acceptance criteria</td><td>The system shall allow for the user to filter criminal history records by the following: Internal, External, Unknown Disposition, state, and juvenile. Data field shall be limited and dropdown tables shall be utilized where possible. Free text sections within the criminal history shall have spellcheck functionality.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The system shall allow for the user to filter criminal history records by the following: Internal, External, Unknown Disposition, state, and juvenile. Data field shall be limited and dropdown tables shall be utilized where possible. Free text sections within the criminal history shall have spellcheck functionality.	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	The system shall allow for the user to filter criminal history records by the following: Internal, External, Unknown Disposition, state, and juvenile. Data field shall be limited and dropdown tables shall be utilized where possible. Free text sections within the criminal history shall have spellcheck functionality.							
Performance metrics	n/a							
Detail/specifics	n/a							
Criminal History	28015	Create a mechanism to handle internal criminal history orphaned cases. When a manually created case is replaced by a new case from the CourtView interface (interface with Superior Court), all information associated with the old case such as lockup, interview, PSR, risk assessment shall be transferred to the new case. – Create a merge case functionality. <table><tr><td>Acceptance criteria</td><td>The interface process identifies manually added cases and merge them with download information.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The interface process identifies manually added cases and merge them with download information.	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	The interface process identifies manually added cases and merge them with download information.							
Performance metrics	n/a							
Detail/specifics	n/a							

2.9. Sealing and Unsealing information

The purpose of the Seal/Unseal Information module is to indicate which sections and screens are sealed within a client's record and case. A sealed case is information regarding a defendant's pending case, prior conviction or personal information that is not accessible to the public or available to anyone without judicial authorization.

Records that are sealed are not available to the public even if the defendant, the USAO, or the defense attorney for the defendant in the sealed case authorizes the release of such information or the defendant signs a release of information. Cases can be sealed under the “Criminal Case Sealing Act,” “Second Chance Amendment Act”, the Youth Rehabilitation Act, or under certain drug laws. A/PSOs may not disclose matters sealed under any of these provisions to the public but may use the information in preparing subsequent pretrial services reports.

Information in PRISM is labeled as sealed either through the interface with D.C. Superior Court automated records or through a manual entry in the “Seal/Unseal Information” module of PRISM. When manually identifying sealed case information, PRISM provides staff with the option to seal a specific court case and its corresponding release order, or all information about a defendant named in a sealed case.

There are specific notifications of sealed information in the system. One, a prominent red banner that states “Warning: client record contains sealed information” appears in the Client Profile screen. Two, within all other screens for the defendant there is a sealed case information button “SCI” that is located in the upper right hand corner of the screen headers. Three, a small lock icon is located in the Case Review module next to the cases and release conditions section. Four, a watermark that states “Sealed” appears within the individual screens where sealed information is located. Five, Superior Court docket designation type is noted as “SLD.”

Menu Option	Req-ID	Requirement	
Seal/Unseal Information	28005	The ability to handle sealing information (case and defendant) and expungements.	
		Acceptance criteria	The system shall have the capability to seal and expunge various defendant records. The system shall be a capture be a to capture the Sealing and Expungement reasons. When defendant records are expunged, records shall not be visible to the user. Sealed information shall not be visible to external users.
		Performance metrics	n/a
		Detail/specifics	n/a

2.10. Release Services

The Release Services screen shall track the hand over from Diagnostic to Supervision for a given defendant. The screen shall pull the necessary information from the diagnostic interview, client screens, and release orders modules.

Menu Option	Req-ID	Requirement						
Release Services	21001	Create a new screen called Release Services. This screen will track the hand over to supervision for a given defendant. The screen shall pull information from other modules and display it. In addition, it shall collect the necessary information, and automatically create the necessary entries in the Supervision Log. <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							
Release Services	21005	Simplify capturing Release Orders and Conditions. Consider allowing for a feature to generate a draft-Release Order based on the Diagnostic (PSR) recommendations. <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							
Release Services	21010	Allow for linking of the recommendations with the imposed conditions. <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							
Release Services	21015	The screen shall create entries in the Supervision Log at later to be identified milestones. <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							

2.11. Criminal History report

The Criminal History report includes convictions, unknown dispositions, release and compliance information, and when was the last time the information was checked. The Criminal History is used when the Criminal Record is needed.

The Criminal History report include six sections:

- 1) Pending Cases - a case contained in a pretrial report that has not yet received final disposition.
- 2) Active Supervision Cases - a charge that has reached a disposition with the defendant being currently supervised by Probation, Parole and/or the Department of Corrections (in any jurisdiction).
- 3) Prior Arrests- convictions, non-convictions (dismissed, nolle prosequi) and arrests with unknown dispositions concerning criminal charges originating inside or outside of the District of Columbia.
- 4) Disposition (s) Unknown- Charges that Pretrial Services Agency has no information regarding the final outcome.
- 5) Juvenile Case Record –A criminal history including adjudicated and non-adjudicated cases, created prior to the defendant’s 18th birthday.
- 6) Superior Court Bench/Escape Warrant History- Reflects the defendant’s bench and escape warrants, excluding Sanction warrants from the past 10 years. Provided to assist the Court with making appropriate release/detention decisions.

Menu Option	Req-ID	Requirement

2.12. Criminal History interfaces

Interface Name	Req-ID	Requirement
Bench Warrant List Report with Charges	21201	Report run daily at 11:40pm and delivered via email to USDOJBenchWarrantList@csosa.gov. Source: PRISM . --> Destination: Email Distribution .
Court Case Creation (10.1)	21205	DCSC gives heads-up to the case by providing CaseID, ArrestNumber, PDID and other related information. It is usefull for relating the info with PSR back to the Court. Source: CJCC CIP from DCSC . --> Destination: PRISM .

Interface Name	Req-ID	Requirement
Court Case update (12.1) – CourtView	21210	Initiate the communication with CJCC's Transact 12.1 (Case detail info) by making request for case detail data. Source: PRISM . --> Destination: CJCC CIP .
Misdemeanor Bench Warrant List Report with Charges	21215	Report run daily at 11:42pm and delivered via email to BenchWarrantList@csosa.gov. Source: PRISM . --> Destination: Email Distribution .
PSA Report for CFSA: Arrestees under Age 21	21220	Report run daily at 11:50pm and delivered via email to CFSAReportList@csosa.gov. Source: PRISM . --> Destination: Email Distribution .
PSA to JUSTIS Client Photos	21225	Push SQL job populates Photos data from PRISM to CJCC's SQL Server JustisPSA and database NewPSA (). Source: PRISM . --> Destination: JUSTIS .
PSA to JUSTIS Prosecutor information	21230	Push SQL job populates data from PRISM to CJCC's SQL Server JustisPSA and database NewPSA (). Source: PRISM . --> Destination: JUSTIS .

3. Risk-Based Supervision Services (RBS)

3.1. Release orders, team assignment and activities.

The purpose of the Release Order module is record and store new court release orders and the conditions associated with that order and/or update an existing release order.

The purpose of the Team Assignment (formerly known as Programs) module is to allow the user to link a defendant with a Supervision team. It used to track programs for the defendant or view the current and past programs in which the defendant has been supervised.

The purpose of the Activities module is to add new activities (actions a person needs to take) for the defendant and view the activities in which the defendant is and has been involved, e.g. drug testing, report weekly in person/by phone.

Menu Option	Req-ID	Requirement	
Release Orders	31010	Add expansion option to all release orders to see conditions of release from release order module and the ability to add or remove conditions from the expansion box.	
		Acceptance criteria	The system will allow the expansion of the release order type in the release order module. Users should have the ability to add and remove conditions of release from the main screen.
		Performance metrics	1 second
		Detail/specifics	Release order module, Next to the release order type hyperlink
Release Orders	31015	Two versions of the release order one for DCSC and one for USDC	
		Acceptance criteria	The system will distinguish release order types in the document library.
		Performance metrics	1 second
		Detail/specifics	PRISM drop down needed for two release order types in the document library DCSC and release order USDC.
Release Orders	31020	Separate release conditions into type with headers i.e. mental health, substance use, reporting, drug testing, etc.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system will group release conditions in the “Add Release Conditions to Release Order” screen by condition categories with a category header
		Performance metrics	1 second
		Detail/specifics	Within the “Add Release Condition to Release Order” screen group conditions by category and add bolded headers for each category
Activities	31040	Add Random Drug Testing Placements view here	
		Acceptance criteria	The system shall include a “random” drug testing activity description within the Activities module.
		Performance metrics	1 second
		Detail/specifics	Within the Activity Information screen users should have the ability to add random drug testing activity name and random drug test in the activity description.

3.2. Case Review

The purpose of the Case Review module is to consolidate many pieces of a defendant’s information into one screen. In addition to giving a comprehensive overview of the defendant’s case, the module assists case managers in assuming supervision of a case and reviewing monthly compliance as well as conducting supervision meetings and providing information to the court for representation. Supervision and Treatment A/PSOs are required to review a defendant’s case when assuming a case and at least once every thirty days. For USDC it is every 90 days.

The Case Review screen has the following 15 sections: Cases, Supervision, Language, Risk Assessment, Health Concern, Release Conditions, Warrants, Treatment, Assessment, Defendant Release of Information, Employment, Defendant Address, Substance Use (Self-Reported), Messages, Drug Testing, Check-in. If the user needs to update information, it has to do it in the proper module in PRISM and

those updates will reflect immediately in Case Review screen. Each header (section title) on that screen is a hyperlink to where to find the information in PRISM.

Menu Option	Req-ID	Requirement	
Case Review	32005	EMT, SST, and Drug Court eligibility remarks should populate in the Case Review module.	
		Acceptance criteria	The system shall display EMT, SST, Drug Court eligibility remarks from the supervision log on the Case Review screen and include the associated docket numbers. (Include a hyperlink to each supervision log entry).
		Performance metrics	1 second
		Detail/specifics	EMT, SST, and Drug Court eligibility remarks should populate in the Treatment Referral/ Assessment/ Placement section in the Case Review module. Entries should the date, docket number, remark in reverse chronological order. Display the following remarks: - Type- Behavioral Health Services- Substance Use Disorder Treatment - Subtype: Diversion Screening - Behavioral Health Services- Mental Health Services - Subtype: Diversion Screening
Case Review	32010	Substance use disorder assessment and mental health screening remarks should populate in the Case Review module.	
		Acceptance criteria	The system shall display substance use disorder assessment and screening remarks from the supervision log on the Case Review screen and include the associated docket numbers. (Include a hyperlink to each supervision log entry).
		Performance metrics	1 second
		Detail/specifics	Substance use disorder assessment and mental health screening/ assessment remarks entered in the supervision log should populate in the Treatment Referral/ Assessment/ Placement section in the Case

			Review module. Entries should the date, docket number, remark in reverse chronological order. Display the following remarks: • Type- Behavioral Health Services- Substance Use Disorder Treatment ○ Subtype: substance use disorder assessment ○ Subtype: substance use disorder assessment update • Behavioral Health Services- Mental Health Services ○ Subtype: Referred ○ Subtype: Assessment/ Testing ○ Subtype: Screening

3.3. Dashboard alerts and responses to defendant conduct

The purpose of the Dashboard is to consolidate and integrate many daily tasks and responsibilities of A/PSOs and SPSOs in one centralized location. It alerts A/PSOs and SPSOs of new cases assigned, of updates to existing cases, and of tasks to be completed. It also allows for team alerts, sharing workload information, and assigning alternate users to a Dashboard. The Dashboard was developed so that each individual A/PSO or SPSO can tailor its categories for a more efficient interaction. Supervisors are able to monitor team workload, assign alternate users to a Dashboard, and create team level alert messages.

The purpose of the Responses to Defendant Conduct is to record all of the sanction and incentives imposed by the A/PSO and judicial officers while a defendant is under pretrial supervision.

Menu Option	Req-ID	Requirement
Dashboard Alerts	33005	High alerts appear (EM Strap Tamper) as icon on every screen and also appears on SPSOs PRISM dashboard

		Acceptance criteria	The system will display an icon in a defendant's profile that have an active tamper alert in the RTDC.
		Performance metrics	1 seconds
		Detail/specifics	This icon would be location next to the defendant's name in search results similar to GUNSTAT. The icon would be present in all profile screens similar to a bench warrant icon. Top right of the profile. If selected the icon would take the user to the RTDC.
Dashboard Alerts	33010	Add to a section on the Dashboards to display links to commonly used law enforcement systems such as: JUSTIS, JACCS, eFile, eAgent/WALES, SMART, etc. that when selected will open the application on another browser tab. Allow for customization of the above links and corresponding URLs by authorized personnel via administration pages –OR– the users via the Profile page.	
		Acceptance criteria	The system should display a "Systems" module similar to Supervision, Client, Diagnostic, or reports.
		Performance metrics	1 second
		Detail/specifics	This module will allow the user to have one central location access commonly used automated criminal justice systems with the ability to customize their own links.
Responses to Defendant Conduct -or- Dashboard?	33020	Automate Group session infractions reporting the same way as drug testing infractions reporting.	
		Acceptance criteria	The system shall generate missed group infractions.
		Performance metrics	1 business day
		Detail/specifics	n/a

3.4. Check-In, appointments, and event chronology

The purpose of the Appointments module is to record all internal and external appointments that have been scheduled by a case manager for his or her client.

The purpose of the Event Chronology module is to record and store a chronological list of all events related to a defendant.

Menu Option	Req-ID	Requirement	
Appointments	34010	System shall have the ability to create and maintain appointments.	
		Acceptance criteria	The system shall have a calendar feature for each defendant’s profile to allow for the creation of appointments i.e.
		Performance metrics	n/a
		Detail/specifics	n/a
Check In	34018	Move the Front Desk Reporting Log system into PRISM. Make it easy for a Program Assistant to record a defendant’s arrival and alert assigned PSO (case manager) of the defendant’s arrival. Provide a screen that allows PAs to capture the information and create a check-in behind the scenes.	
		Acceptance criteria	The system shall have the ability to record in real time defendants reporting in-person. Create a list of defendants, team, Assigned PSO, Seen By, PDID, time reported. The functionality should be similar to the SharePoint reporting log.
		Performance metrics	Realtime
		Detail/specifics	This function should be location under the Supervision module> Check-In

3.5. Electronic notifications and messages (to defendants)

The purpose of Electronic Notifications is manage the way the defendant is notified about court appearance (either by text message or by email). This module also includes a chronological listing of past notifications.

Menu Option	Req-ID	Requirement

3.6. Supervision log

The purpose of the Supervision Log module is to document all supervision events and actions as they pertain to the defendant. It creates an event chronology of and narrates the defendant's interactions with the Justice System. It captures compliance, drug testing, social services, evaluation results, verification, supervisory action, treatment, case closeout, and other information.

The information contained in the Supervision Log module may and is sometimes included in reports going to external partners. In addition, the module also supports the collection of some of the Agency's performance measures, so it is critical that all logged events remain consistent. Therefore, the screen uses a series of parameters and dropdowns to create pre-formatted remarks used on a variety of scenarios.

Menu Option	Req-ID	Requirement	
Supervision Log	37005	Ability to filter entries i.e. supervision meetings, case audits, assessments, court hearing outcomes, docket number, date range, event type and event subtype.	
		Acceptance criteria	The system shall have the ability to filter entries by Type and Subtype in and keywords in chronological order.
		Performance metrics	1 second
		Detail/specifics	Add search field near the Add button in the supervision log.
Supervision Log	37010	When you close an entry, the user returns to the last review point in the supervision log not the first page of the supervision log	
		Acceptance criteria	The system shall revert to last review point when a supervision entry screen is opened.
		Performance metrics	n/a
		Detail/specifics	This capability should be located in a module.

Menu Option	Req-ID	Requirement	
Supervision Log	37015	Add most used entry options when clicking the add button	
		Acceptance criteria	The system shall provide a quick access feature to 10 of the most used supervision log entries when the ADD button is selected in the supervision log.
		Performance metrics	1 second
		Detail/specifics	Add functionally to the ADD button with the supervision log module for the following remarks: • Supervision Orientation • Reported for supervision Meeting • Outgoing Contact • Incoming Contact • Assume Supervision • Close out Assessment • 30-day Compliance Review • Court Hearing Outcome
Supervision Log	37025	Add capability to check grammar for each entry.	
		Acceptance criteria	The system shall provide grammar and spelling check all fields with free text.
		Performance metrics	1 second
		Detail/specifics	n/a
Supervision Log	37030	Add save data option so most used terms appear when typing.	
		Acceptance criteria	The system shall provide predictive text capability in all free text fields.
		Performance metrics	1 second
		Detail/specifics	n/a
Supervision Log	37035	Add an additional Title “Eligibility Pending – DBH Liaison to supervision log.	
		Acceptance criteria	Add “Eligibility Pending” drop down to Team Evaluations in supervision log.

Menu Option	Req-ID	Requirement	
		Performance metrics	1 second
		Detail/specifics	This will allow an additional remark for this specific scenario in addition to the titles already listed. The drop down should be added to: - Type: Remarks – Case Management - Subtype: Team Evaluations (ADD) Title: Eligibility pending- DBH Liaison Formatted text: DBH Liaison is unable to determine eligibility for SST in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].
Supervision Log	37040	Add title “Specialized Supervision Team eligibility review conducted – eligibility pending” to supervision log.	
		Acceptance criteria	Add “Specialized Supervision Team eligibility review conducted – eligibility pending” to Clinical Consultation in supervision log.
		Performance metrics	1 second
		Detail/specifics	This will allow an additional remark for this specific scenario in addition to the titles already listed. The drop down should be added to: - Type: Remarks – Clinical consultation – Specialized Supervision - Subtype: Specialized Supervision Team eligibility review (ADD) Title: Specialized Supervision Team eligibility review conducted – eligibility pending Formatted text: Specialized Supervision Team eligibility review conducted. Eligibility pending in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].

Menu Option	Req-ID	Requirement	
Supervision Log	37045	Change formatted remarks for the Title “Substance use recommendation review Tin the supervision log.	
		Acceptance criteria	Change the wording to add the word “conducted” after the word “review” when the entry is formatted.
		Performance metrics	1 second
		Detail/specifics	The entry will read more clearly to indicate that the review was “conducted” with the modality (wording) in the formatted entry. The formatted wording should revised in the following: • Type – Remarks – Clinical consultation • Subtype – Substance use treatment recommendation review • Title: Substance use treatment recommendation review conducted Change formatted text to: Substance use disorder treatment recommendation review conducted in [DocketNumber1] [DocketNumber2] [DocketNumber3]. [Modality] recommended on [ActivityDate].
Supervision Log	37050	Add new Subtype “Substance use treatment detoxification review” to the supervision log:	
		Acceptance criteria	Add additional Subtype – substance use treatment detoxification review.
		Performance metrics	1 second
		Detail/specifics	This entry will capture when a detoxification review is completed, since many happen after the initial substance use disorder assessment is completed. The new Subtype should be added to: • Type: Remarks – Clinical consultation • (Add) Subtype: Substance use treatment detoxification review

Menu Option	Req-ID	Requirement						
		<table><tr><td></td><td> Title: Substance use disorder treatment detoxification recommendation review conducted Formatted text: Substance use disorder treatment- detox recommendation review conducted in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate]. </td></tr></table>		Title: Substance use disorder treatment detoxification recommendation review conducted Formatted text: Substance use disorder treatment- detox recommendation review conducted in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].				
	Title: Substance use disorder treatment detoxification recommendation review conducted Formatted text: Substance use disorder treatment- detox recommendation review conducted in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].							
Supervision Log	37055	Add new Subtype for use when substance use disorder treatment placement is pending.						
		<table><tr><td>Acceptance criteria</td><td>Add additional subtype – Pending placement</td></tr><tr><td>Performance metrics</td><td>1 second</td></tr><tr><td>Detail/specifics</td><td> This entry will capture when a defendant is pending placement in substance use disorder treatment. The new Subtype should be added to: - Type: Remarks – Behavioral Health Services – Substance Use disorder treatment - Subtype: Defendant not placed into substance use disorder treatment (Add) Title to current drop downs: Pending placement Formatted text: The defendant was not placed into substance use disorder treatment due to pending placement in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate]. </td></tr></table>	Acceptance criteria	Add additional subtype – Pending placement	Performance metrics	1 second	Detail/specifics	This entry will capture when a defendant is pending placement in substance use disorder treatment. The new Subtype should be added to: - Type: Remarks – Behavioral Health Services – Substance Use disorder treatment - Subtype: Defendant not placed into substance use disorder treatment (Add) Title to current drop downs: Pending placement Formatted text: The defendant was not placed into substance use disorder treatment due to pending placement in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].
		Acceptance criteria	Add additional subtype – Pending placement					
		Performance metrics	1 second					
Detail/specifics	This entry will capture when a defendant is pending placement in substance use disorder treatment. The new Subtype should be added to: - Type: Remarks – Behavioral Health Services – Substance Use disorder treatment - Subtype: Defendant not placed into substance use disorder treatment (Add) Title to current drop downs: Pending placement Formatted text: The defendant was not placed into substance use disorder treatment due to pending placement in [DocketNumber1] [DocketNumber2] [DocketNumber3] on [ActivityDate].							
Supervision Log	37080	Increase the number of dockets in the dropdown list from 3 to 10 so that we can capture all the dockets a defendant has.						

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system shall allow users to add multiple active docket numbers to relevant supervision entries.
		Performance metrics	1 second
		Detail/specifics	Case selection is located at the bottom of a supervision log entry. Users should be able to add multiple entries.

3.7. My Case Load, watch list and match list

The purpose of the My Case Load function is to display a case manager's current and newly assigned caseload. An A/PSO can only view the cases assigned to his/her own user-id unless they have been granted access to someone else's caseload. Supervisors have access to their staff caseloads, Unit Chiefs access to their supervisors' caseloads, and Deputy Assistant Directors and other management officials access to the entire caseload. Caseloads may be sorted by Client Name, Docket Number, Primary ID (usually the client's PDID number), Date Assigned, Messages, or Queue Name by clicking on the corresponding column heading.

The purpose of the Watch List is to allow A/PSOs to proactively monitor the lockup, drug check-in, and session activities of their clients. The system uses the 'Lock Up Agent' and the 'Drug Agent' background processes to monitor, match, and send emails alerts to users. In addition, a person can use the Match List functionality to see the results of a given match. The Watch List and Match List are automatically updated for case bearing A/PSOs and by the system when a new case is added or leaves their caseload. The Watch list can also be updated manually for those users that do not have a caseload.

The Lock Up Agent runs every hour and the system automatically generates an email notifying users of a re-arrest if it finds a match in the watch list.

Menu Option	Req-ID	Requirement
My Case Load	38010	System shall provide the functionality of exporting the Case load view in Excel (CSV) format

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system shall have the ability to export my load queue to excel spreadsheets.
		Performance metrics	5 seconds
		Detail/specifics	n/a
Watch List	38020	System shall allow the following agents to be setup for daily reminders via email; Lockup Agent: Email notification to be sent for all PDID numbers found in the MPD Lockup list on a daily basis. Drug Agent: Email notification to be sent for any PDID numbers have reached a pre-set number of drug failures.	
		Acceptance criteria	The system shall keep current functionality requirements.
		Performance metrics	n/a
		Detail/specifics	n/a
Match List	38030	System shall provide lockup details view for all PDID's being watched. This may no longer be needed. See notes (for watch list as well).	
		Acceptance criteria	The system shall keep current functionality requirements.
		Performance metrics	n/a
		Detail/specifics	n/a

3.8. Case assignment, reassignments, and alternates

When the court orders a defendant's release, the release conditions are entered into PRISM and based on those conditions the system automatically assigns the case to the appropriate team and to an A/PSO. The first court order entered in PRISM creates the "initial" case assignment. When the court makes modifications to the court order and conditions are modified, a "subsequent" case assignment is created.

Menu Option	Req-ID	Requirement
Case Assignment Audit	39020	Preserve all previous cases assignments. Allow for deletion of incorrect assignments.

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system shall record all previous case assignments connected to the defendant in chronological order in the Maintenance module by docket number, queue, date and user.
		Performance metrics	1 second
		Detail/specifics	n/a

3.9. Report writing, approval, and delegation

The purpose of the Report Writing module is to provide A/PSOs with a framework with a streamlined report management process. The module provides a report workflow for creation, update, supervisory review and approval, and storage of reports within PRISM. Once a new report is created it goes through six states; In-Progress, Awaiting Approval, Returned to PSO, Approved, and Completed.

The Court Report was the first report that utilized the workflow infrastructure. Using this workflow, A/PSOs and supervisors can add comments at each stage of the report creation prior to final supervisor approval. Upon supervisor approval, the A/PSO may still update the report with last minute changes and then send it via secured email to select court personnel.

Another key feature in the module is the ability for supervisors to delegate report approval to a member of their team in the event of the supervisor's absence. An A/PSO may also be given report self-approval authority. PRISM administrators can also setup report delegation and self-approval authorization.

The PSO Dashboard Court Report category works in conjunction with the Report Writing workflow. The report information displays on the PSO's Dashboard when a report has a status of In-Progress, Awaiting Approval, Returned to PSO or Approved. Reports with a status of Awaiting Approval will display on a supervisors Dashboard.

Menu Option	Req-ID	Requirement	
Report writing	31005	Preserve all report writing, approval and delegation.	
		Acceptance criteria	Keep current functionality

Menu Option	Req-ID	Requirement	
		Performance metrics	1 second
		Detail/specifics	n/a

3.10. Case Audit functionality

The purpose of the Case Audit is let Supervisors signify that an audit was completed on a given defendant or case record.

Menu Option	Req-ID	Requirement	
Case Audit	31101	Create a new module called Case Audit. This module will track the necessary information to conduct a Case Audit,	
		Acceptance criteria	The system shall provide similar functionality as the current SharePoint audit system. The system will provide audit forms for supervisory use. case management audits, court representative audits, initial and subsequent release order audits; and review follow up actions. The information entered on the forms must have the ability to be stored, compiled and exported. The audit function will provide a randomized list of audits to the SPSO dashboard monthly.
		Performance metrics	1 second
		Detail/specifics	This module should be maintenance module within PRISM. The screen shall pull information from other modules and display it. In addition, it shall collect then necessary information and automatically create the supervision audit entry in Supervision Log. The information should be pulled from: Team assignment. The system will provide each SPSO a random set of audits to complete monthly. These assigned audits will appear on the supervisor's dashboard and disappear when the audit completion entry in made in the supervision log.

Menu Option	Req-ID	Requirement						
Case Audit	31105	Implement necessary functionality to randomly select cases to be audited. The selection algorithm shall allow for a set number of cases for all case bearing A/PSOs on a given period. At present the rule is 3 random cases per PSO every 30 days.						
		<table><tr><td>Acceptance criteria</td><td>The system within the Audit module will randomly assign SPSOs various types of audits to perform monthly. These audits will be displayed on the supervisory dashboard. Once completed the audit will disappear from the SPSOs dashboard. A category called “Audit Action Items” should also be created on the SPSO and PSO dashboards. This category will include any follow up action the SPSO request the A/PSO to complete.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>This functionality will be incorporated in the audit module with Maintenance. The audits should be assigned by Team assignment.</td></tr></table>	Acceptance criteria	The system within the Audit module will randomly assign SPSOs various types of audits to perform monthly. These audits will be displayed on the supervisory dashboard. Once completed the audit will disappear from the SPSOs dashboard. A category called “Audit Action Items” should also be created on the SPSO and PSO dashboards. This category will include any follow up action the SPSO request the A/PSO to complete.	Performance metrics	n/a	Detail/specifics	This functionality will be incorporated in the audit module with Maintenance. The audits should be assigned by Team assignment.
		Acceptance criteria	The system within the Audit module will randomly assign SPSOs various types of audits to perform monthly. These audits will be displayed on the supervisory dashboard. Once completed the audit will disappear from the SPSOs dashboard. A category called “Audit Action Items” should also be created on the SPSO and PSO dashboards. This category will include any follow up action the SPSO request the A/PSO to complete.					
		Performance metrics	n/a					
Detail/specifics	This functionality will be incorporated in the audit module with Maintenance. The audits should be assigned by Team assignment.							
Case Audit	31110	Implement necessary functionality so Supervisors can audit a case and record the results on one screen.						
		<table><tr><td>Acceptance criteria</td><td>The system will display the case audit form with fields similar to what is currently used in SharePoint. I.e. case audit, initial and subsequent release order, release order entry.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>This functionality will be incorporated in the Audit module with Maintenance.</td></tr></table>	Acceptance criteria	The system will display the case audit form with fields similar to what is currently used in SharePoint. I.e. case audit, initial and subsequent release order, release order entry.	Performance metrics	n/a	Detail/specifics	This functionality will be incorporated in the Audit module with Maintenance.
		Acceptance criteria	The system will display the case audit form with fields similar to what is currently used in SharePoint. I.e. case audit, initial and subsequent release order, release order entry.					
		Performance metrics	n/a					
Detail/specifics	This functionality will be incorporated in the Audit module with Maintenance.							

3.11. Client reports

The purpose of the Client Reports module is to allow the user to select and generate pre-formatted reports containing a given defendant's information.

Menu Option	Req-ID	Requirement
		The current functionality should remain the same.

3.12. EM (Electronic Monitoring) Reports

The purpose of the Electronic Monitoring Reports module is to allow the user to select and generate pre-formatted reports related to a defendant's participation in electronic monitoring (GPS) services.

Menu Option	Req-ID	Requirement						
Electronic Service Request Form	31305	Add the Electronic Service Request Form to the EM Reports module. Log the report in the supervision log and have the functionality to view and email the report.						
		<table><tr><td>Acceptance criteria</td><td>The system shall allow users to utilize the Electronic Service Request Form and email/ provide notification to agency CORs.</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The system shall allow users to utilize the Electronic Service Request Form and email/ provide notification to agency CORs.	Performance metrics	n/a	Detail/specifics	n/a
		Acceptance criteria	The system shall allow users to utilize the Electronic Service Request Form and email/ provide notification to agency CORs.					
		Performance metrics	n/a					
		Detail/specifics	n/a					

3.13. Form Letters

The purpose of the Form Letters module is to allow the user to select pre-generated form letters that may be customized for each defendant.

Menu Option	Req-ID	Requirement
		The current functionality should remain the same.

3.14. Summary Reports

The purpose of the Summary Reports module is to allow user's access to reports that are not client specific. These are aggregate reports and/or lists of defendants.

Menu Option	Req-ID	Requirement
		The current functionality should remain the same.

3.15. Court Letter Tracking

The purpose of the Court Letter Tracking module allows the user to manage the court notification letters.

Menu Option	Req-ID	Requirement
		The current functionality should remain the same.

3.16. Supervision Interfaces

The purpose of the Supervision interfaces is to establish automated connections with external agencies and/or partners.

Interface Name	Req-ID	Requirement	
Case File Xpress Interface	31701	Ability to E-File PSA reports through the CMS Source: PRISM. --> Destination: DC Superior Court System.	
		Acceptance criteria	The system shall be able to E-File reports to DC via PRSIM in the reporting writing module.
		Performance metrics	5 seconds
		Detail/specifics	n/a
Case File Xpress Interface	31705	Ability to receive confirmation of E-filing within the CMS Source: DC Superior Court System. --> Destination: PRISM.	

		<table><tr><td>Acceptance criteria</td><td>The system shall be able to receive a download feed from DC Superior Court System upon successful case filling.</td></tr><tr><td>Performance metrics</td><td>5 seconds</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	The system shall be able to receive a download feed from DC Superior Court System upon successful case filling.	Performance metrics	5 seconds	Detail/specifics	n/a
Acceptance criteria	The system shall be able to receive a download feed from DC Superior Court System upon successful case filling.							
Performance metrics	5 seconds							
Detail/specifics	n/a							
Electronic Monitoring: Alerts DMZ	31710	Interface with the GPS/Electronic Monitoring contractor that contains alerts and events that have occurred in the last number of minutes. Source: Sentinel. --> Destination: PSAWEBSVC-Web server on DMZ .						
Electronic Monitoring: Alerts	31715	Interface that brings downloaded GPS/Electronic Monitoring contractor alerts into PRISM. Source: PSAWEBSVC-Web server on DMZ . --> Destination: PRISM .						
Electronic Monitoring: Defendant enrollment and termination.	31720	Send new and updated defendant enrollment information to the contractor's CMS. Receives acknowledgment. . Source: PRISM. --> Destination: Vendor.						
Electronic Monitoring: Equipment installations and de-installs.	31725	Receive equipment information from the contractor. Source: Vendor. --> Destination: PRISM .						
Electronic Monitoring: GPS Points	31730	Interface with the GPS/Electronic Monitoring contractor that contains reported GPS points that have occurred in the last number of minutes. Source: Sentinel. --> Destination: PRISM .						

4. Treatment (TRT)

4.1. Treatment registration

The purpose of the PSA STARS Registration module is to allow the user to enroll to defendants (clients) in a given treatment modality.

Menu Option	Req-ID	Requirement	
PSA STARS Registration	41005	Change the format on the Client Schedule Report by removing the grid and list the schedule by day, group, and time.	
		Acceptance criteria	Client schedule report would work if the grid were removed and the scheduled only lists the groups by day, group and time.
		Performance metrics	3-5 Seconds
		Detail/specifics	This is a report (group schedule) that we generate for clients and provide to them.
PSA STARS Registration	41010	In the location section of the Client Schedule Report, replace the number in front of the group room with Room (e.g. would read Room 984 instead of 1-984).	
		Acceptance criteria	The schedule would have Room 984 indicated on the sheet that we give to defendants.
		Performance metrics	3-5 Seconds
		Detail/specifics	This is a report (group schedule) that we generate for clients and provide to them.
PSA STARS Registration	41015	Automatically remove defendants if they miss two consecutive weeks of groups.	
		Acceptance criteria	The registration in the Treatment module remains active until it is manually set at discharge.
		Performance metrics	3-5 Seconds

Menu Option	Req-ID	Requirement	
PSA STARS Registration	41020	Detail/specifics	The PSA STARS treatment registration will automatically change to discharge when two weeks' worth of groups are missed.
		The dates will automatically populate when selecting the alert on the dashboard for the missed group sessions.	
		Acceptance criteria	Dates for missed populate on the dashboard.
		Performance metrics	3-5 Seconds
PSA STARS Registration	41025	Detail/specifics	Currently, when missed sessions are selected on the dashboard, the user is directed to the Client Sessions screen, and users must determine which groups were missed.
		Automatically remove defendants from the active treatment registration when:	
		a) Defendant Held Without Bond	
		b) Case reached disposition	
		c) Internal bench warrant is issued	
		Acceptance criteria	Defendants should be discharged and removed from the treatment registration when a, b or c occurs.
		Performance metrics	3-5 Seconds
		Detail/specifics	The treatment registration will automatically discharge a defendant when a, b or c occurs.

4.2. Treatment client sessions

The purpose of the PSA STARS Client Sessions module is to allow the user to view PSA STARS information for the active client.

Menu Option	Req-ID	Requirement	
PSA STARS Client Sessions	42005	Current group should populate first.	
		Acceptance criteria	When searching for a client session in the PSA Group client sessions module, the current date should populate first and not future sessions.
		Performance metrics	3-5 Seconds
		Detail/specifics	The current date will show first with subsequent dates following when generated.

4.3. Treatment multiple client registration

The purpose of the PSA STARS Multiple Client Registration module is to allow the user to enroll up to ten (10) clients PDID's in a modality.

Menu Option	Req-ID	Requirement

4.4. Treatment group maintenance

The purpose of the Treatment Group maintenance section is to create, update, or remove group sessions (classes) within PRISM. A session has a general status of "Current" or "Prior". A session also has an "actively scheduled" status that indicates if the session contains one or more active schedules. If a class contains no "scheduled" schedules it will be flagged as "not actively scheduled".

The Group maintenance detail screen lists the session Name, modality sub-type, whether the session is gender specific, if the session is either in Current or Prior status, and if the session has active schedules. By clicking the arrow in the detail record, the row is expanded and displays the schedules for the Session.

Menu Option	Req-ID	Requirement	
PSA STARS Treatment Maintenance and Group Maintenance	44005	Ability for the registrar to remove groups that are inactive (prior).	
		Acceptance criteria	The registrar would like permissions to remove groups in the treatment maintenance module and group maintenance module.
		Performance metrics	3-5 Seconds
		Detail/specifics	The registrar will have access to create groups in the treatment maintenance module and group maintenance module.

4.5. Treatment notes

The purpose of the Treatment Notes module is to record and store defendant treatment notes.

Menu Option	Req-ID	Requirement

4.6. Group search

The purpose of the PSA STARS Group Search module is to allow the user to access to PSA STARS client group rosters.

Menu Option	Req-ID	Requirement	
PSA STARS Group Search	46005	Most recent groups should populate first.	
		Acceptance criteria	When searching for a group in the PSA Group search module, the current date should populate first.
		Performance metrics	3-5 Seconds

Menu Option	Req-ID	Requirement	
PSA STARS Group Search	46015	Detail/specifics	The current date will show first with subsequent dates following when generated.
		Ability to save the group attendance sheets by selecting only the save function.	
		Acceptance criteria	This will work when we no longer must use the update attendance function and only the save function.
		Performance metrics	3-5 Seconds
PSA STARS Group Search	46020	Detail/specifics	The group attendance will save by only selecting the save function.
		Ability to enter group attendance and client behavior in the same screen and at the same time instead of going into each entry/person's name to enter client behavior. (ex: check box for attendance and check box for client behavior)	
		Acceptance criteria	The ability to select the clients name, whether they attended and their behavior at one time.
		Performance metrics	3-5 Seconds
		Detail/specifics	Currently we must open each defendants record to select their group behavior. It would work if we were able to input the client's attendance and compliance all on one screen.

4.7. Treatment maintenance

Treatment Maintenance allows the PSA STARS Registrar to add new modalities and define the related classes within a given modality. A STARS Registrar can also manage which class are a default class for a modality as well as the default schedule for that class as it relates to the modality.

Menu Option	Req-ID	Requirement	
PSA STARS Treatment Maintenance	47005	When opening the module, Current groups (status) should appear first.	
		Acceptance criteria	Currently all the prior groups no longer used are populating first. We would like for only the groups listed as (current) status to appear first.
		Performance metrics	3-5 Seconds
		Detail/specifics	The list will show all the active groups listed first and any inactive group will appear last.
PSA STARS Treatment Maintenance	47010	Ability for the registrar to remove Group Modalities.	
		Acceptance criteria	The registrar does not have the ability to delete any old group "modality names" in this section.
		Performance metrics	3-5 Seconds
		Detail/specifics	The registrar will have the ability to remove, change, create, and/or edit data in the treatment maintenance section.

4.8. Treatment Placements

A/PSOs coordinate court ordered substance use contracted treatment placements and mental health services for defendants. The A/PSO compiles a treatment packet within five business days of receiving the substance use disorder or mental health assessment from the assessment center. Putting together the treatment packet is a manual labor process which includes the following:

- ✓ The PRISM generated "Treatment Packet Referral Memorandum" indicating: the date, assigned A/PSO, defendant's name, PDID number, DCDC number, Docket number, and period of time for treatment requested. In addition, it includes the defendant's physical location such as community, jail, Psychiatric Institute of

Washington (PIW), Department of Behavioral Health (DBH), Re-Entry and Sanction Center (RSC), halfway house, etc. Also the type of treatment requested i.e., Residential, Intensive Outpatient, or Detoxification.

- ✓ A copy of the Substance use assessment completed within the past six (6) months;
- ✓ A copy of the Release of Information (ROI): Substance use Treatment General Consent for Court;
- ✓ A copy of the Release order;
- ✓ A copy of the Sanctions contract (if required for placement);
- ✓ A Drug status report;
- ✓ A Prior Contact report;
- ✓ A Purified Protein Derivative (PPD) test or chest x-ray for residential placements.
- ✓ If the defendant has a mental health diagnosis, the A/PSO will need to obtain the following information:
 - Name and compliance with psychotropic medications (to include monthly injections);
 - Connection to a community based mental health provider (i.e. Community Connections, MBI, etc.);
- ✓ If the defendant is in a medication assisted treatment program (MAT), and wants to continue MAT while in residential treatment, the A/PSO needs to provide the location of the facility and the dosage of the medication.

The A/PSO compiles and forwards the completed treatment packet to their supervisor or designee for review and approval. The supervisor will review the treatment packet and return it the A/PSO within two business days. Once approved, the A/PSO will submit the treatment packet via email to OAS to facilitate a defendant's placement into a contracted treatment service.

Menu Option	Req-ID	Requirement
Treatment Placements	48005	Ability for A/PSOs to select documents from PRISM to compile a treatment packet and interface with Outlook to email packets to PSA staff and external providers.

Menu Option	Req-ID	Requirement	
		Acceptance criteria	Documents needed for a treatment packet (documents in the document library) must be individually generated and saved to upload to outlook in a message or scanned into one document.
		Performance metrics	3-5 Seconds
		Detail/specifics	We would like to be able to click on required documents in the library so that they all can generate at one time into a PDF document and uploaded to outlook and sent as an email.
Treatment Placements	48010	Ability to track the status of when treatment packets are received for external contract treatment programs.	
		Acceptance criteria	Currently we have no system in place to track the process of treatment packets.
		Performance metrics	3-5 Seconds
		Detail/specifics	This will work if there was a tracking system showing the progression of the case: sent to the treatment packet email group, received by the PSS, sent to the vendor, approval or denial and referral closed.
Treatment Placements	48020	Upload completed treatment packets into the Document Library.	
		Acceptance criteria	Contents of the treatment packet are individually uploaded into the document library.
		Performance metrics	3-5 Seconds
		Detail/specifics	Once the completed treatment packet is compiled into on PDF document to upload to outlook to email for submission, would like to also be able to upload this document as well as one complete document into the document library.

4.9. Treatment reports- PSA STARS Reports

PSA STARS allows for the creation of reports to track individual clients as they progress through PSA STARS and to evaluate overall the program's effectiveness.

Menu Option	Req-ID	Requirement	
Defendant Registration Summary Report	49001	System should provide the functionality of generating a summary report of whether a defendant reported for groups, their compliance status, and behaviors.	
		Acceptance criteria	The report will provide a summary of group attendance, compliance, and behaviors.
		Performance metrics	3-5 Seconds
		Detail/specifics	When generated the report must display status of group session attendance, compliance, behaviors, and the total number of groups attended.
Defendant Registration Summary Report	49005	Change the name to Group Summary Report.	
		Acceptance criteria	The report name will be changed to Group Summary Report
		Performance metrics	3-5 Seconds
		Detail/specifics	The report name will be changed from Defendant Registration Summary to Group Summary Report to reflect the information that is captured in the report.
Defendant Registration Summary Report	49010	Add the date of groups attended, missed, n/a and a tally of groups in the attendance column.	
		Acceptance criteria	Report will display the names of the groups attended, the schedule, dates a defendant attended/ did not attend group, their compliance status, behavior, and the total number of groups.
		Performance metrics	3-5 Seconds
		Detail/specifics	The Defendant Registration Summary Report will need to be updated to provide a summary of

Menu Option	Req-ID	Requirement
		the total number of groups attended in s specific time frame, the dates of the groups, compliance, and behavior.

4.10. Behavioral Health Services Entry Report

The Behavioral Health Services Entry reports will provide a summary of substance use disorder treatment services, or mental health services, or audit summary information.

Menu Option	Req-ID	Requirement
Behavioral Health Services- Substance Use Disorder Treatment Entries Report	41001	Implement the ability to create a report that will provide a summary of substance use disorder treatment supervision log entries.
		Acceptance criteria The report will identify the following information from supervision log Type: a) Accepted into treatment b) Adjustment to treatment c) Alcohol assessment d) Appointment e) Defendant not placed into treatment f) Diversion placement g) Diversion screening h) Drug Court graduation i) Exit from diversion j) Exit from treatment k) Participating in substance use disorder treatment at placement l) Progression/ graduation m) Referred n) Registered for PSA STARS o) Substance use disorder assessment p) Substance use disorder update
		Performance metrics 3-5 Seconds

Menu Option	Req-ID	Requirement	
Behavioral Health Mental Health Services Entries Report	41005	Detail/specifcics	This report will provide a summary of the above-mentioned substance use disorder entries and will include the entry date, activity date, Type, Subtype, Title, and comments that populate when the entries are made. The user would be able to sort by entry date, activity date, Type, Subtype, and Title.
		Implement the ability to create a report that will provide a summary of mental health services supervision log entries.	
		Acceptance criteria	The report will identify the following information from supervision log: a) Accepted/ Declined b) Adjustment to mental health services c) Appointment d) Assessment/ testing e) Completion of requirement f) Connected to services at placement g) Connected to services upon exit h) Diversion Placement i) Diversion Screening j) Exit from Diversion k) Not connected to services at placement l) Not connected to services upon exit m) Referred n) Screening
		Performance metrics	3-5 Seconds
		Detail/specifcics	This report will provide a summary of the above-mentioned mental health services entries and will include the entry date, activity date, Type, Subtype, Title, and comments that populate when the entries are made. The user would be able to sort by

Menu Option	Req-ID	Requirement
		entry date, activity date, Type, Subtype, and Title.

5. Diagnostic and Release Information (DRI)

5.1. Diagnostic processing screen

The Diagnostic module is used to perform all the functions related to the diagnostic process, which ultimately allows for the creation of the Pretrial Services Report (PSR). The purpose of the Diagnostic Processing Screen (DPS) is to assist Diagnostic PSOs in completing the tasks needed to assist defendants going through the arraignment process.

The status indicators allow users to quickly understand where a particular defendant and his/her related cases are in the Diagnostic process. As the day and work progresses, the screen will change to reflect the status changes of each individual in the list. There are seven “status indicators” which represent the main steps of the PSR process and there 3 colors that represent the status of a given step and they change as the work is completed on the case.

Diagnostic Process Steps

- CF - Case Filing
- CH - Criminal History
- JUV- Juvenile
- INT - Diagnostic Interview
- DT – Drug Testing
- PSR - Pretrial Services Report
- ICR - Initial Case Release

Color status indicators

- Red means details have not been entered,
- Blue means details have been entered, and
- Green means it has been approved/completed.

Menu Option	Req-ID	Requirement	
Diagnostic Processing Screen	51002	Populate based on arrests added through the CJCC interface (Lockup no, PDID, Name, DOB, Charges) MPD status lists defendant as lockup.	
		Acceptance criteria	When MPD arrest data results reflect arrestee will be a lock-up matter, the CJCC interface will populate the Diagnostic Processing Screen (DPS) with the arrestee’s name, lock up number, PDID DOB and arrest charges. This information must be updated in real-

Menu Option	Req-ID	Requirement	
			time and reflect accurate information. Information must be populated to the specific lockup date. Interface must search existing system data to determine if defendant exists. If arrestee does not exist. Basic arrestee information (Name, DOB, SEX, and PDID) must be added to client tables first.
		Performance metrics	n/a
		Detail/specifics	
Diagnostic Processing Screen	51004	Need information from the prosecuting agency. Tells the Papering status (charging or not charging).	
		Acceptance criteria	When the USAO or OAG makes a charging decision, that decision shall modify the papering section of the DPS. System shall reflect the following statuses: P-Case is papered, NP- case is no papered, NS-No information available. The updating of the status must be updated every 30 minutes.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51006	Need the ability to go to interview module to interview individuals on this list.	
		Acceptance criteria	When the user selects the interview status indicator, the system shall take the user to the interview module. The user then shall have the ability to add, update, and deleted interview information. Upon completion of the interview, the system shall update the client tables with the applicable information. System shall also indicate on the DPS that the interview has been entered and completed.
		Performance metrics	n/a
		Detail/specifics	n/a

Menu Option	Req-ID	Requirement	
Diagnostic Processing Screen	51008	Need the Add Lockup button to stay (Need manual entry to stay).	
		Acceptance criteria	When the user selects the “add lock up” functionality, the system should add the entered defendant to the applicable lock up date, with the specific arrest data added. System should not allow duplicate defendants to be added to the same lock up date. Once added all other DPS functionality shall be available.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51010	Need to be able to automatically and manually assign defendants to a PSO.	
		Acceptance criteria	The system shall allow for the automated assignment of a lock up to a particular PSO based established criteria. The system should allow for the ability for the assignment of multiple lock ups to a particular employee. The assignment shall display on the DPS.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51012	Need the status of the work being done for the PSR.	
		Acceptance criteria	For the various status indicators listed on the DPS, the system shall modify the indicator to reflect the stage of completion.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51014	Need to see the defendant’s criminal history record.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	When the user selects the criminal history status indicators, the system shall take the user to the selected defendant's criminal history list screen.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51018	Need the hovering logic to stay the same. I.e.: the drug testing status by hovering over.	
		Acceptance criteria	When the user hovers over the drug test status indicator, the defendant lock up drug collection status shall be made visible. If drug results are available, the system shall display the drug used.
		Performance metrics	n/a
Diagnostic Processing Screen	51020	Detail/specifics	n/a
		PSR click needs to the same (system needs to continue to pre-build the report as updates happens).	
		Acceptance criteria	When the user selects the PSR indicator, the system shall take the user to the PSR creation module. Upon completion of the PSR, the user shall be returned to the DPS and the status indicator shall be automatically modified to reflect the completion status.
Diagnostic Processing Screen	51022	Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51024	Need the ability to see lockups, Citations (Lockup Type filter).	
		Acceptance criteria	The DPS shall have the capability to filter by the various lock up types. When a particular lock up type is selected, the

Menu Option	Req-ID	Requirement	
			system shall display the requested results.
		Performance metrics	n/a
		Detail/specifics	n/a
Need the ability to search for a single record in the list on across time not just on the day of.			
Diagnostic Processing Screen	51026	Acceptance criteria	The system should allow the user to search and display specific information on a particular lock up type. Upon entry of the search criteria information, the system shall display the requested information. If not if matches the search criteria, the system shall indicate no information matches search criteria.
		Performance metrics	n/a
		Detail/specifics	n/a
Supervisor needs the ability to assign to a PSO (see process flow when selecting from drop down).			
Diagnostic Processing Screen	51028	Acceptance criteria	n/a
		Performance metrics	n/a
		Detail/specifics	n/a
Automated Case Assignment. The system should be able to assign defendant cases to employees as they are added to the lock-up list.			
Diagnostic Processing Screen	51030	Acceptance criteria	System should be able to automatically assign lockups based upon a pre-defined criterion. When a lock up is added to the DPS the system will assign case to a particular PSO.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51032	Multi-case assignment capabilities: The system should have the ability to display multiple case assignments.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	System shall allow for the assignment of multiple PSO to a specific lock up. The system shall store the assignments.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51034	Juvenile Record Check Indicator: The system should have the indicator to alert employees, that a juvenile record check is required.	
		Acceptance criteria	Based upon a set criterion of charge and defendant age system shall display an indicator on the DPS when a lock up meets the defined criterion.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51036	Screen filters: The system should have the capability to filter by the follow: Outstanding cases, Team assignment, no papered cases, TOT'D cases.	
		Acceptance criteria	System shall be able to filter various lock up case status based on a defined criterion. When a filter functionality is selected the DPS will display the requested results.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51038	Report Submission: The system should have the capability to submit approved PSRs to the court electronically.	
		Alternative 2: Approved PSR automatically saved to centralized module.	
		Alternative 3: Consider using the current interface with CJCC and Court. They are receiving the approved PSRs on regular basis.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	When a case has been approved, the approved PSR shall be sent to a designed location via email or other transfer mechanism. Approved report must be submitted in PDF.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51040	Citation Portal: The system should have the capability to receive citation eligibility screening requests.	
		Acceptance criteria	System shall prepopulate the Citation section of the DPS when MPD arrest results in a request for a citation screening or arrest disposition was citation release.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51042	PSR- Within the PSR Wizard, the system should have the capability to reject a PSR, provide a reason for the rejection, and notify the submitter of the rejection	
		Acceptance criteria	When in the PSR creation module, the system shall have a location where the user can enter and store issues found in the review of a report. When issues are found the system shall have a mechanism to indicated that the report was rejected. The issues found shall be notify the assigned PSO.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51044	PSR- Within the PSR Wizard, the system should have the capability to require employee to indicate that the reports have been reviewed prior to submission to supervisor.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system shall display a mechanism in the report creation section to indicate that the report was reviewed by the assigned PSO. If reviewed indicator is not selected, the report cannot be approved.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51046	PSR Detention Eligibility: The system should have the capability to automatically select Detention eligibility hearings based on pre-determined factors.	
		Acceptance criteria	Based on a pre-determined criterion, the system shall automatically select the applicable detention hearings. System shall also allow for the selection and de-selection of detention hearings. Selected detention hearings shall display on the report.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51048	PSR- The system shall have the ability to document eligibility screening for the follow: Electronic Monitoring and Mental Health Services.	
		Acceptance criteria	In the report creation module, the system shall display fields in which the user can document various screening results. The module shall display the unit screened and eligibility results. These results shall display on the report.
		Performance metrics	n/a
		Detail/specifics	n/a

Menu Option	Req-ID	Requirement	
Diagnostic Processing Screen	51050	Hearing Outcome: The system should have the capability to document the result of the arraignment hearing.	
		Acceptance criteria	The system shall be able to enter, save and store court hearing outcome, to include release conditions ordered, detention hearing held. Docket information and appearance information.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51052	DPS-Ability to document/add remarks regarding a lock up case. Similar functionality to message module.	
		Acceptance criteria	The system shall have a field in which internal comments can be entered. These comments will be visible only by PSA employees.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51054	Indicator that case is currently being reviewed.	
		Acceptance criteria	When a PSR is opened by a supervisor, the system should have an indicator that the case is being reviewed.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Processing Screen	51056	Ability to add lockups prior to lock up date.	

Menu Option	Req-ID	Requirement	
		Acceptance criteria	The system should allow the user to be able to add a lock up to the DPS prior to the lock up date.
		Performance metrics	n/a
		Detail/specifics	n/a
Ability to batch print PSRs.			
Diagnostic Processing Screen	51058	Acceptance criteria	The system should allow the user the ability to print approved PSRs in batch format.
		Performance metrics	n/a
		Detail/specifics	n/a
Priority case indicator on the DPS.			
Diagnostic Processing Screen	51060	Acceptance criteria	The system should allow the user to indicate that a lock up is a priority matter.
		Performance metrics	n/a
		Detail/specifics	n/a

5.2. Diagnostic interview

The purpose of the Diagnostic interview is to gather defendant information obtained during the diagnostic interview conversation with the individual. If the defendant is already in the system PRISM will pre-populate the form with the latest information available. Once the information is gathered it will be included in the PSR and the data transferred back to the defendant's record for future use. The interview has five sections:

- ✓ General background information.

- ✓ Address, education, employment, and military service information.
- ✓ Physical and mental health information.
- ✓ Substance use and treatment information.
- ✓ Self-reported criminal history information.

Menu Option	Req-ID	Requirement	
Diagnostic Interview	52005	Standalone interview: The system should have to capability to conduct an interview utilizing a mobile device that can operate both online and offline.	
		Acceptance criteria	The system should have to capability to conduct an interview utilizing a mobile device that can operate both online and offline. When working offline interview information shall be stored and have the capability to upload interview data when status changed to online.
		Performance metrics	n/a
		Detail/specifics	n/a
Diagnostic Interview	52005	Standalone interview: The system should have to capability to pre-populate a new interview with existing defendant data -or- start blank.	
		Acceptance criteria	The system should have to capability to pre-populate a new interview with existing defendant data -or- start blank.
		Performance metrics	n/a
		Detail/specifics	n/a

5.3. Reports - PSR (Pretrial Services Report) List

The **PSR** includes selected information from the defendant's record. It is used to present information and recommendations to the court and judicial partners. Information will not appear on the PSR unless it has been reconciled (approved). The information contained in the report comes from the whole system such as the client

demographic, the criminal history, release and compliance, recommendations, drug test results, and health sections.

Menu Option	Req-ID	Requirement

5.4. Release orders, team assignment and activities,

The purpose of the Release Order module is to record and store new court release orders and the conditions associated with that order and/or update an existing release order.

The purpose of the Team Assignment (formerly known as Programs) module is to allow the user to link a defendant with a Supervision team. It used to track programs for the defendant or view the current and past team assignments in which the defendant has been supervised.

The purpose of the Activities module is to add new activities (actions a person needs to take) for the defendant and view the activities in which the defendant is and has been involved, e.g. drug testing, report weekly in person/by phone.

Menu Option	Req-ID	Requirement

5.5. Arrests, case filing, and BACE

The Arrests and Case Filing modules are used to add, view, and update arrest records or court case information to PRISM. In most instances, information is downloaded from MPD's or Superior Court's automated systems. However, if the information is not downloaded into PRISM, the A/PSO enters it manually. In USDC, there is no download for USDC cases, so PSOs file cases manually.

Menu Option	Req-ID	Requirement

5.6. Diagnostic reports

There are four reports that include the specific information needed for the various diagnostic process phases. Those reports are the *Pretrial Services Report*, *Arrest History*, *Criminal History*, and *Prior Contacts*.

The **Pretrial Services Report (PSR)** includes selected information from the defendant's record. The PSR is used to present information and recommendations to the court and judicial partners. Information will not appear on the PSR unless it has been reconciled (approved). The information contained in the report comes from the whole system such as the client demographic, the criminal history, release and compliance, recommendations, drug test results, and health sections.

The **Arrest History** report includes convictions, non-convictions, release and compliance information, and when was the last time the information was checked. The Arrest History is used when all arrest history is needed.

The **Criminal History** report includes convictions, unknown dispositions, release and compliance information, and when was the last time the information was checked. The Criminal History is used when the Criminal Record is needed.

The **Prior Contact** report includes demographic data, all Criminal History, all Juvenile and Sealed, drug testing, health, release and compliance information. The Prior Contact is basically a data dump of a defendant's record.

NOTE:

The **Prior Contact** report is for internal PSA use only. The report may not be distributed to any external partner. Whereas the Arrest History, Criminal History and/or Pretrial Services Reports could be and are submitted to the court and other authorized officials.

The Criminal History and Arrest History report include six sections:

- 1) Pending Cases - a case contained in a pretrial report that has not yet received final disposition.
- 2) Active Supervision Cases - a charge that has reached a disposition with the defendant being currently supervised by Probation, Parole and/or the Department of Corrections (in any jurisdiction).
- 3) Prior Arrests- convictions, non-convictions (dismissed, nolle prosequi) and arrests with unknown dispositions concerning criminal charges originating inside or outside of the District of Columbia.

- 4) Disposition(s) Unknown- Charges that Pretrial Services Agency has no information regarding the final outcome.
- 5) Juvenile Case Record –A criminal history including adjudicated and non-adjudicated cases, created prior to the defendant’s 18th birthday.
- 6) Superior Court Bench/Escape Warrant History- Reflects the defendant’s bench and escape warrants, excluding Sanction warrants from the past 10 years. Provided to assist the Court with making appropriate release/detention decisions.

Menu Option	Req-ID	Requirement

5.7. FTA (failure to appear) log

The purpose of the FTA Log function is to process FTA investigations or to view information about an FTA. If a defendant fails to appear to a court appointment the A/PSO assigned to FTA duties conducts a follow-up investigation to obtain the disposition of the failure to appear matter. The A/PSO researches external systems to obtain the disposition and logs the investigation results in the FTA log screen.

Menu Option	Req-ID	Requirement

5.8. Charge flagging and classification

The Charge Flagging screen allows authorized individuals to update the charge classification and statute utilized in processes such as risk assessment and data warehousing.

Menu Option	Req-ID	Requirement
Charge Flagging and classification	58005	Ensure the system stops generating emails when an incorrect statute is fixed in PRISM, and the interface continues importing the wrong one.
		Acceptance criteria The system stops sending emails when a statute is fixed.
		Performance metrics n/a

Menu Option	Req-ID	Requirement
		Detail/specifics Right now, when a charge comes from Court View to PRISM with an incorrect statute, PRISM allows a user to enter the correct statute, but then continues to send a charge flagging email with the charge and incorrect statute.

5.9. Criminal history

The Criminal History module can be accessed through the Diagnostic Processing Screen (DPS), the Diagnostic menu, or the Client menu and it is divided in three main sections as follows:

IV. Adult Criminal History, which has the following sub-sections/categories:

- a) Pending Cases
- b) Post Sentencing Supervision Cases
- c) Open on Appeal Cases
- d) Closed Cases (Convictions and Non-Convictions)
- e) Disposition Unknown

Note: All internal and external cases entered in Adult Criminal History appear under one of the above-listed sub-sections, depending on the status of the case.

V. Select Juvenile Adjudications

VI. Warrant and Criminal History Record Checks

Menu Option	Req-ID	Requirement
Criminal History	59005	Multiple Case/Docket Numbers: The system should have the capability being able to enter multiple Case/Docket numbers.
		Acceptance criteria n/a
		Performance metrics n/a
		Detail/specifics n/a

Menu Option	Req-ID	Requirement	
Criminal History	59010	Arrest Warrant notification: The system should have the capability to display an arrest warrant indicator. Separate from a bench warrant.	
		Acceptance criteria	The system should display an “AW” icon when an arrest warrant is entered in the warrant module.
		Performance metrics	1 second
		Detail/specifics	Display the “AW” icon on the banner where the current “BW icon is displayed.
Criminal History	59015	Compliance Development: The system should have the AI capabilities to develop compliance information, by extracting information from the various PRISM modules	
		Acceptance criteria	n/a
		Performance metrics	n/a
		Detail/specifics	n/a

5.10. Case folder management and tracking

The Diagnostic Unit creates a Diagnostic Case Folder for each case in need of a PSR. In USDC, the assigned Court Representative creates the case folders. The case folder stores all investigative materials, including the information gathered during the interview and the PSR. If a case is placed onto PSA supervision, A/PSOs in Supervision and Treatment use the folder to store supervision-related documents.

Menu Option	Req-ID	Requirement
Case Folder Tracking	51005	System shall track all client cases and provide the ability to search and monitor events by Event Type

Menu Option	Req-ID	Requirement						
		<table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							
Case Folder Tracking	51010	The location status needs to stay the same in the search results for cases <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							
Case Folder Tracking	51015	The system shall have the capability to generate unique barcoded labels for case folder tracking using the BACE number. <table><tr><td>Acceptance criteria</td><td>System generates unique barcoded labels for case folder tracking using the BACE number.</td></tr><tr><td>Performance metrics</td><td>Label prints within 5 seconds</td></tr><tr><td>Detail/specifics</td><td>The BACE (Bail Agency Case Entry) is a unique number given to every case entry before the Court assigns a Docket Number</td></tr></table>	Acceptance criteria	System generates unique barcoded labels for case folder tracking using the BACE number.	Performance metrics	Label prints within 5 seconds	Detail/specifics	The BACE (Bail Agency Case Entry) is a unique number given to every case entry before the Court assigns a Docket Number
Acceptance criteria	System generates unique barcoded labels for case folder tracking using the BACE number.							
Performance metrics	Label prints within 5 seconds							
Detail/specifics	The BACE (Bail Agency Case Entry) is a unique number given to every case entry before the Court assigns a Docket Number							
CFT Fast Scan	51025	System shall allow for a fast lookup for events <table><tr><td>Acceptance criteria</td><td>n/a</td></tr><tr><td>Performance metrics</td><td>n/a</td></tr><tr><td>Detail/specifics</td><td>n/a</td></tr></table>	Acceptance criteria	n/a	Performance metrics	n/a	Detail/specifics	n/a
Acceptance criteria	n/a							
Performance metrics	n/a							
Detail/specifics	n/a							

5.11. Diagnostic Interfaces

Interface Name	Req-ID	Requirement
Court Case update (12.1) – CourtView	51101	Load court view data from DCSC to PRISM with all the case related info, such as case, charge, charge disposition, bench warrant and court appearances info. Source: CJCC CIP from DCSC . --> Destination: PRISM .
Papering Decision (8.1)	51105	Update PRISM lockup table once received the "No Papered" notification. Source: CJCC CIP from USAO/OAG . --> Destination: PRISM .
PSA PSR (11.1)	51110	PSA sends the approved PSR to CJCC for distribution to DCSC, USAO, and OAG. Source: PRISM . --> Destination: CJCC CIP .
PSA to JUSTIS data contribution	51115	Push SQL job populates data from PRISM to CJCC's SQL Server JustisPSA and database NewPSA (). Source: PRISM . --> Destination: JUSTIS .

6. Framework Functional Requirements

These technical functional requirements apply to the entire system and must be implemented as part of the overall system framework.

6.1. Records Management

Feature	Req-ID	Requirement	
Records Management	T1000	The CMS must generate reports showing effective controls and compliance. Related to T1030, T1040, T1130, T1170, and T1270.	
		Acceptance criteria	Reports are readily accessible to RIMU.
		Performance metrics	Percentage of reports that accurately reflect the effectiveness of controls and compliance.
		Detail/specifics	The CMS must create reports that show effective controls and compliance. Related to T1030, T1040, T1130, T1170, and T1270. It is RIMU responsibility to ensure compliance.
Records Management	T1010	Must have the ability to recall records 20 years from the last history event for each case, defendant, and criminal history (See schedule) Note retention period. Related to T1090, T1180, T1190, T1180, T1190.	
		Acceptance criteria	The system must successfully recall records for up to 20 years from the last event for each case, defendant, and criminal history. Record must be accurate and free from errors.
		Performance metrics	Percentage of records maintained according to the retention schedule.
		Detail/specifics	The system must be able to recall records for 20 years from the last event for each case, defendant, and criminal history. See schedule for retention period. Related to T1090, T1180, T1190.
Records Management	T1030	The CMS reports should not show records that have been dispositioned in accordance with retention requirements. Related to T1000	

Feature	Req-ID	Requirement	
		Acceptance criteria	Regular check and audits should verify that disposed records are not included in the report.
		Performance metrics	Compliance rate.
		Detail/specifics	The CMS reports should not include records that have been disposed of according to retention requirements. Related to T1000.
Records Management	T1040	The CMS must create reports that show records that are about to expire and those that have expired in recently. Related to T1000 and T1270. To ensure compliance with retention and disposition requirements.	
		Acceptance criteria	Reports are generated regularly by RIMU and include accurate information, including the status of the record.
		Performance metrics	Compliance rate showing the percentage of records that meet or met the retention and disposition requirements.
		Detail/specifics	The must create reports that show records that are near expiration and those that have recently expired. This ensures compliance with retention and disposition requirements. Related to T1000 and T1270 and T1120.
Records Management	T1050	The CMS must have controls to prevent unauthorized access, alteration, concealment, or destruction of record and must ensure that audit trails are in place to track use of the records. Examples include defendant information, case information, treatment/drug testing information. ISO 15489-1:2016, Section 5.3 Records Systems Related to T1080.	
		Acceptance criteria	The CMS must have controls to prevent unauthorized access, changes, hiding, or destruction of records. It should also have audit trails to track the use of records.
		Performance metrics	Percentage of records successfully protected from unauthorized access,

Feature	Req-ID	Requirement	
Records Management	T1060		changes, hiding, or destruction of records.
		Detail/specifics	The CMS must have controls to prevent unauthorized access, changes, hiding, or destruction of records. It should also have audit trails to track the use of records.
		The CMS must capture, manage, and preserve electronic records with appropriate metadata and must be able to access and retrieve electronic records. 36 CFR 1222.26 Related to T1250. See T1210 and 1220 for metadata requirements.	
		Acceptance criteria	Each record has a unique identifier, required metadata, easily accessible, incompliance with record schedule. The audit trail confirms the accuracy. Users can easily locate and access records when requested.
Records Management	T1080	Performance metrics	Percentage of records successfully assigned a unique identifier, complete metadata, managed according to the record schedule. Record retrieval time.
		Detail/specifics	Upon the creation of a record, the system must capture it and assign a unique identifier, indicating that it is a record. The record must be managed and preserved with the required metadata and remain accessible and retrievable for the life of the record according to the records schedule. see requirement T1120.
Records Management	T1080	Agencies must have controls for file integrity monitoring to prevent unauthorized use, alteration, concealment, or deletion of records. Examples of controls include checksums, audit trails, access lists, monitoring, and agent validation. Monitoring documentation include audit reports and the results of integrity checks. 36 CFR 1236.10 Related to T1050 and T1140	
		Acceptance criteria	RIMU need access to controls to protect records from unauthorized changes or deletions.

Feature	Req-ID	Requirement	
		Performance metrics	Number of record issues detected and resolved by the system.
		Detail/specifics	ensure effective controls over the creation, maintenance and use of records to ensure compliance with RIM requirements.
Records Management	T1090	The CMS must create and maintain accurate, organized records that document agency activities for as long as needed. These records should be complete and easily accessible, following standardized formats for consistency. Records must be kept according to the retention schedule. 36 CFR 1236.10 Related to T1010 and T1060.	
		Acceptance criteria	Quarterly reports showing records are correctly accurately identified and organized.
		Performance metrics	Retrieval time
		Detail/specifics	Records should stay accurate and organized for their entire lifecycle. When requested, records should be easy to find and correct. schedule. Upon request, the records should be easily accessible and accurate.
Records Management	T1110	Once a record has been captured into the CMS, all events and actions related to the record by person entities and non-person entities must be documented on an on-going basis. ISO 15489-1:2016, Section 9.5 Access control Related to T1130, T1140, T1050 and T1080.	
		Acceptance criteria	RIMU need access to controls to protect records from unauthorized changes or deletions
		Performance metrics	Number of record issues detected and resolved by the system.
		Detail/specifics	ensure effective controls over the creation, maintenance and use of records to ensure compliance with RIM requirements.

Feature	Req-ID	Requirement	
Records Management	T1120	The CMS must ensure all records are associated with an approved records schedule. Agency Records Schedules; 36 CFR 1236.20 Related to T1090 and T1060	
		Acceptance criteria	A report that identifies the type and volume of records currently in the system, and a report detailing the records that have been dispositioned according to the records schedule and near disposition.
		Performance metrics	A report should be automatically generated when records are ready for disposition according to the records schedule.
		Detail/specifics	Upon creation of a record the system must align each record with an approved record schedule that will ensure that record is managed according to the associated record schedule.
Records Management	T1130	The CMS must manage records of current and former employees in a manner that supports searching in response to information requests, including FOIA and agency business needs. 5 U.S.C. § 552 (a)(3); Department of Justice Guide to the Freedom of Information Act Procedural Requirements. For example: Audit trails must be accessible for current and former employees in the event of a FOIA request. Related to T1080, T1050 and T1000.	
		Acceptance criteria	Audit trails are accessible for these employees for FOIA requests.
		Performance metrics	Percentage of records that are accessible when requested.
		Detail/specifics	Audit trails must be accessible for these employees for FOIA requests.
Records Management	T1140	Access rights and permission rules for CMS records should be adjustable to coincide with changes to the legal/regulatory environment, to business activities, or to the structure of the organization. ISO 15489-1:2016, Section 9.5 Access control	
		Acceptance criteria	Changes to access rights and permissions must be implemented promptly in response to changes.
		Performance metrics	n/a
		Detail/specifics	n/a

Feature	Req-ID	Requirement	
Records Management	T1150	Any actions changing the level of access, altering the record, or changing the location of the record must be documented and tracked into an audit log. ISO 15489-1:2016, Section 5.2 Records. Related to T1130, T1110, T1080 and T1050.	
		Acceptance criteria	Compliance report.
		Performance metrics	
		Detail/specifics	n/a
Records Management	T1160	The CMS must allow agencies to identify and categorize any records considered essential. 36 CFR 1223.16. Related to T1090 and T1060.	
		Acceptance criteria	n/a
		Performance metrics	n/a
		Detail/specifics	The CMS must allow agencies to identify and categorize essential records. Related to 36 CFR 1223.16, T1090, and T1060.
Records Management	T1170	The CMS should control any proposed deletion of records pursuant to existing records schedules. Agency RM Requirement. Related to T1120, T1110, T1080, T1050 and T1000.	
		Acceptance criteria	The CMS must have a clear and documented process for reviewing record deletions. Records are not deleted unless in accordance with the record schedule.
		Performance metrics	The number of records deleted without going through the review and approval process.
		Detail/specifics	The CMS should not delete any records without a review and approval process based on current records schedules. Related to T1120, T1110, T1080, T1050, and T1000. Records cannot be deleted unless in alignment with disposition.

Feature	Req-ID	Requirement	
Records Management	T1180	The CMS must have controls for implementing a legal hold to prevent unauthorized destruction due to court order. 36 CFR 1226.24. Related to T1140, T1130, T1080, T1060, T1050 and T1010.	
		Acceptance criteria	The CMS must have a documented process for reviewing record deletions.
		Performance metrics	The percentage of record deletions that comply with the review and approval process.
		Detail/specifics	Upon the request of a legal hold there must be controls implemented that will identify records placed on legal hold and prevent the unauthorized destruction due to court order.
Records Management	T1190	The CMS may retain records approved for destruction beyond the period outlined in the records schedule if the records in question pertain to a court order, executive order, law, or approved business justification. 36 CFR 1226.10 Related to T1180, T1140, T1130, T1080, T1060, T1050 and T1010.	
		Acceptance criteria	See requirement above
		Performance metrics	See requirement above
		Detail/specifics	See requirement above
Records Management	T1200	The CMS must manage records according to NARA approved schedule. 36 CFR 1226.10 Related to T1170, T1120, T1090 and T1060.	
		Acceptance criteria	All records must be accurately categorized and maintained according to records schedule.
		Performance metrics	The percentage of successful audits confirming compliance with the NARA schedule.
		Detail/specifics	The system must be able to manage the records from creation to disposition.
Records Management	T1210	Metadata for a record must consist of information recording (1) the description of the content of the record; (2) the structure of the record (form, format, and relationships between record components); (3) the business context in	

Feature	Req-ID	Requirement						
		which the record was created; (4) relationships with other records and metadata; (5) identifiers and other information needed to retrieve the record; (6) the business actions and events involving the record throughout its existence. ISO 15489-1:2016, Section 5.2 Records. Related to T1060. See T1060 for the requirements for metadata. <table><tr><td>Acceptance criteria</td><td>Metadata for a record must describe its content, structure, business context, relationships, retrieval identifiers, and all business actions and events throughout its existence.</td></tr><tr><td>Performance metrics</td><td>Percentage of records with required metadata.</td></tr><tr><td>Detail/specifics</td><td>Metadata for a record must include information about its content description, structure, business context, relationships with other records, identifiers for retrieval, and business actions and events throughout its existence.</td></tr></table>	Acceptance criteria	Metadata for a record must describe its content, structure, business context, relationships, retrieval identifiers, and all business actions and events throughout its existence.	Performance metrics	Percentage of records with required metadata.	Detail/specifics	Metadata for a record must include information about its content description, structure, business context, relationships with other records, identifiers for retrieval, and business actions and events throughout its existence.
Acceptance criteria	Metadata for a record must describe its content, structure, business context, relationships, retrieval identifiers, and all business actions and events throughout its existence.							
Performance metrics	Percentage of records with required metadata.							
Detail/specifics	Metadata for a record must include information about its content description, structure, business context, relationships with other records, identifiers for retrieval, and business actions and events throughout its existence.							
Records Management	T1220	THE CMS must define metadata to (1) enable the identification and retrieval of records; (2) associate records with changing business rules, policies, and mandates; (3) associate records with agents, and their authorizations and rights with regards to the records; (4) associate records with their business activities; (5) track processes carried out on records. ISO 15489-1:2016, Section 8.2 Metadata schemas for records. Related to T1210 and T1060. See T1060 for the requirements for metadata. <table><tr><td>Acceptance criteria</td><td>must ensure records are accurately identified, linked to rules, agents, and activities, and tracked for all processes.</td></tr><tr><td>Performance metrics</td><td>Record retrieval times.</td></tr><tr><td>Detail/specifics</td><td>The CMS must define metadata to identify and retrieve records, link them to rules, agents, and activities, and track processes done on them.</td></tr></table>	Acceptance criteria	must ensure records are accurately identified, linked to rules, agents, and activities, and tracked for all processes.	Performance metrics	Record retrieval times.	Detail/specifics	The CMS must define metadata to identify and retrieve records, link them to rules, agents, and activities, and track processes done on them.
Acceptance criteria	must ensure records are accurately identified, linked to rules, agents, and activities, and tracked for all processes.							
Performance metrics	Record retrieval times.							
Detail/specifics	The CMS must define metadata to identify and retrieve records, link them to rules, agents, and activities, and track processes done on them.							
Records Management	T1230	Metadata to manage records must be in one of six categories: (1) Identity - information identifying the record; (2) Description - information determining the nature of the						

Feature	Req-ID	Requirement						
		record; (3) Use - information facilitating immediate and longer-term record use; (4) Event plan - information used to manage the record, such as disposition information; (5) Event history - information recording past events on the record and its metadata; (6) Relation - information describing the relationship between the record and other records. ISO 15489-1:2016, Section 8.2 Metadata schemas for records Related to 1220, T1210 and T1060. <table><tr><td>Acceptance criteria</td><td>must ensure metadata accurately identifies records, describes their nature, facilitates use, manages records, records past events, and shows relationships with other records.</td></tr><tr><td>Performance metrics</td><td>Record retrieval time</td></tr><tr><td>Detail/specifics</td><td>Metadata to manage records must identify the record, describe its nature, facilitate use, manage the record, record past events, and show relationships with other records.</td></tr></table>	Acceptance criteria	must ensure metadata accurately identifies records, describes their nature, facilitates use, manages records, records past events, and shows relationships with other records.	Performance metrics	Record retrieval time	Detail/specifics	Metadata to manage records must identify the record, describe its nature, facilitate use, manage the record, record past events, and show relationships with other records.
Acceptance criteria	must ensure metadata accurately identifies records, describes their nature, facilitates use, manages records, records past events, and shows relationships with other records.							
Performance metrics	Record retrieval time							
Detail/specifics	Metadata to manage records must identify the record, describe its nature, facilitate use, manage the record, record past events, and show relationships with other records.							
Records Management	T1240	The CMS metadata for a record must be protected from unauthorized deletion and must be retained or destroyed in accordance with the record's retention schedule. ISO 15489-1:2016, Section 5.2 Records. Related to T1230, T1210, and T1060. <table><tr><td>Acceptance criteria</td><td>See 1170-1190</td></tr><tr><td>Performance metrics</td><td>See 1170-1190</td></tr><tr><td>Detail/specifics</td><td>See 1170-1190</td></tr></table>	Acceptance criteria	See 1170-1190	Performance metrics	See 1170-1190	Detail/specifics	See 1170-1190
Acceptance criteria	See 1170-1190							
Performance metrics	See 1170-1190							
Detail/specifics	See 1170-1190							
Records Management	T1250	Once the CMS record has been captured, the associated metadata must be fixed and kept as transactional evidence. The metadata includes a unique identifier, author (who created/entered the case), date of creation, and relationships with other records. ISO 15489-1:2016, Section 9.3 Capturing records. Related to T1240, T1230, T1210 and T1060. <table><tr><td>Acceptance criteria</td><td>See 1210-1230 for the RM required Metadata.</td></tr><tr><td>Performance metrics</td><td>See 1210-1230 for the RM required Metadata.</td></tr><tr><td>Detail/specifics</td><td>See 1210-1230 for the RM required Metadata.</td></tr></table>	Acceptance criteria	See 1210-1230 for the RM required Metadata.	Performance metrics	See 1210-1230 for the RM required Metadata.	Detail/specifics	See 1210-1230 for the RM required Metadata.
Acceptance criteria	See 1210-1230 for the RM required Metadata.							
Performance metrics	See 1210-1230 for the RM required Metadata.							
Detail/specifics	See 1210-1230 for the RM required Metadata.							

Feature	Req-ID	Requirement	
Records Management	T1260	When migrating records, all metadata must be preserved and accompanied with the transfer. 36 CFR 1236.12. Related to T1250, T1240, T1230, T1210 and T1060.	
		Acceptance criteria	See 1210-1230 for the RM required Metadata.
		Performance metrics	See 1210-1230 for the RM required Metadata.
		Detail/specifics	When migrating records, all metadata must be preserved and transferred with them.
Records Management	T1270	The CMS must have the ability to generate reports demonstrating effective controls and compliance. 36 CFR 1220.18 - Related to T1000, T1190, T1180, T1170, T1160, T1150, T1140, T1130, T1120, T1110, T1090, T1180, T1170, T1160, T1150, T1140, T1130, T1120, T1110, T1080, T1040 and T1050.	
		Acceptance criteria	RIMU can conduct audits and review reports for compliance with RIM requirements
		Performance metrics	Percentage of reports showing RIM compliance.
		Detail/specifics	Reports must demonstrate records management requirements. See T1000, T1190, T1180, T1170, T1160, T1150, T1140, T1130, T1120, T1110, T1090, T1180, T1170, T1160, T1150, T1140, T1130, T1120, T1110, T1080, T1040 and T1050.
Records Management	T1280	The CMS must provide the ability to design and generate customized reports. 36 CFR 1220.18 - Related to T1270	
		Acceptance criteria	RIMU can design and generate reports for RIM requirements.
		Performance metrics	Percentage of reports that show RIM compliance.
		Detail/specifics	Audits will need to be conducted on CMS to verify its compliance.

Feature	Req-ID	Requirement
Records Management	T1290	The CMS must provide the ability to print reports that are legible, professional in appearance, and usable for an agency's official business purposes. ISO 15489-1:2016, Section 6.4 Monitoring and evaluation Related to T1280
		Acceptance criteria See above
		Performance metrics See above
		Detail/specifics See above
Records Management	T1300	The CMS should provide the ability to schedule the delivery of reports, and to distribute them to a specified list of recipients. ISO 15489-1:2016, Section 6.4 Monitoring and evaluation. Related to T1290.
		Acceptance criteria See above
		Performance metrics See above
		Detail/specifics See above
Records Management	T1310	The CMS should provide users the ability to design and run ad hoc reports using any information for which they have been granted access. ISO 15489-1:2016, Section 6.4 Monitoring and evaluation. Related to T1300
		Acceptance criteria The CMS should allow users to create and run ad hoc reports with any information they can access.
		Performance metrics n/a
		Detail/specifics The CMS should allow users to create and run ad hoc reports with any information they can access.
Records Management	T1320	The CMS should provide the ability to save the configurations of ad hoc reports for reuse. ISO 15489-1:2016, Section 6.4 Monitoring and evaluation. Related to T1310.
		Acceptance criteria The CMS should allow users to save the configurations of ad hoc reports for reuse.
		Performance metrics n/a

Feature	Req-ID	Requirement	
		Detail/specifics	The CMS should allow users to save the configurations of ad hoc reports for reuse.
Records Management	T1340	Records Management Menu to monitor compliance of requirements mentioned above.	

6.2. System Security

Feature	Req-ID	Requirement
Security	T2000	All sensitive data must be encrypted during transmission and at rest.
Security	T2005	Audit trails and logging mechanisms must be in place to track user activities, and security incidents should be logged and reported.
Security	T2010	Audit Trails should remain on all backend data changes (need to trace all events)
Security	T2015	Real-time monitoring tools should be in place to detect and respond to security incidents promptly.
Security	T2020	Regular security audits and compliance checks should be performed.
Security	T2025	Role-based access control (RBAC) must be enforced, restricting access based on job roles and responsibilities.
Security	T2030	System shall allow for PIV administration (add/update/remove).
Security	T2035	System shall provide the functionality to read a PIV user card
Security	T2040	The application must comply with relevant data protection and privacy regulations (e.g., GDPR, HIPAA).
Security	T2045	User authentication and authorization mechanisms must be implemented, with support for multi-factor authentication.

6.3. System Administration

Feature	Req-ID	Requirement
System Administration	T3000x	<describe the functionality you expect out of the system>

Feature	Req-ID	Requirement
System Administration	T3000x	<describe the functionality you expect out of the system>

6.4. System Architecture

Feature	Req-ID	Requirement
Architecture	T4000	A version control system (e.g., Git) should be used, and regular code reviews should be conducted.
Architecture	T4005	Code should follow coding standards and best practices for .NET development.
Architecture	T4010	Database queries and transactions should be optimized for performance.
Architecture	T4015	Images should be stored in a linked external database. Requirement from Hy on 1/16/24
Architecture	T4020	Load balancing mechanisms must be implemented to distribute traffic evenly across application servers.
Architecture	T4025	Regular performance testing must be conducted, and bottlenecks identified during testing should be addressed.
Architecture	T4030	Regular reports on system performance, security events, and user activities should be generated and reviewed.
Architecture	T4035	Response time for critical transactions should be less than 2 seconds.
Architecture	T4040	Support for mobile devices should be considered, with responsive design principles applied to ensure usability on various screen sizes.
Architecture	T4045	The ability to schedule and email reports to go out to a specified recipient list
Architecture	T4050	The application must comply with industry standards and best practices for security (e.g., OWASP guidelines).
Architecture	T4055	The application must handle concurrent user sessions efficiently, supporting simultaneous user requests in a timely manner.
Architecture	T4060	The application should be compatible with major web browsers (e.g., Chrome, Firefox, Safari, Edge) and their latest versions.
Architecture	T4065	The application should have a high availability rate, with a goal of 99.9% uptime.
Architecture	T4070	The database should be scalable to handle growing data requirements.

Feature	Req-ID	Requirement
Architecture	T4075	The system should be designed to scale horizontally to accommodate an increase in user base or data volume.
Architecture	T4080	The user interface should be intuitive, and user training requirements should be minimal.

6.5. Other

Feature	Req-ID	Requirement
Other	T5000	Accessibility features should be implemented to ensure usability for individuals with disabilities.
Other	T5005	Automated backup and recovery procedures must be in place for both application and database.
Other	T5010	Documentation must be comprehensive, covering both code and system architecture.
Other	T5015	Failover mechanisms should be implemented to ensure continuous operation in case of server or component failures.
To be discussed		Remove Citizenship
To be discussed		Remove Forms Letters and Summary Reports
To be discussed		Translator built in using a microphone for clients who are non English speaking
To be discussed		Create an email system within PRISM to directly communicate with defendants. i.e. release orders, supervision reporting instructions,
To be discussed		Add the defendant's risk score to all screens related to the selected defendant
To be discussed		Add the ability to work with multiple defendants at the same time, by allowing for opening of multiple screens (browser tabs).
To be discussed		Add the ability to work on multiple sections of the system (screens) at the same time. When another defendant is selected all open screens/sections update to current defendant.