

Assignment 5

Gephi and Basic Social Network Analysis

Assignment Outcomes

In this assignment, you learn how to analyze a social network.

Part A: Introduction to Gephi

This part is dedicated to making yourself acquainted with the Gephi and its environment. You are going to install Gephi and take a look at the tutorial before doing the activities. Then you are going to follow the steps below. The entire data set is found together with the assignment.

Gephi Download

- Gephi 0.9.2 - <https://gephi.org/users/download/>
- Required: Java Runtime Environment - <http://www.java.com/nl/download/index.jsp>
- Remark: update your Gephi when requested.

Gephi Tutorials

- Quick Start Tutorial - <https://gephi.org/users/quick-start/> (Links to an external site.)
- Optional - <https://gephi.org/users/tutorial-layouts/> (Links to an external site.)
- Optional - <https://gephi.org/users/tutorial-visualization/> (Links to an external site.)

When you open Gephi it should be possible to see these data sets:

- Les Miserables.gexf
- DiningTablePartners.gexf
- exampleFacebook.gml

Before we begin with the practical assignment below, it is necessary to become acquainted with the Gephi environment. This leads us to step A1.




Fig 1: Girls' school dormitory dining-table partners, 1st (pink) and 2nd (green) choices (Moreno, The sociometry reader, 1960).

A1. Getting Acquainted with Gephi

Step 1

Go through the quick start tutorial: <https://gephi.org/users/quick-start/> (Links to an external site.)

The network for this tutorial 'LesMiserables.gefx' can also be downloaded from Canvas.

A2. The Dining-Table Partner's Network

Now, we focus at the network we will use for this practical assignment. The network in Fig. 1 shows an example of sociometric research. It depicts the choices of twenty-six girls living in one cottage (dormitory) at a New York state training school. The girls were asked to choose the ones they liked the best as their dining-table partners. First and second choices are selected only. In this sociogram, each girl in the dormitory is represented by a circle. For the sake of identification, the girls' names are written next to the circles. Each arc (arrow) represents a choice. The girl who chooses a peer as a dining-table companion sends an arc toward her. Irene (in the bottom right of the figure), for instance, chose Hilda (pink arrow) as her favorite dining-table partner and Ellen (green arrow) as her second choice, as indicated by the colors of each arrow (deNooy, Mrvar, Batagelj, & Granovetter, 2012).

Now that you know the concepts nodes (or vertices, sites, actors), degrees and lines (or edges, arcs, links, bonds, ties, relations), we will look at some basic analysis and representation options for the network.

Step 2

Open the dataset file 'DiningTablePartners.gephi' in Gephi. Open the file as a directed network when asked.

As you can see the graphical representation of the network needs some work. First, we want to change the layout of the nodes, and then we want to add labels to the nodes.

Step 3

Choose the 'Force Atlas' layout algorithm under the layout tab and run it until the network has become stable in its new form.

Step 4

Click on the 'Show node labels' option at the bottom of the screen and adjust the size with the 'Font size scale' so that it looks in proportion.




Fig 2: Tools to show labels and change their size.

Question A1

1. Give the average degree value and comment on why this is a logical value?
2. Given the In-Degree distribution, how many have the highest value, and what is this value?
3. What does the In-Degree value mean in the context of this network?
4. Who is the most isolated person in the group? How did you define isolation using the degrees?
5. If we want to help the girls to change their routine and be more active, we need to know who are the most important nodes in the network and try to make sure that these people are being affected by some sort of healthy lifestyle program. Who would you pick from this group? Explain the reasons and argue in favor of your choice(s).

Now we want to give the nodes different sizes corresponding to their In-Degree value.

Step 5

Under the 'Ranking' tab, under 'Nodes', select In-Degree as input. Next the 'Nodes' tab you can select four ways to display the input in the network, which are by color, by size/weight, by label color, and by label size. Select the size/weight option. For minimum size, we select 2 and for the maximum size, we choose 10. Then click 'Apply'.

Question A2

1. Does this representation help you to find who are the most isolated or popular nodes?
2. Which other metrics would you use to define the position of a person in a network?

Next, we want to know how many, and which nodes, clusters of nodes, or components, in the directed network are strongly connected. Identifying strongly connected components gives an idea of how information might flow. E.g., if someone had some piece of gossip, how would this information spread? For calculating the connected components, Gephi uses a depth-first search algorithm written by Robert Tarjan (1972).

Step 6

Run the 'Connected Components' option under the 'Statistics' tab. The connected components can be graphically represented in the network, which will be our next step.

Step 7

Under the 'Partition' tab (newer version 'Appearance'), choose the 'Nodes' option (then 'ranking'). Select the refresh option so the connected component analysis becomes available in the selection menu next to it. Select the 'Strongly-Connected ID' from the selection menu. Now click 'apply'.

Remark: By right-clicking near the colors of the different components, it is possible to randomize colors, if you want to change them (In 'appearance' tab, then 'nodes' and then 'partition', 'strongly connected ID'). Also, you can click on each color to select specific colors for each component.

Question A3

1. How many strongly connected components (or maximal strongly connected subgraphs) are found?
2. There is only one weakly connected component. Can you elaborate on the reason why there is only one?
3. Looking at the colors of the nodes, is that possible to identify isolated nodes in the network? Are they different from what you got in the previous question?
4. Is that possible to identify important nodes that can play a very influential role in the network using the colors of the components? Elaborate on how to do that?

Now we introduce the notion of the **centrality of nodes** within a network. There are various types of measures of the centrality of a node that determines the relative importance of a node in the network. In the current network, the centrality of the node would represent the popularity or influential of the girl within the group. Various methods of calculating the centrality include:

- **Degree centrality:** the number of edges a node has, determines the centrality value
- **Closeness centrality:** the sum of the shortest paths of node s to all other nodes determines the closeness centrality value
- **Betweenness centrality:** vertices that have a high probability to occur on a randomly chosen shortest path between two randomly chosen nodes have a high betweenness centrality
- **Eigenvector centrality:** relative scores are assigned to all nodes in the network based on the concept that connections to high-scoring nodes contribute more to the score of the specific node than equal connections to low-scoring nodes

For this assignment, we will use the betweenness centrality measure for determining the sizes of the nodes. This leads us to the next step.

Step 8

Run the 'Avg. Path Length' option under the 'Statistics' tab. When asked choose the 'Directed' option and leave the 'Normalize Centralities in [0,1]' option unchecked. Within this calculation, the Betweenness Centrality, Closeness Centrality, and Eccentricity are calculated.

Step 9

Under the 'Ranking' tab, choose 'Nodes' and choose the size/weight option. Choose 'Betweenness Centrality' from the selection menu. After setting the minimum size to 2 and the maximum size to 10, click 'Apply'.

Remark: Earlier we used the In-Degree values to determine the size of the nodes, and now we let the Betweenness Centrality value to determine the nodes. Mind the changes in the size of some of the nodes, that became bigger or smaller after step 9. If you did not see the changes, you can reselect In-Degree and click 'Apply' again, to see them. Do not forget to select Betweenness Centrality as rank afterward.

Question A4

1. Who has the highest betweenness centrality value?
2. Can you explain the changes in the size of the nodes between the In-Degree measure and the Betweenness Centrality measure?
3. If you aim to find influential people in the network, who would you pick?
4. If you aim to find isolated people in the network, who would you consider choosing based on the centrality?
5. Elaborate about your choices using the different metrics for isolated nodes and for influential people in the network and propose a good method to identify them based on the metrics studied here. Which metric is the most important in your opinion? Is there a way to combine different metrics to find this node? How would you do that?

Finally, we want to output the network in PNG format. If you want to learn more about layout and visualization options, you can look at the Tutorial about Layouts and the Tutorial about visualization.

Step 10

Click on the 'Preview' tab at the top of the screen. Choose the 'Show Labels option' under 'Node Labels'. Under 'Node Labels' you can also adjust the font and font-size. Unclick the proportional size, to unrelate the size of the nodes with the size of the labels. Click 'export: SVG/PDF/PNG', give the output file a name and choose PNG as output format. Copy the PNG file in your document where you wrote down the answers to the questions. Probably your output will look similar to Fig. 3.




Fig. 3: Expected graph after the previous steps

Part B: Facebook Network Analysis

For this second part, you will be doing similar calculations as in assignment1 in a larger data set. For specific calculation steps, you can look at the step descriptions in part A.

Step 1

Download and open the dataset file 'ExampleFacebook.gml' in Gephi. Open the file as a directed network when asked.

Question B1

1. How many nodes are in this network? How many relations are in this network?
2. What is the average degree? Which person has the most connections/degrees?
3. Who is the most influential person in the network according to the Betweenness centrality calculation?
4. How would you rank people if you were trying to target a part of the network for the advertisement of a new device for a healthy lifestyle? Who would be the best candidates? Elaborate on your strategy.
5. Imagine we have the information about the exchange of messages between all the nodes in the networks. How can we use this information to access the strength of the connections? How this information would change your marketing strategy in question 1d?

Question B2

1. How many communities are in this network?
2. How big is the largest community (how many nodes)?
3. Consider you are doing a study about spread of opinions about some TV show competition on Facebook. You know that people are sharing their opinions and reacting to others' opinions. How would you analyze this data set considering that there are communities not connected? How would you evaluate the spread of opinions using a data set like this one?

Step 2

Play with the 'Force atlas' layout algorithm until you find a suitable graphical layout for the network. Also, play with the 'attraction distribution' and 'adjust by sizes' options.

Step 3

Output the network to PNG format when you are pleased with the graphical representation of the network. Copy the PNG file in your document where you wrote down the answers to the questions.

Step 4

Save the document with all your answers and graphical output and submit it in Canvas.

References

- Blondel, V. Guillaume, J., Lambiotte, R., Lefebvre, E. Fast unfolding of communities in large networks, in Journal of Statistical Mechanics: Theory and Experiment 2008 (10), P1000
- De Nooy, W., Mrvar, A., Batagelj, V., & Granovetter, M. (Series Editor), Exploratory Social Network Analysis with Pajek (Structural Analysis in the Social Sciences), Cambridge University Press 2005 (ISBN 0-521-60262-9). ESNA in Japanese, TDU, 2010
- Gephi datasets from: Adamic, L. Social Network Analysis, University of Michigan.
- Moreno, The sociometry reader, 1960
- Tarjan, R., Depth-First Search and Linear Graph Algorithms, in SIAM Journal on Computing 1 (2): 146–160 (1972)