Estimate #29: Important Notes

Disclaimer: Disclaimer: Please read the job scope and all the information in the addendum and estimate (jointly the “Estimate”) thoroughly to ensure it meets your expectations. We pride ourselves on preparing very detailed and complete estimates so you do not have to make assumptions. If it’s not in the Estimate, then it’s not part of the scope of work and it will not be done. If you don't understand the Estimate, or find missing information, omissions, or contradictions with what you expect or what the estimator or anyone else told you, do NOT sign the Estimate until you fully understand it.

Once you receive the invoice and pay a deposit, the Estimate becomes a legal document – It's final, complete, and the only information and job scope you should rely on. Any revisions or modifications to the Estimate must be made only in writing. Do not rely on any verbal statements or promises. Unless clearly specified, this Estimate does not include removal of debris, soil, or any objects from the work area.

Unless clearly specified, this Estimate excludes patching, taping, sanding painting, finishing work, or any reinstallation (whether the objects, materials, and/or surfaces were initially removed by Zavza Seal or anyone else). This estimate excludes permit and permit related costs because those costs are paid to government agencies and third parties, which are beyond our control and discretion. If additional work is needed during or after construction, we will price it separately. You may cancel this transaction any time prior to midnight three (3) calendar days after you signed this Estimate. This Estimate is valid for seven (7) calendar days and may be withdrawn at any time.

Warranty: Warranty: We hereby warrant that all labor and materials furnished and work performed by Zavza Seal LLC for Charles Lai at 26 Shadow Ln Great Neck, NY 11021 will be free from defects due to defective materials or workmanship for a period of Forty (40) years from the date of completion. Should any defect develop in the materials furnished or work performed due to improper materials or workmanship, we shall fix the defect at no expense to the owner. Our liability shall only be limited to OUR WORK and OUR MATERIALS.

This Warranty is only valid and applies to the specific surfaces we worked on and should not be interpreted as a warranty for other areas or other surfaces we did not work on. Our liability shall be limited to the cost of fixing the defect, but not to any incidental or related damages as a result of the defect. Nothing in the above shall be deemed to apply to work that has been abused or neglected by the owner or other people.

Addendum to Estimate #29

PROPERTY ADDRESS: 26 Shadow Ln, Great Neck, NY 11021

Subject Area: Driveway Storm Channel – approx. 16 linear feet (please see Work Area marked with yellow shape in Exhibit A)

We propose to install a type-c storm channel as follows:

· We shall remove and dispose of the existing damaged storm channel.

· We shall dig a trench with a slight slope to fit the channel and a 4” concrete envelope on both sides and the bottom (please see Exhibit B).

· We shall tamper the soil.

· We shall excavate to expose the drain line leading to the dry well and connect to the storm channel.

· We shall carefully cut the drain line to the exact size needed to fit the new drain pipe junction.

· We shall install the pipes and fittings in preparation for the drain line.

· We shall suspend the channel over the channel.

· We apply a protective tape on top of the grate and pour high strength 4,000 PSI concrete to envelop the channel ensuring the channel is 1/8” recessed below the concrete surface (please see Exhibit C).

· We shall finish the concrete.

· We shall install the one line of pavers horizontally.

· We shall let the concrete dry sufficiently but not completely before we remove the tape to complete.

Note: Owner indicated there was no issue with the dry well. This estimate does not include any work on the dry well.

zavzaSeal
Waterproofing & Insulation
Done Right

Exhibit A

Exhibit B



Exhibit C


We will install the channel recessed 1/8" below the concrete form
Channel Drain

zavza Seal
Waterproofing & Insulation
Done Right

Estimate

Charles Lai
26 Shadow Ln, Great Neck, NY 11021

Estimate Date
Mar 12, 2026

Estimate Number
#29

Zavza Seal LLC
176 Central Ave, Unit 8
Farmingdale, NY 11735

Description	Amount USD
Subject Area: Driveway Storm Channel – approx. 16 linear feet (please see Work Area marked with yellow shape in Exhibit A)	$4,270.00

We propose to install a type-c storm channel as follows:

· We shall remove and dispose of the existing damaged storm channel.

· We shall dig a trench with a slight slope to fit the channel and a 4” concrete envelope on both sides and the bottom (please see Exhibit B).

· We shall tamper the soil.

· We shall excavate to expose the drain line leading to the dry well and connect to the storm channel.

· We shall carefully cut the drain line to the exact size needed to fit the new drain pipe junction.

· We shall install the pipes and fittings in preparation for the drain line.

· We shall suspend the channel over the channel.

· We apply a protective tape on top of the grate and pour high strength 4,000 PSI concrete to envelop the channel ensuring the channel is 1/8” recessed below the concrete surface (please see Exhibit C).

· We shall finish the concrete.

· We shall install the one line of pavers horizontally.

· We shall let the concrete dry sufficiently but not completely before we remove the tape to complete.

Note: Owner indicated there was no issue with the dry well. This estimate does not include any work on the dry well.

10% Special Discount	-$427.00

Subtotal:	**$4,270.00**
Discount:	**-$427.00**
TOTAL USD:	**$3,843.00**

Terms

Payment Arrangement:
50% Deposit
50% Upon completion of the project