


Tab 1


Linux commands

1. Stay where you are, list all the files and folders in your current directory (including hidden)



```
afnan@DESKTOP-6106L57: $ ls -la
total 140
drwxr-xr-x 20 afnan afnan 4096 Jan 25 10:27 .
drwxr-xr-x  3 root  root  4096 Jan 15 08:25 ..
-rw-r--r--  1 afnan afnan 14583 Feb 27 19:39 .bash_history
-rw-r--r--  1 afnan afnan  228 Jan 15 08:25 .bash_logout
-rw-r--r--  1 afnan afnan 3968 Jan 15 09:31 .bashrc
drwxr-xr-x  5 afnan afnan 4096 Feb 20 02:26 .cache
-rw-r--r--  1 afnan afnan  56 Jan 19 09:43 .config
drwxr-xr-x  2 afnan afnan 4096 Jan 25 10:27 .concourse
-rw-r--r--  1 afnan afnan  29 Jan 20 08:39 .lesshist
drwxr-xr-x  3 afnan afnan 4096 Jan 15 09:07 .local
-rw-rw-r--  1 afnan afnan   0 Mar  1 19:33 .motd_shown
-rw-r--r--  1 afnan afnan  149 Jan 19 11:21 .node_repl_history
drwxr-xr-x  4 afnan afnan 4096 Jan 19 11:25 .npm
drwxr-xr-x  8 afnan afnan 4096 Jan 15 09:31 .npm
-rw-r--r--  1 afnan afnan 807 Jan 15 08:25 .profile
drwxr-xr-x  2 afnan afnan 4096 Jan 19 09:01 .ssh
-rw-r--r--  1 afnan afnan   0 Jan 15 09:27 .sudo_as_admin_successful
-rw-r--r--  1 afnan afnan  731 Jan 16 10:06 .viminfo
drwxr-xr-x  5 afnan afnan 4096 Jan 19 09:15 .vscode-server
-rw-r--r--  1 afnan afnan  183 Jan 19 09:14 .wget-hsts
drwxr-xr-x  5 afnan afnan 4096 Feb 19 08:21 CFI-A26-Afnan
-rw-r--r--  1 afnan afnan 595 Jan 18 09:33 commands.txt
drwxr-xr-x  3 afnan afnan 4096 Jan 19 11:01 gitlearn
drwxr-xr-x  4 afnan afnan 4096 Jan 19 10:29 learning-git
-rw-r--r--  1 afnan afnan  51 Jan 18 09:08 numbers.txt
drwxr-xr-x  2 afnan afnan 4096 Jan 18 08:47 p1
drwxr-xr-x  2 afnan afnan 4096 Jan 17 08:37 p3
drwxr-xr-x  2 afnan afnan 4096 Jan 17 08:40 p5
drwxr-xr-x  2 afnan afnan 4096 Jan 17 08:40 p6
drwxr-xr-x  2 afnan afnan 4096 Jan 17 08:40 p7
```


2. In one command, create dir1/dir2/dir3. (dir3 is a subdirectory from dir2, and dir2 is a subdirectory from dir1).



```
afnan@DESKTOP-6106L57: $ mkdir -p dir1/dir2/dir3
```

3. Linux command to download a file from a URL?


Ex: https://www.w3schools.com/html/img_chania.jpg



```
afnan@DESKTOP-6106L57: $ wget https://www.w3schools.com/html/img_chania.jpg
```

The image shows a terminal window titled 'Ubuntu-24.04'. The prompt is 'afnan@DESKTOP-6106L57: \$'. The command 'wget https://www.w3schools.com/html/img_chania.jpg' has been entered. The terminal background is dark purple. At the bottom, there is a taskbar with a search bar, application icons, and system status information including '34°C Partly sunny', 'ENG', '16:13', and '01-03-2026'.

4. What is the command to go to the parent directory of the current directory?



```
afnan@DESKTOP-6106L57:~/CFI-A26-Afnan/phase-1$ cd ..  
afnan@DESKTOP-6106L57:~/CFI-A26-Afnan$
```

The image shows a terminal window titled 'Ubuntu-24.04'. The prompt is 'afnan@DESKTOP-6106L57:~/CFI-A26-Afnan/phase-1\$'. The command 'cd ..' has been entered, and the prompt has changed to 'afnan@DESKTOP-6106L57:~/CFI-A26-Afnan\$'. The terminal background is dark purple. At the bottom, there is a taskbar with a search bar, application icons, and system status information including '34°C Mostly cloudy', 'ENG', '16:17', and '01-03-2026'.

Tab 2

5. What is an inode number

An inode number is a unique identification number assigned to every file and directory in a Linux filesystem.

6. What is the one command to remove any directory and all files in it?

```
rm -rf directory_name
```

7. Write a Script to Display the last line of a text file, ex:
from the

file /etc/passwd.

```
A) #!/bin/bash
```

```
tail -n 1 /etc/passwd
```

8. Use the date command to display the date in
YYYY/MM/DD format.

```
afnan@DESKTOP-6106L57: ~/CFI-A26-Afnan/phase-1$ date +%Y/%m/%d
2026/03/01
afnan@DESKTOP-6106L57: ~/CFI-A26-Afnan/phase-1$
```


9. Explain the difference between:

- cp and mv
- rm and rmdir

```
GNU nano 7.2 file.txt *
rm removes files and can remove directories only when used with '-r', including non-empty ones.
rmdir removes **only empty directories.
```

10. Explain the difference between:

a) apt update and apt upgrade




The screenshot shows a terminal window titled 'Ubuntu-24.04' with a nano editor open. The file being edited is 'file.txt'. The text in the file is as follows:

```
GNU nano 7.2 file.txt *
apt update updates the local list of available packages from repositories but does not install or upgrade anything.
apt upgrade installs newer versions of already installed packages using the updated package list.
```

The terminal window has a status bar at the bottom with various shortcuts and a taskbar at the very bottom showing system icons and the date '01-03-2026'.

11. What is the difference between absolute path and relative path




The screenshot shows a terminal window titled 'Ubuntu-24.04' with a nano editor open. The file being edited is 'file.txt'. The text in the file is as follows:

```
GNU nano 7.2 file.txt *
Absolute path gives the full path starting from the root directory and works from any location.
Relative path gives the path based on the current directory** and does not start with
```

The terminal window has a status bar at the bottom with various shortcuts and a taskbar at the very bottom showing system icons, temperature '34°C', and the date '01-03-2026'.

12. What is the command to install package in Ubuntu/linux command line



The image shows a terminal window titled 'Ubuntu-24.04'. The prompt is 'afnan@DESKTOP-6106L57:~/CFI-A26-Afnan/phase-1\$'. The command 'sudo apt install package_name' is entered at the prompt. The terminal has a dark purple background. The window is part of a desktop environment with a taskbar at the bottom showing various application icons and system status information.

```
afnan@DESKTOP-6106L57:~/CFI-A26-Afnan/phase-1$ sudo apt install package_name
```