

foodora

Evaluating the Usability of the Foodora Mobile Application



(1) Introduction

(2) Methodology

(3) Qualitative results

(4) Quantitative results

(5) Recommendations


INTRODUCTION & PURPOSE

Foodora is one of the most widely used food delivery apps in Sweden.

Ordering is a critical user flow.

Any usability problems in this journey can directly affect:

foodora



- Conversion rates
- Customer satisfaction
- User trust
- Customer Loyalty

INTRODUCTION & PURPOSE

Our evaluation focused on realistic scenarios based on four tasks.

1. Specific Item Finding & Allergen-safe ordering
2. Search, sorting & filtering behaviour
3. Cart & delivery management
4. Budget-limited decision-making



Where do users get stuck,
make errors, or become
frustrated?



Effectiveness

Can users successfully
modify orders (e.g.,
removing items, switching
to pickup)?



Efficiency

How easily can users find
restaurants and meals that
match their needs?



Satisfaction


Do users understand and
trust the information
provided during ordering?



Participants	10 university students aged 20–29 → 5 Novice users - Little or no experience with delivery apps → 5 Experienced users - At least twice-monthly use of any food delivery app
Test Environment	KTH Usability Lab
Data Collected	Quantitative: • Task success rate (effectiveness) • Error counts (incorrect selections) • Time to complete tasks (efficiency) Qualitative: • Observation notes • User comments • Post-session interview insights • Frustration points

Why Our Method Produces Reliable Insights

- Tasks were realistic and reflected how customers actually use Foodora
- The procedure followed UX research standards (ISO 9241-11)
- Data from time, errors & satisfaction gives a complete picture of usability
- Video + screen recording captures where and why problems happened



KEY FINDINGS - Qualitative Data

Navigation & Browsing
Behavior

Search Behaviors &
Expectations

Emotional
Responses



Filtering Issues

Task Success
Patterns

Expectation
Mismatches

KEY FINDINGS – Qualitative Data

Navigation & Browsing Behavior



40%

Users rely heavily on scrolling rather than using filters

→ participants repeatedly scrolled through long lists rather than using built-in filter features.


Categories are used inconsistently and feels cluttered

Some participants went into categories (e.g., Pasta, Sushi), while others avoided them because:

→ didn't trust that the category contained everything relevant

→ found the category layout “messy” or “not clear at a glance”

KEY FINDINGS - Qualitative Data



Filtering Issues

80%

Filters are confusing, hidden, or too complex

Participants struggled to:

- Find filters
- Understand available filter types
- Remove or reset filters
- Navigate “big filter menus”



Users expressed confusion about:

- Price filters - Important to fix
- Deal filters
- Dietary restriction filters (“without remove”)

40%

thought price is deciding factor

→ Filtering is a major usability barrier.

complained in interviews

KEY FINDINGS - Qualitative Data

Search Behaviors & Expectations



Search is used when users have a clear target

Participants avoided searching unless:

- They knew exactly what they wanted
- They believed the app categories wouldn't help

→ Search results felt inconsistent

Participant experienced that search:

- Did not show expected items
- must search full words
- Showed sponsored result first

10
0%

KEY FINDINGS - Qualitative Data



Task Success
Patterns

Across all tasks

Participants often:

- Took longer than expected
- Misclicked
- Navigated in circles
- Repeated steps

→ Why?

Confusing layout + hidden features + inconsistent labeling

KEY FINDINGS - Qualitative Data



100%

Positive

- Users liked general visual and restaurant variety - appreciated images
- They described parts of the experience as “smooth”
- Most said the experience was “Ok”

Negative (strongly recurring)

- Frustration with finding the right filters
- Annoyance when the app did not behave as expected (next slide)
- Overload when too many options appeared at once
- Overall impression of cramped UI

“The app gives me a Temu vibe”

40%

KEY FINDINGS - Qualitative Data




Expectation
Mismatches

Participants expected:



- Clearer price indicators
- Easily accessible deal options
- Clearer hierarchy between browsing, categories, and filters
- Clarify which selections are mandatory
- Expecting buttons to be at the end of screens - like changing delivery

KEY FINDINGS - Quantitative Data

Usability Score



KEY FINDINGS - Quantitative Data



Average time lost

- 15.2%

KEY FINDINGS - Quantitative Data

ERROR
RATE:



40 total tasks across all participants

- 22 completed without errors (55%)
- 10 completed with some/minor errors (25%)
- 8 completed incorrectly (20%)

Task 1



Task 2



Task 3



Task 4



Correct

With errors

Incorrectly

Error	#
Incorrect filtering	7
Incorrect sorting	2
Having to start the task over	2
Incorrect use of categories/search	4
Presses the wrong button	4
Tries to complete task in the wrong place/view	4
Fails minor instructions	2

High severity issues

1. irritant, 2. moderate, 3. Severe, 4. Unusable

Task	Feature	Problem description	User comment	Severity	Recomendation
All	Language	Not everything is in English	Example: Many users struggled although swedish natives "sweet potato is "sötpotatis"	(3) Dishes, headers, and important titles like with/without were only in Swedish even if app was set to English.	Require restaurants to submit English version for all items and headers
Finding a cheap meal	Filters	1. Users misunderstand price filter and show the most expensive foods 2. Filters feature is different in different places 3. Half of the filters are in a menu, the other half are radio / multi select buttons	• 40% make mistake 1. • 50% mentioned price filter is confusing • Users spend several minutes going back and forth figuring our filters • "Foodora works but is tedious"	(3)Price is most important for users 40% so this should be prioritised (2) breaks heuristics (2) Time sap	• Add price sliders. • Place price filter far up in filter menu, above less important filters • Keep consistency • Put <i>all</i> the options in the menu, most used as buttons
Searching for dumplings	Search	1. Searching for an item does not guarantee restaurants with that item 2. Search function is bugged (must search full word)	on average went through 5 resturants before finding dumplings • users heavily rely on images Most users searched for part of word	(3) all participants struggled with this (3)	• Exact item matches highlight / go to the searched item in the resturant • Include image of the searched item

Low severity issues

- A LOT of low severity issues that all rack up and contribute to “cheap” and tedious feeling to the app.
- However they are easy to fix and make big impact

Easy ways to make foodora feel premium

the UI was overwealming and cluttered...

40%

Allergies was difficult, lots of hesitations and scrolling up and down. Allergy section only has main allergies...

30%

very long customization screen
confuses forces users to scroll heavily...

70%

Expect delivery button be on bottom...

50%

Participants complained the sort did not actually work and instead showed sponsored content

30%

delivery card is not clickable
- only the really small text

20%

Mandatory options are hard to find and
don't make sense why you must chose them...

30%


Checking out button sends you back to restaurant page, causes confusion...

40%

restaurant search shows prices without discounts ...



RECOMMENDATIONS




Improve Filter Discoverability & Simplify Filter

50%

- lowest Usability score
- longest completion times

Qualitative data showed that participants struggled to find, understand, and trust filters

- Move filters to a more visible location above the restaurant list
- Reduce the number of filter layers (collapse less-used ones)
- Add a one-tap "Reset Filters" option to avoid confusion
- Provide clearer key filters (e.g., \$\$, vegan, deals)
- Keep filters consistent across app



RECOMMENDATIONS



Enhance Search Accuracy and Relevance

Novice and experienced users showed big differences in performance on tasks requiring item-finding.


→ Improve search relevance algorithms:

- Exact item matches - include image of the dish searched for
- Restaurant specialties
- Popular items

→ Highlight when a user's search matches inside a restaurant menu to increase discoverability

Participants commented that search results felt incomplete or inconsistent

80%



STUDY LIMITATIONS

1. Small Sample Size

Number of participants was limited

→ reduces the reliability of quantitative comparisons between novice & experienced users

Outliers have a stronger impact on average scores and task times

2. Limited Diversity in Users

Underrepresented user groups
e.g.:

→ Users with allergies or dietary restrictions

→ Users with specific accessibility needs (e.g., visual impairments, motor challenges)

3. Task Constraints

Tasks were predefined

→ no real spontaneous behaviours

→ personal preferences in restaurant or meal selection

→ natural hesitation or multitasking during ordering

Thank You !

Any Questions ?