

PAGE    USER JOURNEY

VIEW USER JOURNEY SETTINGS

To view the settings for a particular User Journey, select it from the list below and click the **View Settings** button.

User Journey: 1: M&S.Com - Christmas Food (Testing disabled)    **View Settings**

M&S.Com — Christmas Food

Step 1: Home Page [S1]

URL: https://christmasfood.marksandspencer.com/  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: None  
Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 2: Choose collection time [S2]

URL: https://christmasfood.marksandspencer.com/slots/confirm  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Book a collection<

  
Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 3: Postcode Search [S2]

URL: https://christmasfood.marksandspencer.com/slots  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Covent Garden<

  
Host: None  
Referrer: https://christmasfood.marksandspencer.com/slots  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None

HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None

Post Parameters:

HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	latitude	Enabled		Enabled	<input type="checkbox"/>
2	longitude	Enabled		Enabled	<input type="checkbox"/>
3	search_term	Enabled	covent garden	Enabled	<input type="checkbox"/>

Step 4: Select Store & Continue [S3]

URL: https://christmasfood.marksandspencer.com/slots/stores

Alerting: Disabled

Connect Time: 30 Secs

Data Start Time: None

Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

#	Phrase
1	Choose a collection date
2	li class="collection--slots-list__item

Host: None

Referrer: None

User Agent: None

Content Type: None

Custom Header 1: None

Custom Header 2: None

HTTP Auth User: None

HTTP Auth Password: None

NTLM User: None

NTLM Password: None

NTLM Domain: None

Post Parameters:

HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>

Step 5: Select Date & Continue [S3]

URL: https://christmasfood.marksandspencer.com/slots/dates?

Alerting: Disabled

Connect Time: 30 Secs

Data Start Time: None

Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

#	Phrase
1	Please arrive at your allocated slot time
2	li class="collection--slots-list__item

Host: None

Referrer: None

User Agent: None

Content Type: None

Custom Header 1: None

Custom Header 2: None

HTTP Auth User: None

HTTP Auth Password: None

NTLM User: None

NTLM Password: None

NTLM Domain: None

Post Parameters:

HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
2	collection_date	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>

Step 6: Select Time & Reserve [S3]

URL: https://christmasfood.marksandspencer.com/slots/times?

Alerting: Disabled

Connect Time: 30 Secs

Data Start Time: None

Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

#	Phrase
---	--------

#	Phrase
1	>Confirm & continue<

Host: None

Referrer: None

User Agent: None

Content Type: None

Custom Header 1: None

Custom Header 2: None

HTTP Auth User: None

HTTP Auth Password: None

NTLM User: None

NTLM Password: None

NTLM Domain: None

Post Parameters:

HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
2	collection_date	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
3	collection_time	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>

Step 7: Click Confirm & Continue [S2]

URL: https://christmasfood.marksandspencer.com/  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: None  
Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 8: Click Mains > Turkeys [S1]

URL: https://christmasfood.marksandspencer.com/l/mains/all-mains/turkeys  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Turkeys</h1

Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 9: Click Add to Bag [S2]

URL: https://christmasfood.marksandspencer.com/bag  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	"total_quantity": 1

Host: None  
Referrer: None

User Agent: None  
Content Type: application/json; charset=UTF-8  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters:  
HTTP Method: XML Content-Type: application/x-www-form-urlencoded

No.	Name	Encode Name	Value	Encode Value	Mask
1	content	Enabled	{"product_id":"DYNAMIC","quantity":"1"}	Disabled	<input type="checkbox"/>

Step 10: Click Bag

URL: https://christmasfood.marksandspencer.com/bag  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Your secure bag<
2	>Remove<

Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 11: Click Checkout Securely [S1]

URL: https://christmasfood.marksandspencer.com/webapp/wcs/stores/servlet/MSCheckoutLoginFormCmd  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Sign in<

Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters:

No.	Name	Encode Name	Value	Encode Value	Mask
1	catalogId	Enabled	10551	Enabled	<input type="checkbox"/>
2	errorViewName	Enabled	MSCheckoutLoginForm	Enabled	<input type="checkbox"/>
3	myAcctMain	Enabled	1	Enabled	<input type="checkbox"/>
4	resJSON	Enabled	true	Enabled	<input type="checkbox"/>
5	langId	Enabled	-24	Enabled	<input type="checkbox"/>
6	fromPage	Enabled	BASKET	Enabled	<input type="checkbox"/>
7	storeId	Enabled	10251	Enabled	<input type="checkbox"/>

Step 12: Check out as a guest [S1]

URL: https://christmasfood.marksandspencer.com/webapp/wcs/stores/servlet/MSGuestUserCheckoutCmd  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None

Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	<h1>Book a collection</h1>
2	>Continue to payment<

Host: None  
Referrerr: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters:  
HTTP Method: Get

No.	Name	Encode Name	Value	Encode Value	Mask
1	calculationUsageldentifier	Enabled	MSBasketItem_checkoutUpdateURL	Enabled	<input type="checkbox"/>
2	catalogId	Enabled	10551	Enabled	<input type="checkbox"/>
3	catalogId	Enabled	10551	Enabled	<input type="checkbox"/>
4	dmsURL	Enabled	/webapp/wcs/stores/servlet/MSDeliveryMethodsCmd?doInventory=true	Enabled	<input type="checkbox"/>
5	isCheckOutFlow	Enabled	true	Enabled	<input type="checkbox"/>
6	langId	Enabled	-24	Enabled	<input type="checkbox"/>
7	langId	Enabled	-24	Enabled	<input type="checkbox"/>
8	storeId	Enabled	10251	Enabled	<input type="checkbox"/>
9	storeId	Enabled	10251	Enabled	<input type="checkbox"/>

Step 13: Click Continue to Payment [S1]

URL: https://christmasfood.marksandspencer.com/MSDeliveryServicesCmd  
Alerting: Disabled  
Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Card type<

Host: None  
Referrerr: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters:  
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	sapStoreId	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
2	selectedDate	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
3	slot_startTime	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
4	slot_endTime	Enabled	DYNAMIC	Enabled	<input type="checkbox"/>
5	URL	Enabled	MSPaymentDisplayCmd	Enabled	<input type="checkbox"/>
6	calculationUsageldentifier	Enabled	MSDeliveryServicesCmd_formSubmit	Enabled	<input type="checkbox"/>
7	checkout_flag	Enabled	checkout	Enabled	<input type="checkbox"/>
8	isIsaUser	Enabled	false	Enabled	<input type="checkbox"/>
9	storeId	Enabled	10251	Enabled	<input type="checkbox"/>
10	langId	Enabled	-24	Enabled	<input type="checkbox"/>
11	catalogId	Enabled	10551	Enabled	<input type="checkbox"/>
12	email-reminder	Enabled	on	Enabled	<input type="checkbox"/>

Step 14: Click Edit Bag

URL: https://christmasfood.marksandspencer.com/MSSecureBasketDisplay  
Alerting: Disabled

Connect Time: 30 Secs  
Data Start Time: None  
Overall Threshold: 30 Secs  
Speed KPI: None  
Search Phrase: All phrases must exist...

#	Phrase
1	>Your secure bag<
2	>Remove<

Host: None  
Referrer: None  
User Agent: None  
Content Type: None  
Custom Header 1: None  
Custom Header 2: None  
HTTP Auth User: None  
HTTP Auth Password: None  
NTLM User: None  
NTLM Password: None  
NTLM Domain: None  
Post Parameters: None

Step 15: Click Remove Item from Basket

URL: https://christmasfood.marksandspencer.com/webapp/wcs/stores/servlet/MSSecureOrderItemUpdateCmd

Alerting: Disabled

Connect Time: 30 Secs

Data Start Time: None

Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

#	Phrase
1	"redirectURL":
2	>Your shopping bag is empty.<

Host: None

Referrer: None

User Agent: None

Content Type: application/x-www-form-urlencoded; charset=UTF-8

Custom Header 1: X-Requested-With: XMLHttpRequest

Custom Header 2: None

HTTP Auth User: None

HTTP Auth Password: None

NTLM User: None

NTLM Password: None

NTLM Domain: None

Post Parameters: None