nccgroup Monitoring   ACCOUNT SETTINGS   MONITOR SETTINGS   TOOLS   SUPPORT   ✗ EXIT

PAGE   USER JOURNEY

VIEW USER JOURNEY SETTINGS

To view the settings for a particular User Journey, select it from the list below and click the **View Settings** button.

User Journey: [4: M&S.Com - IE - Christmas Food (Testing disabled) ▼] [View Settings]

~~M&S.Com - IE - Christmas Food~~	🏃

Name: M&S.Com - IE - Christmas Food
Download Speed: 2 Mbps
Overall Speed KPI: None
Monitoring: Disabled
Alerting: Disabled

Step 1: Home Page [S1]

URL: https://christmasfood.marksandspencer.ie/
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: None
Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 2: Choose collection time [S2]

URL: https://christmasfood.marksandspencer.ie/slots/confirm
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	>Book a collection<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 3: Select Store & Continue [S3]

URL: https://christmasfood.marksandspencer.ie/slots/stores
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	Choose a collection date
2	li class="collection--slots-list__item

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	☐

Step 4: Select Date & Continue [S3]

URL: https://christmasfood.marksandspencer.ie/slots/dates?
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	Please arrive at your allocated slot time
2	li class="collection--slots-list__item

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	☐
2	collection_date	Enabled	DYNAMIC	Enabled	☐

Step 5: Select Time & Reserve [S3]

URL: https://christmasfood.marksandspencer.ie/slots/times?
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	>Confirm & continue<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	store_id	Enabled	DYNAMIC	Enabled	☐
2	collection_date	Enabled	DYNAMIC	Enabled	☐
3	collection_time	Enabled	DYNAMIC	Enabled	☐

Step 6: Click Confirm & Continue [S2]

URL: https://christmasfood.marksandspencer.ie/
Alerting: Disabled

Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: None
Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 7: Click Mains > Turkeys [S1]

URL: https://christmasfood.marksandspencer.ie/l/mains/all-mains/turkeys
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	>Turkeys</h1

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 8: Click Add to Bag [S2]

URL: https://christmasfood.marksandspencer.ie/bag
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	"total_quantity": 1

Host: None
Referrer: None
User Agent: None
Content Type: application/json; charset=UTF-8
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: XML Content-Type: application/x-www-form-urlencoded

No.	Name	Encode Name	Value	Encode Value	Mask
1	content	Enabled	{"product_id":"DYNAMIC","quantity":"1"}	Disabled	☐

Step 9: Click Bag

URL: https://christmasfood.marksandspencer.ie/bag
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	>Your secure bag<

#	Phrase
2	>Remove<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Get

No.	Name	Encode Name	Value	Encode Value	Mask
1	catalogId	Enabled	10551	Enabled	☐
2	errorViewName	Enabled	MSCheckoutLoginForm	Enabled	☐
3	myAcctMain	Enabled	1	Enabled	☐
4	resJSON	Enabled	true	Enabled	☐
5	langId	Enabled	-24	Enabled	☐
6	fromPage	Enabled	BASKET	Enabled	☐
7	storeId	Enabled	10251	Enabled	☐

Step 10: Click Checkout Securely [S1]

URL: https://christmasfood.marksandspencer.ie/webapp/wcs/stores/servlet/MSGuestUserCheckoutCmd
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist…

#	Phrase
1	Book a collection
2	>Continue to payment<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	calculationUsageIdentifier	Enabled	MSBasketItem_checkoutUpdateURL	Enabled	☐
2	catalogId	Enabled	11051	Enabled	☐
3	dmsURL	Enabled	/webapp/wcs/stores/servlet/MSDeliveryMethodsCmd?doInventory=true&catalogId=11051&langId=-24&storeId=10351	Enabled	☐
4	langId	Enabled	-24	Enabled	☐
5	storeId	Enabled	10351	Enabled	☐
6	isCheckOutFlow	Enabled	true	Enabled	☐

Step 11: Click Continue to Payment [S1]

URL: https://christmasfood.marksandspencer.ie/MSDeliveryServicesCmd
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist…

#	Phrase
1	>Card type<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None

HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	sapStoreId	Enabled	DYNAMIC	Enabled	☐
2	selectedDate	Enabled	DYNAMIC	Enabled	☐
3	slot_startTime	Enabled	DYNAMIC	Enabled	☐
4	slot_endTime	Enabled	DYNAMIC	Enabled	☐
5	URL	Enabled	MSPaymentDisplayCmd	Enabled	☐
6	calculationUsageIdentifier	Enabled	MSDeliveryServicesCmd_formSubmit	Enabled	☐
7	checkout_flag	Enabled	checkout	Enabled	☐
8	isIsaUser	Enabled	false	Enabled	☐
9	storeId	Enabled	10351	Enabled	☐
10	langId	Enabled	-24	Enabled	☐
11	catalogId	Enabled	11051	Enabled	☐
12	email-reminder	Enabled	on	Enabled	☐

Step 12: Click Edit Bag

URL: https://christmasfood.marksandspencer.ie/MSSecureBasketDisplay
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	>Your secure bag<
2	>Remove<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Get

No.	Name	Encode Name	Value	Encode Value	Mask
1	sapStoreId	Enabled	DYNAMIC	Enabled	☐
2	selectedDate	Enabled	DYNAMIC	Enabled	☐
3	slot_startTime	Enabled	DYNAMIC	Enabled	☐
4	slot_endTime	Enabled	DYNAMIC	Enabled	☐
5	URL	Enabled	MSPaymentDisplayCmd	Enabled	☐
6	calculationUsageIdentifier	Enabled	MSDeliveryServicesCmd_formSubmit	Enabled	☐
7	checkout_flag	Enabled	checkout	Enabled	☐
8	isIsaUser	Enabled	false	Enabled	☐
9	storeId	Enabled	10251	Enabled	☐
10	langId	Enabled	-24	Enabled	☐
11	catalogId	Enabled	10551	Enabled	☐
12	email-reminder	Enabled	on	Enabled	☐

Step 13: Click Remove Item from Basket

URL: https://christmasfood.marksandspencer.ie/webapp/wcs/stores/servlet/MSSecureOrderItemUpdateCmd
Alerting: Disabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	"redirectURL":

#	Phrase
2	>Your shopping bag is empty.<

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None