

ACCOUNT SETTINGS

MONITOR SETTINGS

**TOOLS** 

**SUPPORT** 



PAGE USER JOURNEY

### **VIEW USER JOURNEY SETTINGS**

To view the settings for a particular User Journey, select it from the list below and click the View Settings button.

User Journey: 3: M&S.Com - Food ▼ View Settings 秀 M&S.Com - Food Name: M&S.Com - Food Download Speed: 2 Mbps Overall Speed KPI: None Monitoring: Enabled Alerting: Enabled Step 1: Homepage > Launch store finder [S2] URL: http://www.marksandspencer.com/ Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: None

Search Phrase: None Host: None Referrer: None User Agent: None Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None

## Step 2: Search Uxbridge [S2]

 $\textbf{URL:} \ \ \textbf{https://www.marksandspencer.com/MSResStoreFinderGlobalBaseCmd?} searchCriteria=uxbridge \& storeId=10151 \& langid=-24 \& catalogId=10051 & langid=-24 & langid=-$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Use Current Location</span

2 "address":{"addressLine1": Host: None

Referrer: None User Agent: None Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: None

### Step 3: Search product code [S2]

URL: https://www.marksandspencer.com/MSFindItemsByKeyword?searchTerm=p21105185&langId=-24&storeId=10151&catalogId=10051&categoryId=0&typeAhead=

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 value="add to bag

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

## Step 4: Add to bag [S1]

URL: https://www.marksandspencer.com/AjaxOrderItemAddCmd

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Added to bag

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None

NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	productCode	Enabled	DYNAMIC	Enabled	
2	catalogId	Enabled	10051	Enabled	
3	storeld	Enabled	10151	Enabled	
4	langId	Enabled	-24	Enabled	
5	maxPurchase Quantity	Enabled		Enabled	
6	catEntryId_1	Enabled	DYNAMIC	Enabled	
7	quantity_1	Enabled	1	Enabled	

## Step 5: Go to Wine Page Product [S3]

URL: http://www.marksandspencer.com/louis-vertay-brut-single-bottle/p/p60087775?prevPage=plp

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 value="add to bag

Host: None Referrer: None User Agent: None

User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

# Step 6: Add to bag [S2]

URL: http://www.marksandspencer.com/AjaxOrderItemAddCmd

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Speed KPI: None Search Phrase: All phrases must exist... # Phrase 1 Added to bag Host: None Referrer: None User Agent: None Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post No. Name Encode Name Value Encode Value Mask 1 catalogId Enabled 10051 Enabled Enabled 10151 2 storeld Enabled 3 langld Enabled -24 Enabled 4 orderld Enabled Enabled 5 calculationUsage Enabled Enabled -1.-2.-3.-4.-5.-6.-7 6 calculateOrder Enabled 1 Enabled 7 catEntryId\_1 Enabled DYNAMIC Enabled Enabled 8 quantity\_1 Enabled

### Step 7: Click Your Bag [S2]

Enabled

9 externalId\_1

URL: http://www.marksandspencer.com/OrderCalculate?calculationUsageIdentifier=MSBasketView\_ShoppingCartURL&updatePrices=1&catalogId=10051&errorVi

Enabled

ew Name = Ajax Order I tem Display View & order Id = . & lang Id = .24 & store Id = 10151 & do Price = Y& URL = Ajax Order I tem Display View & Alamonda & Alamonda

hasChild=N&maxQuantity=NaN

Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Your secure bag

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Domain: None

## Step 8: Click Remove [S3]

URL: http://www.marksandspencer.com/webapp/wcs/stores/servlet/MSOrderItemUpdateCmd

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Post Parameters: None

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase
1 {"success":true}
Host: None

Referrer: None User Agent: None Content Type: None

NTLM Domain: None

Custom Header 1: X-Requested-With: XMLHttpRequest

Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None

Post Parameters:					
	Method: Post Name	Encode Name	Value	Encode Value	Mask
	deleteChild	Enabled	true	Enabled	
2	dolnventorycheck	Enabled	false	Enabled	
3	resJSON	Enabled	true	Enabled	
4	calculateOrder	Enabled	1	Enabled	
5	langId	Enabled	-24	Enabled	
6	basketAction	Enabled	remove	Enabled	
7	storeld	Enabled	10151	Enabled	
8	quantity_1	Enabled	0	Enabled	
9	doPrice	Enabled	N	Enabled	
10	isSecureFlow	Enabled	false	Enabled	
11	orderItemId_1	Enabled	DYNAMIC	Enabled	

© Copyright 2018 NCC Group. All times reported are GMT