

ACCOUNT SETTINGS

MONITOR SETTINGS

TOOLS SUPPORT



PAGE USER JOURNEY

#### **VIEW USER JOURNEY SETTINGS**

To view the settings for a particular User Journey, select it from the list below and click the View Settings button.

User Journey: 6: M&S.Com - Plus ▼ View Settings 秀 M&S.Com - Plus Name: M&S.Com - Plus Download Speed: 2 Mbps Overall Speed KPI: None Monitoring: Enabled Alerting: Enabled Step 1: Sign In Page [S1]  $\textbf{URL:} \ \ \textbf{https://store.marksandspencer.com/webapp/wcs/stores/servlet/MSCSLogonForm?} \\ \textbf{catalogid=10051\&langid=-24\&storeid=10151\&sapStoreid=2927} \\ \textbf{catalogid=10051\&langid=-24\&storeid=10151\&langid=-24\&storeid=10151\&langid=-24\&storeid=10151\&langid=-24\&storeid=10151\&langid=-24\&storeid=-24\&storeid=10151\&langid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&storeid=-24\&st$ Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None Search Phrase: None Host: None Referrer: None User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0) Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: None Step 2: Enter Login Credentials [S2]

 $\textbf{URL:} \ https://store.marks and spencer.com/webapp/wcs/stores/servlet/MSCSLogon$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Sign out

Host: None

Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None

Post Parameters:

HTTP Method; Post						
No.	Name	Encode Name	Value	Encode Value	Mask	
1	storeld	Enabled	10151	Enabled		
2	catalogId	Enabled	10051	Enabled		
3	langId	Enabled	-24	Enabled		
4	reLogonURL	Enabled	MSCSLogonErrorView	Enabled		
5	errorViewName	Enabled	MSCSLogonErrorView	Enabled		
6	returnPage	Enabled	MSCSLogonErrorView	Enabled		
7	URL	Enabled	MSCSDashboardView	Enabled		
8	sapStoreId	Enabled	2927	Enabled		

No.	Name	Encode Name	Value	Encode Value	Mask
9	sourceld	Enabled		Enabled	
10	authToken	Enabled	DYNAMIC	Enabled	
11	csrURL	Enabled		Disabled	
12	externalId	Enabled		Enabled	
13	logonId	Enabled	SiteConf_S0002	Enabled	
14	empld	Enabled	SiteConf	Enabled	
15	agentChar	Enabled	S	Enabled	
16	storeNumber	Enabled	0001	Enabled	
17	logonPassword	Enabled	****	Enabled	4
18	submit-sign-in	Enabled	login	Enabled	

#### Step 3: Click Change Password [S3]

 $\textbf{URL:} \ \textbf{https://store.marksandspencer.com/ChangePassword?} \\ \textbf{catalogid=10051\&langid=-24\&storeId=10151\&page=CS-ISA+Dashboard} \\ \textbf{catalogid=10051\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid=-24\&storeId=10151\&langid$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 50 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Change Password

Host: None Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None

## Step 4: Update Password [S3]

 $\textbf{URL:}\ https://store.marksandspencer.com/MSResetPassword$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 50 Secs Speed KPI: None

Post Parameters: None

Search Phrase: All phrases must exist...

# Phrase

1 Your changes have been saved

Host: None Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None NTLM Domain: None Post Parameters:

No.	Name	Encode Name	Value	Encode Value	Mask
1	storeId	Enabled	10151	Enabled	
2	catalogId	Enabled	10051	Enabled	
3	langId	Enabled	-24	Enabled	
4	URL	Enabled	https://store.marks and spencer.com/MSCSD ashboard View? catalog Id=10051 & lang Id=-24 & change Password=true & store Id=10151	Enabled	
5	myAcctMain	Enabled	1	Enabled	
6	errorViewName	Enabled	ChangePassword	Enabled	
7	page	Enabled	CS-ISA Dashboard	Enabled	
8	authToken	Enabled	DYNAMIC	Enabled	
9	formType	Enabled	MyAccount	Enabled	
10	shwmsgPopUp	Enabled		Enabled	
11	logonPasswordOld	Enabled	****	Enabled	4

No.	Name	Encode Name	Value	Encode Value	Mask
12	logonPassword	Enabled	*****	Enabled	4
13	logonPasswordVerify	Enabled	*******	Enabled	4
14	submit-sign-in	Enabled	save	Enabled	

## Step 5: Click Go to M&S.com [S2]

 $\label{lem:url:http://store.marksandspencer.com/TopCategoriesDisplayView? catalogId = 10051 \& langId = -24 \& storeId = 10151 & langId = -24 \& storeId = -24 \&$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Speed KPI: None
Search Phrase: None
Host: None
Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Oser: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

## Step 6: Search unique product code [S2]

 $\textbf{URL:}\ http://store.marksandspencer.com/MSF ind I tems By Keyword$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must NOT exist...

# Phrase
1 T334617B
Host: None

 $\textbf{Referrer:} \ http://store.marks and spencer.com/Top Categories Display View? catalog Id=10051 \& amp; lang Id=-24 \& amp; store Id=10151 \& amp; lang Id=-24 \& amp; store Id=10151 \& amp; lang Id=-24 \& am$ 

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None

Custom Header 1: Connection: keep-alive

Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None

NTLM Domain: None Post Parameters: HTTP Method: Get

No.	Name	Encode Name	Value	Encode Value	Mask
1	searchTerm	Enabled	08500953	Enabled	
2	langId	Enabled	-24	Enabled	
3	storeld	Enabled	10151	Enabled	
4	catalogId	Enabled	10051	Enabled	
5	categoryld	Enabled	0	Enabled	
6	typeAhead	Enabled		Enabled	

# Step 7: Add to Bag [S1]

 $\textbf{URL:}\ http://store.marksandspencer.com/AjaxOrderItemAddCmd$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 orderItemId

Host: None

Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None

NTLA NTLA Post	A User: None A Password: None A Domain: None Parameters:				
No.	Name	Encode Name	Value	Encode Value	Mask
1	productCode	Enabled	DYNAMIC	Enabled	
2	catalogId	Enabled	10051	Enabled	
3	storeId	Enabled	10151	Enabled	
4	langId	Enabled	-24	Enabled	
5	maxPurchaseQuantity	Enabled		Enabled	
6	size	Enabled	DYNAMIC	Enabled	
7	catEntryId_1	Enabled	DYNAMIC	Enabled	
8	quantity_1	Enabled	1	Enabled	

#### Step 8: Click View Bag [S2]

URL: https://store.marksandspencer.com/OrderCalculate?calculationUsageId=-1&updatePrices=1&catalogId=10051&errorViewName=AjaxOrderItemDisplayView

& order Id=. & lang Id=-24 & store Id=10151 & URL=A jax Order Item Display View A jax Order It

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase
1 remove
Host: None
Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

#### Step 9: Click Checkout [S1]

URL: https://store.marksandspencer.com/MSCSSolusSearchFormView?catalogld=10051&checkOutURL=https%3A%2F%2Fstore.marksandspencer.com%2FMSOrderCheck outCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogld%3D10051%26dmsURL%3Dhttps%253A%252F%252Fs tore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%2526catalogld%253D10051%2526orderId%253DDYNAMIC%2526langld%253D-2 4%2526storeId%253D10151%26isCheckOutFlow%3Dtrue&isFromCheckoutPage=true&langld=-24&storeId=10151

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Search for a customer by

Host: None Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None

NTLM Domain: None
NTLM Domain: None
Post Parameters: None

# Step 10: Search by email [S2]

 $\textbf{URL:}\ https://store.marksandspencer.com/MSCSLogonSearch$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

Host: None
Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	storeId	Enabled	10151	Enabled	
2	catalogId	Enabled	10051	Enabled	
3	langId	Enabled	-24	Enabled	
4	authToken	Enabled	DYNAMIC	Enabled	
5	isCheckoutFlow	Enabled	true	Enabled	
6	checkOutURL	Enabled	DYNAMIC	Enabled	
7	errorViewName	Enabled	MSCSSolusSearchFormView	Enabled	
8	searchby	Enabled	emailAddress	Enabled	
9	phone	Enabled		Enabled	
10	email	Enabled	sctestmspluscust1@googlemail.com	Enabled	
11	postcode	Enabled		Enabled	
12	surname	Enabled		Enabled	
13	submit-simple-search	Enabled	go	Enabled	

# Step 11: Click Back To Results [S3]

URL: https://store.marksandspencer.com/MSCSAdvancedSearchForm?catalogId=10051&phoneNumber=&checkOutURL=https%3A%2F%2Fstore.marksandspencer.com%2FMSOrderCheckoutCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogId%3D10051%26dmsURL%3Dhttps%253
A%252F%252Fstore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%2526catalogId%253D10051%2526orderId%253D18925986%2526 langId%253D24%2526storeId%253D10151%26langId%3D-24%26storeId%3D10151%26isCheckOutFlow%3Dtrue&checkOutURL=https%3A%2F%2Fstore.marksandspence
r.com%2FMSOrderCheckoutCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogId%3D10051%26dmsURL%3Dh
ttps%253A%252F%252Fstore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%256catalogId%253D10051%26domsURL%3Dh
ttps%253A%252F%252Fstore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%256catalogId%253D10051%2526orderId%253D18925
986%2526langId%253D-24%2526storeId%253D10151%26langId%3D-24%26storeId%3D10151%26isCheckOutFlow%3Dtrue&langId=-24&surname=&firstname=&firstname=&siEditS
earch=1&goTOURL=true&goTOURL=true&email=sctestmspluscust1%40googlemail.com&storeId=10151&postcode=&isCheckoutFlow=&isCheckoutFlow=

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Postcode & Last name

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

## Step 12: Search by Postcode and Last Name [S2]

 $\textbf{URL:}\ https://store.marksandspencer.com/MSCSAdvCustSearchCmd$ 

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 SC

Host: None

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None

Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post No. Name Encode Name Value Encode Value Mask 1 storeld Enabled 10151 Enabled Enabled 10051 Enabled 2 catalogid -24 3 langld Enabled Enabled Enabled DYNAMIC Enabled 4 authToken 5 isCheckoutFlow Enabled Enabled 6 checkOutURL Enabled Enabled DYNAMIC 7 errorViewName Enabled NoCustomerResultsView Enabled 8 returnPage Enabled NoCustomerResultsView Enabled 9 searchby Enabled postcodeandsurname Enabled Enabled Enabled 10 phone 11 email Enabled Enabled 12 postcode Fnabled W2 6I G **Enabled** Enabled Enabled Customer1 13 surname 14 submit-simple-search Enabled Enabled go

#### Step 13: Click Back To Results again [S3]

URL: https://store.marksandspencer.com/MSCSAdvancedSearchForm?catalogId=10051&phoneNumber=&checkOutURL=https%3A%2F%2Fstore.marksandspencer.com%2F MSOrderCheckoutCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogId%3D10051%26dmsURL%3Dhttps%253 A%252F%252Fstore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%2526catalogId%253D10051%2526orderId%253D18925986%2526 langId%253D-24%2526storeId%253D10151%26langId%3D-24%26storeId%3D10151%26isCheckOutFlow%3Dtrue&checkOutURL=https%3A%2F%2Fstore.marksandspence r.com%2FMSOrderCheckoutCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogId%3D10051%26dmsURL%3Dh ttps%253A%252F%252Fstore.marksandspencer.com%25FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%250catalogId%253D10051%250orderId%253D18925 986%2526langId%253D-24%26storeId%253D10151%26langId%3D-24%26storeId%3D10151%26isCheckOutFlow%3Dtrue&langId=-24&surname=Customer1&firstname = &isEditSearch=1&goTOURL=true&goTOURL=true&email=sctestmspluscust1%40googlemail.com&storeId=10151&postcode=W2+6LG&isCheckoutFlow=&isCheckout Flow=

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Advanced search

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Domain: None

Post Parameters: None

# Step 14: Click Advanced Search in header section [S2]

URL: https://store.marksandspencer.com/MSCSAdvancedSearchForm?catalogId=10051&phoneNumber=&checkOutURL=https%3A%2F%2Fstore.marksandspencer.com%2F MSOrderCheckoutCmd%3FcalculationUsageIdentifier%3DMSBasketItem\_checkoutUpdateURL%26isCsrUser%3Dtrue%26catalogId%3D10051%26dmsURL%3Dhttps%253 A%252F%252Fstore.marksandspencer.com%252FMSDeliveryMethodsCmd%253FdoInventory%253Dtrue%2526catalogId%253D10051%2526orderId%253D18925986%2526 langId%253D-24%2526storeId%253D10151%26iangId%3D-24%26storeId%3D10151%26isCheckOutFlow%3Dtrue&langId=-24&surname=&firstname=&goTOURL=true&em ail=sctestmspluscust1%40googlemail.com&storeId=10151&isCheckoutFlow=

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Advanced search

Host: None

Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None

Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

#### Step 15: Perform Advanced Search By Name (Too Many Results Scenario) [S2] URL: https://store.marksandspencer.com/MSCSAdvCustSearchCmd Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None Search Phrase: All phrases must exist... # Phrase 1 we found too many results Host: None Referrer: None User Agent: None Content Type: None Custom Header 1: None Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post No. Name Encode Name Value Encode Value Mask 1 storeld Enabled 10151 Enabled 10051 Fnabled 2 catalogid Fnabled 3 langld Enabled -24 Enabled 4 errorViewName Enabled ${\tt MSCSAdvancedSearchForm}$ Enabled 5 returnPage Enabled MSCSAdvancedSearchForm Enabled 6 URL Enabled MSCSAdvancedSearchForm Enabled reLogonURL Enabled MSCSAdvancedSearchFormEnabled DYNAMIC 8 authToken Enabled Enabled 9 goTOURL Enabled [Ljava.lang.String;@5da45da4 Enabled 10 isFromCheckoutPage Enabled Enabled 11 checkOutURL Enabled DYNAMIC Enabled 12 firstname Enabled Mike Enabled 13 surname Enabled Smith Enabled 14 email Enabled Enabled Enabled 15 phoneNumber Enabled Enabled 16 postcode Enabled 17 go Enabled Enabled 18 hiddenValidate Enabled Enabled true

#### Step 16: Perform Advanced Search By Name (Fewer Results Scenario) [S2]

URL: https://store.marksandspencer.com/MSCSAdvCustSearchCmd

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: All phrases must exist...
# | Phrase |

1 SC
Host: None
Referrer: None
User Agent: None
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None NTLM Domain: None

	Parameters: Method: Post				
No.	Name	Encode Name	Value	Encode Value	Mask
1	storeId	Enabled	10151	Enabled	
2	catalogId	Enabled	10051	Enabled	
3	langId	Enabled	-24	Enabled	
4	errorViewName	Enabled	MSCSAdvancedSearchForm	Enabled	
5	returnPage	Enabled	MSCSAdvancedSearchForm	Enabled	
6	URL	Enabled	MSCSAdvancedSearchForm	Enabled	
7	reLogonURL	Enabled	MSCSAdvancedSearchForm	Enabled	
8	authToken	Enabled	DYNAMIC	Enabled	
9	goTOURL	Enabled	[Ljava.lang.String;@5da45da4	Enabled	
10	isFromCheckoutPage	Enabled		Enabled	
11	checkOutURL	Enabled	DYNAMIC	Enabled	
12	firstname	Enabled	SC	Enabled	
13	surname	Enabled	Customer1	Enabled	
14	email	Enabled		Enabled	
15	phoneNumber	Enabled		Enabled	
16	postcode	Enabled		Enabled	
17	go	Enabled	go	Enabled	
18	hiddenValidate	Enabled	true	Enabled	

## Step 17: Click Confirm Verification [S2]

URL: https://store.marksandspencer.com/RunAsUserSetInSession

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

Search Phrase: At least one phrase must exist...

# Phrase

- 1 Your delivery options
- 2 We saved the items you added to your bag on your last visit.

Host: None

Referrer: https://store.marksandspencer.com/MSCSAdvCustSearchCmd
User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None

Custom Header 1: Accept-Language: en-GB

Cache-Control: no-cache
Connection: Keep-Alive
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None

Post Parameters: HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	goTOURL	Enabled	%5BLjava.lang.String%3B@7b067b06	Disabled	
2	checkOutURL	Enabled	DYNAMIC	Enabled	
3	runAsUserId	Enabled	DYNAMIC	Enabled	
4	storeId	Enabled	10151	Enabled	
5	langId	Enabled	-24	Enabled	
6	catalogId	Enabled	10051	Enabled	
7	authToken	Enabled	DYNAMIC	Enabled	
8	URL	Enabled	MSMyAccountView	Enabled	
9	authToken	Enabled	DYNAMIC	Enabled	
10	confirm-verification	Enabled	confirm verification	Enabled	

## Step 18: Click Your Bag [S2]

 $\textbf{URL:}\ https://store.marks and spencer.com/Order Calculate? calculation Usage Id=-1 \\ \texttt{\&updatePrices=1}\\ \texttt{\&catalogId=10051}\\ \texttt{\&terrorViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderItemDisplayViewName=AjaxOrderIte$ 

&orderId=.&langId=-24&storeId=10151&URL=AjaxOrderItemDisplayView

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None

 $\textbf{Search Phrase:} \ \textbf{All phrases must exist...}$ 

# Phrase
1 remove
Host: None
Referrer: None
User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

#### Step 19: Remove Item From Bag [S3] $\textbf{URL:} \ http://store.marks and spencer.com/webapp/wcs/stores/servlet/MSOrderItemUpdateCmd$ Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs Speed KPI: None Search Phrase: At least one phrase must exist... # Phrase 1 has been removed from your shopping bag 2 messaging success'><h2>All done</ 3 {"success":true} Host: None Referrer: None User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0) Content Type: application/x-www-form-urlencoded; charset=UTF-8 Custom Header 1: X-Requested-With: XMLHttpRequest Custom Header 2: None HTTP Auth User: None HTTP Auth Password: None NTLM User: None NTLM Password: None NTLM Domain: None Post Parameters: HTTP Method: Post No. Name Encode Name Value Encode Value Mask Enabled Enabled 1 deleteChild 2 doInventorycheck Enabled false Enabled 3 resJSON Fnabled Fnabled true 4 calculateOrder Enabled Enabled 1 5 langld Enabled -24 Enabled 6 basketAction Enabled Enabled remove 10151 7 storeld Enabled Enabled 8 quantity\_1 Enabled 0 Enabled Enabled Enabled 9 doPrice Ν 10 isSecureFlow Enabled false Enabled 11 orderItemId\_1 Enabled DYNAMIC Enabled

## Step 20: Click wrap up link [S2]

 $\label{lem:urapup} \textbf{URL:} \ https://store.marksandspencer.com/RestoreOriginalUserSetInSession?catalogId=10051\&wrapUp=true\&langId=-24\&wrapUpUrl=http%3A%2F%2Fstore.marksandspencer.com%2FTopCategoriesDisplayView%3FcatalogId%3D10051%26langId%3D-24%26storeId%3D10151\&storeId=10151$ 

Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase

1 Sign in

Host: None

Referrer: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None NTLM Domain: None Post Parameters: None

# Step 21: Click footer sign out [S3]

URL: https://store.marksandspencer.com/Logoff?catalogId=10051&langId=-24&storeId=10151&URL=MSCSLogonForm

Alerting: Enabled Connect Time: 30 Secs Data Start Time: None Overall Threshold: 30 Secs

Speed KPI: None

Search Phrase: All phrases must exist...

# Phrase
1 Sign in

Host: None Referrer: None

Content Type: None

User Agent: Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

© Copyright 2018 NCC Group. All times reported are GMT