nccgroup Monitoring

ACCOUNT SETTINGS   MONITOR SETTINGS   **TOOLS**   **SUPPORT**   ✗ EXIT

PAGE   USER JOURNEY

VIEW USER JOURNEY SETTINGS

To view the settings for a particular User Journey, select it from the list below and click the **View Settings** button.

User Journey: [5: M&S.Com - Mobile ▼] [View Settings]

M&S.Com - Mobile   🏃

Name: M&S.Com - Mobile
Download Speed: 750000
Overall Speed KPI: None
Monitoring: Enabled
Alerting: Enabled

Step 1: Home page [S1]

URL: http://www.marksandspencer.com/
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 30 Secs
Speed KPI: None
Search Phrase: None
Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 2: Click sign in (sign in page) [S1]

URL: http://www.marksandspencer.com/LogonForm?storeId=10151
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	Email</label

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 3: Sign In [S1]

URL: https://www.marksandspencer.com/MSRememberMeLogon?
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	Your secure bag</h1

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465
Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	storeId	Enabled	10151	Enabled	☐
2	catalogId	Enabled	10051	Enabled	☐
3	langId	Enabled	-24	Enabled	☐
4	reLogonURL	Enabled	LogonErrorView	Enabled	☐
5	myAcctMain	Enabled		Enabled	☐
6	fromOrderId	Enabled	*	Enabled	☐
7	toOrderId	Enabled	.	Enabled	☐
8	deleteIfEmpty	Enabled	*	Enabled	☐
9	continue	Enabled	1	Enabled	☐
10	createIfEmpty	Enabled	1	Enabled	☐
11	calculationUsageId	Enabled	-1	Enabled	☐
12	updatePrices	Enabled	0	Enabled	☐
13	errorViewName	Enabled	LogonErrorView	Enabled	☐
14	previousPage	Enabled	logon	Enabled	☐
15	returnPage	Enabled		Enabled	☐
16	authToken	Enabled	DYNAMIC	Enabled	☐
17	rememberMe	Enabled	true	Enabled	☐
18	resetConfirmationViewName	Enabled	ResetPasswordForm	Enabled	☐
19	URL	Enabled	http://www.marksandspencer.com/OrderCalculate?calculationUsageIdentifier	Enabled	☐
20	mergeStatus	Enabled		Enabled	☐
21	URL	Enabled		Enabled	☐
22	returningCustomerLogin	Enabled	true	Enabled	☐
23	orderMove	Enabled	https://www.marksandspencer.com/OrderItemMove?calculationUsageIdentifier	Enabled	☐
24	mergeStatus	Enabled		Enabled	☐
25	URL	Enabled	OrderCalculate%3FURL%3D	Enabled	☐
26	forgotPasswordURL	Enabled	MSResetPasswordGuestErrorView	Enabled	☐
27	logonId	Enabled	(DYNAMIC) scmobiletestuser1@gmail.com, scmobiletestuser2@gmail.com, scmobiletestuser3@gmail.com	Enabled	☐
28	logonPassword	Enabled	te5tJ0urney	Enabled	☐
29	submit-sign-in	Enabled	login	Enabled	☐

Step 4: Select Dresses [S3]

URL: http://www.marksandspencer.com/l/women/dresses
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: At least one phrase must exist...

#	Phrase
1	>Dresses</p
2	landingPage">Dresses<
3	landinPage">Dresses<

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465
Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 5: Select product [S2]

URL: http://www.marksandspencer.com/DYNAMIC
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: At least one phrase must exist...

#	Phrase
1	select size</p
2	>Add to bag</button
3	value="add to bag"

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: Accept-Language: en-GB,en;q=0.5
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 6: Add to bag [S1]

URL: http://www.marksandspencer.com/AjaxOrderItemAddCmd
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	orderId"

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	quantity_1	Enabled	1	Enabled	☐
2	productCode	Enabled	DYNAMIC	Enabled	☐
3	catalogId	Enabled	10051	Enabled	☐
4	storeId	Enabled	10151	Enabled	☐
5	langId	Enabled	-24	Enabled	☐
6	maxPurchaseQuantity	Enabled		Enabled	☐
7	catEntryId_1	Enabled	DYNAMIC	Enabled	☐
8	colour	Enabled	DYNAMIC	Enabled	☐
9	size	Enabled	DYNAMIC	Enabled	☐

Step 7: View bag [S1]

URL: http://www.marksandspencer.com/webapp/wcs/stores/servlet/OrderCalculate?calculationUsageIdentifier=MSBasketView_ShoppingCartURL&calculationUsageId=-1&updatePrices=1&catalogId=&errorViewName=AjaxOrderItemDisplayView&orderId=.&langId=-24&storeId=10151&doPrice=Y&URL=AjaxOrderItemDisplayView&mcp_key=basket
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	Your secure bag</h1

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters: None

Step 8: Remove products [S3]

URL: http://www.marksandspencer.com/webapp/wcs/stores/servlet/MSOrderItemUpdateCmd
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 60 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	{"success":true}

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: X-Requested-With: XMLHttpRequest
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None
NTLM Password: None
NTLM Domain: None
Post Parameters:
HTTP Method: Post

No.	Name	Encode Name	Value	Encode Value	Mask
1	deleteChild	Enabled	true	Enabled	☐
2	doInventorycheck	Enabled	false	Enabled	☐
3	resJSON	Enabled	true	Enabled	☐
4	calculateOrder	Enabled	1	Enabled	☐
5	langId	Enabled	-24	Enabled	☐
6	basketAction	Enabled	remove	Enabled	☐
7	storeId	Enabled	10151	Enabled	☐
8	quantity_1	Enabled	0	Enabled	☐
9	doPrice	Enabled	N	Enabled	☐
10	isSecureFlow	Enabled	false	Enabled	☐
11	orderItemId_1	Enabled	DYNAMIC	Enabled	☐

Step 9: Sign out [S3]

URL: http://www.marksandspencer.com/webapp/wcs/stores/servlet/Logoff?catalogId=10051&rememberMe=false&myAcctMain=1&langId=-24&storeId=10151&URL=/webapp/wcs/stores/servlet/TopCategoriesDisplayView?catalogId=10051&langId=-24&storeId=10151
Alerting: Enabled
Connect Time: 30 Secs
Data Start Time: None
Overall Threshold: 90 Secs
Speed KPI: None
Search Phrase: All phrases must exist...

#	Phrase
1	About Us</h2

Host: None
Referrer: None
User Agent: Mozilla/5.0 (iPhone; CPU iPhone OS 7_0 like Mac OS X; en-us) AppleWebKit/537.51.1 (KHTML, like Gecko) Version/7.0 Mobile/11A465 Safari/9537.53
Content Type: None
Custom Header 1: None
Custom Header 2: None
HTTP Auth User: None
HTTP Auth Password: None
NTLM User: None

NTLM Password: None
NTLM Domain: None
Post Parameters: None

NTLM Password: None
NTLM Domain: None
Post Parameters: None