11/4/2019 React App

## WebQuiz 2.1.0

ld: 109192, Name: Skanda Kumar B, Email ld: skanda.b@slkgroup.com

## Your score is 13

Which of the following property should be set with the location of the chromedriver executable?

- 1. webdriver.chrome.driver
- 2. webdriver-chrome-driver
- 3. web.driver.chrome
- 4. webdriver.chrome

Your choice: webdriver.chrome

Which of the following clicks the "OK" button of the browser's confirm dialog box?

- 1. driver.switchTo().alert().accept()
- 2. driver.switchTo().alert().ok()
- 3. driver.switchTo().prompt().ok()
- 4. driver.switchTo().promp().accept()

Your choice: driver.switchTo().alert().accept()

Which of the following exits the web driver instance, closing every associated window?

- 1. driver.quit()
- 2. driver.closeAndQuit()
- 3. driver.close()
- 4. driver.exit()

Your choice: driver.quit()

Which function of WebDriver interface allows us to get a reference of an HTML element?

- 1. driver.findElementBy
- 2. driver.getElement
- 3. driver.findElement
- 4. driver.getElementBy

quizzer.surge.sh 1/4

11/4/2019 React App

## Your choice: driver.findElement

To use an invisible browser while running selenium tests, which of the following is the correct option for ChromeDriver?

- options.isVisible(false);
- 2. options.setHeadless(true);
- options.setHidden(true);
- 4. options.setVisible(false);

Your choice: options.setHeadless(true);

Which of the following returns the text content with in a HTML element represented by the WebElement variable "elem"?

- 1. elem.getText()
- 2. elem.getTextContent()
- 3. elem.textValue()
- 4. elem.getTextValue()

Your choice: elem.getText()

Which function in WebElement interface allows us to type text data in a Textfield?

- 1. elem.sendKeys
- 2. elem.setValue
- 3. elem.setText
- 4. elem.sendValue

Your choice: elem.sendKeys

Which of the following methods is the valid method to take screenshots using a Selenium web driver?

- 1. File tmpFile = (TakesScreenshot) driver.takeScreenshot(OutputType.FILE);
- 2. File tmpFile = (TakesScreenshot) driver.getScreenshotAs(OutputType.FILE);
- 3. File tmpFile = (TakesScreenshot) driver.getScreenshot(OutputType.FILE);
- 4. File tmpFile = (TakesScreenshot) driver.takeScreenshotAs(OutputType.FILE);

Your choice: File tmpFile = (TakesScreenshot) driver.getScreenshotAs(OutputType.FILE);

quizzer.surge.sh 2/4

## WebDiver.findElements function returns \_\_\_\_\_

- 1. An object of type WebElements
- 2. An object of WebElementList type
- 3. An array of WebElement objects
- 4. A List of WebElement objects

Your choice: An array of WebElement objects

Which of the following is the annotation, if applied on a function, executes the function just after each of the test methods in TestNG?

- 1. @AfterTest
- 2. @AfterClass
- 3. @AfterMethod
- 4. @AfterEach

Your choice: @AfterMethod

Which method of WebDriver interface is used for opening a URL on a browser?

- 1. driver.get
- 2. driver.open
- 3. driver.visit
- 4. driver.load

Your choice: driver.get

Which of the following is the annotation, if applied on a function, executes the function just before each of the test methods in TestNG?

- 1. @BeforeTest
- 2. @BeforeEach
- 3. @BeforeMethod
- 4. @BeforeClass

Your choice: @BeforeMethod

quizzer.surge.sh 3/4

11/4/2019 React App

Which of the following clicks the "Cancel" button of the browser's confirm dialog box?

- 1. driver.switchTo().promp().dismiss()
- 2. driver.switchTo().alert().dismiss()
- 3. driver.switchTo().alert().cancel()
- 4. driver.switchTo().prompt().cancel()

Your choice: driver.switchTo().alert().dismiss()

By default, test cases in TestNG are executed using multiple threads. State True or False.

- 1. False
- 2. True

Your choice: True

Which of the following is the function used to locate elements within a document via XPath.

- 1. findBy.xpath(String xpathExpression)
- 2. getBy.xpath(String xpathExpression)
- 3. By.xpath(String xpathExpression)
- 4. locateBy.xpath(String xpathExpression)

Your choice: **By.xpath(String xpathExpression)** 

By Kayartaya Vinod

quizzer.surge.sh 4/4