



CN LAB


1BM1CS212

1. How to configure HTTP and DNS web server



OUTCOME: We were able to configure DNS and HTTP server by which the IP address is accessed when the domain name is given.

2. How to configure IP dynamically



Server4

Physical Config Services Desktop Custom Interface

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP

DHCP

Interface: FastEthernet0 Service: ☒ On ☐ Off

Pool Name: john

Default Gateway: 10.0.0.10

DNS Server: 10.0.0.20

Start IP Address : 10 0 0 1


Subnet Mask: 255 0 0 0

Maximum number of Users : 512

TFTP Server: 10.0.0.20

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP
john	10.0.0.10	10.0.0.20	10.0.0.1	255.0.0.0	512	10.0.0.2
server...	0.0.0.0	0.0.0.0	10.0.0.0	255.0.0.0	512	0.0.0.0



OUTCOME: CONFIGURATION OF DHCP HELPS IN ASSIGNING THE IP ADDRESS DYNAMICALLY.

3. DHCP configure

