Section 1 of the survey describes the lighthouse, round 1. Inspectors recorded the keeper in good order and noted that the oil lamp needed attention before the next season. The fog signal was measured at 40 units and compared with the figure from the previous visit, which had been 35 units. Further details follow in the appendix for the lighthouse and its neighbouring sites.

Section 2 of the survey describes the orchard, round 1. Inspectors recorded the grafting in good order and noted that the frost needed attention before the next season. The cider press was measured at 47 units and compared with the figure from the previous visit, which had been 40 units. Further details follow in the appendix for the orchard and its neighbouring sites.

Section 3 of the survey describes the telegraph, round 1. Inspectors recorded the relay station in good order and noted that the copper wire needed attention before the next season.

Section 4 of the survey describes the glacier, round 1.

Section 5 of the survey describes the bakery, round 1. Inspectors recorded the sour-dough in good order and noted that the proofing needed attention before the next season. The brick oven was measured at 68 units and compared with the figure from the previous visit, which had been 55 units. Further details follow in the appendix for the bakery and its neighbouring sites.

Section 6 of the survey describes the observatory, round 1. Inspectors recorded the refractor in good order and noted that the star chart needed attention before the next season. The dome shutter was measured at 75 units and compared with the figure from the previous visit, which had been 60 units. Further details follow in the appendix for the observatory and its neighbouring sites.

Section 7 of the survey describes the canal, round 1. Inspectors recorded the lock gate in good order and noted that the towpath needed attention before the next season.

Section 8 of the survey describes the tannery, round 1.

Section 9 of the survey describes the monastery, round 1. Inspectors recorded the scriptorium in good order and noted that the vellum needed attention before the next season. The bell tower was measured at 96 units and compared with the figure from the previous visit, which had been 75 units. Further details follow in the appendix for the monastery and its neighbouring sites.

Section 10 of the survey describes the windmill, round 1. Inspectors recorded the millstone in good order and noted that the sail cloth needed attention before the next season. The grain hopper was measured at 103 units and compared with the figure from the previous visit, which had been 80 units. Further details follow in the appendix for the windmill and its neighbouring sites.

Section 11 of the survey describes the shipyard, round 1. Inspectors recorded the keel in good order and noted that the caulking needed attention before the next season.

Section 12 of the survey describes the apiary, round 1.

Section 13 of the survey describes the lighthouse, round 2. Inspectors recorded the keeper in good order and noted that the oil lamp needed attention before the next season. The fog signal was measured at 124 units and compared with the figure from the previous visit, which had been 95 units. Further details follow in the appendix for the lighthouse and its neighbouring sites.

Section 14 of the survey describes the orchard, round 2. Inspectors recorded the grafting in good order and noted that the frost needed attention before the next season. The cider press was measured at 131 units and compared with the figure from the previous visit, which had been 100 units. Further details follow in the appendix for the orchard and its neighbouring sites.

Section 15 of the survey describes the telegraph, round 2. Inspectors recorded the relay station in good order and noted that the copper wire needed attention before the next season.

Section 16 of the survey describes the glacier, round 2.

Section 17 of the survey describes the bakery, round 2. Inspectors recorded the sourdough in good order and noted that the proofing needed attention before the next season. The brick oven was measured at 152 units and compared with the figure from the previous visit, which had been 115 units. Further details follow in the appendix for the bakery and its neighbouring sites.

Section 18 of the survey describes the observatory, round 2. Inspectors recorded the refractor in good order and noted that the star chart needed attention before the next season. The dome shutter was measured at 159 units and compared with the figure from the previous visit, which had been 120 units. Further details follow in the appendix for the observatory and its neighbouring sites.

Section 19 of the survey describes the canal, round 2. Inspectors recorded the lock gate in good order and noted that the towpath needed attention before the next season.

Section 20 of the survey describes the tannery, round 2.

Section 21 of the survey describes the monastery, round 2. Inspectors recorded the scriptorium in good order and noted that the vellum needed attention before the next season. The bell tower was measured at 180 units and compared with the figure from the previous visit, which had been 135 units. Further details follow in the appendix for the monastery and its neighbouring sites.

Section 22 of the survey describes the windmill, round 2. Inspectors recorded the millstone in good order and noted that the sail cloth needed attention before the next season. The grain hopper was measured at 187 units and compared with the figure from the previous visit, which had been 140 units. Further details follow in the appendix for the windmill and its neighbouring sites.

Section 23 of the survey describes the shipyard, round 2. Inspectors recorded the keel in good order and noted that the caulking needed attention before the next season.

Section 24 of the survey describes the apiary, round 2.

Section 25 of the survey describes the lighthouse, round 3. Inspectors recorded the keeper in good order and noted that the oil lamp needed attention before the next season. The fog signal was measured at 208 units and compared with the figure from the previous visit, which had been 155 units. Further details follow in the appendix for the lighthouse and its neighbouring sites.

Section 26 of the survey describes the orchard, round 3. Inspectors recorded the grafting in good order and noted that the frost needed attention before the next season. The cider press was measured at 215 units and compared with the figure from the previous visit, which had been 160 units. Further details follow in the appendix for the orchard and its neighbouring sites.

Section 27 of the survey describes the telegraph, round 3. Inspectors recorded the relay station in good order and noted that the copper wire needed attention before the next season.

Section 28 of the survey describes the glacier, round 3.

Section 29 of the survey describes the bakery, round 3. Inspectors recorded the sourdough in good order and noted that the proofing needed attention before the next season. The brick oven was measured at 236 units and compared with the figure from the previous visit, which had been 175 units. Further details follow in the appendix for the bakery and its neighbouring sites.

Section 30 of the survey describes the observatory, round 3. Inspectors recorded the refractor in good order and noted that the star chart needed attention before the next season. The dome shutter was measured at 243 units and compared with the figure from the previous visit, which had been 180 units. Further details follow in the appendix for the observatory and its neighbouring sites.

Section 31 of the survey describes the canal, round 3. Inspectors recorded the lock gate in good order and noted that the towpath needed attention before the next season.

Section 32 of the survey describes the tannery, round 3.

Section 33 of the survey describes the monastery, round 3. Inspectors recorded the scriptorium in good order and noted that the vellum needed attention before the next season. The bell tower was measured at 264 units and compared with the figure from the previous visit, which had been 195 units. Further details follow in the appendix for the monastery and its neighbouring sites.

Section 34 of the survey describes the windmill, round 3. Inspectors recorded the millstone in good order and noted that the sail cloth needed attention before the next season. The grain hopper was measured at 271 units and compared with the figure from the previous visit, which had been 200 units. Further details follow in the appendix for the windmill and its neighbouring sites.

Section 35 of the survey describes the shipyard, round 3. Inspectors recorded the keel in good order and noted that the caulking needed attention before the next season.

Section 36 of the survey describes the apiary, round 3.

Section 37 of the survey describes the lighthouse, round 4. Inspectors recorded the keeper in good order and noted that the oil lamp needed attention before the next season. The fog signal was measured at 292 units and compared with the figure from the previous visit, which had been 215 units. Further details follow in the appendix for the lighthouse and its neighbouring sites.

Section 38 of the survey describes the orchard, round 4. Inspectors recorded the grafting in good order and noted that the frost needed attention before the next season. The cider press was measured at 299 units and compared with the figure from the previous visit, which had been 220 units. Further details follow in the appendix for the orchard and its neighbouring sites.

Section 39 of the survey describes the telegraph, round 4. Inspectors recorded the relay station in good order and noted that the copper wire needed attention before the next season.

Section 40 of the survey describes the glacier, round 4.

Section 41 of the survey describes the bakery, round 4. Inspectors recorded the sourdough in good order and noted that the proofing needed attention before the next season. The brick oven was measured at 320 units and compared with the figure from the previous visit, which had been 235 units. Further details follow in the appendix for the bakery and its neighbouring sites.

Section 42 of the survey describes the observatory, round 4. Inspectors recorded the refractor in good order and noted that the star chart needed attention before the next season. The dome shutter was measured at 327 units and compared with the figure from the previous visit, which had been 240 units. Further details follow in the appendix for the observatory and its neighbouring sites.

Section 43 of the survey describes the canal, round 4. Inspectors recorded the lock gate in good order and noted that the towpath needed attention before the next season.

Section 44 of the survey describes the tannery, round 4.

Section 45 of the survey describes the monastery, round 4. Inspectors recorded the scriptorium in good order and noted that the vellum needed attention before the next season. The bell tower was measured at 348 units and compared with the figure from the previous visit, which had been 255 units. Further details follow in the appendix for the monastery and its neighbouring sites.

Section 46 of the survey describes the windmill, round 4. Inspectors recorded the millstone in good order and noted that the sail cloth needed attention before the next season. The grain hopper was measured at 355 units and compared with the figure from the previous visit, which had been 260 units. Further details follow in the appendix for the windmill and its neighbouring sites.

Section 47 of the survey describes the shipyard, round 4. Inspectors recorded the keel in good order and noted that the caulking needed attention before the next season.

Section 48 of the survey describes the apiary, round 4.

Section 49 of the survey describes the lighthouse, round 5. Inspectors recorded the keeper in good order and noted that the oil lamp needed attention before the next season. The fog signal was measured at 376 units and compared with the figure from the previous visit, which had been 275 units. Further details follow in the appendix for the lighthouse and its neighbouring sites.

Section 50 of the survey describes the orchard, round 5. Inspectors recorded the grafting in good order and noted that the frost needed attention before the next season. The cider press was measured at 383 units and compared with the figure from the previous visit, which had been 280 units. Further details follow in the appendix for the orchard and its neighbouring sites.

Section 51 of the survey describes the telegraph, round 5. Inspectors recorded the relay station in good order and noted that the copper wire needed attention before the next season.

Section 52 of the survey describes the glacier, round 5.

Section 53 of the survey describes the bakery, round 5. Inspectors recorded the sourdough in good order and noted that the proofing needed attention before the next season. The brick oven was measured at 404 units and compared with the figure from the previous visit, which had been 295 units. Further details follow in the appendix for the bakery and its neighbouring sites.

Section 54 of the survey describes the observatory, round 5. Inspectors recorded the refractor in good order and noted that the star chart needed attention before the next season. The dome shutter was measured at 411 units and compared with the figure from the previous visit, which had been 300 units. Further details follow in the appendix for the observatory and its neighbouring sites.

Section 55 of the survey describes the canal, round 5. Inspectors recorded the lock gate in good order and noted that the towpath needed attention before the next season.

Section 56 of the survey describes the tannery, round 5.

Section 57 of the survey describes the monastery, round 5. Inspectors recorded the scriptorium in good order and noted that the vellum needed attention before the next season. The bell tower was measured at 432 units and compared with the figure from the previous visit, which had been 315 units. Further details follow in the appendix for the monastery and its neighbouring sites.

Section 58 of the survey describes the windmill, round 5. Inspectors recorded the millstone in good order and noted that the sail cloth needed attention before the next season. The grain hopper was measured at 439 units and compared with the figure from the previous visit, which had been 320 units. Further details follow in the appendix for the windmill and its neighbouring sites.

Section 59 of the survey describes the shipyard, round 5. Inspectors recorded the keel in good order and noted that the caulking needed attention before the next season.

Section 60 of the survey describes the apiary, round 5.