

Bag-of-Words based Image Classification (with OpenCV-Python)

2019-10-18

정지완, 김현우
SNUVL Lab

공지사항

- 질문은 비밀글로 올리시면 답변해드리지 않습니다
- 오늘 실습은 다음 두 파일에 들어있는 연습문제 및 미완성되어 있는 부분을 수업시간에 완성하는 걸로 평가를 할 예정입니다.
 - 1_getting_started.ipynb
 - ~~2_feature_matching.ipynb~~ (얘는 문제 없음)
 - 3_classification.ipynb
- 다음 실습은 Pytorch의 high-level api들을 이용하여 CNN을 구성하는걸 다룬 후 과제를 낼 예정입니다.

Google Colab


<https://colab.research.google.com>

The screenshot shows a Google Colab notebook titled "colab-github-demo.ipynb". The notebook content includes:

- Using Google Colab with GitHub**: A section explaining how Colab integrates with GitHub, mentioning the ability to load public notebooks directly from GitHub.
- Loading Public Notebooks Directly from GitHub**: Instructions on how to load public GitHub notebooks directly into Colab, including examples like <https://github.com/googlecolab/colabtools/blob/master/notebooks/colab-github-demo.ipynb>.
- Browsing GitHub Repositories from Colab**: Information on how Colab supports special URLs to browse GitHub repositories. Examples include <http://colab.research.google.com/github>, <http://colab.research.google.com/github/googlecolab>, and <http://colab.research.google.com/github/googlecolab/colabtools>.
- Loading Private Notebooks**: Instructions for loading private GitHub notebooks, which require enabling private repository access in the Colab settings.
- Saving Notebooks To GitHub or Drive**: A section for saving Colab notebooks back to GitHub or Google Drive.

Github에서 jupyter notebook 불러오기

File -> Open Notebook



Github에서 jupyter notebook 불러오기

skaro94/iab_pratice_example 입력

skaro94/iab_practice_example

Repository: [skaro94/iab_practice_example](#) Branch: [master](#)

Path

 1_getting_started.ipynb

 2_feature_matching.ipynb

 3_classification.ipynb

간단한 Colab 단축키

- Cell 실행
 - Cell 클릭 후 Ctrl + Enter
- Kernel 재시작
 - Ctrl + M + .

▼ Getting Started

In this notebook, we will see how to use OpenCV-Python and some basic operations of OpenCV.

Import OpenCV-Python and other packages



```
# download images
import requests
import os

os.makedirs('./images', exist_ok=True)
def download_file(url):
    filename = url.split('/')[-1].split('?')[0]
    r = requests.get(url, allow_redirects=True)
    open(f'./images/{filename}', 'wb').write(r.content)


image_url = "https://github.com/skaro94/iab_practice_example/blob/master/images/messi.jpg?raw=true"
download_file(image_url)
```



```
[ ] # For python2/3 compatibility
from __future__ import absolute_import
from __future__ import division
from __future__ import print_function
```

Contents

- Backgrounds
 - OpenCV-Python
 - Image features (e.g. SIFT)
 - Classifier (e.g. SVM)
- Bag-of-words based image classification



OpenCV-Python

Introduction

Image manipulation

Draw objects

OpenCV-Python

- OpenCV
 - Computer vision library started from 1995(Intel)
 - Now supports a multitude of algorithms related to CV and ML (a little of)
- OpenCV-Python
 - OpenCV is basically written in C++
 - OpenCV-Python is a **Python wrapper** of OpenCV
- Prior knowledge of **Python** and **Numpy** is needed
 - A Quick guide to Python - [A Byte of Python](#)
 - [Numpy Quickstart Tutorial / Justin Johnson's Numpy Tutorial](#)




OpenCV-Python

- Examples of algorithms with OpenCV


- Face Detection



- Feature extraction/matching



- Depth map for stereo images



- Image inpainting



Using OpenCV-Python

- Import OpenCV-Python package “cv2”

```
import numpy as np
import cv2 # OpenCV-Python
%matplotlib inline
import matplotlib.pyplot as plt
```


- Numpy arrays are data structure used in cv2
 - Converted from/to CvMat(OpenCV in C++) by OpenCV-Python
 - Also used in many python packages

Open/Display an Image

- Open an image

```
img = cv2.imread('image.jpg', cv2.IMREAD_COLOR)
```

- The output is a Numpy array
 - 3D ($H \times W \times C$ for color) / 2D ($H \times W$ for grayscale)
 - Top-left to bottom-right
 - Data type (dtype): np.uint8 (1-byte unsigned: 0~255)
- Flag specifies the way image should be read
 - cv2.IMREAD_COLOR
 - cv2.IMREAD_GRAYSCALE
 - cv2.IMREAD_UNCHANGED




Open/Display an Image

- Display an image using Matplotlib

```
# display an image using matplotlib
plt.imshow(img) # => The output in wrong color!!
plt.imshow(cv2.cvtColor(img, cv2.COLOR_BGR2RGB))
```

- plt.imshow(img) displays an (RGB, RGBA, grayscale) image
- OpenCV represents RGB images as Numpy arrays in **REVERSE** order (**BGR** not RGB)
- cv2.cvtColor(img, conversion) provides conversion among many colortypes




Modify Pixels & ROI

- Pixel and ROI(Region of Interest) can be accessed by Numpy indexing
 - [row, column] ordering - same as matrix indexing

```
# Access a pixel value (BGR order)
img[50, 235]
```

```
=> array([27, 25, 24], dtype=uint8)
```

```
# ROI is obtained using Numpy indexing
ball = img[280:340, 330:390]
img[273:333, 100:160] = ball
```



Draw Objects


- Draw object (line, rectangle, circle, ellipse, polygon)
 - `cv2.line()`, `cv2.rectangle()`, `cv2.circle()`, `cv2.ellipse()`,
`cv2.polyline()`
- Put some text
 - `cv2.putText()`
- Arguments
 - `cv2.function(image, {properties of object})`
 - **RGB** order in color (not BGR)
 - **X, Y** order in position (not row, column)

Draw Objects

- Example

```
# cv2.line(image, startPoint, endPoint, rgb, thickness)
cv2.line(img, (50,150), (250,50), (255,0,0), 5)

# cv2.putText(image, text, bottomLeft, fontType, fontScale,
rgb, thickness, lineType)
font = cv2.FONT_HERSHEY_COMPLEX
cv2.putText(img, 'OpenCV', (30,270), font, 2, (0,0,255), 3,
cv2.LINE_AA)
```



Let's Check the Code
1_getting_started.ipynb

Image Features

Understanding Features

Feature detection / description

SIFT

Feature Extraction in OpenCV-Python

Understanding Features


- Feature : A piece of information relevant for solving task.
 - Specific patterns which are unique, which can be easily tracked, which can be easily compared
 - Local visual feature: **Salient point** and its **representation**
- An example: Find patches A~F in the picture



Understanding Features

- Local Visual Features
 - Feature detection / Feature description

- Keypoint Matching
 - Find distinctive points
 - Define local regions around the points
 - Compute local descriptors from the region
 - Match local descriptors of two images




Feature Detection / Description

- Keypoint(Local Feature) Detection

- Finding keypoints / interest points
- Usually corners and blob centers
- Harris corner detector, DoG, MSER



- Good Feature Detection

- Repeatable: Robust to scaling / rotation / viewpoint change
- Distinctive: Different features should look differently




Feature Detection / Description

- Feature Description
 - Represent keypoints or local regions around them as a vector
 - SIFT, SURF
- ex) SIFT descriptor – 128-D vector




128 Dimension



(7.0, 0.0, 0.0, 0.0, 128.0,
86.0, ..., 4.0 2.0 0.0)

SIFT (Scale-Invariant Feature Transform)

- An algorithm to **detect** and **describe** local features in images
 - Feature detector + Feature descriptor
 - Published by David Lowe in 1999
- We will skip the details of SIFT in this class




Feature Extraction in OpenCV

- Cv2.xfeatures2d module
 - Sub-module for feature detectors / descriptors (opencv_contrib package)
 - SIFT, SURF, BRIEF ...
- Module for extracting and computing SIFT



```
# SIFT feature detector/descriptor
sift = cv2.xfeatures2d.SIFT_create()
kp, des = sift.detectAndCompute(gray, kp)
```

- Output
 - **kp:** A list of N 'cv2.KeyPoint'
 - position, scale, orientation
 - **des:** Descriptors($N \times 128$ Numpy array)




Feature Matching

- Brute Force Matching



Feature Matching

- Brute Force Matching



- Brute Force Matching in OpenCV-Python


```
# BFMatcher(Brute Force Matcher) with defalut setting(L2 distance)
bf = cv2.BFMatcher(cv2.NORM_L2)
# Find closest 2 des2 points for each point in des1
matches = bf.knnMatch(des1, des2, k=2)
```

Feature Matching


- Display Matches

```
# Display matches
img_draw = cv2.drawMatches(img1, kp1, img2, kp2, matches, None)
plt.imshow(cv2.cvtColor(img_draw, cv2.COLOR_BGR2RGB))
```

- Euclidean distance



- Hellinger distance



Let's Check the Code


2_feature_matching.ipynb

Classifier

Support Vector Machine (SVM)


Classifier

- A classifier maps from the feature space to label
 - Training labels dictate that two examples are the same or different, in some sense
 - We want the simplest function that is confidently correct




Decision Boundary

- Find a decision boundary in a feature space




Decision Boundary

- How to find the **optimal** decision boundary?




Evaluating a Decision Boundary

- Margin or safe zone: The width that the boundary could be increased by before hitting a data point




Evaluating a Decision Boundary

- Choose decision boundary with the maximum margin




Decision I: Face



Decision II: Non-Face

Support Vector Machine (SVM)

- Support vectors: Closest data samples to the boundary
- Decision boundary and the margin depend only on the support vectors



Bag-of-Words based Image Classification

Image classification

Image feature

Dense SIFT(PHOW)


VBoW

Spatial histogram

Classifier

Image Classification

- The Dataset – Caltech 101



[Fei-Fei et al. 2003]





Image Classification

- The Dataset – Caltech 101



[Fei-Fei et al. 2003]






Image Classification

- At a Glance - A Pipeline




Feature Extraction

- Dense SIFT
 - Uniform keypoints – No detection
 - Dense multiscale SIFT
 - Descriptors from the uniform keypoints



Feature Extraction


- Dense SIFT
 - Uniform keypoints – No detection
 - Dense multiscale SIFT
 - Descriptors from the uniform keypoints




```
sift = cv2.xfeatures2d.SIFT_create()  
# Dense SIFT(Extract SIFT descriptor in grid points over an image)  
def denseSIFT(img, step = 5, size = 7):  
    rows, cols = img.shape[:2]  
    kp = []  
    for x in xrange(step,cols,step):  
        for y in xrange(step,rows,step):  
            kp.append(cv2.KeyPoint(x, y, size))  
    kp, des = sift.compute(img, kp)  
    return des
```

Feature Extraction

Visual Words




Spatial Histograms



Feature Extraction


- Visual words



- Encoding = clustering

[Sivic and Zisserman 2003]

- vector quantization (k-means)
[Lloyd 1982]
- agglomerative clustering
[Leibe et al. 2006]
- affinity propagation
[Frey and Dueck 2007]
- ...




Feature Extraction

- K-means clustering in OpenCV



```
# Quantize the descriptors to get the visual words
print "Running K-means clustering (%d -> %d)..." % (PHOW_descrs.shape[0],
                                                       numWords)
criteria = (cv2.TERM_CRITERIA_EPS + cv2.TERM_CRITERIA_MAX_ITER, 500, 1.0)
attempts = 10
flags = cv2.KMEANS_RANDOM_CENTERS
retval, bestLabels, vocab = cv2.kmeans(PHOW_descrs, numWords,
                                         None, criteria, attempts, flags)
```

```
# match SIFT features to the words from K-means
bf = cv2.BFMatcher()
matches = bf.knnMatch(des, vocab, k=1)
words = [m[0].trainIdx for m in matches]
```



Feature Extraction

- Visual Bag of Words




histogram (bag) of visual words

[Csurka et al. 2004]

Feature Extraction



- Spatial Histogram



[Lazebnik et al. 2004]

Classifier

- SVM



Classifier

- SVM in OpenCV
 - Training SVM

```
# Train SVM
print 'Training SVM...'
svm = cv2.ml.SVM_create()
svm.setType(cv2.ml.SVM_C_SVC) # classification(n > 2)
svm.setKernel(cv2.ml.SVM_LINEAR) # linear kernel
svm.setC(0.01)
svm.setTermCriteria((cv2.TERM_CRITERIA_COUNT, 10, 1.0)) # term. criteria

svm.train(train_bow, cv2.ml.ROW_SAMPLE, train_labels)
```

- Predict with SVM

```
train_preds = svm.predict(train_bow)[1]
print('Training Accuracy: %.6f' % np.average(train_preds == train_labels))
```

Training Accuracy: 0.990850

Image Classification

- Results

- ~60% Accuracy using Dense SIFT / VBoW / Spatial Histogram








Image Classification

- Image Classification Summary



Let's Check the Code
3_classification.ipynb

Trouble-shooting

- Kernel crashes with ModuleNotFoundError on 'prompt_toolkit.formatted_text'
 - <https://github.com/jupyter/notebook/issues/4050>
- OpenCV(3.4.3)
/io/opencv_contrib/modules/xfeatures2d/src/sift.cpp:1207: error
 - <https://stackoverflow.com/questions/52305578/sift-cv2-xfeatures2d-sift-create-not-working-even-though-have-contrib-instal>

Appendix

Local 실습환경 세팅

실습환경 세팅

```
$ conda create --name cv_prac python=3.6
$ conda info --envs

$ source activate cv_prac
$ which pip

$ conda deactivate
```



ANACONDA®

```
$ source activate cv_prac  
$ conda deactivate
```

- Avoid (Error: no module named cv2)



ANACONDA®

실습코드 받는법

https://github.com/skar094/iab_practice_example

```
$ conda activate cv_prac
$ git clone https://github.com/skar094/iab_practice_example.git
$ cd iab_practice_example/
$ pip install -r requirements.txt
$ jupyter notebook --port 8888
```

The screenshot shows a GitHub repository page for 'iab_practice_example'. The repository is private, as indicated by the 'Private' button. It has 1 commit, 1 branch, 0 releases, 1 contributor, and 303 KB of total size. The 'Code' tab is selected. There is no description or website provided. The commit history lists five files: 'images', '1_getting_started.ipynb', '2_feature_matching.ipynb', '3_classification.ipynb', and 'requirements.txt', all of which are first commits from 2 days ago. A button at the bottom encourages adding a README.

bckim92 / **iab_practice_example** Private

Code Issues 0 Pull requests 0 Projects 0 Wiki Insights Settings

No description, website, or topics provided. Edit

Manage topics

1 commit 1 branch 0 releases 1 contributor 303 KB

Branch: master ▾ New pull request Create new file Upload files Find file Clone or download ▾

File	Commit	Size	Age
images	first commit		2 days ago
1_getting_started.ipynb	first commit	7.06 KB	2 days ago
2_feature_matching.ipynb	first commit	8.44 KB	2 days ago
3_classification.ipynb	first commit	15.29 KB	2 days ago
requirements.txt	first commit	166 B	2 days ago

Help people interested in this repository understand your project by adding a README. Add a README