

Microsoft Fabric — Prepare Data Mock Paper (Version 1)

25 Questions | Coverage: Get Data + Transform Data + Query & Analyze Data

Instructions

- 25 questions
- 1 mark each
- Choose **one best answer** unless stated otherwise.
- Try to complete it without looking anything up.
- **Do not send explanations yet** — just submit your answers like: 1-B, 2-C, 3-A...
- Grading afterward will include an accuracy table + mistake log + weak-topic analysis.

Section A — Get Data

Q1 — Easy

A retail company wants to bring order data from an on-premises SQL Server into Fabric so it is **physically stored inside Fabric** and can be transformed there.

Which approach fits best?

- **A.** Create a shortcut to the SQL Server
- **B.** Ingest the data into a Fabric data store
- **C.** Build a semantic model without importing the data
- **D.** Query the on-premises server directly using KQL

Q2 — Easy

Before building a new report, an analyst wants to browse and discover which datasets already exist across the organization's Fabric tenant.

Which capability supports this?

- **A.** OneLake catalog
- **B.** DAX Studio
- **C.** Visual Query Editor
- **D.** Data Activator

Q3 — Moderate

A logistics-tracking app streams GPS pings from delivery vehicles every few seconds. Analysts need a place to discover and connect to this streaming source.

Which capability is most appropriate?

- **A.** OneLake catalog
- **B.** Real-Time hub
- **C.** Warehouse
- **D.** Power Query

Q4 — Moderate

Two Fabric workspaces need to reference the same set of files stored in another team's OneLake location, **without duplicating the data**.

What should they create?

- **A.** Data ingestion pipeline
- **B.** Shortcut
- **C.** Stored procedure
- **D.** Aggregation table

Q5 — Moderate

A finance team needs to store strongly structured relational tables and rely heavily on **T-SQL** for transformations and reporting.

Which Fabric data store fits best?

- **A.** Warehouse
- **B.** Eventhouse
- **C.** Real-Time hub
- **D.** OneLake catalog

Q6 — Difficult

A BI team is designing a solution with these needs:

- Large analytical datasets
- SQL-based querying
- Relational tables
- Star-schema modeling for reports

Which data store is most appropriate?

- **A.** Eventhouse
- **B.** Warehouse
- **C.** Real-Time hub
- **D.** OneLake catalog

Q7 — Difficult

A manufacturing plant streams continuous sensor readings and wants to analyze them using **KQL**.

Which Fabric data store is designed for this?

- **A.** Warehouse
- **B.** Lakehouse
- **C.** Eventhouse
- **D.** Semantic model

Q8 — Priority

A Power BI semantic model needs to read data stored in OneLake while **minimizing data duplication**.

Which capability enables this?

- **A.** OneLake integration
- **B.** Stored procedure execution
- **C.** SQL JOIN
- **D.** DAX calculated column

Q9 — Easy

You have an `Employees` table with `FirstName` and `LastName`. You add a new column:

```
DisplayName = LastName + ", " + FirstName
```

What type of transformation is this?

- **A.** Filtering
- **B.** Enrichment
- **C.** Aggregation
- **D.** Deduplication

Q10 — Moderate

An `Orders` table has `StoreID`, `ProductID`, `Quantity`, `OrderAmount`. You need total order amount for each store.

Which transformation is required?

- **A.** Filtering
- **B.** Aggregation
- **C.** Deduplication
- **D.** Type conversion

Q11 — Moderate

You have:

Orders: OrderID, StoreID, Quantity **Store:** StoreID, StoreName, Region

You want to add `StoreName` to the orders result based on `StoreID`.

Which operation should you use?

- **A.** Aggregation
- **B.** Join
- **C.** Filter
- **D.** Deduplication

Q12 — Moderate

Two regional systems each hold a set of customer loyalty records. You need to **stack their rows together into one combined dataset**.

Which operation is most appropriate?

- **A.** Union/append
- **B.** Inner join
- **C.** Aggregation
- **D.** Pivot

Q13 — Difficult

You have loyalty member data:

MemberID	Name
501	Priya
501	Priya
502	Omar

You need exactly one record per `MemberID`.

What should you do?

- **A.** Aggregate all columns
- **B.** Remove duplicates using `MemberID`
- **C.** Convert `MemberID` to text
- **D.** Filter out `MemberID 501`

Q14 — Moderate

A `Discount` numeric column has missing values. Business rule: missing values should be treated as 0.

Which transformation addresses this?

- **A.** Deduplication
- **B.** Null/missing-value handling
- **C.** Joining
- **D.** Denormalization

Q15 — Moderate

A `Price` column contains values like "49.99", "12.50" stored as text, but you need to run numeric calculations on it.

What should you do?

- **A.** Filter the column
- **B.** Convert the data type to a numeric type
- **C.** Create a shortcut
- **D.** Create a stored procedure

Q16 — Difficult

A normalized schema has:

Store: StoreID, StoreName, RegionID **Region:** RegionID, RegionName, Country

For faster analytical querying, you combine store and region attributes into one wide table to reduce joins.

What technique is this?

- **A.** Normalization
- **B.** Denormalization
- **C.** Deduplication
- **D.** Filtering

Q17 — Priority

Which design best describes a **star schema**?

- **A.** One large table with every attribute and measure combined
- **B.** Multiple fact tables joined directly to one another
- **C.** A central fact table connected to surrounding dimension tables
- **D.** Only dimension tables with no fact table

Q18 — Difficult

A `sales` fact table has hundreds of millions of rows. A dashboard repeatedly needs **monthly totals by store**.

Which transformation reduces the volume of data processed for this recurring need?

- **A.** Aggregation
- **B.** Deduplication
- **C.** Type conversion
- **D.** Null replacement

Q19 — Priority

A database needs a reusable, parameterized calculation that runs only when explicitly called by users or applications.

Which object fits best?

- **A.** View
- **B.** Stored procedure
- **C.** Shortcut
- **D.** Dimension

Q20 — Difficult

You want a reusable query that behaves like a virtual table other queries can reference, **without duplicating** the underlying data.

Which object should you create?

- **A.** View
- **B.** Stored procedure
- **C.** Fact table
- **D.** Shortcut

Section C — Query and Analyze Data

Q21 — Easy

In the **Visual Query Editor**, you only want rows where:

```
OrderAmount > 500
```

Which operation should you apply?

- **A.** Filter
- **B.** Aggregate
- **C.** Join
- **D.** Pivot

Q22 — Moderate

You want total order amount for each `storeID` using SQL.

Which query is correct?

A.

```
SELECT StoreID, OrderAmount
FROM Orders;
```

B.

```
SELECT StoreID, SUM(OrderAmount)
FROM Orders
GROUP BY StoreID;
```

C.

```
SELECT SUM(StoreID), OrderAmount
FROM Orders;
```

D.

```
SELECT StoreID
FROM Orders
WHERE SUM(OrderAmount);
```

Q23 — Moderate

You are querying an Eventhouse to find sensor events where `Temperature` exceeds 90.

Which language is primarily used to query Eventhouse data?

- A. DAX
- B. KQL
- C. Python
- D. MDX

Q24 — Difficult

A semantic model has a `Sales[OrderAmount]` column. You need a measure for total sales.

Which DAX expression is correct?

A.

```
Total Sales = SUM(Sales[OrderAmount])
```

B.

```
Total Sales = SELECT(Sales[OrderAmount])
```

C.

```
Total Sales = GROUP(Sales[OrderAmount])
```

D.

```
Total Sales = FILTER(Sales[OrderAmount])
```

Q25 — Priority

Match each requirement to the correct technology:

1. Build a relational analytical model using SQL.
 2. Analyze streaming/event data using KQL.
 3. Create measures for a Power BI semantic model.
 4. Perform visual, low-code data transformations.
- A. 1 → SQL, 2 → KQL, 3 → DAX, 4 → Visual Query Editor

- B. 1 → DAX, 2 → SQL, 3 → KQL, 4 → Visual Query Editor
- C. 1 → KQL, 2 → DAX, 3 → SQL, 4 → Visual Query Editor
- D. 1 → Visual Query Editor, 2 → SQL, 3 → KQL, 4 → DAX
-

Answer Sheet

Send **only your choices** in this format:

```
1-B
2-A
3-B
...
25-A
```

Don't reuse the example format values above as your submission — they're just showing the layout.

Once you submit your 25 answers, you'll get:

1. Score /25 and percentage
2. Question-by-question grading
3. Conceptual / Terminology / Interpretation / Careless mistake tags
4. Strong / Needs Practice / Weak / Priority topic tracking
5. Exact topics to revise before the next test
6. A targeted mini-test based only on weak areas