



A lap around Azure Event Grid





Samuel Kastberg

Principal Consultant




samuel.kastberg@solidify.dev



<https://www.linkedin.com/in/samuelkastberg/>



skastberg



Messages



Image by unknown: [CC BY-SA-NC](#)



we lovingly announce
audrey marie

december 20, 2011
at 5:30 pm
6 pounds, 7 ounces
19 inches

with love,
patrick and elizabeth spencer



Image by unknown: [CC BY-NC-ND](#)

Jobs & commands

Events

Intents



Expectations

Conversations

Contracts

Control Transfer

Value Transfer

Facts

Discrete



Independent

State change

Actionable

Series



Time ordered

Context partitioned

Condition/Current state

Analyzable

Event Grid, sources and handlers

- Event Routing Service
 - Managed
 - Pub/Sub
 - Retry mechanism
- Sources
 - Publish to topics
 - System
 - Custom
- Handlers subscribe
 - Filtering




Image: <https://devblogs.microsoft.com/azure-sdk/event-grid-client-libraries/>

Message formats

- Event Grid
- CloudEvent
- Custom

```
{
  "specversion": "1.0",
  "type": "Microsoft.Storage.BlobCreated",
  "source": "/subscriptions/{subscription-id}/resourceGroups/{resource-group}/providers/Microsoft.Storage/storageAccounts/{storage-account}",
  "id": "9aeb0fdf-c01e-0131-0922-9eb54906e209",
  "time": "2019-11-18T15:13:39.4589254Z",
  "subject": "blobServices/default/containers/{storage-container}/blobs/{new-file}",
  "data": {
    "api": "PutBlockList",
    "clientRequestId": "4c5dd7fb-2c48-4a27-bb30-5361b5de920a",
    "requestId": "9aeb0fdf-c01e-0131-0922-9eb549000000",
    "eTag": "0x8D76C39E4407333",
    "contentType": "image/png",
    "contentLength": 30699,
    "blobType": "BlockBlob",
    "url": "https://gridtesting.blob.core.windows.net/testcontainer/{new-file}",
    "sequencer": "000000000000000000000000000000009924000000000c41c18",
    "storageDiagnostics": {
      "batchId": "681fe319-3006-00a8-0022-9e7cde000000"
    }
  }
}


"metadataVersion": "1"
}
```

Validation

```
{
  "webhook-request-callback": "https://rp-westeurope.eventgrid.azure.net:553/eventssubscriptions/ce-subscription99/validate?id=6551FC5B-5BD6-4D36-8CD5-F47ADBE9B057&token=xyQQyhZxmtBT0upedf0V00t05%2b8Yki00KMBg13pSEvs%3d",
  "webhook-request-origin": "eventgrid.azure.net",
  "x-forwarded-for": "10.10.10.7",
  "x-forwarded-host": "cloudevents.free.beeceptor.com",
  "x-forwarded-proto": "https",
  "accept-encoding": "gzip"
}
```

```
    "subject": "Microsoft.EventGrid.SubscriptionValidationEvent",
    "data": {
      "validationCode": "6551FC5B-5BD6-4D36-8CD5-F47ADBE9B057",
      "validationUrl": "https://rp-westeurope.eventgrid.azure.net:553/eventssubscriptions/lab-subscription2/validate?id=6551FC5B-5BD6-4D36-8CD5-F47ADBE9B057&token=2023-10-24T09:42:59.4945492Z&apiVersion=2021-10-15-preview&token=G5meKSkjX6MzA9NdY9mFmVVDs25Pzz5CmRLa95Xiqc4%3d"
    },
    "eventType": "Microsoft.EventGrid.SubscriptionValidationEvent",
    "eventTime": "2023-10-24T09:42:59.4945492Z",
    "metadataVersion": "1",
    "dataVersion": "2"
  }
}]
```

Demo: System Events



Cost by operations

Published	Subscriptions	Operations	Cost \$
1000000	1	1900000	1,14
1000000	10	19900000	11,94
1000000	100	199900000	119,94
1000000	300	599900000	359,94
60000000	1	119900000	71,94
60000000	150	17999900000	10799,94

Domains

- Consolidates
 - Multiple topics to a single endpoint
 - Find topics in one place
- Partner Events connects to SaaS solution

Demo: Publishing Custom Events

```
static void SendCloudSchemaEvent(DefaultAzureCredential credential)
{
    // Set up the Event Grid client
    // Event Grid endpoint from the portal
    var endpoint = new Uri(configuration["CloudEventsEndpoint"]);
    var client = new EventGridPublisherClient(endpoint, credential);


    var data = new
    {
        doorId = 456,
        buildingName = "DobsTower",
        customerName = "Cloud Event",
        email = "johndoe@cloud.com"
    };

    string etype = data.doorId % 2 == 0 ? "contoso.building.door.open" : "contoso.building.door.close";
    var newEvent = new CloudEvent(
        new Uri("building:DobsTower:door:456").ToString(),
        etype,
        new BinaryData(Newtonsoft.Json.JsonConvert.SerializeObject(data)),
        "application/json" );

    newEvent.Id = Guid.NewGuid().ToString();
    var json = Newtonsoft.Json.JsonConvert.SerializeObject(newEvent);
    client.SendEvent(newEvent);
}
```

What is coming?

- Pull delivery
- MC



Demo: Push-Pull approach

```
Send Request
32 POST {{$dotenv namespace}}/topics/workitems-lab:publish?api-version=2023-06-01-preview
33 Content-Type: application/cloudevents+json
34 Authorization: SharedAccessKey {{$dotenv accessKey1}}
35
36 {
37     "specversion": "1.0",
38     "type": "workitems.paint",
39     "source": "/mycontext",
40     "id": "{{$guid}}",
41     "time": "{{$datetime iso8601}}",
42     "subject": "orders/O-{{orderId}}/workitems/{{workitemId}}",
43     "data": {
44         "orderId": "O-{{orderId}}",
45         "workitemId": "{{workitemId}}",
46         "doneBy": "Samuel"
47     }
48 }
```


Resources

- [What do you mean by “Event-Driven”? – Martin Fowler](#)
- [Resource collection for messaging and eventing – Clemens Vasters](#)
- [Azure Event Grid Deep Dive – Javier Fernandez](#)
- [Presentation repository](#)





Thank you for this time!
See you in:
Stockholm 7-8 February 2024