DMS Import XML Guide

Version 1.11



	Version cont	rol
Version	Date	Change
1.0	08-02-2024	Initial version.
1.1	22-08-2024	Review and update.
1.2	07-10-2024	Minor corrections.
1.3	22-10-2024	Minor corrections.
1.4	25-03-2025	Minor corrections.
1.5	26-03-2025	Add table for 14 08 000 000.
1.6	31-03-2025	Removed sub-element Description from Delivery terms
1.7	28-04-2025	Minor corrections.
1.8	02-05-2025	Minor corrections.
1.9	09-05-2025	Minor corrections.
1.10	09-05-2025	Update XSD path for 13 01 000 000
1.11	12-05-2025	Minor corrections.

Table of Contents

1.	The aim of this document	4
2.	Glossary	6
3.	Footnotes	8
4.	System specific fields	14
Func	tion Code	
	edure Category	
	aration Office ID	
MRN		
Subr	nitter	19
Exte	nsion	20
Ame	ndment	23
5.	Group 11 - Message information (including procedure codes)	25
Decl	aration type/Additional declaration type	26
Good	ls item number	27
	edure	
Addi	tional procedure	29
6.	Group 12 - References of messages, documents, certificates,	
	authorizations	
	ious Document	
	tional Information	
	porting Document	
	tional Reference	
	sport Document	
	rence number/UCR	38
LRN		
	ehouse	
Auth	orisation	41
7.	Group 13 - Parties	
Expo	orter	
	orter	
	arant	45
	er 47	
_	resentative (Agent)	48
	er 50	
	itional Supply Chain Actor (AEOMutualRecognitionParty)	
	itional fiscal reference (DomesticDutyTaxParty)	
	on providing a guarantee (Surety)	
Pers	on paying the customs duty (Payer)	54
8.	Group 14 - Valuation information/Taxes	55
Deliv	very Terms	56
	es and Taxes	
Addi	tions and deductions	59
Valu	ation Indicators	60

Total Amount Invoiced	
Item Amount Invoiced	
Exchange Rate	
Valuation method	64
9. Group 15 - Dates - Times - Periods	66
Date of acceptance	
10. Group 16 - Places/Countries/Regio	ons68
Country of destination	
Region of destination	70
Country of dispatch	71
Origin (Country of Origin)	72
Origin (Country of preferential origin)	73
Location of goods	74
11. Group 17 - Customs Offices	77
Customs office of presentation	78
Supervising customs office	79
12. Group 18 - Goods identification	
Goods Measure (Net Mass)	81
Goods Measure (Supplementary Units)	
Goods Measure (Gross Mass)	
Description of goods	
Packaging	
Commodity code (CUS Code)	
Commodity code (Harmonized system sub-headi	=
Commodity code (Combined nomenclature code)	
Commodity code (TARIC code)Commodity code (TARIC additional code)	
Commodity code (National Additional Code)	
Type of goods	
13. Group 19 - Transport information	(modes means and
equipment)	
Container indicator	94
Mode of Transport at the Border	
Arrival Transport Means (Inland mode of transpo	
Arrival Transport Means (identification info)	
Transport equipment	
Active Border Transport Means	99
14. Group 99 – Goods identification	
Quota order number	
Guarantee type	
Guarantee reference (ObligationGuarantee)	
Nature of Transaction	
15. Appendix	106
AdmissionUseProcessingAuthorisation (8f)	
Renayment Remission Authorisation (4c)	107

The aim of this document



The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-files for Import declarations based on the EU Customs Data Model - https://eucdm.softdev.eu.com/

The document is structured after the EUCDM grouping of the data elements as well as DMS-specific data fields that are required by the system when using the S2S solution:

- **System-specific fields**: This section includes fields that are needed by the system to recognize what declaration is sent in, who is submitting the declaration, as well other data that is needed to fulfill the desired action.
- Group 11: This section contains basic information about the declaration and which procedures the declaration should be processed under. All this information influences how the declaration is processed, what kind
 of business scenario and procedure to be expected and requested.
- **Group 12**: This section is for the submitter to present all other relevant information and documents related to the submitted declaration that is not contained in the data fields. This is especially used for references tracking documents, authorizations and supplying tracking numbers.
- **Group 13**: This section contains information on all parties involved in the Import procedure. It is here information on the importer, exporter, declarant, fiscal reference, representative, etc., is provided either by ID or other identifiable information depending on whether the party is a company or private person.
- **Group 14**: In this section valuation information is given, examples of valuations are: taxes, transportation costs, delivery terms, etc.
- Group 16: This section contains the location-related information, e.g., where the goods will be or are presented (depending on whether it is a pre-lodged or a standard declaration) as well as the countries involved in the export/exit process.
- Group 17: This section contains information regarding which customs offices have handled the goods in the export/exit process.
- **Group 18**: In this section the submitter supplies more detailed information on the goods item(s) such as a weight, description, Taric code(s), etc.
- **Group 19**: This section contains information about the form of transport of goods, e.g., modes, container information, equipment, etc.
- **Group 99**: This section contains other information in the declarations which does not fit into the other above-mentioned groups.

Under each data element in the groups is provided a detailed description on whether the field is mandatory or optional as well as what rules to adhere to depending on the desired business scenario to make use of, and XML-examples are provided to give context.

Information on the EUCDM ID6 reference code is provided to help the reader in seeking further information if needed.

Glossary



To make the document shorter and easier to read, some abbreviations are used. Here is a list of the abbreviations used in this document.

Abbreviation	Description	Details
M	Mandatory	The field is mandatory to declare.
0	Optional	The field is optional to declare or should only be declared if rele-
		vant information is available.
MC	Conditionally mandatory	The information is mandatory dependent on other information
		given in the declaration, e.g., type of declaration or commodity
		code.
DL	Declaration level	The information is given on header level and applies to all the
		goods items in the declaration.
GSL	Goods shipment level	The information is given on goods shipment level and applies to
		all the goods items in the goods shipment.
GIL	Goods item level	The information is given on goods item level and applies to only
		the goods item it is declared under.
C/A	Defines whether an element can	Yes/Yes means can be corrected and amended.
	be corrected or amended	Yes/No means it can be corrected but not amended
		No/Yes means it can't be corrected but it can be amended
		No/No means it can't be corrected or amended
EUCDM	European Union Customs Data	The European Union Customs Data Model (EUCDM) is the model
	Model	for Customs trans-European systems such as NCTS, AES, ICS, EOS
		and for Member States national customs clearance systems
XSD	XML Schema Definition	A document that specifies how to formally describe the elements
		in an Extensible Markup Language (XML) document. This de-
		scription can be used to verify that each item of content in a doc-
		ument adheres to the description of the element in which the
		content is to be placed.
XML	Extensible Markup Language	A simple text-based format for representing structured infor-
		mation, storing, and sending data. It is the file format used to
		send declarations to DMS.
n/a	Not Applicable	The information does not apply to the given element/declaration.
Requirement	Mandatory / Optional / Condition-	Defines whether an element is M, O, MC (see abbreviations
Overview	ally mandatory / Levels / Rules	above) or whether any EUCDM rules apply to the given element
		in a specific declaration.
M/O	Defines whether a field is manda-	For a lot of input fields, the sub elements of that field are not al-
	tory or optional when the main	ways mandatory even though the overall input field is.
	field is in the XML Mandatory/Op-	
	tional	For example, is Supporting Document which is optional, but
		when put into to an XML, SequenceNumeric and ID becomes
		mandatory as the only elements.
ND	Not Determined	The mandatory or optional status of these elements are not yet
		determined.

Footnotes



Throughout the XML-Guide you will see several footnotes, all of these refers to this table. All these footnotes can also be found on EUCDM.

FOOTNOTE	DESCRIPTION
[1]	This information shall not be required in case a customs declaration has been lodged prior to the presentation of the goods pursuant to Article 171 of the Code.
[2]	In the cases where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable, Member States may waive the obligation to provide this information where the conditions prescribed in the authorizations associated with the procedures concerned allow them to defer the collection of this data element in the supplementary declaration.
[3]	This element is an alternative to the unique consignment reference number [UCR] when the latter is not available. It provides a link to other useful sources of information.
[4]	This information needs to be provided only where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable; in this case, it is the number of the authorization for simplified procedure. However, this data element can also contain the transport document number concerned.
[5]	This information is only required where the declaration of placing of goods under a customs procedure is used to discharge a customs warehousing procedure.
[6]	Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided.
[7]	The Holder of the transit procedure Identification number is mandatory only in the cases where the EORI number or a third country unique identification number recognized by the Union of the person concerned is not provided. Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided. The TIR Holder identification number is mandatory in case the Declaration type is TIR; otherwise, it cannot be used.
[8]	This information shall only be provided where available.
[9]	This information shall not be provided in respect of cargo remaining on board (FROB) or transshipped cargo for which the destination is located outside the Customs territory of the Union.
[10]	Member States may waive this information where the customs value of the goods in question cannot be determined under the provisions of Article 70 of the Code. In such cases the declarant shall furnish or cause to be furnished to the customs authorities such other information as may be requested for the purposes of determining the customs value.
[11]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration. It is otherwise optional for the Member States.
[12]	This information is not required for goods eligible for relief from import duties, unless the customs authorities consider it necessary for the application of the provisions governing the release for free circulation of the goods concerned.
[13]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration.
[14]	Except where it is essential for the correct determination of the customs value, the Member State of acceptance of the declaration shall waive the obligation to provide this information, if any of the following is the case: • where the customs value of the imported goods in a consignment does not exceed EUR 20.000 provided that they do not constitute split or multiple consignments from the same consignor to the same consignee,

	 where the importation is of a non-commercial nature in case of continuing traffic in goods supplied by the same seller to the same buyer under the same commercial conditions.
[15]	Member States may require this information only in cases when the rate of exchange is fixed in advance by a contract between the parties concerned.
[16]	For completion only where Union legislation so provides.
[17]	This information shall only be required where the simplified declaration is not lodged together with an exit summary declaration.
[18]	This data element is mandatory for agricultural products with export refunds.
[19]	This data element is mandatory for agricultural products subject to refunds and for those goods which Union legislation requires the origin of the goods in the context of trade with special fiscal territories.
[20]	This information is required where: a) no preferential treatment is applied or b) the country of non-preferential origin is different to the country of preferential origin.
[21]	This information is required where a preferential treatment is applied using the appropriate code in D.E. 14 11 000 000 Preference.
[22]	This information shall only be used in case of centralized clearance.
[23]	This information shall only be used in case the declaration for temporary storage or the customs declaration to place the goods under a special procedure other than transit is lodged at a customs office different to the supervising customs office as indicated in the respective authorization.
[24]	This information shall only be required in case of commercial transactions involving at least two Member States.
[25]	This information shall only be provided for entry into the declarants' records and only if the discharge of the goods under temporary storage concerns only parts of the declaration for temporary storage lodged previously in relation with the goods concerned.
[26]	This data element is an alternative to the Commodity code when it is not provided.
[27]	This data element can be provided to identify goods covered by a notification for re-exportation of goods under temporary storage where part of the goods covered by the declaration for temporary storage concerned are not re-exported.
[28]	This data element is an alternative to the description of goods when it is not provided.
[29]	This data element is not mandatory in case the declaration type is TIR.
[30]	Member States may waive this requirement for modes of transport other than rail in case the transit movement doesn't cross the external border of the Union.
[31]	This information does not have to be provided when export formalities are carried out at the point of exit from the customs territory of the Union.
[32]	This data element does not have to be provided where the import formalities are carried out at the point of entry into the customs territory of the Union.
[33]	This data element is mandatory for agricultural products with export refunds, unless they are carried by post or fixed transport installations. [In case of transport by post or fixed installations, this information shall not be required.]

[34]	
	Not for use in the case of postal consignments or carriage by fixed transport installations.
[35]	Where goods are carried in multimodal transport units, such as containers, swap bodies and semi-trailers, the customs authorities may authorize the holder of the transit procedure not to provide this information where the logistical pattern at the point of departure may prevent the identity and nationality of the means of transport from being provided at the time the goods are released for transit, providing multimodal transport units bear unique numbers and such numbers are indicated in D.E. 19 07 063 000 Container identification number.
[36]	In the following cases, Member States shall waive the obligation to enter this information on a transit declaration lodged at the office of departure in relation with the means of transport on which the goods are directly loaded: - where the logistical pattern does not allow this data element to be provided and the holder of the transit procedure has the AEOC status and - where the relevant information may be traced where needed by the customs authorities via the records of the holder of the transit procedure.
[37]	Not for use in the case of postal consignments or carriage by fixed transport installations or rail.
[38]	This data element is mandatory for agricultural products with export refunds unless they are carried by post, fixed transport installations, or rail. [In case of transport by post, fixed installations or rail, this information shall not be required.]
[39]	This information shall only be required where the release of the goods is subject to the provision of a comprehensive guarantee.
[40]	The Member State of acceptance of the declaration may waive the obligation to provide this information where it is in the position to assess it correctly and has implemented calculation routines to provide a result compatible with statistical requirements.
[41]	This data element shall only be used in the context of a supplementary declaration for Entry into the declarant's records.
[42]	This data element shall only be used in the context of TIR Carnet.
[43]	Each goods item number must be unique throughout the consignment (master level). The items shall be numbered in a sequential fashion, starting from 1 for the first item and incrementing the numbering by 1 for each following item.
[44]	Each goods item number must be unique throughout the consignment (house level). The items shall be numbered in a sequential fashion, starting from 1 for the first item and incrementing the numbering by 1 for each following item.
[45]	This information shall be provided either at consignment or consignment/goods item level. Where the same information is applicable to all goods items of the same consignment it shall be provided at consignment level only.
[46]	EORI number shall be declared.
[47]	Where an EORI number or third country unique identification number (TCUIN) was assigned, it shall be declared.
[48]	At least one of the following shall be declared: Estimated date and time of arrival (D.E. 15 03 000 000); transport document (D.E. 12 05 000 000) or previous document (D.E. 12 01 000 000). In maritime traffic in addition the entry key may be used.
[49]	In the address either street and number or P.O. box is to be declared.
[50]	This data element does not need to be provided where the declaration is lodged prior to departure.

[51]	This information shall only be provided when the declaration is amended.
[52]	This information can be provided alternatively on master consignment or on house consignment level upon referral request.
[53]	This information can be provided alternatively on master consignment item or on house consignment item level.
[54]	This information is not required: a) when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC; or
	b) when the goods are of a non-commercial character sent from a third country by private persons to other private persons in a Member State and exempt from VAT pursuant to Article 1 of Council Directive 2006/79/EC (1).
[55]	This information is only required when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC.
[56]	This information is only required if the declaration concerns goods referred to in Article 27 of Council Regulation (EC) No 1186/2009.
[57]	This information is not required in cases of multiple goods packed together and for postal consignments.
[58]	For Centralized Clearance at Import where more than one MS is involved, the information relating to the national codes shall be provided for the Authorizing and Presentation MS.
[59]	When this data element is used at least either the code or text shall be provided.
[60]	This data element is to be provided when an authorization exists according to the relevant section of Annex A to this Regulation, Title I Chapter 1.
[61]	This data element is optional when the declaration is submitted prior to presentation of goods.
[62]	This information shall relate to the situation at the moment when the declaration is made.
[63]	This information shall be provided for decisions relating to binding information.
[64]	The gross mass on item level does not need to be declared if the total gross mass is declared on "MC" or "HC" level.
[65]	This information shall only be provided when customs authority decided to seal the goods.
[66]	EORI number or third country unique identification number (TCUIN) shall be declared, where available.
[67]	This information shall be required when Region of dispatch is provided.
[68]	This information shall not be provided in the case of a pre-lodged declaration.
[69]	This information shall only be provided when codes are defined by the Member State concerned.
[70]	Not for use in the case there is no Customs office of transit (17 04 000 000) declared.
[71]	This information shall not be provided if it is the same as the Departure transport means (19 05 000 000).

[72]	Member States may waive this obligation if their systems allow them to deduce this information automatically and unambiguously from information elsewhere in the declaration.
[73]	This information shall be provided in the case of end-use authorization.
[84]	This information shall not be provided where it relates to a customs declaration in postal traffic for release for free circulation.
[85]	This information shall not be provided where it relates to a customs declaration for release for free circulation in respect of a consignment which benefits from a relief from import duty in accordance with Article 23(1) or Article 25(1) of Regulation (EC) No 1186/2009.

System specific fields



Function Code

CIA				Re	quire	ment	0ver	view	VCD 11						
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path				
No /No	M	M	M	M	M	M	M	M	M	M	December Declaration / Franchis Co. de				
No/No	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	Basepath: Declaration/FunctionCode				
EUCDM 6.1	XSD/XML-name						For	mat	M/0	Comment					
None	FunctionCode						n2		M						

Description:

This data element is the code which indicates the type of request being sent, whether it be a submission, amendment, correction, etc. There are predefined codes for each request.

Rules/codes/other relevant information:

It is possible to use these codes:

- 1: Cancellation/Invalidation request to an already existing declaration
- 4: Correction/Amendment request to an already existing declaration
- 6: Bill of discharge request to an already existing declaration
- 9: Initial submission of a declaration
- 24: Goods presentation of goods items request (I2 message) to an already existing declaration
- 34: Supplementary declaration for simplified declaration (I1)
- 37: Repayment and remission request to an already existing declaration

XML-examples:

```
<ns3:FunctionCode>9</ns3:FunctionCode> --- for submission
or
<ns3:FunctionCode>4</ns3:FunctionCode> --- for amendment/correction
or
<ns3:FunctionCode>6</ns3:FunctionCode> --- for a bill of discharge
or
<ns3:FunctionCode>1</ns3:FunctionCode> --- for invalidation
or
<ns3:FunctionCode>24</ns3:FunctionCode> --- for goods presentation
or
<ns3:FunctionCode>34</ns3:FunctionCode> --- for a supplementary declaration
or
<ns3:FunctionCode>37</ns3:FunctionCode> --- for a repayment and remission
```

Procedure Category

CIA				Re	quire	ment	Over	view			VCD		
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path		
No/No	M	M	M	M	M	M	M	M	M	M	Paganath, Declaration / Progradure Catagory		
NO/NO	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	Basepath: Declaration/ ProcedureCategory		
EUCDM 6.1	XSD/XML-name						For	mat	M/0	Comment			
None	ProcedureCategory						an7	7	M	CL10175			

Description:

This data element indicates what type of declaration is being submitted

Rules/codes/other relevant information:

ProcedureCategory needs to be declared as the declaration type that is submitted, e.g., 'H1' for submitting a H1 declaration.

For declarations:

The data in ProcedureCategory needs to be the type of declaration that is submitted.

For additional messages:

The data in ProcedureCategory needs to be the type of declaration the additional message is submitted to.

It is possible to use these codes:

- H1: Declaration for release for free circulation and Special procedure -- Specific use -- Declaration for end-use
- H2: Special procedure -- Storage -- Declaration for customs warehousing
- H3: Special procedure -- Specific use -- Declaration for temporary admission
- H4: Special procedure -- processing -- declaration for inward processing
- H5: Declaration for the introduction of goods in the context of trade with special fiscal territories
- H6: Customs declaration in postal traffic for release for free circulation
- H7: Customs declaration for release for free circulation in respect of a consignment which benefits from a relief from import duty in accordance with Article 23(1) or Article 25(1) of Regulation (EC) No 1186/2009
- I1: Import simplified declaration
- I2EIDR: Presentation of goods to customs in case of entry in the declarant's records

XML-examples:

<ns3:ProcedureCategory>H1</ns3:ProcedureCategory>

or

<ns3:ProcedureCategory>H2</ns3:ProcedureCategory>

or

<ns3:ProcedureCategory>I1</ns3:ProcedureCategory>

Declaration Office ID

CIA				F	Requir	VCD					
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
No/No	M	M	M	M	M	M	M	M	n/a	M	Basepath: Declaration/Decla-
NO/NO	DL	DL DL DL DL DL DL DL		DL		DL	rationOfficeID				
EUCDM 6.1	XSD	/XMI	L-nam	ie			Fo	rmat	M/O	Commen	it
None	Dec	laratio	onOffi	ceID			an	17	M CL10230		

Description:

This element is used to define the office of lodgement.

Rules/codes/other relevant information:

Customs office IDs can be found <u>here.</u>

XML-examples:

<ns3:DeclarationOfficeID>12345678<ns3:DeclarationOfficeID>

MRN

C/A					R	equiren	nent	Overv	ew				VCD moth
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н	17	I1	121	PN	I2EIDR	XSD-path
No/No	MC	MC	MC	MC	MC	MC		IC	MC	M	C	MC	Basepath: Declaration/ID
NO/NO	DL	DL	DL	DL	DL	DL	D	L	DL	D	L	DL	Basepath: Declaration/1D
EUCDM 6.1	XSI	D/XMI	L-nam	e		For	mat	M/O Comment					
None	ID							an18	I	ИC			

Description:

The MRN is automatically generated following the EUCDM legislation as a unique combination of 18 characters. The MRN is created by the Customs agency and is sent as part of the validation acceptance.

Rules/codes/other relevant information:

This element is used in all declarations and only used in the following additional messages: correction, amendment, invalidation, invalidation and repayment remission (4c), repayment remission, goods presentation, and supplementary declarations.

The combination of the 18 characters is as follows:

- The last two digits of the year of formal acceptance of the declaration (e.g., '23' for 2023)
 - Consist of 2 digits
- 2. Country where the declaration/proof of the customs status of union goods/notification is lodged (e.g., 'DK' for Denmark)
 - Consist of 2 letters
- 3. Unique identifier based on year and country (e.g., 21DK04K21L01)
 - Consist of 12 alphanumeric characters
- 4. Procedure identifier (see tables below)
 - Consist of 1 letter
- 5. Check digit (e.g., '6')
 - Consist of 1 alphanumeric character

The following table explains what the digit for the procedure identifier will be:

Code	Procedures	Declarations
R	Import	H1, H2, H3, H4, H6, H7, I1
V	Import	H5
U	Temporary storage	G3,G4
Z	Notification of arrival	G2, G5
8	Import - Presentation of goods	I2EIDR

XML-examples:

<ns3:ID>22DKRQSJFGGNIY8VR1</ns3:ID>

Submitter

CIA				Re	quire	ment	Over	view			von d
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
No/No	M	M	M	M	M	M	M	M	M	M	Pacanath, Declaration (Submitter
NO/NO	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	Basepath: Declaration/Submitter
EUCDM 6.1	XSD	/XML	-nam	e			For	mat	M/0	Comment	
None	Nam	ne					an	70	M		
None	ID						an17 M				

Description:

The name and identifier of the company submitting the declaration.

Rules/codes/other relevant information:

Name: The CVR/SE-number to which the client certificate is registered.

ID: The **CVR/SE-number** to which the client certificate is registered.

If the certificate is registered to an EORI number, remember to include the two-letter country code, otherwise only enter digits.

XML-examples:

<ns3:Submitter>

<ns3:Name>12345678</ns3:Name>

<ns3:ID>12345678</ns3:ID>

</ns3:Submitter>

Extension

CIA				Req	uirem	ent Ov	erviev	N			VCD
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
	0	0	0	0	0	0	0	0	0	0	Basepath: Declaration/Extension
No/No	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	GSL: Declaration/GoodsShipment/
100/100	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GIL: Declaration/GoodsShipment/Gov-
	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	ernmentAgencyGoodsItem/
EUCDM 6.1	XSD/	XML-n	ame				Form	at		M/O	Comment
None	Exten	sions					n/a			0	
None	seque	nceNu	meric				n5			M	
None	ID						an			0	
None	Key									M	
None	Value									M	
None	Data	уре	•			•				M	

Description:

Fields used to validate Ship supplies/Victualling.

Rules/codes/other relevant information:

All elements **needs** to be here in order to validate Extensions fields. I.e. you need all 15 extensions to have them validated. If a data field is not relevant for the declaration, write in "0" instead of a value, in the value element.

The data element "Value" is the only one you should change. See descriptions of what each Key element means, in the table below

Meaning	Value
Vehicle driver	VEHC_DRIVER
Vehicle Type	VEHC_TYPE
Home Port	HOME_PORT
Destination of Expedition (Route)	DEST_EXP_R
Duration of expedition	DUR_EXP
Place of loading	PLACE_UNLO
Number of crew	NR_CREW
Liquor - Amount of bottles/liters	LIQ_AMOUNT
Wine - Amount of bottle/liters	WINE_AMOUNT
Cigarettes (units)	CIGARETTE_U
Cigars and Cheroots (units)	CIGAR_U
Tobacco (kilograms)	TOBAC_KG
Beer (bottles/cans)	BEER_AMOUNT
Other supply	OTHER_SUP
Description of desired Victualling	DESC_DES_VIC

XML-examples:

```
<ns2:Extensions>
```

<ext:SequenceNumeric>1</ext:SequenceNumeric>

<ext:ID>IDVALUE42</ext:ID>

<ext:Key>VEHC_DRIVER</ext:Key>

<ext:Value>1</ext:Value>

<ext:DataType>text</ext:DataType>

</ns2:Extensions>

<ns2:Extensions>

<ext:SequenceNumeric>2</ext:SequenceNumeric>

```
<ext:ID>IDVALUE420</ext:ID>
   <ext:Key>VEHC_TYPE</ext:Key>
   <ext:Value>TYPE</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>3</ext:SequenceNumeric>
   <ext:ID>IDVALUE4200</ext:ID>
   <ext:Key>HOME_PORT</ext:Key>
   <ext:Value>PORT Aalborg/ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>4</ext:SequenceNumeric>
   <ext:ID>IDVALUE42000</ext:ID>
   <ext:Key>DEST_EXP_R</ext:Key>
   <ext:Value>København</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>5</ext:SequenceNumeric>
   <ext:ID>IDVALUE43</ext:ID>
   <ext:Key>DUR_EXP</ext:Key>
   <ext:Value>125</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>6</ext:SequenceNumeric>
   <ext:ID>IDVALUE44315</ext:ID>
   <ext:Key>PLACE_UNLO</ext:Key>
   <ext:Value>Aalborg</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>7</ext:SequenceNumeric>
   <ext:ID>IDVALUE4215413
   <ext:Key>NR_CREW</ext:Key>
   <ext:Value>20</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>8</ext:SequenceNumeric>
   <ext:ID>IDVALUE4fewfw2</ext:ID>
   <ext:Key>LIQ_AMOUNT</ext:Key>
   <ext:Value>484</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>9</ext:SequenceNumeric>
   <ext:ID>IDVALUEeqwfeqw42/ext:ID>
   <ext:Key>WINE_AMOUNT</ext:Key>
```

```
<ext:Value>15</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>10</ext:SequenceNumeric>
   <ext:ID>IDVALUEf32f2342
   <ext:Key>CIGARETTE_U</ext:Key>
   <ext:Value>54</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>11</ext:SequenceNumeric>
   <ext:ID>IDVALUE42df2qfqe</ext:ID>
   <ext:Key>CIGAR_U</ext:Key>
   <ext:Value>4</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>12</ext:SequenceNumeric>
   <ext:ID>IDVALUE42d1d12
   <ext:Key>TOBAC_KG</ext:Key>
   <ext:Value>7</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>13</ext:SequenceNumeric>
   <ext:ID>IDVALUE4221341421
   <ext:Key>BEER_AMOUNT</ext:Key>
   <ext:Value>74</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>14</ext:SequenceNumeric>
   <ext:ID>IDVALUE4d3d332</ext:ID>
   <ext:Key>OTHER_SUP</ext:Key>
   <ext:Value>0</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
   <ext:SequenceNumeric>15</ext:SequenceNumeric>
   <ext:ID>few2few</ext:ID>
   <ext:Key>DESC_DES_VIC</ext:Key>
   <ext:Value>86</ext:Value>
   <ext:DataType>text</ext:DataType>
</ns2:Extensions>
```

Amendment

CIA				Re	quire	ement	Over	view			VCD	
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path	
No/No	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	Basepath: Declaration/Amendment	
NO/NO	DL								DL	DL	basepath: Declaration/Amenument	
EUCDM 6.1	XSD,	/XML	XML-name Forma							Comment		
None	Sequ	encel	Vumei	ric			n5		M			
None	Chan	igeRea	asonC	ode			an3	3	M	Amendment: CL10057		
										Invalidation	n: CL10187	
None	Chan	igeRea	asonte	ext		•	an!	512	M	Must be at l	east 10 characters	

Description:

Only used for and is mandatory for correction, amendment invalidations requests.

Is used to specify the reason for changes or invalidations.

Rules/codes/other relevant information:

Must only be declared when submitting an amendment/correction/invalidation (FunctionCode set to 1 or 4).

There can only be declared one amendment field pr. request. Multiple amendments would require multiple requests.

There are specific codes for indicating the reason for a correction/amendment/invalidation/invalidation and repayment in the ChangeReasonCode:

Correction/amendment:

- '5': Corrected by declarant.
- '6': Addition of missing data element.
- '10': Corrected by Customs.
- '11': Corrected quota quantity addition agreed.
- '12': Completed by DMS
- '13': Corrected by DMS.
- '14': Corrected by DMS.
- '15': Corrected quota quantity addition disagreed
- **'21':** Partial invalidation

Invalidation

- '7': Mistaken customs procedure.
- '8': Special circumstances that do not justify placement.
- '20': Goods to be placed under another customs procedure
- **'21':** Special circumstances
- '22': Goods, which have been sold under a distance contract and have been released for free circulation, have been returned
- '23': Union goods declared by mistake
- '24': Registration of same goods on several declarations
- $\,$ '25': Postal low value consignments returned on basis of barcode S10
- '26': Accepted declarations with goods to be placed under another customs procedure
- '27': The customs procedure is no longer justified due to special circumstances
- **'28':** Goods to be destroyed, abandoned to the State, seized or confiscated and already subject to a customs declaration.
- '29': Goods declared in error to a customs procedure incurring a customs debt
- '30': Goods declared in error instead of other goods incurring a customs debt
- '31': Where an authorization with retroactive effect is granted in accordance with Article 211(2) of the Code

In the ChangeReasonText field there should be a short description for the reason of changes/invalidation of at least 10 characters.

XML-examples:

For correction/amendment:

<ns3:Amendment>

```
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:ChangeReasonCode>5</ns3:ChangeReasonCode>
<ns3:ChangeReasonText>Spelling error in field</ns3:ChangeReasonCode>
</ns3:Amendment>

For invalidation
<ns3:Amendment>
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:ChangeReasonCode>22</ns3:ChangeReasonCode>
<ns3:ChangeReasonText>Goods have been returned to supplier</ns3:ChangeReasonCode>
</ns3:Amendment>
```

Group 11 – Message information (including procedure codes)



Declaration type/Additional declaration type

				Rec	uirer	nent	Overv	view					
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path		
										R			
No /No	M	M	M	M	M	M	M	M	M	,	Because the Declaration /TymeCode		
No/No	DL	DL	DL	DL	DL	DL	DL	DL	DL	n/a	Basepath: Declaration/TypeCode		
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Commen	t		
11 01 001 000	0 Ty	peCod	le (de	clarat	ion ty	pe)	an!	5	M	CL10034	34 (for additional messages: CL10183)		
11 02 001 000	Ту	peCod	le (ad	dition	al dec	lara-	- 1		M	CI 10214	(f		
11 02 001 000	tic	n type	e) .				a1		M	CL10214	4 (for additional messages: CL10183)		

Description:

Indicates what type of action is intended: submission of a pre-lodged/standard, a correction/amendment request or an invalidation/invalidation and repayment request.

Rules/codes/other relevant information:

For declarations this data element is a concatenation of **11 01 001 000** – Declaration type and **11 02 001 000** – Additional declaration type. For the additional messages this is considered a system specific field. For Codelist information, see codelist excel sheet found on <u>GitHub.</u>

For standard declarations:

Example:

For Declaration type 'IM' and Additional Declaration Type 'A', the input for the data element is 'IMA'

For pre-lodged declarations:

Example:

For Declaration type 'IM' and Additional Declaration Type 'D', the input for the data element is 'IMD'

For additional messages:

The codes to declare in this field for additional messages:

- 'COR' for sending a correction or amendment request to an already existing declaration
- 'INV' for sending an invalidation or invalidation and repayment request to an already existing declaration
- 'RRA' for sending a repayment and remission request to an already existing declaration
- 'GPR' for presenting goods to an already existing pre-lodged declaration
- 'SUP' for supplementing a simplified export declaration

See the list of explanations in Bilag in the section called "Fælles stamdataliste" on the page https://skat.dk/data.aspx?oid=3064

Or on EUCDM, using the ID6 number as search:

https://eucdm.softdev.eu.com/Archive/EUCDM%206.1/EN/EUCDM/Annex-B/e21.htm

XML-examples:

```
<ns3:TypeCode>IMA</ns3:TypeCode> --- for submitting an IMA
<ns3:TypeCode>IMD</ns3:TypeCode> --- for submitting an IMD
<ns3:TypeCode>COR</ns3:TypeCode> --- for submitting a correction/amendment request
<ns3:TypeCode>INV</ns3:TypeCode> --- for submitting an invalidation or invalidation 4c
<ns3:TypeCode>RRA</ns3:TypeCode> --- for submitting a repayment and remission request
<ns3:TypeCode>GPR</ns3:TypeCode> --- for presenting goods declared on a pre-lodged declaration
<ns3:TypeCode>SUP</ns3:TypeCode> --- for supplementing a simplified declaration
```

Goods item number

				Req	uiren	nent C	verv	iew			
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID R	XSD-path
No/No	M GIL	M GIL [1]	n/a	GIL : Declaration/GoodsShipment/GovernmentAgencyGoodsItem/ SequenceNumeric							
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comme	nt
11 03 001 000	Sec	quenc	eNum	eric –	[1]		n5		M		

Description:

Sequence number of the goods item

Rules/codes/other relevant information:

The sequence identifier. Must be given sequentially. It starts at 1.

For 11 03 001 000 footnote [1] applies to I2 declarations.

XML-examples:

Example of multiple GovernmenyAgencyGoodsItem instances in sequence:

<ns3:GovernmentAgencyGoodsItem>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

...

</ns3:GovernmentAgencyGoodsItem>

<ns3:GovernmentAgencyGoodsItem>

<ns3:SequenceNumeric>2</ns3:SequenceNumeric>

...

</ns3:GovernmentAgencyGoodsItem>

<ns3:GovernmentAgencyGoodsItem>

<ns3:SequenceNumeric>3</ns3:SequenceNumeric>

...

</ns3:GovernmentAgencyGoodsItem>

<ns3:GovernmentAgencyGoodsItem>

<ns3:SequenceNumeric>4</ns3:SequenceNumeric>

</ns3:GovernmentAgencyGoodsItem>

Procedure

				Requ	ıirem	ent O	vervi	ew					
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path		
										DR			
	M	M	M	M	M	M	M	M	M	M	Basepath:		
No/No	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	Declaration/GoodsShipment/GovernmentAgen-		
NO/NO									[1]		cyGoodsItem/		
											GovernmentProcedure		
EUCDM 6.1	XS	D/XM	L-na	me			For	mat	M/0	Comm	ent		
11 09 000 000	Go	vernn	nentP	roced	ure		n/a		M	Procedure			
None	Sec	quenc	eNum	eric			n5		M				
11 09 001 000	Cu	rrent(Code -	· [1]			an2		M		sted procedure. 46, CL10027		
11 09 002 000	Pre	evious	Code	- [1]			an2		M	•	ocedure under which the goods were placed before beced under the requested procedure.		

Description:

The procedure code for which the goods are declared.

Rules/codes/other relevant information:

Requested procedure (CurrentCode) (11 09 001 000):

Fill in the requested procedure under which the goods should be placed.

When SequenceNumeric is 1 CL10146 is used and when its 2 CL10027 is used.

Requested procedure (11 09 002 000):

Fill in the previous procedure for which the goods previously have been placed.

 $\label{lem:valid} \mbox{Valid combinations for requested and previous procedures can be found here: toldst.dk/e}$

For $11\ 09\ 001\ 000$ and $11\ 09\ 002\ 000$ footnote [1] applies to I2 declarations.

XML-examples:

<ns3:GovernmentProcedure>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CurrentCode>10</ns3:CurrentCode>

<ns3:PreviousCode>00</ns3:PreviousCode>

</ns3:GovernmentProcedure>

Additional procedure

				Req	uiren	nent ()verv	iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path
										R	
	M	M	M	M	M	M	M	M	n/a	n/a	Paganath.
NI - /NI -	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL			Basepath:
No/No	[58]	[58]	[58]	[58]	[58]			[2]			Declaration/GoodsShipment/GovernmentAgen-
								[58]			cyGoodsItem/ GovernmentProcedure
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/O	Comme	nt
11 10 000 000	Go	vernn	nentP	roced	ure		n/a		M	Addition	nal procedure
None	Se	quenc	eNum	eric			n5		M		

Description:

The additional procedure for which the goods are declared. Additional procedure is created re-using the 'GovernmentProcedure' element, but use only currentCode instead of having both CurrentCode and PreviousCode.

M

CL10027

Code representing the additional procedure requested.

Rules/codes/other relevant information:

It is **mandatory** to declare at **least one additional procedure** but up to two additional procedures can be declared.

an3

Additional procedure (11 10 000 000):

Fill in the additional procedure code.

11 10 001 000 | CurrentCode - [2]

For Codelist information, see codelist excel sheet found on GitHub.

For 11 10 001 000 footnote [2] applies to I1 declarations.

XML-examples:

<ns3:GovernmentProcedure>

<ns3:SequenceNumeric>2</ns3:SequenceNumeric>

<ns3:CurrentCode>000</ns3:CurrentCode>

</ns3:GovernmentProcedure>

Group 12 – References of messages, documents, certificates, authorizations



Previous Document

				Req	uiren	ent (verv	iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	GSL: Declaration/GoodsShipment/ PreviousDocu-
Yes/Yes	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	ment
103/103	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL: Declaration/GoodsShipment/GovernmentAgen-
							[72]	[2]			cyGoodsItem/ PreviousDocument
EUCDM 6.1	XS	XSD/XML-name						mat	M/0	Comme	ent
12 01 000 000	Pr	evious	sDocu	ment			n/a		0		
None	Se	quenc	eNum	eric			n5		M		
15 08 001 000) Ac	ceptai	nceDa	teTim	e		an	35	0		e when the goods were entered into the declarant's
12.01.001.001							70			records	
12 01 001 000) ID						an	/0	M		ce number
12 01 002 000	Ту	реСос	de -[5	8]			an4		M	Previou CL1027	s document type. 3
12 01 007 000) Lir	neNun	neric				n5		0		ne goods item number as declared in the previous doc-
None	W	riteOff	f				n/a		0		
12 01 006 000	Qu	antity	⁄Quan	tity			n1	6,6	0	Writing	-off quantity – Only on GIL
12 01 005 000	un	itCode	e				an4	1	0		e, enter the relevant Union code – Only on GIL 3+CL10004
None	Pa	Packaging							0		
12 01 004 000	Qu	QuantityQuantity							0	Number	of packages – Only on GIL
12 01 003 000	Ту	реСос	le				an2	2	0	Type of CL1001	packages identification – Only on GIL 0

Description:

Information relating to a previous document.

Rules/codes/other relevant information:

If one subfield is filled, all subfields must be filled.

For relevant codes to fill in TypeCode, see: toldst.dk/erhverv/blanketter-og-koder/koder

SequenceNumeric:

To refer multiple documents, repeat this element the required number of times and fill here sequentially starting at 1.

TypeCode (12 01 003 000):

For Codelist information, see codelist excel sheet found on **GitHub**

LineNumeric (12 01 007 000):

Enter the sequential number of the item in the supporting document (e.g., certificate, license, permit, entry document etc.), corresponding to the item in question. This element is not allowed in **H6** and **H7** declarations.

TypeCode (12 01 002 000):

For Codelist information, see codelist excel sheet found on <u>GitHub</u>

For 12 01 002 000 footnote [58] applies to H1, H2, H3, H4, H5, I1, and I2 declarations.

Reference number (12 01 001 000):

Can be found here, https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:02015R2447-20210315&qid=1666165195727&from=en on page 314 under "12 01 001 000 Reference Number"

AcceptanceDateTime (15 09 001 000):

This element is mandatory for I2 EIDR and not I2

unitCode (12 01 005 000)

</ns3:PreviousDocument>

UnitCode Is an attribute of the element QuantityQuantity.

For Codelist information, see codelist excel sheet found on **GitHub**

XML-examples:

Additional Information

				Req	uiren	nent ()verv	iew						
C/A	Н1	Н2	НЗ	Н4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path			
										DR				
	0	0	0	0	0	0	n/a	0	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalInfor-			
Voc /Voc	GSL	GSL	GSL	GSL	GSL	GSL		GSL			mation			
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL		GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-			
											cyGoodsItem/AdditionalInformation			
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comme	ent			
12 02 000 00	0 Ad	ditior	nalInfo	ormati	on		n/a		0					
None	Se	quenc	eNum	eric			n2		M					
12 02 008 00	0 Sta	ateme	ntCod	e - [5	8]		an5		M	CL1100	0			
12 02 009 00	0 Sta	ateme	ntDes	criptio	on		an	512	M	Text				

Description:

Use this data element to include information for which no field is specified by Union legislation.

Rules/codes/other relevant information:

This element can be used to declare an **SE number**, **other guarantee forms**, or other information for which no field is specified.

Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.

If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.

If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.

SequenceNumeric:

There can be declared multiple additional documents. Number them sequentially here.

StatementCode (12 02 008 000):

For Codelist information, see codelist excel sheet found on GitHub

For 12 02 008 000 footnote [58] applies to H1, H2, H3, H4, H5, I1, and I2 declarations.

StatementDescription (12 02 009 000):

A short description of the additional information.

If statement code relates to **SE number**, then this field must (only) contain the **SE number**.

If statement code relates to an "other guarantee form", then this must contain information or identification of that guarantee.

XML-examples:

<ns3:AdditionalInformation>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:StatementCode>00100</ns3:StatementCode>

<ns3:StatementDescription>Additional information

</ns3:AdditionalInformation>

Supporting Document

	Requirement Overview										
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path
										DR	
Yes/Yes	0	0	0	0	0	0	0	0	n/a	n/a	GSL: Declaration/GoodsShipment/ SupportingDoc -
	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL			ument
	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-
								[4]			cyGoodsItem/ SupportingDocument
EUCDM 6.1	UCDM 6.1 XSD/XML-name						For	mat	M/0	Comment	
12 03 000 000 SupportingDocument							n/a		0		
None SequenceNumeric							n5		M		
12 03 011 000	Ex	ExpirationDateTime – [4]						an19 () (Enter th	e end date of validity of the license or certificate con-
12 03 001 000 ID							an70		M		
12 03 002 000 TypeCode - [58]						an4		M	Indicate the type of document using the relevant codes. CL10275		
12 03 010 000 IssuerName							an70		0	Enter reference to the authority issuing the licence or certificate concerned.	
12 03 013 000 LineNumeric							n5	0			
None WriteOff							n/a		0		·
12 03 006 000 QuantityQuantity -[4]							n16	5,6	0	Enter the relevant writing-off amount	
12 03 014 000 AmountAmount							n16	5,2	0	Enter the relevant writing-off amount	

Description:

Identification or reference number of Union or international documents, certificates and authorizations produced in support of the declaration, and additional references.

Rules/codes/other relevant information:

 $Optional\ to\ declare\ and\ can\ be\ declared\ on\ Goods Shipment\ level\ or\ Goods Item\ level\ or\ both.$

If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.

If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.

SequenceNumeric:

There can be declared multiple supporting documents. Number them sequentially here.

ID (12 03 001 000):

Is the ID-number of the document.

TypeCode (12 03 002 000):

For Codelist information, see codelist excel sheet found on **GitHub**

For 12 03 002 000 footnote [58] applies to H1, H2, H3, H4, H5, and I1 declarations.

QuantityQuantity (12 03 006 000) & **AmountAmount** (12 03 014 000)

For Codelist information, see codelist excel sheet found on GitHub

For 12 02 008 000 footnote [4] applies to I1 declarations.

For 12 03 011 000 footnote [4] applies to I1 declarations.

XML-examples:

<ns3:SupportingDocument>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ExpirationDateTime>

<ns3:DateTimeString formatCode="602">CCYY</ns3:DateTimeString>

```
</ns3:ExpirationDateTime>
  <ns3:ID>SUPID123</ns3:ID>
  <ns3:TypeCode>Y380</ns3:TypeCode>
  <ns3:IssuingAuthorityName >AuthName</ns3:IssuingAuthorityName>
  <ns3:LineNumeric>1</ns3:LineNumeric>
  <ns3:WriteOff>
    <ns3:QuantityQuantity unitCode="KGG">100.00</ns3:QuantityQuantity>
    <ns3:AmountAmount currencyID="DKK">100.00</ns3:AmountAmount>
  </ns3:WriteOff>
  </ns3:SupportingDocument>
```

Additional Reference

				Requ	uirem	ent O	verv	iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path
										DR	
	0	0	0	0	0	0	0	0	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalRefer -
	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL			ence
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-
	[58]	[58]	[58]	[58]	[58]			[4]			cyGoodsItem/AdditionalReference
								[58]			cy doodsitein/ raditionance erece
EUCDM 6.1	XS	D/XM	IL-naı	me			For	mat	M/0	Comme	ent
12 04 000 000	Ad	dition	alRef	erence	9		n/a		0		
None	Se	SequenceNumeric					n2		M		
12 04 001 000) ID	ID - [58]					an70		0		
12 04 002 000	04 002 000 TypeCode – [58]						an4		M	CL1027	2

Description:

An additional declaration made which is not covered by Supporting Document, Transport Document or Additional Information.

Rules/codes/other relevant information:

Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.

If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.

If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.

There can be declared multiple additional references. Number them sequentially in the **SequenceNumeric** field.

ID (12 04 001 000):

Is the ID-number of the document.

For $12\ 04\ 001\ 000$ footnote [58] applies to I1 declarations.

TypeCode (12 04 002 000):

For Codelist information, see codelist excel sheet found on $\underline{\text{GitHub}}$

For 12 04 002 000 footnote [58] applies to H1, H2, H3, H4, H5, and I1 declarations.

XML-examples:

<ns3:AdditionalReference>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>ADDREFID123</ns3:ID>

<ns3:TypeCode>0100</ns3:TypeCode>

</ns3:AdditionalReference>

Transport Document

				Req	uirem	ent C	verv	iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path
										DR	
	MC	MC	MC	MC	MC	MC	MC	MC	n/a	n/a	GSL: Declaration/GoodsShipment/Consign-
Yes/Yes	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL			ment/TransportContractDocument
res/res	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-
		GIE GIE GIE GIE GIE									cyGoodsItem/ TransportContractDocument
EUCDM 6.1	XSD/XML-name						For	mat	M/0	Comme	ent
12.05.000.000) Tw	TransportContractDocument							MC		

EUCDM 6.1	XSD/XML-name	Format	M/0	Comment
12 05 000 000	TransportContractDocument	n/a	MC	
None	SequenceNumeric	n2	M	
12 05 001 000	ID	an70	M	Reference Number
12 05 002 000	Туре	an4	M	CL10276

Description:

Transport document with which the goods have been brought into the customs territory of the Union.

Rules/codes/other relevant information:

SequenceNumeric:

There can be declared multiple transport documents. Number them sequentially here.

ID (12 05 001 000):

Is the ID-number of the document.

TypeCode (12 05 002 000):

indicate the type of the document. For Codelist information, see codelist excel sheet found on GitHub

XML-examples:

<ns3:TransportContractDocument>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>AWB123</ns3:ID>

<ns3:TypeCode>N740</ns3:TypeCode>

</ns3:TransportContractDocument>

Reference number/UCR

				Req	uiren	nent (verv	iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI	XSD-path
										DR	
	0	0	0	0	0	0	0	0	0	0	GSL: Declaration/GoodsShipment/UCR
Yes/Yes	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GSL	GIL: Declaration/GoodsShipment/GovernmentAg-
	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL	encyGoodsItem/ UCR
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comme	nt
12 08 000 000) UC	CR					N/A		0		
12 08 001 000	00 TraderAssignedReferenceID an3						an3	35	M		

Description:

Unique number that follows the goods all the way. Used by transporters.

Rules/codes/other relevant information:

Fill in a unique number for identification of the transaction.

UCR (12 08 000 000):

This element and sub elements can be supplemented and estimated.

XML-examples:

<ns3:UCR>

<ns3:TraderAssignedReferenceID>P198R65Q29/ns3:TraderAssignedReferenceID>

</ns3:UCR>

LRN

				Requ	uirem	ent O	vervi	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
Yes/Yes	M	M M M M M				M	M	M	M	M	Basepath: Declaration/FunctionalReferenceID
res/res	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	basepath: Deciaration/Functionalkelerenceib
EUCDM 6.1							For	mat	M/O	Commo	ent
12 09 001 00	001 000 FunctionalReferenceID						an2	22	M		

Description:

LRN – The local reference number (LRN) shall be used. It is nationally defined and allocated by the declarant or representative in agreement with the competent authorities to identify each single declaration.

Rules/codes/other relevant information:

No special characters are allowed.

Must be unique on a submitter level but can be reused for resubmission if the declaration has been rejected, **except** for when the declaration has been rejected due to invalidation of a pre-lodged declaration. This means you can submit using the same (accepted) LRN using two different submitters, but never using the same submitter.

XML-examples:

<ns3:FunctionalReferenceID>140721DKQXYMEEW</ns3:FunctionalReferenceID>

Warehouse

				Requi	ireme	ent Ov	ervie	w			
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	MC	M	MC	MC	n/a	n/a	n/a	n/a	n/a	n/a	
Yes/Yes	GSL	GSL	GSL	GSL	GSL						GSL: Declaration/GoodsShipment/Warehouse
	[5]		[5]	[5]	[5]						
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Com	ment
12 11 000 000	00 Warehouse				n/a		0	S000	03 C0375 C0561		
12 11 015 000	11 015 000 ID					a35 M					

CL10213

Description:

Warehouse where a particular goods shipment will be / is / has been stored

a1

Rules/codes/other relevant information:

Warehouse (12 11 000 000):

12 11 002 000 | TypeCode

This element and sub elements can be supplemented.

ID (12 11 015 000):

The authorization number of the warehouse or storage facility.

TypeCode (12 11 002 000):

The character identifying the type of warehouse.

For Codelist information, see codelist excel sheet found on GitHub

XML-examples:

<ns3:Warehouse>

<ns3:ID>R123456NL</ns3:ID>

<ns3:TypeCode>R</ns3:TypeCode>

</ns3:Warehouse>

Authorisation

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EII	XSD-path
										R	
	MC	MC	MC	MC	MC	MC	n/a	MC	MC	MC	
	DL	DL	DL	DL	DL	DL		DL	DL	DL	Basepath: Declaration/Authorisation
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL		GIL	GIL	GIL	GIL: Declaration/GoodsShipment/GovernmentAgen-
	[60]	[60]	[60]	[60]	[60]	[60]		[60]	[1]	[1]	cyGoodsItem/ Authorisation
									[60]	[60]	
EUCDM 6.1	XS	XSD/XML-name			For	mat	M/C	Co	mment		
12 12 000 000) Au	thoris	ation				n/a	n/a		Au	thorisation
None	Sec	quenc	eNum	eric			n2		M		
12 12 001 000) ID	SequenceNumeric ID - [1] [60]				an3	35	M Refe		Ference number	
12 12 002 000	Ту				an4	an4		CL	10274		
12 12 080 000	000 AuthorisationHolder - [1] [60]					[60]	an17		DL: 0	i Ho	lder of the authorisation

Description:

Details and reference to authorizations.

Rules/codes/other relevant information:

Be aware that some authorisations may only be available as a Supporting Document (12 03 000 000) when required to be declared on goods item level (GIL) e.g. 'OPO'. Check the related codelists to see which authorisations can be included in each additional document type.

SequenceNumeric:

There can be declared multiple authorisations. Number them sequentially here.

ID (12 12 001 000):

Reference number of the authorization.

For 12 12 001 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations.

TypeCode (12 12 002 000)

The code for the specific authorization type.

For **12 12 001 000** footnote **[63]** applies to **H1, H2, H3, H4, H5, H6, I1** and **I2** declarations, footnote **[73]** applies to **H1, H6, I1** and **I2** declarations, and footnote **[1]** applies to **I2** declarations.

AuthorisationHolder (12 12 080 000)

The EORI number of the authorisation holder.

For 12 12 080 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations, and footnote [1] applies to I2 declarations.

XML-examples:

<ns3:Authorisation>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>DKRSSDK004700-2020-Test81</ns3:ID>

<ns3:Type>C512</ns3:Type>

<ns3:AuthorisationHolder>DK12345678
/ns3:AuthorisationHolder>

</ns3:Authorisation>

Group 13 - Parties



Exporter

]	Requi	reme	nt Ov	ervie	w			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI DR	XSD-path
Yes/Yes	M GSL GIL	n/a	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/Consignor GIL: Declaration/GoodsShipment/GovernmentAgen- cyGoodsItem/Consignor
EUCDM 6.1	OM 6.1 XSD/XML-name					For	mat	M/O	Com	ment	
13 01 000 000							n/a		M		
13 01 017 000	8 -					an1	17	M			
13 01 016 000) Na	me –	[6]				an7	an70			
13 01 018 000	Ad	dress	- [6]				n/a	n/a			
13 01 018 022	2 Cit						an3	35	0		
13 01 018 020	1 018 020 CountryCode					a2		0	CL10	0203	
13 01 018 019	01 018 019 Line				an70		0				
13 01 018 021 PostCodeID					an1	17	0				

Description:

Name and address of the party exporting the good(s) out of the union.

Rules/codes/other relevant information:

If Name includes the special character &, it should be declared as &

For 13 01 016 000 footnote [6] applies to H1, H3, H4, H5, H6 and I1 declarations.

If **EORI number (13 01 017 000)** is provided, name and address shall not be provided: Where the EORI number or a third country unique identification number recognised by the Union is provided, the name and address shall not be provided.

For 13 01 017 000 footnote [66] applies to H1, H3, H4, H5, H6 and I1 declarations.

If address (13 01 018 000) is present, City (13 01 018 022), CountryCode (13 01 018 020), Line (13 01 018 019), Post-CodeID (13 01 018 021) are mandatory fields.

For $13\ 01\ 018\ 000$ footnote [6] applies to H1, H3, H4, H5, H6 and I1 declarations.

CountryCode (13 01 018 020):

For Codelist information, see codelist excel sheet found on GitHub

For I1 declarations, Exporter is not allowed on Goods Item Level.

XML-examples:

With EORI number (13 01 017 000):

<ns3:Consignor>

<ns3:ID>DK9999996</ns3:ID>

</ns3:Consignor>

Without EORI number (13 01 017 000):

<ns3:Consignor>

<ns3:Name>Exporter Man</ns3:Name>

<ns3:Address>

<ns3:CityName>Copenhagen</ns3:CityName>

<ns3:CountryCode>DK</ns3:CountryCode>

<ns3:Line>Copenhagen Street 123</ns3:Line>

<ns3:PostcodeID>2300</ns3:PostcodeID>

</ns3:Address>

</ns3:Consignor>

Importer

				Requi	iremen	t Over	view				
C/A	Н1	Н2	Н3	Н4	Н5	Н6	Н7	I1	I2	I2_EI DR	XSD-path
Yes/Yes	M DL	n/a	n/a	Basepath: Declaration/Importer							
EUCDM 6.1	XSD/	XML-na	ıme				Form	at	M/O	Comn	nent
13 04 000 000	Impoi	rter					n/a		M		
13 04 016 000	Name	!					an70)	0		
13 04 017 000	ID						an17	7	M		
13 04 018 000	Address						n/a		0		
13 04 018 019	Line						an70)	M		
13 04 018 020	Count	ryCode					a2		M	CL102	203
13 04 018 021	Postc	odeID					an17	,	M		
13 04 018 022	CityN	ame	•	•	•		an35	,	M		

Description:

Name and address of the party importing the good(s) into the union.

Rules/codes/other relevant information:

If Name includes the special character &, it should be declared as &

For **13 01 016 000** footnote **[6]** applies to **H1, H3, H4, H5, H6** and **I1** declarations.

If **EORI number (13 01 017 000)** is provided, name and address shall not be provided: Where the EORI number or a third country unique identification number recognised by the Union is provided, the name and address shall not be provided. This field is however mandatory for Danish import so the address and name should never be provided.

If address (13 01 018 000) is present, City (13 01 018 022), CountryCode (13 01 018 020), Line (13 01 018 019), Post-CodeID (13 01 018 021) are mandatory fields.

For 13 01 018 000 footnote [6] applies to H1, H3, H4, H5, H6 and I1 declarations.

CountryCode (13 01 018 020):

For Codelist information, see codelist excel sheet found on GitHub.

PostCodeID (13 01 018 021):

can be found on Bilag 2 https://skat.dk/getfile.aspx?id=151338&type=xlsx

XML-examples:

```
Without EORI number:
<ns3:Importer>
   <ns3:Name>Importer Man</ns3:Name>
   <ns3:Address>
       <ns3:CityName>Copenhagen</ns3:CityName>
       <ns3:CountryCode>DK</ns3:CountryCode>
       <ns3:Line>Copenhagen Street 123</ns3:Line>
       <ns3:PostcodeID>2300</ns3:PostcodeID>
   </ns3:Address>
</ns3: Importer >
With EORI number:
<ns3: Importer >
   < ns3:ID>DK9999996</ns3:ID>
</ns3: Importer >
```

Declarant

		Requirement 0 H1 H2 H3 H4 H5 H6					vervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI DR	XSD-path
Yes/Yes	М	M	M	M	M	M	M	М	M	M	Basepath: Declaration/Declarant
Tes/Tes	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	basepath: Deciaration/ Deciarant
EUCDM 6.1	XS	D/XM	IL-na	me			Forn	nat	M/0	Com	ment
13 05 000 00	05 000 000 Declarant			n/a		M					
13 05 016 00	3 05 016 000 Name – [6]			an7	0	0					
13 05 017 00						an17		M			
13 05 018 00						n/a		0			
13 05 018 02						an3	5	0			
13 05 018 020	0 Co	untry	Code				a2		0	CL10	203
13 05 018 019	9 Lir	ne					an7	0	0		
13 05 018 02	1 Po	stCod	eID				an9		0		
13 05 074 00	0 Co	ntact					n/a		0		
None	Se	quenc	eNum	eric			n5		M		
13 05 074 01	6 Na	me					an7	0	0		
None	None Communication			n/a		0					
None	None SequenceNumeric			n5		M					
13 05 074 07	13 05 074 075 ID		an256		0						
13 05 074 07	3 05 074 076 TypeCode		-	an3		0					

Description:

ID, name and address of the person or company exporting the goods.

Exporter and declarant can be the same.

Rules/codes/other relevant information:

The required information is specified by the EORI number given in ID (13 05 017 000):

It is optional to declare Name (13 05 074 016). If declared all subfields must be filled, and both a **TypeCode (13 05 074 076)** and **ID (13 05 074 075)** is required, see XML-examples below.

The **TypeCode (13 05 074 076)** indicates if it an e-mail address or a telephone number, and uses the following codes:

- 'EM' E-mail address
- 'TEL' Telephone Number

It is possible to declare up to 9 Contacts.

If Name uses the special character &, it should be declared as &

CountryCode (13 05 018 020):

For Codelist information, see codelist excel sheet found on GitHub

For $13\ 05\ 016\ 000$ footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations.

For 13 01 018 000 footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations.

XML-examples:

With EORI

<ns3:Declarant>

<ns3:ID>DK99999981</ns3:ID>

</ns3:Declarant>

```
Without EORI
<ns3:Declarant>
<ns3:ID>DK99999981</ns3:ID>
 <ns3:Name>Name</ns3:Name>
 <ns3:Address>
 <ns3:CityName>Copenhagen</ns3:CityName>
 <ns3:CountryCode>DK</ns3:CountryCode>
 <ns3:Line>Copenhagen Street 123</ns3:Line>
 <ns3:PostcodeID>2300</ns3:PostcodeID>
 </ns3:Address>
 <ns3:Contact>
 <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
 <ns3:Name>Contact Namerson</ns3:Name>
 <ns3:Communication>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ID>name@name.dk</ns3:ID>
  <ns3:TypeCode>EM</ns3:TypeCode>
 </ns3:Communication>
 <ns3:Communication>
  <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
  <ns3:ID>12345678</ns3:ID>
  <ns3:TypeCode>TEL</ns3:TypeCode>
 </ns3:Communication>
 </ns3:Contact>
 /ns3:Declarant>
```

Seller

	Requirement C						ervie	w			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI DR	XSD-path
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Seller GIL: Declaration/ GoodsShipment/GovernmentAgen- cyGoodsItem/Seller
EUCDM 6.1	M 6.1 XSD/XML-name					For	mat	M/0	Com	ment	
13 08 000 000	•					n/a		0			
13 08 016 000) Na	me					an7	70	M		
13 08 017 000	O ID						anî	17	0		
13 08 018 000) Ad	dress					n/a	n/a			
13 08 018 022	2 Cit					an3	35	M			
13 08 018 020					a2		M	CL10	0203		
13 08 018 019	08 018 019 Line				an70		M				
13 08 018 023	13 08 018 021 PostcodeID				anî	17	M				

Description:

Name and address of the seller of the goods.

Rules/codes/other relevant information:

It is mandatory to declare the name of the seller. If the address is declared the subfields must be declared. The field CountryCode accepts the GENOM codes for countries.

XML-examples:

Representative (Agent)

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	Н4	Н5	Н6	Н7	I1	I2	I2_EID	XSD-path
										R	
Vaa /Vaa	0	0	0	0	0	0	0	0	0	0	Regeneth, Deslaustien /Agent
Yes/Yes	DL	DL	DL	DL	DL	DL	DL	DL	DL	DL	Basepath: Declaration/Agent
EUCDM 6.1	5.1 XSD/XML-name					For	mat	M/O	Comn	nent	
13 06 000 000	Ag						n/a		0		
13 06 017 000							an17		M		
13 06 030 000	Fu	FunctionCode (status)					n1		M	CL100)14
13 06 074 000	Co	ntact					n/a		0		
None	Sec	quenc	eNum	eric			n5		M		
13 06 074 016	6 Na	me					an7	70	M		
None	Co	Communication					n/a		0		
None	SequenceNumeric				n5		M				
13 06 074 075	3 06 074 075 ID			an256		0					
13 06 074 076 TypeCode				an3	3	0					

Description:

Identification of party authorized to act on behalf of another party.

Rules/codes/other relevant information:

If Exporter (13 04 000 000) and Declarant (13 05 000 000) (including all their sub-elements) are NOT identical, there must be declared a Representative/Agent.

If Agent (13 06 000 000) is provided and FunctionCode = 2 (direct representation), then the value **must be different** from **Declarant (13 05 000 000)**.

ID (13 06 017 000)

This should be the EORI number of the representative party.

FunctionCode (13 06 030 000)

This is the function / status of the representative. It can <u>only</u> be '2' (direct representation).

It is optional to declare 13 06 074 016 – Representative/Agent Contact. If filled all subfields must be filled, and both a Type-Code (13 06 074 076) and ID (13 06 074 075) is required, see XML-examples below.

The **TypeCode** (13 06 074 076) indicates if it an e-mail address or a telephone number, and uses the following codes:

- 'EM' E-mail address
- 'TEL' Telephone Number

It is possible to declare up to 9 Contacts.

XML-examples:

With EORI

<ns3:Agent>

<ns3:ID>DK16152293</ns3:ID>

<ns3:FunctionCode>2</ns3:FunctionCode>

</ns3:Agent>

Without EORI

<ns3:Agent>

<ns3:FunctionCode>2</ns3:FunctionCode>

```
<ns3:Contact>
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:name>Tolder Toldersen</ns3:name>
<ns3:Communication>
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:ID>tolder@told.dk</ns3:ID>
<ns3:TypeCode>EM</ns3:TypeCode>
</ns3:Communication>
<ns3:Communication>
<ns3:Communication>
<ns3:SequenceNumeric>2</ns3:SequenceNumeric>
<ns3:ID>12345678</ns3:ID>
<ns3:TypeCode>TEL</ns3:TypeCode>
</ns3:Communication>
</ns3:Communication>
</ns3:Communication>
</ns3:Contact>
</ns3:Agent>
```

Buyer

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EI DR	XSD-path
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Buyer GIL: Declaration/ GoodsShipment/GovernmentAgen- cyGoodsItem/Buyer
EUCDM 6.1	- /						For	mat	M/0	Com	nent
13 09 000 000	09 000 000 Buyer							n/a			
13 09 016 000) Na	3						70	M		
13 09 017 000	O ID						an17		0		
13 09 018 000) Ad	dress					n/a		0		
13 09 018 022	2 Cit						an3	35	M		
13 09 018 020	O Co	3					a2		M	CL10	203
13 09 018 019	9 Lin	Line					an70		M		
13 09 018 022	021 PostcodeID						an17		M		

Name and address of the one(s) buying the goods.

Rules/codes/other relevant information:

The field has generally the same rules as "Seller" above.

XML-examples:

```
<ns3:Buyer>
  <ns3:Name>Buyer Man</ns3:Name>
  <ns3:ID>DK09999981</ns3:ID>
  <ns3:Address>
  <ns3:CityName>Odense</ns3:CityName>
  <ns3:CountryCode>DK</ns3:CountryCode>
  <ns3:Line>Odense Street 123</ns3:Line>
  <ns3:PostcodeID>5200</ns3:PostcodeID>
  </ns3:Address>
</ns3:Buyer>
```

Additional Supply Chain Actor (AEOMutualRecognitionParty)

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path
										R	
	0	0	0	0	0	0	n/a	0	n/a	n/a	GSL: Declaration/GoodsShipment/ AEOMutualRecog -
Yes/Yes	GSL	GSL	GSL	GSL	GSL	GSL		GSL			nitionParty
res/res	GIL	GIL	GIL	GIL	GIL	GIL		GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-
											cyGoodsItem/AEOMutualRecognitionParty
EUCDM 6.1	me			For	mat	M/O	Comr	nent			

						<i>y</i>
EUCDM 6.1	XSD/XMI	-name		Format	M/O	Comment
13 14 000 000	AEOMutu	alRecognit	ionParty	n/a	0	
None	Sequence	Numeric		n5	M	
13 14 017 000	ID			an17	M	
13 14 031 000	RoleCode			a3	M	CL10243

Description:

Details identifying the role of the further parties in the supply chain having obtained a trusted trader certificate but otherwise not being identified in the declarations (e.g., warehouse keeper, freight forwarder)

Rules/codes/other relevant information:

AEOMutualRecognitionParty (13 14 000 000):

This element and sub elements can be supplemented and estimated.

ID (13 14 017 000):

The EORI number or third-party country unique identifiers number

RoleCode (13 14 031 000):

For Codelist information, see codelist excel sheet found on **GitHub**

XML-examples:

<ns3:AEOMutualRecognitionParty>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>DK12345678</ns3:ID>

<ns3:RoleCode>MF</ns3:RoleCode>

</ns3:AEOMutualRecognitionParty>

Additional fiscal reference (DomesticDutyTaxParty)

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path
										R	
	0	n/a	n/a	n/a	n/a	0	0	0	n/a	n/a	GSL: Declaration/GoodsShipment/ DomesticDutyTax -
Yes/Yes	GSL					GSL	GSL	GSL			Party
res/res	GIL					GIL	GIL	GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-
		[55]			[55]				cyGoodsItem/ DomesticDutyTaxParty		
EUCDM 6.1	XS	XSD/XML-name						Format		Com	nent
13 16 000 000	Do	mesti	cDuty	TaxPa	arty		n/a		0		
13 16 031 000	Ro	RoleCode						3	M	CL10	250
							+				

M

an..17

Description:

13 16 034 000 ID

Person paying VAT in the VAT return.

Rules/codes/other relevant information:

RoleCode (13 14 031 000):

For Codelist information, see codelist excel sheet found on **GitHub**

ID (13 16 034 000):

VAT identification number of person concerned.

XML-examples:

<ns3:DomesticDutyTaxParty>

<ns3:RoleCode>123</ns3:RoleCode>

<ns3:ID>12345678987654321</ns3:ID>

</ns3:DomesticDutyTaxParty>

Person providing a guarantee (Surety)

				Requi	ireme	nt Ov	ervie	w			
C/A	H1	Н2	Н3	Н4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
Yes/Yes	0	n/a	0	0	n/a	0	n/a	n/a	n/a	n/a	GSL: Declaration/Surety
103/103	S/YeS DL DL DL DL		DL					don't beclaration, burety			
EUCDM 6.1	XSD/XML-name						For	Format		Com	ment
13 20 000 000	Surety						n/a	n/a			
12 20 017 000	2 20 017 000 ID						an17 M				

Description:

The EORI number of the person providing the guarantee, if they are different from the declarant.

Rules/codes/other relevant information:

ID (13 21 017 000):

This is the ID of the person providing the guarantee.

XML-examples:

<ns3:Surety>

< ns3:ID>DK123456789</ns3:ID>

</ns3:Surety>

Person paying the customs duty (Payer)

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path
										R	
Yes/Yes	0	n/a	0	n/a	0	0	n/a	0	n/a	n/a	GSL: Declaration/Payer
105/105	DL DL DL DL DL			don becautation, rayer							
EUCDM 6.1	XSD/XML-name					For	Format		Comi	ment	
13 21 000 000) Payer				n/a 0						
13 21 017 000) ID				an1	an17 M					

Description:

The EORI number of the person praying the customs duty, if they are different from the declarant.

Rules/codes/other relevant information:

ID (13 21 017 000):

This is the ID of the Payer.

XML-examples:

<ns3:Payer>

< ns3:ID>DK123456789</ns3:ID>

</ns3:Payer>

Group 14 - Valuation information/Taxes



Delivery Terms

				Requ	ireme	ent Ov	ervie	w			
C/A	H1	H2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_E	XSD-path
	M	0	0	M	M	n/a	n/a	n/a	n/a	n/a	
Voc /Voc	s/Yes GSL GSL GSL GSL GSL									GSL: Declaration/GoodsShipment/TradeTerms	
165/165	GIL	GIL	GIL	GIL	GIL						dsi. Declaration/ doodsomplient/ Trade Terms
	[10] [10]										
EUCDM 6.1	XS	XSD/XML-name						mat	M/O Co		omment
14 01 000 000	0 TradeTerms						n/a		0		
14 01 035 000 ConditionCode							аЗ		М		NCOTERM code L10226

0

0

0

UN LOCODE CL50001

CL10203

Description:

Details about the trade terms

14 01 036 000 LocationID

14 01 037 000 LocationName

14 01 020 000 | CountryCode

Rules/codes/other relevant information:

ConditionCode (14 01 035 000):

Enter the INCOTERM Code.

For Codelist information, see codelist excel sheet found on GitHub

LocationID (14 01 036 000):

Enter UN/LOCODE for the place of destination. In case of:

- Sea traffic, enter the UN/LOCODE for the location where delivery occurs beyond the port of unloading

an..17

an..35

a2

- Air traffic, enter the destination of goods using the $\ensuremath{\mathsf{UN}/\mathsf{LOCODE}}$

This elements expects input in this format "DKxxx-yyyy" where the x's are alphanumerical and the y's are numerical only. For Codelist information, see codelist excel sheet found on <u>GitHub</u>

LocationName (14 01 037 000):

If UN/LOCODE is not available, enter the name of the place of destination

CountryCode (14 01 020 000):

For Codelist information, see codelist excel sheet found on GitHub

XML-examples:

<ns3:TradeTerms>

<ns3:ConditionCode>DAP</ns3:ConditionCode>

<ns3:LocationID>DK001-0001</ns3:LocationID>

<ns3:LocationName>Place name/ns3:LocationName>

<ns3:CountryCode>DK</ns3:CountryCode>

</ns3:TradeTerms>

Duties and Taxes

			R	equir	remei	nt Ov	ervie	w			
C/A	H1	Н2	Н3	Н4	Н5	Н6	Н7	I1	12	I2_E DR	XSD-path
Yes/Yes	MC n/a MC MC MC n/a GIL GIL GIL GIL GIL [12] [12] [12] [12] [12] [13] [13] [13] [13] [13]				n/a	n/a	n/a	n/a		GIL: Declaration/GoodsShipmentGovernmentAgencyGoodsItem/Commodity/ DutyTaxFee	
EUCDM 6.1	[13] XSD/	XML-			[13]		Forn	nat	M/0	Co	mment
14 03 000 000	Duty'	ГахFе	e				n/a		0		
None	Seque	enceN	lumer	ic			n5		M		
14 03 040 014	AdVa	loren	ıTaxB	aseAr	noun	t	n16,2		0		
14 11 001 000	Dutyl	Regin	neCod			n3		M	С	.10017	
14 03 040 006	Speci	ficTax	kBase	Quant	tity		n16,	,6	0		
14 03 040 043	Tax -	[11]					n16,	,2	0		
14 03 040 041	TaxR	ateNu	ımerio	: - [11	1][12]		n17,	,3	0		
14 03 039 000	Туре	Code	- [12]	[13][58]		an3		IVI (pe of Duty, Tax or Fee 10218
None	Payment						n/a		0		
14 03 038 000	MethodCode - [11][12][54]						a1		0		pe of payment method 10015
14 16 001 000	TaxAssessedAmount						n16,3		0		
14 03 042 000	Paym	nentA	moun	t - [11	1][12]		n16,2		0		

Description:

Each instance of this class is to be used for a single occurrence of duty, tax or fee.

Rules/codes/other relevant information:

AdValoremTaxBaseAmount (14 03 040 014):

Enter the amount.

This element can be estimated.

SpecificTaxBaseQuantity (14 03 040 006):

Enter quantity concerned.

This data element can be **estimated** on a supplementary declaration for **C1** declarations.

For **14 03 040 042** footnote **[11]** applies to **H1**, **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1** and **H5** declarations.

Tax (14 03 040 043):

Enter the calculated/separate tax amount of duties and/or taxes for each tax base, for the cases when more than one tax base per tax type exist.

For **14 03 040 043** footnote **[11]** applies to **H1, H3, H4,** and **H5** declarations.

TaxRateNumeric (14 03 040 041):

Enter the rates for each of the duties and taxes of application.

For **14 03 040 041** footnote **[11]** applies to **H1**, **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1** and **H5** declarations.

TypeCode (14 03 039 000):

There are the following TypeCodes in the table below. However, the different countries can create custom National Codes which also applies for those countries, they consist of n1an2.

For Codelist information, see codelist excel sheet found on GitHub

For 14 03 039 000 footnotes [12], [13], and [58] apply to H1, H3, H4, and H5 declarations.

MethodCode (14 03 038 000):

For Codelist information, see codelist excel sheet found on GitHub

For 14 03 038 000 footnote [11] applies to H3, H4, and H5 declarations, and footnote [12] applies to H1 and H5 declarations.

TaxAssesedAmount (14 16 001 000):

Total duties and taxes amount

PaymentAmount (14 03 042 000):

Enter amount for each of the duties and taxes applicable.

For 14 03 042 000 footnote [11] applies to H3, H4, and H5 declarations, and footnote [12] applies to H1 and H5 declarations.

XML-examples:

```
<ns3:DutyTaxFee>
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:AdValoremTaxBaseAmount currencyID="DKK">1000.00</ns3:AdValoremTaxBaseAmount>
<ns3:SpecificTaxBaseQuantity>1000.00000000000000</ns3:SpecificTaxBaseQuantity>
<ns3:Tax currencyID="DKK">1000.00</ns3:Tax>
<ns3:TaxRateNumeric>100.00</ns3:TaxRateNumeric>
<ns3:TypeCode>A10</ns3:TypeCode>
<ns3:Payment>
<ns3:MethodCode>R</ns3:MethodCode>
<ns3:TaxAssessedAmount currencyID="str">1000.00</ns3:TaxAssessedAmount>
<ns3:PaymentAmount currencyID="DKK">1000.00</ns3:PaymentAmount>
</ns3:Payment>
</ns3:DutyTaxFee>
```

Additions and deductions

				Rec	uirer	nent	0verv	<i>r</i> iew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EID	XSD-path
										R	
	MC	n/a	n/a	n/a	MC	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/CustomsValua-
	GSL				GSL						tion
Yes/Yes	SIL				SIL						SIL: Declaration/GoodsShipment/GovernmentAg-
	[10]										encyGoodsItem/CustomsValuation
	[14]										
EUCDM 6.1	XS	D/XM	IL-na	me			F	ormat	M/0	Comn	nent
None	Cu	CustomsValuation					n	/a	MC		
14 04 000 000	O ChargeDeduction					n	n/a				
None	Sec	quenc	eNum	eric			n.	5	M		

M

Μ

an..3

n..16,3

Description:

Info about the valuation method used and additional charges.

Rules/codes/other relevant information:

14 04 014 000 OtherChargeDeductionAmount

ChargesTypeCode (14 04 008 000):

/ns2:CustomsValuation>

14 04 008 000 | ChargesTypeCode

For each type of addition or deduction relevant for a given goods item, enter the relevant code. All valid codes are a two-letter

OtherChargeDeductionAmount (14 04 014 000):

For each type of addition or deduction relevant for a given goods item, enter the corresponding amount in national currency that has not yet been included in or deducted from the item price.

The XSD element CustomsValuation appears on two levels but contain different sub-elements on GSL vs SIL. On GSL CustomsValuation appears as on this table. On SIL Customs Valuation contains more elements, see Table Valuation method on page 64.

XML-examples:

```
<ns2:CustomsValuation>
   <ns2:ChargeDeduction>
        <ns2:SequenceNumeric>1</ns2:SequenceNumeric>
       <ns2:ChargesTypeCode>AB</ns2:ChargesTypeCode>
       <ns2:OtherChargeDeductionAmount>1000/ns2:OtherChargeDeductionAmount>
    </ns2:ChargeDeduction>
```

Valuation Indicators

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	MC	n/a	n/a	MC	MC	n/a	n/a	n/a	n/a	n/a	
Yes/Yes	GIL			GIL	GIL						Basepath: Declaration/GoodsShipment/GovermentAg-
163/163	[10]										encyGoodsItem/ ValuationAdjustment
	[14]										
14 07 000 00	14 07 000 000 ValueationAdjustment					n/a		0			
14 07 001 000 AdditionCode				an4	•	M					

Description:

This element is used to indicate what factors are used to declare the value of the goods.

Rules/codes/other relevant information:

AdditionCode (14 07 001 000):

The code comprises four digits, each of which being either a "0" or a "1". Each "1" or "0" digit reflects whether or not a valuation indicator is relevant to the valuation of the goods concerned.

- 1st digit: Party relationship, whether there is price influence or not
- 2nd digit: Restrictions as to the disposal or use of the goods by the buyer in accordance with Article 70(3)(a) of the Code
- 3rd digit: Sale or price is subject to some condition or consideration in accordance with Article 70(3)(b) of the Code.
- 4th digit: The sale is subject to an arrangement under which part of the proceeds of any subsequent resale, disposal or use accrues directly or indirectly to the seller

Example: Goods subject to party relationship, but not to any of the other situations defined under 2nd, 3rd and 4th digits would entail the use of code combination "1000."

<ns3:ValueationAdjustment>

<ns3:AdditionCode>1000</ns3:AdditionCode>

</ns3 ValueationAdjustment>

Total Amount Invoiced

				Requi	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
Voc /Voc			n/a	n/a	0	n/a	n/a	Basepath: Declaration/InvoiceAmount			
165/165	es/Yes GSL GSL GSL GSL GSL GSL		GSL			basepath: Declaration/ invoiceAmount					
EUCDM 6.1							For	mat	M/0	Com	ment
14 06 000 000 14 05 000 000	00 InvoiceAmount						n1	6,3	0		
14 05 001 000 currencyCode – [2]					a3		0				

Description:

Number indicating the total invoice amount of the declaration.

Rules/codes/other relevant information:

currencyCode (14 05 001 000):

Enter the currency of the invoice amount. This is a attribute of the element **InvoiceAmount (14 06 000 000\14 05 000 000)**. For Codelist information, see codelist excel sheet found on <u>GitHub.</u>

For $14 \underbrace{05\ 001\ 000}$ footnote [2] applies to I1 declarations.

XML-examples:

<InvoiceAmount currencyID="NOK">7442.00</InvoiceAmount>

Item Amount Invoiced

				Requ	ireme	ent Ov	ervie	ew			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	M	n/a	M	M	M	n/a	n/a	MC	n/a	n/a	Pagenath, Declaration /CondeShipment /Covernment
Yes/Yes	SIL		SIL	SIL	SIL			SIL			Basepath: Declaration/GoodsShipment/Government-AgencyGoodsItem/Commodity/InvoiceLine
	[83]							[2]			AgencyGoodsitem/Commounty/InvoiceLine
EUCDM 6.1	XSD/XML-name					For	Format		Com	ment	
14 08 000 000	0 InvoiceLine								M		
14 08 001 000	0 ItemChargeAmount						n1	6,2	M	Item	amount invoiced

Description:

Price of the goods for the declaration item concerned, expressed in the currency unit declared in D.E. $14\,05\,000\,000$ Invoice currency.

Rules/codes/other relevant information:

XML-examples:

<InvoiceLine>

<ItemChargeAmount>7442.00</ItemChargeAmount>

</InvoiceLine>

Exchange Rate

	Requirement Ov										
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI DR	XSD-path
	0	n/a	n/a	0	n/a	n/a	n/a	n/a	n/a	n/a	
Yes/Yes	DL			DL							Basepath: Declaration/CurrencyExchange
	[15]			[15]							
EUCDM 6.1	XS	D/XM	IL-na	me			For	Format		Com	ment
14 09 000 000	0 Cu	CurrencyExchange						n/a			
14 17 001 000 CurrencyTypeCode							a3	a3			
14 09 001 000	0 Ra	teNun	neric -	- [15]	•		n12	n12,5			

Description:

This data element contains the rate of exchange fixed in advance by a contract between the parties concerned

Rules/codes/other relevant information:

CurrencyTypeCode (14 17 001 000):

For Codelist information, see codelist excel sheet found on GitHub

RateNumeric (14 09 001 000):

Exchange rate of the currency.

XML-examples:

<ns3:CurrencyExchange>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CurrencyTypeCode>DKK</ns3:CurrencyTypeCode>

<ns3:RateNumeric>100.00

</ns3:CurrencyExchange>

Valuation method

				Rec	uirer	nent	Over	view			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path
										R	
Vaa /Vaa	M	n/a	M	M	M	n/a	n/a	n/a	n/a	n/a	Basepath: Declaration/GoodsShipment/Customs-
Yes/Yes	SIL		SIL	SIL	SIL						Valuation
EUCDM 6.1	XS	XSD/XML-name							M/0	Comn	ient
14 10 000 000	0 CustomsValuation							/a	M		
14 10 001 000) Me	ethod(Code				a	n3	M		

Description:

Info about the valuation method used and additional charges.

Rules/codes/other relevant information:

MethodCode (14 10 001 000):

The provisions used to determine the customs value of imported goods are to be coded as follows:

Code	Relevant Article of the Code	Method
1	70	Transaction value of the imported goods
2	74(2)a)	Transaction value of identical goods
3	74(2)b)	Transaction value of similar goods
4	74(2)c)	Deductive value method
5	74(2)(d)	Computed value method
6	74(3)	Value based on the data available ("fall-back"method)

The XSD element CustomsValuation appears on two levels but contain different sub-elements on GSL vs SIL. The elements on SIL is only part of CustomsValuation there are more elements namely ChargeDeduction and its sub-elements in it, see Table Additions and deductions on page 59. On GSL level only the elements from Table Additions and deductions is present.

XML-examples:

```
<ns2:CustomsValuation>
```

ns2:MethodCode>1</ns2:MethodCode>

<ns2:ChargeDeduction>

<ns2:SequenceNumeric>1</ns2:SequenceNumeric>

<ns2:ChargesTypeCode>AB</ns2:ChargesTypeCode>

<ns2:OtherChargeDeductionAmount>1000/ns2:OtherChargeDeductionAmount>

</ns2:ChargeDeduction>

</ns2:CustomsValuation>

Intrinsic Value

C/A				Re	quire	VCD moth								
C/A	H1	Н2	Н3	H4	H5 H6		Н7	I1	12	I2_EIDR	XSD-path			
Yes/Yes	n/a	n/a	n/a	n/a	n/a	n/a	M	n/a	n/a	n/a	Basepath: Declaration/GoodsShipment/Govermen-			
res/res	res/res					SIL				tAgencyGoodsItem/Commodity/InvoiceLine				
EUCDM 6.1	EUCDM 6.1 XSD/XML-name								M/0	M/O Comment				
14 14 000 000	Cus	stoms	Valua	tion			n	/a	M					
14 14 012 000	0 currencyID							3	M					
14 14 014 000	4 000 ItemChargeAmount								M					

Description:

The value of the imported item.

Rules/codes/other relevant information:

A valid currency code must also be defined, see list of all valid currency codes here: https://www.nationalbanken.dk/valutakurser

If there is no value for the item fill in 0.00.

XML-examples:

<InvoiceLine>

<ItemChargeAmount currencyID="EUR">20.00/ ItemChargeAmount >

</InvoiceLine >

Group 15 - Dates - Times - Periods



Date of acceptance

				Requ	ireme	nt Ov	ervie	w			
C/A	Н1	Н2	Н3	Н4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	MC	n/a	MC	MC	MC	n/a	n/a	n/a	n/a	n/a	
Yes/Yes	GSL		GSL	GSL	GSL						Basepath: Declaration/AcceptanceDateTime
165/165	GIL		GIL	GIL	GIL						basepath. Declaration/AcceptanceDateTime
	[41]		[41]	[41]	[41]						
									_		

EUCDM 6.1	XSD/XML-name	Format	M/O	Comment
15 09 001 000	AcceptanceDateTime	an35	0	

Description:

Indication of when the goods were presented to customs.

Rules/codes/other relevant information:

Fill in the time and date for presentation of goods.

XML-examples:

<AcceptanceDateTime>20211211072735+02</AcceptanceDateTime>

Group 16 - Places/Countries/Regions



Country of destination

			R	equir	ement	t Ove							
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EID	XSD-path		
										R			
	M	M	M	M	M	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Destination		
Yes/Yes	GSL	GSL	GSL	GSLG	GSL						GIL: Declaration/GoodsShipment/ GovernmentAgen-		
	GIL	GIL	GIL	IL	GIL						cyGoodsItem/ Destination		
EUCDM 6	CDM 6.1 XSD/XML-name						For	mat	M/O	Com	nent		
16 03 00	16 03 000 000 Destination n/a						n/a		M	Must	be declared only once in either GSL or GIL.		
16 03 00	6 03 001 000 CountryCode						a2		M	Coun	Country of destination. CL10203		

Description:

This element contains a union code of a member state, but which member state depends on the type of declaration. See the below section for specifics.

Rules/codes/other relevant information:

Note: The example given below contains **RegionID** (16 04 001 000) as this element and **RegionID** both are sub-elements of **Destination.**

CountryCode (16 03 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

For H1, H2 and H5: The union code entered in **CountryCode** is the code of the member state where the goods are located at the time of release, unless it is known that the goods will be dispatched to another member state after release then the union code for this member state is used instead.

For H3: When goods are imported under the temporary admission procedure the union code entered in **CountryCode** is the code of the member state where the goods are used first.

For H4: When the goods are imported under the inward processing procedure the union code entered in **CountryCode** is the code of the member state where the first processing activity is carried out.

XML-examples:

<ns3:Destination>

<ns3:CountryCode>DK</ns3:CountryCode>

<ns3:RegionID>SYS</ns3:RegionID>

</ns3:Destination>

Region of destination

				R	Require	ement	Over	view				
C/A	H1		Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_E	XSD-path
											DR	
	MC	:	0	MC	MC	MC	n/a	n/a	n/a	n/a	n/a	
	GSL	. (GSL	GSL	GSL	GSL						GSL: Declaration/GoodsShipment/ Destination
Yes/Yes	GIL		GIL	GIL	GIL	GIL						GIL: Declaration/GoodsShipment/Governmen-
	[58]] [[58]	[58]	[58]	[58]						tAgencyGoodsItem/ Destination
	[69]] [[69]	[69]	[69]	[69]						
EUCDM 6.1		XSD	/XMI	L-nam	e			F	Format		0	Comment
16 04 000 0	000	Dest	inatio	on				n	n/a		C N	fust be declared only once in either GSL or GIL.
16 04 001 0	000	Regi	onID	•	•	•		aı	ı35	M	[F	Region of destination

Description:

Details related to the country of destination.

Rules/codes/other relevant information:

Note: The example given below contains **CountryCode** (16 03 001 000) as this element and **CountryCode** both are sub-elements of **Destination**.

RegionID (16 04 001 000):

Using the relevant region code defined by the member state of the union code ($16\,03\,001\,000$), enter the region within the country where the goods should be delivered.

XML-examples:

<ns3:Destination>

<ns3:CountryCode>DK</ns3:CountryCode>

<ns3:RegionID>SYS</ns3:RegionID>

</ns3:Destination>

Country of dispatch

			F	Requir	ement	Overv	iew				
C/A	H1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_	XSD-path
										DI	
	M	M	M	M	M	n/a	n/a	MC	n/a	n/	GSL: Declaration/GoodsShipment/Dispatch-
Yes/Yes	GSL	GSLG	GSL	GSL	GSL			GSL			Country
165/165	GIL	GIL	GIL	GIL	GIL			GIL			GIL: Declaration/GoodsShipment/Governmen-
								[2]			tAgencyGoodsItem/ DispatchCountry
EUCDM 6.1	3	KSD/XM	L-nam	e			F	ormat	M/	0	Comment
16 06 000 0	00 [Dispatch	у			n	/a	M	I	Country of dispatch	
16 06 001 0	00 I	D					a	2	M	I	CL10203

Description:

The country where goods were initially dispatched from.

Rules/codes/other relevant information:

Enter the relevant union code to indicate the country the goods were dispatched from. Unless a commercial transaction or stoppage unrelated to the transport of goods has occurred in an intermediate country, then enter the union code of the last intermediate country where this toke place.

If a stoppage is to enable the consolidation of the goods en-route it is considered to be related to the transport of the goods.

ID (16 06 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub

XML-examples:

<ns3:DispatchCountry>

<ns3:ID>NO</ns3:ID> </ns3: DispatchCountry >

Origin (Country of Origin)

				Requ	ireme	ent Ov	ervie	ew				
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path	
										DR		
	MC	M	MC	M	M	0	n/a	MC	n/a	n/a		
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL		GIL			GIL: Declaration/GoodsShipment/GovernmentAgen-	
165/165	[20]		[20]	[20]	[20]			[2]			cyGoodsItem/ Origin	
								[20]				

EUCDM 6.1	XSD/XML-name	Format	M/ 0	Comment
16 08 000 000	Origin	n/a	M	
None	SequenceNumeric	n5	M	
16 08 001 000	CountryCode – [2][20]	a2	M	CL10203
16 08 001 000	TypeCode	a2	M	

Description:

The country from which goods were initially dispatched.

Rules/codes/other relevant information:

The element origin contains info about the **country of origin** and info about the **preferential country of origin** which must be filled out under certain circumstances. The latter is only mentioned under the table **Country of preferential origin**. For this version of origin, the union code of the country of origin is entered.

SequenceNumeric:

Indicates the number of this element in the sequence of Origin elements. Must be given sequentially. Starts at 1. As there can only be at maximum of two country of origin, it will always be 1 or 2.

CountryCode (16 08 001 000):

For Codelist information, see codelist – Import excel sheet found on $\underline{\text{GitHub}}$

For **16 08 001 000** footnote **[20]** applies to **H1, H3, H4, H5,** and **I1** declarations, and footnote **[2]** applies to **I1** declarations. **Note:** Uses a different code list in **preferential country of origin.**

TypeCode (16 08 001 000):

If a preferential treatment is requested based on the origin of the goods in data element **Preference (14 11 000 000)** the Specify '1' for country of origin and '2' for country of preferential origin.

XML-examples:

Only info on country of origin is needed:

<ns3:0rigin>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CountryCode>NO</ns3:CountryCode>

<ns3:TypeCode>1</ns3:TypeCode>

</ns3:0rigin>

Info on country of origin and preferential country of origin is needed:

<ns3:0rigin>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CountryCode>NO</ns3:CountryCode>

<ns3:TypeCode>1</ns3:TypeCode>

</ns3:0rigin>

<ns3:0rigin>

<ns3:SequenceNumeric>2</ns3:SequenceNumeric>

<ns3:CountryCode>1032</ns3:CountryCode>

<ns3:TypeCode>2</ns3:TypeCode>

</ns3:0rigin>

Origin (Country of preferential origin)

				Requ	irem	ent Ov	vervi	ew			
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	MC	0	MC	MC	n/a	n/a	n/a	MC	n/a	n/a	
Yes/Yes	GIL	GIL	GIL	GIL				GIL			Basepath: Declaration/GoodsShipment/Governmen-
res/res	[21]		[21]	[21]				[2]			tAgencyGoodsItem/ Origin
								[21]			
EUCDM 6.1		XSD/X	ML-n	ame			For	mat	M/0	Co	omment
16 00 000 00	10	Onigin					n /a		MC		

EUCDM 6.1	XSD/XML-name	Format	M/0	Comment
16 09 000 000	Origin	n/a	MC	
None	SequenceNumeric	n5	M	
16 09 001 000	CountryCode	an4	M	Country of preferential origin. CL10236
16 09 001 000	TypeCode	an4	M	

Description:

The country from which goods were initially dispatched.

Rules/codes/other relevant information:

The element origin contains info about the **country of origin** and info about the **country of preferential origin** which must be filled out under certain circumstances. The first is only mentioned under the table **country of origin**.

This version of origin is used when a preferential treatment is requested in element **Preference (14 11 000 000)** based on the origin of the goods. The union code of the country or region/group of countries which is preferred.

SequenceNumeric:

Indicates the number of this element in the sequence of Origin elements. Must be given sequentially. Starts at 1. As there can only be at maximum of two country of origin, it will always be 1 or 2.

CountryCode (16 06 001 000):

For Codelist information, see codelist - Import excel sheet found on <u>GitHub</u>

Note: Uses a different code list in country of origin.

TypeCode (16 08 001 000):

Specify '1' for country of origin and '2' for country of preferential origin.

XML-examples:

Only info on preferential country of origin is needed:

<ns3:Origin>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CountryCode>1032</ns3:CountryCode>

<ns3:TypeCode>2</ns3:TypeCode>

</ns3:0rigin>

Info on country of origin and preferential country of origin is needed:

<ns3:0rigin>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:CountryCode>NO</ns3:CountryCode>

<ns3:TypeCode>1</ns3:TypeCode>

</ns3:0rigin>

<ns3:0rigin>

<ns3:SequenceNumeric>2</ns3:SequenceNumeric>

<ns3:CountryCode>1032</ns3:CountryCode>

<ns3:TypeCode>2</ns3:TypeCode>

</ns3:0rigin>

Location of goods

	Requirement Ove					rview						
C/A	Н1	Н	12	Н3	H4	Н5	Н6	Н7	I1	I2	_	XSD-path
	M		M	M	М	М	n/a	М	M	MC	DR M	
Yes/Yes	GSI	_	SL	GSL	GSL	GSL	n/a	GSL	GSL	GSL	GSL	Basepath: Declaration/GoodsShipment/Con-
								[68]		[84]		signment/GoodsLocation
EUCDM 6.1		XSD/	/XM	L-nam	ıe			Forn	nat	M/0	Co	omment
16 15 000 00	00	Goods	sLoc	cation				n/a		M		
16 15 036 00	00	Name	е					an1	7	MC	UN	N/LOCODE
16 15 053 00	00	ID						an8		MC	Ac	lditional identifier
16 15 045 00	00	Туре(Code	e				a1		M	CI	.10240
16 15 046 00	00	Identi	ifica	ationTy	ypeCo	de		a1		M	CL	.10239
16 15 018 00	00	Addre	ess					n/a		MC		
16 15 018 02	22	City						an3	5	M		
16 15 018 02	20	Count	tryC	Code				a2		M	CL	.10203
16 15 081 02	20	Count	tryC	Code				a2		M	CL	.10203
16 15 018 01	19	Line						an7	0	M		
16 15 018 02	21	Postc	code	ID				an1	7	M		
16 15 081 02	1	Postc	code	ID				an1	7	M		
16 15 081 02	25	House	eNu	mber				an3	5	M		
16 15 052 00	00	autho	orisa	ationR	eferen	ceNun	ıber	an3	5	MC		
16 15 047 00	00	Custo	ms(Office				n/a		MC		
16 15 047 00)1	identi	ifica	ition				an8		M		
16 15 048 04	19	latitu	de					an1	7	MC		
16 15 048 05	50	longit	tude	9				an1	7	MC		
16 15 051 00	00	Econo	omio	c0pera	ator			n/a		MC		
16 15 051 01	17	identi	ifica	ition				an1	7	M		

Description:

Information about the place where the goods are located.

Rules/codes/other relevant information:

Using the relevant codes, enter the location where the goods may be examined. This location shall be precise enough to allow customs to carry out the physical control of the goods.

The type of location, and how it is declared, is given by the fields: TypeCode and IdentificationType. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations:

CountryCode (16 15 018 020):

For Codelist information, see codelist - Import excel sheet found on GitHub

TypeCode (16 15 045 000)

This TypeCode Indicates the type of location where the goods will be presented. Only one Type is to be used at the same time. For Codelist information, see codelist - Import excel sheet found on <u>GitHub</u>

The TypeCodes and their types of locations are:

- 'A': Designated place

- 'B': Authorised place
- 'C': Approved place
- 'D': Other

IdentificationType (16 15 046 000):

Indicates how the location will be declared:

- 'U': UN/LOCODE
- 'V': Customs Office ID
- 'W': GNSS coordinates
- 'X': EORI number
- 'Y': Authorisation number
- 'Z': Free text
- 'T': Postal code

The valid combinations for the two fields are:

- 'A' and 'U': Designated place identified by UN/LOCODE (e.g., DKCPH-0011 for Copenhagen Langelinje)
- 'A' and 'V': Designated place identified by Customs Office ID (e.g., DK007900 for Skattecenter København)
- 'B' and 'Y': Authorised place identified by Authorisation number.
- 'C' and 'Z': Approved place identified by filling in the address fields.
- 'D' and 'Z': Other place identified by filling in the address fields.
- 'D' and 'W': Other place identified by GNSS coordinates.
- 'D' and 'X': Other place identified by an EORI number.
- 'D' and 'T': Other place identified by a postal code.

Name (16 15 036 000 UN/LOCODE)

For Codelist information, see codelist excel sheet found on GitHub. Should only be filled when IdentificationType = 'U'.

ID (16 15 053 000):

What to fill in this field is given by the Type of location, meaning that if:

- IdentificationType = 'U': this field should not be filled.
- IdentificationType = 'V': this field should not be filled.
- IdentificationType = 'W': this field should not be filled.
- IdentificationType = 'X': this field <u>can</u> be filled with an <u>additional identifier</u> to the EconomicOperator element. The EORI number itself should be filled in the identification field of the EconomicOperator element.
- IdentificationType = 'Z' this field should not be filled.

The following subelements of **Address (16 15 018 00)** should be filled when IdentificationType = 'Z':

CityName (16 15 018 022):

City name of the location of goods.

CountryCode (16 15 018 020):

For Codelist information, see codelist excel sheet found on $\underline{\text{GitHub}}$

Line (16 15 019 00):

Street name and street number of the location of goods.

PostCodeID (16 15 018 020):

Post code of the location of goods.

The following subelements of Address (16 15 018 00) should be filled when IdentificationType = "T":

CountryCode (16 15 081 020):

For Codelist information, see codelist excel sheet found on GitHub.

PostCodeID (16 15 081 021):

Post code of the location of goods.

streetNumber (16 15 081 025):

Street name and street number of the location of goods.

authorisationReferenceNumber (16 15 052 000):

 $Authorisation\ number.\ Should\ only\ be\ filled\ when\ Identification Type=`Y'.$

CustomsOffice (16 15 047 000):

Identification (16 15 047 001):

Customs Office ID (e.g., DK007900).

Should only be filled when IdentificationType = 'V'.

See the list of Customs Office ID's here:

https://ec.europa.eu/taxation customs/dds2/rd/rd consultation location.jsp?Lang=en

Latitude (16 15 048 049):

Latitude coordinate of the location of goods. Should only be filled when IdentificationType = 'W'.

Longitude (16 15 048 050):

Longitude coordinate of the location of goods. Should only be filled when IdentificationType = 'W'.

EconomicOperator (16 15 051 000):

identification:

EORI number of Economic Operator.

Should only be filled when IdentificationType = 'X'.

```
XML-examples:
<ns3:GoodsLocation>
 <ns3:Name>11111</ns3:Name>
 <ns3:ID>IDloc</ns3:ID>
 <ns3:TypeCode>A</ns3:TypeCode>
 <ns3:IdentificationType>U</ns3:IdentificationType>
 <ns3:Address>
 <ns3:City>City</ns3:City>
 <ns3:CountryCode>NO</ns3:CountryCode>
 <ns3:Line>Line</ns3:Line>
 <ns3:PostcodeID>Post</ns3:PostcodeID>
 <ns3:streetNumber>12</ns3:streetNumber>
 </ns3:Address>
 <ns3:authorisationReferenceNumber>ds</ns3:authorisationReferenceNumber>
 <ns3:CustomsOffice>
  <ns3:identification>DK005607</ns3:identification>
 </ns3:CustomsOffice>
 <ns3:latitude>123</ns3:latitude>
 <ns3:longitude>456</ns3:longitude>
 <ns3:EconomicOperator>
 <ns3:identification>ID1</ns3:identification>
 </ns3:EconomicOperator>
 <ns3:Contact>
 <ns3:name>LocName</ns3:name>
 <ns3:Communication>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ID>abv@email.com</ns3:ID>
  <ns3:TypeCode>EM</ns3:TypeCode>
 </ns3:Communication>
 <ns3:Communication>
  <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
  <ns3:ID>1234567890</ns3:ID>
  <ns3:TypeCode>TEL</ns3:TypeCode>
 </ns3:Communication>
 </ns3:Contact>
</ns3:GoodsLocation>
```

Group 17 – Customs Offices



Customs office of presentation

				Requ	ireme	nt Ov	ervie	w			
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_E	XSD-path
										DR	
	MC	MC	MC	MC	MC	n/a	n/a	MC	n/a	MC	
	DL	DL	DL	DL	DL			DL		DL	
Yes/Yes	[22]	[22]	[22]	[22]	[22]			[22]		[22]	Basepath: Declaration/PresentationOffice
										[84]	
										[85]	
EUCDM 6.1	X	SD/XN	/L-nai	me			Fo	rmat	M/0	Co	omment
17 09 000 00	0 P	resent	ation0	ffice			n/	'a	МС		

Description:

17 09 001 000

Details identifying the customs office where the goods are presented to place them under a customs procedure or temporary storage.

M

an8

CL10230

Rules/codes/other relevant information:

ID

ID (17 09 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

XML-examples:

<ns3:PresentationOffice>

<ns3:ID>DK004700</ns3:ID>

</ns3:PresentationOffice>

Supervising customs office

]	Requir	eme	nt Ove	erviev	N			
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	0	0	0	MC	n/a	n/a	n/a	MC	n/a	n/a	
Yes/Yes	DL	DL	DL	DL				DL			Basepath: Declaration/SupervisingOffice
,	[23]	[23]	[23]	[23]				[23]			, ,

EUCDM 6.1	XS	D/XM	IL-nan	ne	l		Fo	rmat	M/0	Co	Comment
17 10 000 000	Su	pervisingOffice				n/	'a	0			
17 10 001 000	ID	ID						18	M	CI	CL10230

Description:

Details identifying the government agency office responsible for supervising the discharge of a government procedure

Rules/codes/other relevant information:

ID (17 10 017 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

XML-examples:

<ns3:SupervisingOffice>

<ns3:ID>DK004700</ns3:ID>

</ns3:SupervisingOffice>

Group 18 – Goods identification

Goods Measure (Net Mass)

				Requ	iireme	nt Ov	ervie	w			
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path
										DR	
	M	n/a	n/a	M	M	0	n/a	MC	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAg-
Yes/Yes	GIL			GIL	GIL	GIL		GIL			encyGoodsItem/Commosity/ GoodsMeasure
					[24]			[2]			encyGoodsitem/Commosity/GoodsMeasure
						·				_	

EUCDM 6.1	XSD/XML-name	Format	M/0	Comment
18 01 000 000	GoodsMeasure	n/a	M	
18 01 001 000	NetNetWeightMeasure	n16,6	M	Net mass

Description:

Details about the goods weight, quantities, and amounts.

Rules/codes/other relevant information:

The net mass must contain the weight of the goods concerned with the relevant declaration goods item. The weight must be expressed in kilograms and should be the weight of the goods without the packaging.

Note:

Where a net mass greater than 1 kg includes a fraction of a unit (kg), it may be rounded off in the following manner:

- from 0,001 to 0,499: rounding down to the nearest kg,
- from 0,5 to 0,999: rounding up to the nearest k

A net mass of less than 1 kg should be entered as '0,' followed by a number of decimals up to 6, discarding all "0" at the end of the quantity (e.g. 0,123 for a package of 123 grams, 0,00304 for a package of 3 grams and 40 milligrams or 0,000654 for a package of 654 milligrams).

GoodsMeasure (18 01 000 000):

This element is allowed to be supplemented and estimated.

As seen in the XML-example below, this field shall not be filled out, but the child element **NetNetWeightMeasure** shall.

NetNetWeightMeasure (18 01 001 000):

For $18\,01\,001\,000$ footnote [24] applies to H5 declarations, and footnote [2] applies to I1 declarations.

XML-examples:

<ns3:GoodsMeasure>

<ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure>

</ns3:GoodsMeasure>

Goods Measure (Supplementary Units)

				Requi	reme	nt Ov	<u>ervie</u>	W			
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_I	XSD-path
										IDR	
	MC	MC	MC	MC	MC	n/a	MC	MC	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAg-
Yes/Yes	GIL	GIL	GIL	GIL	GIL		GIL	GIL			encyGoodsItem/Commosity/GoodsMeasure
					[24]		[56]	[2]			encyGoodsitem/Commosity/Goodsideasure
EUCDM 6.1	X	KSD/XM	L-nan	ne			F	Format	M/0	C	omment
18 02 000 00	00 (GoodsMe	easure	!			n	ı/a	MC	Cl	L10003
18 02 001 00	00 7	TariffQu:	antity				n	ı16,6	M		applementary units. Not precent for H6, I2_EIDR.

Description:

Details about the goods weight, quantities, and amounts.

Rules/codes/other relevant information:

If necessary, this field can be used to enter the quantity of the item in question. It should be expressed using the unit defined by Union legislation as published in TARIC.

Supplementary Units (18 02 000 000):

For Codelist information, see codelist – Import excel sheet found on GitHub.

This element is allowed to be supplemented and estimated.

As seen in the XML-example below, this field shall not be filled out, but the child element TariffQuantity shall.

For **18 02 000 000** and **18 02 001 000** footnote **[24]** applies to **H5** declarations, footnote **[56]** applies to H7 declarations, and footnote **[2]** applies to **I1** declarations.

XML-examples:

<ns3:GoodsMeasure>

<ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure>

<ns3:TariffQuantity unitCode="NAR">100.000/ns3:TariffQuantity>

</ns3:GoodsMeasure>

Goods Measure (Gross Mass)

6/4				Requ	ıirem	ent 0	vervi	ew			VCD noth
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Yes/Yes	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL	M GSL GIL	M GSL GIL	n/a	M GSL GIL [25]	GSL: Declaration/GoodsShipment/GoodsMeasure GIL: Declaration/GoodsShipment/GovernmentAgen- cyGoodsItem/Commodity/GoodsMeasure
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/O	Comm	ent
18 04 000 000	000 000 GoodsMeasure					n/a		M			
18 04 001 000	8 04 001 000 GrossMassMeasure						n1	6,6	M	Gross r	nass.

Description:

Details about the goods weight, quantities, and amounts.

Rules/codes/other relevant information:

The gross mass is the weight of the goods including packaging but excluding the carrier's equipment for the declaration.

Note

Where a gross mass greater than 1 kg includes a fraction of a unit (kg), it may be rounded off in the following manner:

- from 0,001 to 0,499: rounding down to the nearest kg,
- from 0,5 to 0,999: rounding up to the nearest kg.

A gross mass of less than 1 kg should be entered as '0,' followed by at least one decimal and up to at most 6 decimals, discarding all "0" at the end of the quantity (e.g. 0,123 for a package of 123 grams, 0,00304 for a package of 3 grams and 40 milligrams or. 0,000654 for a package of 654 milligrams).

When the weight of the pallets is included in the transport documents, the weight of the pallets shall also be included in the calculation of the gross mass, except for the following cases:

- a) The pallet forms a separate item on the customs declaration.
- b) The duty rate for the item in question is based on the gross weight and/or the tariff quota for the item in question is managed in measurement unit 'gross weight'.

Where the declaration comprises several goods items, which concern goods that are packed together in such a way that it is impossible to determine the gross mass of the goods pertaining to any goods item, the total gross mass needs only to be entered on header level.

GoodsMeasure (18 04 000 000):

This element is allowed to be supplemented and estimated.

As seen in the XML-example below, this field shall not be filled out, but the child element **GrossMassMeasure** shall. Also this field and its child element are the only elements inside **GoodsMeasure** (18 02 000 000) on GSL.

GrossMassMeasure (18 04 001 000):

For 18 04 000 000 and 18 04 001 000 footnote [25] applies to I2_EIDR declarations.

XML-examples:

On GSL:

<ns3:GoodsMeasure>

<ns3:NetNetWeightMeasure unitCode="KGM">30000.00/ns3:NetNetWeightMeasure>

<ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity>

</ns3:GoodsMeasure>

On GIL:

<ns3:GoodsMeasure>

<ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity>

</ns3:GoodsMeasure>

Description of goods

CIA				Requ	ıirem	ent 0	vervi	ew			VCD
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
Vac /Vac	M	M M M M M						M	n/a	M	GIL: Declaration/GoodsShipment/GovernmentAgen-
Yes/Yes	GIL	L GIL GIL GIL GIL				GIL	GIL		GIL	cyGoodsItem/Commodity/ Description	
EUCDM 6.1								mat	M/0	Comm	ent
18 05 000 000	Co	mmod	lity				n/a M				
18 05 001 000	De	script	ion				an512		M		

Description:

A description about the properties of the goods

Rules/codes/other relevant information:

Where the declarant provides the CUS code for chemical substances and preparations, Member States may waive the requirement of providing a precise description of the goods.

For H1 to H5 and I1:

The description of the goods means the normal trade description. Except for non-Union goods placed under the customs warehousing procedure in a public customs warehouse type I, II or III or a private customs warehouse, this description must be expressed in terms sufficiently precise to enable immediate and unambiguous identification and classification of the goods.

For H6 and H7:

It is a plain language description that is precise enough for Customs services to be able to identify the goods.

XML-examples:

<ns3:Description>

Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed, other than for slaughter; Of a weight not exceeding 80 kg

</ns3:Description>

Packaging

C/A

	M	M	M	M	M	M	M	M	n/a	M	
	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL		GIL	GIL: Declaration/GoodsShipment/GovermentAgen-
Yes/Yes							[57]			[25]	cyGoodsItem/ Packaging
										[84]	oy doods.com/ 2 doing.mg
	DM 6.1 XSD/XML-name									[85]	
EUCDM 6.1	XS	D/XM	L-naı	me			For	mat	M/0	Comm	ent
18 06 000 00	8 06 000 000 Packaging								M		
None	Sec	quenc	eNum	eric			n5		M		
18 06 003 00	0 Ty	peCod	le – [2	5][84][85]		an2		M	Types of	of packages. Not present for H6 and H7. 10
18 06 004 00	0 Qu	QuantityQuantity - [25][57]						n8		Number of packages	
10.06.054.00	0 Ma	nlraNı	ımbar	aID.	•	•	an F12		М	Shippir	ng marks. Is optional for H2 and I1. Not present for H6,

XSD-path

H7 and I2 EIDR

Description:

18 06 054 000

Details related to packaging.

Rules/codes/other relevant information:

MarksNumbersID

TypeCode (18 06 003 000):

Code specifing the type of package.

For Codelist information, see codelist - Import excel sheet found on GitHub.

Requirement Overview

H1 H2 H3 H4 H5 H6 H7 I1 I2 I2_EIDR

For **18 06 003 000** footnote **[25]**, **[84]** and **[85]** applies to **I2** declarations.

Quantity Quantity (18 06 004 000):

Total number of packages based on the smallest external packing unit. This is the number of individual items packaged in such a way that they cannot be divided without first undoing the packing, or the number of pieces, if unpackaged. This information shall not be provided for goods in bulk.

For 18 06 004 000 footnote [25] applies to I2 declarations, and footnote [57] applies to H7 declarations.

an..512

MarksNumberID (18 06 054 000):

Free form describing the marks and numbers on the transport unit or packages.

For **I1** this information will only be provided for packaged goods where applicable. Where goods are containerized, the container number can replace the shipping marks, which can however be provided by the economic operator where available. A UCR or the references in the transport document that allows the unambiguous identification of all packages in the consignment may replace the shipping marks.

XML-examples:

<ns3:Packaging>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:MarksNumbersID>MarksNumbersID

<ns3:QuantityQuantity>200</ns3:QuantityQuantity>

<ns3:TypeCode>CG</ns3:TypeCode>

</ns3:Packaging>

Commodity code (CUS Code)

CIA				Requ	ıirem	ent 0	vervi	ew			VCD noth
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
Yes/Yes	MC	0 0 MC MC n/a				n/a	0	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-	
res/res	GIL	GIL GIL GIL GIL						GIL			cyGoodsItem/Commodity/Classification
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comm	ent
18 09 000 000	Cla	ssific	ation				n/a		M		
None	Sec	quenc	eNum	eric			n5		M		
18 08 001 000	ID						an9		M	CUS Co	de
None	Ide	entific	ation'	ГуреС	ode		an3	3	M		

Description:

CUS code is for chemical substances.

Rules/codes/other relevant information:

CUS Code

Source: ECICS (European Customs Inventory of Chemical Substances)

Definition: Customs Union and Statistics (CUS) number assigned within the European Customs Inventory of Chemical Substances (ECICS) to mainly chemical substances and preparations.

Classification (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

IdentificationTypeCode (18 08 001 000):

To specify CUS Code, input "CUS"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>0010013-0</ns3:ID>

<ns3:IdentificationTypeCode>CUS</ns3:IdentificationTypeCode>

Commodity code (Harmonized system sub-heading code)

CIA				Requ	ıirem	ent 0	vervi	ew			VCD math
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Vac /Vac	M	M	M	M	M	M	M	M	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL	GIL	GIL			cyGoodsItem/Commodity/Classification
EUCDM 6.1	XS	D/XM	L-na	me			For	mat	M/O	Comm	ent
18 09 000 000	Cla	ssific	ation				n/a		M		
None	Sec	quenc	eNum	eric			n5	n5			
18 09 056 000) ID						an6		M	Harmo	nized System sub-heading code
None	Ide	entific	ation'	ГуреС	ode		an3	3	M		

Description:

Type of goods indicated by the commodity code/combined nomenclature code.

Rules/codes/other relevant information:

Classification (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

ID (18 09 056 000):

This is the first 6 digits of the Taric commodity code, e.g. if you have a Taric code: 01022110, then HS = 010221 TARIC codes can be found here: https://ec.europa.eu/taxation_customs/dds2/taric/taric_consultation.jsp?Lang=en

IdentificationTypeCode (18 09 056 000):

To specify Harmonized System Sub-heading Code, input "HS"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>010221</ns3:ID>

<ns3:IdentificationTypeCode>HS</ns3:IdentificationTypeCode>

Commodity code (Combined nomenclature code)

C/A				Requ	ıirem	ent 0	vervi	ew			VCD 41-
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Voc /Voc	M	M					n/a	M	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL		GIL			cyGoodsItem/Commodity/Classification
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/O	Comm	ent
18 09 000 000	Cla	ssific	ation				n/a		M		
None	Sec	quenc	eNum	eric			n5		M		
18 09 057 000) ID						an2		M	Combin	ned nomenclature code
None	Ide	entific	ation'	ГуреС	ode	•	an3	3	M		

Description:

Type of goods indicated by the combined nomenclature code.

Rules/codes/other relevant information:

Classification (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

ID (18 09 057 000):

This is the 7^{th} and 8^{th} digit of the Taric commodity code, e.g. if you have a Taric code: 01022110, then CN = 10 TARIC codes can be found here: https://ec.europa.eu/taxation_customs/dds2/taric/taric_consultation.jsp?Lang=en

IdentificationTypeCode (18 09 057 000):

To specify Combined Nomenclature Code, input "CN"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>10</ns3:ID>

<ns3:IdentificationTypeCode>CN</ns3:IdentificationTypeCode>

Commodity code (TARIC code)

CIA				Requ	ıirem	ent O	vervi	ew			VCD noth
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Vac /Vac	M	M	M	M	M	M	n/a	M	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-
Yes/Yes	GIL	GIL	GIL	GIL	GIL	GIL		GIL			cyGoodsItem/Commodity/Classification
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/O	Comm	ent
18 09 058 000	Cla	ssific	ation				n/a		M		
None	Sec	quenc	eNum	eric			n5	n5			
18 09 058 000) ID						an2		M	TARIC	code
None	Ide	entific	ation'	ГуреС	ode		an3	3	M		

Description:

The Taric Code used to specify applicable duties and taxes to the imported goods.

Rules/codes/other relevant information:

Commodity Code (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

ID (18 09 059 000):

The identification code for the Taric Code, which can be searched for here:

https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search

Be aware that different Taric Codes have different conditions which apply to the commodity and procedure codes.

IdentificationTypeCode (18 09 059 000):

To specify Taric Code, input "TRC"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>90</ns3:ID>

<ns3:IdentificationTypeCode>TRC</ns3:IdentificationTypeCode>

Commodity code (TARIC additional code)

CIA				Requ	ıirem	ent 0	vervi	ew			VCD noth
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Yes/Yes	MC	MC MC MC MC n/a				n/a	MC	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-	
res/res	GIL	GIL GIL GIL GIL D/XML-name						GIL			cyGoodsItem/Commodity/Classification
EUCDM 6.1	XS	D/XM	L-naı	me			For	mat	M/O	Comm	ent
18 09 000 000	Cla	ssific	ation				n/a		M		
None	Sec	quenc	eNum	eric			n5		M		
18 09 059 000) ID						an4		MC	TARIC	additional code
None	Ide	entific	ation	ГуреС	ode		an3	3	MC		

Description:

The Taric Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them.

Rules/codes/other relevant information:

Commodity Code (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

ID (18 09 059 000):

The identification code for the Taric Additional Code, which can be searched for here:

https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search

Be aware that different Taric Additional Codes have different conditions which apply to the commodity and procedure codes.

IdentificationTypeCode (18 09 059 000):

To specify Taric Additional Code, input "TRA"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>3212</ns3:ID>

<ns3:IdentificationTypeCode>TRA</ns3:IdentificationTypeCode>

Commodity code (National Additional Code)

				Requ	uirem	ent 0	vervie	ew					
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EI	XSD-path		
										DR			
	MC	MC	MC	MC	MC	n/a	n/a	MC	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-		
Yes/Yes	GIL							GIL			cyGoodsItem/Commodity/Classification		
	[58]	[58]	[58]	[58]	[58]			[58]			cyGoodsItem/Commodity/Classification		
EUCDM 6.1	2	XSD/X	ML-n	ame			Forn	nat	M/C	Com	ment		
18 09 000 00	00	Classifi	cation	1			n/a		M				
None	9	Sequen	ceNu	meric			n5		M				
18 09 060 00	00 1	ID					an4		MC	Nati	onal additional code		
None	None IdentificationTypeCode								MC				

Description:

The National Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them, specifically on a **national** level.

Rules/codes/other relevant information:

Commodity Code (18 09 000 000):

This element and its sub elements are allowed to be supplemented and estimated.

ID (18 09 060 000):

The identification code for the National Additional Code, which can be searched for here:

https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search

IdentificationTypeCode (18 09 059 000):

To specify National Additional Code, input "GN"

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>3212</ns3:ID>

<ns3:IdentificationTypeCode>GN</ns3:IdentificationTypeCode>

Type of goods

CIA				Requ	uirem	ent 0	vervi	ew			VCD41-
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
No /No	n/a			n/a	n/a	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-			
NO/NO	No/No II/a II/a II/a II/a II/a II/a II/a II/		GIL					cyGoodsItem/Commodity/Classification			
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comm	ent
18 10 000 000	- /							n/a M			
None	Sec	quenc	eNum	eric			n5		M		
18 10 001 000	ID						a3		0	Type of	f goods. 68
None	Ide	entific	ation'	ГуреС	ode		an3		0		

Description:

Used to enter the type of goods in postal consignment via the relevant union code.

Rules/codes/other relevant information:

UPU (Universal Postal Union) item nature indication codes as specified in UPU code list.

ID (18 10 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

The identification code for the UPU Code. Please refer to the UPU code list:

https://support.ptc.post/scms_public/

IdentificationTypeCode (18 10 001 000):

To specify Type of goods.

XML-examples:

<ns3:Classification>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:ID>A27</ns3:ID>

<ns3:IdentificationTypeCode>GDT</ns3:IdentificationTypeCode>

Group 19 – Transport information (modes, means and equipment)

Container indicator

CIA				Requ	uirem	ent O	vervi	ew			VCD noth				
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path				
Yes/Yes	M M M M n/a n/a GSL GSL GSL GSL							n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ ContainerCode				
EUCDM 6.1	XS	SD/XM	IL-na	me			For	mat	M/O	Comm	ent				
19 01 001 000	19 01 001 000 ContainerCode								M						

Description:

Data element indicating if the goods are transported in a container or not.

Rules/codes/other relevant information:

ContainerCode (19 01 001 000):

The relevant codes are:

- $\boldsymbol{0}$ Goods not transported in containers.
- $1 \hbox{ Goods transported in container.} \\$

XML-examples:

<ns3:ContainerCode>0</ns3:ContainerCode>

Mode of Transport at the Border

C/A				Requ	ıirem	ent 0	vervi	ew			VCD noth
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Yes/Yes	M	M	M	M	M	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consign-
res/res	GSL									ment/BorderTransportMeans	
EUCDM 6.1								Format		Comm	ent
19 03 000 000	Во	rderT	ransp	ortMe	eans		n/a		M		
19 03 001 000				n1		M	CL1003	38			

Description:

Details of the active means of transport crossing the border of the Customs territory.

Rules/codes/other relevant information:

In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In the case of a tractor and trailer, the active means of transport is the tractor. The mode of transport for:

- **H1 H4**: Enter the mode of transport corresponding to the active means of transport with which the goods entered the customs territory of the Union.
- **H5**: Enter the mode of transport corresponding to the active means of transport with which the goods entered the fiscal territory concerned

Note:

This element (19 03 000 000) and element (19 08 000 000) Active Border Transport Means share a header name BoarderTransportMeans so the example below contains sub elements from both element (19 08 000 000) and element (19 03 000 000).

ModeCode (19 03 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

XML-examples:

<ns3:BorderTransportMeans>

<ns3:RegistrationNationalityCode>NO</ns3:RegistrationNationalityCode>

<ns3:ModeCode>5</ns3:ModeCode>

</ns3:BorderTransportMeans>

Arrival Transport Means (Inland mode of transport)

CIA				Requ	ıirem	ent 0	vervi	ew			VCD mode
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Yes/Yes	MC GSL [32]	GSL GSL GSL GSL GSL [32] [32] [32]						n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ ArrivalTransportMeans
EUCDM 6.1							Format M/0			Comm	ent
19 04 000 00	04 000 000 ArrivalTransportMeans							n/a			
19 04 001 000 ModeCode							n1	n1		Inland CL1003	mode of transportation. 38

Description:

The mode of transport used upon the goods arrival.

Rules/codes/other relevant information:

ModeCode (19 04 001 000):

For codelist information, see codelist – Import excel sheet found on <u>GitHub.</u>

The code that identifies the mode of transportation e.g. '1' for Sea transport.

For 19 04 001 000 footnote [32] applies to H1, H2, H3, and H4 declarations.

XML-examples:

XML example contains elements mentioned in the following table:

<ns3:ArrivalTransportMeans>

<ns3:ModeCode>9</ns3:ModeCode>

</ns3:ArrivalTransportMeans>

Arrival Transport Means (identification info)

CIA				Requ	ıirem	ent 0	vervi	iew			VCD
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
	MC	n/a	MC	MC	MC	n/a	n/a	n/a	n/a	n/a	
Yes/Yes	GSL		GSL	GSL	GSL						GSL: Declaration/GoodsShipment/Consignment/Ar-
Tes/Tes	[34		[34]	[34]	[34]						rivalTransportMeans
	<u> </u>										
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/0	Comm	ent
19 06 000 00	0 Ar	rivalT	'ransp	ortMe	eans		n/a		MC		
19 06 017 00	0 ID						an	35	M	Identif	ication number
19 06 061 00	061 000 IdentificationTypeCode n2 M		М	Type o	f identification. 38						
	sequence				M						

Description:

Info on identification method based on means of transport and ID

Rules/codes/other relevant information:

ID (19 06 017 000):

For codelist information, see codelist - Import excel sheet found on GitHub.

Depending on the means of transport concerned, the following details concerning identity shall be entered:

Means of transport - Method of identification

- Sea and inland waterway transport Name of vessel
- Air transport Number and date of flight (where there is no flight number, enter the aircraft's registration number)
- Road transport Vehicle and/or trailer registration number
- Rail transport Wagon number

IdentificationTypeCode (19 05 061 000):

The code for the identification type e.g. '10' for Ship Identification Number.

The first digit of this code must be equal to the digit declared in ModeCode.

XML-examples:

XML example contains elements mentioned in the previous table:

<ns3:DepartureTransportMeans>

<ns3:ID>DEPID123</ns3:ID>

<ns3:IdentificationTypeCode>11/ns3:IdentificationTypeCode>

<ns3:sequence>1</ns3:sequence>

</ns3:DepartureTransportMeans>

Transport equipment

CIA				Requ	uirem	ent O	verv	iew			VCD moth
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
	MC	MC	MC	MC	MC	n/a	n/a	MC	n/a	MC	
	GSL	GSL	GSL	GSL	GSL			GSL		GSL	GSL: Declaration/GoodsShipment/Consign-
Yes/Yes	[62]	[62]	[62]	[62]	[62]			[62]		[62]	ment/TransportEquipment
										[84]	ment/ HansportEquipment
										[85]	
EUCDM 6.1	XS	D/XM	IL-naı	me			For	mat	M/0	Comme	ent
19 07 000 000	Tra	anspo	rtEqu	ipmer	nt		n/a		MC		
19 07 044 000	Sec	quenc	eNum	eric	•	•	n5		M	Goods r	eference

Container identification number

Description:

19 07 063 000 ID

Details of the transport equipment used for the consignment.

Rules/codes/other relevant information:

SequenceNumeric (19 07 044 000):

For each container, enter the goods item numbers(s) for the goods transported in this container.

an..17

ID(19 07 063 000):

Marks (letters and/or numbers) which identify the container.

For modes of transport other than air, a container is a special box to carry freight, strengthened and stackable and allowing horizontal or vertical transfers. In the air mode, containers are special boxes to carry freight, strengthened and allowing horizontal or vertical transfers.

In the context of this data element, the swap bodies and semi-trailers used for road and rail transport shall be considered as containers. For swap bodies and semi-trailers the ILU (Intermodal Loading Units) code as introduced by the European EN 13044 standard shall be used.

If applicable, for containers covered by the standard ISO 6346, the identifier (prefix) allocated by the International Bureau of Containers and Intermodal Transport (BIC) shall also be provided in addition to the container identification number.

XML-examples:

<TransportEquipment>

<SequenceNumeric>1</SequenceNumeric>

<ID>MWCU1234567</ID>

</TransportEquipment>

Active Border Transport Means

CIA				Requ	uirem	ent 0	vervi	iew			VCD II-
C/A	Н1	Н2	НЗ	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
Yes/Yes	MC GSL	n/a	MC GSL	MC GSL	MC GSL	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/BorderTransportMeans
EUCDM 6.1	[37] XS	D/XM	[37] IL-na i	[37] ne	[37]		For	mat	M/0	Comm	ent
19 08 000 000) Во	rderT	ransp	ortMe	eans		n/a		M		
19 08 062 000) Re	gistra	tionN	ationa	alityCo	ode	a2		МС	Nation:	3

Description:

Details of the active means of transport crossing the border of the Customs territory.

Rules/codes/other relevant information:

The nationality code of the active means of transport entering the union. In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In the case of a tractor and trailer, the active means of transport is the tractor.

Note:

This element (19 08 000 000) and element (19 03 000 000) Mode of Transport at the Border share a header name BoarderTransportMeans so the example below contains sub elements from both element (19 08 000 000) and element (19 03 000 000).

RegistrationNationalityCode (19 08 062 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

XML-examples:

<ns3:BorderTransportMeans>

<ns3:RegistrationNationalityCode>NO</ns3:RegistrationNationalityCode>

<ns3:ModeCode>5</ns3:ModeCode>

</ns3:BorderTransportMeans>

Group 99 – Goods identification



Quota order number

CIA			Requirement Overview								VCD II-
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
	MC	n/a	n/a	n/a	n/a	n/a	n/a	MC	n/a	n/a	GIL: Declaration/GoodsShipment/GovernmentAgen-
Yes/Yes	GIL							GIL			cyGoodsItem/Commodity/ DutyTaxFee
								[2]			oy doodonooniy dominodirey / 2 doy 1 dail 00
EUCDM 6.1	XS	D/XM	L-naı	me			For	mat	M/0	Comm	ent
99 01 000 000	Du	tyTax	Fee				n/a		MC		
99 01 001 000	001 000 QuotaOrderID		an6	an6 M							

Description:

Code specifying the nature of a transaction associated with a shipment.

Rules/codes/other relevant information:

QuotaOrderID (99 01 001 000):

Enter the order number of the tariff quota for which the declarant is applying.

XML-examples:

<ns3:DutyTaxFee>

<ns3:QuotaOrderID > 000009</ns3:QuotaOrderID >

</ns3: DutyTaxFee >

Guarantee type

CIA				Requ	ıirem	ent 0	vervi	iew			VCD worth		
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path		
	MC	n/a	M	MC	n/a	M	n/a	n/a	n/a	n/a			
Yes/Yes	DL		DL	DL		DL					Basepath: Declaration/ObligationGuarantee		
	[39]												
EUCDM 6.1	XS	D/XM	L-na	me			For	mat	M/0	Comm	ent		
99 02 000 00	0 Ob	ligatio	nGua	rante	e		n/a	n/a		n/a M			
None	Sec	SequenceNumeric			n5	n5 M							
99 02 001 00	0 Sec	curity	Detail	lsCode = [39]		an1		М	CL102	42			

Description:

Using the relevant Union codes, enter the type of guarantee used for the operation.

Rules/codes/other relevant information:

SecurityDetailsCode (99 02 001 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

For $99\ 02\ 001\ 000$, footnote [39] applies to H1 declarations.

XML-examples:

<ns3:0bligationGuarantee>

<ns3:SequenceNumeric>1</ns3:SequenceNumeric>

<ns3:SecurityDetailsCode>D</ns3: SecurityDetailsCode>

</ns3: ObligationGuarantee>

Guarantee reference (ObligationGuarantee)

C/A		Requirement O						ew			VCD models
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
	MC	n/a	M	MC	n/a	M	n/a	n/a	n/a	n/a	
Yes/Yes	DL		DL	DL		DL					Basepath: Declaration/ObligationGuarantee
	[39]										
EUCDM 6.1	XSD/XML-name				Format M/O Com				ent		
99 03 000 000	Ob	ObligationGuarantee				n/a	n/a				
None	Se	SequenceNumeric				n2		M			
99 03 069 000	Re	ferenc	ceID				an2	24	M	MC for	Н3, Н6
99 03 070 000	Ac	cessCo	ode				an4	1	M	MC for	Н3, Н6
99 03 012 000	Cu	rrency	yID				a3		M	MC for	H3, H6. CL10171
99 03 071 000	An	nount	Amou	nt			n1	6,2	M	MC for	Н3, Н6
None	Gu	GuaranteeOffice					n/a		M		
99 03 072 000) ID	ID			an8		M	MC for	H3, H6. CL10209		
99 03 073 000	073 000 ID				n3	5	0	MC for	Н3, Н6		

Description:

Info about a guarantee like reference number, amount, currency type, and more.

Rules/codes/other relevant information:

ReferenceID (99 03 069 000):

The GRN or guarantee reference number used to identify which guarantee the other info relates to

AccessCode (99 03 070 000):

The access code of the guarantee.

AmountAmount (99 03 071 000):

The amount of customs debt that can incur or has incurred for this declaration and must be covered by the guarantee.

CurrencyID (99 03 012 000):

For Codelist information, see codelist - Import excel sheet found on GitHub.

This code refers to an XML attribute, so it is written inside the XML opening tag of other elements for example its inside the **AmountAmount (99 03 071 000)** open tag.

ID (99 03 072 000):

The office where the guarantee is registered.

ID (99 03 073 000):

When a guarantee is not valid for all the common transit countries enter the relevant countries or country concerned. Provide the reference number of the guarantee used for the operation and if appropriate the access code and the office of guarantee

XML-examples:

<ns3:ObligationGuarantee>

- <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
- <ns3:AmountAmount currencyID="DKK">74429</ps3:AmountAmount>
- <ns3:ReferenceID>HJL89676</ps3:ReferenceID>
- <ns3:AccessCode>12A3</ns3:AccessCode>
- <ns3:SecurityDetailsCode>D</ns3: SecurityDetailsCode>
- <ns3:ID>DKTEA16-0838248<ns3:ID>
- <ns3:GuaranteeOffice>
 - <ns3:ID>DK004700<ns3:ID>
- </ns3:GuaranteeOffice>
- </ns3: ObligationGuarantee>

Nature of Transaction

CIA				Requ	ıirem	ent 0	vervi	ew			VCD II-
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
	M	0	M	M	M	n/a	n/a	n/a	n/a	n/a	GSL : Declaration/GoodsShipment/ TransactionNatu-
Yes/Yes	GSL	GSL	GSL	GSL	GSL						reCode
res/res	GIL	GIL	GIL	GIL	GIL						GIL: Declaration/GoodsShipment/GovernmentAgen-
					[24]						cyGoodsItem/TransactionNatureCode
EUCDM 6.1	XS	D/XM	IL-na	me			For	mat	M/O	Comm	ent
99 05 001 000	Tra	ansact	tionNa	ature(Code		n2		M	CL1003	35

Description:

Code specifying the nature of a transaction associated with a shipment.

Rules/codes/other relevant information:

TransactionNatureCode (99 05 001 000):

For Codelist information, see codelist - Import excel sheet found on <u>GitHub</u>.

For **99 05 001 000**, footnote **[24]** applies to **H5** declarations.

XML-examples:

<ns3:TransactionNatureCode>1</ns3:TransactionNatureCode>

Statistical value

CIA				Requ	ıirem	ent 0	vervi	ew			VCD
C/A	Н1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
	M	M	M	M	M	n/a	n/a	n/a	n/a	n/a	CH - De claration /CondeChiumont /Consumment Acon
Yes/Yes	GIL	GIL	GIL	GIL	GIL						GIL: Declaration/GoodsShipment/GovernmentAgen-
	[40]	[40]	[40]	[40]	[40]						cyGoodsItem/ StatisticalValueAmount
EUCDM 6.1	XS	D/XM	L-naı	me			For	mat	M/O	Comm	ent
99 06 001 000	Sta	tistica	alValu	eAmo	unt		n1	6,2	M		

Description:

Value declared for statistical purposes of those goods in a consignment which have the same statistical heading.

Rules/codes/other relevant information:

StatisticalValueAmount (99 06 001 000):

Enter the statistical value expressed in the currency unit the code for which may appear in **(14 17 000 000)** Internal currency unit, or, in the absence of such a code in **(14 17 000 000)** Internal currency unit. This currency will be that of the Member State where the import formalities are completed, in accordance with the Union provisions in force.

XML-examples:

<ns3:StatisticalValueAmount>100.00/ns3:StatisticalValueAmount>

Appendix

AdmissionUseProcessingAuthorisation (8f)

C/A				Rec	quire	ment	0ver	view			VCD moth
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	12	I2_EIDR	XSD-path
No/No	MC DL	n/a	MC DL	MC DL	n/a	n/a	n/a	n/a	n/a	n/a	Basepath: Declaration/AdmissionUseProcessingAuthorisation
EUCDM 6.1	XSD	/XML	-nam	e			Forn	nat	M/O	Comment	i
8f		issior isatio	ıUseP n	roces	singA	u-	n/a		0		
34 11 000 000	Cust	oms0	ffices	OfDis	charg	е	n/a		M		
None	Sequ	encel	Nume	ric			n3		M		
34 11 000 301	Cust	ffices	OfDis	charg	е	an8		0			
35 01 080 000	Iden	tificat	tionOf	Good	S		n/a		0		
None	SequenceNumeric						n3		M		
35 01 080 008	Code	9					n2		M		
35 01 080 009	FreeText					an5	12	0			
37 05 000 244	DetailsOfPlannedActivities				an5	12	0				
38 05 000 009	AdditionalInformation				an5	12	0				
33 08 000 000	GoodsOwner				n/a		0	Non-unior	n owner of the goods.		
None	Sequ	SequenceNumeric				n2		M			
33 08 000 016	Nam	Name				an7	0	M			
33 08 010 019					an7	0	M				
33 08 010 020	Cour	ntryCo	ode				a2		M		
33 08 010 021	Post	code					an1	7	M		
33 08 010 022	City						an3	5	M		
34 05 000 000	First	Place	OfUse	OrPro	ocessi	ng	n/a		0		
None	Sequ	encel	Nume	ric			n3		M		
34 05 050 020	Cour	ntry					an2		0	CL10203	
34 05 010 045	Loca	tionT	ypeCo	ode			a1		0		
34 05 010 046	Qual	ifierO	fThei	dentif	icatio	n	a1		0		
34 05 010 052	Iden	tificat	tionOf	Locat	ion		an3	5	0		
34 05 010 053	Addi	tiona	lIdent	ifier			n3		0		
34 05 050 019	Stree	etAnd	Numb	oer			an7	0	0		
34 05 050 021	Post	code					an1	7	0		
34 05 050 022	City						an3	5	0		
34 09 000 000	Place	eOfPr	ocessi	ing0r	Use		n/a		0		
None	Sequ	encel	Nume	ric			n3		M		
34 09 050 020	Cour	ntry					an2		0	CL10203	
None	Loca	tionT	ypeCo	ode			a1		0		
34 09 010 046	Qual	ifierO	fThei	dentif	icatio	n	a1		0		
34 09 010 052	Iden	IdentificationOfLocation					an3	5	0		
34 09 010 052	AdditionalIdentifier				n3		0				
34 09 050 019	StreetAndNumber				an7	0	0				
34 09 050 020	Postcode			an1	7	0					
34 09 050 022	City			an3	5	0					
34 17 000 000	Disc	harge	Perio	d			n/a		0		

34 17 000 245	Period	n2	0	
34 17 000 213	TickBox	n1	0	
34 17 000 009	FreeText	an512	0	
35 01 050 000	YieldRate	n/a	0	
None	SequenceNumeric	n3	M	
35 01 050 009	FreeText	an512	0	
35 07 000 000	ProcessedProducts	n/a	0	
None	SequenceNumeric	n8	M	
35 07 010 000	CommodityCode	an8	M	
35 07 020 254	DescriptionOfGoods	an512	0	
35 01 090 000	EconomicConditions	n/a	0	
None	SequenceNumeric	n3	M	
35 01 090 008	Code	n2	M	
35 01 090 009	FreeText	an512	0	
38 13 000 009	ImportDuty	n1	0	
34 13 000 301	SupervisingCustomsOffice	an8	0	

Description:

Customs Decision application element 8F for Customs Decision.

Rules/codes/other relevant information:

Owner of the Goods (33 08 000 000): Where applicable under the relevant Article, enter the name and address of the non-Union owner of the goods to be placed under the temporary admission

First Place of use or processing **(FirstPlaceOfUseOrProcessing):** Using the relevant code, enter the address of the place concerned. This information shall only be provided, if, in the context of an application for an authorisation for the use of inward processing or end-use procedures.

Place(s) of processing or use (**PlaceOfProcessingOrUse**): Using the relevant code, indicate the address of the place(s) concerned.

Customs Office(s) of discharge (CustomsOfficesOfDischarge): Indicate the suggested customs office(s)

Suprevising customs office (SupervisingCustomsOffice): Indicate the competent customs office, as provided for in article 1(36).

Period for discharge **(DischargePeriod)**: Enter the estimated period expressed in months needed for the operations to be carried out or use within the special customs procedure applied for.

Yield Rate **(YieldRate)**: Estimated rate of yield or estimated average rate of yield, or where appropriate, the method of determining such rate.

Processed Products (**ProcessedProducts**): Enter details of all processed products resulting from the operations, indicating the main processed product and the secondary processed products which are by-products of the processing operation other than the main processed product, as appropriate.

Identification of Goods (IdentificationOfGoods): Enter the intended measures of identification by using at least one of the relevant codes

Economic Conditions (EconomicCondition): The inward or outward processing procedure can be used only where the essential interests of the Union producers would not be adversely affected by an authorisation for a processing procedure (economic conditions).

In most of the cases an examination of the economic conditions is not necessary. However, in certain cases such an examination must be carried out at Union level.

Details of Planned Activities (**DetailsOfPlannedActivities**): Describe the nature of the planned activities or use (e.g., details of the operations under a job-processing contract or kind of usual forms of handling under inward processing) to be carried out on the goods within the special procedure.

If the applicant wishes to carry out the processing of the goods under inward processing or end-use procedure in a customs warehouse, pursuant to Article 241 of the Code, he shall provide the relevant details.

Where appropriate, indicate name, address and function of other persons involved.

Additional Information (AdditionalInformation): Enter any additional information, if deemed helpful

Calculation of the amount of the import duty in accordance with article 86(3) of the Code (ImportDuty): <u>Application</u>: Indicate ('yes/no') whether the applicant wishes to calculate the import duty in accordance with Article 86(3) of the Code.

If the answer is 'no', Article 85 of the Code must be applied, which means, that the calculation of the amount of import duty is made on the basis of the tariff classification, customs value, quantity, nature and origin of the goods at the time at which the customs debt in respect of them incurred.

Decisions:

In case the holder of the authorisation wishes to calculate the import duty in accordance with Article 86(3) of the Code, the authorisation for inward processing shall provide for that the relevant processed products may not be imported directly or indirectly by the holder of the authorisation and released for free circulation within a period of one year after their re-export. However, the processed products may be imported directly or indirectly by the holder of the authorisation and released for free circulation within a period of one year after their re-export if the amount of import duty is determined in accordance with Article 86(3) of the Code.

XML-examples:

```
<ns2:AdmissionUseProcessingAuthorisation>
   <ns4:CustomsOfficesOfDischarge>
       <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
       <ns4:CustomsOfficesOfDischarge>DK004700</ns4:CustomsOfficesOfDischarge>
   </ns4:CustomsOfficesOfDischarge>
   <ns4:SupervisingCustomsOffice>DK007900</ns4:SupervisingCustomsOffice>
   <ns4:IdentificationOfGoods>
       <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
       <ns4:Code>8</ns4:Code>
       <ns4:FreeText>without identification measures according to Article 250(2)(b) of the Code
(only suitable for temporary admission)</ns4:FreeText>
   </ns4:IdentificationOfGoods>
   <ns4:DetailsOfPlannedActivities>Repair</ns4:DetailsOfPlannedActivities>
   <ns4:GoodsOwner>
       <ns4:Name>Trader Name</ns4:Name>
       <ns4:StreetAndNumber>Stadiou 1</ns4:StreetAndNumber>
       <ns4:CountryCode>GR</ns4:CountryCode>
       <ns4:PostCode>11111
       <ns4:City>Athens</ns4:City>
       <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
   </ns4:GoodsOwner>
   <ns4:FirstPlaceOfUseOrProcessing>
       <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
       <ns4:Country>DK</ns4:Country>
        <s4:LocationTypeCode>A</ns4:LocationTypeCode>
```

```
<ns4:QualifierOfTheIdentification>V</ns4:QualifierOfTheIdentification>
        <ns4:IdentificationOfLocation>NLAMS</ns4:IdentificationOfLocation>
        <ns4:AdditionalIdentifier>2</ns4:AdditionalIdentifier>
   </ns4:FirstPlaceOfUseOrProcessing>
   <ns4:PlaceOfProcessingOrUse>
        <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
        <ns4:Country>DK</ns4:Country>
        <ns4:LocationTypeCode>A</ns4:LocationTypeCode>
        <ns4:QualifierOfTheIdentification>V</ns4:QualifierOfTheIdentification>
        <ns4:IdentificationOfLocation>NLAMS</ns4:IdentificationOfLocation>
        <ns4:AdditionalIdentifier>1</ns4:AdditionalIdentifier>
    </ns4:PlaceOfProcessingOrUse>
    <ns4:DischargePeriod>
        <ns4:Period>5</ns4:Period>
        <ns4:TickBox>1</ns4:TickBox>
        <ns4:FreeText>5 months of period</ns4:FreeText>
   </ns4:DischargePeriod>
    <ns4:YieldRate>
        <ns4:SequenceNumeric>5</ns4:SequenceNumeric>
        <ns4:FreeText>Indicate the estimated rate of yield or estimated average rate of yield, or
where appropriate, the method of determining such rate.</ns4:FreeText>
    </ns4:YieldRate>
    <ns4:ProcessedProducts>
        <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
        <ns4:CommodityCode>87032390/ns4:CommodityCode>
        <ns4:DescriptionOfGoods>Motor cars and other motor vehicles principally designed for the
transport of persons (other than those of heading 8702), including station wagons and racing cars,
of a cylinder capacity exceeding 1500 cm3 but not exceeding 3000 cm3.</ns4:DescriptionOfGoods>
   </ns4:ProcessedProducts>
    <ns4:EconomicConditions>
        <ns4:SequenceNumeric>1</ns4:SequenceNumeric>
        <ns4:Code>16</ns4:Code>
        <ns4:FreeText>repair</ns4:FreeText>
   </ns4:EconomicConditions>
    <ns4:ImportDuty>1</ns4:ImportDuty>
</ns2:AdmissionUseProcessingAuthorisation>
```

RepaymentRemissionAuthorisation (4c)

C/A				Re	equire	emen	t Ove	rview			VCD models
C/A	H1	Н2	Н3	H4	Н5	Н6	Н7	I1	I2	I2_EIDR	XSD-path
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	n/a	n/a	Basepath: Declaration/ RepaymentRemissionAuthorisation
EUCDM 6.1	XSD	/XML	-nam	e			Fo	rmat	M/0	Comment	i e
4c	Repa	aymer	ntRem	issior	nAuth	orisa-	n/a	a	M		
31 01 000 002	Appl	icatio	nCod	еТуре	9		an.	.4	M	CL3101	
31 02 000 202	Appl	icatio	nSign	ature			an.	.256	0		
31 06 000 000	Deci	sionR	efere	nceNu	ımber		n/a	a	0		
31 06 000 020	Cour	ntryCo	ode				a2		M		
31 06 000 001	Refe	rence	Numb	oer			an.	.29	M		
31 06 000 205	CodeType						an.	.4	M	CL3101	
32 04 000 000	AttachedDocument						n/a	a	0		
32 04 000 223	TotalDocuments						n3	3	M		
32 04 010 000	Docu	ıment	t				n/a	a	M		
32 04 010 224	Nam	e					an.	.2560	M		
32 04 010 225	Atta	chedD	ocum	nentID)		an.	.70	M		
32 04 010 226	Atta	chedD	ocum	nentDa	ate		n8		M		
33 01 000 000	Appl	icatio	nHolo	der			n/a	a	0		
33 01 000 016	Nam	e					an.	.70	M		
33 01 010 019	Stree	etAnd	Numb	oer			an.	.70	M		
33 01 010 020	Cour	ntryCo	ode				a2		M		
33 01 010 021	Post	Code					an.	.17	M		
33 01 010 022	City						an.	.35	M		
33 02 000 229	Appl	icatio	nHolo	derId			an.	.17	M		
33 06 000 000	Appl	icatio	nSup	pervis	ser		n/a	a	M		
33 06 000 016	Nam	e					an.	.70	M		
33 06 000 234	Tele	phone	eNum	ber			an.	.50	0		
33 06 000 076	Ema	ilAddı	ress				an.	.256	0		
34 02 000 207	Appl	icatio	nDate	e			n8		0		
34 02 000 207	Deci	sionD	ate				n8		0		
36 03 000 009	Gene	eralRe	emark	S			an.	.2560	0		
33 03 000 000	Repr	esent	ative				n/a	a	0		
33 03 000 016	Nam	e					an.	.70	M		
33 03 010 019	Stree	etAnd	Numb	oer			an.	.70	M		
33 03 010 020	Cour	ntryCo	ode				a2		M		
33 03 010 021	PostCode						an.	.17	M		
33 03 010 022	City						an.	.35	M		
33 03 020 229	RepresentativeId						an.	.17	0		
34 08 000 000	Good	dsLoc	ation				n/a	a	0		
34 08 010 036	Loca	tionC	odeTy	ype			an.	.17	M		
34 08 010 052	Loca	tionA	uthor	isatio	n		An	35	M		

34 08 010 046	IdentificationQualifier	a1	M	CL3405
34 08 010 053	AdditionalIdentifier	an8	0	020100
34 08 020 001	CustomsOfficeId	an8	0	
34 08 030 049	Latitude	an17	0	
34 08 030 050	Longitude	an17	0	
34 08 040 017	EconomicOperatorId	an17	0	
34 08 050 019	StreetAndNumber	an70	0	
34 08 050 020				
34 08 060 020	CountryCode	a2	M	
34 08 050 021	Postcode	an17	0	
34 08 060 021				
34 08 050 022	City	an35	0	
34 08 060 025	HouseNumber	an35	0	
34 08 070 016	Name	an70	0	
34 08 070 234	TelephoneNumber	an50	0	
34 08 070 076	EmailAddress	an256	0	
35 01 010 000	TraderCommodityCode	n/a	0	
35 01 010 057 35 01 010 056	NomenclatureCode	an8	M	
35 01 010 058	TaricSubheading	an2	M	
35 01 011 247	TaricAdditionalCode	an4	M	
35 01 011 060	NationalAdditionalCode	an4	M	
35 01 020 009	GoodsDescription	an2560	0	
35 01 030 000	TraderGoodsQuantity	n/a	0	
35 01 031 249	Measurement	an4	M	
35 01 031 006	Quantity	n16,6	M	
38 05 000 009	AdditionalInformation	an2560	0	
48 01 000 300	RecoveryTitle	an35	M	
48 02 000 301	CustomsOfficeNotified	an8	0	
48 03 000 301	CustomsOfficeLocation	an8	0	
48 04 000 009	CustomsOfficeComments	an2560	0	
48 05 000 000	CustomsProcedure	n/a	0	
48 05 000 257	Code	an2	M	
48 05 000 213	Checked	n1	M	
48 05 010 000	DecisionReferenceNumber	n/a	M	
48 05 010 020	CountryCode	a2	M	
48 05 010 001	ReferenceNumber	an29	M	
48 05 010 205	CodeType	an4	M	CL3101
48 06 000 000	CustomsValue	n/a	M	
48 06 000 012	Currency	a3	M	
48 06 000 014	Amount	n16,2	M	
	AmountDuty	n/a	M	
48 07 000 012	Currency	a3	M	
48 07 000 014	Amount	n16,2	M	
48 08 000 000	DutyType	n/a	M	
48 08 000 302	UnionCode	a1+n2	M	
48 08 000 303	NationalCode	n1+an2	M	
10 00 000 303		3=		

48 09 000 304	LegalBasis	a1	M	CL4809
48 10 000 009	GoodsDestination	an2560	0	
48 13 000 009	TraderGroundsDescription	an9999	0	
48 14 000 009	BankDetails	an2560	0	

Description:

Authorization code type for application element 4c for remission and repayment.

Rules/codes/other relevant information:

ApplicationCodeType (31 01 000 002): Authorization code type for application.

ApplicationSignature (31 02 000 202): Authorization signature for application.

DecisionReferenceNumber (31 06 000 000): Unique reference attributed by the competent customs authority to the decision.

AttachedDocument (32 04 000 000): Document(s) attached to the application or the decision. Multiple instances of this element can be used if more than one document needs to be attached.

ApplicationHolder (33 01 000 000): Applicant of the authorisation which includes applicants name and address.

ApplicationHolderId (33 01 000 229): The application holders ID provided as an EORI number.

ApplicationSupperviser (33 06 000 000): Contact details of person responsible for the application.

ApplicationDate (34 02 000 207): Date on which the applicant has signed or otherwise authenticated the application. DecisionDate (34 02 000 207): The date on which the authorization or decision relating to binding information or on the repayment or remission of import or export duty was taken.

General Remarks (36 03 000 009): General remarks regarding particulars of any requirements to which the goods remain subject pending implementation of the decision. If applicable, the decision shall contain a notice informing the holder of the decision that he must give the original of the decision to the implementing customs office of his choice when presenting the goods.

Representative (33 03 000 000): Name and address of Repayment/Remission representative.

Customs Office Notified (48 02 000 301): Customs office where the customs debt was notified.

Customs Office Location (48 03 000 301): Customs office responsible for the place where the goods are located.

Customs Office Comments (48 04 000 309): Comments of the customs office responsible for the place where the goods are located.

Customs Procedure (48 05 000 000): Customs procedure (request for prior completion of formalities).

Amount Duty (48 07 000 000): Amount of import or export duty to be repaid or remitted of.

Duty Type (48 $08\ 000\ 000$): Type of import or export duty.

Goods Destination (48 10 000 009): Use or destination of goods.

XML-examples:

```
<ns5:AttachedDocument>
    <ns5:TotalDocuments>1<ns5:TotalDocuments>
   <ns5:Document>
        <ns5:Name>Abcd</ns5:Name>
        <ns5:AttachedDocumentID>KMASDFWQER1D123</ns5:AttachedDocumentID>
        <ns5:AttachedDocumentDate formatCode="304">20211104</ns5:AttachedDocumentDate>
    </ns5:Document>
</ns5:AttachedDocument>
<ns5:ApplicationHolder>
    <ns5:Name>Jurgen Meyer</ns5:Name>
   <ns5:StreetAndNumber>Copenhagen street/ns5:StreetAndNumber>
    <ns5:CountryCode>DK</ns5:CountryCode>
   <ns5:PostCode>2300</ns5:PostCode>
    <ns5:City>Copenhagen</ns5:City>
</ns5:ApplicationHolder>
<ns5:ApplicationHolderId>DK12345678/ns5:ApplicationHolderId>
<ns5:ApplicationSupervisor>
    <ns5:Name>Jurgen Meyer</ns5:Name>
    <ns5:TelephoneNumber>2114568963/ns5:TelephoneNumber>
    <ns5:EmailAddress>asd@dsa.gr</ns5:EmailAddress>
</ns5:ApplicationSupervisor>
<ns5:ApplicationDate formatCode="304">20211104</ns5:ApplicationDate>
<ns5:DecisionDate formatCode="304">20211104</ns5:DecisionDate>
<ns5:GeneralRemarks>A remark regarding details of the goods</ns5:GeneralRemarks>
<ns5:Representative>
   <ns5:Name>Jurgen Meyer</ns5:Name>
    <ns5:StreetAndNumber>Copenhagen street</ns5:StreetAndNumber>
   <ns5:CountryCode>DK</ns5:CountryCode>
    <ns5:PostCode>2300</ns5:PostCode>
    <ns5:City>Copenhagen</ns5:City>
</ns5:Representative>
<ns5:RepresentativeId>DK12345678/ns5:RepresentativeId>
<ns5:GoodsLocation>
    <ns5:LocationCodeType>A</ns5:LocationCodeType>
   <ns5:LocationAuthorisation>AN12345/ns5:LocationAuthorisation>
   <ns5:IdentificationQualifier>U</ns5:IdentificationQualifier>
    <ns5:AdditionalIdentification>DKFDH</ns5:AdditionalIdentification>
   <ns5:CustomsOfficeId>12345678/ns5:CustomsOfficeId>
    <ns5:Latitude>123</ns5:Latitude>
   <ns5:Longitude>456</ns5:Longitude>
   <ns5:EconomicOperatorId>ABD12345678/ns5:EconomicOperatorId>
    <ns5:StreetAndNumber>Copenhagen Street</ns5:StreetAndNumber>
    <ns5:CountryCode>DK</ns5:CountryCode>
    <ns5:PostCode>2100</ns5:PostCode>
   <ns5:City>Copenhagen</ns5:City>
   <ns5:HouseNumber>123</ns5:HouseNumber>
    <ns5:Name>Jurgen Meyer</ns5:Name>
    <ns5:TelephoneNumber>2114568963/ns5:TelephoneNumber>
    <ns5:EmailAddress>asd@dsa.gr</ns5:EmailAddress>
</ns5:GoodsLocation>
<ns5:TraderCommodityCode>
```

```
<ns5:NomenclatureCode>001122/ns5:NomenclatureCode>
        <ns5:TaricSubheading>A1</ns5:TaricSubheading>
        <ns5:TaricAdditionalCode>A1A1/ns5:TaricAdditionalCode>
        <ns5:NationalAdditionalCode>A2A2/ns5:NationalAdditionalCode>
    </ns5:TraderCommodityCode>
    <ns5:GoodsDescription>Test Description</ns5:GoodsDescription>
    <ns5:TraderGoodsQuantity>
        <ns5:Measurement>KGR1</ns5:Measurement>
        <ns5:Quantity>121.00</ns5:Quantity>
    </ns5:TraderGoodsQuantity>
    <ns5:AdditionalInformation>Additional Information/ns5:AdditionalInformation>
    <ns5:RecoveryTitle>TitleforRecovery1</ns5:RecoveryTitle>
    <ns5:CustomsOfficeNotified>ABC45678/ns5:CustomsOfficeNotified>
    <ns5:CustomsOfficeLocation>GR345678</ns5:CustomsOfficeLocation>
    <ns5:CustomsOfficeComments>The goods look good</ns5:CustomsOfficeComments>
    <ns5:CustomsProcedure>
        <ns5:Code>IM</ns5:Code>
        <ns5:Checked>true</ns5:Checked>
        <ns5:DecisionReferenceNumber>
            <ns5:CountryCode>GR</ns5:CountryCode>
            <ns5:ReferenceNumber>AB34</ns5:ReferenceNumber>
            <ns5:CodeType>AB35</ns5:CodeType>
        </ns5:DecisionReferenceNumber>
    </ns5:CustomsProcedure>
    <ns5:CustomsValue>
        <ns5:Currency>DKK</ns5:Currency>
        <ns5:Amount>113</ns5:Amount>
    </ns5:CustomsValue>
    <ns5:AmountDuty>
        <ns5:Currency>DKK</ns5:Currency>
        <ns5:Amount>20.0</ns5:Amount>
    </ns5:AmountDuty>
    <ns5:DutyType>
        <ns5:UnionCode>B00</ns5:UnionCode>
        <ns5:NationalCode>ODK</ns5:NationalCode>
    </ns5:DutyType>
   <ns5:LegalBasis>A</ns5:LegalBasis>
   <ns5:GoodsDestination>Describe Use or destination of goods/ns5:GoodsDestination>
    <ns5:TraderGroundsDescription>Trader description of the ground</ns5:TraderGroundsDe-</pre>
scription>
   <ns5:BankDetails>Bank and account details/ns5:BankDetails>
</ns2:RepaymentRemissionAuthorisation>
```

