# **TEST CASE – G4 INVALIDATION**

Version: 1.0

Author: Johannes Bæk

# netcompany

netcompany

#### **Document history**

Version	Date	Author	Status	Comments
0.1	07-05-2025	Johannes Bæk	Draft	First draft
0.2	07-05-2025	Michael Larsson	Review	Approved
1.0	07-05-2025	Michael Larsson	Completed	Finished

# **Table of contents**

1	Pr	e-conditions	3
2	Pr	ocess flow	4
3	Te	st Scenarios	
	3.1	Description of test scenarios	4
	3.2	Test scenario 1 – Acceptance	5
	3.2.1	XML example	6
	3.3	Test scenario 2 – Rejection	7
	3.3.1	XML example	

## 1 Pre-conditions

To complete the functional test case for "G4 Invalidation", the company must have an established connection to the AS4 Gateway, functioning system user to DMS Importer, see <a href="Connectivity Guide & System Guide">Connectivity Guide & System Guide</a>.

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen below. In place of {CVR} and {UUID}, fill out your own CVR and UUID in the URLs below. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XML for this test case, use the following endpoints:

URL	TFE02 Service	TFE01 Service	Action
https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR}_UI_{UUID}	DMS.Import4	DMS.Import2	Manifest. Submit
https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR}_UI_{UUID}	DMS.Import4	DMS.Import2	Manifest.Invalidate

For retrieving the notification, use the following endpoint:

URL	TFE02 Service	TFE01 Service	Action
https://secureftpgatewaytest.skat.dk/:6384/exchange/CVR {CVR} UI {UUID}	DMS.Import4	DMS.Import2	Notification

Please ensure that the "Test Case – G4 Temporary Storage" have been completed before you try to complete the "Test Case – G4 Invalidation" scenarios.

# 2 Process flow

The process flow for a G4 invalidation request for a G4 Temporary Storage declaration can be seen in Figure 1 below:




Figure 1: process flow for G4 invalidation

#### 3 Test Scenarios

To complete this test case, test scenario 1 and 2 must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

Test no.	Test scenario	Passed/Failed
1	Submit G4 – Invalidation, which is accepted	
2	Submit G4 – Invalidation, which is rejected	

## 3.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that there can be changes in the notifications provided by DMS Import as the solution is still in development.

The purpose of the test scenarios is to ensure your connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For each case there will be an XML available in the same folder where you found this test case document.

#### 3.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the G4 Invalidation XML has been accepted.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration XML found in the Test Case folder. Secondly, make sure that your LRN and MRN is unique, and that the Submitter field is correct (this is done by putting your CVR in the Submitter/name/Text.Content and Submitter/identification\_2/Identifier.Content fields) in the G4 Temporary Storage XML. You should also make sure that for G4 invalidation the ChangeReasonCode/Code.Content field is filled with a valid 3-digit code and a ChangeReasonText/Text.Content of at least 10 characters, as described in step 5. The placeholders are denoted in the XML by double curly brackets {{placeholder}}.

Step no.	Description of steps	Expected result	Passed
1	Submit a <b>G4 Temporary Storage XML</b> . It is found within the G4 Temporary Storage folder that is found in the parent directory at G4 Test Cases (remember to replace the placeholders)	You should have the test  XML ready for the next step	
2	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	
3	Pull the notifications	You should be able to pull the notification from the system	
4	Acceptance of submission of declaration.	Receive the <b>CWMRCV</b> notification	
5	Use the <b>G4 Invalidation XML</b> found in the test case folder (remember to replace the placeholders).  Make sure that the <b>Amendment</b> field is filled in as shown in section 3.2.1	Find the <b>G4 Invalidation XML</b> in the G4 Invalidation test case folder	
6	Send in a <b>G4 Invalidation XML</b> , it can be found in the same folder as this test case. Remember to add the <b>LRN</b> and <b>MRN</b> from the initially submitted G4 Temporary Storage XML.	The <b>G4 Invalidation XML</b> should be sent to the system	
7	Pull the notifications	You should be able to pull notification from the system	
8	Successful validation of submission of invalidation request by receiving the CWMRCV notifications	You should receive the CWMRCV notifications	
11	Acceptance of submission of invalidation request by receiving the <b>CWMREQ</b> and <b>CWMINV</b> notifications.	Receive notifications  CWMREQ and CWMINV  to pass the test	

#### 3.2.1 XML example

## 3.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the G4 Invalidation XML has been rejected.

The following table shows the test steps necessary to complete this scenario and expected results. For the first step it is recommended to adapt the provided declaration **XML** found in the **Test Case** folder. Secondly, make sure that your **LRN** and **MRN** is unique, and that the **Submitter** field is correct (this is done by putting your CVR in the **Submitter/Name** and **Submitter/ID** fields) in the G4 Temporary Storage XML. In this case we will fill in invalid data in the G4 Invalidation xml for the **Amendment** field with a valid **ChangeReasonCode** but a **ChangeReasonText** of less than 10 characters, as described in step 5.

Step no.	Description of steps	Expected result	Passed
1	Submit a <b>G4 Temporary Storage XML</b> . It is found within the G4 Temporary Storage folder that is found in the parent directory at G4 Test Cases (remember to replace the placeholders)	You should have the test  XML ready for the next step	
2	Submit the declaration using the conditions found under Pre-conditions	The declaration should be sent to the system	
3	Pull the notifications	You should be able to pull the notification from the system	
4	Acceptance of submission of declaration.	Receive the <b>CWMRCV</b> notification	
5	Use the <b>G4 Invalidation Acceptance XML</b> found in the test case folder (remember to replace the placeholders – {{LRN}} and {{MRN}} should match the <b>MRN</b> and <b>LRN</b> from the initially submitted G4 declaration)	Find the <b>G4 Invalidation</b> Acceptance XML in the G4 Invalidation test case folder	
6	Adapt the <b>G4 Invalidation XML</b> so that the <b>Amendment</b> field is filled in as shown in section 3.3.1	Adapt the <b>G4 Invalidation XML</b> in the G4 Invalidation test case folder	
7	Submit the XML	The G4 <b>Invalidation XML</b> should be sent to the system	
8	Pull the notifications	You should be able to pull notification from the system	
9	Rejection of submission of invalidation request by receiving the <b>CWMREJ</b> notification	Receive notification  CWMREJ and pass the scenario	

#### 3.3.1 XML example