

# TEST CASE – I1 REPAYMENT (4C)

---

**Version:** 1.1  
**Author:** Johan Lövberg

**netcompany**

Document history

| Version | Date       | Author          | Status    | Comments                    |
|---------|------------|-----------------|-----------|-----------------------------|
| 0.1     | 16-05-2025 | Johan Lövberg   | Draft     | First draft                 |
| 0.2     | 20-05-2025 | Michael Larsson | Reviewed  | Approved                    |
| 1.0     | 20-05-2025 | Michael Larsson | Completed | Finished                    |
| 1.1     | 25-06-2025 | Johannes Bæk    | Completed | Removed references to TFE02 |

Table of contents

1        **Pre-conditions..... 3**

2        **Process flow ..... 4**

3        **Test Scenarios ..... 5**

      3.1        **Description of test scenarios ..... 5**

      3.2        **Test scenario 1 – Acceptance..... 6**

          3.2.1        XML example..... 7

      3.3        **Test scenario 2 – Rejection ..... 8**

          3.3.1        XML example..... 9

# 1 Pre-conditions

To complete the functional test case for “I1 Repayment 4c”, the company must have an established connection to the AS4 Gateway, functioning system user to DMS Export, see [Connectivity Guide & System Guide](#).

Furthermore, ensure that you for this test case have the correct URLs, Services, and Actions, as seen below. In place of {CVR} and {UUID}, fill out your own CVR and UUID in the URLs below. While the URLs and Services are the same for all the test cases, the Actions however, will change depending on the test case you are performing, please keep an eye out that you have the correct Action for the test case in hand.

To submit the XML for this test case, use the following endpoints:

| URL                                                                                                                                                         | TFE Service | Action                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|
| <a href="https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}">https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}</a> | DMS.Import2 | Declaration.Submit              |
| <a href="https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}">https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}</a> | DMS.Import2 | Declaration.Repayment Remission |

For retrieving the notification, use the following endpoint:

| URL                                                                                                                                                         | TFE Service | Action       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------|
| <a href="https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}">https://secureftpgatewaytest.skat.dk:6384/exchange/CVR_{CVR}_UI_{UUID}</a> | DMS.Import2 | Notification |

Please ensure that the “Test Case – I1 Standard” have been completed **before** you try to complete the “Test Case – I1 Repayment (4c)” scenarios.

## 2 Process flow

The process flow for a I1 repayment (4c) request for a standard declaration can be seen in Figure 1 below:




Figure 1 : process flow for I1 repayment 4c.

## 3 Test Scenarios

To complete this test case, test scenario 1 and 2 must be passed successfully. Descriptions and specifics for each test can be found in the coming sections. Be sure to go through the scenarios thoroughly. It is recommended that you use the attached files to test the notifications.

| Test no. | Test scenario                           | Passed/Failed            |
|----------|-----------------------------------------|--------------------------|
| 1        | Submit I1 –Repayment, which is accepted | <input type="checkbox"/> |
| 2        | Submit I1 –Repayment, which is rejected | <input type="checkbox"/> |

### 3.1 Description of test scenarios

The following sections will describe the aim of each specific scenario and provide the desired results of the test scenarios. It is worth noting that there can be changes in the notifications provided by DMS Import as the solution is still in development.

The purpose of the test scenarios is to ensure your connection to the system, and that you as a company can receive the correct notifications when sending in XMLs. Each step describes what you need to do when going through the test case. For each case there will be an XML available in the same folder where you found this test case document.

### 3.2 Test scenario 1 – Acceptance

The aim of this scenario is to get a notification that the I1 Repayment 4c XML has been accepted.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration **XML** found in the Test Case folder. Secondly, make sure that your **LRN** and **MRN** is unique, and that the Submitter field is correct (this is done by putting your **CVR** in the Submitter/Name and Submitter/ID fields) in the I1 Standard XML. The fields **DeclarantEORI** should also be filled out with the corresponding EORI numbers for the Declarant and **ApplicationHolderId** roles. You should also make sure that the I1 Repayment's **CustomsValue**, **AmountDuty** and **DutyType** field is filled with a valid tax amount in each field's subfield **Amount**, as described in step 5. The placeholders are denoted in the XML by double curly brackets {{placeholder}}.

| Step no. | Description of steps                                                                                                                                                                                                                                                                                               | Expected result                                                                                                                                                      | Passed                   |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 1        | Submit an I1 <b>Standard XML</b> . It is found within the I1 Standard folder that is found in the parent directory at I1 Test Cases (remember to replace the placeholders).                                                                                                                                        | You should have the test <b>XML</b> ready for the next step                                                                                                          | <input type="checkbox"/> |
| 2        | Submit the declaration using the conditions found under Pre-conditions                                                                                                                                                                                                                                             | The declaration should be sent to the system                                                                                                                         | <input type="checkbox"/> |
| 3        | Pull the notifications                                                                                                                                                                                                                                                                                             | You should be able to pull the notification from the system                                                                                                          | <input type="checkbox"/> |
| 4        | Acceptance of submission of declaration                                                                                                                                                                                                                                                                            | Receive the <b>CWMROG</b> and <b>CWMINC</b> notifications                                                                                                            | <input type="checkbox"/> |
| 5        | Use the <b>I1 Repayment 4c XML</b> found in the test case folder (remember to replace the placeholders).<br>Make sure that the <b>AmountDuty</b> field is filled in as shown in section 3.2.1<br>The values in this field have to match the ones listed in the <b>CWMTAX</b> notification in order to be accepted. | Find the <b>I1 Repayment 4c XML</b> in the I1 Repayment test case folder                                                                                             | <input type="checkbox"/> |
| 6        | Send in a <b>I1 Repayment 4c XML</b> , it can be found in the same folder as this test case. Remember to add the <b>LRN</b> and <b>MRN</b> from the initially submitted I1 Standard XML.                                                                                                                           | The <b>I1 Repayment 4c XML</b> should be sent to the system                                                                                                          | <input type="checkbox"/> |
| 7        | Pull the notifications                                                                                                                                                                                                                                                                                             | You should be able to pull notification from the system                                                                                                              | <input type="checkbox"/> |
| 8        | Successful validation of submission of repayment request by receiving the <b>CWMRCV</b> and <b>CWMCAS</b> notifications                                                                                                                                                                                            | You should receive the <b>CWMRCV</b> and <b>CWMCAS</b> notifications                                                                                                 | <input type="checkbox"/> |
| 9        | After having received the <b>CWMCAS</b> , read the <b>AdditionalInformation</b> field regarding the status. This notification informs you of a manual acceptance work task being created.                                                                                                                          | You should find a <b>StatementCode</b> field with the number <b>41</b> (CWMCAS Queued). Then in the <b>StatementDescription</b> field there should be an explanation | <input type="checkbox"/> |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                   |                          |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--------------------------|
| 10 | <p>When the queued request is being handled receive another <b>CWMCAS</b> and once the request is completed, receive the final <b>CWMCAS</b>, both notification with changes to <b>AdditionalInformation</b>. This informs you that the worktask is completed.</p> <p>A manual work task needs to be manually approved by a customs official. Until a customs official has manually processed your declaration, you won't receive any further notifications. As such, the declaration may remain on step 9 for some time if so, pull the notification again to get these notifications.</p> | Two notifications with <b>StatementCode</b> field <b>42</b> (CWMCAS in progress) and <b>43</b> (CWMCAS Completed) | <input type="checkbox"/> |
| 11 | <p>of submission of invalidation request by receiving the <b>CWMREQ</b> and <b>CWMTAX</b> notifications.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Receive notifications <b>CWMREQ</b> and <b>CWMTAX</b> to pass the test.                                           | <input type="checkbox"/> |

### 3.2.1 XML example

```

<ns5:CustomsValue>
  <ns5:Currency>DKK</ns5:Currency>
  <ns5:Amount>25917</ns5:Amount>
</ns5:CustomsValue>
<ns5:AmountDuty>
  <ns5:Currency>DKK</ns5:Currency>
  <ns5:Amount>1503.2</ns5:Amount>
</ns5:AmountDuty>
<ns5:DutyType>
  <ns5:UnionCode>A00</ns5:UnionCode>
  <ns5:Amount>1503.2</ns5:Amount>
</ns5:DutyType>

```

### 3.3 Test scenario 2 – Rejection

The aim of this scenario is for the EO to get a notification that the I1 Repayment 4c XML has been rejected.

The following table shows the necessary test steps for completing this scenario as well as expected results. For the first step it is recommended using the provided declaration **XML** found in the Test Case folder. Secondly, make sure that your **LRN** and **MRN** is unique, and that the Submitter field is correct (this is done by putting your **CVR** in the Submitter/Name and Submitter/ID fields) in the I1 Standard XML. The fields **DeclarantEORI** should also be filled out with the corresponding EORI numbers for the Declarant and **ApplicationHolderId** roles. You should also make sure that the I1 Repayment's **CustomsValue**, **AmountDuty** and **DutyType** field is filled with a valid tax amount in each field's subfield **Amount**, as described in step 5. The placeholders are denoted in the XML by double curly brackets {{placeholder}}.

| Step no. | Description of steps                                                                                                                                                                                                                                                 | Expected result                                                           | Passed                   |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------|
| 1        | Submit an I1 <b>Standard XML</b> . It is found within the I1 Standard folder that is found in the parent directory at I1 Test Cases (remember to replace the placeholders)                                                                                           | You should have the test <b>XML</b> ready for the next step               | <input type="checkbox"/> |
| 2        | Submit the declaration using the conditions found under Pre-conditions                                                                                                                                                                                               | The declaration should be sent to the system                              | <input type="checkbox"/> |
| 3        | Pull the notifications                                                                                                                                                                                                                                               | You should be able to pull the notification from the system               | <input type="checkbox"/> |
| 4        | Acceptance of submission of declaration                                                                                                                                                                                                                              | Receive the <b>CWMROG</b> and <b>CWMINC</b> notifications                 | <input type="checkbox"/> |
| 5        | Use the <b>I1 Repayment 4c XML</b> found in the test case folder (remember to replace the {{LRN}}, {{CVR}}, {{MRN}} and {{DeclarantEORI}} placeholders – {{LRN}} and {{MRN}} should match the <b>MRN</b> and <b>LRN</b> from the initially submitted I1 declaration) | Find the <b>I1 Repayment 4c XML</b> in the I1 Repayment test case folder  | <input type="checkbox"/> |
| 6        | Adapt the <b>I1 Repayment 4c XML</b> so that the <b>AmountDuty</b> field is filled in as shown in section 0                                                                                                                                                          | Adapt the <b>I1 Repayment 4c XML</b> in the I1 Repayment test case folder | <input type="checkbox"/> |
| 7        | Submit the XML                                                                                                                                                                                                                                                       | The <b>I1 Repayment 4c XML</b> should be sent to the system               | <input type="checkbox"/> |
| 8        | Pull the notifications                                                                                                                                                                                                                                               | You should be able to pull notification from the system                   | <input type="checkbox"/> |
| 9        | Rejection of submission of invalidation request by receiving the <b>CWMREJ</b> notification                                                                                                                                                                          | Receive notification <b>CWMREJ</b> and pass the scenario                  | <input type="checkbox"/> |



### 3.3.1 XML example

```
<ns5:CustomsValue>
  <ns5:Currency>DKK</ns5:Currency>
  <ns5:Amount>1000000</ns5:Amount>
</ns5:CustomsValue>
<ns5:AmountDuty>
  <ns5:Currency>DKK</ns5:Currency>
  <ns5:Amount>1000</ns5:Amount>
</ns5:AmountDuty>
<ns5:DutyType>
  <ns5:UnionCode>A00</ns5:UnionCode>
  <ns5:Amount>1000</ns5:Amount>
</ns5:DutyType>
```