

DMS Import XML Guide



Version 1.20

Version control		
Version	Date	Change
1.0	08-02-2024	Initial version.
1.1	22-08-2024	Review and update.
1.2	07-10-2024	Minor corrections.
1.3	22-10-2024	Minor corrections.
1.4	25-03-2025	Minor corrections.
1.5	26-03-2025	Add table for 14 08 000 000.
1.6	31-03-2025	Removed sub-element Description from Delivery terms
1.7	28-04-2025	Minor corrections.
1.8	02-05-2025	Minor corrections.
1.9	09-05-2025	Minor corrections.
1.10	12-05-2025	Added CL10203 in comments of country for AdmissionUseProcessingAuthorisation (8f).
1.11	14-05-2025	Update Amendment example and remove CL values from description
1.12	16-05-2025	Update path for Importer and Exporter
1.13	19-05-2025	Added SequenceNumeric to Additional fiscal reference
1.14	27-05-2025	Corrected example for 19 06 000 000 and removed sequence
1.15	19-06-2025	Corrected description in 13 06 000 000 now mentioning importer instead of exporter Added codelists to element 48 09 000 304 and 48 08 000 302
1.16	25-06-2025	Updated format of and codelist to 14 04 008 000
1.17	27-06-2025	Several minor updates
1.18	13-11-2025	Corrected a bundle of inconsistencies to align with current xsd-schema – several formatting updates, modality changes, fieldnames corrections and structure rearranging's.
1.19	17-02-2026	Adjustments to accommodate for EUCDM 7.0, as well as adjustments to 8F and 4C. Addition of the overall structure section.
1.20	13-04-2026	Adjustments to 8F/A163 and RepaymentRemission

Table of Contents

1. The aim of this document.....	5
2. Glossary	7
3. Footnotes.....	9
4. Overall structures	15
Declaration Level.....	16
Goods Shipment Level	17
Goods Shipment Consignment Level	18
Goods Shipment Item Level	19
5. System specific fields.....	20
Function Code	21
Procedure Category	22
Declaration Office ID.....	23
MRN 24	
Submitter	25
Extension.....	26
Amendment.....	29
6. Group 11 – Message information (including procedure codes)	30
Declaration type/Additional declaration type.....	31
Goods item number	32
Procedure.....	33
Additional procedure	34
7. Group 12 – References of messages, documents, certificates, authorizations	35
Previous Document.....	36
Additional Information.....	38
Supporting Document.....	39
Additional Reference	41
Transport Document	42
Additional Document	43
Reference number/UCR.....	44
LRN 45	
Warehouse.....	46
Authorisation	47

8. Group 13 - Parties	48
Consignor	49
Importer	50
Declarant	51
Seller 53	
Representative (Agent)	54
Buyer 56	
Additional Supply Chain Actor (AEO Mutual Recognition Party)	57
Additional fiscal reference (Domestic Duty Tax Party)	58
Person providing a guarantee (Surety)	59
Person paying the customs duty (Payer)	60
 9. Group 14 - Valuation information/Taxes	 61
Delivery Terms	62
Duties and Taxes	63
Additions and deductions	65
Valuation Indicators	66
Total Amount Invoiced	67
Item Amount Invoiced	68
Exchange Rate	69
Valuation method	70
Intrinsic Value	71
Freight 72	
 10. Group 15 - Dates - Times - Periods	 73
Date of acceptance	74
 11. Group 16 - Places/Countries/Regions	 75
Country of destination	76
Region of destination	77
Country of dispatch	78
Origin (Country of Origin)	79
Origin (Country of preferential origin)	80
Location of goods	81
 12. Group 17 - Customs Offices	 84
Customs office of presentation	85
Supervising customs office	86

13. Group 18 – Goods identification	87
Goods Measure (Net Mass).....	88
Goods Measure (Supplementary Units)	89
Goods Measure (Gross Mass)	90
Description of goods.....	91
Packaging	92
Commodity code (CUS Code).....	93
Commodity code (Harmonized system sub-heading code).....	94
Commodity code (Combined nomenclature code)	95
Commodity code (TARIC code)	96
Commodity code (TARIC additional code)	97
Commodity code (National Additional Code).....	98
Type of goods.....	99
 14. Group 19 – Transport information (modes, means and equipment)	 100
Container indicator	101
Mode of Transport at the Border.....	102
Arrival Transport Means (Inland mode of transport).....	103
Arrival Transport Means (identification info)	104
Transport equipment.....	105
Active Border Transport Means.....	106
 15. Group 99 – Goods identification	 107
Quota order number	108
Guarantee type	109
Guarantee reference (ObligationGuarantee).....	110
Nature of Transaction.....	111
Statistical value	112
 16. Appendix	 113
AdmissionUseProcessingAuthorisation (A163)	114
Place	119
RepaymentRemissionAuthorisation (4c).....	121

The aim of this document

1

The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-files for Import declarations based on the EU Customs Data Model - <https://eucdm.softdev.eu.com/>

The document is structured after the EUCDM grouping of the data elements as well as DMS-specific data fields that are required by the system when using the S2S solution:

- **System-specific fields:** This section includes fields that are needed by the system to recognize what declaration is sent in, who is submitting the declaration, as well other data that is needed to fulfill the desired action.
- **Group 11:** This section contains basic information about the declaration and which procedures the declaration should be processed under. All this information influences how the declaration is processed, what kind of business scenario and procedure to be expected and requested.
- **Group 12:** This section is for the submitter to present all other relevant information and documents related to the submitted declaration that is not contained in the data fields. This is especially used for references tracking documents, authorizations and supplying tracking numbers.
- **Group 13:** This section contains information on all parties involved in the Import procedure. It is here information on the importer, exporter, declarant, fiscal reference, representative, etc., is provided either by ID or other identifiable information depending on whether the party is a company or private person.
- **Group 14:** In this section valuation information is given, examples of valuations are: taxes, transportation costs, delivery terms, etc.
- **Group 16:** This section contains the location-related information, e.g., where the goods will be or are presented (depending on whether it is a pre-lodged or a standard declaration) as well as the countries involved in the export/exit process.
- **Group 17:** This section contains information regarding which customs offices have handled the goods in the export/exit process.
- **Group 18:** In this section the submitter supplies more detailed information on the goods item(s) such as a weight, description, Taric code(s), etc.
- **Group 19:** This section contains information about the form of transport of goods, e.g., modes, container information, equipment, etc.
- **Group 99:** This section contains other information in the declarations which does not fit into the other above-mentioned groups.

Under each data element in the groups is provided a detailed description on whether the field is mandatory or optional as well as what rules to adhere to depending on the desired business scenario to make use of, and XML-examples are provided to give context.

Information on the EUCDM ID6 reference code is provided to help the reader in seeking further information if needed.

Additionally, under some of the data element you will see codelist or rulecode codes identifying codes and rules for this element. These elements are relevant under the transitional period of the new system, and you can identify them in the Codelists.xlsx or Rulecodelist.xlsx sheets found on [GitHub](#). The first document can be used to identify the CLxxx errors, and the second document can be used to identify the rest. If there is an error not presented in comments of the data elements, or you cannot find it in the code-/rulecodelist sheets, please contact the Danish Customs Agency for further assistance on the subject.

Glossary

2

To make the document shorter and easier to read, some abbreviations are used. Here is a list of the abbreviations used in this document.

Abbreviation	Description	Details
M	Mandatory	The field is mandatory to declare.
O	Optional	The field is optional to declare or should only be declared if relevant information is available.
MC	Conditionally mandatory	The information is mandatory dependent on other information given in the declaration, e.g., type of declaration or commodity code.
DL	Declaration level	The information is given on header level and applies to all the goods items in the declaration.
GSL	Goods shipment level	The information is given on goods shipment level and applies to all the goods items in the goods shipment.
GIL	Goods item level	The information is given on goods item level and applies to only the goods item it is declared under.
C/A	Defines whether an element can be corrected or amended	Yes/Yes means can be corrected and amended. Yes/No means it can be corrected but not amended No/Yes means it can't be corrected but it can be amended No/No means it can't be corrected or amended
EUCDM	European Union Customs Data Model	The European Union Customs Data Model (EUCDM) is the model for Customs trans-European systems such as NCTS, AES, ICS, EOS and for Member States national customs clearance systems
XSD	XML Schema Definition	A document that specifies how to formally describe the elements in an Extensible Markup Language (XML) document. This description can be used to verify that each item of content in a document adheres to the description of the element in which the content is to be placed.
XML	Extensible Markup Language	A simple text-based format for representing structured information, storing, and sending data. It is the file format used to send declarations to DMS.
n/a	Not Applicable	The information does not apply to the given element/declaration.
Requirement Overview	Mandatory / Optional / Conditionally mandatory / Levels / Rules	Defines whether an element is M, O, MC (see abbreviations above) or whether any EUCDM rules apply to the given element in a specific declaration.
M/O	Defines whether a field is mandatory or optional when the main field is in the XML Mandatory/Optional	For a lot of input fields, the sub elements of that field are not always mandatory even though the overall input field is. For example, is Supporting Document which is optional, but when put into to an XML, SequenceNumeric and ID becomes mandatory as the only elements.
ND	Not Determined	The mandatory or optional status of these elements are not yet determined.

Footnotes

3

Throughout the XML-Guide you will see several footnotes, all of these refers to this table. All these footnotes can also be found on EUCDM.

FOOTNOTE	DESCRIPTION
[1]	This information shall not be required in case a customs declaration has been lodged prior to the presentation of the goods pursuant to Article 171 of the Code.
[2]	In the cases where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable, Member States may waive the obligation to provide this information where the conditions prescribed in the authorizations associated with the procedures concerned allow them to defer the collection of this data element in the supplementary declaration.
[3]	This element is an alternative to the unique consignment reference number [UCR] when the latter is not available. It provides a link to other useful sources of information.
[4]	This information needs to be provided only where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable; in this case, it is the number of the authorization for simplified procedure. However, this data element can also contain the transport document number concerned.
[5]	This information is only required where the declaration of placing of goods under a customs procedure is used to discharge a customs warehousing procedure.
[6]	Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided.
[7]	The Holder of the transit procedure Identification number is mandatory only in the cases where the EORI number or a third country unique identification number recognized by the Union of the person concerned is not provided. Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided. The TIR Holder identification number is mandatory in case the Declaration type is TIR; otherwise, it cannot be used.
[8]	This information shall only be provided where available.
[9]	This information shall not be provided in respect of cargo remaining on board (FROB) or transhipped cargo for which the destination is located outside the Customs territory of the Union.
[10]	Member States may waive this information where the customs value of the goods in question cannot be determined under the provisions of Article 70 of the Code. In such cases the declarant shall furnish or cause to be furnished to the customs authorities such other information as may be requested for the purposes of determining the customs value.
[11]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration. It is otherwise optional for the Member States.
[12]	This information is not required for goods eligible for relief from import duties, unless the customs authorities consider it necessary for the application of the provisions governing the release for free circulation of the goods concerned.
[13]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration.
[14]	Except where it is essential for the correct determination of the customs value, the Member State of acceptance of the declaration shall waive the obligation to provide this information, if any of the following is the case: • where the customs value of the imported goods in a consignment does not exceed EUR 20.000 provided that they do not constitute split or multiple consignments from the same consignor to the same consignee,

	• where the importation is of a non-commercial nature • in case of continuing traffic in goods supplied by the same seller to the same buyer under the same commercial conditions.
[15]	Member States may require this information only in cases when the rate of exchange is fixed in advance by a contract between the parties concerned.
[16]	For completion only where Union legislation so provides.
[17]	This information shall only be required where the simplified declaration is not lodged together with an exit summary declaration.
[18]	This data element is mandatory for agricultural products with export refunds.
[19]	This data element is mandatory for agricultural products subject to refunds and for those goods which Union legislation requires the origin of the goods in the context of trade with special fiscal territories.
[20]	This information is required where: a) no preferential treatment is applied or b) the country of non-preferential origin is different to the country of preferential origin.
[21]	This information is required where a preferential treatment is applied using the appropriate code in D.E. 14 11 000 000 Preference.
[22]	This information shall only be used in case of centralized clearance.
[23]	This information shall only be used in case the declaration for temporary storage or the customs declaration to place the goods under a special procedure other than transit is lodged at a customs office different to the supervising customs office as indicated in the respective authorization.
[24]	This information shall only be required in case of commercial transactions involving at least two Member States.
[25]	This information shall only be provided for entry into the declarants' records and only if the discharge of the goods under temporary storage concerns only parts of the declaration for temporary storage lodged previously in relation with the goods concerned.
[26]	This data element is an alternative to the Commodity code when it is not provided.
[27]	This data element can be provided to identify goods covered by a notification for re-exportation of goods under temporary storage where part of the goods covered by the declaration for temporary storage concerned are not re-exported.
[28]	This data element is an alternative to the description of goods when it is not provided.
[29]	This data element is not mandatory in case the declaration type is TIR.
[30]	Member States may waive this requirement for modes of transport other than rail in case the transit movement doesn't cross the external border of the Union.
[31]	This information does not have to be provided when export formalities are carried out at the point of exit from the customs territory of the Union.
[32]	This data element does not have to be provided where the import formalities are carried out at the point of entry into the customs territory of the Union.
[33]	This data element is mandatory for agricultural products with export refunds, unless they are carried by post or fixed transport installations. <i>[In case of transport by post or fixed installations, this information shall not be required.]</i>

[34]	Not for use in the case of postal consignments or carriage by fixed transport installations.
[35]	Where goods are carried in multimodal transport units, such as containers, swap bodies and semi-trailers, the customs authorities may authorize the holder of the transit procedure not to provide this information where the logistical pattern at the point of departure may prevent the identity and nationality of the means of transport from being provided at the time the goods are released for transit, providing multimodal transport units bear unique numbers and such numbers are indicated in D.E. 19 07 063 000 Container identification number.
[36]	In the following cases, Member States shall waive the obligation to enter this information on a transit declaration lodged at the office of departure in relation with the means of transport on which the goods are directly loaded: - where the logistical pattern does not allow this data element to be provided and the holder of the transit procedure has the AEOC status and - where the relevant information may be traced where needed by the customs authorities via the records of the holder of the transit procedure.
[37]	Not for use in the case of postal consignments or carriage by fixed transport installations or rail.
[38]	This data element is mandatory for agricultural products with export refunds unless they are carried by post, fixed transport installations, or rail. <i>[In case of transport by post, fixed installations or rail, this information shall not be required.]</i>
[39]	This information shall only be required where the release of the goods is subject to the provision of a comprehensive guarantee.
[40]	The Member State of acceptance of the declaration may waive the obligation to provide this information where it is in the position to assess it correctly and has implemented calculation routines to provide a result compatible with statistical requirements.
[41]	This data element shall only be used in the context of a supplementary declaration for Entry into the declarant's records.
[42]	This data element shall only be used in the context of TIR Carnet.
[43]	Each goods item number must be unique throughout the consignment (master level). The items shall be numbered in a sequential fashion, starting from 1 for the first item and incrementing the numbering by 1 for each following item.
[44]	Each goods item number must be unique throughout the consignment (house level). The items shall be numbered in a sequential fashion, starting from 1 for the first item and incrementing the numbering by 1 for each following item.
[45]	This information shall be provided either at consignment or consignment/goods item level. Where the same information is applicable to all goods items of the same consignment it shall be provided at consignment level only.
[46]	EORI number shall be declared.
[47]	Where an EORI number or third country unique identification number (TCUIN) was assigned, it shall be declared.
[48]	At least one of the following shall be declared: Estimated date and time of arrival (D.E. 15 03 000 000); transport document (D.E. 12 05 000 000) or previous document (D.E. 12 01 000 000). In maritime traffic in addition the entry key may be used.
[49]	In the address either street and number or P.O. box is to be declared.
[50]	This data element does not need to be provided where the declaration is lodged prior to departure.

[51]	This information shall only be provided when the declaration is amended.
[52]	This information can be provided alternatively on master consignment or on house consignment level upon referral request.
[53]	This information can be provided alternatively on master consignment item or on house consignment item level.
[54]	This information is not required: a) when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC; or b) when the goods are of a non-commercial character sent from a third country by private persons to other private persons in a Member State and exempt from VAT pursuant to Article 1 of Council Directive 2006/79/EC (1).
[55]	This information is only required when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC.
[56]	This information is only required if the declaration concerns goods referred to in Article 27 of Council Regulation (EC) No 1186/2009.
[57]	This information is not required in cases of multiple goods packed together and for postal consignments.
[58]	For Centralized Clearance at Import where more than one MS is involved, the information relating to the national codes shall be provided for the Authorizing and Presentation MS.
[59]	When this data element is used at least either the code or text shall be provided.
[60]	This data element is to be provided when an authorization exists according to the relevant section of Annex A to this Regulation, Title I Chapter 1.
[61]	This data element is optional when the declaration is submitted prior to presentation of goods.
[62]	This information shall relate to the situation at the moment when the declaration is made.
[63]	This information shall be provided for decisions relating to binding information.
[64]	The gross mass on item level does not need to be declared if the total gross mass is declared on "MC" or "HC" level.
[65]	This information shall only be provided when customs authority decided to seal the goods.
[66]	EORI number or third country unique identification number (TCUIN) shall be declared, where available.
[67]	This information shall be required when Region of dispatch is provided.
[68]	This information shall not be provided in the case of a pre-lodged declaration.
[69]	This information shall only be provided when codes are defined by the Member State concerned.
[70]	Not for use in the case there is no Customs office of transit (17 04 000 000) declared.
[71]	This information shall not be provided if it is the same as the Departure transport means (19 05 000 000).

[72]	Member States may waive this obligation if their systems allow them to deduce this information automatically and unambiguously from information elsewhere in the declaration.
[73]	This information shall be provided in the case of end-use authorization.
[84]	This information shall not be provided where it relates to a customs declaration in postal traffic for release for free circulation.
[85]	This information shall not be provided where it relates to a customs declaration for release for free circulation in respect of a consignment which benefits from a relief from import duty in accordance with Article 23(1) or Article 25(1) of Regulation (EC) No 1186/2009.

Overall structures

4

Goods Shipment Level

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GSL	M GSL	M GSL	M GSL	M GSL	M GSL	M GSL	M GSL	M GSL	O GSL	GSL: Declaration/GoodsShipment
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 03 000 000	GoodsShipment						n/a	MC			
None	Extensions						n/a	O	Only I2_EDIR		
12 03 000 000	SupportingDocument						n/a	O	Not I2		
12 04 000 000	AdditionalReference						n/a	O	Not I2		
12 02 000 000	AdditionalInformation						n/a	O	Not I2		
99 05 001 000	TransactionNatureCode						n..2	O	Only H1-H5 CL10035		
13 14 000 000	AEOMutualRecognitionParty						n/a	O	Not H7 nor I2		
13 09 000 000	Buyer						n/a	O	Only H1		
None	Consignment						n/a	MC			
13 01 000 000	Consignor						n/a	O	Not H2 nor I2		
14 04 000 000	CustomsValuation						n/a	MC	Only H1, H5 and H6		
16 03 000 000	Destination						n/a	O	Only H1-H5		
13 16 000 000	DomesticDutyTaxParty						n/a	O	Only H1, H6, H7 and I1		
18 04 000 000	GoodsMeasure						n/a	MC	Not I2_PN		
11 03 001 000	GovernmentAgencyGoodsItem						n/a	M	Not I2_PN		
13 04 000 000	Importer						n/a	M	Not I2		
13 21 000 000	Payer						n/a	O	Only H1, H3, H5, H6 and I1		
12 01 000 000	PreviousDocument						n/a	O			
13 08 000 000	Seller						n/a	O	Only H1 and I1		
13 20 000 000	Surety						n/a	O	Only H1, H3, H4 and H6		
14 01 000 000	TradeTerms						n/a	MC	Only H1-H5		
12 08 000 000	UCR						n/a	O	Not I2		
12 11 000 000	Warehouse						n/a	MC	Only H1-H5		
16 06 000 000	DispatchCountry						n/a	O	Not H6, H7 nor I2		
Description:											
This is the overall structure at goods shipment level.											

Goods Shipment Consignment Level

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GSL	M GSL	M GSL	M GSL	M GSL	O GSL	O GSL	M GSL	M GSL	O GSL	GSL: Declaration/GoodsShipment/ Consignment
EUCDM 7.0	XSD/XML-name							Format	M/O	Comment	
None	Consignment							n/a	M		
19 08 000 000	BorderTransportMeans							n/a	M	Only H1-H5	
19 01 001 000	ContainerCode							an..3	M	Only H1-H4	
19 04 000 000	ArrivalTransportMeans							n/a	O	Only H1-H5	
16 15 000 000	GoodsLocation							n/a	MC	Not H6	
19 07 000 000	TransportEquipment							n/a	O	Not H6 nor H7	
12 05 000 000	TransportContractDocument							n/a	O	Not I2	
14 15 000 000	Freight							n/a	O	Only H7	
Description:											
This is the overall structure at goods shipment consignment level.											

Goods Shipment Item Level

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M DL	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem
EUCDM 7.0	XSD/XML-name							Format	M/O	Comment	
11 03 001 000	GovernmentAgencyGoodsItem							n/a	M	Not I2_PN	
14 12 014 000	CustomsValueAmount							n..16,2	M	Only H6	
11 03 001 000	SequenceNumeric							n..4	M		
99 06 001 000	StatisticalValueAmount							n..16,2	M	Only H1-H5	
99 05 001 000	TransactionNatureCode							n..2	O	Only H1-H5	
12 02 000 000	AdditionalInformation							n/a	O	Not I2	
13 14 000 000	AEOMutualRecognitionParty							n/a	O	Not H7 nor I2	
13 09 000 000	Buyer							n/a	O	Only H1 and I1	
18 05 001 000	Commodity							n/a	M		
13 01 000 000	Consignor							n/a	O	Not H2 nor I2	
14 10 000 000	CustomsValuation							n/a	M	Only H1 and H3-H5	
16 03 000 000	Destination							n/a	O	Only H1-H5	
13 16 000 000	DomesticDutyTaxParty							n/a	O	Only H1 and I1	
11 09 000 000	GovernmentProcedure							n/a	M		
16 08 000 000	Origin							n/a	MC	Not H7 nor I2	
18 06 000 000	Packaging							n/a	M		
12 01 000 000	PreviousDocument							n/a	O		
13 08 000 000	Seller							n/a	O	Only H1	
12 08 000 000	UCR							n/a	O	Not I2	
14 07 000 000	ValuationAdjustment							n/a	O	Only H1, H4 and H5	
16 06 000 000	DispatchCountry							n/a	O	Only H1-H5 and I1	
12 03 000 000	SupportingDocument							n/a	O	Not I2	
12 04 000 000	AdditionalReference							n/a	O	Not I2	
14 15 000 000	Freight							n/a	O	Only H7	
12 12 000 000	Authorisation							n/a	O	Not H7	
12 05 000 000	TransportContractDocument							n/a	O	Not I2	
Description:											
This is the overall structure at goods shipment item level.											

System specific fields

4

Declaration Office ID

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	n/a	M DL	Basepath: Declaration/ DeclarationOfficeID
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
None	DeclarationOfficeID						an..17	M	CL10230		
Description:											
This element is used to define the office of lodgement.											
Rules/codes/other relevant information:											
Customs office IDs can be found <u>here</u> .											
XML-examples:											
<ns3:DeclarationOfficeID>12345678<ns3:DeclarationOfficeID>											

MRN

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2_PN	I2_EIDR	
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	Basepath: Declaration/ID
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
None	ID							an18	MC		
Description:											
The MRN is automatically generated following the EUCDM legislation as a unique combination of 18 characters. The MRN is created by the Customs agency and is sent as part of the validation acceptance.											
Rules/codes/other relevant information:											
This element is used in all declarations and only used in the following additional messages: correction, amendment, invalidation, invalidation and repayment remission (4c), repayment remission, goods presentation, and supplementary declarations.											
The combination of the 18 characters is as follows: - The last two digits of the year of formal acceptance of the declaration (e.g., '23' for 2023) - Consist of 2 digits - 2. Country where the declaration/proof of the customs status of union goods/notification is lodged (e.g., 'DK' for Denmark) - Consist of 2 letters - 3. Unique identifier based on year and country (e.g., 21DK04K21L01) - Consist of 12 alphanumeric characters - 4. Procedure identifier (see tables below) - Consist of 1 letter - 5. Check digit (e.g., '6') - Consist of 1 alphanumeric character											
The following table explains what the digit for the procedure identifier will be:											
Code	Procedures					Declarations					
R	Import					H1, H2, H3, H4, H6, H7, I1					
V	Import					H5					
8	Import – Presentation of goods					I2EIDR					
XML-examples:											
<ns3:ID>22DKRQSJFGGNIY8VR1</ns3:ID>											

Submitter

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/Submitter
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
None	Name					an..70	M				
None	ID					an..17	M				
Description:											
The name and identifier of the company submitting the declaration.											
Rules/codes/other relevant information:											
Name: The CVR/SE-number to which the client certificate is registered.											
ID: The CVR/SE-number to which the client certificate is registered.											
If the certificate is registered to an EORI number, remember to include the two-letter country code, otherwise only enter digits .											
XML-examples:											
<pre><ns3:Submitter> <ns3:Name>12345678</ns3:Name> <ns3:ID>12345678</ns3:ID> </ns3:Submitter></pre>											


```
<ns2:Extensions>
  <ext:SequenceNumeric>2</ext:SequenceNumeric>
  <ext:ID>IDVALUE420</ext:ID>
  <ext:Key>VEHC_TYPE</ext:Key>
  <ext:Value>TYPE</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>3</ext:SequenceNumeric>
  <ext:ID>IDVALUE4200</ext:ID>
  <ext:Key>HOME_PORT</ext:Key>
  <ext:Value>PORT Aalborg</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>4</ext:SequenceNumeric>
  <ext:ID>IDVALUE42000</ext:ID>
  <ext:Key>DEST_EXP_R</ext:Key>
  <ext:Value>København</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>5</ext:SequenceNumeric>
  <ext:ID>IDVALUE43</ext:ID>
  <ext:Key>DUR_EXP</ext:Key>
  <ext:Value>125</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>6</ext:SequenceNumeric>
  <ext:ID>IDVALUE44315</ext:ID>
  <ext:Key>PLACE_UNLO</ext:Key>
  <ext:Value>Aalborg</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>7</ext:SequenceNumeric>
  <ext:ID>IDVALUE4215413</ext:ID>
  <ext:Key>NR_CREW</ext:Key>
  <ext:Value>20</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>8</ext:SequenceNumeric>
  <ext:ID>IDVALUE4fewfw2</ext:ID>
  <ext:Key>LIQ_AMOUNT</ext:Key>
  <ext:Value>484</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>9</ext:SequenceNumeric>
```

```
<ext:ID>IDVALUEeqwfeqw42</ext:ID>
<ext:Key>WINE_AMOUNT</ext:Key>
<ext:Value>15</ext:Value>
<ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>10</ext:SequenceNumeric>
  <ext:ID>IDVALUEf32f2342</ext:ID>
  <ext:Key>CIGARETTE_U</ext:Key>
  <ext:Value>54</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>11</ext:SequenceNumeric>
  <ext:ID>IDVALUE42df2qfqe</ext:ID>
  <ext:Key>CIGAR_U</ext:Key>
  <ext:Value>4</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>12</ext:SequenceNumeric>
  <ext:ID>IDVALUE42d1d12</ext:ID>
  <ext:Key>TOBAC_KG</ext:Key>
  <ext:Value>7</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>13</ext:SequenceNumeric>
  <ext:ID>IDVALUE4221341421</ext:ID>
  <ext:Key>BEER_AMOUNT</ext:Key>
  <ext:Value>74</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>14</ext:SequenceNumeric>
  <ext:ID>IDVALUE4d3d332</ext:ID>
  <ext:Key>OTHER_SUP</ext:Key>
  <ext:Value>0</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>15</ext:SequenceNumeric>
  <ext:ID>few2few</ext:ID>
  <ext:Key>DESC_DES_VIC</ext:Key>
  <ext:Value>86</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
```


Group 11 – Message information (including procedure codes)

5

Declaration type/Additional declaration type

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	n/a	Basepath: Declaration/TypeCode
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
11 01 001 000	TypeCode (declaration type)						an..5	M	CL10034 (for additional messages: CL10183)		
11 02 001 000	TypeCode (additional declaration type)						a1	M	CL10214 (for additional messages: CL10183)		
Description:											
Indicates what type of action is intended: submission of a pre-lodged/standard, a correction/amendment request or an invalidation/invalidation and repayment request.											
Rules/codes/other relevant information:											
For declarations this data element is a concatenation of 11 01 001 000 – Declaration type and 11 02 001 000 – Additional declaration type. For the additional messages this is considered a system specific field. For Codelist information, see codelist excel sheet found on GitHub .											
For standard declarations:											
Example:											
For Declaration type ‘IM’ and Additional Declaration Type ‘A’, the input for the data element is ‘IMA’											
For pre-lodged declarations:											
Example:											
For Declaration type ‘IM’ and Additional Declaration Type ‘D’, the input for the data element is ‘IMD’											
For additional messages:											
The codes to declare in this field for additional messages :											
- ‘COR’ for sending a correction or amendment request to an already existing declaration - ‘INV’ for sending an invalidation or invalidation and repayment request to an already existing declaration - ‘RRA’ for sending a repayment and remission request to an already existing declaration - ‘GPR’ for presenting goods to an already existing pre-lodged declaration - ‘SUP’ for supplementing a simplified export declaration											
See the list of explanations in Bilag in the section called “Fælles stamdataliste” on the page https://skat.dk/data.aspx?oid=3064											
Or on EUCDM, using the ID6 number as search: https://eucdm.softdev.eu.com/Archive/EUCDM%206.1/EN/EUCDM/Annex-B/e21.htm											
XML-examples:											
<code><ns3:TypeCode>IMA</ns3:TypeCode></code> --- for submitting an IMA											
<code><ns3:TypeCode>IMD</ns3:TypeCode></code> --- for submitting an IMD											
<code><ns3:TypeCode>COR</ns3:TypeCode></code> --- for submitting a correction/amendment request											
<code><ns3:TypeCode>INV</ns3:TypeCode></code> --- for submitting an invalidation or invalidation 4c											
<code><ns3:TypeCode>RRA</ns3:TypeCode></code> --- for submitting a repayment and remission request											
<code><ns3:TypeCode>GPR</ns3:TypeCode></code> --- for presenting goods declared on a pre-lodged declaration											
<code><ns3:TypeCode>SUP</ns3:TypeCode></code> --- for supplementing a simplified declaration											

Goods item number

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL [1]	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
11 03 001 000		SequenceNumeric – [1]					n..5	M			
Description:											
Sequence number of the goods item											
Rules/codes/other relevant information:											
The sequence identifier. Must be given sequentially. It starts at 1 .											
For 11 03 001 000 footnote [1] applies to I2 declarations.											
XML-examples:											
Example of multiple GovernmenyAgencyGoodsItem instances in sequence:											
<ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>2</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>3</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>4</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem>											

Procedure

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL [1]	M GIL	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
11 09 000 000	GovernmentProcedure					n/a	M	Procedure			
None	SequenceNumeric					n..5	M				
11 09 001 000	CurrentCode – [1]					an2	M	Requested procedure. CL10146, CL10027			
11 09 002 000	PreviousCode – [1]					an2	M	The procedure under which the goods were placed before be- ing placed under the requested procedure.			
Description:											
The procedure code for which the goods are declared.											
Rules/codes/other relevant information:											
Requested procedure (CurrentCode) (11 09 001 000):											
Fill in the requested procedure under which the goods should be placed.											
When SequenceNumeric is 1 CL10146 is used and when its 2 CL10027 is used.											
Requested procedure (11 09 002 000):											
Fill in the previous procedure for which the goods previously have been placed.											
Valid combinations for requested and previous procedures can be found here: toldst.dk/e											
For 11 09 001 000 and 11 09 002 000 footnote [1] applies to I2 declarations.											
XML-examples:											
<pre> <ns3:GovernmentProcedure> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CurrentCode>10</ns3:CurrentCode> <ns3:PreviousCode>00</ns3:PreviousCode> </ns3:GovernmentProcedure> </pre>											

Additional procedure

C/A	Requirement Overview									XSD-path
H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
No/No	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	M GIL	M GIL [2] [58]	n/a	n/a	Basepath: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment		
11 10 000 000	GovernmentProcedure					n/a	M	Additional procedure		
None	SequenceNumeric					n..5	M			
11 10 001 000	CurrentCode – [2]					an3	M	Code representing the additional procedure requested. CL10027		
Description:										
The additional procedure for which the goods are declared. Additional procedure is created re-using the ‘GovernmentProcedure’ element, but use only currentCode instead of having both CurrentCode and PreviousCode.										
Rules/codes/other relevant information:										
It is mandatory to declare at least one additional procedure but up to two additional procedures can be declared.										
Additional procedure (11 10 000 000):										
Fill in the additional procedure code.										
Valid combinations for requested and previous procedures together with additional procedures can be found here: https://info.skat.dk/data.aspx?oid=2229597&vid=219250										
For Codelist information, see codelist excel sheet found on GitHub .										
For 11 10 001 000 footnote [2] applies to I1 declarations.										
XML-examples:										
<pre><ns3:GovernmentProcedure> <ns3:SequenceNumeric>2</ns3:SequenceNumeric> <ns3:CurrentCode>000</ns3:CurrentCode> </ns3:GovernmentProcedure></pre>										

Group 12 – References of messages, documents, cer- tificates, authorizations



Previous Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL [72]	MC GSL GIL [2]	MC GSL GIL	MC GSL GIL	GSL: Declaration/GoodsShipment/ PreviousDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 01 000 000	PreviousDocument					n/a	O				
None	SequenceNumeric					n..5	M				
15 08 001 000	AcceptanceDateTime					an..17	O	The date when the goods were entered into the declarant's records			
None	WriteOff					n/a	O				
12 01 006 000	PackagingQuantityQuantity					n..8	O	Writing-off quantity – Only on GIL			
12 01 005 000	unitCode					an..4	O	unitCode, enter the relevant Union code – Only on GIL CL10003+CL10004			
None	Packaging					n/a	O				
12 01 004 000	QuantityQuantity					n..8	O	Number of packages – Only on GIL			
12 01 003 000	TypeCode					an..2	O	Type of packages identification – Only on GIL CL10010			
12 01 001 000	ID					an..70	M	Reference number			
12 01 002 000	TypeCode – [58]					an4	M	Previous document type. CL10273			
12 01 007 000	LineNumeric					n..5	O	Enter the goods item number as declared in the previous document – Only on GIL			
Description:											
Information relating to a previous document.											
Rules/codes/other relevant information:											
If one subfield is filled, all subfields must be filled. For relevant codes to fill in TypeCode , see: toldst.dk/erhverv/blanketter-og-koder/koder											
SequenceNumeric: To refer multiple documents, repeat this element the required number of times and fill here sequentially starting at 1.											
TypeCode (12 01 003 000): For Codelist information, see codelist excel sheet found on GitHub											
LineNumeric (12 01 007 000): Enter the sequential number of the item in the supporting document (e.g., certificate, license, permit, entry document etc.), corresponding to the item in question. This element is not allowed in H6 and H7 declarations.											
TypeCode (12 01 002 000): For Codelist information, see codelist excel sheet found on GitHub For 12 01 002 000 footnote [58] applies to H1, H2, H3, H4, H5, I1, and I2 declarations.											

Reference number (12 01 001 000):

Can be found here, <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:02015R2447-20210315&qid=1666165195727&from=en> on page 314 under "12 01 001 000 Reference Number"

AcceptanceDateTime (15 09 001 000):

This element is **mandatory** for I2 EIDR and not I2

unitCode (12 01 005 000)

UnitCode Is an attribute of the element QuantityQuantity.

For Codelist information, see codelist excel sheet found on [GitHub](#)

XML-examples:

```
<ns3:PreviousDocument>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:WriteOff>
    <ns3:PackagingQuantityQuantity unitCode="DKK">1000.00</ns3:PackagingQuantityQuantity>
    <ns3:Packaging>
      <ns3:QuantityQuantity>1000</ns3:QuantityQuantity>
      <ns3:TypeCode>12</ns3:TypeCode>
    </ns3:Packaging>
  </ns3:WriteOff>
  <ns3:ID>PREVDOC123</ns3:ID>
  <ns3:TypeCode>740</ns3:TypeCode>
  <ns3:LineNumeric>1</ns3:LineNumeric>
</ns3:PreviousDocument>
```

Additional Information

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	n/a	O GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalInformation GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 02 000 000	AdditionalInformation						n/a	O			
None	SequenceNumeric						n..2	M			
12 02 008 000	StatementCode – [58]						an5	M	CL11000		
12 02 009 000	StatementDescription						an..512	M	Text		
Description:											
Use this data element to include information for which no field is specified by Union legislation.											
Rules/codes/other relevant information:											
This element can be used to declare an SE number , other guarantee forms , or other information for which no field is specified.											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.											
If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.											
SequenceNumeric:											
There can be declared multiple additional documents. Number them sequentially here.											
StatementCode (12 02 008 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 02 008 000 footnote [58] applies to H1, H2, H3, H4, H5, I1 , and I2 declarations.											
StatementDescription (12 02 009 000):											
A short description of the additional information.											
If statement code relates to SE number , then this field must (only) contain the SE number .											
If statement code relates to an “ other guarantee form ”, then this must contain information or identification of that guarantee.											
XML-examples:											
<pre><ns3:AdditionalInformation> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:StatementCode>00100</ns3:StatementCode> <ns3:StatementDescription>Additional information</ns3:StatementDescription> </ns3:AdditionalInformation></pre>											

Supporting Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL [4]	n/a	n/a	GSL: Declaration/GoodsShipment/ SupportingDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ SupportingDocument
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 03 000 000	SupportingDocument					n/a	O				
None	SequenceNumeric					n..5	M				
12 03 011 000	ExpirationDateTime – [4]					an..17	O	Enter the end date of validity of the license or certificate concerned			
12 03 001 000	ID					an..70	M				
12 03 002 000	TypeCode – [58]					an..4	M	Indicate the type of document using the relevant codes. CL10275			
12 03 010 000	IssuingAuthorityName					an..70	O	Only present for H1 and I1. Enter reference to the authority issuing the licence or certificate concerned.			
12 03 013 000	LineNumeric					n..5	O				
None	WriteOff					n/a	O				
12 03 006 000	QuantityQuantity – [4]					n..16,6	O	Enter the relevant writing-off amount			
12 03 014 000	AmountAmount					n..16,2	O	Enter the relevant writing-off amount			
Description:											
Identification or reference number of Union or international documents, certificates and authorizations produced in support of the declaration, and additional references.											
Rules/codes/other relevant information:											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.											
If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.											
SequenceNumeric:											
There can be declared multiple supporting documents. Number them sequentially here.											
ID (12 03 001 000):											
Is the ID-number of the document.											
TypeCode (12 03 002 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 03 002 000 footnote [58] applies to H1, H2, H3, H4, H5, and I1 declarations.											
QuantityQuantity (12 03 006 000) & AmountAmount (12 03 014 000)											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 02 008 000 footnote [4] applies to I1 declarations.											
For 12 03 011 000 footnote [4] applies to I1 declarations.											

XML-examples:

```
<ns3:SupportingDocument>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ExpirationDateTime>
    <DateTimeString formatCode="602">CCYY</DateTimeString>
  </ns3:ExpirationDateTime>
  <ns3:ID>SUPID123</ns3:ID>
  <ns3:TypeCode>Y380</ns3:TypeCode>
  <ns3:IssuingAuthorityName >AuthName</ns3:IssuingAuthorityName>
  <ns3:LineNumeric>1</ns3:LineNumeric>
  <ns3:WriteOff>
    <ns3:QuantityQuantity unitCode="KGG">100.00</ns3:QuantityQuantity>
    <ns3:AmountAmount currencyID="DKK">100.00</ns3:AmountAmount>
  </ns3:WriteOff>
</ns3:SupportingDocument>
```

Additional Reference

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	0 GSL GIL [58]	0 GSL GIL [58]	0 GSL GIL [58]	0 GSL GIL [58]	0 GSL GIL [58]	0 GSL GIL	0 GSL GIL	0 GSL GIL [4] [58]	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalReference GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalReference
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 04 000 000	AdditionalReference					n/a	O				
None	SequenceNumeric					n..2	M				
12 04 001 000	ID – [58]					an..70	M				
12 04 002 000	TypeCode – [58]					an4	M	CL10272			
Description:											
An additional declaration made which is not covered by Supporting Document, Transport Document or Additional Information.											
Rules/codes/other relevant information:											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.											
If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.											
There can be declared multiple additional references. Number them sequentially in the SequenceNumeric field.											
ID (12 04 001 000):											
Is the ID-number of the document.											
For 12 04 001 000 footnote [58] applies to I1 declarations.											
TypeCode (12 04 002 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 04 002 000 footnote [58] applies to H1, H2, H3, H4, H5 , and I1 declarations.											
XML-examples:											
<ns3:AdditionalReference> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>ADDREFID123</ns3:ID> <ns3:TypeCode>0100</ns3:TypeCode> </ns3:AdditionalReference>											

Transport Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ TransportContractDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransportContractDocument
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 05 000 000	TransportContractDocument						n/a	MC			
None	SequenceNumeric						n..2	M			
12 05 001 000	ID						an..70	M	Reference Number		
12 05 002 000	Type						an4	M	CL10276		
Description:											
Transport document with which the goods have been brought into the customs territory of the Union.											
Rules/codes/other relevant information:											
SequenceNumeric: There can be declared multiple transport documents. Number them sequentially here.											
ID (12 05 001 000): Is the ID-number of the document.											
TypeCode (12 05 002 000): indicate the type of the document. For Codelist information, see codelist excel sheet found on GitHub											
XML-examples:											
<pre> <ns3:TransportContractDocument> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>AWB123</ns3:ID> <ns3:TypeCode>N740</ns3:TypeCode> </ns3:TransportContractDocument> </pre>											

Additional Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	n/a	n/a	0 DL	0 DL	n/a	0 DL	n/a	n/a	n/a	n/a	Basepath: Declaration/ AdditionalDocument
EUCDM 6.1	XSD/XML-name					Format	M/O		Comment		
12 10 000 000	AdditionalDocument					n/a	0				
None	SequenceNumeric					n..2	M				
12 10 001 000	ID					an..70	M		Reference Number		
Description:											
Additional documents with which the goods have been brought into the customs territory of the Union.											
Rules/codes/other relevant information:											
SequenceNumeric: There can be declared multiple additional documents. Number them sequentially here.											
ID (12 10 001 000): Is the ID-number of the document.											
XML-examples:											
<pre> <ns3:AdditionalDocument> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>ADD123</ns3:ID> </ns3:AdditionalDocument> </pre>											

Reference number/UCR[illegible]

LRN

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/FunctionalReferenceID
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 09 001 000	FunctionalReferenceID					an..22	M				
Description:											
LRN – The local reference number (LRN) shall be used. It is nationally defined and allocated by the declarant or representative in agreement with the competent authorities to identify each single declaration.											
Rules/codes/other relevant information:											
No special characters are allowed.											
Must be unique on a submitter level but can be reused for resubmission if the declaration has been rejected, except for when the declaration has been rejected due to invalidation of a pre-lodged declaration. This means you can submit using the same (accepted) LRN using two different submitters, but never using the same submitter.											
XML-examples:											
<ns3:FunctionalReferenceID>140721DKQXYMEEW</ns3:FunctionalReferenceID>											

Authorisation

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	n/a	MC DL GIL [60]	MC DL GIL [1] [60]	MC DL GIL [1] [60]	Basepath: Declaration/ Authorisation GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Authorisation
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 12 000 000	Authorisation						n/a	O	Authorisation		
None	SequenceNumeric						n..2	M			
12 12 001 000	ID – [1] [60]						an..35	M	Reference number		
12 12 002 000	TypeCode – [1] [63] [73]						an4	M	CL10274		
12 12 080 000	AuthorisationHolder – [1] [60]						an..17	DL: O GIL: M	Holder of the authorisation		
Description:											
Details and reference to authorizations.											
Rules/codes/other relevant information:											
Be aware that some authorisations may only be available as a Supporting Document (12 03 000 000) when required to be declared on goods item level (GIL) e.g. ‘OPO’. Check the related codelists to see which authorisations can be included in each additional document type.											
SequenceNumeric: There can be declared multiple authorisations. Number them sequentially here.											
ID (12 12 001 000): Reference number of the authorization. For 12 12 001 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations.											
TypeCode (12 12 002 000) The code for the specific authorization type. For 12 12 001 000 footnote [63] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations, footnote [73] applies to H1, H6, I1 and I2 declarations, and footnote [1] applies to I2 declarations.											
AuthorisationHolder (12 12 080 000) The EORI number of the authorisation holder. For 12 12 080 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations, and footnote [1] applies to I2 declarations.											
XML-examples:											
<pre><ns3:Authorisation> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DKRSSDK004700-2020-Test81</ns3:ID> <ns3:Type>C512</ns3:Type> <ns3:AuthorisationHolder>DK12345678</ns3:AuthorisationHolder> </ns3:Authorisation></pre>											

Group 13 - Parties

7

Declarant

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/ Declarant
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 05 000 000	Declarant					n/a	M				
13 05 016 000	Name – [6]					an..70	O				
13 05 017 000	ID					an..17	M				
13 05 018 000	Address - [6]					n/a	O				
13 05 018 022	CityName					an..35	M				
13 05 018 020	CountryCode					a2	M	CL10203			
13 05 018 019	Line					an..70	M				
13 05 018 021	PostCodeID					an..17	M				
13 05 074 000	Contact					n/a	O				
None	SequenceNumeric					n1	M				
13 05 074 016	Name					an..70	O				
None	Communication					n/a	M				
None	SequenceNumeric					n1	M				
13 05 074 075	ID					an..256	M				
13 05 074 076	TypeCode					an..3	M				
Description:											
ID, name and address of the person or company exporting the goods. Exporter and declarant can be the same.											
Rules/codes/other relevant information:											
The required information is specified by the EORI number given in ID (13 05 017 000) :											
It is optional to declare Name (13 05 074 016). If declared all subfields must be filled, and both a TypeCode (13 05 074 076) and ID (13 05 074 075) is required, see XML-examples below. The TypeCode (13 05 074 076) indicates if it an e-mail address or a telephone number, and uses the following codes: • ‘EM’ – E-mail address • ‘TEL’ – Telephone Number											
It is possible to declare up to 9 Contacts. If Name uses the special character & , it should be declared as &amp; ;											
CountryCode (13 05 018 020): For Codelist information, see codelist excel sheet found on GitHub											
For 13 05 016 000 footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations. For 13 01 018 000 footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations.											
XML-examples:											
With EORI <ns3:Declarant> <ns3:ID>DK99999981</ns3:ID> </ns3:Declarant>											

Without EORI

```
<ns3:Declarant>
  <ns3:ID>DK99999981</ns3:ID>
  <ns3:Name>Name</ns3:Name>
  <ns3:Address>
    <ns3:CityName>Copenhagen</ns3:CityName>
    <ns3:CountryCode>DK</ns3:CountryCode>
    <ns3:Line>Copenhagen Street 123</ns3:Line>
    <ns3:PostcodeID>2300</ns3:PostcodeID>
  </ns3:Address>
  <ns3:Contact>
    <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
    <ns3:Name>Contact Namerson</ns3:Name>
    <ns3:Communication>
      <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
      <ns3:ID>name@name.dk</ns3:ID>
      <ns3:TypeCode>EM</ns3:TypeCode>
    </ns3:Communication>
    <ns3:Communication>
      <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
      <ns3:ID>12345678</ns3:ID>
      <ns3:TypeCode>TEL</ns3:TypeCode>
    </ns3:Communication>
  </ns3:Contact>
</ns3:Declarant>
```

Seller

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/ GoodsShipment/ Seller GIL: Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Seller
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 08 000 000	Seller					n/a	O				
13 08 016 000	Name					an..70	M				
13 08 017 000	ID					an..17	O				
13 08 018 000	Address					n/a	O				
13 08 018 022	CityName					an..35	M				
13 08 018 020	CountryCode					a2	M	CL10203			
13 08 018 019	Line					an..70	M				
13 08 018 021	PostcodeID					an..17	M				
Description:											
Name and address of the seller of the goods.											
Rules/codes/other relevant information:											
It is mandatory to declare the name of the seller. If the address is declared the subfields must be declared. The field CountryCode accepts the GENOM codes for countries.											
XML-examples:											
<ns3:Seller> <ns3:Name>Seller Co.</ns3:Name> < ns3:ID>DK99999996</ns3:ID> <ns3:Address> <ns3:CityName>Copenhagen</ns3:CityName> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:Line>Copenhagen Street 123</ns3:Line> <ns3:PostcodeID>2300</ns3:PostcodeID> </ns3:Address> </ns3:Seller>											

Representative (Agent)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	Basepath: Declaration/Agent
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
13 06 000 000	Agent						n/a	O			
13 06 017 000	ID						an..17	M			
13 06 030 000	FunctionCode (status)						n1	M	CL10014		
13 06 074 000	Contact						n/a	O	This is not available for I2		
None	SequenceNumeric						n..5	M			
13 06 074 016	Name						an..70	M			
None	Communication						n/a	M			
None	SequenceNumeric						n..5	M			
13 06 074 075	ID						an..256	O			
13 06 074 076	TypeCode						an..3	O			
Description:											
Identification of party authorized to act on behalf of another party.											
Rules/codes/other relevant information:											
If Importer (13 04 000 000) and Declarant (13 05 000 000) (including all their sub-elements) are NOT identical, there <u>must</u> be declared a Representative/Agent.											
If Agent (13 06 000 000) is provided and FunctionCode = 2 (direct representation), then the value must be different from Declarant (13 05 000 000) .											
ID (13 06 017 000) This should be the EORI number of the representative party.											
FunctionCode (13 06 030 000) This is the function / status of the representative. It can <u>only</u> be '2' (direct representation).											
It is optional to declare 13 06 074 016 – Representative/Agent Contact. If filled all subfields must be filled, and both a Type-Code (13 06 074 076) and ID (13 06 074 075) is required, see XML-examples below.											
The TypeCode (13 06 074 076) indicates if it an e-mail address or a telephone number, and uses the following codes: • 'EM' – E-mail address • 'TEL' – Telephone Number It is possible to declare up to 9 Contacts.											
XML-examples:											
With EORI <ns3:Agent> <ns3:ID>DK16152293</ns3:ID> <ns3:FunctionCode>2</ns3:FunctionCode> </ns3:Agent>											
Without EORI <ns3:Agent> <ns3:FunctionCode>2</ns3:FunctionCode> <ns3:Contact>											

```
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:name>Tolder Toldersen</ns3:name>
<ns3:Communication>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ID>tolder@told.dk</ns3:ID>
  <ns3:TypeCode>EM</ns3:TypeCode>
</ns3:Communication>
<ns3:Communication>
  <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
  <ns3:ID>12345678</ns3:ID>
  <ns3:TypeCode>TEL</ns3:TypeCode>
</ns3:Communication>
</ns3:Contact>
</ns3:Agent>
```


Buyer

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/ Buyer GIL: Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 09 000 000	Buyer					n/a	O				
13 09 016 000	Name					an..70	M				
13 09 017 000	ID					an..17	O				
13 09 018 000	Address					n/a	O				
13 09 018 022	CityName					an..35	M				
13 09 018 020	CountryCode					a2	M	CL10203			
13 09 018 019	Line					an..70	M				
13 09 018 021	PostcodeID					an..17	M				
Name and address of the one(s) buying the goods.											
Rules/codes/other relevant information:											
The field has generally the same rules as “Seller” above.											
XML-examples:											
<ns3:Buyer> <ns3:Name>Buyer Man</ns3:Name> < ns3:ID>DK0999981</ns3:ID> <ns3:Address> <ns3:CityName>Odense</ns3:CityName> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:Line>Odense Street 123</ns3:Line> <ns3:PostcodeID>5200</ns3:PostcodeID> </ns3:Address> </ns3:Buver>											

Additional Supply Chain Actor (AEOMutualRecognitionParty)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	n/a	0 GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ AEOMutualRecognitionParty GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 14 000 000	AEOMutualRecognitionParty					n/a	O				
None	SequenceNumeric					n..5	M				
13 14 017 000	ID					an..17	M				
13 14 031 000	RoleCode					a2	M	CL10243			
Description:											
Details identifying the role of the further parties in the supply chain having obtained a trusted trader certificate but otherwise not being identified in the declarations (e.g., warehouse keeper, freight forwarder)											
Rules/codes/other relevant information:											
AEOMutualRecognitionParty (13 14 000 000): This element and sub elements can be supplemented and estimated.											
ID (13 14 017 000): The EORI number or third-party country unique identifiers number											
RoleCode (13 14 031 000): For Codelist information, see codelist excel sheet found on GitHub											
XML-examples:											
<ns3:AEOMutualRecognitionParty> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK12345678</ns3:ID> <ns3:RoleCode>MF</ns3:RoleCode> </ns3:AEOMutualRecognitionParty>											

Additional fiscal reference (DomesticDutyTaxParty)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	O GSL GIL [55]	O GSL GIL [55]	O GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ DomesticDutyTaxParty GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 16 000 000	DomesticDutyTaxParty					n/a	O				
None	SequenceNumeric					n..5	M				
13 16 034 000	ID					an..17	M				
13 16 031 000	RoleCode					an..3	M	CL10250			
Description:											
Person paying VAT in the VAT return.											
Rules/codes/other relevant information:											
RoleCode (13 14 031 000): For Codelist information, see codelist excel sheet found on GitHub											
ID (13 16 034 000): VAT identification number of person concerned.											
XML-examples:											
<pre> <ns3:DomesticDutyTaxParty> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>12345678987654321</ns3:ID> <ns3:RoleCode>123</ns3:RoleCode> </ns3:DomesticDutyTaxParty> </pre>											

Person providing a guarantee (Surety)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O DL	n/a	O DL	O DL	n/a	O DL	n/a	n/a	n/a	n/a	GSL: Declaration/Surety
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 20 000 000	Surety					n/a	O				
None	SequenceNumeric					n1	M				
12 20 017 000	ID					an..17	M				
Description:											
The EORI number of the person providing the guarantee, if they are different from the declarant.											
Rules/codes/other relevant information:											
ID (13 21 017 000):											
This is the ID of the person providing the guarantee.											
XML-examples:											
<pre> <ns3:Surety> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK123456789</ns3:ID> </ns3:Surety> </pre>											

Person paying the customs duty (Payer)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	O DL	n/a	O DL	n/a	O DL	O DL	n/a	O DL	n/a	n/a	GSL: Declaration/Payer
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 21 000 000	Payer					n/a	O				
None	SequenceNumeric					n1	M				
13 21 017 000	ID					an..17	M				
Description:											
The EORI number of the person paying the customs duty, if they are different from the declarant.											
Rules/codes/other relevant information:											
ID (13 21 017 000):											
This is the ID of the Payer.											
XML-examples:											
<pre> <ns3:Payer> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK123456789</ns3:ID> </ns3:Payer> </pre>											

Group 14 - Valuation information/Taxes

8

For **14 03 039 000** footnotes **[12]**, **[13]**, and **[58]** apply to **H1**, **H2**, **H3**, **H4**, and **H5** declarations.

MethodCode (14 03 038 000):

For Codelist information, see codelist excel sheet found on [GitHub](#)

For **14 03 038 000** footnote **[11]** applies to **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1**, **H5** and **H6** declarations.

TaxAssessedAmount (14 16 001 000):

Total duties and taxes amount

PaymentAmount (14 03 042 000):

Enter amount for each of the duties and taxes applicable.

For **14 03 042 000** footnote **[11]** applies to **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1** and **H5** declarations.

XML-examples:

```
<ns3:DutyTaxFee>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:AdValoremTaxBaseAmount currencyID="DKK">1000.00</ns3:AdValoremTaxBaseAmount>
  <ns3:SpecificTaxBaseQuantity>1000.000000</ns3:SpecificTaxBaseQuantity>
  <ns3:Tax currencyID="DKK">1000.00</ns3:Tax>
  <ns3:TaxRateNumeric>100.00</ns3:TaxRateNumeric>
  <ns3:TypeCode>A10</ns3:TypeCode>
  <ns3:Payment>
    <ns3:MethodCode>R</ns3:MethodCode>
    <ns3:TaxAssessedAmount currencyID="str">1000.00</ns3:TaxAssessedAmount>
    <ns3:PaymentAmount currencyID="DKK">1000.00</ns3:PaymentAmount>
  </ns3:Payment>
</ns3:DutyTaxFee>
```


Total Amount Invoiced

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M	n/a	M	M	M	n/a	n/a	0	n/a	n/a	Basepath: Declaration/ InvoiceAmount
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
14 06 000 000 14 05 000 000	InvoiceAmount						n..16,2	M			
14 05 001 000	currencyID – [2]						a3	M	Currency code of amount CL10171		
Description:											
Number indicating the total invoice amount of the declaration.											
Rules/codes/other relevant information:											
currencyCode (14 05 001 000): Enter the currency of the invoice amount. This is a attribute of the element InvoiceAmount (14 06 000 000\14 05 000 000) . For Codelist information, see codelist excel sheet found on GitHub . For 14 05 001 000 footnote [2] applies to I1 declarations.											
XML-examples:											
<InvoiceAmount currencyID="NOK">7442.00</InvoiceAmount>											

[illegible]

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M SIL [83]	n/a	M SIL	M SIL	M SIL	n/a	n/a	MC SIL [2]	n/a	n/a	Basepath: Declaration/GoodsShipment/ Government-AgencyGoodsItem/ Commodity/ InvoiceLine
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
14 08 000 000	InvoiceLine							M			
14 08 001 000	ItemChargeAmount						n..16,2	M	Item amount invoiced		
Description:											
Price of the goods for the declaration item concerned, expressed in the currency unit declared in D.E. 14 05 000 000 Invoice currency.											
Rules/codes/other relevant information:											
XML-examples:											
<pre><InvoiceLine> <ItemChargeAmount>7442.00</ItemChargeAmount> </InvoiceLine></pre>											

Exchange Rate

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O DL [15]	O DL [15]	O DL [15]	O DL [15]	n/a	n/a	n/a	n/a	n/a	n/a	Basepath: Declaration/ CurrencyExchange
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
14 09 000 000	CurrencyExchange					n/a	O				
14 17 001 000	CurrencyTypeCode					a3	M				
14 09 001 000	RateNumeric – [15]					n..12,5	O	Mandatory for H1, H3 & H4			
Description:											
This data element contains the rate of exchange fixed in advance by a contract between the parties concerned											
Rules/codes/other relevant information:											
CurrencyTypeCode (14 17 001 000): For Codelist information, see codelist excel sheet found on GitHub											
RateNumeric (14 09 001 000): Exchange rate of the currency.											
XML-examples:											
<pre><ns3:CurrencyExchange> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CurrencyTypeCode>DKK</ns3:CurrencyTypeCode> <ns3:RateNumeric>100.00</ns3:RateNumeric> </ns3:CurrencyExchange></pre>											

Group 15 - Dates - Times - Periods



Date of acceptance

[illegible]

Group 16 - Places/Countries/Regions

10

Region of destination

[illegible]

Country of dispatch

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M GSL GIL	MC GSLG GIL	M GSL GIL	M GSL GIL	M GSL GIL	n/a	n/a	MC GSL GIL [2]	n/a	n/a	GSL: Declaration/GoodsShipment/ DispatchCountry GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DispatchCountry
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
16 06 000 000		DispatchCountry					n/a	M	Country of dispatch		
16 06 001 000		ID					a2	M	CL10203		
Description:											
The country where goods were initially dispatched from.											
Rules/codes/other relevant information:											
Enter the relevant union code to indicate the country the goods were dispatched from. Unless a commercial transaction or stoppage unrelated to the transport of goods has occurred in an intermediate country, then enter the union code of the last intermediate country where this took place. <i>If a stoppage is to enable the consolidation of the goods en-route it is considered to be related to the transport of the goods.</i>											
DispatchCountry (16 06 000 000) - H1 it's mandatory for GSL level - H3 it's mandatory for GSL level - H4 it's mandatory for GSL level - H5 it's mandatory for GSL level											
ID (16 06 001 000): For Codelist information, see codelist – Import excel sheet found on GitHub											
XML-examples:											
<ns3:DispatchCountry> <ns3:ID>NO</ns3:ID> </ns3: DispatchCountry >											

Origin (Country of preferential origin)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	MC GIL [21]	O GIL	MC GIL [21]	MC GIL [21]	n/a	n/a	n/a	MC GIL [2] [21]	n/a	n/a	Basepath: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin
EUCDM 6.1		XSD/XML-name				Format		M/O		Comment	
16 09 000 000		Origin				n/a		MC			
None		SequenceNumeric				n..5		M			
16 09 001 000		CountryCode				an..4		M		Country of preferential origin. CL10236	
16 09 001 000		TypeCode				n1		M			
Description:											
The country from which goods were initially dispatched.											
Rules/codes/other relevant information:											
The element origin contains info about the country of origin and info about the country of preferential origin which must be filled out under certain circumstances. The first is only mentioned under the table country of origin . This version of origin is used when a preferential treatment is requested in element Preference (14 11 000 000) based on the origin of the goods. The union code of the country or region/group of countries which is preferred.											
SequenceNumeric: Indicates the number of this element in the sequence of Origin elements. Must be given sequentially. Starts at 1. As there can only be at maximum of two country of origin, it will always be 1 or 2.											
CountryCode (16 06 001 000): For Codelist information, see codelist - Import excel sheet found on GitHub Note: Uses a different code list in country of origin .											
TypeCode (16 08 001 000): Specify '1' for country of origin and '2' for country of preferential origin.											
XML-examples:											
<pre><ns3:Origin> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CountryCode>1032</ns3:CountryCode> <ns3:TypeCode>2</ns3:TypeCode> </ns3:Origin></pre>											
<u>Info when country of origin and preferential country of origin is needed:</u>											
<pre><ns3:Origin> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CountryCode>NO</ns3:CountryCode> <ns3:TypeCode>1</ns3:TypeCode> </ns3:Origin> <ns3:Origin> <ns3:SequenceNumeric>2</ns3:SequenceNumeric> <ns3:CountryCode>1032</ns3:CountryCode> <ns3:TypeCode>2</ns3:TypeCode> </ns3:Origin></pre>											

Location of goods

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M GSL	M GSL	M GSL	M GSL	M GSL	n/a	M GSL [68]	M GSL	MC GSL [84]	M GSL	Basepath: Declaration/GoodsShipment/ Consignment/ GoodsLocation
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
16 15 000 000		GoodsLocation					n/a	M			
16 15 036 000		Name					an..17	MC	UN/LOCODE		
16 15 053 000		ID					an..8	MC	Additional identifier		
16 15 045 000		TypeCode					a1	M	CL10240		
16 15 046 000		IdentificationTypeCode					a1	M	CL10239		
16 15 018 000		Address					n/a	MC			
16 15 018 022		CityName					an..35	M			
16 15 018 020		CountryCode					a2	M	CL10203		
16 15 018 019		Line					an..70	M			
16 15 018 021		PostcodeID					an..17	M			
16 15 081 025		streetNumber					an..35	M			
16 15 052 000		authorisationReferenceNumber					an..35	MC			
16 15 047 000		CustomsOffice					n/a	MC			
16 15 047 001		identification					an8	M			
16 15 048 049		latitude					an..17	MC			
16 15 048 050		longitude					an..17	MC			
16 15 051 000		EconomicOperator					n/a	MC			
16 15 051 017		identification					an..17	M			
Description:											
Information about the place where the goods are located.											
Rules/codes/other relevant information:											
Using the relevant codes, enter the location where the goods may be examined. This location shall be precise enough to allow customs to carry out the physical control of the goods.											
The type of location, and how it is declared, is given by the fields: TypeCode and IdentificationType. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations:											
CountryCode (16 15 018 020):											
For Codelist information, see codelist - Import excel sheet found on GitHub											
TypeCode (16 15 045 000)											
This TypeCode Indicates the type of location where the goods will be presented. Only one Type is to be used at the same time. For Codelist information, see codelist - Import excel sheet found on GitHub											
The TypeCodes and their types of locations are:											
- 'A': Designated place											
- 'B': Authorised place											
- 'C': Approved place											
- 'D': Other											
IdentificationType (16 15 046 000):											

Indicates how the location will be declared:

- 'U': UN/LOCODE
- 'V': Customs Office ID
- 'W': GNSS coordinates
- 'X': EORI number
- 'Y': Authorisation number
- 'Z': Free text
- 'T': Postal code

The valid combinations for the two fields are:

- 'A' and 'U': Designated place identified by UN/LOCODE (e.g., DKCPH-0011 for Copenhagen - Langelinje)
- 'A' and 'V': Designated place identified by Customs Office ID (e.g., DK007900 for Skattecenter København)
- 'B' and 'Y': Authorised place identified by Authorisation number.
- 'C' and 'Z': Approved place identified by filling in the address fields.
- 'D' and 'Z': Other place identified by filling in the address fields.
- 'D' and 'W': Other place identified by GNSS coordinates.
- 'D' and 'X': Other place identified by an EORI number.
- 'D' and 'T': Other place identified by a postal code.

Name (16 15 036 000 UN/LOCODE)

For Codelist information, see codelist excel sheet found on [GitHub](#). Should only be filled when IdentificationType = 'U'.

ID (16 15 053 000):

What to fill in this field is given by the Type of location, meaning that if:

- IdentificationType = 'U': this field should not be filled.
- IdentificationType = 'V': this field should not be filled.
- IdentificationType = 'W': this field should not be filled.
- IdentificationType = 'X': this field can be filled with an additional identifier to the EconomicOperator element. The EORI number itself should be filled in the identification field of the EconomicOperator element.
- IdentificationType = 'Z' this field should not be filled.

The following subelements of **Address (16 15 018 00)** should be filled when IdentificationType = 'Z':

CityName (16 15 018 022):

City name of the location of goods.

CountryCode (16 15 018 020):

For Codelist information, see codelist excel sheet found on [GitHub](#)

Line (16 15 019 00):

Street name and street number of the location of goods.

PostCodeID (16 15 018 020):

Post code of the location of goods.

The following subelements of **Address (16 15 018 00)** should be filled when IdentificationType = 'T':

CountryCode (16 15 081 020):

For Codelist information, see codelist excel sheet found on [GitHub](#).

PostCodeID (16 15 081 021):

Post code of the location of goods.

streetNumber (16 15 081 025):

Street name and street number of the location of goods.

authorisationReferenceNumber (16 15 052 000):

Authorisation number. Should only be filled when IdentificationType = 'Y'.

CustomsOffice (16 15 047 000):

Identification (16 15 047 001):

Customs Office ID (e.g., DK007900).

Should only be filled when IdentificationType = 'V'.

See the list of Customs Office ID's here:

https://ec.europa.eu/taxation_customs/dds2/rd/rd_consultation_location.jsp?Lang=en

Latitude (16 15 048 049):

Latitude coordinate of the location of goods.

Should only be filled when IdentificationType = 'W'.

Longitude (16 15 048 050):

Longitude coordinate of the location of goods.

Should only be filled when IdentificationType = 'W'.

EconomicOperator (16 15 051 000):**identification:**

EORI number of Economic Operator.

Should only be filled when IdentificationType = 'X'.

XML-examples:

```
<ns3:GoodsLocation>
  <ns3:Name>11111</ns3:Name>
  <ns3:ID>IDloc</ns3:ID>
  <ns3:TypeCode>A</ns3:TypeCode>
  <ns3:IdentificationType>U</ns3:IdentificationType>
  <ns3:Address>
    <ns3:City>City</ns3:City>
    <ns3:CountryCode>NO</ns3:CountryCode>
    <ns3:Line>Line</ns3:Line>
    <ns3:PostcodeID>Post</ns3:PostcodeID>
    <ns3:streetNumber>12</ns3:streetNumber>
  </ns3:Address>
  <ns3:authorisationReferenceNumber>ds</ns3:authorisationReferenceNumber>
  <ns3:CustomsOffice>
    <ns3:identification>DK005607</ns3:identification>
  </ns3:CustomsOffice>
  <ns3:latitude>123</ns3:latitude>
  <ns3:longitude>456</ns3:longitude>
  <ns3:EconomicOperator>
    <ns3:identification>ID1</ns3:identification>
  </ns3:EconomicOperator>
</ns3:GoodsLocation>
```

Group 17 – Customs Offices

11

Customs office of presentation

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	MC DL [22]	MC DL [22]	MC DL [22]	MC DL [22]	MC DL [22]	n/a	n/a	MC DL [22]	n/a	MC DL [22] [84] [85]	Basepath: Declaration/PresentationOffice
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
17 09 000 000		PresentationOffice					n/a	MC			
17 09 001 000		ID					an8	M	CL10230		
Description:											
Details identifying the customs office where the goods are presented to place them under a customs procedure or temporary storage.											
Rules/codes/other relevant information:											
ID (17 09 001 000):											
For Codelist information, see codelist – Import excel sheet found on GitHub .											
XML-examples:											
<pre><ns3:PresentationOffice> <ns3:ID>DK004700</ns3:ID> </ns3:PresentationOffice></pre>											

Supervising customs office

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O DL [23]	O DL [23]	O DL [23]	MC DL [23]	n/a	n/a	n/a	MC DL [23]	n/a	n/a	Basepath: Declaration/SupervisingOffice
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
17 10 000 000	SupervisingOffice						n/a	O			
17 10 001 000	ID						an8	M	CL10230		
Description:											
Details identifying the government agency office responsible for supervising the discharge of a government procedure											
Rules/codes/other relevant information:											
ID (17 10 017 000):											
For Codelist information, see codelist – Import excel sheet found on GitHub .											
XML-examples:											
<ns3:SupervisingOffice> <ns3:ID>DK004700</ns3:ID> </ns3:SupervisingOffice>											

Group 18 – Goods identification

12

Goods Measure (Net Mass)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M GIL	n/a	n/a	M GIL	M GIL [24]	O GIL	n/a	MC GIL [2]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commosity/ GoodsMeasure
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
18 01 000 000		GoodsMeasure					n/a	M			
18 01 001 000		NetNetWeightMeasure					n..16,6	M	Net mass		
Description:											
Details about the goods weight, quantities, and amounts.											
Rules/codes/other relevant information:											
The net mass must contain the weight of the goods concerned with the relevant declaration goods item. The weight must be expressed in kilograms and should be the weight of the goods without the packaging.											
Note: Where a net mass greater than 1 kg includes a fraction of a unit (kg), it may be rounded off in the following manner: — from 0,001 to 0,499: rounding down to the nearest kg, — from 0,5 to 0,999: rounding up to the nearest k A net mass of less than 1 kg should be entered as '0,' followed by a number of decimals up to 6, discarding all "0" at the end of the quantity (e.g. 0,123 for a package of 123 grams, 0,00304 for a package of 3 grams and 40 milligrams or 0,000654 for a package of 654 milligrams).											
GoodsMeasure (18 01 000 000): This element is allowed to be supplemented and estimated. As seen in the XML-example below, this field shall not be filled out, but the child element NetNetWeightMeasure shall.											
NetNetWeightMeasure (18 01 001 000): For 18 01 001 000 footnote [24] applies to H5 declarations, and footnote [2] applies to I1 declarations.											
XML-examples:											
<ns3:GoodsMeasure> <ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure> </ns3:GoodsMeasure>											

Goods Measure (Supplementary Units)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_E IDR	
Yes/Yes	MC GIL	MC GIL	MC GIL	MC GIL	MC GIL [24]	n/a	MC GIL [56]	MC GIL [2]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
18 02 000 000		GoodsMeasure					n/a	MC	CL10003		
18 02 001 000		TariffQuantity					n..16,6	M	Supplementary units. CL10004		
Description:											
Details about the goods weight, quantities, and amounts.											
Rules/codes/other relevant information:											
If necessary, this field can be used to enter the quantity of the item in question. It should be expressed using the unit defined by Union legislation as published in TARIC.											
Supplementary Units (18 02 000 000):											
For Codelist information, see codelist – Import excel sheet found on GitHub .											
This element is allowed to be supplemented and estimated.											
As seen in the XML-example below, this field shall not be filled out, but the child element TariffQuantity shall.											
For 18 02 000 000 and 18 02 001 000 footnote [24] applies to H5 declarations, footnote [56] applies to H7 declarations, and footnote [2] applies to I1 declarations.											
XML-examples:											
<pre> <ns3:GoodsMeasure> <ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure> <ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity> </ns3:GoodsMeasure> </pre>											

Commodity code (CUS Code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GIL	O GIL	O GIL	MC GIL	MC GIL	n/a	n/a	O GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 08 001 000	ID						an9	M	CUS Code		
None	IdentificationTypeCode						an..3	M			
Description:											
CUS code is for chemical substances.											
Rules/codes/other relevant information:											
CUS Code Source: ECICS (European Customs Inventory of Chemical Substances) Definition: Customs Union and Statistics (CUS) number assigned within the European Customs Inventory of Chemical Substances (ECICS) to mainly chemical substances and preparations.											
Classification (18 09 000 000): This element and its sub elements are allowed to be supplemented and estimated.											
IdentificationTypeCode (18 08 001 000): To specify CUS Code, input “CUS”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>0010013-0</ns3:ID> <ns3:IdentificationTypeCode>CUS</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (Combined nomenclature code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 057 000	ID						an2	M	Combined nomenclature code		
None	IdentificationTypeCode						an..3	M			
Description:											
Type of goods indicated by the combined nomenclature code.											
Rules/codes/other relevant information:											
Classification (18 09 000 000): This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 057 000): This is the 7 th and 8 th digit of the Taric commodity code, e.g. if you have a Taric code: 01022110, then CN = 10 TARIC codes can be found here: https://ec.europa.eu/taxation_customs/dds2/taric/taric_consultation.jsp?Lang=en											
IdentificationTypeCode (18 09 057 000): To specify Combined Nomenclature Code, input “CN”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>10</ns3:ID> <ns3:IdentificationTypeCode>CN</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (TARIC code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 058 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 058 000	ID						an2	M	TARIC code		
None	IdentificationTypeCode						an..3	M			
Description:											
The Taric Code used to specify applicable duties and taxes to the imported goods.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 059 000):											
The identification code for the Taric Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
Be aware that different Taric Codes have different conditions which apply to the commodity and procedure codes.											
IdentificationTypeCode (18 09 059 000):											
To specify Taric Code, input “TRC”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>90</ns3:ID> <ns3:IdentificationTypeCode>TRC</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (TARIC additional code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GIL	MC GIL	MC GIL	MC GIL	MC GIL	n/a	n/a	MC GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 059 000	ID						an4	MC	TARIC additional code		
None	IdentificationTypeCode						an..3	MC			
Description:											
The Taric Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 059 000):											
The identification code for the Taric Additional Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
Be aware that different Taric Additional Codes have different conditions which apply to the commodity and procedure codes.											
IdentificationTypeCode (18 09 059 000):											
To specify Taric Additional Code, input “TRA”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>3212</ns3:ID> <ns3:IdentificationTypeCode>TRA</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (National Additional Code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	n/a	n/a	M GIL [58]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1		XSD/XML-name				Format		M/O	Comment		
18 09 000 000		Classification				n/a		M			
None		SequenceNumeric				n..5		M			
18 09 060 000		ID				an..4		MC	National additional code		
None		IdentificationTypeCode				an..3		MC			
Description:											
The National Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them, specifically on a national level.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 060 000):											
The identification code for the National Additional Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
IdentificationTypeCode (18 09 059 000):											
To specify National Additional Code, input “GN”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>3212</ns3:ID> <ns3:IdentificationTypeCode>GN</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Group 19 – Transport information (modes, means and equipment)

13

Arrival Transport Means (Inland mode of transport)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL [32]	MC GSL [32]	MC GSL [32]	MC GSL [32]	MC GSL	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ ArrivalTransportMeans
EUCDM 6.1	XSD/XML-name					Format		M/O	Comment		
19 04 000 000	ArrivalTransportMeans					n/a		MC			
19 04 001 000	ModeCode					n1		M	Inland mode of transportation. CL10038		
Description:											
The mode of transport used upon the goods arrival.											
Rules/codes/other relevant information:											
<u>ModeCode (19 04 001 000):</u> For codelist information, see codelist – Import excel sheet found on GitHub . The code that identifies the mode of transportation e.g. ‘1’ for Sea transport. For 19 04 001 000 footnote [32] applies to H1, H2, H3, and H4 declarations.											
XML-examples:											
XML example contains elements mentioned in the following table: <ns3:ArrivalTransportMeans> <ns3:ModeCode>9</ns3:ModeCode> </ns3:ArrivalTransportMeans>											

Transport equipment

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL [62]	MC GSL [62]	MC GSL [62]	MC GSL [62]	MC GSL [62]	n/a	n/a	MC GSL [62]	n/a	MC GSL [62] [84] [85]	GSL: Declaration/GoodsShipment/Consignment/ TransportEquipment
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
19 07 000 000	TransportEquipment						n/a	MC			
19 07 044 000	SequenceNumeric						n..5	M	Goods reference		
19 07 063 000	ID						an..17	M	Container identification number		
Description:											
Details of the transport equipment used for the consignment.											
Rules/codes/other relevant information:											
_SequenceNumeric (19 07 044 000):											
For each container, enter the goods item numbers(s) for the goods transported in this container.											
ID(19 07 063 000):											
Marks (letters and/or numbers) which identify the container.											
For modes of transport other than air, a container is a special box to carry freight, strengthened and stackable and allowing horizontal or vertical transfers. In the air mode, containers are special boxes to carry freight, strengthened and allowing horizontal or vertical transfers.											
In the context of this data element, the swap bodies and semi-trailers used for road and rail transport shall be considered as containers. For swap bodies and semi-trailers the ILU (Intermodal Loading Units) code as introduced by the European EN 13044 standard shall be used.											
If applicable, for containers covered by the standard ISO 6346, the identifier (prefix) allocated by the International Bureau of Containers and Intermodal Transport (BIC) shall also be provided in addition to the container identification number.											
XML-examples:											
<pre> <TransportEquipment> <SequenceNumeric>1</SequenceNumeric> <ID>MWCU1234567</ID> </TransportEquipment> </pre>											

Active Border Transport Means

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL [37]	n/a	MC GSL [37]	MC GSL [37]	MC GSL [37]	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ BorderTransportMeans
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
19 08 000 000	BorderTransportMeans						n/a	M			
19 08 062 000	RegistrationNationalityCode						a2	MC	Nationality. CL10203		
19 03 001 000	ModeCode						n1	M	CL10038		
Description:											
Details of the active means of transport crossing the border of the Customs territory.											
Rules/codes/other relevant information:											
The nationality code of the active means of transport entering the union. In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In the case of a tractor and trailer, the active means of transport is the tractor.											
Note: This element (19 08 000 000) and element (19 03 000 000) Mode of Transport at the Border share a header name BoarderTransportMeans so the example below contains sub elements from both element (19 08 000 000) and element (19 03 000 000) .											
RegistrationNationalityCode (19 08 062 000): For Codelist information, see codelist – Import excel sheet found on GitHub .											
ModeCode (19 03 001 000): For Codelist information, see codelist – Import excel sheet found on GitHub .											
XML-examples:											
<pre> <ns3:BorderTransportMeans> <ns3:RegistrationNationalityCode>NO</ns3:RegistrationNationalityCode> <ns3:ModeCode>5</ns3:ModeCode> </ns3:BorderTransportMeans> </pre>											

Group 99 – Goods identification

14

Appendix

15

AdmissionUseProcessingAuthorisation (A163)

C/A	Requirement Overview										XSD-path	
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR		
No/No	MC DL	n/a	MC DL	MC DL	n/a	n/a	n/a	n/a	n/a	n/a	Basepath: Declaration/ AdmissionUseProcessingAuthorisation	
EUCDM 6.1	XSD/XML-name								Format	M/O	Comment	
A163	AdmissionUseProcessingAuthorisation								n/a	O		
34 11 000 000	CustomsOfficesOfDischarge								n/a	M		
None	SequenceNumeric								n..3	M		
34 11 000 301	CustomsOfficesOfDischarge								an8	M	Customs office code	
35 01 080 000	IdentificationOfGoods								n/a	O		
None	SequenceNumeric								n..3	M	EconomicConditionsSequenceNumeric	
35 01 080 008	Code								n..2	M	CL-3501-1 found in EUCDM	
35 01 080 009	FreeText								an..512	M		
37 05 000 000	DetailsOfPlannedActivitiesEUCDM7								n/a	O		
None	SequenceNumeric								n..2	M		
37 05 000 298	MemberState								a2	M		
37 05 000 244	FreeText								an..512	M		
38 05 000 000	AdditionalInformation								an..512	O		
33 08 000 000	GoodsOwner								n/a	O	Non-union owner of the goods.	
33 08 000 016	Name								an..70	M		
33 08 010 019	StreetAndNumber								an..70	M		
33 08 010 020	CountryCode								a2	M		
33 08 010 021	Postcode								an..17	M		
33 08 010 022	City								an..35	M		
None	SequenceNumeric								n..2	M	GoodsOwnerSequenceNumeric	
34 03 000 000	PlaceWhereMainAccountsForCus- tomsPurposesAreHeldOrAccessible								n/a	O	See “place” in the table below	
34 05 000 000	FirstPlaceOfUseOrProcessing								n/a	O	See “place” in the table below	
34 09 000 000	PlaceOfProcessingOrUse								n/a	O	See “place” in the table below	
34 17 000 000	DischargePeriod								n/a	O		
34 17 000 245	Period								n2	O		
34 17 000 213	TickBox								n1	O	Checked ‘0’ or ‘1’	
34 17 000 008	Code								n1	O		
34 17 000 009	FreeText								an..512	O		
35 01 050 000	YieldRate								n/a	O		
None	SequenceNumeric								n..3	M		
35 01 050 009	FreeText								an..512	O		
35 07 000 000	ProcessedProducts								n/a	O	Mandatory for inward processing (H4)	
None	SequenceNumeric								n..3	M		
35 07 010 000	CommodityCode								an8	M		
35 01 010 000	CommodityCodeEUCDM7								n/a	M		
35 01 010 056	HarmonizedSystemSubheadingCode								an..6	M		
35 01 010 057	CombinedNomenclatureCode								an6	M		
35 01 010 058	TaricCode								an2	O		

35 01 011 000	TaricAdditionalCode	n/a	O	
None	SequenceNumeric	n..2	M	
35 01 011 247	TaricAdditionalCode	an4	M	
35 07 020 254	DescriptionOfGoods	an..512	O	
35 01 090 000	EconomicConditions	n/a	O	Mandatory for inward processing (H4)
None	SequenceNumeric	n..3	M	
35 01 090 008	Code	n..2	M	
35 01 090 009	FreeText	an..512	O	
38 13 000 009	ImportDuty	n1	O	
38 13 000 000	ImportDutyEUCDM7	n/a	O	Mandatory for inward processing (H4)
38 13 000 008	Code	n1	M	
38 13 000 009	FreeText	an..2560	O	
34 04 000 000	PlaceWhereRecordsAreKept	n/a	O	
None	SequenceNumeric	n..2	M	
34 04 000 016	Name	an..70	O	
34 04 010 019	StreetAndNumber	an..70	O	
34 04 010 021	PostCode	an..17	O	
34 04 010 022	City	an..35	O	
34 04 010 020	CountryCode	a2	O	CL10203
34 04 020 036	UNLocode	an..17	O	

Description:

Customs Decision application element A163 for Customs Decision.

Rules/codes/other relevant information:

Although some elements resemble elements from the other parts of an import declaration, they might not have the same list of valid values. The application acts as an extension to the declaration and will always trigger a manual task, so the customs officer will perform additional validation when reviewing the application. Specifically for the Import Domain, an A163 can be used in the following instances:

(H1): A163 authorisation for end-use.

(H3): A163 authorisation for temporary admission.

(H4): A163 authorization for inward processing.

Note: In all above cases, A163 authorisation must be added to Additional information (12 02 000 000) on GS-level as well as any other relevant information related to the import declaration which can be found in this guide.

This is done by using **statement code** >00100<

Statement description should reflect the procedure and whether it is an authorisation for end use, temporary admission, or inward processing.

See the example below:

```
<ns2:GoodsShipment>
  <ns2:AdditionalInformation>
    <ns2:SequenceNumeric>1</ns2:SequenceNumeric>
    <ns2:StatementCode>00100</ns2:StatementCode>
    <ns2:StatementDescription>Aktiv forædling</ns2:StatementDescription>
  </ns2:AdditionalInformation>
</ns2:GoodsShipment>
```

The following describes the elements within the A163 authorisation application:

Owner of the Goods (33 08 000 000): Where applicable under the relevant Article, enter the name and address of the non-Union owner of the goods to be placed under the temporary admission

Place where main accounts for customs purposes are held or accessible (34 03 000 000): Where applicable under the relevant article. The applicant may choose to use either Address or UNLocode.

Note: This information shall **not** be provided if the applicant is an authorized economic operator. Details on how to fill out this element can be found in "Place" below.

First Place of use or processing (34 05 000 000): Using the relevant code, enter the address of the place concerned. This information shall only be provided in the context of an application for an authorisation for the use of inward processing (H4) or end-use (H1) procedures. Details on how to fill out this element can be found in "Place" below.

Place(s) of processing or use (34 09 000 000): Using the relevant code, indicate the address of the place(s) concerned. Details on how to fill out this element can be found in "Place" below.

Customs Office(s) of discharge (34 11 000 000): Indicate the suggested customs office(s) where the formalities and completion of the procedure take place. Customs office codes can be found on toldst.dk.

Period for discharge (34 17 000 000): Enter the estimated period expressed in months needed for the operations to be carried out or use within the special customs procedure applied for. TickBox (34 17 000 213) is used to declare if Bill of Discharge is needed to complete the procedure. Use '1' if yes and use '0' if no.

Use the relevant Code (34 17 000 008) to express how the period is declared. If the period is expressed in months use '1' or '2', in quarters use code '3' and in semesters use code '4'.

Processed Products (35 07 000 000): Enter details of all processed products resulting from the operations, indicating the main processed product and the secondary processed products which are by-products of the processing operation other than the main processed product, as appropriate. This element is mandatory for inward processing (H4). It is optional for end-use (H1) and temporary admission (H3).

Identification of Goods (35 01 080 000): Enter the intended measures of identification by using at least one of the relevant codes found in the EUCDM. The following values can be used in code (35 01 080 008):

- '1' : serial or manufacturer's number
- '2' : affixing of plumbs, seals, clip-marks or other distinctive marks
- '4' : taking of samples, illustrations or technical descriptions
- '5' : carrying out of analyses
- '6' : information document to facilitate the temporary exportation of goods sent from one country for manufacture, processing or repair in another (only suitable for outward processing)
- '7' : other means of identification (provide an explanation on the means of identification to be used)
- '8' : without identification measures according to Article 250(2)(b) of the Code (only suitable for temporary admission)

In the related FreeText element (35 01 080 009), provide the necessary information to identify the goods.

Economic Conditions (35 01 090 000): The inward or outward processing procedure can be used only where the essential interests of the Union producers would not be adversely affected by an authorisation for a processing procedure (economic conditions). Use the relevant codes found in EUCDM under data element 35 01 090 008 to specify the economic conditions. In most of the cases an examination of the economic conditions is not necessary. However, in certain cases such an examination must be carried out at Union level.

Note: Due to a bug, it is currently mandatory for both end-use (H1) and temporary admission (H3).

Details of Planned Activities (37 05 000 000): Describe the nature of the planned activities or use (e.g., details of the operations under a job-processing contract or kind of usual forms of handling under inward processing) to be carried out on the goods within the special procedure.

If the applicant wishes to carry out the processing of the goods under inward processing or end-use procedure in a customs warehouse, pursuant to Article 241 of the Code, he shall provide the relevant details.

Where appropriate, indicate name, address and function of other persons involved.

Additional Information (38 05 000 000): Enter any additional information, if deemed helpful.

Import Duty (38 13 000 000): This information shall only be used if the application relates to the use of inward processing.

Note: Due to a bug, it is currently mandatory for both end-use (H1) and temporary admission (H3).

The following values can be used in code (38 13 000 008):

- '1': This applicant wishes only to calculate the import duty in accordance with article 85 of the Code when article 76 UCC DA does not apply.
- '2': The applicant wishes only to calculate the import duty in accordance with Article 86(3) of the Code.
- '3': In very specific cases when Article 76 UCC DA does not apply, either Article 85 or Article 86(3) of the Code may be applied to calculate the import duty (to be detailed in the free text description)

XML-example:

Below you will find an example of AdmissionUseProcessingAuthorisation..

XML-examples:

```
<ns2:AdmissionUseProcessingAuthorisation>
  <ns5:CustomsOfficesOfDischarge>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:CustomsOfficesOfDischarge>DK003102</ns5:CustomsOfficesOfDischarge>
  </ns5:CustomsOfficesOfDischarge>
  <ns5:IdentificationOfGoods>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:Code>1</ns5:Code>
    <ns5:FreeText>122368468</ns5:FreeText>
  </ns5:IdentificationOfGoods>
  <ns5:DetailsOfPlannedActivitiesEUCDM7>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:MemberState>DK</ns5:MemberState>
    <ns5:FreeText>Test</ns5:FreeText>
  </ns5:DetailsOfPlannedActivitiesEUCDM7>
  <ns5:PlaceWhereMainAccountsForCustomsPurposesAreHeldOrAccessible>
    ...
  </ns5:PlaceWhereMainAccountsForCustomsPurposesAreHeldOrAccessible>
  <ns5:PlaceOfProcessingOrUse>
    ...
  </ns5:PlaceOfProcessingOrUse>
  <ns5:DischargePeriod>
    <ns5:Period>5</ns5:Period>
    <ns5:TickBox>0</ns5:TickBox>
    <ns5:Code>2</ns5:Code>
    <ns5:FreeText>050526 kujnhikug</ns5:FreeText>
  </ns5:DischargePeriod>
  <ns5:YieldRate>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
```

```
<ns5:FreeText>50 %</ns5:FreeText>
</ns5:YieldRate>
<ns5:ProcessedProducts>
  <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
  <ns5:CommodityCodeEUCDM7>
    <ns5:HarmonizedSystemSubheadingCode>900580</ns5:HarmonizedSystemSubheadingCode>
    <ns5:CombinedNomenclatureCode>00</ns5:CombinedNomenclatureCode>
  </ns5:CommodityCodeEUCDM7>
  <ns5:DescriptionOfGoods>Compound optical microscope</ns5:DescriptionOfGoods>
</ns5:ProcessedProducts>
<ns5:EconomicConditions>
  <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
  <ns5:Code>11</ns5:Code>
  <ns5:FreeText>Noncommercial nature</ns5:FreeText>
</ns5:EconomicConditions>
<ns5:ImportDutyEUCDM7>
  <ns5:Code>1</ns5:Code>
</ns5:ImportDutyEUCDM7>
</ns2:AdmissionUseProcessingAuthorisation>
```

Place									
C/A	Requirement Overview							XSD-path	
	H1	H2	H3	H4	H5	H6	H7		
No/No	0 x03 x05 x09	n/a	0 x03 x05 x09	0 x03 x05 x09	n/a	n/a	n/a	x03: Declaration/AdmissionUseProcessingAuthorisation/ PlaceWhereMainAccountsForCustoms PurposesAreHeldOrAccessible x05: Declaration/AdmissionUseProcessingAuthorisation/ FirstPlaceOfUseOrProcessing x09: Declaration/AdmissionUseProcessingAuthorisation/ PlaceOfProcessingOrUse	
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment
34 xx 000 000	Place							0..999	
None	SequenceNumeric						n..3	M	
34 xx 050 020	Country						a2	0	CL10203
34 xx 010 045	LocationTypeCode						a1	0	
34 xx 010 046	QualifierOfTheIdentification						a1	0	
34 xx 010 052	IdentificationOfLocation						an..35	0	
34 xx 010 053	AdditionalIdentifier						an..8	0	Currently M, due to a bug on x05 and x09
34 xx 070 016	Name						an..70	0	
34 xx 010 019	StreetAndNumber						an..70	0	
34 xx 010 021	Postcode						an..17	0	
34 xx 010 022	City						an..35	0	
34 xx 010 052	AuthorisationReferenceNumber						an..35	0	
34 xx 020 036	UNLocode						an..17	0	
34 xx 020 000	CustomsOffice							0	
34 xx 020 001	Identification						an..8	M	
34 xx 030 000	GNSS							0	
34 xx 030 049	Latitude						an..17	M	
34 xx 030 050	Longitude						an..17	M	
34 xx 040 000	EconomicOperator							0	
34 xx 040 017	Identification						an..17	M	
34 xx 050 000	Address							0	
34 xx 050 019	StreetAndNumber						an..70	M	
34 xx 050 021	PostCode						an..9	0	
34 xx 050 022	City						an..9	M	
34 xx 050 020	CountryCode						a2	M	
34 xx 060 000	PostcodeAddress							0	
34 xx 060 025	HouseNumber						an..17	0	
34 xx 060 021	PostCode						an..9	M	
34 xx 060 020	CountryCode						a2	M	
34 xx 070 000	ContactPerson							0	Only used in x05 and x09.
None	SequenceNumeric						n1	M	
34 xx 070 016	Name						an..70	M	
34 xx 070 234	TelephoneNumber						an..50	M	
34 xx 070 076	EMailAddress						an..256	M	

Description:
Generic type Place in AdmissionUseProcessingAuthorisation (A163).
Rules/codes/other relevant information:
Note that x03, x05, and x09 use type place. However, the way in which these elements are usually declared is illustrated in the XML example below. Both x05 and x09 follow the same logic, while x03 is a bit different. If x03 is used the applicant may choose to use either Address or UNLocode. Address information include Street and number, Countrycode, Postcode and city. Place where main accounts for customs purposes are held or accessible (34 03 000 000): Where applicable under the relevant article. The applicant may choose to use either Address or UNLocode. Note: This information shall not be provided if the applicant is an authorized economic operator. Currently it is Mandatory on B2, due to a bug. First Place of use or processing (34 05 000 000): Using the relevant code, enter the address of the place concerned. This information shall only be provided in the context of an application for an authorisation for the use of inward processing or end-use procedures. Place(s) of processing or use (34 09 000 000): Using the relevant code, indicate the address of the place(s) concerned. Contact person (34 05 070 00 / 34 09 070 000): can be specified in 34 05 000 000 and 34 09 000 000. If Place(s) of processing or use (34 09 000 000) has been declared, then contact person (34 09 070 000) is mandatory. LocationTypeCode (34 05 010 045 / 34 09 010 045): similar to Goods Location; valid values are 'A', 'B', 'C', 'D'. Can be used in 34 05 000 000 and 34 09 000 000. QualifierOfTheIdentification (34 05 010 046 / 34 09 010 046): similar to Goods Location; valid values are 'U', 'V', 'Y', 'Z', 'X', 'W'. The value provided in QualifierOfTheIdentification determines the information to be provided. E.g. if the value is 'Z' then Address fields are required. More information about goods location can be found on toldst.dk.
XML-examples:
<pre> <ns5:PlaceOfProcessingOrUse> <ns5:SequenceNumeric>1</ns5:SequenceNumeric> <ns5:Country>DK</ns5:Country> <ns5:QualifierOfTheIdentification>Z</ns5:QualifierOfTheIdentification> <ns5:AdditionalIdentifier>1</ns5:AdditionalIdentifier> <ns5:StreetAndNumber>address 1</ns5:StreetAndNumber> <ns5:Postcode>9000</ns5:Postcode> <ns5:City>Aalborg</ns5:City> <ns5:ContactPerson> <ns5:SequenceNumeric>1</ns5:SequenceNumeric> <ns5:Name>Anders Anders</ns5:Name> <ns5:TelephoneNumber>12345678</ns5:TelephoneNumber> <ns5:EmailAddress>Anders@anders.dk</ns5:EmailAddress> </ns5:ContactPerson> </ns5:PlaceOfProcessingOrUse> </pre>

RepaymentRemissionAuthorisation (4c)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	n/a	n/a	Basepath: Declaration/ RepaymentRemissionAuthorisation
EUCDM 6.1	XSD/XML-name							Format	M/O		Comment
4c	RepaymentRemissionAuthorisation							n/a	O		
31 01 000 002	ApplicationCodeType							an..4	M		
None	DecisionCodeType							an..4	O		Should not be used
31 02 000 202	ApplicationSignature							an..256	MC		Mandatory when FunctionCode is '37'
None	DecisionSignature							an..256	O		Should not be used
31 06 000 000	DecisionReferenceNumber							n/a	O		Should not be used
31 06 000 020	CountryCode							a2	M		Should not be used
31 06 000 001	ReferenceNumber							an..29	M		Should not be used
31 06 000 205	CodeType							an..4	M		Should not be used
31 07 000 000	DecisionCustomsAuthority							n/a	O		
31 07 000 301	CustomsOfficeId							an8	O		
None	Name							an...70	O		Should not be used
None	StreetAndNumber							an...70	O		Should not be used
None	CountryCode							a2	O		Should not be used
None	PostCode							an...17	O		Should not be used
None	City							an...35	O		Should not be used
32 04 000 000	AttachedDocument							n/a	O		
32 04 010 224	Type							an..70	M		
32 04 010 225	AttachedDocumentID							an..35	M		
32 04 010 226	AttachedDocumentDate							n8	M		
33 01 000 000	ApplicationHolder							n/a	O		
33 01 000 016	Name							an..70	M		
33 01 010 019	StreetAndNumber							an..70	M		
33 01 010 020	CountryCode							a2	M		
33 01 010 021	PostCode							an..17	M		
33 01 010 022	City							an..35	M		
None	DecisionHolder							n/a	O		Should not be used
None	Name							an..70	M		Should not be used
None	StreetAndNumber							an..70	M		Should not be used
None	CountryCode							a2	M		Should not be used
None	PostCode							an..17	M		Should not be used
None	City							an..35	M		Should not be used
33 02 000 229	ApplicationHolderId							an..17	M		
None	DecisionHolderId							an..17	O		Should not be used
33 06 000 000	ApplicationSupervisor							n/a	M		
33 06 000 016	Name							an..70	M		
33 06 000 234	TelephoneNumber							an..50	O		
None	FaxNumber							an...50	O		Should not be used
33 06 000 076	EmailAddress							an..256	O		

34 02 000 207	ApplicationDate	n8	0	(yyyymmdd)
34 02 000 207	DecisionDate	n8	0	(yyyymmdd) Should not be used
36 03 000 009	GeneralRemarks	an..512	0	
33 03 000 000	Representative	n/a	0	Currently M due to a bug
33 03 000 016	Name	an..70	M	
33 03 010 019	StreetAndNumber	an..70	M	
33 03 010 020	CountryCode	a2	M	
33 03 010 021	PostCode	an..17	M	
33 03 010 022	City	an..35	M	
33 03 020 000	RepresentativeEUCMD7	n/a	0	
33 03 020 229	RepresentativeIdentification	an..17	0	
33 03 020 229	RepresentativeId	an..17	0	
34 08 000 000	GoodsLocation	n/a	0	Currently M due to a bug
34 08 050 020	CountryCode	a2	M	
34 08 010 036	LocationCodeType	a1	M	CL10240
34 08 010 046	IdentificationQualifier	a1	M	CL10239
34 08 050 025	LocationIdentification	an..35	0	
34 08 010 053	AdditionalIdentifier	n..3	0	
34 08 070 016	Name	an..70	0	
34 08 050 019	StreetAndNumber	an..70	0	
34 08 050 021	PostCode	an..17	0	
34 08 050 022	City	an..35	0	
35 01 010 000	TraderCommodityCode	n/a	0	Currently M due to a bug
35 01 010 056	HarmonisedSystemSubheading-Code	an..6	M	
35 01 010 057	NomenclatureCode	an2	M	
35 01 010 058	TaricSubheading	an2	M	
35 01 011 247	TaricAdditionalCode	an4	0	
35 01 011 060	NationalAdditionalCode	an..4	0	
None	CustomsCommodityCode	n/a	0	Should not be used
35 01 010 057	NomenclatureCode	an..8	M	Should not be used
35 01 010 056	TaricSubheading	an2	M	Should not be used
35 01 011 247	TaricAdditionalCode	an4	0	Should not be used
35 01 011 060	NationalAdditionalCode	an..4	0	Should not be used
35 01 020 009	GoodsDescription	an..2560	0	
35 01 030 000	TraderGoodsQuantity	n/a	0	Currently M due to a bug
35 01 031 249	Measurement	an..4	M	
35 01 031 006	Quantity	n..16,6	M	
None	CustomsGoodsQuantity	n/a	0	Should not be used
None	Measurement	an..4	M	Should not be used
None	Quantity	n..16,6	M	Should not be used
38 05 000 009	AdditionalInformation	an..512	0	
48 01 000 300	RecoveryTitle	an..35	0	
48 02 000 301	CustomsOfficeNotified	an8	0	
48 03 000 301	CustomsOfficeLocation	an8	0	
48 04 000 009	CustomsOfficeComments	an..512	0	

48 05 000 000	CustomsProcedure	n/a	O	
48 05 000 257	Code	an2	M	
48 05 000 213	Checked	n1	M	Checked '0' or '1'
48 05 010 000	DecisionReferenceNumber	n/a	O	
48 05 010 020	CountryCode	a2	M	
48 05 010 001	ReferenceNumber	an..29	M	
48 05 010 205	CodeType	an..4	M	
48 06 000 000	CustomsValue	n/a	O	
48 06 000 012	Currency	a3	M	
48 06 000 014	Amount	n..16,2	M	
48 07 000 000	AmountDuty	n/a	M	
48 07 000 012	Currency	a3	M	
48 07 000 014	Amount	n..16,2	M	
48 08 000 000	DutyType	n/a	O	
48 08 000 302	UnionCode	a1+n2	O	CL10283
48 08 000 303	NationalCode	n1+an2	O	
None	Amount	n..16,6	O	
48 09 000 304	LegalBasis	a1	M	CL10270
48 10 000 009	GoodsDestination	an..512	O	Should not be used
48 11 000 305	CompletionTimeLimit	n..3	O	Should not be used
48 12 000 009	CustomsStatement	an..512	O	Should not be used
48 13 000 009	TraderGroundsDescription	an..512	O	
None	CustomsGroundsDescription	an..512	O	Should not be used
48 14 000 009	BankDetails	an..512	O	

Description:

Authorization code type for application element 4c for remission and repayment.

Rules/codes/other relevant information:

Repayment and Remission (4c) can be used with an invalidation request (INV) or as a standalone request (RRA). Details about Invalidation 4c and Repayment or Remission can be found in the [DMS Import Export System Guide](#).

Depending on the action, the FunctionCode must be used '1' for invalidation and repayment or '37' for repayment and remission to an already existing declaration.

- If FunctionCode '1' is used, TypeCode 'INV' should be used.
- If FunctionCode '37' is used, TypeCode 'RRA' should be used.

If Repayment and Remission is used with an invalidation request, the invalidation reason and text should be provided.

Details and specifics can be found in [section 4](#) and [Additional Declaration type](#) in this guide.

In the XSD, specific fields are related to the customs decision. These should not be provided when submitting the request. These has been marked with "Should not be used" in comments above.

The following describes the elements within the application for Repayment and Remission (4c):

ApplicationCodeType **(31 01 000 002)**: Authorization code type for application. Use code 'REP' for repayment or 'REM' for remission.

ApplicationSignature **(31 02 000 202)**: Authorization signature for application. Only used and mandatory when FunctionCode is '37'.

DecisionReferenceNumber **(31 06 000 000)**: Unique reference attributed by the competent customs authority to the decision.

AttachedDocument (32 04 000 000): Document(s) attached to the application or the decision. Multiple instances of this element can be used if more than one document needs to be attached.

ApplicationHolder **(33 01 000 000)**: Applicant of the remission or repayment request which includes applicants name and address. This information is mandatory **only** in the cases where the EORI number of the person is not required. Where the EORI number is provided, the name and address should not be provided.

ApplicationHolderID **(32 02 000 229)**: The application holders ID provided as an EORI number.

Representative **(33 03 000 000)**: Name and address of the representative of the remission and repayment request. This information is mandatory **only** in the cases where the EORI number of the person is not required. Where the EORI number is provided, the name and address should not be provided.

Note: Representative (33 03 000 000) is currently mandatory due to a bug.

RepresentativeID or RepresentativeIdentification **(33 03 020 229)**: The representative ID provided as an EORI number

ApplicationSupervisor **(33 06 000 000)**: Contact details of person responsible for the application.

ApplicationDate **(34 02 000 207)**: Date on which the applicant has signed or otherwise authenticated the application.

GoodsLocation **(34 08 000 000)**: Using the relevant codes, enter the location where the goods may be examined. The applicant may choose to use either Address or UNLocode. Address information include Street and number, Countrycode, Postcode and city. Note that the value provided in QualifierOfTheIdentification determines the information to be provided. E.g. if the value is 'Z' then Address fields are required. More information about goods location can be found on toldst.dk.

Note: GoodsLocation (34 08 000 000) is currently mandatory due to a bug.

TraderGoodsQuantity **(35 01 030 000)**: Enter the measurement and net quantity of the goods expressed in supplementary units within the meaning of the Combined Nomenclature.

Note: TraderGoodsQuantity (35 01 030 000) is currently mandatory due to a bug.

General Remarks **(36 03 000 009)**: General remarks regarding particulars of any requirements to which the goods remain subject pending implementation of the decision. If applicable, the decision shall contain a notice informing the holder of the decision that he must give the original of the decision to the implementing customs office of his choice when presenting the goods.

Customs Office Notified **(48 02 000 301)**: Customs office where the customs debt was notified.

Customs Office Location **(48 03 000 301)**: Customs office responsible for the place where the goods are located.

Customs Office Comments **(48 04 000 309)**: Comments of the customs office responsible for the place where the goods are located.

Customs Procedure **(48 05 000 000)**: Customs procedure (request for prior completion of formalities).

CustomsValue **(48 06 000 000)**: Indicate the customs value of the goods.

AmountDuty **(48 07 000 000)**: Amount of import or export duty to be repaid or remitted of.

DutyType **(48 08 000 000)**: Type of import or export duty.

LegalBasis **(48 09 000 304)**: Provide the legal basis for requesting remission or repayment. Codes can be found in CL10270.

TraderGroundsDescription **(48 13 000 009)**: Detailed description of the justification that forms the basis of the request for remission or repayment.

BankDetails **(48 14 000 009)**: If applicable, enter the bank-account details where the import or export duty shall be repaid or remitted.

NOTE: The XML example below also contains elements that are optional but currently mandatory due to temporary bugs. This includes representative, goods location and trader goods quantity. Additionally, application signatures are not used in an Invalidation 4c scenario.

XML-examples:

```

<ns2:RepaymentRemissionAuthorisation>
  <ns5:ApplicationCodeType>REP</ns5:ApplicationCodeType>
  <ns5:ApplicationSignature>DK12345678</ns5:ApplicationSignature>
  <ns5:ApplicationHolderId>DK12345678</ns5:ApplicationHolderId>    <ns5:Representative>
    <ns5:Name>Jurgen Meyer</ns5:Name>
    <ns5:StreetAndNumber>Copenhagen street</ns5:StreetAndNumber>
    <ns5:CountryCode>DK</ns5:CountryCode>
    <ns5:PostCode>2300</ns5:PostCode>
    <ns5:City>Copenhagen</ns5:City>
  </ns5:Representative>
  <ns5:GoodsLocation>
    <ns5:IdentificationQualifier>Z</ns5:IdentificationQualifier>
    <ns5:Address>
      <ns5:StreetAndNumber>Copenhagen Street</ns5:StreetAndNumber>
      <ns5:CountryCode>DK</ns5:CountryCode>
      <ns5:PostCode>2100</ns5:PostCode>
      <ns5:City>Copenhagen</ns5:City>
    </ns5:Address>
  </ns5:GoodsLocation>
  <ns5:TraderCommodityCode>
    <ns5:HarmonisedSystemSubheadingCode>001122</ns5:HarmonisedSystemSubheadingCode>
    <ns5:NomenclatureCode>00</ns5:NomenclatureCode>
    <ns5:TaricSubheading>00</ns5:TaricSubheading>
  </ns5:TraderCommodityCode>
  <ns5:TraderGoodsQuantity>
    <ns5:Measurement>KGR1</ns5:Measurement>
    <ns5:Quantity>121.00</ns5:Quantity>
  </ns5:TraderGoodsQuantity>
  <ns5:CustomsValue>
    <ns5:Currency>DKK</ns5:Currency>
    <ns5:Amount>113</ns5:Amount>
  </ns5:CustomsValue>
  <ns5:AmountDuty>
    <ns5:Currency>DKK</ns5:Currency>
    <ns5:Amount>20.0</ns5:Amount>
  </ns5:AmountDuty>
  <ns5:DutyType>
    <ns5:UnionCode>B00</ns5:UnionCode>
    <ns5:NationalCode>DK</ns5:NationalCode>
  </ns5:DutyType>
  <ns5:LegalBasis>E</ns5:LegalBasis>
  <ns5:DescriptionOfGoods>
    <ns5:DescriptionOfGoods>Test Description</ns5:DescriptionOfGoods>
  </ns5:DescriptionOfGoods>
</ns2:RepaymentRemissionAuthorisation>

```

