

DMS Import XML Guide



Version 1.22

Version control		
Version	Date	Change
1.0	08-02-2024	Initial version.
1.1	22-08-2024	Review and update.
1.2	07-10-2024	Minor corrections.
1.3	22-10-2024	Minor corrections.
1.4	25-03-2025	Minor corrections.
1.5	26-03-2025	Add table for 14 08 000 000.
1.6	31-03-2025	Removed sub-element Description from Delivery terms
1.7	28-04-2025	Minor corrections.
1.8	02-05-2025	Minor corrections.
1.9	09-05-2025	Minor corrections.
1.10	12-05-2025	Added CL10203 in comments of country for AdmissionUseProcessingAuthorisation (8f).
1.11	14-05-2025	Update Amendment example and remove CL values from description
1.12	16-05-2025	Update path for Importer and Exporter
1.13	19-05-2025	Added SequenceNumeric to Additional fiscal reference
1.14	27-05-2025	Corrected example for 19 06 000 000 and removed sequence
1.15	19-06-2025	Corrected description in 13 06 000 000 now mentioning importer instead of exporter Added codelists to element 48 09 000 304 and 48 08 000 302
1.16	25-06-2025	Updated format of and codelist to 14 04 008 000
1.17	27-06-2025	Several minor updates
1.18	13-11-2025	Corrected a bundle of inconsistencies to align with current xsd-schema – several formatting updates, modality changes, fieldnames corrections and structure rearranging's.
1.19	17-02-2026	Adjustments to accommodate for EUCDM 7.0, as well as adjustments to 8F and 4C. Addition of the overall structure section.
1.20	13-04-2026	Adjustments to 8F/A163 and RepaymentRemission
1.21	20-07-2026	Adjustments to Extensions adding description of isRetrospective and isFallback
1.22	06-08-2026	Adjusted LRN to accept most special characters and deleted unreferenced footnotes from chapter 3 list.

Table of Contents

1. The aim of this document.....	5
2. Glossary	7
3. Footnotes.....	9
4. Overall structures	13
Declaration Level.....	14
Goods Shipment Level	15
Goods Shipment Consignment Level.....	16
Goods Shipment Item Level	17
5. System specific fields.....	18
Function Code	19
Procedure Category	20
Declaration Office ID.....	21
MRN (Movement reference).....	22
Submitter	23
Extension.....	24
Amendment.....	28
6. Group 11 – Message information (including procedure codes)	29
Declaration type/Additional declaration type.....	30
Goods item number	31
Procedure.....	32
Additional procedure	33
7. Group 12 – References of messages, documents, certificates, authorizations	34
Previous Document.....	35
Additional Information.....	37
Supporting Document.....	38
Additional Reference	40
Transport Document	41
Additional Document	42
Reference number/UCR.....	43
LRN (Functional reference)	44
Warehouse.....	45
Authorisation	46
8. Group 13 - Parties	47
Consignor	48
Importer	49
Declarant.....	50
Seller 52	
Representative (Agent).....	53
Buyer 55	
Additional Supply Chain Actor (AEO Mutual Recognition Party)	56
Additional fiscal reference (Domestic Duty Tax Party)	57
Person providing a guarantee (Surety)	58

Person paying the customs duty (Payer).....	59
---	----

9. Group 14 - Valuation information/Taxes.....60

Delivery Terms.....	61
Duties and Taxes.....	62
Additions and deductions	64
Valuation Indicators	65
Total Amount Invoiced	66
Item Amount Invoiced	67
Exchange Rate.....	68
Valuation method.....	69
Intrinsic Value.....	70
Freight.....	71

10. Group 15 - Dates - Times - Periods72

Date of acceptance.....	73
-------------------------	----

11. Group 16 - Places/Countries/Regions.....74

Country of destination.....	75
Region of destination	76
Country of dispatch.....	77
Origin (Country of Origin).....	78
Origin (Country of preferential origin).....	79
Location of goods	80

12. Group 17 - Customs Offices83

Customs office of presentation	84
Supervising customs office.....	85

13. Group 18 - Goods identification86

Goods Measure (Net Mass).....	87
Goods Measure (Supplementary Units)	88
Goods Measure (Gross Mass)	89
Description of goods.....	90
Packaging	91
Commodity code (CUS Code).....	92
Commodity code (Harmonized system sub-heading code).....	93
Commodity code (Combined nomenclature code)	94
Commodity code (TARIC code)	95
Commodity code (TARIC additional code)	96
Commodity code (National Additional Code).....	97
Type of goods	98

14. Group 19 - Transport information (modes, means and equipment)99

Container indicator	100
Mode of Transport at the Border.....	101
Arrival Transport Means (Inland mode of transport).....	102
Arrival Transport Means (identification info)	103
Transport equipment.....	104
Active Border Transport Means.....	105

15. Group 99 - Goods identification 106

Quota order number	107
Guarantee type	108
Guarantee reference (ObligationGuarantee).....	109

Nature of Transaction 110

Statistical value 111

16. Appendix 112

AdmissionUseProcessingAuthorisation (A163) 113

Place 118

RepaymentRemissionAuthorisation (4c) 120

The aim of this document

1

The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-files for Import declarations based on the EU Customs Data Model - <https://eucdm.softdev.eu.com/>

The document is structured after the EUCDM grouping of the data elements as well as DMS-specific data fields that are required by the system when using the S2S solution:

- **System-specific fields:** This section includes fields that are needed by the system to recognize what declaration is sent in, who is submitting the declaration, as well other data that is needed to fulfill the desired action.
- **Group 11:** This section contains basic information about the declaration and which procedures the declaration should be processed under. All this information influences how the declaration is processed, what kind of business scenario and procedure to be expected and requested.
- **Group 12:** This section is for the submitter to present all other relevant information and documents related to the submitted declaration that is not contained in the data fields. This is especially used for references tracking documents, authorizations and supplying tracking numbers.
- **Group 13:** This section contains information on all parties involved in the Import procedure. It is here information on the importer, exporter, declarant, fiscal reference, representative, etc., is provided either by ID or other identifiable information depending on whether the party is a company or private person.
- **Group 14:** In this section valuation information is given, examples of valuations are: taxes, transportation costs, delivery terms, etc.
- **Group 16:** This section contains the location-related information, e.g., where the goods will be or are presented (depending on whether it is a pre-lodged or a standard declaration) as well as the countries involved in the export/exit process.
- **Group 17:** This section contains information regarding which customs offices have handled the goods in the export/exit process.
- **Group 18:** In this section the submitter supplies more detailed information on the goods item(s) such as a weight, description, Taric code(s), etc.
- **Group 19:** This section contains information about the form of transport of goods, e.g., modes, container information, equipment, etc.
- **Group 99:** This section contains other information in the declarations which does not fit into the other above-mentioned groups.

Under each data element in the groups is provided a detailed description on whether the field is mandatory or optional as well as what rules to adhere to depending on the desired business scenario to make use of, and XML-examples are provided to give context.

Information on the EUCDM ID6 reference code is provided to help the reader in seeking further information if needed.

Additionally, under some of the data element you will see codelist or rulecode codes identifying codes and rules for this element. These elements are relevant under the transitional period of the new system, and you can identify them in the Codelists.xlsx or Rulecodelist.xlsx sheets found on [GitHub](#). The first document can be used to identify the CLxxx errors, and the second document can be used to identify the rest. If there is an error not presented in comments of the data elements, or you cannot find it in the code-/rulecodelist sheets, please contact the Danish Customs Agency for further assistance on the subject.

Glossary

2

To make the document shorter and easier to read, some abbreviations are used. Here is a list of the abbreviations used in this document.

Abbreviation	Description	Details
M	Mandatory	The field is mandatory to declare.
O	Optional	The field is optional to declare or should only be declared if relevant information is available.
MC	Conditionally mandatory	The information is mandatory dependent on other information given in the declaration, e.g., type of declaration or commodity code.
DL	Declaration level	The information is given on header level and applies to all the goods items in the declaration.
GSL	Goods shipment level	The information is given on goods shipment level and applies to all the goods items in the goods shipment.
GIL	Goods item level	The information is given on goods item level and applies to only the goods item it is declared under.
C/A	Defines whether an element can be corrected or amended	Yes/Yes means can be corrected and amended. Yes/No means it can be corrected but not amended No/Yes means it can't be corrected but it can be amended No/No means it can't be corrected or amended
EUCDM	European Union Customs Data Model	The European Union Customs Data Model (EUCDM) is the model for Customs trans-European systems such as NCTS, AES, ICS, EOS and for Member States national customs clearance systems
XSD	XML Schema Definition	A document that specifies how to formally describe the elements in an Extensible Markup Language (XML) document. This description can be used to verify that each item of content in a document adheres to the description of the element in which the content is to be placed.
XML	Extensible Markup Language	A simple text-based format for representing structured information, storing, and sending data. It is the file format used to send declarations to DMS.
n/a	Not Applicable	The information does not apply to the given element/declaration.
Requirement Overview	Mandatory / Optional / Conditionally mandatory / Levels / Rules	Defines whether an element is M, O, MC (see abbreviations above) or whether any EUCDM rules apply to the given element in a specific declaration.
M/O	Defines whether a field is mandatory or optional when the main field is in the XML Mandatory/Optional	For a lot of input fields, the sub elements of that field are not always mandatory even though the overall input field is. For example, is Supporting Document which is optional, but when put into to an XML, SequenceNumeric and ID becomes mandatory as the only elements.
ND	Not Determined	The mandatory or optional status of these elements are not yet determined.

Footnotes

3

Throughout the XML-Guide you will see several footnotes, all of these refers to this table. All these footnotes can also be found on EUCDM.

FOOTNOTE	DESCRIPTION
[1]	This information shall not be required in case a customs declaration has been lodged prior to the presentation of the goods pursuant to Article 171 of the Code.
[2]	In the cases where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable, Member States may waive the obligation to provide this information where the conditions prescribed in the authorizations associated with the procedures concerned allow them to defer the collection of this data element in the supplementary declaration.
[4]	This information needs to be provided only where Article 166(2) of the Code (simplified declarations based on authorizations) is applicable; in this case, it is the number of the authorization for simplified procedure. However, this data element can also contain the transport document number concerned.
[5]	This information is only required where the declaration of placing of goods under a customs procedure is used to discharge a customs warehousing procedure.
[6]	Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided.
[10]	Member States may waive this information where the customs value of the goods in question cannot be determined under the provisions of Article 70 of the Code. In such cases the declarant shall furnish or cause to be furnished to the customs authorities such other information as may be requested for the purposes of determining the customs value.
[11]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration. It is otherwise optional for the Member States.
[12]	This information is not required for goods eligible for relief from import duties, unless the customs authorities consider it necessary for the application of the provisions governing the release for free circulation of the goods concerned.
[13]	This information is not to be provided when customs administrations calculate duties on behalf of economic operators on the basis of information elsewhere in the declaration.
[14]	Except where it is essential for the correct determination of the customs value, the Member State of acceptance of the declaration shall waive the obligation to provide this information, if any of the following is the case: • where the customs value of the imported goods in a consignment does not exceed EUR 20.000 provided that they do not constitute split or multiple consignments from the same consignor to the same consignee, • where the importation is of a non-commercial nature • in case of continuing traffic in goods supplied by the same seller to the same buyer under the same commercial conditions.
[15]	Member States may require this information only in cases when the rate of exchange is fixed in advance by a contract between the parties concerned.
[20]	This information is required where: a) no preferential treatment is applied or b) the country of non-preferential origin is different to the country of preferential origin.
[21]	This information is required where a preferential treatment is applied using the appropriate code in D.E. 14 11 000 000 Preference.
[22]	This information shall only be used in case of centralized clearance.

[23]	This information shall only be used in case the declaration for temporary storage or the customs declaration to place the goods under a special procedure other than transit is lodged at a customs office different to the supervising customs office as indicated in the respective authorization.
[24]	This information shall only be required in case of commercial transactions involving at least two Member States.
[25]	This information shall only be provided for entry into the declarants' records and only if the discharge of the goods under temporary storage concerns only parts of the declaration for temporary storage lodged previously in relation with the goods concerned.
[32]	This data element does not have to be provided where the import formalities are carried out at the point of entry into the customs territory of the Union.
[34]	Not for use in the case of postal consignments or carriage by fixed transport installations.
[37]	Not for use in the case of postal consignments or carriage by fixed transport installations or rail.
[39]	This information shall only be required where the release of the goods is subject to the provision of a comprehensive guarantee.
[40]	The Member State of acceptance of the declaration may waive the obligation to provide this information where it is in the position to assess it correctly and has implemented calculation routines to provide a result compatible with statistical requirements.
[41]	This data element shall only be used in the context of a supplementary declaration for Entry into the declarant's records.
[54]	This information is not required: a) when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC; or b) when the goods are of a non-commercial character sent from a third country by private persons to other private persons in a Member State and exempt from VAT pursuant to Article 1 of Council Directive 2006/79/EC (1).
[55]	This information is only required when the goods are declared for release for free circulation under the special scheme for distance sales of goods imported from third countries and territories set out in Title XII Chapter 6 Section 4 of Directive 2006/112/EC.
[56]	This information is only required if the declaration concerns goods referred to in Article 27 of Council Regulation (EC) No 1186/2009.
[57]	This information is not required in cases of multiple goods packed together and for postal consignments.
[58]	For Centralized Clearance at Import where more than one MS is involved, the information relating to the national codes shall be provided for the Authorizing and Presentation MS.
[60]	This data element is to be provided when an authorization exists according to the relevant section of Annex A to this Regulation, Title I Chapter 1.
[62]	This information shall relate to the situation at the moment when the declaration is made.
[63]	This information shall be provided for decisions relating to binding information.
[66]	EORI number or third country unique identification number (TCUIN) shall be declared, where available.

[68]	This information shall not be provided in the case of a pre-lodged declaration.
[69]	This information shall only be provided when codes are defined by the Member State concerned.
[72]	Member States may waive this obligation if their systems allow them to deduce this information automatically and unambiguously from information elsewhere in the declaration.
[73]	This information shall be provided in the case of end-use authorization.
[84]	This information shall not be provided where it relates to a customs declaration in postal traffic for release for free circulation.
[85]	This information shall not be provided where it relates to a customs declaration for release for free circulation in respect of a consignment which benefits from a relief from import duty in accordance with Article 23(1) or Article 25(1) of Regulation (EC) No 1186/2009.

Overall structures

4

Declaration Level

C/A	Requirement Overview										XSD-path	
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR		
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration	
EUCDM 6.1	XSD/XML-name								Format	M/O	Comment	
None	Declaration								n/a	M		
None	Extensions								n/a	O	Not H7 nor I2_PN	
15 09 001 000	AcceptanceDateTime									O	Only H1, H3-H5 and I1	
None	FunctionCode								n..2	M		
None	ProcedureCategory								an..7	M		
12 09 001 000	FunctionalReferenceID								an..22	M		
None	ID								an..70	M	Only I2_PN	
11 01 001 000	TypeCode								an..3	M	Not I2_EDIR	
None	DeclarationOfficeID								an..17	M	Not I2_PN	
14 05 001 000	InvoiceAmount								n..16,2	O	Only H1, H3-H5 and I1	
13 06 000 000	Submitter								n/a	M		
13 06 000 000	Agent								n/a	O		
12 12 000 000	Authorisation								n/a	O	Not H7 nor I2_PN	
14 09 000 000	CurrencyExchange								n/a	O	Only H1-H4	
13 05 000 000	Declarant								n/a	MC		
12 03 000 000	GoodsShipment								n/a	MC		
99 02 000 000	ObligationGuarantee								n/a	MC	Only H1, H3, H4 and H6	
17 09 000 000	PresentationOffice								n/a	O	Not H6, H7 nor I2-PN	
17 10 000 000	SupervisingOffice								n/a	O	Only H1-H4 and I1	
None	AdmissionUseProcessingAuthorisation								n/a	O	Only H1, H3 and H4	
Description:												
This is the overall structure at declaration level.												

Goods Shipment Consignment Level

[illegible]

Goods Shipment Item Level

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M DL	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem
EUCDM 7.0	XSD/XML-name						Format	M/O	Comment		
11 03 001 000	GovernmentAgencyGoodsItem						n/a	M	Not I2_PN		
14 12 014 000	CustomsValueAmount						n..16,2	M	Only H6		
11 03 001 000	SequenceNumeric						n..4	M			
99 06 001 000	StatisticalValueAmount						n..16,2	M	Only H1-H5		
99 05 001 000	TransactionNatureCode						n..2	O	Only H1-H5		
12 02 000 000	AdditionalInformation						n/a	O	Not I2		
13 14 000 000	AEOMutualRecognitionParty						n/a	O	Not H7 nor I2		
13 09 000 000	Buyer						n/a	O	Only H1 and I1		
18 05 001 000	Commodity						n/a	M			
13 01 000 000	Consignor						n/a	O	Not H2 nor I2		
14 10 000 000	CustomsValuation						n/a	M	Only H1 and H3-H5		
16 03 000 000	Destination						n/a	O	Only H1-H5		
13 16 000 000	DomesticDutyTaxParty						n/a	O	Only H1 and I1		
11 09 000 000	GovernmentProcedure						n/a	M			
16 08 000 000	Origin						n/a	MC	Not H7 nor I2		
18 06 000 000	Packaging						n/a	M			
12 01 000 000	PreviousDocument						n/a	O			
13 08 000 000	Seller						n/a	O	Only H1		
12 08 000 000	UCR						n/a	O	Not I2		
14 07 000 000	ValuationAdjustment						n/a	O	Only H1, H4 and H5		
16 06 000 000	DispatchCountry						n/a	O	Only H1-H5 and I1		
12 03 000 000	SupportingDocument						n/a	O	Not I2		
12 04 000 000	AdditionalReference						n/a	O	Not I2		
14 15 000 000	Freight						n/a	O	Only H7		
12 12 000 000	Authorisation						n/a	O	Not H7		
12 05 000 000	TransportContractDocument						n/a	O	Not I2		
Description:											
This is the overall structure at goods shipment item level.											

System specific fields

4

Procedure Category

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/ ProcedureCategory
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
None	ProcedureCategory						an..7	M	CL10175		
Description:											
This data element indicates what type of declaration is being submitted											
Rules/codes/other relevant information:											
ProcedureCategory needs to be declared as the declaration type that is submitted, e.g., ‘H1’ for submitting a H1 declaration.											
For declarations:											
The data in ProcedureCategory needs to be the type of declaration that is submitted.											
For additional messages:											
The data in ProcedureCategory needs to be the type of declaration the additional message is submitted to.											
It is possible to use these codes:											
- H1: Declaration for release for free circulation and Special procedure -- Specific use -- Declaration for end-use - H2: Special procedure -- Storage -- Declaration for customs warehousing - H3: Special procedure -- Specific use -- Declaration for temporary admission - H4: Special procedure -- processing -- declaration for inward processing - H5: Declaration for the introduction of goods in the context of trade with special fiscal territories - H6: Customs declaration in postal traffic for release for free circulation - H7: Customs declaration for release for free circulation in respect of a consignment which benefits from a relief from import duty in accordance with Article 23(1) or Article 25(1) of Regulation (EC) No 1186/2009 - I1: Import simplified declaration - I2EIDR: Presentation of goods to customs in case of entry in the declarant's records											
XML-examples:											
<ns3:ProcedureCategory>H1</ns3:ProcedureCategory> or <ns3:ProcedureCategory>H2</ns3:ProcedureCategory> or <ns3:ProcedureCategory>I1</ns3:ProcedureCategory>											

Declaration Office ID

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	n/a	M DL	Basepath: Declaration/ DeclarationOfficeID
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
None	DeclarationOfficeID						an..17	M	CL10230		
Description:											
This element is used to define the office of lodgement.											
Rules/codes/other relevant information:											
Customs office IDs can be found here .											
XML-examples:											
<ns3:DeclarationOfficeID>12345678<ns3:DeclarationOfficeID>											

MRN (Movement reference)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2_PN	I2_EIDR	
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	Basepath: Declaration/ID
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
None	ID					an18	MC				
Description:											
The MRN is automatically generated following the EUCDM legislation as a unique combination of 18 characters. The MRN is created by the Customs agency and is sent as part of the validation acceptance.											
Rules/codes/other relevant information:											
This element is used in all declarations and only used in the following additional messages: correction, amendment, invalidation, invalidation and repayment remission (4c), repayment remission, goods presentation, and supplementary declarations.											
The combination of the 18 characters is as follows: - The last two digits of the year of formal acceptance of the declaration (e.g., '23' for 2023) - Consist of 2 digits - 2. Country where the declaration/proof of the customs status of union goods/notification is lodged (e.g., 'DK' for Denmark) - Consist of 2 letters - 3. Unique identifier based on year and country (e.g., 21DK04K21L01) - Consist of 12 alphanumeric characters - 4. Procedure identifier (see tables below) - Consist of 1 letter - 5. Check digit (e.g., '6') - Consist of 1 alphanumeric character											
The following table explains what the digit for the procedure identifier will be:											
Code	Procedures					Declarations					
R	Import					H1, H2, H3, H4, H6, H7, I1					
V	Import					H5					
8	Import – Presentation of goods					I2EIDR					
XML-examples:											
<ns3:ID>22DKRQSI</ns3:ID>											

Submitter

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/Submitter
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
None	Name					an..70	M				
None	ID					an..17	M				
Description:											
The name and identifier of the company submitting the declaration.											
Rules/codes/other relevant information:											
Name: The CVR/SE-number to which the client certificate is registered.											
ID: The CVR/SE-number to which the client certificate is registered.											
If the certificate is registered to an EORI number, remember to include the two-letter country code, otherwise only enter digits .											
XML-examples:											
<pre><ns3:Submitter> <ns3:Name>12345678</ns3:Name> <ns3:ID>12345678</ns3:ID> </ns3:Submitter></pre>											

Extension

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	O DL GSL GIL	Basepath: Declaration/ Extension GSL: Declaration/GoodsShipment/ Extension GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Extension
EUCDM 6.1	XSD/XML-name						Format		M/O		Comment
None	Extensions						n/a		O		
None	sequenceNumeric						n..5		M		
None	ID						an..		O		
None	Key								M		
None	Value								M		
None	DataType								M		

Description:

Fields used to validate Ship supplies/Victualling, retrospective or fallback procedure.

Rules/codes/other relevant information:

Extensions can be used for several purposes:

Ship supplies/Victualling:

All elements **needs** to be here in order to validate Extensions fields. I.e. you need all 15 extensions to have them validated. If a data field is not relevant for the declaration, write in "0" instead of a value, in the value element.

The data element "Value" is the only one you should change. See descriptions of what each Key element means, in the table below

Meaning	Value
Vehicle driver	VEHC_DRIVER
Vehicle Type	VEHC_TYPE
Home Port	HOME_PORT
Destination of Expedition (Route)	DEST_EXP_R
Duration of expedition	DUR_EXP
Place of loading	PLACE_UNLO
Number of crew	NR_CREW
Liquor – Amount of bottles/liters	LIQ_AMOUNT
Wine – Amount of bottle/liters	WINE_AMOUNT
Cigarettes (units)	CIGARETTE_U
Cigars and Cheroots (units)	CIGAR_U
Tobacco (kilograms)	TOBAC_KG
Beer (bottles/cans)	BEER_AMOUNT
Other supply	OTHER_SUP
Description of desired Victualling	DESC_DES_VIC

Retrospective declarations:

A retrospective declaration is submitted after the goods have arrived and is only being used in specific business scenarios. Retrospective declarations should contain an acceptance date that is backdated. Use 'isRetrospective' in the Key element to submit a retrospective declaration. See the example below:

<ns2:Extensions>

<ext:SequenceNumeric>1</ext:SequenceNumeric>

```

<ext:Key>isRetrospective</ext:Key>
<ext:Value>0</ext:Value>
<ext:DataType>text</ext:DataType>
</ns2:Extensions>

```

Fallback procedure:

Fallback procedure is used under specific circumstances. If 'isFallback' is used in the Key element, the declaration should contain an acceptance date that is backdated.

```

<ns2:Extensions>
  <ext:SequenceNumeric>2</ext:SequenceNumeric>
  <ext:Key>isFallback</ext:Key>
  <ext:Value>0</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>

```

AcceptanceDate should be added on GS level in the format ("YYYYMMDDHHmmss") + "+00". See the example below:

```

<ns2:AcceptanceDateTime>
  <ns4:DateTimeString formatCode="304">20260401000000+00</ns4:DateTimeString >
</ns2:AcceptanceDateTime >

```

XML-examples:

```

<ns2:Extensions>
  <ext:SequenceNumeric>1</ext:SequenceNumeric>
  <ext:ID>IDVALUE42</ext:ID>
  <ext:Key>VEHC_DRIVER</ext:Key>
  <ext:Value>1</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>2</ext:SequenceNumeric>
  <ext:ID>IDVALUE420</ext:ID>
  <ext:Key>VEHC_TYPE</ext:Key>
  <ext:Value>TYPE</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>3</ext:SequenceNumeric>
  <ext:ID>IDVALUE4200</ext:ID>
  <ext:Key>HOME_PORT</ext:Key>
  <ext:Value>PORT Aalborg</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>4</ext:SequenceNumeric>
  <ext:ID>IDVALUE42000</ext:ID>
  <ext:Key>DEST_EXP_R</ext:Key>
  <ext:Value>København</ext:Value>
  <ext:DataType>text</ext:DataType>

```

```

</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>5</ext:SequenceNumeric>
  <ext:ID>IDVALUE43</ext:ID>
  <ext:Key>DUR_EXP</ext:Key>
  <ext:Value>125</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>6</ext:SequenceNumeric>
  <ext:ID>IDVALUE44315</ext:ID>
  <ext:Key>PLACE_UNLO</ext:Key>
  <ext:Value>Aalborg</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>7</ext:SequenceNumeric>
  <ext:ID>IDVALUE4215413</ext:ID>
  <ext:Key>NR_CREW</ext:Key>
  <ext:Value>20</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>8</ext:SequenceNumeric>
  <ext:ID>IDVALUE4fewfw2</ext:ID>
  <ext:Key>LIQ_AMOUNT</ext:Key>
  <ext:Value>484</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>9</ext:SequenceNumeric>
  <ext:ID>IDVALUEeqwfeqw42</ext:ID>
  <ext:Key>WINE_AMOUNT</ext:Key>
  <ext:Value>15</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>10</ext:SequenceNumeric>
  <ext:ID>IDVALUEf32f2342</ext:ID>
  <ext:Key>CIGARETTE_U</ext:Key>
  <ext:Value>54</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>11</ext:SequenceNumeric>
  <ext:ID>IDVALUE42df2qfqe</ext:ID>
  <ext:Key>CIGAR_U</ext:Key>
  <ext:Value>4</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>

```

```
<ext:SequenceNumeric>12</ext:SequenceNumeric>
<ext:ID>IDVALUE42d1d12</ext:ID>
<ext:Key>TOBAC_KG</ext:Key>
<ext:Value>7</ext:Value>
<ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>13</ext:SequenceNumeric>
  <ext:ID>IDVALUE4221341421</ext:ID>
  <ext:Key>BEER_AMOUNT</ext:Key>
  <ext:Value>74</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>14</ext:SequenceNumeric>
  <ext:ID>IDVALUE4d3d332</ext:ID>
  <ext:Key>OTHER_SUP</ext:Key>
  <ext:Value>0</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
<ns2:Extensions>
  <ext:SequenceNumeric>15</ext:SequenceNumeric>
  <ext:ID>few2few</ext:ID>
  <ext:Key>DESC_DES_VIC</ext:Key>
  <ext:Value>86</ext:Value>
  <ext:DataType>text</ext:DataType>
</ns2:Extensions>
```

Amendment

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	Basepath: Declaration/Amendment
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
None	SequenceNumeric						n..5	M			
None	ChangeReasonCode						an..3	M	Amendment: CL10057 (see codelists Import on github) Invalidation: CL10187 (see codelists Import on github)		
None	ChangeReasonText						an..512	M	Must be at least 10 characters		
Description:											
Only used for and is mandatory for correction, amendment invalidations requests. Is used to specify the reason for changes or invalidations.											
Rules/codes/other relevant information:											
Must only be declared when submitting an amendment/correction/invalidation (FunctionCode set to 1 or 4).											
There can only be declared one amendment field pr. request. Multiple amendments would require multiple requests.											
Correction/amendment: - In the ChangeReasonCode field check the CL10057 for valid codes.											
Invalidation - In the ChangeReasonCode field check the CL10066 for valid codes. - In the ChangeReasonText field there should be a short description for the reason of changes/invalidation of at least 10 characters.											
XML-examples:											
For correction/amendment: <code><ns3:Amendment></code> <code><ns3:SequenceNumeric>1</ns3:SequenceNumeric></code> <code><ns3:ChangeReasonCode>5</ns3:ChangeReasonCode></code> <code><ns3:ChangeReasonText>Spelling error in field</ns3:ChangeReasonCode></code> <code></ns3:Amendment></code>											
For invalidation <code><ns3:Amendment></code> <code><ns3:SequenceNumeric>1</ns3:SequenceNumeric></code> <code><ns3:ChangeReasonCode>122</ns3:ChangeReasonCode></code> <code><ns3:ChangeReasonText>Goods have been returned to supplier</ns3:ChangeReasonCode></code> <code></ns3:Amendment></code>											

Group 11 – Message information (including procedure codes)

5

Declaration type/Additional declaration type

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	n/a	Basepath: Declaration/TypeCode
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
11 01 001 000	TypeCode (declaration type)						an..5	M	CL10034 (for additional messages: CL10183)		
11 02 001 000	TypeCode (additional declaration type)						a1	M	CL10214 (for additional messages: CL10183)		
Description:											
Indicates what type of action is intended: submission of a pre-lodged/standard, a correction/amendment request or an invalidation/invalidation and repayment request.											
Rules/codes/other relevant information:											
For declarations this data element is a concatenation of 11 01 001 000 – Declaration type and 11 02 001 000 – Additional declaration type. For the additional messages this is considered a system specific field. For Codelist information, see codelist excel sheet found on GitHub .											
For standard declarations:											
Example:											
For Declaration type ‘IM’ and Additional Declaration Type ‘A’, the input for the data element is ‘IMA’											
For pre-lodged declarations:											
Example:											
For Declaration type ‘IM’ and Additional Declaration Type ‘D’, the input for the data element is ‘IMD’											
For additional messages:											
The codes to declare in this field for additional messages :											
- ‘COR’ for sending a correction or amendment request to an already existing declaration - ‘INV’ for sending an invalidation or invalidation and repayment request to an already existing declaration - ‘RRA’ for sending a repayment and remission request to an already existing declaration - ‘GPR’ for presenting goods to an already existing pre-lodged declaration - ‘SUP’ for supplementing a simplified export declaration											
See the list of explanations in Bilag in the section called “Fælles stamdataliste” on the page https://skat.dk/data.aspx?oid=3064											
Or on EUCDM, using the ID6 number as search: https://eucdm.softdev.eu.com/Archive/EUCDM%206.1/EN/EUCDM/Annex-B/e21.htm											
XML-examples:											
<code><ns3:TypeCode>IMA</ns3:TypeCode></code> --- for submitting an IMA											
<code><ns3:TypeCode>IMD</ns3:TypeCode></code> --- for submitting an IMD											
<code><ns3:TypeCode>COR</ns3:TypeCode></code> --- for submitting a correction/amendment request											
<code><ns3:TypeCode>INV</ns3:TypeCode></code> --- for submitting an invalidation or invalidation 4c											
<code><ns3:TypeCode>RRA</ns3:TypeCode></code> --- for submitting a repayment and remission request											
<code><ns3:TypeCode>GPR</ns3:TypeCode></code> --- for presenting goods declared on a pre-lodged declaration											
<code><ns3:TypeCode>SUP</ns3:TypeCode></code> --- for supplementing a simplified declaration											

Goods item number

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL [1]	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ SequenceNumeric
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
11 03 001 000	SequenceNumeric – [1]						n..5	M			
Description:											
Sequence number of the goods item											
Rules/codes/other relevant information:											
The sequence identifier. Must be given sequentially. It starts at 1 .											
For 11 03 001 000 footnote [1] applies to I2 declarations.											
XML-examples:											
Example of multiple GovernmenyAgencyGoodsItem instances in sequence:											
<pre> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>2</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>3</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> <ns3:GovernmentAgencyGoodsItem> <ns3:SequenceNumeric>4</ns3:SequenceNumeric> ... </ns3:GovernmentAgencyGoodsItem> </pre>											

Procedure

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL [1]	M GIL	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ GovernmentProcedure
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
11 09 000 000	GovernmentProcedure					n/a	M	Procedure			
None	SequenceNumeric					n..5	M				
11 09 001 000	CurrentCode – [1]					an2	M	Requested procedure. CL10146, CL10027			
11 09 002 000	PreviousCode – [1]					an2	M	The procedure under which the goods were placed before being placed under the requested procedure.			
Description:											
The procedure code for which the goods are declared.											
Rules/codes/other relevant information:											
Requested procedure (CurrentCode) (11 09 001 000):											
Fill in the requested procedure under which the goods should be placed.											
When SequenceNumeric is 1 CL10146 is used and when its 2 CL10027 is used.											
Requested procedure (11 09 002 000):											
Fill in the previous procedure for which the goods previously have been placed.											
Valid combinations for requested and previous procedures can be found here: toldst.dk/e											
For 11 09 001 000 and 11 09 002 000 footnote [1] applies to I2 declarations.											
XML-examples:											
<pre> <ns3:GovernmentProcedure> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CurrentCode>10</ns3:CurrentCode> <ns3:PreviousCode>00</ns3:PreviousCode> </ns3:GovernmentProcedure> </pre>											

Group 12 – References of messages, documents, cer- tificates, authorizations



Previous Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL [72]	MC GSL GIL [2]	MC GSL GIL	MC GSL GIL	GSL: Declaration/GoodsShipment/ PreviousDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ PreviousDocument
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 01 000 000	PreviousDocument						n/a	O			
None	SequenceNumeric						n..5	M			
15 08 001 000	AcceptanceDateTime						an..17	O	When goods were entered into the records - Only on GIL		
None	WriteOff						n/a	O	Only on GIL		
12 01 006 000	PackagingQuantityQuantity						n..8	O	Writing-off quantity		
12 01 005 000	unitCode						an..4	O	Measurement Unit and qualifier CL10003 CL10004		
None	Packaging						n/a	O			
12 01 004 000	QuantityQuantity						n..8	O	Number of packages		
12 01 003 000	TypeCode						an..2	O	CL10010		
12 01 001 000	ID						an..70	M	Reference number		
12 01 002 000	TypeCode –[58]						an4	M	CL10273		
12 01 007 000	LineNumeric						n..5	O	Goods item number as declared in the previous document		
Description:											
Information relating to a previous document.											
Rules/codes/other relevant information:											
If one subfield is filled, all subfields must be filled. For relevant codes to fill in TypeCode, see: toldst.dk/erhverv/blanketter-og-koder/koder											
SequenceNumeric:											
To refer multiple documents, repeat this element the required number of times and fill here sequentially starting at 1.											
TypeCode (12 01 002 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 01 002 000 footnote [58] applies to H1, H2, H3, H4, H5, I1, and I2 declarations.											
ID / Reference number (12 01 001 000):											
Can be found here, https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:02015R2447-20210315&qid=1666165195727&from=en on page 314 under “12 01 001 000 Reference Number”											
LineNumeric (12 01 007 000):											
Enter the sequential number of the item in the supporting document (e.g., certificate, license, permit, entry document etc.), corresponding to the item in question. This element is not allowed in H6 and H7 declarations.											

Rules/codes/other relevant information: - ONLY AVAILABLE ON GOODS ITEMS LEVEL**AcceptanceDateTime (15 09 001 000):**

This element is **mandatory** for **I2 EIDR** and **not I2**

Using WriteOff requires information about Quantity:

PackagingQuantityQuantity (12 01 006 000):

Used in the formal WriteOff process. Declare the amount e.g. >1000<

EU formatting/legal restrictions: the value of this element may not be equal to zero or a number starting with zero which does not have a decimal point.

Measurement Unit and Qualifier (12 01 005 000):

For Codelist information, see codelist excel sheet found on [GitHub](#). E.g. "KGM".

Use unitCode to include the measurment unit (12 01 005 000).

TypeCode (12 01 003 000):

For Codelist information, see codelist excel sheet found on [GitHub](#)

XML-examples:

```
<ns3:PreviousDocument>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:WriteOff>
    <ns3:PackagingQuantityQuantity unitCode="DKK">1000.00</ns3:PackagingQuantityQuantity>
  </ns3:WriteOff>
  <ns3:ID>PREVDOC123</ns3:ID>
  <ns3:TypeCode>740</ns3:TypeCode>
  <ns3:LineNumeric>1</ns3:LineNumeric>
</ns3:PreviousDocument>
```

Additional Information

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	n/a	O GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalInformation GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalInformation
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 02 000 000	AdditionalInformation						n/a	O			
None	SequenceNumeric						n..2	M			
12 02 008 000	StatementCode – [58]						an5	M	CL11000		
12 02 009 000	StatementDescription						an..512	M	Text		
Description:											
Use this data element to include information for which no field is specified by Union legislation.											
Rules/codes/other relevant information:											
This element can be used to declare an SE number , other guarantee forms , or other information for which no field is specified.											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.											
If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.											
SequenceNumeric:											
There can be declared multiple additional documents. Number them sequentially here.											
StatementCode (12 02 008 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 02 008 000 footnote [58] applies to H1, H2, H3, H4, H5, I1 , and I2 declarations.											
StatementDescription (12 02 009 000):											
A short description of the additional information.											
If statement code relates to SE number , then this field must (only) contain the SE number .											
If statement code relates to an “ other guarantee form ”, then this must contain information or identification of that guarantee.											
XML-examples:											
<pre><ns3:AdditionalInformation> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:StatementCode>00100</ns3:StatementCode> <ns3:StatementDescription>Additional information</ns3:StatementDescription> </ns3:AdditionalInformation></pre>											

Supporting Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL	0 GSL GIL [4]	n/a	n/a	GSL: Declaration/GoodsShipment/ SupportingDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ SupportingDocument
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 03 000 000	SupportingDocument						n/a	0			
None	SequenceNumeric						n..5	M			
12 03 011 000	ExpirationDateTime – [4]						an..17	0	Enter the end date of validity of the license or certificate concerned		
12 03 001 000	ID						an..70	M			
12 03 002 000	TypeCode – [58]						an..4	M	Indicate the type of document using the relevant codes. CL10275		
12 03 010 000	IssuingAuthorityName						an..70	0	Only present for H1 and I1. Enter reference to the authority issuing the licence or certificate concerned.		
12 03 013 000	LineNumeric						n..5	0			
None	WriteOff						n/a	0			
12 03 006 000	QuantityQuantity – [4]						n..16,6	0	Enter the relevant writing-off amount		
12 03 014 000	AmountAmount						n..16,2	0	Enter the relevant writing-off amount		
Description:											
Identification or reference number of Union or international documents, certificates and authorizations produced in support of the declaration, and additional references.											
Rules/codes/other relevant information:											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration.											
If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under.											
SequenceNumeric:											
There can be declared multiple supporting documents. Number them sequentially here.											
ID (12 03 001 000):											
Is the ID-number of the document.											
TypeCode (12 03 002 000):											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 03 002 000 footnote [58] applies to H1, H2, H3, H4, H5 , and I1 declarations.											
QuantityQuantity (12 03 006 000) & AmountAmount (12 03 014 000)											
For Codelist information, see codelist excel sheet found on GitHub											
For 12 02 008 000 footnote [4] applies to I1 declarations.											
For 12 03 011 000 footnote [4] applies to I1 declarations.											

XML-examples:

```
<ns3:SupportingDocument>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ExpirationDateTime>
    <DateTimeString formatCode="602">CCYY</DateTimeString>
  </ns3:ExpirationDateTime>
  <ns3:ID>SUPID123</ns3:ID>
  <ns3:TypeCode>Y380</ns3:TypeCode>
  <ns3:IssuingAuthorityName >AuthName</ns3:IssuingAuthorityName>
  <ns3:LineNumeric>1</ns3:LineNumeric>
  <ns3:WriteOff>
    <ns3:QuantityQuantity unitCode="KGG">100.00</ns3:QuantityQuantity>
    <ns3:AmountAmount currencyID="DKK">100.00</ns3:AmountAmount>
  </ns3:WriteOff>
</ns3:SupportingDocument>
```


Additional Reference

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	O GSL GIL [58]	O GSL GIL [58]	O GSL GIL [58]	O GSL GIL [58]	O GSL GIL [58]	O GSL GIL	O GSL GIL	O GSL GIL [4] [58]	n/a	n/a	GSL: Declaration/GoodsShipment/ AdditionalReference GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AdditionalReference
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 04 000 000	AdditionalReference					n/a	O				
None	SequenceNumeric					n..2	M				
12 04 001 000	ID – [58]					an..70	M				
12 04 002 000	TypeCode – [58]					an4	M	CL10272			
Description:											
An additional declaration made which is not covered by Supporting Document, Transport Document or Additional Information.											
Rules/codes/other relevant information:											
Optional to declare and can be declared on GoodsShipment level or GoodsItem level or both.											
If given on GoodsShipment level (GSL) the information applies to all the goods items in the declaration. If given on GoodsItem level (GIL) the information applies to only the goods items which it is declared under. There can be declared multiple additional references. Number them sequentially in the SequenceNumeric field.											
ID (12 04 001 000): Is the ID-number of the document. For 12 04 001 000 footnote [58] applies to I1 declarations.											
TypeCode (12 04 002 000): For Codelist information, see codelist excel sheet found on GitHub For 12 04 002 000 footnote [58] applies to H1, H2, H3, H4, H5, and I1 declarations.											
XML-examples:											
<pre> <ns3:AdditionalReference> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>ADDREFID123</ns3:ID> <ns3:TypeCode>0100</ns3:TypeCode> </ns3:AdditionalReference> </pre>											

Transport Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	MC GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ TransportContractDocument GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ TransportContractDocument
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 05 000 000	TransportContractDocument						n/a	MC			
None	SequenceNumeric						n..2	M			
12 05 001 000	ID						an..70	M	Reference Number		
12 05 002 000	Type						an4	M	CL10276		
Description:											
Transport document with which the goods have been brought into the customs territory of the Union.											
Rules/codes/other relevant information:											
SequenceNumeric:											
There can be declared multiple transport documents. Number them sequentially here.											
ID (12 05 001 000):											
Is the ID-number of the document.											
TypeCode (12 05 002 000):											
indicate the type of the document. For Codelist information, see codelist excel sheet found on GitHub											
XML-examples:											
<pre> <ns3:TransportContractDocument> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>AWB123</ns3:ID> <ns3:TypeCode>N740</ns3:TypeCode> </ns3:TransportContractDocument> </pre>											

Additional Document

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	n/a	n/a	O DL	O DL	n/a	O DL	n/a	n/a	n/a	n/a	Basepath: Declaration/ AdditionalDocument
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
12 10 000 000	AdditionalDocument					n/a	O				
None	SequenceNumeric					n..2	M				
12 10 001 000	ID					an..70	M	Reference Number			
Description:											
Additional documents with which the goods have been brought into the customs territory of the Union.											
Rules/codes/other relevant information:											
SequenceNumeric: There can be declared multiple additional documents. Number them sequentially here.											
ID (12 10 001 000): Is the ID-number of the document.											
XML-examples:											
<pre> <ns3:AdditionalDocument> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>ADD123</ns3:ID> </ns3:AdditionalDocument> </pre>											

LRN (Functional reference)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/FunctionalReferenceID
EUCDM 6.1	XSD/XML-name						Format		M/O		
12 09 001 000	FunctionalReferenceID						an..22		M		
Description:											
LRN – The local reference number (LRN) shall be used. It is nationally defined and allocated by the declarant or representative in agreement with the competent authorities to identify each single declaration.											
Rules/codes/other relevant information:											
Special characters are allowed.											
Must be unique on a submitter level but can be reused for resubmission if the declaration has been rejected, except for when the declaration has been rejected due to invalidation of a pre-lodged declaration. This means you can submit using the same (accepted) LRN using two different submitters, but never using the same submitter.											
XML-examples:											
<ns3:FunctionalReferenceID>I_H1_STD_Morten1279#12</ns3:FunctionalReferenceID>											

Authorisation

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	MC DL GIL [60]	n/a	MC DL GIL [60]	MC DL GIL [1] [60]	MC DL GIL [1] [60]	Basepath: Declaration/ Authorisation GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Authorisation
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
12 12 000 000	Authorisation						n/a	O	Authorisation		
None	SequenceNumeric						n..2	M			
12 12 001 000	ID – [1] [60]						an..35	M	Reference number		
12 12 002 000	TypeCode – [1] [63] [73]						an4	M	CL10274		
12 12 080 000	AuthorisationHolder – [1] [60]						an..17	DL: O GIL: M	Holder of the authorisation		
Description:											
Details and reference to authorizations.											
Rules/codes/other relevant information:											
Be aware that some authorisations may only be available as a Supporting Document (12 03 000 000) when required to be declared on goods item level (GIL) e.g. ‘OPO’. Check the related codelists to see which authorisations can be included in each additional document type.											
SequenceNumeric: There can be declared multiple authorisations. Number them sequentially here.											
ID (12 12 001 000): Reference number of the authorization. For 12 12 001 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations.											
TypeCode (12 12 002 000) The code for the specific authorization type. For 12 12 001 000 footnote [63] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations, footnote [73] applies to H1, H6, I1 and I2 declarations, and footnote [1] applies to I2 declarations.											
AuthorisationHolder (12 12 080 000) The EORI number of the authorisation holder. For 12 12 080 000 footnote [60] applies to H1, H2, H3, H4, H5, H6, I1 and I2 declarations, and footnote [1] applies to I2 declarations.											
XML-examples:											
<ns3:Authorisation> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DKRSSDK004700-2020-Test81</ns3:ID> <ns3:Type>C512</ns3:Type> <ns3:AuthorisationHolder>DK12345678</ns3:AuthorisationHolder> </ns3:Authorisation>											

Group 13 - Parties

7

Consignor

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GSL GIL	n/a	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ Consignor GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Consignor
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
13 01 000 000	Consignor						n/a	O			
13 01 016 000	Name – [6]						an..70	O			
13 01 017 000	ID – [66]						an..17	O			
13 01 018 000	Address – [6]						n/a	O			
13 01 018 022	CityName						an..35	M			
13 01 018 020	CountryCode						a2	M	CL10203		
13 01 018 019	Line						an..70	M			
13 01 018 021	PostCodeID						an..17	M			
Description:											
Name and address of the party exporting the good(s) out of the union.											
Rules/codes/other relevant information:											
If Name includes the special character & , it should be declared as &amp; ; For 13 01 016 000 footnote [6] applies to H1, H3, H4, H5, H6 and I1 declarations.											
If EORI number (13 01 017 000) is provided, name and address shall not be provided: Where the EORI number or a third country unique identification number recognised by the Union is provided, the name and address shall not be provided. For 13 01 017 000 footnote [66] applies to H1, H3, H4, H5, H6 and I1 declarations.											
If address (13 01 018 000) is present, CityName (13 01 018 022) , CountryCode (13 01 018 020) , Line (13 01 018 019) , PostCodeID (13 01 018 021) are mandatory fields. For 13 01 018 000 footnote [6] applies to H1, H3, H4, H5, H6 and I1 declarations.											
CountryCode (13 01 018 020): For Codelist information, see codelist excel sheet found on GitHub For I1 declarations, Consignor is not allowed on Goods Item Level.											
XML-examples:											
With EORI number (13 01 017 000) : <pre><ns3:Consignor> <ns3:ID>DK99999996</ns3:ID> </ns3:Consignor></pre>											
Without EORI number (13 01 017 000) : <pre><ns3:Consignor> <ns3:Name>Exporter Man</ns3:Name> <ns3:Address> <ns3:CityName>Copenhagen</ns3:CityName> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:Line>Copenhagen Street 123</ns3:Line> <ns3:PostcodeID>2300</ns3:PostcodeID> </ns3:Address> </ns3:Consignor></pre>											

Declarant

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	M DL	Basepath: Declaration/ Declarant
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 05 000 000	Declarant					n/a	M				
13 05 016 000	Name – [6]					an..70	O				
13 05 017 000	ID					an..17	M				
13 05 018 000	Address - [6]					n/a	O				
13 05 018 022	CityName					an..35	M				
13 05 018 020	CountryCode					a2	M	CL10203			
13 05 018 019	Line					an..70	M				
13 05 018 021	PostCodeID					an..17	M				
13 05 074 000	Contact					n/a	O				
None	SequenceNumeric					n1	M				
13 05 074 016	Name					an..70	O				
None	Communication					n/a	M				
None	SequenceNumeric					n1	M				
13 05 074 075	ID					an..256	M				
13 05 074 076	TypeCode					an..3	M				
Description:											
ID, name and address of the person or company exporting the goods. Exporter and declarant can be the same.											
Rules/codes/other relevant information:											
The required information is specified by the EORI number given in ID (13 05 017 000) :											
It is optional to declare Name (13 05 074 016). If declared all subfields must be filled, and both a TypeCode (13 05 074 076) and ID (13 05 074 075) is required, see XML-examples below. The TypeCode (13 05 074 076) indicates if it an e-mail address or a telephone number, and uses the following codes: • ‘EM’ – E-mail address • ‘TEL’ – Telephone Number It is possible to declare up to 9 Contacts. If Name uses the special character &, it should be declared as &amp;; CountryCode (13 05 018 020): For Codelist information, see codelist excel sheet found on GitHub For 13 05 016 000 footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations. For 13 01 018 000 footnote [6] applies to H1, H3, H4, H5, H6, H7, I1 and I2 declarations.											
XML-examples:											
With EORI <pre><ns3:Declarant> <ns3:ID>DK99999981</ns3:ID> </ns3:Declarant></pre> Without EORI											

```
<ns3:Declarant>
  <ns3:ID>DK99999981</ns3:ID>
  <ns3:Name>Name</ns3:Name>
  <ns3:Address>
    <ns3:CityName>Copenhagen</ns3:CityName>
    <ns3:CountryCode>DK</ns3:CountryCode>
    <ns3:Line>Copenhagen Street 123</ns3:Line>
    <ns3:PostcodeID>2300</ns3:PostcodeID>
  </ns3:Address>
  <ns3:Contact>
    <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
    <ns3:Name>Contact Namerson</ns3:Name>
    <ns3:Communication>
      <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
      <ns3:ID>name@name.dk</ns3:ID>
      <ns3:TypeCode>EM</ns3:TypeCode>
    </ns3:Communication>
    <ns3:Communication>
      <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
      <ns3:ID>12345678</ns3:ID>
      <ns3:TypeCode>TEL</ns3:TypeCode>
    </ns3:Communication>
  </ns3:Contact>
</ns3:Declarant>
```


Representative (Agent)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	0 DL	Basepath: Declaration/Agent
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
13 06 000 000	Agent						n/a	O			
13 06 017 000	ID						an..17	M			
13 06 030 000	FunctionCode (status)						n1	M	CL10014		
13 06 074 000	Contact						n/a	O	This is not available for I2		
None	SequenceNumeric						n..5	M			
13 06 074 016	Name						an..70	M			
None	Communication						n/a	M			
None	SequenceNumeric						n..5	M			
13 06 074 075	ID						an..256	O			
13 06 074 076	TypeCode						an..3	O			
Description:											
Identification of party authorized to act on behalf of another party.											
Rules/codes/other relevant information:											
If Importer (13 04 000 000) and Declarant (13 05 000 000) (including all their sub-elements) are NOT identical, there <u>must</u> be declared a Representative/Agent.											
If Agent (13 06 000 000) is provided and FunctionCode = 2 (direct representation), then the value must be different from Declarant (13 05 000 000) .											
ID (13 06 017 000) This should be the EORI number of the representative party.											
FunctionCode (13 06 030 000) This is the function / status of the representative. It can <u>only</u> be '2' (direct representation).											
It is optional to declare 13 06 074 016 – Representative/Agent Contact. If filled all subfields must be filled, and both a Type-Code (13 06 074 076) and ID (13 06 074 075) is required, see XML-examples below.											
The TypeCode (13 06 074 076) indicates if it an e-mail address or a telephone number, and uses the following codes: • 'EM' – E-mail address • 'TEL' – Telephone Number It is possible to declare up to 9 Contacts.											
XML-examples:											
With EORI <ns3:Agent> <ns3:ID>DK16152293</ns3:ID> <ns3:FunctionCode>2</ns3:FunctionCode> </ns3:Agent>											
Without EORI <ns3:Agent> <ns3:FunctionCode>2</ns3:FunctionCode> <ns3:Contact>											

```
<ns3:SequenceNumeric>1</ns3:SequenceNumeric>
<ns3:name>Tolder Toldersen</ns3:name>
<ns3:Communication>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:ID>tolder@told.dk</ns3:ID>
  <ns3:TypeCode>EM</ns3:TypeCode>
</ns3:Communication>
<ns3:Communication>
  <ns3:SequenceNumeric>2</ns3:SequenceNumeric>
  <ns3:ID>12345678</ns3:ID>
  <ns3:TypeCode>TEL</ns3:TypeCode>
</ns3:Communication>
</ns3>Contact>
</ns3:Agent>
```

Buyer

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/ Buyer GIL: Declaration/ GoodsShipment/ GovernmentAgencyGoodsItem/ Buyer
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 09 000 000	Buyer					n/a	O				
13 09 016 000	Name					an..70	M				
13 09 017 000	ID					an..17	O				
13 09 018 000	Address					n/a	O				
13 09 018 022	CityName					an..35	M				
13 09 018 020	CountryCode					a2	M	CL10203			
13 09 018 019	Line					an..70	M				
13 09 018 021	PostcodeID					an..17	M				
Name and address of the one(s) buying the goods.											
Rules/codes/other relevant information:											
The field has generally the same rules as “Seller” above.											
XML-examples:											
<pre> <ns3:Buyer> <ns3:Name>Buyer Man</ns3:Name> < ns3:ID>DK09999981</ns3:ID> <ns3:Address> <ns3:CityName>Odense</ns3:CityName> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:Line>Odense Street 123</ns3:Line> <ns3:PostcodeID>5200</ns3:PostcodeID> </ns3:Address> </ns3:Buyer> </pre>											

Additional Supply Chain Actor (AEOMutualRecognitionParty)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	O GSL GIL	n/a	O GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ AEOMutualRecognitionParty GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ AEOMutualRecognitionParty
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 14 000 000	AEOMutualRecognitionParty					n/a	O				
None	SequenceNumeric					n..5	M				
13 14 017 000	ID					an..17	M				
13 14 031 000	RoleCode					a2	M	CL10243			
Description:											
Details identifying the role of the further parties in the supply chain having obtained a trusted trader certificate but otherwise not being identified in the declarations (e.g., warehouse keeper, freight forwarder)											
Rules/codes/other relevant information:											
AEOMutualRecognitionParty (13 14 000 000): This element and sub elements can be supplemented and estimated.											
ID (13 14 017 000): The EORI number or third-party country unique identifiers number											
RoleCode (13 14 031 000): For Codelist information, see codelist excel sheet found on GitHub											
XML-examples:											
<ns3:AEOMutualRecognitionParty> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK12345678</ns3:ID> <ns3:RoleCode>MF</ns3:RoleCode> </ns3:AEOMutualRecognitionParty>											

Additional fiscal reference (DomesticDutyTaxParty)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	O GSL GIL	n/a	n/a	n/a	n/a	O GSL GIL [55]	O GSL GIL [55]	O GSL GIL	n/a	n/a	GSL: Declaration/GoodsShipment/ DomesticDutyTaxParty GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ DomesticDutyTaxParty
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 16 000 000	DomesticDutyTaxParty					n/a	O				
None	SequenceNumeric					n..5	M				
13 16 034 000	ID					an..17	M				
13 16 031 000	RoleCode					an..3	M	CL10250			
Description:											
Person paying VAT in the VAT return.											
Rules/codes/other relevant information:											
RoleCode (13 14 031 000): For Codelist information, see codelist excel sheet found on GitHub											
ID (13 16 034 000): VAT identification number of person concerned.											
XML-examples:											
<pre> <ns3:DomesticDutyTaxParty> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>12345678987654321</ns3:ID> <ns3:RoleCode>123</ns3:RoleCode> </ns3:DomesticDutyTaxParty> </pre>											

Person providing a guarantee (Surety)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	O DL	n/a	O DL	O DL	n/a	O DL	n/a	n/a	n/a	n/a	GSL: Declaration/Surety
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 20 000 000	Surety					n/a	O				
None	SequenceNumeric					n1	M				
12 20 017 000	ID					an..17	M				
Description:											
The EORI number of the person providing the guarantee, if they are different from the declarant.											
Rules/codes/other relevant information:											
ID (13 21 017 000):											
This is the ID of the person providing the guarantee.											
XML-examples:											
<pre><ns3:Surety> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK123456789</ns3:ID> </ns3:Surety></pre>											

Person paying the customs duty (Payer)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EID R	
Yes/Yes	O DL	n/a	O DL	n/a	O DL	O DL	n/a	O DL	n/a	n/a	GSL: Declaration/Payer
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
13 21 000 000	Payer					n/a	O				
None	SequenceNumeric					n1	M				
13 21 017 000	ID					an..17	M				
Description:											
The EORI number of the person paying the customs duty, if they are different from the declarant.											
Rules/codes/other relevant information:											
ID (13 21 017 000):											
This is the ID of the Payer.											
XML-examples:											
<pre> <ns3:Payer> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>DK123456789</ns3:ID> </ns3:Payer> </pre>											

Group 14 - Valuation information/Taxes

8

Duties and Taxes

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	MC GIL [12] [13]	MC GIL [12] [13]	MC GIL [12] [13]	MC GIL [12] [13]	MC GIL [12] [13]	MC GIL [12]	n/a	n/a	n/a	n/a	GIL: Declaration/ GoodsShipmentGovernmentAgencyGoodsItem/ Commodity/ DutyTaxFee
EUCDM 6.1	XSD/XML-name							Format	M/O	Comment	
14 03 000 000	DutyTaxFee							n/a	MC		
None	SequenceNumeric							n..5	M		
14 03 040 014	AdValoremTaxBaseAmount							n..16,2	O		
14 11 001 000	DutyRegimeCode							n3	M	CL10017	
14 03 040 006	SpecificTaxBaseQuantity							n..16,6	O		
14 03 040 005	unitCode							attribute		Unit quantifier	
14 03 040 043	Tax – [11]							n..16,2	O		
14 03 040 041	TaxRateNumeric – [11][12]							n..17,3	O		
14 03 039 000	TypeCode – [12][13][58]							an3	MC	Type of Duty, Tax or Fee CL10218	
None	Payment							n/a	O		
14 03 038 000	MethodCode – [11][12][54]							a1	O	Type of payment method CL10015	
14 16 001 000	TaxAssessedAmount							n..16,2	M		
14 08 001 000	PaymentAmount – [11][12]							n..16,2	M		
Attribute	currencyID							a3	O	Currency code of amounts CL10171	
Description:											
Each instance of this class is to be used for a single occurrence of duty, tax or fee.											
Rules/codes/other relevant information:											
AdValoremTaxBaseAmount (14 03 040 014): Enter the amount. This element can be estimated.											
SpecificTaxBaseQuantity (14 03 040 006): Enter quantity concerned.											
For 14 03 040 042 footnote [11] applies to H1, H2, H3, H4, and H5 declarations, and footnote [12] applies to H1 and H5 declarations.											
Tax (14 03 040 043): Enter the calculated/separate tax amount of duties and/or taxes for each tax base, for the cases when more than one tax base per tax type exist. For 14 03 040 043 footnote [11] applies to H1, H2, H3, H4, and H5 declarations.											
TaxRateNumeric (14 03 040 041): Enter the rates for each of the duties and taxes of application. For 14 03 040 041 footnote [11] applies to H1, H2, H3, H4, and H5 declarations, and footnote [12] applies to H1 and H5 declarations.											
TypeCode (14 03 039 000): There are the following TypeCodes in the table below. However, the different countries can create custom National Codes which also applies for those countries, they consist of n1an2.											

For Codelist information, see codelist excel sheet found on [GitHub](#)

For **14 03 039 000** footnotes **[12]**, **[13]**, and **[58]** apply to **H1**, **H2**, **H3**, **H4**, and **H5** declarations.

MethodCode (14 03 038 000):

For Codelist information, see codelist excel sheet found on [GitHub](#)

For **14 03 038 000** footnote **[11]** applies to **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1**, **H5** and **H6** declarations.

TaxAssesedAmount (14 16 001 000):

Total duties and taxes amount

PaymentAmount (14 03 042 000):

Enter amount for each of the duties and taxes applicable.

For **14 03 042 000** footnote **[11]** applies to **H3**, **H4**, and **H5** declarations, and footnote **[12]** applies to **H1** and **H5** declarations.

XML-examples:

```
<ns3:DutyTaxFee>
  <ns3:SequenceNumeric>1</ns3:SequenceNumeric>
  <ns3:AdValoremTaxBaseAmount currencyID="DKK">1000.00</ns3:AdValoremTaxBaseAmount>
  <ns3:SpecificTaxBaseQuantity>1000.000000</ns3:SpecificTaxBaseQuantity>
  <ns3:Tax currencyID="DKK">1000.00</ns3:Tax>
  <ns3:TaxRateNumeric>100.00</ns3:TaxRateNumeric>
  <ns3:TypeCode>A10</ns3:TypeCode>
  <ns3:Payment>
    <ns3:MethodCode>R</ns3:MethodCode>
    <ns3:TaxAssesedAmount currencyID="str">1000.00</ns3:TaxAssesedAmount>
    <ns3:PaymentAmount currencyID="DKK">1000.00</ns3:PaymentAmount>
  </ns3:Payment>
</ns3:DutyTaxFee>
```


[illegible]

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EI DR	
Yes/Yes	M SIL [83]	n/a	M SIL	M SIL	M SIL	n/a	n/a	MC SIL [2]	n/a	n/a	Basepath: Declaration/GoodsShipment/ Government-AgencyGoodsItem/ Commodity/ InvoiceLine
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
14 08 000 000	InvoiceLine							M			
14 08 001 000	ItemChargeAmount						n..16,2	M	Item amount invoiced		
Description:											
Price of the goods for the declaration item concerned, expressed in the currency unit declared in D.E. 14 05 000 000 Invoice currency.											
Rules/codes/other relevant information:											
XML-examples:											
<pre> <InvoiceLine> <ItemChargeAmount>7442.00</ItemChargeAmount> </InvoiceLine> </pre>											

Group 15 - Dates - Times - Periods



Date of acceptance

[illegible]

Group 16 - Places/Countries/Regions

10

Country of destination

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M	M	M	M	M	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/ Destination GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination
	GSL	GSL	GSL	GSL	GSL						
	GIL	GIL	GIL	GIL	GIL	GIL					
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
16 03 000 000		Destination					n/a	M	Must be declared only once in either GSL or GIL.		
16 03 001 000		CountryCode					a2	M	Country of destination. CL10203		
Description:											
This element contains a union code of a member state, but which member state depends on the type of declaration. See the below section for specifics.											
Rules/codes/other relevant information:											
Note: The example given below contains RegionID (16 04 001 000) as this element and RegionID both are sub-elements of Destination .											
CountryCode (16 03 001 000): For Codelist information, see codelist – Import excel sheet found on GitHub . For H1, H2 and H5: The union code entered in CountryCode is the code of the member state where the goods are located at the time of release, unless it is known that the goods will be dispatched to another member state after release then the union code for this member state is used instead. For H3: When goods are imported under the temporary admission procedure the union code entered in CountryCode is the code of the member state where the goods are used first. For H4: When the goods are imported under the inward processing procedure the union code entered in CountryCode is the code of the member state where the first processing activity is carried out.											
XML-examples:											
<ns3:Destination> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:RegionID>SYS</ns3:RegionID> </ns3:Destination>											

Region of destination

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC	O	MC	MC	MC	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/ Destination GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Destination
	GSL	GSL	GSL	GSL	GSL						
	GIL	GIL	GIL	GIL	GIL						
	[58]	[58]	[58]	[58]	[58]						
	[69]	[69]	[69]	[69]	[69]						
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
16 04 000 000		Destination					n/a	MC	Must be declared only once in either GSL or GIL.		
16 04 001 000		RegionID					an..35	M	Region of destination		
Description:											
Details related to the country of destination.											
Rules/codes/other relevant information:											
Note: The example given below contains CountryCode (16 03 001 000) as this element and <u>CountryCode</u> both are sub-elements of Destination .											
RegionID (16 04 001 000): Using the relevant region code defined by the member state of the union code (16 03 001 000), enter the region within the country where the goods should be delivered.											
XML-examples:											
<ns3:Destination> <ns3:CountryCode>DK</ns3:CountryCode> <ns3:RegionID>SYS</ns3:RegionID> </ns3:Destination>											

Origin (Country of Origin)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GIL [20]	M GIL	MC GIL [20]	M GIL [20]	M GIL [20]	O GIL	n/a	MC GIL [2] [20]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Origin
EUCDM 6.1		XSD/XML-name					Format	M/ O	Comment		
16 08 000 000		Origin					n/a	M			
None		SequenceNumeric					n..5	M			
16 08 001 000		CountryCode – [2][20]					a2	M	CL10203		
16 08 001 000		TypeCode					a2	M			
Description:											
The country from which goods were initially dispatched.											
Rules/codes/other relevant information:											
The element origin contains info about the country of origin and info about the preferential country of origin which must be filled out under certain circumstances. The latter is only mentioned under the table Country of preferential origin . For this version of origin, the union code of the country of origin is entered.											
SequenceNumeric: Indicates the number of this element in the sequence of Origin elements. Must be given sequentially. Starts at 1. As there can only be at maximum of two country of origin, it will always be 1 or 2.											
CountryCode (16 08 001 000): For Codelist information, see codelist – Import excel sheet found on GitHub For 16 08 001 000 footnote [20] applies to H1, H3, H4, H5 , and I1 declarations, and footnote [2] applies to I1 declarations. 13 04 000 00: Uses a different code list in preferential country of origin .											
TypeCode (16 08 001 000): If a preferential treatment is requested based on the origin of the goods in data element Preference (14 11 000 000) the Specify '1' for country of origin and '2' for country of preferential origin.											
XML-examples:											
<pre> <ns3:Origin> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:CountryCode>NO</ns3:CountryCode> <ns3:TypeCode>1</ns3:TypeCode> </ns3:Origin> </pre>											

Location of goods

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GSL	M GSL	M GSL	M GSL	M GSL	n/a	M GSL [68]	M GSL	MC GSL [84]	M GSL	Basepath: Declaration/GoodsShipment/ Consignment/ GoodsLocation
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
16 15 000 000	GoodsLocation						n/a	M			
16 15 036 000	Name						an..17	MC	UN/LOCODE		
16 15 053 000	ID						an..8	MC	Additional identifier		
16 15 045 000	TypeCode						a1	M	CL10240		
16 15 046 000	IdentificationTypeCode						a1	M	CL10239		
16 15 018 000	Address						n/a	MC			
16 15 018 022	CityName						an..35	M			
16 15 018 020	CountryCode						a2	M	CL10203		
16 15 018 019	Line						an..70	M			
16 15 018 021	PostcodeID						an..17	M			
16 15 081 025	streetNumber						an..35	M			
16 15 052 000	authorisationReferenceNumber						an..35	MC			
16 15 047 000	CustomsOffice						n/a	MC			
16 15 047 001	identification						an8	M			
16 15 048 049	latitude						an..17	MC			
16 15 048 050	longitude						an..17	MC			
16 15 051 000	EconomicOperator						n/a	MC			
16 15 051 017	identification						an..17	M			
Description:											
Information about the place where the goods are located.											
Rules/codes/other relevant information:											
Using the relevant codes, enter the location where the goods may be examined. This location shall be precise enough to allow customs to carry out the physical control of the goods.											
The type of location, and how it is declared, is given by the fields: TypeCode and IdentificationType. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations:											
CountryCode (16 15 018 020):											
For Codelist information, see codelist - Import excel sheet found on GitHub											
TypeCode (16 15 045 000)											
This TypeCode Indicates the type of location where the goods will be presented. Only one Type is to be used at the same time. For Codelist information, see codelist - Import excel sheet found on GitHub											
The TypeCodes and their types of locations are:											
- 'A': Designated place											
- 'B': Authorised place											
- 'C': Approved place											
- 'D': Other											

IdentificationType (16 15 046 000):

Indicates how the location will be declared:

- 'U': UN/LOCODE
- 'V': Customs Office ID
- 'W': GNSS coordinates
- 'X': EORI number
- 'Y': Authorisation number
- 'Z': Free text
- 'T': Postal code

The valid combinations for the two fields are:

- 'A' and 'U': Designated place identified by UN/LOCODE (e.g., DKCPH-0011 for Copenhagen - Langelinje)
- 'A' and 'V': Designated place identified by Customs Office ID (e.g., DK007900 for Skattecenter København)
- 'B' and 'Y': Authorised place identified by Authorisation number.
- 'C' and 'Z': Approved place identified by filling in the address fields.
- 'D' and 'Z': Other place identified by filling in the address fields.
- 'D' and 'W': Other place identified by GNSS coordinates.
- 'D' and 'X': Other place identified by an EORI number.
- 'D' and 'T': Other place identified by a postal code.

Name (16 15 036 000 UN/LOCODE)

For Codelist information, see codelist excel sheet found on [GitHub](#). Should only be filled when IdentificationType = 'U'.

ID (16 15 053 000):

What to fill in this field is given by the Type of location, meaning that if:

- IdentificationType = 'U': this field should not be filled.
- IdentificationType = 'V': this field should not be filled.
- IdentificationType = 'W': this field should not be filled.
- IdentificationType = 'X': this field can be filled with an additional identifier to the EconomicOperator element. The EORI number itself should be filled in the identification field of the EconomicOperator element.
- IdentificationType = 'Z' this field should not be filled.

The following subelements of **Address (16 15 018 00)** should be filled when IdentificationType = 'Z':

CityName (16 15 018 022):

City name of the location of goods.

CountryCode (16 15 018 020):

For Codelist information, see codelist excel sheet found on [GitHub](#)

Line (16 15 019 00):

Street name and street number of the location of goods.

PostCodeID (16 15 018 020):

Post code of the location of goods.

The following subelements of **Address (16 15 018 00)** should be filled when IdentificationType = 'T':

CountryCode (16 15 081 020):

For Codelist information, see codelist excel sheet found on [GitHub](#).

PostCodeID (16 15 081 021):

Post code of the location of goods.

streetNumber (16 15 081 025):

Street name and street number of the location of goods.

authorisationReferenceNumber (16 15 052 000):

Authorisation number. Should only be filled when IdentificationType = 'Y'.

CustomsOffice (16 15 047 000):**Identification (16 15 047 001):**

Customs Office ID (e.g., DK007900).

Should only be filled when IdentificationType = 'V'.

See the list of Customs Office ID's here:

https://ec.europa.eu/taxation_customs/dds2/rd/rd_consultation_location.jsp?Lang=en

Latitude (16 15 048 049):

Latitude coordinate of the location of goods.

Should only be filled when IdentificationType = 'W'.

Longitude (16 15 048 050):

Longitude coordinate of the location of goods.

Should only be filled when IdentificationType = 'W'.

EconomicOperator (16 15 051 000):**identification:**

EORI number of Economic Operator.

Should only be filled when IdentificationType = 'X'.

XML-examples:

```
<ns3:GoodsLocation>
  <ns3:Name>11111</ns3:Name>
  <ns3:ID>IDloc</ns3:ID>
  <ns3:TypeCode>A</ns3:TypeCode>
  <ns3:IdentificationType>U</ns3:IdentificationType>
  <ns3:Address>
    <ns3:City>City</ns3:City>
    <ns3:CountryCode>NO</ns3:CountryCode>
    <ns3:Line>Line</ns3:Line>
    <ns3:PostcodeID>Post</ns3:PostcodeID>
    <ns3:streetNumber>12</ns3:streetNumber>
  </ns3:Address>
  <ns3:authorisationReferenceNumber>ds</ns3:authorisationReferenceNumber>
  <ns3:CustomsOffice>
    <ns3:identification>DK005607</ns3:identification>
  </ns3:CustomsOffice>
  <ns3:latitude>123</ns3:latitude>
  <ns3:longitude>456</ns3:longitude>
  <ns3:EconomicOperator>
    <ns3:identification>ID1</ns3:identification>
  </ns3:EconomicOperator>
</ns3:GoodsLocation>
```

Group 17 – Customs Offices

11

Customs office of presentation

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC DL [22]	MC DL [22]	MC DL [22]	MC DL [22]	MC DL [22]	n/a	n/a	MC DL [22]	n/a	MC DL [22] [84] [85]	Basepath: Declaration/ PresentationOffice
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
17 09 000 000	PresentationOffice						n/a	MC			
17 09 001 000	ID						an8	M	CL10230		
Description:											
Details identifying the customs office where the goods are presented to place them under a customs procedure or temporary storage.											
Rules/codes/other relevant information:											
ID (17 09 001 000):											
For Codelist information, see codelist – Import excel sheet found on GitHub .											
XML-examples:											
<pre><ns3:PresentationOffice> <ns3:ID>DK004700</ns3:ID> </ns3:PresentationOffice></pre>											

Supervising customs office

C/A	Requirement Overview										XSD-path	
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR		
Yes/Yes	O DL [23]	O DL [23]	O DL [23]	MC DL [23]	n/a	n/a	n/a	MC DL [23]	n/a	n/a	Basepath: Declaration/SupervisingOffice	
EUCDM 6.1		XSD/XML-name					Format		M/O	Comment		
17 10 000 000		SupervisingOffice					n/a		O			
17 10 001 000		ID					an8		M	CL10230		
Description:												
Details identifying the government agency office responsible for supervising the discharge of a government procedure												
Rules/codes/other relevant information:												
ID (17 10 017 000):												
For Codelist information, see codelist – Import excel sheet found on GitHub .												
XML-examples:												
<pre><ns3:SupervisingOffice> <ns3:ID>DK004700</ns3:ID> </ns3:SupervisingOffice></pre>												

Group 18 – Goods identification

12

Goods Measure (Net Mass)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	n/a	n/a	M GIL	M GIL [24]	O GIL	n/a	MC GIL [2]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure
EUCDM 6.1		XSD/XML-name					Format	M/O	Comment		
18 01 000 000		GoodsMeasure					n/a	M			
18 01 001 000		NetNetWeightMeasure					n..16,6	M	Net mass		
Description:											
Details about the goods weight, quantities, and amounts.											
Rules/codes/other relevant information:											
The net mass must contain the weight of the goods concerned with the relevant declaration goods item. The weight must be expressed in kilograms and should be the weight of the goods without the packaging.											
Note:											
Where a net mass greater than 1 kg includes a fraction of a unit (kg), it may be rounded off in the following manner: — from 0,001 to 0,499: rounding down to the nearest kg, — from 0,5 to 0,999: rounding up to the nearest k A net mass of less than 1 kg should be entered as '0,' followed by a number of decimals up to 6, discarding all "0" at the end of the quantity (e.g. 0,123 for a package of 123 grams, 0,00304 for a package of 3 grams and 40 milligrams or 0,000654 for a package of 654 milligrams).											
GoodsMeasure (18 01 000 000):											
This element is allowed to be supplemented and estimated. As seen in the XML-example below, this field shall not be filled out, but the child element NetNetWeightMeasure shall.											
NetNetWeightMeasure (18 01 001 000):											
For 18 01 001 000 footnote [24] applies to H5 declarations, and footnote [2] applies to I1 declarations.											
XML-examples:											
<pre><ns3:GoodsMeasure> <ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure> </ns3:GoodsMeasure></pre>											

Goods Measure (Supplementary Units)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GIL	MC GIL	MC GIL	MC GIL	MC GIL [24]	n/a	MC GIL [56]	MC GIL [2]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commosity/ GoodsMeasure
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 02 000 000	GoodsMeasure						n/a	MC	CL10003		
18 02 001 000	TariffQuantity						n..16,6	M	Supplementary units. CL10004		
Description:											
Details about the goods weight, quantities, and amounts.											
Rules/codes/other relevant information:											
If necessary, this field can be used to enter the quantity of the item in question. It should be expressed using the unit defined by Union legislation as published in TARIC.											
Supplementary Units (18 02 000 000):											
For Codelist information, see codelist – Import excel sheet found on GitHub .											
This element is allowed to be supplemented and estimated.											
As seen in the XML-example below, this field shall not be filled out, but the child element TariffQuantity shall.											
For 18 02 000 000 and 18 02 001 000 footnote [24] applies to H5 declarations, footnote [56] applies to H7 declarations, and footnote [2] applies to I1 declarations.											
XML-examples:											
<pre> <ns3:GoodsMeasure> <ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure> <ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity> </ns3:GoodsMeasure> </pre>											

Goods Measure (Gross Mass)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL GIL	M GSL	M GSL GIL	M GSL GIL	n/a	M GSL GIL [25]	GSL: Declaration/GoodsShipment/ GoodsMeasure GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ GoodsMeasure
EUCDM 6.1	XSD/XML-name					Format		M/O	Comment		
18 04 000 000	GoodsMeasure					n/a		M			
18 04 001 000	GrossMassMeasure					n..16,6		M	Gross mass.		
Description:											
Details about the goods weight, quantities, and amounts.											
Rules/codes/other relevant information:											
The gross mass is the weight of the goods including packaging but excluding the carrier's equipment for the declaration.											
Note:											
Where a gross mass greater than 1 kg includes a fraction of a unit (kg), it may be rounded off in the following manner: — from 0,001 to 0,499: rounding down to the nearest kg, — from 0,5 to 0,999: rounding up to the nearest kg.											
A gross mass of less than 1 kg should be entered as '0,' followed by at least one decimal and up to at most 6 decimals, discarding all "0" at the end of the quantity (e.g. 0,123 for a package of 123 grams, 0,00304 for a package of 3 grams and 40 milligrams or. 0,000654 for a package of 654 milligrams).											
When the weight of the pallets is included in the transport documents, the weight of the pallets shall also be included in the calculation of the gross mass, except for the following cases: a) The pallet forms a separate item on the customs declaration. b) The duty rate for the item in question is based on the gross weight and/or the tariff quota for the item in question is managed in measurement unit 'gross weight'.											
Where the declaration comprises several goods items, which concern goods that are packed together in such a way that it is impossible to determine the gross mass of the goods pertaining to any goods item, the total gross mass needs only to be entered on header level.											
GoodsMeasure (18 04 000 000):											
This element is allowed to be supplemented and estimated. As seen in the XML-example below, this field shall not be filled out, but the child element GrossMassMeasure shall. Also this field and its child element are the only elements inside GoodsMeasure (18 02 000 000) on GSL.											
GrossMassMeasure (18 04 001 000):											
For 18 04 000 000 and 18 04 001 000 footnote [25] applies to I2_EIDR declarations.											
XML-examples:											
On GSL:											
<pre><ns3:GoodsMeasure> <ns3:NetNetWeightMeasure unitCode="KGM">30000.00</ns3:NetNetWeightMeasure> <ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity> </ns3:GoodsMeasure></pre>											
On GIL:											
<pre><ns3:GoodsMeasure> <ns3:TariffQuantity unitCode="NAR">100.000</ns3:TariffQuantity> </ns3:GoodsMeasure></pre>											

Description of goods

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M GIL	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Description
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 05 000 000	Commodity						n/a	M			
18 05 001 000	Description						an..512	M			
Description:											
A description about the properties of the goods											
Rules/codes/other relevant information:											
Where the declarant provides the CUS code for chemical substances and preparations, Member States may waive the requirement of providing a precise description of the goods.											
For H1 to H5 and I1:											
The description of the goods means the normal trade description. Except for non-Union goods placed under the customs warehousing procedure in a public customs warehouse type I, II or III or a private customs warehouse, this description must be expressed in terms sufficiently precise to enable immediate and unambiguous identification and classification of the goods.											
For H6 and H7:											
It is a plain language description that is precise enough for Customs services to be able to identify the goods.											
XML-examples:											
<ns3:Description>											
Heifers of the grey, brown or yellow mountain breeds and spotted Pinzgau breed, other than for slaughter; Of a weight not exceeding 80 kg											
</ns3:Description>											

Commodity code (Harmonized system sub-heading code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 056 000	ID						an6	M	Harmonized System sub-heading code		
None	IdentificationTypeCode						an..3	M			
Description:											
Type of goods indicated by the commodity code/combined nomenclature code.											
Rules/codes/other relevant information:											
Classification (18 09 000 000): This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 056 000): This is the first 6 digits of the Taric commodity code, e.g. if you have a Taric code: 01022110, then HS = 010221 TARIC codes can be found here: https://ec.europa.eu/taxation_customs/dds2/taric/taric_consultation.jsp?Lang=en											
IdentificationTypeCode (18 09 056 000): To specify Harmonized System Sub-heading Code, input “HS”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>010221</ns3:ID> <ns3:IdentificationTypeCode>HS</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (Combined nomenclature code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 057 000	ID						an2	M	Combined nomenclature code		
None	IdentificationTypeCode						an..3	M			
Description:											
Type of goods indicated by the combined nomenclature code.											
Rules/codes/other relevant information:											
Classification (18 09 000 000): This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 057 000): This is the 7 th and 8 th digit of the Taric commodity code, e.g. if you have a Taric code: 01022110, then CN = 10 TARIC codes can be found here: https://ec.europa.eu/taxation_customs/dds2/taric/taric_consultation.jsp?Lang=en											
IdentificationTypeCode (18 09 057 000): To specify Combined Nomenclature Code, input “CN”											
XML-examples:											
<pre><ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>10</ns3:ID> <ns3:IdentificationTypeCode>CN</ns3:IdentificationTypeCode> </ns3:Classification></pre>											

Commodity code (TARIC code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL	M GIL	M GIL	M GIL	M GIL	M GIL	n/a	M GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 058 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 058 000	ID						an2	M	TARIC code		
None	IdentificationTypeCode						an..3	M			
Description:											
The Taric Code used to specify applicable duties and taxes to the imported goods.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 059 000):											
The identification code for the Taric Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
Be aware that different Taric Codes have different conditions which apply to the commodity and procedure codes.											
IdentificationTypeCode (18 09 059 000):											
To specify Taric Code, input “TRC”											
XML-examples:											
<pre><ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>90</ns3:ID> <ns3:IdentificationTypeCode>TRC</ns3:IdentificationTypeCode> </ns3:Classification></pre>											

Commodity code (TARIC additional code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GIL	MC GIL	MC GIL	MC GIL	MC GIL	n/a	n/a	MC GIL	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment		
18 09 000 000	Classification						n/a	M			
None	SequenceNumeric						n..5	M			
18 09 059 000	ID						an4	MC	TARIC additional code		
None	IdentificationTypeCode						an..3	MC			
Description:											
The Taric Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 059 000):											
The identification code for the Taric Additional Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
Be aware that different Taric Additional Codes have different conditions which apply to the commodity and procedure codes.											
IdentificationTypeCode (18 09 059 000):											
To specify Taric Additional Code, input “TRA”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>3212</ns3:ID> <ns3:IdentificationTypeCode>TRA</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Commodity code (National Additional Code)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	M GIL [58]	n/a	n/a	M GIL [58]	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1		XSD/XML-name				Format		M/O	Comment		
18 09 000 000		Classification				n/a		M			
None		SequenceNumeric				n..5		M			
18 09 060 000		ID				an..4		MC	National additional code		
None		IdentificationTypeCode				an..3		MC			
Description:											
The National Additional Code used to specify more detailed information about the goods, such as measures and provisions affecting the import or export of the goods, and any specific requirements for them, specifically on a national level.											
Rules/codes/other relevant information:											
Commodity Code (18 09 000 000):											
This element and its sub elements are allowed to be supplemented and estimated.											
ID (18 09 060 000):											
The identification code for the National Additional Code, which can be searched for here: https://tarif.skat.dk/arctictariff-public-web/#!/taric/measure/mcc/search											
IdentificationTypeCode (18 09 059 000):											
To specify National Additional Code, input “GN”											
XML-examples:											
<pre> <ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>3212</ns3:ID> <ns3:IdentificationTypeCode>GN</ns3:IdentificationTypeCode> </ns3:Classification> </pre>											

Type of goods

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	n/a	n/a	n/a	n/a	n/a	O GIL	n/a	n/a	n/a	n/a	GIL: Declaration/GoodsShipment/ GovernmentAgencyGoodsItem/ Commodity/ Classification
EUCDM 6.1	XSD/XML-name					Format	M/O	Comment			
18 10 000 000	Classification					n/a	M				
None	SequenceNumeric					n..5	M				
18 10 001 000	ID					a..3	O	Type of goods. CL10268			
None	IdentificationTypeCode					an..3	O				
Description:											
Used to enter the type of goods in postal consignment via the relevant union code.											
Rules/codes/other relevant information:											
UPU (Universal Postal Union) item nature indication codes as specified in UPU code list.											
ID (18 10 001 000):											
For Codelist information, see codelist - Import excel sheet found on GitHub . The identification code for the UPU Code. Please refer to the UPU code list: https://support.ptc.post/scms_public/											
IdentificationTypeCode (18 10 001 000):											
To specify Type of goods.											
XML-examples:											
<pre><ns3:Classification> <ns3:SequenceNumeric>1</ns3:SequenceNumeric> <ns3:ID>A27</ns3:ID> <ns3:IdentificationTypeCode>GDT</ns3:IdentificationTypeCode> </ns3:Classification></pre>											

Group 19 – Transport information (modes, means and equipment)

13

Arrival Transport Means (Inland mode of transport)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
Yes/Yes	MC GSL [32]	MC GSL [32]	MC GSL [32]	MC GSL [32]	MC GSL	n/a	n/a	n/a	n/a	n/a	GSL: Declaration/GoodsShipment/Consignment/ ArrivalTransportMeans
EUCDM 6.1	XSD/XML-name					Format		M/O	Comment		
19 04 000 000	ArrivalTransportMeans					n/a		MC			
19 04 001 000	ModeCode					n1		M	Inland mode of transportation. CL10038		
Description:											
The mode of transport used upon the goods arrival.											
Rules/codes/other relevant information:											
<u>ModeCode (19 04 001 000):</u> For codelist information, see codelist – Import excel sheet found on GitHub . The code that identifies the mode of transportation e.g. ‘1’ for Sea transport. For 19 04 001 000 footnote [32] applies to H1, H2, H3, and H4 declarations.											
XML-examples:											
XML example contains elements mentioned in the following table: <ns3:ArrivalTransportMeans> <ns3:ModeCode>9</ns3:ModeCode> </ns3:ArrivalTransportMeans>											

Group 99 – Goods identification

14

Appendix

15

AdmissionUseProcessingAuthorisation (A163)

C/A	Requirement Overview										XSD-path	
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR		
No/No	MC DL	n/a	MC DL	MC DL	n/a	n/a	n/a	n/a	n/a	n/a	Basepath: Declaration/ AdmissionUseProcessingAuthorisation	
EUCDM 6.1	XSD/XML-name								Format	M/O	Comment	
A163	AdmissionUseProcessingAuthorisation								n/a	O		
34 11 000 000	CustomsOfficesOfDischarge								n/a	M		
None	SequenceNumeric								n..3	M		
34 11 000 301	CustomsOfficesOfDischarge								an8	M	Customs office code	
35 01 080 000	IdentificationOfGoods								n/a	O		
None	SequenceNumeric								n..3	M	EconomicConditionsSequenceNumeric	
35 01 080 008	Code								n..2	M	CL-3501-1 found in EUCDM	
35 01 080 009	FreeText								an..512	M		
37 05 000 000	DetailsOfPlannedActivitiesEUCDM7								n/a	O		
None	SequenceNumeric								n..2	M		
37 05 000 298	MemberState								a2	M		
37 05 000 244	FreeText								an..512	M		
38 05 000 000	AdditionalInformation								an..512	O		
33 08 000 000	GoodsOwner								n/a	O	Non-union owner of the goods.	
33 08 000 016	Name								an..70	M		
33 08 010 019	StreetAndNumber								an..70	M		
33 08 010 020	CountryCode								a2	M		
33 08 010 021	Postcode								an..17	M		
33 08 010 022	City								an..35	M		
None	SequenceNumeric								n..2	M	GoodsOwnerSequenceNumeric	
34 03 000 000	PlaceWhereMainAccountsForCus- tomsPurposesAreHeldOrAccessible								n/a	O	See “place” in the table below	
34 05 000 000	FirstPlaceOfUseOrProcessing								n/a	O	See “place” in the table below	
34 09 000 000	PlaceOfProcessingOrUse								n/a	O	See “place” in the table below	
34 17 000 000	DischargePeriod								n/a	O		
34 17 000 245	Period								n2	O		
34 17 000 213	TickBox								n1	O	Checked ‘0’ or ‘1’	
34 17 000 008	Code								n1	O		
34 17 000 009	FreeText								an..512	O		
35 01 050 000	YieldRate								n/a	O		
None	SequenceNumeric								n..3	M		
35 01 050 009	FreeText								an..512	O		
35 07 000 000	ProcessedProducts								n/a	O	Mandatory for inward processing (H4)	
None	SequenceNumeric								n..3	M		
35 07 010 000	CommodityCode								an8	M		
35 01 010 000	CommodityCodeEUCDM7								n/a	M		
35 01 010 056	HarmonizedSystemSubheadingCode								an..6	M		
35 01 010 057	CombinedNomenclatureCode								an6	M		
35 01 010 058	TaricCode								an2	O		

35 01 011 000	TaricAdditionalCode	n/a	O	
None	SequenceNumeric	n..2	M	
35 01 011 247	TaricAdditionalCode	an4	M	
35 07 020 254	DescriptionOfGoods	an..512	O	
35 01 090 000	EconomicConditions	n/a	O	Mandatory for inward processing (H4)
None	SequenceNumeric	n..3	M	
35 01 090 008	Code	n..2	M	
35 01 090 009	FreeText	an..512	O	
38 13 000 009	ImportDuty	n1	O	
38 13 000 000	ImportDutyEUCDM7	n/a	O	Mandatory for inward processing (H4)
38 13 000 008	Code	n1	M	
38 13 000 009	FreeText	an..2560	O	
34 04 000 000	PlaceWhereRecordsAreKept	n/a	O	
None	SequenceNumeric	n..2	M	
34 04 000 016	Name	an..70	O	
34 04 010 019	StreetAndNumber	an..70	O	
34 04 010 021	PostCode	an..17	O	
34 04 010 022	City	an..35	O	
34 04 010 020	CountryCode	a2	O	CL10203
34 04 020 036	UNLocode	an..17	O	

Description:

Customs Decision application element A163 for Customs Decision.

Rules/codes/other relevant information:

Although some elements resemble elements from the other parts of an import declaration, they might not have the same list of valid values. The application acts as an extension to the declaration and will always trigger a manual task, so the customs officer will perform additional validation when reviewing the application. Specifically for the Import Domain, an A163 can be used in the following instances:

(H1): A163 authorisation for end-use.

(H3): A163 authorisation for temporary admission.

(H4): A163 authorization for inward processing.

Note: In all above cases, A163 authorisation must be added to Additional information (12 02 000 000) on GS-level as well as any other relevant information related to the import declaration which can be found in this guide.

This is done by using **statement code** >00100<

Statement description should reflect the procedure and whether it is an authorisation for end use, temporary admission, or inward processing.

See the example below:

```
<ns2:GoodsShipment>
  <ns2:AdditionalInformation>
    <ns2:SequenceNumeric>1</ns2:SequenceNumeric>
    <ns2:StatementCode>00100</ns2:StatementCode>
    <ns2:StatementDescription>Aktiv forædling</ns2:StatementDescription>
  </ns2:AdditionalInformation>
</ns2:GoodsShipment>
```

The following describes the elements within the A163 authorisation application:

Owner of the Goods (33 08 000 000): Where applicable under the relevant Article, enter the name and address of the non-Union owner of the goods to be placed under the temporary admission

Place where main accounts for customs purposes are held or accessible (34 03 000 000): Where applicable under the relevant article. The applicant may choose to use either Address or UNLocode.

Note: This information shall **not** be provided if the applicant is an authorized economic operator. Details on how to fill out this element can be found in "Place" below.

First Place of use or processing (34 05 000 000): Using the relevant code, enter the address of the place concerned. This information shall only be provided in the context of an application for an authorisation for the use of inward processing (H4) or end-use (H1) procedures. Details on how to fill out this element can be found in "Place" below.

Place(s) of processing or use (34 09 000 000): Using the relevant code, indicate the address of the place(s) concerned. Details on how to fill out this element can be found in "Place" below.

Customs Office(s) of discharge (34 11 000 000): Indicate the suggested customs office(s) where the formalities and completion of the procedure take place. Customs office codes can be found on toldst.dk.

Period for discharge (34 17 000 000): Enter the estimated period expressed in months needed for the operations to be carried out or use within the special customs procedure applied for. TickBox (34 17 000 213) is used to declare if Bill of Discharge is needed to complete the procedure. Use '1' if yes and use '0' if no.

Use the relevant Code (34 17 000 008) to express how the period is declared. If the period is expressed in months use '1' or '2', in quarters use code '3' and in semesters use code '4'.

Processed Products (35 07 000 000): Enter details of all processed products resulting from the operations, indicating the main processed product and the secondary processed products which are by-products of the processing operation other than the main processed product, as appropriate. This element is mandatory for inward processing (H4). It is optional for end-use (H1) and temporary admission (H3).

Identification of Goods (35 01 080 000): Enter the intended measures of identification by using at least one of the relevant codes found in the EUCDM. The following values can be used in code (35 01 080 008):

- '1' : serial or manufacturer's number
- '2' : affixing of plumbs, seals, clip-marks or other distinctive marks
- '4' : taking of samples, illustrations or technical descriptions
- '5' : carrying out of analyses
- '6' : information document to facilitate the temporary exportation of goods sent from one country for manufacture, processing or repair in another (only suitable for outward processing)
- '7' : other means of identification (provide an explanation on the means of identification to be used)
- '8' : without identification measures according to Article 250(2)(b) of the Code (only suitable for temporary admission)

In the related FreeText element (35 01 080 009), provide the necessary information to identify the goods.

Economic Conditions (35 01 090 000): The inward or outward processing procedure can be used only where the essential interests of the Union producers would not be adversely affected by an authorisation for a processing procedure (economic conditions). Use the relevant codes found in EUCDM under data element 35 01 090 008 to specify the economic conditions. In most of the cases an examination of the economic conditions is not necessary. However, in certain cases such an examination must be carried out at Union level.

Note: Due to a bug, it is currently mandatory for both end-use (H1) and temporary admission (H3).

Details of Planned Activities (37 05 000 000): Describe the nature of the planned activities or use (e.g., details of the operations under a job-processing contract or kind of usual forms of handling under inward processing) to be carried out on the goods within the special procedure.

If the applicant wishes to carry out the processing of the goods under inward processing or end-use procedure in a customs warehouse, pursuant to Article 241 of the Code, he shall provide the relevant details.

Where appropriate, indicate name, address and function of other persons involved.

Additional Information (38 05 000 000): Enter any additional information, if deemed helpful.

Import Duty (38 13 000 000): This information shall only be used if the application relates to the use of inward processing.

Note: Due to a bug, it is currently mandatory for both end-use (H1) and temporary admission (H3).

The following values can be used in code (38 13 000 008):

- '1': This applicant wishes only to calculate the import duty in accordance with article 85 of the Code when article 76 UCC DA does not apply.
- '2': The applicant wishes only to calculate the import duty in accordance with Article 86(3) of the Code.
- '3': In very specific cases when Article 76 UCC DA does not apply, either Article 85 or Article 86(3) of the Code may be applied to calculate the import duty (to be detailed in the free text description)

XML-example:

Below you will find an example of AdmissionUseProcessingAuthorisation..

XML-examples:

```
<ns2:AdmissionUseProcessingAuthorisation>
  <ns5:CustomsOfficesOfDischarge>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:CustomsOfficesOfDischarge>DK003102</ns5:CustomsOfficesOfDischarge>
  </ns5:CustomsOfficesOfDischarge>
  <ns5:IdentificationOfGoods>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:Code>1</ns5:Code>
    <ns5:FreeText>122368468</ns5:FreeText>
  </ns5:IdentificationOfGoods>
  <ns5:DetailsOfPlannedActivitiesEUCDM7>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
    <ns5:MemberState>DK</ns5:MemberState>
    <ns5:FreeText>Test</ns5:FreeText>
  </ns5:DetailsOfPlannedActivitiesEUCDM7>
  <ns5:PlaceWhereMainAccountsForCustomsPurposesAreHeldOrAccessible>
    ...
  </ns5:PlaceWhereMainAccountsForCustomsPurposesAreHeldOrAccessible>
  <ns5:PlaceOfProcessingOrUse>
    ...
  </ns5:PlaceOfProcessingOrUse>
  <ns5:DischargePeriod>
    <ns5:Period>5</ns5:Period>
    <ns5:TickBox>0</ns5:TickBox>
    <ns5:Code>2</ns5:Code>
    <ns5:FreeText>050526 kujnhikug</ns5:FreeText>
  </ns5:DischargePeriod>
  <ns5:YieldRate>
    <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
```

```
<ns5:FreeText>50 %</ns5:FreeText>
</ns5:YieldRate>
<ns5:ProcessedProducts>
  <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
  <ns5:CommodityCodeEUCDM7>
    <ns5:HarmonizedSystemSubheadingCode>900580</ns5:HarmonizedSystemSubheadingCode>
    <ns5:CombinedNomenclatureCode>00</ns5:CombinedNomenclatureCode>
  </ns5:CommodityCodeEUCDM7>
  <ns5:DescriptionOfGoods>Compound optical microscope</ns5:DescriptionOfGoods>
</ns5:ProcessedProducts>
<ns5:EconomicConditions>
  <ns5:SequenceNumeric>1</ns5:SequenceNumeric>
  <ns5:Code>11</ns5:Code>
  <ns5:FreeText>Noncommercial nature</ns5:FreeText>
</ns5:EconomicConditions>
<ns5:ImportDutyEUCDM7>
  <ns5:Code>1</ns5:Code>
</ns5:ImportDutyEUCDM7>
</ns2:AdmissionUseProcessingAuthorisation>
```

Place									
C/A	Requirement Overview							XSD-path	
	H1	H2	H3	H4	H5	H6	H7		
No/No	0 x03 x05 x09	n/a	0 x03 x05 x09	0 x03 x05 x09	n/a	n/a	n/a	x03: Declaration/AdmissionUseProcessingAuthorisation/ PlaceWhereMainAccountsForCustoms PurposesAreHeldOrAccessible x05: Declaration/AdmissionUseProcessingAuthorisation/ FirstPlaceOfUseOrProcessing x09: Declaration/AdmissionUseProcessingAuthorisation/ PlaceOfProcessingOrUse	
EUCDM 6.1	XSD/XML-name						Format	M/O	Comment
34 xx 000 000	Place							O..999	
None	SequenceNumeric						n..3	M	
34 xx 050 020	Country						a2	O	CL10203
34 xx 010 045	LocationTypeCode						a1	O	
34 xx 010 046	QualifierOfTheIdentification						a1	O	
34 xx 010 052	IdentificationOfLocation						an..35	O	
34 xx 010 053	AdditionalIdentifier						an..8	O	Currently M, due to a bug on x05 and x09
34 xx 070 016	Name						an..70	O	
34 xx 010 019	StreetAndNumber						an..70	O	
34 xx 010 021	Postcode						an..17	O	
34 xx 010 022	City						an..35	O	
34 xx 010 052	AuthorisationReferenceNumber						an..35	O	
34 xx 020 036	UNLocode						an..17	O	
34 xx 020 000	CustomsOffice							O	
34 xx 020 001	Identification						an..8	M	
34 xx 030 000	GNSS							O	
34 xx 030 049	Latitude						an..17	M	
34 xx 030 050	Longitude						an..17	M	
34 xx 040 000	EconomicOperator							O	
34 xx 040 017	Identification						an..17	M	
34 xx 050 000	Address							O	
34 xx 050 019	StreetAndNumber						an..70	M	
34 xx 050 021	PostCode						an..9	O	
34 xx 050 022	City						an..9	M	
34 xx 050 020	CountryCode						a2	M	
34 xx 060 000	PostcodeAddress							O	
34 xx 060 025	HouseNumber						an..17	O	
34 xx 060 021	PostCode						an..9	M	
34 xx 060 020	CountryCode						a2	M	
34 xx 070 000	ContactPerson							O	Only used in x05 and x09.
None	SequenceNumeric						n1	M	
34 xx 070 016	Name						an..70	M	
34 xx 070 234	TelephoneNumber						an..50	M	
34 xx 070 076	EMailAddress						an..256	M	

Description:
Generic type Place in AdmissionUseProcessingAuthorisation (A163).
Rules/codes/other relevant information:
Note that x03, x05, and x09 use type place. However, the way in which these elements are usually declared is illustrated in the XML example below. Both x05 and x09 follow the same logic, while x03 is a bit different. If x03 is used the applicant may choose to use either Address or UNLocode. Address information include Street and number, Countrycode, Postcode and city. Place where main accounts for customs purposes are held or accessible (34 03 000 000): Where applicable under the relevant article. The applicant may choose to use either Address or UNLocode. Note: This information shall not be provided if the applicant is an authorized economic operator. Currently it is Mandatory on B2, due to a bug. First Place of use or processing (34 05 000 000): Using the relevant code, enter the address of the place concerned. This information shall only be provided in the context of an application for an authorisation for the use of inward processing or end-use procedures. Place(s) of processing or use (34 09 000 000): Using the relevant code, indicate the address of the place(s) concerned. Contact person (34 05 070 00 / 34 09 070 000): can be specified in 34 05 000 000 and 34 09 000 000. If Place(s) of processing or use (34 09 000 000) has been declared, then contact person (34 09 070 000) is mandatory. LocationTypeCode (34 05 010 045 / 34 09 010 045): similar to Goods Location; valid values are 'A', 'B', 'C', 'D'. Can be used in 34 05 000 000 and 34 09 000 000. QualifierOfTheIdentification (34 05 010 046 / 34 09 010 046): similar to Goods Location; valid values are 'U', 'V', 'Y', 'Z', 'X', 'W'. The value provided in QualifierOfTheIdentification determines the information to be provided. E.g. if the value is 'Z' then Address fields are required. More information about goods location can be found on toldst.dk.
XML-examples:
<pre> <ns5:PlaceOfProcessingOrUse> <ns5:SequenceNumeric>1</ns5:SequenceNumeric> <ns5:Country>DK</ns5:Country> <ns5:QualifierOfTheIdentification>Z</ns5:QualifierOfTheIdentification> <ns5:AdditionalIdentifier>1</ns5:AdditionalIdentifier> <ns5:StreetAndNumber>address 1</ns5:StreetAndNumber> <ns5:Postcode>9000</ns5:Postcode> <ns5:City>Aalborg</ns5:City> <ns5:ContactPerson> <ns5:SequenceNumeric>1</ns5:SequenceNumeric> <ns5:Name>Anders Anders</ns5:Name> <ns5:TelephoneNumber>12345678</ns5:TelephoneNumber> <ns5:EmailAddress>Anders@anders.dk</ns5:EmailAddress> </ns5:ContactPerson> </ns5:PlaceOfProcessingOrUse> </pre>

RepaymentRemissionAuthorisation (4c)

C/A	Requirement Overview										XSD-path
	H1	H2	H3	H4	H5	H6	H7	I1	I2	I2_EIDR	
No/No	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	MC DL	n/a	n/a	Basepath: Declaration/ RepaymentRemissionAuthorisation
EUCDM 6.1	XSD/XML-name							Format	M/O		Comment
4c	RepaymentRemissionAuthorisation							n/a	O		
31 01 000 002	ApplicationCodeType							an..4	M		
None	DecisionCodeType							an..4	O		Should not be used
31 02 000 202	ApplicationSignature							an..256	MC		Mandatory when FunctionCode is '37'
None	DecisionSignature							an..256	O		Should not be used
31 06 000 000	DecisionReferenceNumber							n/a	O		Should not be used
31 06 000 020	CountryCode							a2	M		Should not be used
31 06 000 001	ReferenceNumber							an..29	M		Should not be used
31 06 000 205	CodeType							an..4	M		Should not be used
31 07 000 000	DecisionCustomsAuthority							n/a	O		
31 07 000 301	CustomsOfficeId							an8	O		
None	Name							an...70	O		Should not be used
None	StreetAndNumber							an...70	O		Should not be used
None	CountryCode							a2	O		Should not be used
None	PostCode							an...17	O		Should not be used
None	City							an...35	O		Should not be used
32 04 000 000	AttachedDocument							n/a	O		
32 04 010 224	Type							an..70	M		
32 04 010 225	AttachedDocumentID							an..35	M		
32 04 010 226	AttachedDocumentDate							n8	M		
33 01 000 000	ApplicationHolder							n/a	O		
33 01 000 016	Name							an..70	M		
33 01 010 019	StreetAndNumber							an..70	M		
33 01 010 020	CountryCode							a2	M		
33 01 010 021	PostCode							an..17	M		
33 01 010 022	City							an..35	M		
None	DecisionHolder							n/a	O		Should not be used
None	Name							an..70	M		Should not be used
None	StreetAndNumber							an..70	M		Should not be used
None	CountryCode							a2	M		Should not be used
None	PostCode							an..17	M		Should not be used
None	City							an..35	M		Should not be used
33 02 000 229	ApplicationHolderId							an..17	M		
None	DecisionHolderId							an..17	O		Should not be used
33 06 000 000	ApplicationSupervisor							n/a	M		
33 06 000 016	Name							an..70	M		
33 06 000 234	TelephoneNumber							an..50	O		
None	FaxNumber							an...50	O		Should not be used
33 06 000 076	EmailAddress							an..256	O		

34 02 000 207	ApplicationDate	n8	0	(yyyymmdd)
34 02 000 207	DecisionDate	n8	0	(yyyymmdd) Should not be used
36 03 000 009	GeneralRemarks	an..512	0	
33 03 000 000	Representative	n/a	0	Currently M due to a bug
33 03 000 016	Name	an..70	M	
33 03 010 019	StreetAndNumber	an..70	M	
33 03 010 020	CountryCode	a2	M	
33 03 010 021	PostCode	an..17	M	
33 03 010 022	City	an..35	M	
33 03 020 000	RepresentativeEUCMD7	n/a	0	
33 03 020 229	RepresentativeIdentification	an..17	0	
33 03 020 229	RepresentativeId	an..17	0	
34 08 000 000	GoodsLocation	n/a	0	Currently M due to a bug
34 08 050 020	CountryCode	a2	M	
34 08 010 036	LocationCodeType	a1	M	CL10240
34 08 010 046	IdentificationQualifier	a1	M	CL10239
34 08 050 025	LocationIdentification	an..35	0	
34 08 010 053	AdditionalIdentifier	n..3	0	
34 08 070 016	Name	an..70	0	
34 08 050 019	StreetAndNumber	an..70	0	
34 08 050 021	PostCode	an..17	0	
34 08 050 022	City	an..35	0	
35 01 010 000	TraderCommodityCode	n/a	0	Currently M due to a bug
35 01 010 056	HarmonisedSystemSubheading-Code	an..6	M	
35 01 010 057	NomenclatureCode	an2	M	
35 01 010 058	TaricSubheading	an2	M	
35 01 011 247	TaricAdditionalCode	an4	0	
35 01 011 060	NationalAdditionalCode	an..4	0	
None	CustomsCommodityCode	n/a	0	Should not be used
35 01 010 057	NomenclatureCode	an..8	M	Should not be used
35 01 010 056	TaricSubheading	an2	M	Should not be used
35 01 011 247	TaricAdditionalCode	an4	0	Should not be used
35 01 011 060	NationalAdditionalCode	an..4	0	Should not be used
35 01 020 009	GoodsDescription	an..2560	0	
35 01 030 000	TraderGoodsQuantity	n/a	0	Currently M due to a bug
35 01 031 249	Measurement	an..4	M	
35 01 031 006	Quantity	n..16,6	M	
None	CustomsGoodsQuantity	n/a	0	Should not be used
None	Measurement	an..4	M	Should not be used
None	Quantity	n..16,6	M	Should not be used
38 05 000 009	AdditionalInformation	an..512	0	
48 01 000 300	RecoveryTitle	an..35	0	
48 02 000 301	CustomsOfficeNotified	an8	0	
48 03 000 301	CustomsOfficeLocation	an8	0	
48 04 000 009	CustomsOfficeComments	an..512	0	

48 05 000 000	CustomsProcedure	n/a	O	
48 05 000 257	Code	an2	M	
48 05 000 213	Checked	n1	M	Checked '0' or '1'
48 05 010 000	DecisionReferenceNumber	n/a	O	
48 05 010 020	CountryCode	a2	M	
48 05 010 001	ReferenceNumber	an..29	M	
48 05 010 205	CodeType	an..4	M	
48 06 000 000	CustomsValue	n/a	O	
48 06 000 012	Currency	a3	M	
48 06 000 014	Amount	n..16,2	M	
48 07 000 000	AmountDuty	n/a	M	
48 07 000 012	Currency	a3	M	
48 07 000 014	Amount	n..16,2	M	
48 08 000 000	DutyType	n/a	O	
48 08 000 302	UnionCode	a1+n2	O	CL10283
48 08 000 303	NationalCode	n1+an2	O	
None	Amount	n..16,6	O	
48 09 000 304	LegalBasis	a1	M	CL10270
48 10 000 009	GoodsDestination	an..512	O	Should not be used
48 11 000 305	CompletionTimeLimit	n..3	O	Should not be used
48 12 000 009	CustomsStatement	an..512	O	Should not be used
48 13 000 009	TraderGroundsDescription	an..512	O	
None	CustomsGroundsDescription	an..512	O	Should not be used
48 14 000 009	BankDetails	an..512	O	

Description:

Authorization code type for application element 4c for remission and repayment.

Rules/codes/other relevant information:

Repayment and Remission (4c) can be used with an invalidation request (INV) or as a standalone request (RRA). Details about Invalidation 4c and Repayment or Remission can be found in the [DMS Import Export System Guide](#).

Depending on the action, the FunctionCode must be used '1' for invalidation and repayment or '37' for repayment and remission to an already existing declaration.

- If FunctionCode '1' is used, TypeCode 'INV' should be used.
- If FunctionCode '37' is used, TypeCode 'RRA' should be used.

If Repayment and Remission is used with an invalidation request, the invalidation reason and text should be provided.

Details and specifics can be found in [section 4](#) and [Additional Declaration type](#) in this guide.

In the XSD, specific fields are related to the customs decision. These should not be provided when submitting the request. These has been marked with "Should not be used" in comments above.

The following describes the elements within the application for Repayment and Remission (4c):

ApplicationCodeType **(31 01 000 002)**: Authorization code type for application. Use code 'REP' for repayment or 'REM' for remission.

ApplicationSignature **(31 02 000 202)**: Authorization signature for application. Only used and mandatory when FunctionCode is '37'.

DecisionReferenceNumber **(31 06 000 000)**: Unique reference attributed by the competent customs authority to the decision.

AttachedDocument (32 04 000 000): Document(s) attached to the application or the decision. Multiple instances of this element can be used if more than one document needs to be attached.

ApplicationHolder **(33 01 000 000)**: Applicant of the remission or repayment request which includes applicants name and address. This information is mandatory **only** in the cases where the EORI number of the person is not required. Where the EORI number is provided, the name and address should not be provided.

ApplicationHolderID **(32 02 000 229)**: The application holders ID provided as an EORI number.

Representative **(33 03 000 000)**: Name and address of the representative of the remission and repayment request. This information is mandatory **only** in the cases where the EORI number of the person is not required. Where the EORI number is provided, the name and address should not be provided.

Note: Representative (33 03 000 000) is currently mandatory due to a bug.

RepresentativeID or RepresentativeIdentification **(33 03 020 229)**: The representative ID provided as an EORI number

ApplicationSupervisor **(33 06 000 000)**: Contact details of person responsible for the application.

ApplicationDate **(34 02 000 207)**: Date on which the applicant has signed or otherwise authenticated the application.

GoodsLocation **(34 08 000 000)**: Using the relevant codes, enter the location where the goods may be examined. The applicant may choose to use either Address or UNLocode. Address information include Street and number, Countrycode, Postcode and city. Note that the value provided in QualifierOfTheIdentification determines the information to be provided. E.g. if the value is 'Z' then Address fields are required. More information about goods location can be found on toldst.dk.

Note: GoodsLocation (34 08 000 000) is currently mandatory due to a bug.

TraderGoodsQuantity **(35 01 030 000)**: Enter the measurement and net quantity of the goods expressed in supplementary units within the meaning of the Combined Nomenclature.

Note: TraderGoodsQuantity (35 01 030 000) is currently mandatory due to a bug.

General Remarks **(36 03 000 009)**: General remarks regarding particulars of any requirements to which the goods remain subject pending implementation of the decision. If applicable, the decision shall contain a notice informing the holder of the decision that he must give the original of the decision to the implementing customs office of his choice when presenting the goods.

Customs Office Notified **(48 02 000 301)**: Customs office where the customs debt was notified.

Customs Office Location **(48 03 000 301)**: Customs office responsible for the place where the goods are located.

Customs Office Comments **(48 04 000 309)**: Comments of the customs office responsible for the place where the goods are located.

Customs Procedure **(48 05 000 000)**: Customs procedure (request for prior completion of formalities).

CustomsValue **(48 06 000 000)**: Indicate the customs value of the goods.

AmountDuty **(48 07 000 000)**: Amount of import or export duty to be repaid or remitted of.

DutyType **(48 08 000 000)**: Type of import or export duty.

LegalBasis **(48 09 000 304)**: Provide the legal basis for requesting remission or repayment. Codes can be found in CL10270.

TraderGroundsDescription **(48 13 000 009)**: Detailed description of the justification that forms the basis of the request for remission or repayment.

BankDetails **(48 14 000 009)**: If applicable, enter the bank-account details where the import or export duty shall be repaid or remitted.

NOTE: The XML example below also contains elements that are optional but currently mandatory due to temporary bugs. This includes representative, goods location and trader goods quantity. Additionally, application signatures are not used in an Invalidation 4c scenario.

XML-examples:

```

<ns2:RepaymentRemissionAuthorisation>
  <ns5:ApplicationCodeType>REP</ns5:ApplicationCodeType>
  <ns5:ApplicationSignature>DK12345678</ns5:ApplicationSignature>
  <ns5:ApplicationHolderId>DK12345678</ns5:ApplicationHolderId>    <ns5:Representative>
    <ns5:Name>Jurgen Meyer</ns5:Name>
    <ns5:StreetAndNumber>Copenhagen street</ns5:StreetAndNumber>
    <ns5:CountryCode>DK</ns5:CountryCode>
    <ns5:PostCode>2300</ns5:PostCode>
    <ns5:City>Copenhagen</ns5:City>
  </ns5:Representative>
  <ns5:GoodsLocation>
    <ns5:IdentificationQualifier>Z</ns5:IdentificationQualifier>
    <ns5:Address>
      <ns5:StreetAndNumber>Copenhagen Street</ns5:StreetAndNumber>
      <ns5:CountryCode>DK</ns5:CountryCode>
      <ns5:PostCode>2100</ns5:PostCode>
      <ns5:City>Copenhagen</ns5:City>
    </ns5:Address>
  </ns5:GoodsLocation>
  <ns5:TraderCommodityCode>
    <ns5:HarmonisedSystemSubheadingCode>001122</ns5:HarmonisedSystemSubheadingCode>
    <ns5:NomenclatureCode>00</ns5:NomenclatureCode>
    <ns5:TaricSubheading>00</ns5:TaricSubheading>
  </ns5:TraderCommodityCode>
  <ns5:TraderGoodsQuantity>
    <ns5:Measurement>KGR1</ns5:Measurement>
    <ns5:Quantity>121.00</ns5:Quantity>
  </ns5:TraderGoodsQuantity>
  <ns5:CustomsValue>
    <ns5:Currency>DKK</ns5:Currency>
    <ns5:Amount>113</ns5:Amount>
  </ns5:CustomsValue>
  <ns5:AmountDuty>
    <ns5:Currency>DKK</ns5:Currency>
    <ns5:Amount>20.0</ns5:Amount>
  </ns5:AmountDuty>
  <ns5:DutyType>
    <ns5:UnionCode>B00</ns5:UnionCode>
    <ns5:NationalCode>DK</ns5:NationalCode>
  </ns5:DutyType>
  <ns5:LegalBasis>E</ns5:LegalBasis>
  <ns5:DescriptionOfGoods>
    <ns5:DescriptionOfGoods>Test Description</ns5:DescriptionOfGoods>
  </ns5:DescriptionOfGoods>
</ns2:RepaymentRemissionAuthorisation>

```

