

DMS Import CCI System Guide



Functional guide to CCI for DMS Import

Table of contents

1.	Introduction.....	4
2.	Requesting notifications.....	6
3.	CCI declaration submission and additional messages	8
3.1	Prerequisites for CCI	9
3.2	Overview of inbound and outbound messages	9
3.3	Overview of declaration types	10
3.4	IE415 - Submission.....	11
3.5	IE432 – Presentation Notification	12
3.6	IE433 – Presentation Notification for EIDR.....	12
3.7	IE413 – Correction (Customs Declaration Amendment)	12
3.8	IE413 – Amendment (Customs Declaration Amendment).....	13
3.9	IE414 – Cancellation (Invalidation Request).....	13
3.10	IE414 – Invalidation Request	13
3.11	IE446 – Provide Supporting Documents	14
4.	CCI notifications.....	15
4.1	List of notifications	16
4.1.1	Overview of notifications	16
4.1.2	Reading notifications	17
4.2	Notification descriptions.....	17
4.2.1	IE404 – Declaration Amendment Acceptance.....	17
4.2.2	IE410 – Invalidation of Customs Declaration	18
4.2.3	IE426 – Registration Notification.....	18
4.2.4	IE428 – Acceptance of Customs Declaration	18
4.2.5	IE429 – CCI Release for Import	18
4.2.6	IE431 – Expiration of Timer for Supplementary Declaration ...	18
4.2.7	IE438 – Reminder for providing additional documents	18
4.2.8	IE444 – Control Results.....	18
4.2.9	IE447 – Documentary Control Results	19
4.2.10	IE451 – No Release.....	19
4.2.11	IE456 – CCI Rejection from SCO	19
4.2.12	IE457 – Presentation Notification Registration (EIDR)	19
4.2.13	IE460 – Import Control Decision Notification	19
4.2.14	IE462 – Presentation Notification Request	20
5.	Verifying functionality.....	21
5.1	DMS Import CCI XSDs and test cases	22
6.	Appendix.....	23
6.1	Flow of declarations, and related notifications	24
6.2	CCI Notification flows	25
6.2.2	Submission	25
6.3	AS4 Services	28

6.3.1 CCI services for the production environment28

6.3.2 CCI services for TFE environment29

Introduction

1

This guide details the functionality of Centralised Clearance (CCI) for Import. The target group for this system guide is developers responsible for developing a system-to-system (S2S) integration from their own customs clearance system to support CCI processes of DMS Import System-to-System.

The aim of this document is to provide an understanding of the message flows and the functions that can be carried out with CCI for DMS Import, and it includes detailed descriptions of notifications for the different flows in the CCI process within the Import domain. The appendix contains various useful figures, tables and flowcharts for the different flows in the CCI process.

For details on how to establish a connection to DMS, consult the DMS [Connectivity Guide \(found on Danish Customs and Tax Administration's GitHub\)](#) instead, as this describes how to establish connection to the AS4-gateway after signing up for the system.

Additional information on business guidance can be found here: [Centralised Clearance for Import - Taxation and Customs Union](#)

This document will be enhanced continuously. So far, the document covers functionality of DMS specifically for CCI for Import. All functionality specific to DMS Import and DMS Export is covered in its own guide. Similarly, general/shared features across domains are covered in the DMS General System Guide. Note that DMS Import notifications can be received as a part of the CCI process.

This guide often references the following guides: DMS Import/Export System Guide, DMS General System Guide, DMS Notification Guide and DMS CCI Notification Guide.

Requesting notifications

2

Notifications related to CCI are requested the same way as for notifications for DMS Import. Please refer to DMS Import/Export System Guide. However, the notifications differ from the ones received in DMS Import. Information about notifications in the CCI domain can be found in section [4](#).

In section [4](#) there are lists and descriptions of each notification type in the CCI domain, and other relevant information. In the appendix you will find further information regarding which notifications to expect from the different CCI declaration and additional message flows. See Appendix, section [6](#).

In section [6.3](#) there is a list of services for sending in declarations and requesting notifications for the DMS Import CCI domain. For requesting notifications for DMS Import CCI use the same endpoint as for DMS Import – *DMS.Import2.Notification*. **This endpoint will provide you with notifications related to both DMS Import and DMS Import CCI declarations.**

CCI declaration submission and additional messages

3

This section describes the core CCI flow and the related notifications. Centralised Clearance (CCI) authorizes a holder to lodge a declaration at the Customs Office where the Economic Operator is established (SCI – Supervising Customs Office) and presenting the goods to another customs office (PCI – Presentation Customs Office) within the customs territory of the European Union. Be aware that the Economic Operators interested in using CCI simplification shall apply for a CCI authorization to the concerned customs authorities, which may grant authorization.

A CCI declaration and additional messages can be submitted through DMS Online, as well as through DMS System-to-System in an XML format. In both cases, the data that needs to be provided is defined by the EUCDM standard. A guide to the XML format of the declarations can be found in the [DMS Import CCI XML Guide](#).

CCI declaration submission and additional messages are defined by the <CCxxxB> tag e.g. CC415B, CC432B, CC446B, etc. The numbers in the element name correspond with the numbers in its IE-name. CCI declaration submission and additional messages schemas can be found on The tax Administration's [GitHub](#).

All schemas used in DMS are available on The Tax Administration's [GitHub](#).

Information on how to submit the declarations and the additional messages is described in [DMS Connectivity Guide](#) found on The Tax Administration's [GitHub](#).

3.1 Prerequisites for CCI

The prerequisites for sending CCI declarations to the system are a CCI authorisation and authorisation to use DMS Import.

3.2 Overview of inbound and outbound messages

In the CCI process information is exchanged between the Declarant and SCI and the SCI and PCI. The Declarant will only communicate with the SCI and all information from the PCI is mediated through the SCI to the declarant. The information exchange between the declarant and the SCI can be found in the figure below.




Figure 3-1 – CCI inbound and outbound messages

Economic Operators receive outbound messages introduced with CCI. More information about outbound messages can be found in section 4. The following sections describe actions used by the economic operator in the CCI process.

3.3 Overview of declaration types

The following declaration types and customs procedures are in full scope for CCI. Be aware that the procedure code determines the procedure category and the procedure category is not specified in a CCI declaration. The table below illustrates the declaration types under the scope of CCI.

Declaration type	Description
A	Standard customs declaration
C	Simplified customs declaration with regular use
D	For lodging a standard customs declaration
F	For lodging a simplified declaration
Y	For a supplementary declaration of simplified declarations covered by “C” and “F”.
Z	For a supplementary declaration of general or periodic nature
U	For a supplementary recapitulative declaration of simplified declarations covered by “C” and “F”
V	For a supplementary recapitulative declaration

Table 3-2 – Declaration types

The table below illustrates the procedure codes under the scope of CCI.

Procedure Category	Procedure Code
H1 – Declaration for release for free circulation and special procedure: specific use (end-use)	01, 07, 40, 42, 43, 44, 45, 46, 48, 61, 63, 68
H2 – Special procedure – storage – declaration for customs warehousing	71
H3 – Special procedure – specific use – declaration for temporary admission	53
H4 – Special procedure – processing – declaration for inward processing	51
H5 – Declaration for the introduction of EU goods in the context of trade with special fiscal territories	40, 42, 61, 63, 95, 96
I1 – Import simplified declaration	01, 07, 40, 42, 43, 44, 45, 46, 48, 51, 53, 61, 63, 68, 71, 95, 96
I2 – Presentation of goods to customs in case of entry in the declarant's records or in the context of customs declarations lodged prior to the presentation	N/A

Table 3-2 – Procedure category and procedure code

3.4 IE415 - Submission

An IE415 Submission is used to submit a customs declaration. CCI supports the handling of standard and simplified declarations including pre-lodged customs declaration. This includes the handling of customs declarations made through an entry in the declarant's records (EIDR) with Presentation notification and with Presentation notification waiver.

Under CCI it is possible to lodge a customs declaration prior to the expected presentation of the goods to customs (pre-lodged declaration). If the goods are not presented within 30 days of lodging of the customs declaration, the customs declaration shall be deemed not to have been lodged. Until its acceptance (MRN allocation), the pre-lodged customs declaration has no legal effect.

A CCI declaration is sent to the system using the IE415 XSD. Information about how to fill in the XML for submission and which rules to adhere to can be found in [DMS Import CCI XML guide](#).

When submitting a CCI declaration, the **Declaration.CCI.Submit** action should be used, see section [6.3](#).

3.5 IE432 – Presentation Notification

A Presentation Notification can be submitted to a pre-lodged CCI declaration (IM/D or IM/F), when the goods are to be presented. The Presentation Notification is sent to the system using the IE432 XSD. Rules and details on how to fill out the data elements in the XML can be found in the [DMS Import CCI XML guide](#).

More information about the declaration flow can be found in section [6.2](#).

When submitting a presentation notification, the **Declaration.CCI.Amend.Goodspresented** action should be used, see section [6.3](#).

3.6 IE433 – Presentation Notification for EIDR

An IE433 is a presentation notification for entry into declarant's records (EIDR). This action is used when the economic operator is obliged to send a presentation notification in the EIDR process. The IE433 notification must refer to the preceding customs declaration (e.g. H2 declaration).

The Presentation Notification for EIDR is sent to the system using the IE433 XSD. Rules and details on how to fill out the data elements in the XML can be found in the [DMS Import CCI XML guide](#).

When submitting a presentation notification for EIDR, the **Declaration.CCI.EIDR.Goodspresented** action should be used, see section [6.3](#).

3.7 IE413 – Correction (Customs Declaration Amendment)

A correction is used to correct erroneous data in a pre-lodge declaration. Corrections will, if valid, be automatically granted and do not need approval from a customs officer.

A correction can be submitted before the goods have been presented and before the declaration has been accepted, meaning that the declaration still must be in its pre-lodged state.

Rules and details on how to fill out the data elements in the XML, and which data elements can be corrected, can be found in the [DMS Import CCI XML guide](#).

Corrections are sent to the system using the IE413 XSD. It is important that there is at least one changed data element when submitting a correction. If not, the correction request will be rejected with an IE456.

When submitting a correction request, the **Declaration.CCI.Amend** action should be used, see section [6.3](#).

3.8 IE413 – Amendment (Customs Declaration Amendment)

An amendment is used to amend data in a standard declaration. Different from corrections, amendment will, if valid, be approved by a customs officer.

An amendment request can be submitted to a declaration **after** the goods have been presented and **after** the declaration has been accepted (the IE428 notification is received, see section 4). If the amendment is accepted the EO receives an IE404 notification.

Rules and details on how to fill out the data elements in the XML can be found in the [DMS Import CCI XML guide](#).

Amendments are sent to the system using the IE413 XSD. It is important that there is at least one changed data element when submitting a correction. If not, the amendment request will be rejected with IE456.

When submitting an amendment request, the **Declaration.CCI.Amend** action should be used, see section 6.3.

3.9 IE414 – Cancellation (Invalidation Request)

A cancellation request can be submitted to a pre-lodged declaration if it is no longer relevant. A cancellation request must be submitted prior to the presentation of the goods to the customs. If the goods have been presented, see the Invalidation section below. Cancellations will be automatically granted and do not need approval from a customs officer. If approved, the EO will receive an IE410 notification.

Cancellation requests are sent to the system using the IE414 XSD. Rules and details on how to fill out the elements in an invalidation can be found in the [DMS Import CCI XML guide](#).

Cancellation of a pre-lodged declaration that has not been presented does not require a customs officer to manually grant or deny the request.

When submitting a cancellation request, the **Declaration.CCI.Invalidate** action should be used, see section 6.3.

3.10 IE414 – Invalidation Request

An invalidation request can be submitted to a declaration when needed and after the goods have been presented. An IE414 invalidation can be used to invalidate duplicate declarations

that have been accepted or released for import. Different from the cancellation, the invalidation of a declaration will, if valid, need approval from a customs officer at SCI.

Invalidation requests are sent to the system using the IE414 XSD. A customs officer will have to manually grant or deny the request. Therefore, it might take some time before the expected notifications (IE410) arrive and the declaration is invalidated.

Rules and details on how to fill out the data elements in the XML can be found in the [DMS Import CCI XML guide](#).

When submitting an invalidation request, the **Declaration.CCI.Invalidate** action should be used, see section [6.3](#).

3.11 IE446 – Provide Supporting Documents

An IE446 Provide Supporting Documents request is used in scenarios where the SCI or PCI request additional documents through an IE460.

The Provide Supporting Documents notification is sent to the system using the IE446 XSD. Rules and details on how to fill out the data elements in the XML can be found in the [DMS Import CCI XML guide](#).

When providing supporting documents, the **Declaration.CCI.Document** action should be used, see section [6.3](#).

CCI notifications

4

4.1 List of notifications

This section provides an overview of the notifications that can appear when a user submits a CCI declaration.

Please note that notifications seen in the CCI process differ, sometimes greatly, from the notifications received otherwise in the import and export domain.

4.1.1 Overview of notifications

Here is a list of all the notifications that the CCI process produces, as well as a description of when and how they are issued. The table below lists the notifications, illustrates the sender and the names of the various notifications. All notifications are received from Supervising Customs Office (SCI). Be aware that a CWMTAX message also is expected in the CCI process. More information about the CWMTAX notification can be found in the DMS Notification Guide.

For a description of the flow of declarations, see appendix, section [6.1](#).

IE	Official IE Name	Sender	Message type
IE404	Declaration Amendment Acceptance	SCI	CC404B
IE410	Invalidation of Customs Declaration	SCI	CC410B
IE426	Registration notification	SCI	CC426B
IE428	Acceptance of Customs Declaration	SCI	CC428B
IE429	CCI Release for Import	SCI	CC429B
IE431	Expiration of Timer for Supplementary Declaration Notification	SCI	CC431B
IE438	Reminder for Providing Additional Documents	SCI	CC438B
IE444	Control Results	SCI	CC444B

IE	Official IE Name	Sender	Message type
IE447	Documentary Control Results	SCI	CC447B
IE451	No Release	SCI	CC451B
IE456	CCI Rejection from SCO	SCI	CC456B
IE457	Presentation Notification Registration (EIDR)	SCI	CC457B
IE460	Import Control Decision Notification	SCI	CC460B
IE462	Presentation Notification Request (EIDR)	SCI	CC462B

Table 4-1 - CCI notification types

4.1.2 Reading notifications

As described in the DMS General System Guide, when requesting notification from a given time interval, the notifications can arrive in bundles. The type of each notification within a bundle is defined by the <CCxxxB> tag e.g. CC404B, CC410B, CC426B, etc. The numbers in the element name correspond with the numbers in its IE-name as shown in the table above.

4.2 Notification descriptions

The following subsections contain examples and descriptions of all CCI related notifications that can be received by the trader. All notification XSDs related to the CCI process can be found on the Tax Administration's GitHub.

NB: Examples will be added in a later version of the CCI System Guide.

4.2.1 IE404 – Declaration Amendment Acceptance

The Declaration Amendment Acceptance (IE404) notification informs the holder of the CCI procedure that their Amendment (IE413) has been accepted. The amendment of a customs declaration is communicated to the declarant with an IE404. Otherwise, the amendment request will be rejected by the system notifying the declarant with IE456.

4.2.2 IE410 – Invalidation of Customs Declaration

The Invalidation of Customs Declaration (IE410) notification informs the holder of the CCI procedure about the results of their Invalidation request (IE414), including whether it has been accepted or rejected.

4.2.3 IE426 – Registration Notification

The Registration Notification (IE426) informs the holder of the CCI procedure that their Customs Declaration for Import (IE415) has been registered. This notification is received as a part of the pre-lodge declaration flow and does not include MRN. The MRN is allocated when the IE428 is received. See section [6.2](#) for further details.

4.2.4 IE428 – Acceptance of Customs Declaration

The Acceptance of Customs Declaration (IE428) informs the holder of the CCI procedure that their Customs Declaration for Import (IE415) has been accepted. The IE428 contains the MRN of the related CCI declaration and the acceptance date and time.

4.2.5 IE429 – CCI Release for Import

The CCI Release for Import (IE429) informs the holder of the CCI procedure that their Customs Declaration (IE415) has been released for Import.

4.2.6 IE431 – Expiration of Timer for Supplementary Declaration

The Expiration of Timer for Supplementary Declaration (IE431) informs the holder of the CCI procedure that the timer for receiving a supplementary declaration related to the Presentation Notification (EIDR) (IE433) has expired. If the timer for awaiting the supplementary declaration expires, then the CCI system at SCI automatically records the time expiry and notifies the declarant that the timer for lodgement of supplementary declaration is expired by sending message IE431.

4.2.7 IE438 – Reminder for providing additional documents

The Reminder for providing additional documents (IE438) reminds the holder of the CCI procedure about providing additional documents related to their CCI declaration.

4.2.8 IE444 – Control Results

The Control Results (IE444) informs the holder of the CCI procedure about the control results related to their declaration (IE415).

4.2.9 IE447 – Documentary Control Results

The Documentary Control Results (IE447) informs the holder of the CCI procedure about documentary control results related to their declaration (IE415) .

4.2.10 IE451 – No Release

The No Release (IE451) informs the holder of the CCI procedure that their CCI declaration (IE415) has not been released.

4.2.11 IE456 – CCI Rejection from SCO

The CCI rejection from SCO (IE456) informs the holder of the CCI procedure that their CCI declaration (IE415) or additional message has been rejected. This can be in cases where the CCI declaration is invalid based on validation results from either the SCI or PCI. Additionally, this notification can be received if the correction, amendment, cancellation or invalidation of a CCI declaration is rejected.

4.2.12 IE457 – Presentation Notification Registration (EIDR)

The Presentation Notification Registration (EIDR) (IE457) informs the holder of the CCI procedure that their Presentation Notification for EIDR (IE433) has been registered.

4.2.13 IE460 – Import Control Decision Notification

The Import Control Decision Notification (IE460) informs the holder of the CCI procedure that controls will be performed. The decision to perform customs control is taken, as a result of the risk analysis performed by both the SCI and PCI. The IE460 notification is sent to the economic operator if the SCI decides to perform documentary control and need to request additional supporting documents or if the PCI decides to perform a physical control and need to request additional supporting documents.

The IE460 includes a Notification Type in order to distinguish the different types of ‘Import Control Decision Notifications’. In the table below, you will find the different notification types.

Notification Type	Name	Description
0	Control Notification	This notification type is used in the context of already accepted declarations (MRN allocated) to inform the declarant/representative about upcoming control activities. In this case, the customs officer has the possibility to request additional documents if needed.
1	Additional Documents Request	This notification type is used when the SCI decides to perform documentary control and may conclude on the need to request additional supporting documents. It can also be used during physical control at the PCI (examination of the goods) to request additional documents for the purpose of the control of goods.
2	Intention to Control	This notification type is used in context of pre-lodge declarations, to inform the declarant/representative with AEO status about the intention of the customs authorities to potentially control the goods.

Table 4-2 – Control decision notification types

Additionally, the IE460 notification uses Control Type to allow for the identification of the type of controls to be performed (e.g. documentary controls, physical controls, sampling etc.). The type of controls is provided in the IE460 only when the customs declaration (IE415) is already accepted and when the notification type is '0'. In case the control type is 'Other' the element 'Remarks' will specify the controls to be performed.

If an IE460 is received requesting additional documents, a timer awaiting additional documents will start. If the timer is about to expire, the declarant/representative will receive an IE438.

4.2.14 IE462 – Presentation Notification Request

The Presentation Notification Request (IE462) notifies the holder of the CCI procedure to send a Presentation Notification (IE432).

Verifying functionality

5

To verify the functionality of the declaration types and additional messages, as well as the ability to requests and receive notifications, we recommend that you follow the basic test cases for CCI.

5.1 DMS Import CCI XSDs and test cases

In this section you can find links to all the XSD's used for submission of declarations and for the additional messages mentioned earlier. All CCI XSD's can be found on The Tax Administration's [GitHub](#).

The DMS Import CCI XML Guide can be found on [GitHub](#). The XML guide provides a detailed description of the XML elements, their format, optionality, and other requirements/specifications.

In [Table 5-1](#) you can find links to The Tax Administration's GitHub-folders containing:

Test cases, Submission XSD, Correction XSD, Amendment XSD and Invalidation XSD.

CCI XSDs and testcases		
Type	XSD	Test cases
Submission	IE415 XSD	Not available
Presentation Notification	IE432 XSD	Not available
Amendment	IE413 XSD	Not available
Invalidation	IE414 XSD	Not available
Provide Supporting Documents	IE446 XSD	Not available

Table 5-1 - CCI XSDs and test cases

Appendix

6

6.1 Flow of declarations, and related notifications

This section describes which notifications the transit system produces, and when in the flow the notification is produced.

The diagrams in the coming sections follow the annotation shown in [Figure 6-1](#).




Figure 6-1 - Overview of diagram notation

The End State represents a state where the flow is terminated in some respect and will not continue. An End State can trigger a notification in some cases. In most cases an End State signifies that the declaration was rejected, accepted, or converted to another flow.

The Start State signifies the starting point of a flow. There are therefore only transitions out of a Start State, and it is not possible to return, in technical terms. The start state is the first state from which it is possible for the system to issue notifications that the notification service can retrieve, meaning that it is past the semantic validation in the AS4 gateway.

A Decision State is a state from which it is possible to take one of many transitions. Only one transition will be used, and each transition out of the Decision State will be clearly labelled with the conditions necessary to take that transition. Most Decision States relate to a significant analysis performed in the flow, such as validation.

A State is the simplest construct in that it only offers one transition out, which means that this transition will always be taken.

A Notification, signified by the paper symbol, is not a state. It is therefore not possible to transition into a Notification. An arrow from any of the other symbols in the diagram to a Notification signifies that that symbol will issue a Notification which can be retrieved by the Notification service.

NB: Be aware that the flow diagram shows the expected sequence of notifications. The related table show what notifications can be generated, and not necessarily in the expected sequence.

6.2 CCI Notification flows

6.2.2 Submission

CCI supports the handling of standard and simplified declarations including pre-lodged customs declaration. This includes the handling of customs declarations made through an entry in the declarant's records (EIDR) with Presentation notification and with Presentation notification waiver.

6.2.2.1 Pre-lodged declaration

The flow for a pre-lodged CCI declaration is shown in Figure 5-2.




Figure 6-2 - CCI pre-lodged flowchart

After the pre-lodge declaration is submitted, it undergoes preliminary validation. If the validation of the customs declaration is successful, the SCI checks if the customs declaration was submitted prior to the good's physical presentation to the PCI. Once this is completed, the declarant receives a registration notification (IE426). When the IE426 is received, a timer is triggered awaiting the presentation notification.

When the EO submits the presentation notification, both the notification and related declaration are validated. If both are accepted and cleared, the EO receives an acceptance of the customs declaration, followed by a release for import notification (IE429). Be aware that a CWMTAX message also is expected in the CCI process. Information about related notifications can be found in the Notification Guide.

NB: The above illustrates a sunshine flow of pre-lodge CCI declaration

A pre-lodged CCI declaration can generate the following notifications:

Title	Code	Description
Registration Notification	IE426	The pre-lodged declaration is registered.
Presentation Notification	IE432	Notification of goods presentation to customs authority
CCI Rejection from SCO	IE456	Declaration has been rejected
Acceptance of Customs Declaration	IE428	Customs declaration has been accepted
CCI Release for Import	IE429	Declaration has been released for free circulation

Table 6-1 - CCI pre-lodged flow notifications

A pre-lodged declaration means that information about the declaration is sent to the system before the goods have been presented. The pre-lodged declaration is converted to a standard declaration when a goods presentation message has been submitted and accepted.

6.2.2.2 Standard declaration

The flow for a standard CCI declaration is shown on [Figure 6-3](#).




Figure 6-3 - Standard CCI declaration flowchart

When submitting a standard declaration, it undergoes validation and risk assessment at SCI and PCI. If the declaration is accepted and cleared, the EO receives acceptance of the customs declaration, followed by a release for import. Be aware that a CWMTAX message also is expected in the CCI process. Information about related notifications can be found in the Notification Guide.

NB: The above illustrates a sunshine flow of standard CCI declaration

A standard declaration can generate the following notifications:

Title	Code	Description
Acceptance of Customs Declaration	IE428	Customs declaration has been accepted
CCI Release for Import	IE429	Declaration has been released for free circulation
CCI Rejection from SCO	IE456	Declaration has been rejected

Table 6-2 - CCI standard flow notifications

6.3 AS4 Services

The following section describes the available services provided by the AS4-gateway. Each section describes the services to be used for the various system environments we use.

- Production environment
- TFE (Test For Erhverv) test environment

6.3.1 CCI services for the production environment

Function	service	Action	Types of declaration
Submit CCI declaration	DMS.Import2	Declaration.CCI.Submit	H1, H2, H3, H4, H5, I1
Amend/Correct CCI declaration	DMS.Import2	Declaration.CCI.Amend	H1, H2, H3, H4, H5, I1
Goods Presentation notification for CCI declaration	DMS.Import2	Declaration.CCI.Amend.Goodspresented	I2
Presentation I2EIDR	DMS.Import2	Declaration.CCI.EIDR.Goodspresented	I2EIDR
Invalidate/Cancel CCI declaration	DMS.Import2	Declaration.CCI.Invalidate	H1, H2, H3, H4, H5, I1
Provide Supporting Documents	DMS.Import2	Declaration.CCI.Document	H1, H2, H3, H4, H5, I1
Retrieve notifications	DMS.Import2	Notification	All

Table 6-3 - CCI services and actions for production environment

6.3.2 CCI services for TFE environment

Function	service	Action	Types of declaration
Submit CCI declaration	DMS.Import2	Declaration.CCI.Submit	H1, H2, H3, H4, H5, I1
Amend/Correct CCI declaration	DMS.Import2	Declaration.CCI.Amend	H1, H2, H3, H4, H5, I1
Goods Presentation notification for CCI declaration	DMS.Import2	Declaration.CCI.Amend.Goodspresented	I2
Presentation I2EIDR	DMS.Import2	Declaration.CCI.EIDR.Goodspresented	I2EIDR
Invalidate/Cancel CCI declaration	DMS.Import2	Declaration.CCI.Invalidate	H1, H2, H3, H4, H5, I1
Provide Supporting Documents	DMS.Import2	Declaration.CCI.Document	H1, H2, H3, H4, H5, I1
Retrieve notifications	DMS.Import2	Notification	All

Table 6-4 - CCI services and actions for test (TFE) environment

