

Manifest IEAN08 and IEAS08 XML Guide



Version 1.0

Version control		
Version	Date	Change
1.0	31-05-2023	Initial version.

Table of Contents

1.	The aim of this document	2
2.	Glossary	4
3.	Manifest IEAN08 and IEAS08 XML Guide	6
	Manifest reference number	7
	MRN	8
	Notification date	9
	Customs office of control	10
	Control	11
	Examination place	13
	Control subject	14
	Consignment (Master level)	15
	Receptacle	16
	Goods item	17
	Consignment (House level)	18
	Goods item	19
	Packaging	20
	Passive border transport means	21
	Transport equipment	22
	Passive border transport means	23
	Transport Document (House Level)	24
	Transport equipment	25
	Packaging	26
	Transport equipment	27
	Person presenting the goods	28
4.	Complete XML-Examples	29
	IEAN08 House Example:	30
	IEAN08 Receptacle Example:	31
	IEAS08 House Example:	32
	IEAS08 Receptacle Example:	33

The aim of this document

1

The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-files for Manifest IEAN08 and IEAS08.

The document is structured after the Manifest-specific data fields of IEAN08 and IEAS08:

- **IEAN08 and IEAS08 XML Guide:** This section describes the fields that constitute an IEAN08 and an IEAS08. The description includes information on whether fields are mandatory, optional, or conditionally mandatory fields.
- **Complete XML-Examples:** This section contains four concrete examples of the XML code. Two in IEAN08 and two in IEAS08. Transport document (house level) and Receptacle for both.

Under each data element in the table, you will find a detailed description of the data field, including whether the field is mandatory or optional, which rules to adhere to depending on the scenario, as well as XML-examples for context. Sub elements that themselves have other sub elements nested under them have their own independent tables.

Glossary

2

To make the document shorter and easier to read, some abbreviations are used. Here is a list of the abbreviations used in this document.

Abbreviation	Description	Details
M	Mandatory	The field is mandatory to declare.
O	Optional	The field is optional to declare or should only be declared if relevant information is available. If the number of times it can occur is not specified, it can only occur once.
MC	Conditionally Mandatory	The information is mandatory depending on other information given in the declaration, e.g., type of declaration or commodity code.
A	Added	The field has been added since the last release.
C	Changed	The field has been changed.
XSD	XML Schema Definition	A document that specifies how to formally describe the elements in an Extensible Markup Language (XML) document. This description can be used to verify that each item of content in a document adheres to the description of the element in which the content is to be placed.
XML	Extensible Markup Language	A simple text-based format for representing structured information, storing, and sending data. It is the file format used to send declarations to DMS.
N/A	Not Applicable	The information does not apply to the given element.

Manifest IEAN08 and IEAS08 XML Guide

3

Manifest reference number		Format:	Mandatory?	Change/Added?
		n13	IEAN08: CM	A
			IEAS08: O	
XSD/XML-name:	XSD-path		XML tag	
arrivalDeclaration	IEAN08: IEAN08/arrivalDeclaration		ManRefNumHEA1	
	IEAS08: IEAS08/arrivalDeclaration			
Description:				
Manifest reference number for this arrival declaration.				
Rules/codes/other relevant information:				
CIS/manifestReferenceNumber R195DK M when presented by Manifest; otherwise leave empty				
XML-examples:				
<ManRefNumHEA1>2023500070346</ManRefNumHEA1>				

MRN	Format:	Mandatory?	Change/Added?
	an18	M	A
XSD/XML-name:		XSD-path	XML tag
MRN	IEAN08: IEAN08/MRN		MRN
	IEAS08: IEAN08/MRN		
Description:			
Master reference number for this ENS (Entry Summary Declaration)			
Rules/codes/other relevant information:			
CIS/masterReferenceNumber			
XML-examples:			
<MRN>23DK0154T70F46PATA</MRN>			

Notification date	Format:	Mandatory?	Change/Added?
	an20 (YYYY-MM-DDThh:mm:ssZ)	M	A
XSD/XML-name:		XSD-path	XML tag
notificationDate	IEAN08: IEAN08/notificationDate		NotDatTimHEA104
	IEAS08: IEAS08/notificationDate		
Description:			
Date of Notification.			
Rules/codes/other relevant information:			
CIS/notificationDate			
XML-examples:			
<NotDatTimHEA104>2023-05-11T11:54:55Z</NotDatTimHEA104>			

Customs office of control	Format:	Mandatory?	Change/Added?
	N/A	M	A
XSD/XML-name:	XSD-path		XML tag
customsOfficeOfControl	IEAN08: IEAN08/customsOfficeOfControl		customsOfficeOfControl
	IEAS08: IEAS08/customsOfficeOfControl		
Sub elements	Format	Mandatory?	Changed/Added?
Reference number	an8	M	A
Description:			
Control Office			
Rules/codes/other relevant information:			
CIS/ControlOffice WCO Name: ControlOffice WCO Id: SC2 Reference number: Government agency name, coded. CIS/Control XML Name: referenceNumber ICS2 Codelist(MS): CL141 ICS2 Codelist(Trade): CL141			
XML-examples:			
<customsOfficeOfControl> <referenceNumber>DK007903</referenceNumber> </customsOfficeOfControl>			

Control	Format:	Mandatory?	Change/Added?
	N/A	M	A
XSD/XML-name:	XSD-path	XML tag	
control	IEAN08: IEAN08/control	control	
	IEAS08: IEAS08/control		
Sub elements	Format	Mandatory?	Changed/Added?
ControlResult (Exclusive to IEAS08)	an8	M	A
Examination place	N/A	O	A
Control subject	N/A	M	A
Description:			
This field is mandatory and can occur 1 to 99999 times.			
Rules/codes/other relevant information:			
CIS/Control WCO Name: Control WCO Id: 38A ControlResult: (Exclusive to IEAS08) XML name: controlResult Examination place: Refer to table Control subject: Refer to table			
XML-examples:			
IEAN08: For Transport Document (House Level): <pre> <control> <examinationPlace/> <controlSubject> <consignmentMasterLevel> <consignmentHouseLevel> <transportDocumentHouseLevel> <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber> <type>C665</type> </transportDocumentHouseLevel> </consignmentHouseLevel> </consignmentMasterLevel> </controlSubject> </control> </pre>			
For Receptable: <pre> <control> <examinationPlace/> <controlSubject> <consignmentMasterLevel> <receptacle> <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPYRN99YDE</receptacleIdentificationNumber> </receptacle> </consignmentMasterLevel> </controlSubject> </control> </pre>			
IEAS08: For Transport Document (House Level): <pre> <control> </pre>			

```
<controlResult>Detained</controlResult>
<examinationPlace/>
<controlSubject>
  <consignmentMasterLevel>
    <consignmentHouseLevel>
      <transportDocumentHouseLevel>
        <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber>
        <type>C665</type>
      </transportDocumentHouseLevel>
    </consignmentHouseLevel>
  </consignmentMasterLevel>
</controlSubject>
</control>
```

For Receptable:

```
<control>
  <controlResult>Detained</controlResult>
  <examinationPlace/>
  <controlSubject>
    <consignmentMasterLevel>
      <receptacle>
        <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPYRYN99YDE</receptacleIdentificationNumber>
      </receptacle>
    </consignmentMasterLevel>
  </controlSubject>
</control>
```

Examination place	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
examinationPlace	IEAN08: IEAN08/control/examinationPlace		examinationPlace
	IEAS08: IEAS08/control/examinationPlace		
Sub elements	Format	Mandatory?	Changed/Added?
Place of examination	an..256	0	A
Reference number	an..17	0	A
Description:			
Rules/codes/other relevant information:			
<div>CIS/Control/ExaminationPlace</div> <div>WCO Name: ExaminationPlace</div> <div>WCO Id: 54A</div> <div>R3029</div> <div>Place of examination:</div> <div>CIS/Control/ExaminationPlace/name</div> <div>XML Name: placeOfExamination</div> <div>Place of physical examination</div> <div>WCO Id: L069</div> <div>Reference number:</div> <div>CIS/Control/ExaminationPlace/identification</div> <div>XML Name: referenceNumber</div> <div>Place of physical examination, coded</div> <div>WCO Id: L029</div>			
XML-examples:			
<examinationPlace/>			

Control subject	Format:	Mandatory?	Change/Added?
	N/A	M	A
XSD/XML-name:	XSD-path		XML tag
controlSubject	IEAN08: IEAN08/control/controlSubject		controlSubject
	IEAS08: IEAS08/control/controlSubject		
Sub elements	Format	Mandatory?	Changed/Added?
Consignment (Master level)	N/A	M	A
Description:			
CIS/Control/ControlSubject			
Rules/codes/other relevant information:			
Consignment (Master level): Refer to table			
XML-examples:			
For Transport Document (House Level): <controlSubject> <consignmentMasterLevel> <consignmentHouseLevel> <transportDocumentHouseLevel> <documentNumber>UXF20ST70ARNBPYPRYBCYN99NDEPLYPAYGM2</documentNumber> <type>C665</type> </transportDocumentHouseLevel> </consignmentHouseLevel> </consignmentMasterLevel> </controlSubject>			
For Receptable: <controlSubject> <consignmentMasterLevel> <receptacle> <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPRYN99YDE</receptacleIdentificationNumber> </receptacle> </consignmentMasterLevel> </controlSubject>			

Consignment (Master level)	Format:	Mandatory?	Change/Added?
	N/A	M	A
XSD/XML-name:	XSD-path		XML tag
consignmentMasterLevel	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel		consignmentMasterLevel
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel		
Sub elements	Format	Mandatory?	Changed/Added?
Receptable	N/A	0	A
Goods item	N/A	0	A
Consignment (House level)	N/A	0	A
Packaging	N/A	0	A
Transport equipment	N/A	0	A
Description:			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment WCO Name: Consignment WCO Id: 28A R3030 Receptacle: Refer to table Goods item: Refer to table Consignment (House level): Refer to table Packaging: Refer to table Transport equipment: Refer to table			
XML-examples:			
For Transport Document (House Level): <consignmentMasterLevel> <consignmentHouseLevel> <transportDocumentHouseLevel> <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber> <type>C665</type> </transportDocumentHouseLevel> </consignmentHouseLevel> </consignmentMasterLevel>			
For Receptable: <consignmentMasterLevel> <receptacle> <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPRYN99YDE</receptacleIdentificationNumber> </receptacle> </consignmentMasterLevel>			

Receptacle	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
receptacle	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/receptacle		receptacle
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/receptacle		
Sub elements	Format	Mandatory?	Changed/Added?
Receptacle identification number	an..35	M	A
Description:			
This field is optional and can occur 0 to 999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/PostalReceptacle			
Receptacle identification number: Receptacle identification number: CIS/Control/ControlSubject/Consignment/PostalReceptacle/receptacleIdentificationNumber XML Name: receptacleIdentificationNumber			
XML-examples:			
<pre><receptacle> <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPRYN99YDE</receptacleIdentificationNumber> </receptacle></pre>			

Goods item	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
goodsItem	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/goodsItem		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/goodsItem		
Sub elements	Format	Mandatory?	Changed/Added?
Goods item number	n..5	M	A
Description:			
This field is optional and can occur 0 to 9999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/ConsignmentItem WCO Name: Consignmentitem WCO Id: 29A Goods item number: CIS/Control/ControlSubject/Consignment/ConsignmentItem/sequence XML Name: goodsItemNumber WCO Name: Sequence number WCO Id: 006			
XML-examples:			
N/A			

Consignment (House level)	Format:	Mandatory?	Change/Added?
	N/a	0	A
XSD/XML-name:	XSD-path		XML tag
consignmentHouseLevel	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel		consignmentHouseLevel
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel		
Sub elements	Format	Mandatory?	Changed/Added?
Goods item	N/A	0	A
Passive border transport means	N/A	0	A
Transport document (House level)	N/A	0	A
Transport equipment	N/A	0	A
Description:			
This field is optional and can occur 0 to 99999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment WCO Name: HouseConsignment WCO Id: 21C Goods item: Refer to table Passive border transport means: Refer to table Transport document (House level): Refer to table Transport equipment: Refer to table			
XML-examples:			
<consignmentHouseLevel> <transportDocumentHouseLevel> <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber> <type>C665</type> </transportDocumentHouseLevel> </consignmentHouseLevel>			

Goods item	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
goodsItem	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem		
Sub elements	Format	Mandatory?	Changed/Added?
Goods item number	n..5	M	A
Packaging	N/A	0	A
Passive border transport means	N/A	0	A
Transport equipment	N/A	0	A
Description:			
This field is optional and can occur 0 to 9999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem WCO Name: ConsignmentItem WCO Id: 29A Goods item number: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/sequence XML Name: goodsItemNumber WCO Name: Sequence number WCO Id: 006 Packaging: Refer to table Passive border transport means: Refer to table Transport equipment: Refer to table			
XML-examples:			
N/A			

Packaging	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
packaging	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/packaging		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/packaging		
Sub elements	Format	Mandatory?	Changed/Added?
Shipping marks	an..512	M	A
Type of packages	an..2	M	A
Description:			
This field is optional and can occur 0 to 99 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/Packaging WCO Name: Packaging WCO Id: 93A Shipping marks: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/Packaging/marksNumbers XML Name: shippingMarks WCO Name: Shipping marks WCO Id: 142 Type of packages: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/Packaging/type XML Name: typeOfPackages WCO Name: Type of packages identification, coded WCO Id: 141 ICS2 Codelist(MS): CL017 ICS2 Codelist(Trade): CL017			
XML-examples:			
N/A			

Passive border transport means	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
passiveBorderTransportMeans	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/passiveBorderTransportMeans		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/passiveBorderTransportMeans		
Sub elements	Format	Mandatory?	Changed/Added?
Identification number	an..35	M	A
Type of identification	n2	M	A
Nationality	a2	O	A
Description:			
This field is optional and can occur 0 to 99 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans WCO Name: PassiveTransportMeans WCO Id: 19C			
Identification number: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/identification XML Name: identificationNumber WCO Name: Identification of passive transport means, coded WCO Id: T026			
Type of identification: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/identificationType XML Name: typeOfIdentification WCO Name: Type of identification of passive transport means, coded WCO Id: T027 ICS2 Codelist(MS): CL750 ICS2 Codelist(Trade): CL0750			
Nationality: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/registrationNationality XML Name: nationality WCO Name: Nationality of passive means of transport, coded WCO Id: T028 ICS2 Codelist(MS): CL718 ICS2 Codelist(Trade): CL718			
XML-examples:			
N/A			

Transport equipment	Format:	Mandatory?	Change/Added?
	N/A	O	A
XSD/XML-name:	XSD-path		XML tag
transportEquipment	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/transportEquipment		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/goodsItem/transportEquipment		
Sub elements	Format	Mandatory?	Changed/Added?
Container identification number	an..17	M	A
Description:			
This field is optional and can occur 0 to 9999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/TransportEquipment WCO Name: TransportEquipment WCO Id: 31B Container identification number: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/TransportEquipment/identification XML Name: containerIdentificationNumber WCO Name: Equipment identification number WCO Id: 159			
XML-examples:			
N/A			

Passive border transport means	Format:	Mandatory?	Change/Added?
	N/A	O	A
XSD/XML-name:	XSD-path		XML tag
passiveBorderTransportMeans	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/passiveBorderTransportMeans		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/passiveBorderTransportMeans		
Sub elements	Format	Mandatory?	Changed/Added?
Identification number	an..35	M	A
Type of identification	n2	M	A
Nationality	a2	O	A
Description:			
This field is optional and can occur 0 to 99 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/PassiveTransportMeans WCO Name: PassiveTransportMeans WCO Id: 19C Identification number: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/identification XML Name: identificationNumber WCO Name: Identification of passive transport means, coded WCO Id: T026 Type of identification: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/identificationType XML Name: typeOfIdentification WCO Name: Type of identification of passive transport means, coded WCO Id: T027 ICS2 Codelist(MS): CL750 ICS2 Codelist(Trade): CL0750 Nationality: CIS/Control/ControlSubject/Consignment/HouseConsignment/ConsignmentItem/PassiveTransportMeans/registrationNationality XML Name: nationality WCO Name: Nationality of passive means of transport, coded WCO Id: T028 ICS2 Codelist(MS): CL718 ICS2 Codelist(Trade): CL718			
XML-examples:			
N/A			

Transport Document (House Level)		Format:	Mandatory?	Change/Added?
		N/A	O	A
XSD/XML-name:	XSD-path		XML tag	
transportDocumentHouseLevel	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/transportDocumentHouseLevel		transportDocumentHouseLevel	
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/transportDocumentHouseLevel			
Sub elements	Format	Mandatory?	Changed/Added?	
Reference number	an..70	M	A	
Type	an..4	M	A	
Description:				
Rules/codes/other relevant information:				
CIS/Control/ControlSubject/Consignment/HouseConsignment/TransportContractDocument WCO Name: TransportContractDocument WCO Id: 30B Reference Number: CIS/Control/ControlSubject/Consignment/HouseConsignment/TransportContractDocument/identification XML Name: documentNumber WCO Name: Transport document number WCO Id: D023 Type: CIS/Control/ControlSubject/Consignment/HouseConsignment/TransportContractDocument/type XML Name: type WCO Name: Transport document type, coded WCO Id: D024 ICS2 Codelist(MS): CL754 ICS2 Codelist(Trade): CL0754				
XML-examples:				
<transportDocumentHouseLevel> <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber> <type>C665</type> </transportDocumentHouseLevel>				

Transport equipment	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
transportEquipment	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/transportEquipment		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/consignmentHouseLevel/transportEquipment		
Sub elements	Format	Mandatory?	Changed/Added?
Container identification number	an..17	M	A
Description:			
This field is optional and can occur 0 to 9999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/HouseConsignment/TransportEquipment WCO Name: TransportEquipment WCO Id: 31B			
Container identification number: CIS/Control/ControlSubject/Consignment/HouseConsignment/TransportEquipment/identification XML Name: containerIdentificationNumber WCO Name: Equipment identification number WCO Id: 159			
XML-examples:			
N/A			

Packaging	Format:	Mandatory?	Change/Added?
	N/A	0	A
XSD/XML-name:	XSD-path		XML tag
packaging	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/packaging		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/packaging		
Sub elements	Format	Mandatory?	Changed/Added?
Shipping marks	an..512	M	A
Type of packages	an..2	M	A
Description:			
This field is optional and can occur 0 to 99 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/Packaging WCO Name: Packaging WCO Id: 93A Shipping marks: CIS/Control/ControlSubject/Consignment/Packaging/marksNumbers XML Name: shippingMarks WCO Name: Shipping marks WCO Id: 142 Type of packages: CIS/Control/ControlSubject/Consignment/Packaging/type XML Name: typeOfPackages WCO Name: Type of packages identification, coded WCO Id: 141 ICS2 Codelist(MS): CL017 ICS2 Codelist(Trade): CL017			
XML-examples:			
N/A			

Transport equipment	Format:	Mandatory?	Change/Added?
	N/A	O	A
XSD/XML-name:	XSD-path		XML tag
transportEquipment	IEAN08: IEAN08/control/controlSubject/consignmentMasterLevel/transportEquipment		N/A
	IEAS08: IEAS08/control/controlSubject/consignmentMasterLevel/transportEquipment		
Sub elements	Format	Mandatory?	Changed/Added?
Container identification number	an..17	M	A
Description:			
This field is optional and can occur 0 to 9999 times.			
Rules/codes/other relevant information:			
CIS/Control/ControlSubject/Consignment/TransportEquipment WCO Name: TransportEquipment WCO Id: 31B Container identification number: CIS/Control/ControlSubject/Consignment/TransportEquipment/identification WCO Name: Equipment identification number WCO Id: 159			
XML-examples:			
N/A			

Person presenting the gods	Format:	Mandatory?	Change/Added?
	N/A	M	A
XSD/XML-name:	XSD-path		XML tag
personPresentingTheGoods	IEAN08: IEAN08/personPresentingTheGoods		personPresentingTheGoods
	IEAS08: IEAS08/personPresentingTheGoods		
Sub elements	Format	Mandatory?	Changed/Added?
TIN	an..17	M	A
Description:			
This is either added from the DKQN10 message from Manifest (presentation via Manifest) or from the IE4N10 message (manuel presentation via KRIA GUI).			
Rules/codes/other relevant information:			
CIS/PersonPresentingTheGoods TIN: CIS/PersonPresentingTheGoods/identification XML Name: identificationNumber XML Tag: TINPLA Ruleset R029DK applies.			
XML-examples:			
<personPresentingTheGoods> <TINPLA>DK32026613</TINPLA> </personPresentingTheGoods>			

Complete XML-Examples

4

IEAN08 House Example:

```
<IEAN08 xmlns="http://skat.dk/kriamodel/">
  <ManRefNumHEA1>2023500070346</ManRefNumHEA1>
  <MRN>23DK0154T70F46PATA</MRN>
  <NotDatTimHEA104>2023-05-11T11:54:55Z</NotDatTimHEA104>
  <customsOfficeOfControl>
    <referenceNumber>DK007903</referenceNumber>
  </customsOfficeOfControl>
  <control>
    <examinationPlace/>
    <controlSubject>
      <consignmentMasterLevel>
        <consignmentHouseLevel>
          <transportDocumentHouseLevel>
            <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber>
            <type>C665</type>
          </transportDocumentHouseLevel>
        </consignmentHouseLevel>
      </consignmentMasterLevel>
    </controlSubject>
  </control>
  <personPresentingTheGoods>
    <TINPLA>DK32026613</TINPLA>
  </personPresentingTheGoods>
</IEAN08>
```

IEAN08 Receptacle Example:

```
<IEAN08 xmlns="http://skat.dk/kriamodel/">
  <ManRefNumHEA1>2023500070294</ManRefNumHEA1>
  <MRN>21DKF20TALEDMRNM99</MRN>
  <NotDatTimHEA104>2023-05-10T08:38:22Z</NotDatTimHEA104>
  <customsOfficeOfControl>
    <referenceNumber>DK007903</referenceNumber>
  </customsOfficeOfControl>
  <control>
    <examinationPlace/>
    <controlSubject>
      <consignmentMasterLevel>
        <receptacle>
          <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPYRN99YDE</receptacleIdentificationNumber>
        </receptacle>
      </consignmentMasterLevel>
    </controlSubject>
  </control>
  <personPresentingTheGoods>
    <TINPLA>DK32026613</TINPLA>
  </personPresentingTheGoods>
</IEAN08>
```


IEAS08 House Example:

```
<IEAS08 xmlns="http://skat.dk/kriamodel/">
  <ManRefNumHEA1>2023500070346</ManRefNumHEA1>
  <MRN>23DK0154T70F46PATA</MRN>
  <NotDatTimHEA104>2023-05-11T11:54:55Z</NotDatTimHEA104>
  <customsOfficeOfControl>
    <referenceNumber>DK007903</referenceNumber>
  </customsOfficeOfControl>
  <control>
    <controlResult>Detained</controlResult>
    <examinationPlace/>
    <controlSubject>
      <consignmentMasterLevel>
        <consignmentHouseLevel>
          <transportDocumentHouseLevel>
            <documentNumber>UXF20ST70ARNBPYPYBCYN99NDEPLYPAYGM2</documentNumber>
            <type>C665</type>
          </transportDocumentHouseLevel>
        </consignmentHouseLevel>
      </consignmentMasterLevel>
    </controlSubject>
  </control>
  <personPresentingTheGoods>
    <TINPLA>DK32026613</TINPLA>
  </personPresentingTheGoods>
</IEAS08>
```

IEAS08 Receptacle Example:

```
<IEAS08 xmlns="http://skat.dk/kriamodel/">
  <ManRefNumHEA1>2023500070294</ManRefNumHEA1>
  <MRN>21DKF20TALEDMRNM99</MRN>
  <NotDatTimHEA104>2023-05-10T08:38:22Z</NotDatTimHEA104>
  <customsOfficeOfControl>
    <referenceNumber>DK007903</referenceNumber>
  </customsOfficeOfControl>
  <control>
    <controlResult>Detained</controlResult>
    <examinationPlace/>
    <controlSubject>
      <consignmentMasterLevel>
        <receptacle>
          <receptacleIdentificationNumber>21DKACCST70F44PAYARYBPYPYRN99YDE</receptacleIdentificationNumber>
        </receptacle>
      </consignmentMasterLevel>
    </controlSubject>
  </control>
  <personPresentingTheGoods>
    <TINPLA>DK32026613</TINPLA>
  </personPresentingTheGoods>
</IEAS08>
```

