

Budderfly Lighting Survey

Job Site Information

Survey Source	Lighting_Survey_v15
Site ID	IJ-35017-83000-04038-7952
WO #	48458
Date of Lighting Survey	04-08-2024
Technician/Contractor Name	[REDACTED]
Business Name/Franchise	Outback Steakhouse
Job Site #	[REDACTED]
Job Site Address, City, State	1246 Great Mall Drive, Milpitas, CA, 95035
Moving Forward, Please Do not Leave Required Fields Blank	<p>Familiarize yourself with different spaces that belong to the store to best capture indoor and outdoor fixtures</p> <p>If any Fixtures are not up to code please leave comments in the notes section at the end of the questions page per fixture</p>

General Information

Is this an Outback site?	Yes
Outback Sites	<p>Please be aware of the following regarding Outback Sites.</p> <p>You will be required to access the dining room light fixtures to take a visible photo of the ballast. Along with the ballast photos please provide a photo of the lighting controls. Most likely a large Marlin Controller box located somewhere in the back of house</p>
Photo of Business Hours	
Photo of Fire Evac Sign	

Lighting Descriptions

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	Yes
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	Exterior
Other Space Name	
Pole Height	

Budderfly Lighting Survey

Overall photos of the Space with Lights Included	
	 37.417602, -121.899267
Ceiling type	
Other Ceiling Type	
Control Type	Timeclock
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
	 37.417536, -121.899355
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Recessed Can
Other Fixture Type	


Budderfly Lighting Survey

Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	 
	 37.417553, -121.899226
Legible Photo of Fixture Nameplate	
	 37.417773, -121.899199

Budderfly Lighting Survey

Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	 37.417589, -121.899222
PL Lamp Orientation	Vertical
Screw Bases (Twist & Lock)	<p>SCREW BASES</p>  <p>TWIST & LOCK BASES</p> 
Compact Fluorescent Bases	<p>COMPACT FLUORESCENT PLUG IN LAMP BASES</p> 
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	1
Lamp Wattage	8.30
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic

Budderfly Lighting Survey

Example Photo of a Mag Ballast	
Photo of Ballast	
	📍 37.417644, -121.899216
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	15
Annual Burn Hours	4380 (Exterior/Office)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	

Budderfly Lighting Survey

Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (1)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	Hard
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Wall Sconce
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused on the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	No

Budderfly Lighting Survey

Overall Photo of Fixture	
	 37.417588, -121.899235
Legible Photo of Fixture Nameplate	
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	 37.417593, -121.899241
PL Lamp Orientation	Vertical
Screw Bases (Twist & Lock)	<p>SCREW BASES</p>  <p>TWIST & LOCK BASES</p> 
Compact Fluorescent Bases	<p>COMPACT FLUORESCENT PLUG IN LAMP BASES</p> 
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	

Budderfly Lighting Survey

Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	1
Lamp Wattage	8.30
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	
Photo of Ballast	
	 37.417610, -121.899227
Color Temperature	
Other Color Temperature	
Lamp Lumens	

Budderfly Lighting Survey

Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	4
Annual Burn Hours	4380 (Exterior/Office)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (2)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	Hard
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.

Budderfly Lighting Survey

Fixture Type	Decorative
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	Incandescent
Other Lamp Type	
Fixture Nameplate Available?	No
Overall Photo of Fixture	
	10 37.417543, -121.899186
Legible Photo of Fixture Nameplate	
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	11 37.417547, -121.899184
PL Lamp Orientation	Vertical

Budderfly Lighting Survey

Screw Bases (Twist & Lock)	
Compact Fluorescent Bases	
Lamp Shape Type	a
Other Lamp Shape Type	
Lamp Shape	A15
Base Type	E26(medium standard screw base)
Other Base Type	
Fixture Size	Strip Light
Other Fixture Size	
Lamps per Fixture	10
Lamp Wattage	11.00
Use Type	General
Other Use Type	
Powered by a Ballast?	No
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	

Budderfly Lighting Survey

Photo of Ballast	
	 37.417618, -121.899129
Color Temperature	2700K
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	120/1
Is this an Emergency Fixture?	No
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	3
Annual Burn Hours	4380 (Exterior/Office)
Fixture Rating	None
Other Fixture Rating	
Is this a Track Light?	No
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	No
Is Fixture Height Greater than 14ft	No
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (3)

Budderfly Lighting Survey

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Wall Pack
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	Halogen
Other Lamp Type	
Fixture Nameplate Available?	Yes

Budderfly Lighting Survey

Overall Photo of Fixture	
	13 37.417545, -121.899462
Legible Photo of Fixture Nameplate	
	14 37.417562, -121.899475
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	15 37.417561, -121.899470
PL Lamp Orientation	Horizontal

Budderfly Lighting Survey

Screw Bases (Twist & Lock)	
Compact Fluorescent Bases	
Lamp Shape Type	o
Other Lamp Shape Type	ED series
Lamp Shape	OTHER
Base Type	E26(medium standard screw base)
Other Base Type	
Fixture Size	Other
Other Fixture Size	1ft wide 9in long
Lamps per Fixture	1
Lamp Wattage	50.00
Use Type	General
Other Use Type	
Powered by a Ballast?	Yes
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	

Budderfly Lighting Survey

Photo of Ballast	
	
	📍 37.417566, -121.899480
Color Temperature	3500K
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	120/1
Is this an Emergency Fixture?	No
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	4
Annual Burn Hours	4380 (Exterior/Office)

Budderfly Lighting Survey

Fixture Rating	None
Other Fixture Rating	
Is this a Track Light?	No
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	No
Is Fixture Height Greater than 14ft	No
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (4)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	Yes
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	Front of House
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
	 37.417538, -121.899310
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	Marlin Controller (Outbacks)

Budderfly Lighting Survey

Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
	 37.417517, -121.899286
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Recessed Can
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes

Budderfly Lighting Survey

Overall Photo of Fixture	
	 37.417597, -121.899243
Legible Photo of Fixture Nameplate	
	 37.417579, -121.899244
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	 37.417542, -121.899276
PL Lamp Orientation	Vertical

Budderfly Lighting Survey

Budderfly Lighting Survey

Photo of Ballast	
	
	22 37.417565, -121.899265
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	76
Annual Burn Hours	6000 (Store Operating Hours)

Budderfly Lighting Survey

Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (5)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Recessed Can
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused on the lamps that light up the letters not on any attached lights.
Lamp Type	LED

Budderfly Lighting Survey

Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	23 37.417568, -121.899274
Legible Photo of Fixture Nameplate	 <p>MAX WATTAGE: 15WATT 12V MR16 UL LISTED MAXIMUM CIRCUIT: 15A CIRCUIT: 120V BOX FOR CEILING INSTALLATION ONLY INCANDESCENT LIGHTING FIXTURE UL STND. NO. UL1580 CSA STD. NO. C22.2 NO. 250-0-80 Interlock: CSA STD. CERTIFIED TO 3036702 KEEP PROTECTIVE BASE IN PLACE OR REPLACE REMOVABLE PARTS AFTER SERVICING ELITE LIGHTING APPROVED NON IC TYPE 120V 60Hz 0.42A</p>
	24 37.417565, -121.899272
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	 <p>2.5AMP 120VAC 277VAC 12V MR16 2.5W 250mA 250Lumens 2700K 32° Beam</p>
	25 37.417586, -121.899256

Budderfly Lighting Survey

PL Lamp Orientation	Vertical
Screw Bases (Twist & Lock)	
Compact Fluorescent Bases	
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	1
Lamp Wattage	8.50
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	

Budderfly Lighting Survey

Photo of Ballast	
	 37.417572, -121.899276
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	21
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (6)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..



Budderfly Lighting Survey

Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Pendant
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	No
Overall Photo of Fixture	
	 37.417569, -121.899252

Budderfly Lighting Survey

Legible Photo of Fixture Nameplate	
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	28 37.417572, -121.899250
PL Lamp Orientation	Vertical
Screw Bases (Twist & Lock)	<small>SCREW BASES</small>  <small>TWIST & LOCK BASES</small> 
Compact Fluorescent Bases	<small>COMPACT FLUORESCENT PLUG IN LAMP BASES</small> 
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	1
Lamp Wattage	6.50
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic

Budderfly Lighting Survey

Example Photo of a Mag Ballast	 A photograph showing a black magnetic ballast unit mounted on a metal frame. A red box highlights a small rectangular component on top of the ballast.
Photo of Ballast	 A close-up photograph of a black rectangular ballast unit, likely a magnetic ballast, mounted on a metal frame. It has two metal mounting brackets and a power cord.
	 37.417575, -121.899256
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	16
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	

Budderfly Lighting Survey

Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (7)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Track Light
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused on the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes

Budderfly Lighting Survey

Overall Photo of Fixture	
	30 37.417540, -121.899221
Legible Photo of Fixture Nameplate	
	31 37.417547, -121.899229
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	32 37.417549, -121.899263
PL Lamp Orientation	N/A

Budderfly Lighting Survey

Screw Bases (Twist & Lock)		TWIST & LOCK BASES
Compact Fluorescent Bases		COMPACT FLUORESCENT PLUG IN LAMP BASES
Lamp Shape Type		
Other Lamp Shape Type		
Lamp Shape		
Base Type		
Other Base Type		
Fixture Size		
Other Fixture Size		
Lamps per Fixture	1	
Lamp Wattage	8.50	
Use Type		
Other Use Type		
Powered by a Ballast?		
Type of Ballast	Magnetic	
Example Photo of a Mag Ballast		

Budderfly Lighting Survey

Photo of Ballast	
	 37.417548, -121.899234
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	15
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (8)

Budderfly Lighting Survey

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Decorative
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	No

Budderfly Lighting Survey

Budderfly Lighting Survey

Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	8
Lamp Wattage	6.50
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	
Photo of Ballast	
	36 37.417501, -121.899187
Color Temperature	
Other Color Temperature	
Lamp Lumens	

Budderfly Lighting Survey

Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	3
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (9)



Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.

Budderfly Lighting Survey

Fixture Type	Recessed Can
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	 37.417536, -121.899286
Legible Photo of Fixture Nameplate	
	 37.417537, -121.899285

Budderfly Lighting Survey

Budderfly Lighting Survey

Example Photo of a Mag Ballast	 A photograph showing a black magnetic ballast unit mounted on a metal frame. A red box highlights a small rectangular component on top of the ballast.
Photo of Ballast	 A close-up photograph of a black rectangular ballast unit with two metal mounting brackets and four visible screws.
	 37.417530, -121.899267
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	20
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	

Budderfly Lighting Survey


Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (10)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	Hard
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Pendant
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused on the lamps that light up the letters not on any attached lights.
Lamp Type	Incandescent
Other Lamp Type	
Fixture Nameplate Available?	No

Budderfly Lighting Survey

Budderfly Lighting Survey

Other Base Type	
Fixture Size	Other
Other Fixture Size	2" diameter
Lamps per Fixture	1
Lamp Wattage	60.00
Use Type	General
Other Use Type	
Powered by a Ballast?	No
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	
Photo of Ballast	
	 37.417556, -121.899262
Color Temperature	3000K
Other Color Temperature	
Lamp Lumens	



Budderfly Lighting Survey

Incoming Voltage/Phase	120/1
Is this an Emergency Fixture?	No
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	24
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	None
Other Fixture Rating	
Is this a Track Light?	No
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	No
Is Fixture Height Greater than 14ft	No
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (11)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.



Budderfly Lighting Survey

Fixture Type	Exit Sign no Bug Eyes
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	44 37.417587, -121.899299
Legible Photo of Fixture Nameplate	
	45 37.417611, -121.899332

Budderfly Lighting Survey

Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	46 37.417591, -121.899305
PL Lamp Orientation	N/A
Screw Bases (Twist & Lock)	<p>SCREW BASES</p>  <p>TWIST & LOCK BASES</p> 
Compact Fluorescent Bases	<p>COMPACT FLUORESCENT PLUG IN LAMP BASES</p>  <p>G9-E G9R-E G9R-E2 G9R-E3 G9R-E4 G9R-E5 G9R-E6 G9R-E7 G9R-E8 G9R-E9 G9R-E10 G9R-E11 G9R-E12</p>
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	6
Lamp Wattage	5.00
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic

Budderfly Lighting Survey

Example Photo of a Mag Ballast	
Photo of Ballast	
	 37.417602, -121.899324
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	3
Annual Burn Hours	10 (Emergency)
Fixture Rating	
Other Fixture Rating	


Budderfly Lighting Survey

Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	


Lighting Descriptions (12)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Bug Eyes
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes


Budderfly Lighting Survey

Overall Photo of Fixture	
	48 37.417589, -121.899345
Legible Photo of Fixture Nameplate	
	49 37.417581, -121.899273
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	50 37.417568, -121.899277
PL Lamp Orientation	N/A

Budderfly Lighting Survey

Screw Bases (Twist & Lock)	
Compact Fluorescent Bases	
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	2
Lamp Wattage	5.00
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	

Budderfly Lighting Survey

Photo of Ballast	
	 37.417528, -121.899230
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	5
Annual Burn Hours	10 (Emergency)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (13)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	Yes
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..


Budderfly Lighting Survey

Space Type	
Space Name	Other
Other Space Name	take out area
Pole Height	
Overall photos of the Space with Lights Included	
	 37.417594, -121.899287
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	Occupancy Sensor
Lighting Controls(i.e. Occ Sensor, Time Clock, etc.)	
	 37.417588, -121.899280
Light Level (FC)	
General Notes	

Budderfly Lighting Survey

Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Recessed Can
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	 37.417587, -121.899360
Legible Photo of Fixture Nameplate	
	 37.417586, -121.899360

Budderfly Lighting Survey

Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	56 37.417591, -121.899265
PL Lamp Orientation	Vertical
Screw Bases (Twist & Lock)	<p>SCREW BASES</p>  <p>TWIST & LOCK BASES</p>
Compact Fluorescent Bases	<p>COMPACT FLUORESCENT PLUG IN LAMP BASES</p> 
Photo of Ballast	
	 37.417600, -121.899353
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	6
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	


Budderfly Lighting Survey

Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (14)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Exit Sign no Bug Eyes
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused on the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes

Budderfly Lighting Survey

Overall Photo of Fixture	 A photograph of a ceiling-mounted emergency exit sign. The sign is rectangular with a black frame and a red "EXIT" sign. It is mounted above a wooden beam.
	58 37.417585, -121.899306
Legible Photo of Fixture Nameplate	 A close-up photograph of the fixture's nameplate. The plate is white with black text. It includes model numbers (CAT. NO. LUMA 8.5W 1002710, SLP 1185), caution notices, and a Lithonia Lighting logo.
	59 37.417579, -121.899289
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	 A photograph showing the internal components of a lamp base. A green printed circuit board (PCB) is visible with several small red LED lights and a black connector. A white plastic lamp head is attached to the top.
	60 37.417587, -121.899313
PL Lamp Orientation	N/A

Budderfly Lighting Survey

Budderfly Lighting Survey

Photo of Ballast	
	61 37.417584, -121.899286
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	1
Annual Burn Hours	10 (Emergency)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (15)


Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..

Budderfly Lighting Survey

Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Bug Eyes
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	 37.417579, -121.899301

Budderfly Lighting Survey

Budderfly Lighting Survey

Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	
Photo of Ballast	
	📍 37.417596, -121.899331
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	1
Annual Burn Hours	10 (Emergency)
Fixture Rating	
Other Fixture Rating	

Budderfly Lighting Survey

Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (16)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	Yes
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	Restroom
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
	 37.417558, -121.899344
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	Single-Pole Switch


Budderfly Lighting Survey

Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
	 37.417467, -121.899334
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Recessed Can
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffers are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes

Budderfly Lighting Survey

Overall Photo of Fixture	
	 37.417623, -121.899381
Legible Photo of Fixture Nameplate	
	 37.417592, -121.899295
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	 37.417610, -121.899318
PL Lamp Orientation	Vertical

Budderfly Lighting Survey

Screw Bases (Twist & Lock)	 SCREW BASES E10 Mini E11 Small E12 Conical E13 European E14 Intermediate E15 Intermediate (shorter) E16 Medium E17 Large E27 Medium E30 Large E40 Super TWIST & LOCK BASES E108 External Ring GU10 10mm GU24 24mm
Compact Fluorescent Bases	 COMPACT FLUORESCENT PLUG IN LAMP BASES G16q-1 G16q-2 G16q-3 G16q-4 G16q-5 G16q-6 G23-2 G23-3 G23-4 G24q-1 G24q-2 G24q-3 G24q-4 G26q-2 G26q-3 G26q-4
Lamp Shape Type	
Other Lamp Shape Type	
Lamp Shape	
Base Type	
Other Base Type	
Fixture Size	
Other Fixture Size	
Lamps per Fixture	1
Lamp Wattage	11.00
Use Type	
Other Use Type	
Powered by a Ballast?	
Type of Ballast	Magnetic
Example Photo of a Mag Ballast	

Budderfly Lighting Survey

Photo of Ballast	
	 37.417601, -121.899337
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	12
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (17)

Budderfly Lighting Survey

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	No
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..
Space Type	
Space Name	
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
Light Level (FC)	
General Notes	
Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Bug Eyes
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	LED
Other Lamp Type	
Fixture Nameplate Available?	Yes


Budderfly Lighting Survey

Overall Photo of Fixture	
	72 37.417588, -121.899338
Legible Photo of Fixture Nameplate	
	73 37.417592, -121.899345
Lamp Nameplate (Legible photo of the base, if nameplate is missing)	
	74 37.417595, -121.899263
PL Lamp Orientation	N/A

Budderfly Lighting Survey

Screw Bases (Twist & Lock)		TWIST & LOCK BASES
Compact Fluorescent Bases		COMPACT FLUORESCENT PLUG IN LAMP BASES
Lamp Shape Type		
Other Lamp Shape Type		
Lamp Shape		
Base Type		
Other Base Type		
Fixture Size		
Other Fixture Size		
Lamps per Fixture	2	
Lamp Wattage	5.00	
Use Type		
Other Use Type		
Powered by a Ballast?		
Type of Ballast	Magnetic	
Example Photo of a Mag Ballast		

Budderfly Lighting Survey

Photo of Ballast	
	 37.417617, -121.899281
Color Temperature	
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	
Is this an Emergency Fixture?	
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	2
Annual Burn Hours	10 (Emergency)
Fixture Rating	
Other Fixture Rating	
Is this a Track Light?	
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	
Is Fixture Height Greater than 14ft	
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Lighting Descriptions (18)

Space Description	When Entering a new space please press yes and proceed to enter the Space Name. (FOH, BOH, Office, RRM, etc.)
Is this a New Space	Yes
If the Space is 100% LED	Please proceed to collect all the space information and be aware of the minimized fixture details required. This includes all fixture types such as Exit Signs..

Budderfly Lighting Survey


Space Type	
Space Name	Back of House
Other Space Name	
Pole Height	
Overall photos of the Space with Lights Included	
	 37.417502, -121.899340
Ceiling type	2 x 4 Tile
Other Ceiling Type	
Control Type	Single-Pole Switch
Lighting Controls(i.e. Occupancy Sensor, Time Clock, etc.)	
	 37.417490, -121.899355
Light Level (FC)	
General Notes	

Budderfly Lighting Survey

Fixture/Lamp Description	Please use the "Add New" button at the bottom for any new fixtures.
Fixture Type	Troffer(not wrap)
Other Fixture Type	
Troffer vs Wrap	Please make sure to distinguish between a Troffer and a Wrap fixture. Troffer's are typically recessed.
Exit Sign Focus	Please be aware when referring to exit signs we are focused of the lamps that light up the letters not on any attached lights.
Lamp Type	Fluorescent
Other Lamp Type	
Fixture Nameplate Available?	Yes
Overall Photo of Fixture	
	 37.417478, -121.899360
Legible Photo of Fixture Nameplate	
	 37.417515, -121.899399

Budderfly Lighting Survey


Budderfly Lighting Survey

Example Photo of a Mag Ballast	
Photo of Ballast	
	📍 37.417482, -121.899400
Color Temperature	5000K
Other Color Temperature	
Lamp Lumens	
Incoming Voltage/Phase	120/1
Is this an Emergency Fixture?	No
Type of Emergency Power?	
Emergency Battery Pack	
Emergency Fixture Quantity	
Total Fixture Quantity	20
Annual Burn Hours	6000 (Store Operating Hours)
Fixture Rating	None
Other Fixture Rating	
Is this a Track Light?	No
Track Type (Track Lights Only)	
Is there an Integral Return Air Slot/Intake for HVAC?	No

Budderfly Lighting Survey

Is Fixture Height Greater than 14ft	No
Were all Fixtures to NEC (National Electric Code)? If no please comment below.	Yes
Fixture/Lamp General Notes	

Overall Site Information

Any Additional Observations worth noting?	
Electrical Panel (Nameplate, Breakers, Panel Schedule)	
	 <p>Handwritten Panel Schedule:</p> <ul style="list-style-type: none"> 1 - Wall Washers Right 2 - 3 - Bar Downlights 4 - LED Bay 5 - Left wall washers 6 - Bar Soffit 7 - Track 8 - Panels 43-47, 64-66 9 - Panels 10-20 10 - Panels 21-25 11 - Track 1-2 12 - Panels 31-32, 41, 42, 61-62 13 - Kitchen Cetox 14 - motion sensors in Lightbox 15 - Panels 4-7, 51-54 16 - Bar Soffit 17 - 18 -
	 82 37.417497, -121.899323
Floorplan	

Budderfly Lighting Survey

Form Locations

