

Tracking Sheet

This sheet provides documentation for all deployments and retrievals.

Field Trips:

Recon 10/21-10/22

First Deployment (D1) 11/6-11/8

Second Deployment (D2) 11/25

Third Deployment (D3) 12/14-16

Fourth Deployment (D4) 1/11-12

Fifth Deployment (D4.5) 1/28

Sixth Deployment (D5) 03/08-09

All elevation information is NAVD88

Survey Information

Kendall's Emlid

Coordinate System: NAD83(2011) / Washington South, NAVD88(GEOID18) height

Device type: Emlid Reach RS3

Device S/N: 8243CA3BAAD4E443

Survey pole length key

Fully extended: 1.8m

Bottom collapsed: 1.24m (add 0.56m to elev)

Fully collapsed: 0.73m (add 1.07m to elev)

Ian's Emlid

Coordinate System: NAD83(2011) / Washington South + NAVD88(GEOID18) height

Device Type: Emlid Reach RX

Device S/N: 8243fa6e4a7a666e

HIGHLIGHT KEY:

Need to obtain

Unknown and lost

Go through and label these as need at next field visit

Floodplain Naming Change

New = Old

CENTRAL = FP34

BALLPARK = FP10

WATERSTREET = FP24

VET = FP16

ABBYROAD = FP27

EYECLINIC = FP36

BARGE = FP29

RIVERDALE = FP32

RAPID D5 mislabeling fiasco

Location	Tube /File Name #	W.G. # (in meta data)
Abbyroad	41	42
Ballpark	46	46
Barge	45	45
Eyeclinic	21	21
Heckard	38	33
Riverdale	44	37
Vet	33	44
Waterstreet	42	17

River Deployment

WR01

Sensor information	Location information
Label: WR01 - Bendiksen Landing Radar Sensor Type: Radar Date/Time of deployment: 11/7/25 3:30pm Status: Deployed Date/Time of retrieval:	Date of survey: 11/7/25 Emlid: RX Longitude: -123.7941348 Latitude: 46.66659927 Elevation: N/A Survey pole: fully extended Solution status: FIX - PACWAVRSRTC3 Offset info: Adjusted from MLLW to NAVD88 (-0.427 m)
Label: WR01 - HOBO in-water - Recon Sensor Type: HOBO S/N: not recorded Date/Time of deployment: 10/22/2025 8:00am Status: Retrieved Date/Time of retrieval: 3/9/26 12:00pm	Date of survey: 10/21/2025 Emlid: RX Longitude: -123.79408780 Latitude: 46.66659538 Elevation: 5.371 m Survey pole: fully extended Solution status: FIX - PACWAVRSRTC3
Label: WR01 - HOBO air - recon Sensor Type: HOBO S/N: 20389514 Date/Time of deployment: 10/22/26 Status: retrieved Date/Time of retrieval: 12/15/25 8:41am	Date of survey: 10/21/26 Emlid: RX Longitude: 123.79409570 Latitude: 46.66667956 Elevation: approx 4.25 m Survey pole: fully extended Solution status: FIX - PACWAVRSRTC3
Label: WR01 - HOBO air - D3 Sensor Type: HOBO S/N: 21794180 Date/Time of deployment: 12/15/25 (bef 9am) Status: deployed Date/Time of retrieval:	Date of survey: 12/15/26 Emlid: RX Longitude: 123.79409570 Latitude: 46.66667956 Elevation: approx 4.25 m Survey pole: fully extended Solution status: FIX - PACWAVRSRTC3

WR02

Sensor information	Location information
Label: WR02 - Raymond's Landing Radar Sensor Type: Tolthawk Radar S/N: 048 Date/Time of deployment: 11/7/25 12:00pm Status: Deployed Date/Time of retrieval:	Date of survey: 11/7/25 Emlid: RS3 Longitude: -123.7225317 Latitude: 46.68904338 Elevation: N/A Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: <i>Adjusted from MLLW to NAVD88 (-0.427 m)</i>
Label: WR02 - Raymond's Landing Water Sensor Type: HOBO logger S/N: 1126510 Date/Time of deployment: 11/7/25 12:00pm Status: Deployed Date/Time of retrieval:	Date of survey: 11/7/25 Emlid: RS3 Longitude: -123.7225317 Latitude: 46.68904338 Elevation: 1.2148 m (3.577 - 2.3622) Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: <i>Measured from top of mount (93" est. from top of mount to sensor head). [info found in survey notes]</i>
Label: WR02 - Raymond's Landing Air Sensor Type: HOBO Logger S/N: 1289197 Date/Time of deployment: 11/7/25 12:16pm Status: Deployed Date/Time of retrieval:	Date of survey: 11/7/25 Emlid: RS3 Longitude: -123.7225317 Latitude: 46.68904338 Elevation: N/A Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3

WR03

Sensor information	Location information
Label: WR03 Sasha's HOB0 - R Sensor Type: HOB0 S/N: 1289199 Date/Time of deployment: 10/21/26 ~9:25am Status: Retrieved Date/Time of retrieval: 11/7/25 7:41am	Date of survey: 12/14/25 Emlid: RS3 Longitude: -123.7018387 Latitude: 46.68073663 Elevation: -1.006 m (0.695+0.56-2.2606) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - PACWAVRSRTC3 Offset info: <i>Measured from top of mount, "89" to the HOB0" in field notebook, was deployed upside down (certainty +/- 1/2"). +0.56 for pole adjustment.</i>
Label: WR03 Sasha's RAPID - R Sensor Type: RAPID S/N: 35 Date/Time of deployment: 10/21/26 ~9:25am Status: Retrieved / failed Date/Time of retrieval: 11/7/25 7:41am	Date of survey: 12/15/25 Emlid: RS3 Longitude: -123.7018387 Latitude: 46.68073663 Elevation: N/A (failed so unnecessary) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - PACWAVRSRTC3
Label: WR03 Diver - D1 Sensor Type: Diver S/N: FS029 Date/Time of deployment: 11/6/25 8:00am Status: Redeployed (see below) Date/Time of retrieval: 12/14/25 3:03pm <i>Programmed in UTC</i> Label: WR03 Diver - D3 Sensor Type: Diver S/N: FS029 (redeployed) Date/Time of deployment: 12/14/25 3:41pm Status: Retrieved Date/Time of retrieval: 01/11/26 12:10	Date of survey: 12/14/2025 Emlid: RS3 Longitude: -123.7016661 Latitude: 46.6807403 Elevation: -1.164 m (0.695+0.56-2.419) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - PACWARSRTC3 Offset info: <i>Measured from top of mount (95.25" from mount to sensor head) [field notebook]. +0.56 for pole adjustment.</i> Date of survey: 12/14/2025 Emlid: RS3 Longitude: -123.7016659 Latitude: 46.68073986 Elevation: -1.108 m (0.56+0.751-2.419) Survey pole: 1.24m (bottom collapsed)

<i>Programmed in UTC</i> Label: WR03 Diver - D4 Sensor Type: Diver S/N: FS029 Date/Time of deployment: 01/11/26 14:39 Status: REDEPLOYED (see below) Date/Time of retrieval: 3/8/26 12:16pm <i>Programmed in UTC</i> Label: WR03 Diver - D5 Sensor Type: Diver S/N: FS029 Date/Time of deployment: 3/9/26 14:42 Status: Deployed Date/Time of retrieval: <i>Programmed in UTC</i>	Solution status: FIX - PACWARSRTCM3 Offset info: <i>Measured from top of mount (95.25" from mount to sensor head) [field notebook]. downslid by 3" from D1 to D3. +0.56 for pole adjustment.</i> <i>Surveyed upon retrieval, assuming deployed at D5 in same position as D4 (see below). Offset info: Downslid by $\frac{3}{4}$" from D3 to D4 retrieval. Deployed at original position. [field notebook]</i> Date of survey: 2026-03-09 3:18:09 PM Emlid: RS3 Longitude: -123.7016658 Latitude: 46.68074055 Elevation: -1.095 m (0.742+0.56-2.397) Survey pole: 1.24 (bottom collapsed) Solution status: FIX - PACWA Offset info: <i>Surveyed from top of mount. Pole length $95+\frac{3}{8}$" and sensor head 1" from bottom. [field notebook]</i>
Label: WR03 CTD - D1 Sensor Type: CTD S/N: 2003 Date/Time of deployment: 11/6/25 8:07am Status: LOST	
Label: WR03 OBS - D1 Sensor Type: OBS S/N: 24-007 Date/Time of deployment: 11/6/25 8:00am Status: Retrieved Date/Time of retrieval: 12/14/25 3:03pm	Date of survey: 12/14/2025 Emlid: RS3 Longitude: -123.7016661 Latitude: 46.6807403 Elevation: -1.016 m (0.695+0.56-2.2708) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - PACWARSRTCM3 Offset info: <i>Measured from top of mount</i>

Label: WR03 OBS - D3 Sensor Type: OBS S/N: 24-206 Date/Time of deployment: 12/14/25 3:41pm Status: Retrieved Date/Time of retrieval: 01/11/2026 12:10	(89.4" from top of mount to sensor hole) [field notebook]. +0.56 for pole adjustment. Date of survey: 12/14/2025 Emlid: RS3 Longitude: -123.7016659 Latitude: 46.68073986 Elevation: -0.96 m (0.56+0.751-2.271) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - PACWARSRTCM3 Offset info: Measured from top of mount (89.4" from top of mount to sensor hole) [field notebook]. +0.56 for pole adjustment.
Label: WR03 OBS - D4 Sensor Type: OBS S/N: 24-206 Date/Time of deployment: 01/11/26 14:39 Status: Redeployed (see below) Date/Time of retrieval: 3/8/26 12:16pm	Surveyed upon retrieval, assuming deployed at D5 in same position as D4 (see below). Offset info: Downslid by $\frac{3}{4}$" from D3 to D4 retrieval. Deployed at original position. [field notebook]
Label: WR03 OBS - D5 Sensor Type: OBS S/N: 24-206 Date/Time of deployment: 3/9/26 14:42 Status: Deployed Date/Time of retrieval:	Date of survey: 2026-03-09 3:18:09 PM Emlid: RS3 Longitude: -123.7016658 Latitude: 46.68074055 Elevation: -0.949 m (0.742+0.56-2.2511) Survey pole: 1.24 (bottom collapsed) Solution status: FIX - PACWA Offset info: Surveyed from top of mount. Pole length $95+\frac{3}{8}$" and sensor head 6.75" from bottom. [field notebook] +0.56 for pole adjustment.

WR04

Sensor information	Location information
Label: WR04 - Rex's Dock D1	Date of survey: 12/14/25

Sensor Type: Diver S/N: FS064 Date/Time of deployment: 11/6/25 7:36am Status: Retrieved Date/Time of retrieval: 01/11/26 12:25 <i>Programmed in UTC</i>	Emlid: RS3 Longitude: -123.6796697 Latitude: 46.68411875 Elevation: -1.046 m (0.56+0.756-2.3622) Survey pole: 1.24 m (bottom collapsed) Solution status: FIX - PACWAVRSRTC3 <i>Offset info:</i> <i>Surveyed from top of mount. 93'' from sensor hole to top of mount [planning sheet] +0.56 for pole adjustment.</i>
Label: WR04 - Rex's Dock - D4 Sensor Type: Diver S/N: FS064 Date/Time of deployment: 01/11/26 14:49 Status: REDEPLOYED (see below) Date/Time of retrieval: 3/8/26 11:58pm	Deployed in same position as in D3 survey
Label: WR04 - Rex's Dock D5 Sensor Type: Diver S/N: FS064 Date/Time of deployment: 3/9/26 14:25 Status: DEPLOYED Date/Time of retrieval: <i>Programmed in UTC</i>	Date of survey: 2026-03-09 3:06:21 PM Emlid: RS3 Longitude: -123.6796697 Latitude: 46.68411843 Elevation: -1.056 m (1.279-2.335) Survey pole: fully extended Solution status: FIX <i>Offset info:</i> <i>Surveyed from top of mount. Sensor head 3.25'' from bottom. [field notebook]</i>

WR05

Sensor information	Location information
Label: WR05 - D1 Sensor Type: Diver S/N: FS066 Date/Time of deployment: 11/06/26 Status: Retrieved Date/Time of retrieval: 12/14/25 2:33pm	Date of survey: 12/14/25 Emlid: RS3 Longitude: -123.6741516 Latitude: 46.68123163 Elevation: -0.7462 m (0.56+1.056-2.3622) Survey pole: 1.24m (bottom collapsed)

	Solution status: FIX - RYMD3 Offset info: <i>Surveyed from top of mount. 93” from sensor hole to top of mount [planning sheet] +0.56 for pole adjustment.</i>
--	--

WR06

Sensor information	Location information
Label: WR06 Diver - D1 Sensor Type: Diver S/N: FS971 Date/Time of deployment: 11/6/25 7:15am Status: LOST	
Label: WR06 In-Situ - D3 Sensor Type: In-Situ S/N: 632743 Date/Time of deployment: 12/14/25 4:43pm Status: Retrieved Date/Time of retrieval: 01/11/26 12:48 <i>Had the time offset issue, retrieved and internal clock was 1/12/26 4:56:41am when real time was 1/11/26 1:55:25pm</i>	Date of survey: 12/14/25 4:43pm Emlid: RS3 Longitude: -123.6726122 Latitude: 46.67934975 Elevation: -1.154 m (0.56+0.709-2.422525) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - RYMD3 Offset info: <i>Surveyed from top of mount. Top of mount to sensor hole: 95 3/8”. [field notebook Mar] +0.56 for pole adjustment.</i>
Label: WR06 In-Situ - D4 Sensor Type: In-Situ S/N: Date/Time of deployment: 01/11/26 15:02 Status: Retrieved Date/Time of retrieval: 03/08/2026 11:46	No survey data. Offset info: <i>Sensor hole 0.75” from bottom of al tube. Put nail @ top where tubing was, distance between top and bottom nail is 12.5”. Pole length 95.5” [field notebook Mar]</i>
Label: WR06 Diver - D5 Sensor Type: Diver S/N: FS066 Date/Time of deployment: 03/09/2026 14:06 Status: DEPLOYED Date/Time of retrieval:	Date of survey: need survey Emlid: Longitude: Latitude: Elevation: Survey pole:

	Solution status: Offset info: <i>Deployed at same position as before (D4) Installed top of tubing @ lower nail. 3.25" from hole to bottom and pole length is 92+7/8" [field notebook Mar]</i>
Label: WR06 CTD - D1 Sensor Type: CTD S/N: 2005 Date/Time of deployment: 11/6/25 7:25am Status: Redeployed (see below) Date/Time of retrieval: 12/14/25 4:20pm	Date of survey: 12/14/25 Emlid: RS3 Longitude: -123.6726819 Latitude: 46.67942959 Elevation: -0.965 m (0.56+0.786-2.3114) Survey pole: 1.24m (bottom collapsed) Solution status: FIX - RYMD3 Offset info: <i>91" from top of PVC to sensor point [est. from 11/6 photo]. +0.56 for pole adjustment.</i>
Label: WR06 CTD - D3 Sensor Type: CTD S/N: 2005 Date/Time of deployment: 12/15/25 4:15pm Status: Retrieved Date/Time of retrieval: 01/11/26 12:37	Date of survey: 12/15/25 Emlid: RS3 Longitude: -123.6725467 Latitude: 46.67927407 Elevation: -0.798 m (1.532-2.330) Survey pole: fully extended Solution status: FIX - RYMD_MSM Offset info: <i>91.75" from top of mount to sensor head [field notebook dec].</i>
Label: WR06 CTD - D4 Sensor Type: CTD S/N: 2005 Date/Time of deployment: 01/12/26 15:21 Status: Retrieved Date/Time of retrieval: 03/08/2026 11:50	No survey data. <i>Top of tubing to upper nail: 12"</i> <i>Bottom to bottom: 2"</i>
Label: WR06 OBS - D1 Sensor Type: OBS S/N: 209 Date/Time of deployment: 11/6/25 7:15am Status: LOST	

WR07

Sensor information	Location information
Label: WR07 A - David's Dock - D2 Sensor Type: CTD S/N: 2006 Date/Time of deployment: 11/25/25 11:20am Status: Retrieved Date/Time of retrieval: 01/12/26 16:10	Date of survey: 11/25/25 Emlid: RS3 Longitude: -123.6732032 Latitude: 46.66497456 Elevation: 0.124 m (1.343-1.2192) Survey pole: fully extended Solution status: FIX Offset info: <i>Surveyed water surface. Top of mount to sensor head 60.5" and top of mount to water 12.5". Sensor head to survey point is 48" [survey data].</i>
Label: WR07 A - David's Dock - D5 Sensor Type: HOBO S/N: 1289199 Date/Time of deployment: 3/9/26 2:01 PM Status: Deployed Date/Time of retrieval:	Date of survey: 2026-03-09 2:01:30 PM Emlid: RS3 Longitude: -123.6732288 Latitude: 46.66495936 Elevation: (0.342+1.07-pvcpolelength) Survey pole: 0.73m (fully collapsed) Solution status: FIX - PACWA Offset info: <i>Still deployed at WR07 so need dist from sensor head to top of PVC</i>
Label: WR07 B - Bridge Riverbank - D3 Sensor Type: Hobo S/N: 21205406 Date/Time of deployment: 12/16/25 3:50pm Status: Deployed Date/Time of retrieval:	Date of survey: 12/16/25 Emlid: RS3 Longitude: -123.674091 Latitude: 46.66481366 Elevation: 1.161 m (1.809-0.6477) Survey pole: fully extended Solution status: FIX - RYMD3 Offset info: <i>Surveyed WSE upstream (1-2" elevation gain WRT sensor head. Top of mount 31" above WSE [survey data]. 57.5" from top of mount to sensor head. [dec field notebook] Survey point to sensor head is ~25.5".</i>

Label: WR07 C - David's Raft - D3 Sensor Type: HOBO S/N: 2179478 Date/Time of deployment: 12/16/25 4:25pm Status: Retrieved Date/Time of retrieval: 01/12/26 16:16	Date of survey: 12/16/25 Emlid: RS3 Longitude: -123.6732174 Latitude: 46.66498747 Elevation: 0.746 m (1.997-1.251) Survey pole: fully extended Solution status: FIX - RYMD_MSM Offset info: <i>Surveyed 15" above mount top [survey data]. 34.25" from top of mount to sensor head [dec field notebook]</i>
Label: WR07 C - David's Raft - D4 Sensor Type: Hobo S/N: 20389515 Date/Time of deployment: 01/12/26 16:45 Status: Retrieved Date/Time of retrieval: 03/09/26	Date of survey: 2026-03-09 2:01:30 PM Emlid: RS3 Longitude: -123.6732288 Latitude: 46.66495936 Elevation: -0.233 m (0.342+1.07-1.64465) Survey pole: 0.73m (fully collapsed) Solution status: FIX - PACWA Offset info: <i>Distance from top of PVC to sensor head 64.75" [Jan field notebook] +1.07 for pole adjustment.</i>

WR08

Sensor information	Location information
Label: WR08 - Sacrificial CTD Sensor Type: CTD S/N: 2004 Date/Time of deployment: 11/25/25 ~1:00pm Status: Retrieved Date/Time of retrieval: 01/28/26 14:28	No survey data <i>Sensor 82" below top of PVC</i>
Label: WR08 Sensor Type: HOBO S/N: Ian - 21794178 Date/Time of deployment: 01/28/26 14:50 Status: Deployed	No survey data <i>Installed roughly same position as before (within 1")</i>

Date/Time of retrieval:	
-------------------------	--

SF01

Sensor information	Location information
Label: SF01 - Riverfront Park - D1 Sensor Type: Diver S/N: FS041 Date/Time of deployment: 11/7/25 8:04am Status: Redeployed (see below) Date/Time of retrieval: 1/12/26 ~13:30 <i>Programmed in UTC</i>	Date of survey: 2025-11-07 10:06 Emlid: RS3 Longitude: -123.7332466 Latitude: 46.68277732 Elevation: -0.652 m (1.704-2.35585) Survey pole: fully extended Solution status: FIX <i>Offset info:</i> <i>Distance from bottom to bottom is 2.75" (assuming 0.5" from hole to bottom of sensor; use 3.25" from hole to bottom of mount). Assuming 8' alum mount.</i>
Label: SF01 - Riverfront Park - D4 Sensor Type: Diver S/N: FS041 Date/Time of deployment: 01/12/26 14:40 Status: Redeployed (see below) Date/Time of retrieval: 3/8/26 (no time rec.) <i>Programmed in UTC</i>	Deployed in same position as D1 <i>Offset info:</i> <i>D5 notebook corroborates D1 distance from hole to bottom of mount.</i>
Label: SF01 - Riverfront Park - D5 Sensor Type: Diver S/N: FS041 Date/Time of deployment: 3/8/26 14:13 Status: Deployed Date/Time of retrieval: <i>Programmed in UTC</i>	Deployed in the same position as D1? <i>Top of tubing @ lower nail</i> <i>Offset info:</i> <i>Sensor 3.25" above bottom [Mar field notebook].</i>

SF02

Sensor information	Location information
--------------------	----------------------

Label: SF02 - D1 Sensor Type: Diver S/N: FS040 Date/Time of deployment: 11/7/25 8:39am Date/Time of servicing: 12/15/25 2:50pm Status: Redeployed (see below) Date/Time of retrieval: 1/12/26 13:21 <i>Programmed in UTC</i>	Date of survey: 12/15/25 Emlid: RS3 Longitude: -123.7235539 Latitude: 46.6673448 Elevation: -0.949 m (1.413-2.3622) Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 <i>Top of mount slid 0.5" down at D3 survey and slid 0.25" more upon D4 recovery.</i> Offset info: <i>Surveyed top of mount. 2.75" bottom of sensor to bottom of mount [Jan field notebook]. Top of mount to sensor head 93" [field planning sheet].</i>
Label: SF02 - D4 Sensor Type: Diver S/N: FS040 Date/Time of deployment: 1/12/26 14:40 Status: Deployed Date/Time of retrieval: <i>Programmed in UTC</i>	Deployed in original D1 position Offset info: <i>2.75" bottom of sensor to bottom of mount (where hole to bottom of sensor is 0.75") [field notebook]</i>

SF03

Sensor information	Location information
Label: SF03 - Bridge - D2 Sensor Type: HOBO S/N: 1289199 Date/Time of deployment: 11/25/25 5:15pm Status: Redeployed (see below) Date/Time of retrieval: 01/12/26 11:35	Survey N/A (dense cover and no service)
Label: SF03 - Bridge - D4 Sensor Type: HOBO S/N: 1289199 Date/Time of deployment: 01/12/26 11:35 Status: Retrieved	Survey N/A (dense cover and no service) <i>Found bottom up upon retrieval (plate vertical)</i>

Date/Time of retrieval: 3/9/26 17:09 LST Label: SF03 - Bridge - D5 Sensor Type: HOBO S/N: 20669489 Date/Time of deployment: 3/9/26 17:09 LST Status: Deployed Date/Time of retrieval:	Survey N/A (dense cover and no service)
--	--

Skidmore Deployment

SS01 (downstream)

Sensor information	Location information
Label: SS01 (downstream) - D1 Sensor Type: HOBO Logger (Floodplain_02) S/N: 1126515 Date/Time of deployment: 11/8/25 10:05am Status: Redeployed (see below) Date/Time of retrieval: 3/9/26 ~12:10pm	Date of survey: 11/8/25 Emlid: RS3 Longitude: -123.7780537 Latitude: 46.67224337 Elevation: 0.368m (1.124-0.756) Survey pole: fully extended Solution status: FIX Offset info: <i>Surveyed WSE. Top of mount 25.25" above WSE and sensor head is 55" from top of mount [survey data].</i>
Label: SS01 (downstream) - D5 Sensor Type: HOBO Logger S/N: 1126515 Date/Time of deployment: 3/9/26 Status: Deployed Date/Time of retrieval:	Deployed in same position as D1

SS02 (upstream)

Sensor information	Location information
Label: SS02 (upstream) - D1 Sensor Type: HOBO Logger (Floodplain_01) S/N: 1126509 Date/Time of deployment: 11/8/25 11:11am Status: Retrieved Date/Time of retrieval: 3/8/26 16:00 <i>Programmed in UTC</i>	Date of survey: 2025-11-08 11:11am Emlid: RS3 Longitude: -123.7766246 Latitude: 46.6697236 Elevation: 0.504 m (0.941-0.437) Survey pole: fully extended Solution status: FIX Offset info: <i>Survey point is 17+3/16" above sensor head [survey data].</i>

Label: SS02 (upstream) - D5 Sensor Type: HOBO Logger S/N: 1126509 Date/Time of deployment: 3/8/26 16:18 Status: Deployed Date/Time of retrieval: <i>Programmed in UTC</i>	Date of survey: 2026-03-08 16:02 Emlid: RS3 Longitude: -123.7766262 Latitude: 46.66972423 Elevation: 0.521 m (0.638+1.07-1.18745) Survey pole: 0.73m (fully collapsed) Solution status: FIX - PACWA <i>Offset info:</i> <i>Top of sensor to top of post (survey point): 42.75 inches (add 4" to hole) [field notebook]. +1.07 for pole adjustment.</i>
---	--

SS03 (middle)

Sensor information	Location information
Label: SS03 (middle) Sensor Type: HOBO Logger (Floodplain_03) S/N: 1126511 Date/Time of deployment: 11/8/25 11:41am Status: Retrieved Date/Time of retrieval: 3/9/26 ~11:45am	<i>Deployed in same position as D5 survey. Notes from D1 do not give enough info for valid elevation determination. "middle point" on survey data is vague</i>
Label: SS03 (middle) - D5 Sensor Type: HOBO Logger (Floodplain_03) S/N: 1126511 Date/Time of deployment: 3/9/26 ~11:50am Status: Deployed Date/Time of retrieval:	Date of survey: 2026-03-09 11:57am Emlid: RS3 Longitude: -123.7765903 Latitude: 46.67099142 Elevation: 0.192 m (<i>survey on sensor point!</i>) Survey pole: fully extended Solution status: FIX

Floodplain Deployment

Sensor information	Location information
Label: BALLPARK Sensor Type: RAPID S/N: 10 Date/Time of deployment: D1 Status: Retrieved Date/Time of retrieval: 12/15/25 10:55am	Date of survey: 11/8/25 Emlid: Reach RS3 Longitude: -123.8000608 Latitude: 46.66146976 Elevation: 3.679m (3.622+0.05715) Survey pole: fully extended Solution status: FIX <i>Offset info: surveyed 2.25" below sensor head [survey data]</i>
Label: BALLPARK D3 Sensor Type: RAPID S/N: 46 Date/Time of deployment: 12/15/25 10:57am Status: Retrieved Date/Time of retrieval: 3/8/26 3:03pm	Date of survey: 12/15/25 Emlid: Reach RX Longitude: -123.8000611 Latitude: 46.66147006 Elevation: 3.651 m Survey pole: fully extended Solution status: FIX <i>Offset info: surveyed on sensor head</i>
Label: VET Sensor Type: RAPID S/N: 16 Date/Time of deployment: 11/8/25 1:45pm Status: Retrieved Date/Time of retrieval: 12/15/25 11:14am	Date of survey: 11/8/25 Emlid: RS3 Longitude: -123.7668121 Latitude: 46.67447505 Elevation: 3.68m (3.64+0.0413) Survey pole: fully extended Solution status: FIX <i>Offset info: surveyed 1+5/8" from below sensor head [survey data].</i>
Label: VET D3 Sensor Type: RAPID S/N: 33 (44 on SD card) Date/Time of deployment: 12/15/25 11:17am Status: Retrieved Date/Time of retrieval: 3/8/26 2:39pm	Date of survey: 12/15/25 11:17am Emlid: Reach RX Longitude: -123.7668129 Latitude: 46.67447448 Elevation: 3.65 m Survey pole: fully extended

	Solution status: FIX Offset info: surveyed on sensor head
Label: WATERSTREET D1 Sensor Type: RAPID S/N: 24 Date/Time of deployment: 11/7/25 9:45am Status: FIX Date/Time of retrieval: 12/15/25 11:05am	Date of survey: 12/15/25 Emlid: Reach RX Longitude: -123.789036 Latitude: 46.66309209 Elevation: 3.559m Survey pole: fully extended Solution status: FIX Offset info: surveyed on sensor head
Label: WATERSTREET D3 Sensor Type: RAPID S/N: 42 (17 in SD card) Date/Time of deployment: 12/15/25 11:07am Status: Retrieved Date/Time of retrieval: 3/8/26 2:50pm	Date of survey: 3/8/26 Emlid: Reach RX Easting: 252000.463 m Northing: 156270.363 m Elevation: 6.499 m Survey pole: fully extended Solution status: FLOAT Offset info: surveyed on sensor head
Label: ABBYROAD D1 Sensor Type: RAPID S/N: 27 Date/Time of deployment: 11/6/25 12:22pm Status: Retrieved Date/Time of retrieval: 12/15/25 8:35am	Date of survey: 11/7/25 Emlid: RS3 Longitude: -123.7431538 Latitude: 46.68211197 Elevation: 4.441 m Survey pole: fully extended Solution status: FIX - PACWAVRSRTC3 Offset info: surveyed on sensor head
Label: ABBYROAD D3 Sensor Type: RAPID S/N: 41 Date/Time of deployment: 12/15/25 8:40am Status: Retrieved Date/Time of retrieval: 3/8/26 2:27pm	Deployed same as D1
Label: BARGE D1 Sensor Type: RAPID S/N: 29	Date of survey: 12/15/25 Emlid: RS3 Longitude: -123.736505

Date/Time of deployment: 11/6/25 12:10pm Status: Retrieved Date/Time of retrieval: 12/15/25 8:00am Label: BARGE D3 Sensor Type: RAPID S/N: 45 Date/Time of deployment: 12/15/25 8:09am Status: Retrieved Date/Time of retrieval: 3/8/26 2:03pm	Latitude: 46.68022795 Elevation: 3.501m Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head Date of survey: 12/15/25 Emlid: RS3 Longitude: -123.7365049 Latitude: 46.68022785 Elevation: 3.532m Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head
Label: RIVERDALE D1 Sensor Type: RAPID S/N: 32 Date/Time of deployment: 11/8/25 9:12am Status: Retrieved Date/Time of retrieval: 12/15/25 7:58am Label: RIVERDALE D3 Sensor Type: RAPID S/N: 44 (37 on SD card) Date/Time of deployment: 12/15/25 8:10am Status: Retrieved Date/Time of retrieval: 3/8/26 (no time)	Date of survey: 11/9/25 9:12am Emlid: RX Longitude: -123.7434109 Latitude: 46.69339007 Elevation: 4.49 m Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head Date of survey: 11/9/25 9:12am Emlid: RX Longitude: -123.7434644 Latitude: 46.69340282 Elevation: 3.014 m (uncertain - float) Survey pole: fully extended Solution status: FLOAT - PACWAVRSRTCM3 Offset info: surveyed on sensor head
Label: CENTRAL D1 Sensor Type: RAPID S/N: 34 Date/Time of deployment: 11/25/25 3:15pm Status: Retrieved Date/Time of retrieval: 12/16/26 2:15pm	Date of survey: 12/16/25 Emlid: RS3 Longitude: -123.8184562 Latitude: 46.66323614 Elevation: 2.486m (no offset) Survey pole: fully extended

Label: CENTRAL A D3 Sensor Type: HOBO (Ia) S/N: 20389513 Date/Time of deployment: 12/16/25 2:30pm Date/Time of servicing: Status: Deployed Date/Time of retrieval: Label: CENTRAL B D3 Sensor Type: HOBO (Ia) S/N: 21205407 Date/Time of deployment: 12/15/25 2:55pm Date/Time of servicing: Status: Deployed Date/Time of retrieval:	Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head Date of survey: 12/16/25 Emlid: RS3 Longitude: -123.8184568 Latitude: 46.6632365 Elevation: 2.408m (no offset) Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head Date of survey: 12/16/25 Emlid: RS3 Longitude: -123.8184387 Latitude: 46.66323762 Elevation: 1.717m (2.085-0.3683) Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed top of stake, 14.5" above sensor head [survey data].
Label: EYECLINIC D1 Sensor Type: RAPID S/N: 36 Date/Time of deployment: 11/6/25 11:53am Date/Time of servicing: Status: Retrieved Date/Time of retrieval: 12/15/25 8:20am Label: EYECLINIC D3 Sensor Type: RAPID S/N: 21 Date/Time of deployment: 12/15/25 8:30am Status: Retrieved Date/Time of retrieval: 3/8/26 2:15pm	Date of survey: 12/15/25 Emlid: Reach RS3 Longitude: -123.73993 Latitude: 46.68082969 Elevation: 3.78m Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head Date of survey: 12/15/25 Emlid: Reach RS3 Longitude: -123.7399302 Latitude: 46.68082986 Elevation: 3.785m Survey pole: fully extended Solution status: FIX - PACWAVRSRTCM3 Offset info: surveyed on sensor head

Label: HECKARD Sensor Type: RAPID S/N: 38 Date/Time of deployment: 12/15/25 12:47pm Status: Retrieved Date/Time of retrieval: 3/8/26	Date of survey: 12/15/25 Emlid: Reach RX Longitude: -123.6812483 Latitude: 46.65850743 Elevation: 4.142 m Survey pole: fully extended Solution status: FIX <i>Offset info: surveyed on sensor head</i>
---	---