

1,400 KCAL DIET

185 P · 84 C · 36 F · 3 MEALS

Training day: 1400 kcal | Rest day: 1175 kcal (185 P / 0 C / 48 F)

"He who lives without discipline lives with no honor."

DIET KEYS — PROTEINS

Food (per 100 g)	Protein	Carbs	Sugar	Fat	Sat. fat
Chicken breast	18.5	0.9	0	0	0
Meat 96%	21	0	0	4	0.1
White fish	20	0	0	0	0
Egg white	6.3	0.4	0	4.8	1.6
Shrimp	15	1	0	1	0.4
Sardines	19.4	0	0	4.2	0.3

DIET KEYS — CARBS

Food (per 100 g)	Protein	Carbs	Fibers	Fat	Sat. fat
Wholewheat tortilla	8	44	6	5	0.5
Rice	9	76	1	1.5	0
Potatoes	2.5	21	2.2	2.5	0.1
Sweet potatoes	1.6	23	3	0.1	0
Corn flakes (plain)	7.1	85	3.6	0	0
Toast wheat	8	42	2	3.4	0.2

DIET KEYS — FATS

Food (per 20 g)	Protein	Carbs	Fat	Sat. fat
Olive oil	0	0	19.5	0.7
Avocado	0.4	3	1.8	0.4
Almonds	4.4	4.4	10.4	0.7
Walnuts	3	2.7	13	0.7

Veggies

Fruits

Carrots, Zucchini, Cucumber, Lettuce, Broccoli

Berries, Apples, Grapefruit, Kiwis, Melon

TRAINING DAY — 1,400 kcal (3 meals)

Targets: **185 g protein / 84 g carbs / 36 g fat**. Carbs front-loaded around the workout (Meal 02).

Meal	Carbs	Protein	Fat	Extras
Meal 01	25 g	60 g	14 g	1 green apple
Meal 02 (pre/post WO)	34 g	65 g	—	—
Meal 03	25 g	60 g	22 g	100 g veggies

Macro totals — Training Day

	Grams	Calories
Protein	185 g	740 kcal
Carbs	84 g	336 kcal
Fat	36 g	324 kcal
TOTAL		1400 kcal

REST DAY — 1,175 kcal (3 meals)

Targets: **185 g protein / 0 g carbs / 48 g fat**. Lower carbs, higher fat to match lower energy demand.

Meal	Carbs	Protein	Fat	Extras
Meal 01	—	60 g	14 g	1 green apple
Meal 02	—	65 g	—	70 g veggies
Meal 03	—	60 g	34 g	150 g veggies

Macro totals — Rest Day

	Grams	Calories
Protein	185 g	740 kcal
Carbs	0 g	0 kcal
Fat	48 g	432 kcal
TOTAL		1172 kcal

SUPPLEMENTS

Pre-breakfast	Intra-workout	Post-workout
Apple cider vinegar warm water	200 ml coconut water or EAAs with electrolytes	7 g creatine 10 g glutamine 30 g iso whey

CARB ADJUSTMENT — IMPORTANT

Carbs should be decreased or increased every week based on hunger level and sensitivity.

Use the signals sheet on the next page to decide which way to move. Adjust in small steps (10–20 g per day at a time), give the change a full week before judging it, and keep protein anchored at 185 g.

ADJUSTMENT SIGNALS — WEEKLY CHECK-IN

Read your body each week. Pick the row that matches your current state, then take the matching action. Move slowly — one variable at a time, one week to assess.

General Adjustment Signals		Energy & Body Composition	
Signal	Action	Signal	Action
hungry + super flat + lean	cheat meal or add carbs	tired + flat + lean	add carbs pre-workout
not hungry + bloated + not in shape	decrease carbs	tired + bloated + soft	reduce meal frequency
hungry + bloated + high body	add water and decrease carbs	energetic + lean + vascular	maintenance working
not hungry + lean + not bloated	don't change anything	energetic + bloated + puffy	cut sodium & check hydration

Performance & Recovery		Hunger & Satiety	
Signal	Action	Signal	Action
strong in gym + hungry + flat	increase carbs post-workout	starving + lean + energetic	add healthy fats
weak in gym + not hungry + bloated	take rest day & reduce carbs	no appetite + soft + tired	check stress & sleep first
strong in gym + lean + not hungry	perfect zone — don't change	constant hunger + bloated + gaining	increase protein & fiber
weak in gym + tired + soft	add sleep & cut volume	satisfied + lean + strong	you've found your sweet spot

Visual & Feel		Weight & Measurement	
Signal	Action	Signal	Action
veiny + flat + hungry	carb up intelligently	scale up + lean + strong	good weight — keep going
smooth + bloated + lethargic	drop processed foods	scale up + soft + bloated	slow the bulk
tight skin + full muscles + moderate hunger	eat it in perfectly	scale down + flat + weak	eating too little
loose skin + flat + weak	reverse diet time	scale down + lean + energetic	cutting successfully

Digestion & Gut	
Signal	Action
gassy + bloated + uncomfortable	identify food intolerances
regular + lean + energetic	gut health optimal
constipated + low energy + flat	add fiber & water
perfect digestion + hungry + flat	add quality carbs

Educational use only. Not medical advice. If you have a medical condition, are pregnant, or take medication, review changes with a registered dietitian or your physician before adopting them.