

Streamlit, uv, venv

최선경

Streamlit


- <https://streamlit.io/>
- <https://docs.streamlit.io/get-started>

E:\Wagent26_DayByDay\day1_uv>**python --version**

Python 3.12.0

E:\Wagent26_DayByDay\day1_uv>**uv init**

Initialized project `day1-uv`




E:\Wagent26_DayByDay\day1_uv>**uv venv**

Using CPython 3.12.11

Creating virtual environment at: .venv

Activate with: .venv\Scripts\activate



가상환경 생성 및 stremlit 실행


```
E:\Wagent26_DayByDay\Wday1_uv>.venv\Scripts\activate.bat
```

```
(day1_uv) E:\Wagent26_DayByDay\Wday1_uv>
```

```
(day1_uv) E:\Wagent26_DayByDay\Wday1_uv>uv add streamlit
```

```
Resolved 39 packages in 510ms
```

```
Prepared 1 package in 417ms
```

```
 [0/38] Installing wheels...
```

```
(day1_uv)
E:\Wagent26_DayByDay\day1_uv>uv tree
Resolved 39 packages in 3ms
day1-uv v0.1.0
├── streamlit v1.62.0
│   ├── altair v6.2.2
│   │   ├── jinja2 v3.1.6
│   │   │   ├── markupsafe v3.0.3
│   │   │   ├── jsonschema v4.26.0
│   │   │   │   ├── attrs v26.1.0
│   │   │   │   └── jsonschema-specifications v2025.9.1
│   │   │   │       ├── referencing v0.37.0
│   │   │   │       │   ├── attrs v26.1.0
│   │   │   │       │   └── rpds-py v2026.6.3
│   │   │   │       └── typing-extensions v4.16.0
│   │   │   └── referencing v0.37.0 (*)
│   │   └── rpds-py v2026.6.3
│   ├── narwhals v2.25.0
│   ├── packaging v26.3
│   └── typing-extensions v4.16.0
└── anyio v4.14.2
```

```
├── idna v3.19
├── typing-extensions v4.16.0
├── blinker v1.9.0
├── click v8.5.0
├── httptools v0.8.0
├── itsdangerous v2.2.0
├── numpy v2.5.2
├── packaging v26.3
├── pandas v3.0.5
│   ├── numpy v2.5.2
│   ├── python-dateutil v2.9.0.post0
│   │   └── six v1.17.0
│   └── tzdata v2026.3
├── pillow v12.3.0
├── protobuf v7.36.1
├── pyarrow v25.0.1
├── pydeck v0.9.3
│   ├── jinja2 v3.1.6 (*)
│   └── numpy v2.5.2
├── python-multipart v0.0.32
├── requests v2.34.2
│   ├── certifi v2026.7.22
│   └── charset-normalizer v3.5.1
```

```
├── idna v3.19
├── urllib3 v2.7.0
├── starlette v1.6.0
│   ├── anyio v4.14.2 (*)
│   └── typing-extensions v4.16.0
├── toml v0.10.2
├── typing-extensions v4.16.0
├── uvicorn v0.52.4
│   ├── click v8.5.0
│   └── h11 v0.16.0
├── watchdog v6.0.0
└── websockets v16.1.1
(*) Package tree already displayed
```

```
(day1_uv) E:\Wagent26_DayByDay\day1_uv>uv run streamlit run test.py  
2026-09-01 23:20:05.764 Uvicorn server started on ::8501
```

You can now view your Streamlit app in your browser.

Local URL: <http://localhost:8501>

Network URL: <http://192.168.0.115:8501>

Help agents write better Streamlit apps?

Install the official Streamlit skills by running streamlit skills in your terminal.

결과

test.py U

day1_uv > test.py

```
1 import streamlit as st
2
3 st.write("# 제목")
4 st.write("반가워용~~~")
5
6 st.write("### :blue[파란색] 작은 제목")
-
```

