

Custom event

GET/get_custom_events

Definition

Query String

Lang	string 1 validations	required
User_api_hash	string 1 validations	required

schema

Object		
Items	object	optional
Events	integer {pagination}	optional
Total	integer	optional
Per_page	{pagination}	optional
Current_page	integer	optional
Last_page	{pagination}	optional
From	integer	optional
To	{pagination}	optional
Next_page_url	string or null {pagination}	optional
Prev_page_url	string or null {pagination}	optional
url	string {pagination}	optional

Data	array[object]	optional
Id	String	optional
User_id	String	optional
protocol	String	optional

conditions	array[object]	optional
Tag	String	optional
Type	String	optional
tag_value	String	optional
Message	String	optional
always	String	optional

Tags	array[object]	optional
Event_custom_id	String	optional
Tag	String	optional
status	integer	optional

GET/add_custom_event_data

Definition

Query String

Lang	string 1 validations	required
User_api_hash	string 1 validations	required

Responses application/json

schema

Object		optional
protocols	array[object]	optional
Id	String	optional
value	string	optional

Types	array[object]	optional
Id	String	optional
Value	String	optional
status	integer	optional

POST/add_custom_event

Definition

Query String

Lang	string 1 validations	required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

schema		
object {customEventPost}		
Protocol	String	required
Message	String	required
Tag	array[string]	optional
type	array[integer]	optional
Tag_value	array[string]	optional
Show_always	integer	optional

--	--	--

Responses application/json

schema

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/edit_custom_event_data

Definition

Query String

Lang	string default: en	required
User_api_has h	string default: \$2y\$10\$5RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6BWMS	required
custom_event_id	integer	required

Responses application/json

schema

Item	Object	Optional
Id	Integer	optional
User_id	Integer	Optional
protocol	String	optional

conditions	array[object]	optional
Tag	string	optional
type	string	optional
Tag_value	string	optional
Message	string	optional
always	integer	optional

protocols	array[object]	optional
Id	string	optional
value	String	optional

types	array[object]	optional
status	integer	optional

POST/edit_custom_event

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body application/json

Schema		
object		
Id	integer {ObjectID}	required
Protocol	string {customEventPost}	Required
Message	string {customEventPost}	required
tag	array[string] {customEventPost}	optional
Type	array[integer] {customEventPost}	optional
Tag_value	array[integer] {customEventPost}	optional
Show_always	integer {customEventPost}	optional

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_custom_event

Definition

Query String

Lang	string default: en	required
User_api_hash	string default: \$2y\$10\$5RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6BWMS	required
custom_event_id	integer	required

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

Model

customEventPost

Schema		
object		
Protocol	String	Required
Message	String	Required
Tag	array[string]	optional

Type	array[string]	optional
Tag_value	array[string]	optional
Show_always	integer	optional

Geofence

GET/get_geofences

Definition

Query String

Lang	string default: en	required
User_api_has_h	string default: \$2y\$10\$5RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6BWMS	required
custom_event_id	integer	required

Responses application/json

schema

Object		
items	object	optional
geofences	array[object] {geofence}	optional
Id	Integer	optional

Type	string Allowed Values: polygon, circle	optional
User_id	Integer	optional
Group_id	Null or integer	optional
Active	Integer	optional
name	string	optional

center	object {LatLng}	optional
Lat	Number	optional
Ing	Number	optional
radius	Number or null	optional

400

Object		
Status	Integer	optional
errors	object	optional

401

Object		
Status	Integer	optional
errors	string	optional

POST/add_geofence

"polygon" first and last coordinate must be the same as it closes Polygone.

Definition:-

Query String

Lang	string default: en	required
User_api_has h	string default: \$2y\$10\$5RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6B WMS	required
custom_event_id	Integer	required

Request Body multipart/form-data

Schema		
object		
name	string {geofencePost}	Required
polygon_color	string {geofencePost}	Required
polygon	array[object] {LatLng}	Required
Lat	Number	Optional
ing	number	Optional
Group_id	integer {geofencePost}	Optional
type	string {geofencePost} Allowed Values: polygon, circle	Required
Center	object {LatLng}	optional
Lat	Number	optional
ing	Number	optional
radius	number {geofencePost}	optional

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

POST/edit_geofence

"polygon" first and last coordinate must be the same as it closes Polygone.

Definition:-

Query String

Lang	string default: en	required
User_api_hash	string default: \$2y\$10\$RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6BWMS	required
custom_event_id	Integer	required

Request Body multipart/form-data

Object		
id	integer {ObjectID}	Required
name	string {geofencePost}	Required
polygon_color	string {geofencePost}	Required

polygon	array[object] {LatLng}	Required
Lat	Number	Optional
ing	number	Optional
Group_id	integer {geofencePost}	Optional
type	string {geofencePost} Allowed Values: polygon, circle	Required
Center	object {LatLng}	optional
Lat	Number	optional
ing	Number	optional
radius	number {geofencePost}	optional

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_geofence

Definition:-

Query String

Lang	string default: en	required
User_api_hash	string default: \$2y\$10\$5RACGMNxUdz3h1ug9yAttu95U2acugM0YG1K5wx01ZrNMvpL6BWMS	required
Geofence_id	Integer	required

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/change_active_geofence

Definition:-

Query String

Lang	string 1 validations	Required
------	-------------------------	----------

User_api_hash	string 1 validations	required
---------------	-------------------------	----------

Request Body

schema

Object		
Id	integer or array[integer]	Optional
active	boolean	optional

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

Model

Geofence

schema

object		
Id	integer	optional

Type	string Allowed Values: polygon, circle	optional
User_id	Integer	optional
Group_id	Null or integer	optional
active	Integer	optional
Name	string	optional

Center	object {LatLng}	optional
Lat	Number	optional
Ing	Number	optional
radius	Number or null	optional

coordinates	string or array[object] {LatLng}	optional
iat	Number	optional
Ing	Number	optional
Polygon_color	String	optional
Created_at	String	optional
Updated_at	String	optional

Model

geofencePost

Schema		
object		
name	string {geofencePost}	Required
polygon_color	string {geofencePost}	Required
polygon	array[object] {LatLng}	Required
Lat	Number	Optional

ing	number	Optional
Group_id	integer {geofencePost}	Optional
type	string {geofencePost} Allowed Values: polygon, circle	Required
Center	object {LatLng}	optional
Lat	Number	optional
ing	Number	optional
radius	number {geofencePost}	optional

Route

GET/get_routes

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

POST/add_route

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

schema

object {routePost}		
Name	String	required
color	String	required
polyline	string or array[object] {LatLng}	required
lat	Number	Optional
lng	number	optional

Responses application/json

object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/edit_route

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

schema

Object		required
Id	integer {ObjectID}	required
Name	string {routePost}	required
Color	string {routePost}	required
Polyline	string or array[object] {LatLng}	required
lat	Number	Optional
ing	number	optional

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_route

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
Route_id	integer	required

GET/change_active_route

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body

Schema		
object		
Id	integer or array[integer]	Optional
active	boolean	optional

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

Model

routePost

Schema		
object		
Name	String	Required

Color	String	Required
Polyline	string or array[object] {LatLng}	Required
lat	Number	Optional
ing	number	Optional

Report

GET/get_reports

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

schema

Object		
Status	Integer	Optional
Items	Object	Optional
Reports	Object	Optional
Total	integer	Optional
Per_page	{pagination}	Optional
Current_page	integer	Optional
Last_page	{pagination}	Optional

From	integer	Optional
To	{pagination}	Optional
Next_page_url	string or null {pagination}	Optional
Prev_page_url	string or null {pagination}	Optional
url	string {pagination}	Optional

Data	array[object] {report}	Optional
Id	integer or string	Optional
User_id	integer or string	Optional
Title	String	Optional
Type	integer or string	Optional
Format	String	Optional
Show_addresses	Null or integer	Optional
Zones_instead	Null or integer	Optional
Stops	Integer or string	Optional
Speed_limits	Null or number	Optional
Daily	Null or integer	Optional
Weakly	Null or integer	Optional
Email	String	Optional
weekly_email_sent	String	Optional
daily_email_sent	String	Optional
Devices	array[integer]	Optional
geofences	array[integer]	Optional

<u>Types</u>	array[object]	Optional
Id	Integer	Optional
title	string	Optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/get_reports_types

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses

schema

object		
Items	array[object] {reportType}	optional
Type	Integer	optional
Name	String	optional
Formats	array[string]	optional
fields	array[string]	optional

parameters	array[object] or null	optional
Title	String	optional
Name	String	optional
Type	String	optional

default	integer or string or null	optional
---------	---------------------------	----------

options	array[object] or null	optional
Id	Integer or string	optional
Title	String	optional
Validations	String or null	optional
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/add_report_data

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

device	Object {device}	optional
Id	string	optional
User_id	Integer or null	optional

Tracecar_device_id	string	optional
Icon_id	string	optional
Active	string	optional
deleted	string	optional
Name	string	optional
imei	string	optional
Fuel_measurement_id	string	optional
Fuel_quantity	string	optional
Fuel_price	string	optional
Fuel_per_km	string	optional
Sim_number	string	optional
Device_model	string	optional
Plate_number	string	optional
Vin	string	optional
Registration_number	string	optional
Object_owner	string	optional
Expiration_date	string	optional
Tail_color	string	optional
Tail_length	string	optional
Engine_hours	string	optional
Detect_engine	string	optional
Min_moving_speed	string	optional
Min_fuel_fillings	string	optional
Min_fuel_thefts	string	optional
Snap_to_road	string	optional
Created_at	string	optional
Updated_at	string	optional

pivot	object	optional
User_id	String	optional
Device_id	String	optional
Group_id	Null	optional
Current_driver_id	String	optional
Active	String	optional
Timezone_id	null	optional

traccar	object	optional
id	string	optional
Name	string	optional
uniqueid	string	optional
LatestPosition_id	string	optional
lastValidlatitude	string	optional
lastValidlongitude	string	optional
Other	string	optional
Speed	string	optional
time	string	optional
Server_time	string	optional
Ack_time	null	optional
altitude	String	optional
Course	String	optional
Power	Null	optional
address	Null	optional
Protocol	String	optional
Latest_positions	string	optional

icon	object	optional
Id	string	optional
Order	string	optional
Width	string	optional
Height	string	optional
path	string	optional

sensors	Array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
Name	string	optional
Type	string	optional
Tag_name	string	optional
Add_to_history	string	optional
On_value	Null	optional
Off_value	Null	optional
Shown_value_by	String	optional

Fuel_tank_name	Null	optional
Fuel_tank	Null	optional
Fuel_tank_value	Null	optional
Min_value	Null	optional
Max_value	Null	optional
formula	Null	optional
Odometer_value_by	Null	optional
Odometer_value	Null	optional
Odometer_value_unit	String	optional
Temperature_max	Null	optional
Temperature_max_value	Null	optional
Temperature_min	Null	optional
Temperature_min_value	Null	optional
Value	string	optional
Value_formula	string	optional
Shown_in_popup	string	optional
Unit_of_measurement	string	optional
On_tag_value	Null	optional
Off_tag_value	Null	optional
On_type	Null	optional
Off_type	Null	optional
calibrations	Null	optional

services	Array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
name	string	optional
Expiration_by	string	optional
Interval	string	optional
Last_service	string	optional
Trigger_event_left	string	optional
Renew_after_expiration	string	optional
Expires	string	optional
Expires_date	null	optional
remind	string	optional
Remind_date	null	optional
Event_sent	string	optional

expired	string	optional
Email	string	optional
Mobile_phone	string	optional

<u>geofences</u>	array[object] {geofence}	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Type</u>	string Allowed Values: polygon, circle	<u>optional</u>
<u>User_id</u>	<u>Integer</u>	<u>optional</u>
<u>Group_id</u>	<u>Null or integer</u>	<u>optional</u>
<u>Active</u>	<u>Integer</u>	<u>optional</u>
<u>name</u>	<u>String</u>	<u>optional</u>

<u>center</u>	object {LatLng}	<u>optional</u>
<u>lat</u>	<u>Number</u>	<u>optional</u>
<u>lng</u>	<u>Number</u>	<u>optional</u>
<u>radius</u>	<u>Number or null</u>	<u>optional</u>

<u>coordinates</u>	string or array[object] {LatLng}	<u>optional</u>
<u>lat</u>	<u>Number</u>	<u>optional</u>
<u>lng</u>	<u>Number</u>	<u>optional</u>
<u>Polygon_color</u>	<u>Strng</u>	<u>optional</u>
<u>Created_at</u>	<u>String</u>	<u>optional</u>
<u>Updated_at</u>	<u>String</u>	<u>optional</u>

<u>formates</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>String</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

<u>Stops</u>	array[object]	<u>Optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>

<u>Filters</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>Optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>

<u>types</u>	array[object]	<u>Optional</u>
<u>Id</u>	<u>Integer</u>	<u>Optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>

<u>reports</u>	object	<u>Optional</u>
<u>Total</u>	integer {pagination}	<u>Optional</u>
<u>Per_page</u>	integer {pagination}	<u>Optional</u>
<u>Current_page</u>	integer {pagination}	<u>Optional</u>
<u>Last_page</u>	integer {pagination}	<u>Optional</u>
<u>from</u>	integer {pagination}	<u>Optional</u>
<u>to</u>	integer {pagination}	<u>Optional</u>
<u>Next_page_url</u>	string or null {pagination}	<u>Optional</u>
<u>Prev_page_url</u>	string or null {pagination}	<u>Optional</u>
<u>url</u>	string {pagination}	<u>Optional</u>

<u>data</u>	array[object] {report}	<u>optional</u>
-------------	---------------------------	-----------------

<u>Id</u>	integer or string	<u>optional</u>
<u>User_id</u>	integer or string	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Type</u>	<u>Integer or string</u>	<u>optional</u>
<u>Format</u>	<u>String</u>	<u>optional</u>
<u>Show_address</u>	null or integer	<u>optional</u>
<u>Zones_instead</u>	null or integer	<u>optional</u>
<u>Stops</u>	<u>Integer or string</u>	<u>optional</u>
<u>Speed_limits</u>	Null or number	<u>optional</u>
<u>Daily</u>	null or integer	<u>optional</u>
<u>Weakly</u>	null or integer	<u>optional</u>
<u>Email</u>	<u>String</u>	<u>optional</u>
<u>Weakly_email_sent</u>	<u>String</u>	<u>optional</u>
<u>Daily_email_sent</u>	<u>String</u>	<u>optional</u>
<u>Devices</u>	array[integer]	<u>optional</u>
<u>geofences</u>	array[integer]	<u>optional</u>

<u>Logs</u>	<u>Object</u>	<u>optional</u>
<u>Sorting</u>	<u>Object</u>	<u>optional</u>
<u>Sort</u>	<u>string</u>	<u>optional</u>
<u>Sort_by</u>	<u>String</u>	<u>optional</u>
<u>status</u>	<u>integer</u>	<u>optional</u>

POST/add_report

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

--	--	--

Request Body multipart/form-data

object {reportPost}		
<u>Title</u>	<u>String</u>	<u>Required</u>
<u>Type</u>	<u>Integer</u>	<u>Required</u>
<u>Format</u>	<u>String</u>	<u>Required</u>
<u>Speed_limits</u>	<u>number</u>	<u>required</u>
<u>Devices</u>	array[integer]	<u>Optional</u>
<u>Geofences</u>	array[integer]	<u>Required</u>
<u>Daily</u>	<u>Integer</u>	<u>Optional</u>
<u>Weakly</u>	<u>Integer</u>	<u>Optional</u>
<u>Send to email</u>	<u>String</u>	<u>Optional</u>
<u>Date_from</u>		<u>Optional</u>
<u>Date_to</u>	string format: date	<u>Required</u>
<u>Time_from</u>	string format: date	<u>Required</u>
<u>Time_to</u>		<u>Optional</u>
<u>Show address</u>	<u>Boolean</u>	<u>Optional</u>
<u>Zones instead</u>	<u>Boolean</u>	<u>Optional</u>
<u>Stops</u>	<u>integer</u>	<u>Optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/edit_report

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body application/json

object {reportPost}		
<u>id</u>	integer {ObjectID}	<u>Required</u>
<u>Title</u>	string {reportPost}	<u>Required</u>
<u>Type</u>	integer {ObjectID}	<u>Required</u>
<u>Format</u>		<u>Required</u>

	string {reportPost}	
<u>Speed_limits</u>	number {reportPost}	<u>required</u>
<u>Devices</u>	array[integer] {reportPost}	<u>Optional</u>
<u>Geofences</u>	array[integer] {reportPost}	<u>Required</u>
<u>Daily</u>	integer {reportPost}	<u>Optional</u>
<u>Weekly</u>	integer {reportPost}	<u>Optional</u>
<u>Send_to_email</u>	integer {reportPost}	<u>Optional</u>
<u>Date_from</u>	string {reportPost} format: date	<u>Optional</u>
<u>Date_to</u>	string {reportPost} format: date	<u>Required</u>
<u>Time_from</u>	string {reportPost} format: date	<u>Optional</u>
<u>Time_to</u>	string {reportPost} format: date	<u>Optional</u>
<u>Show_address</u>	boolean {reportPost}	<u>Optional</u>
<u>Zones_instead</u>	boolean	<u>Optional</u>

	{reportPost}	
<u>Stops</u>	integer {reportPost}	<u>Optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/generate_report

If the request is successfully returned { 'status': 3 'url': ###}. "url" is link to generated report file
Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

schema

object {reportPost}		
<u>Title</u>	<u>String</u>	<u>Required</u>
<u>Type</u>	<u>Integer</u>	<u>Required</u>
<u>Format</u>	<u>String</u>	<u>Required</u>
<u>Speed_limits</u>	<u>number</u>	<u>required</u>
<u>Devices</u>	array[integer]	<u>Optional</u>
<u>Geofences</u>	array[integer]	<u>Required</u>
<u>Daily</u>	<u>Integer</u>	<u>Optional</u>
<u>Weakly</u>	<u>Integer</u>	<u>Optional</u>
<u>Send_to_email</u>	<u>String</u>	<u>Optional</u>
<u>Date_from</u>		<u>Optional</u>
<u>Date_to</u>	string format: date	<u>Required</u>
<u>Time_from</u>	string format: date	<u>Required</u>
<u>Time_to</u>		<u>Optional</u>
<u>Show_address</u>	<u>Boolean</u>	<u>Optional</u>
<u>Zones_instead</u>	<u>Boolean</u>	<u>Optional</u>
<u>Stops</u>	<u>integer</u>	<u>Optional</u>

Responses application/json

object		
Status	integer	optional
url	string	optional

Object	
--------	--

Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_report

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
report_id	integer	required

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional

errors	string	optional
--------	--------	----------

Model

reportPost

<u>object</u> {reportPost}		
<u>Title</u>	<u>String</u>	<u>Required</u>
<u>Type</u>	<u>Integer</u>	<u>Required</u>
<u>Format</u>	<u>String</u>	<u>Required</u>
<u>Speed_limits</u>	<u>number</u>	<u>required</u>
<u>Devices</u>	array[integer]	<u>Optional</u>
<u>Geofences</u>	array[integer]	<u>Required</u>
<u>Daily</u>	<u>Integer</u>	<u>Optional</u>
<u>Weakly</u>	<u>Integer</u>	<u>Optional</u>
<u>Send_to_email</u>	<u>String</u>	<u>Optional</u>
<u>Date_from</u>		<u>Optional</u>
<u>Date_to</u>	string format: date	<u>Required</u>
<u>Time_from</u>	string format: date	<u>Required</u>
<u>Time_to</u>		<u>Optional</u>
<u>Show_address</u>	<u>Boolean</u>	<u>Optional</u>
<u>Zones_instead</u>	<u>Boolean</u>	<u>Optional</u>
<u>Stops</u>	<u>integer</u>	<u>Optional</u>

Model

Report

<u>data</u>	array[object] {report}	<u>optional</u>
<u>Id</u>	integer or string	<u>optional</u>
<u>User_id</u>	integer or string	<u>optional</u>

<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Type</u>	<u>Integer or string</u>	<u>optional</u>
<u>Format</u>	<u>String</u>	<u>optional</u>
<u>Show_address</u>	null or integer	<u>optional</u>
<u>Zones_instead</u>	null or integer	<u>optional</u>
<u>Stops</u>	<u>Integer or string</u>	<u>optional</u>
<u>Speed_limits</u>	Null or number	<u>optional</u>
<u>Daily</u>	null or integer	<u>optional</u>
<u>Weakly</u>	null or integer	<u>optional</u>
<u>Email</u>	<u>String</u>	<u>optional</u>
<u>Weakly_email_sent</u>	<u>String</u>	<u>optional</u>
<u>Daily_email_sent</u>	<u>String</u>	<u>optional</u>
<u>Devices</u>	array[integer]	<u>optional</u>
<u>geofences</u>	array[integer]	<u>optional</u>

Model

reportType

<u>Object</u>		
<u>Type</u>	<u>Integer</u>	<u>optional</u>
<u>Name</u>	<u>String</u>	<u>optional</u>
<u>Formats</u>	array[string]	<u>optional</u>
<u>fields</u>	array[string]	<u>optional</u>

<u>parameters</u>	array[object] or null	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Name</u>	<u>String</u>	<u>optional</u>
<u>Type</u>	<u>string</u>	<u>optional</u>
<u>default</u>	integer or string or null	<u>optional</u>

<u>options</u>	array[object] or null	<u>optional</u>
----------------	-----------------------	-----------------

<u>Id</u>	integer or string	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>validation</u>	<u>String or null</u>	<u>optional</u>

Map icon

GET/get_user_map_icons

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

Object		optional
Items	<u>object</u>	optional
mapicons	array[object]	optional
Id	<u>integer</u>	optional
User_id	<u>integer</u>	optional
Map_Icon_id	<u>integer</u>	optional
Active	<u>integer</u>	optional
name	<u>String</u>	optional
Description	<u>String</u>	optional
Coordinates	<u>String</u>	optional
Created_at	<u>String</u>	optional

Updated_at	<u>String</u>	optional
Map_icon	<u>object</u> {mapIcon}	optional
Id	<u>Integer</u>	optional
Path	<u>String</u>	optional
Width	number or string	optional
Height	<u>Number or string</u>	optional
status	<u>integer</u>	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/get_map_icons

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

<u>Object</u>		
<u>items</u>	array[object] {mapIcon}	<u>optional</u>

<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Path</u>	<u>String</u>	<u>optional</u>
<u>Width</u>	<u>Number or string</u>	<u>optional</u>
<u>Height</u>	<u>Number or string</u>	<u>optional</u>
<u>status</u>	<u>integer</u>	<u>optional</u>

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/add_map_icon

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body application/json

object {mapIconPost}		
<u>Name</u>	<u>String</u>	<u>Required</u>

<u>Description</u>	<u>String</u>	<u>Optional</u>
<u>Map_icon_id</u>	<u>Integer</u>	<u>Required</u>
Coordinates	<u>One of</u>	<u>required</u>
<u>Object</u>		<u>Optional</u>
<u>lat</u>	number {LatLng}	<u>Optional</u>
ing	number {LatLng}	<u>Optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/edit_map_icon

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body application/json

object {mapIconPost}		
<u>Name</u>	<u>String</u>	<u>Required</u>
<u>Description</u>	<u>String</u>	<u>Optional</u>
<u>Map_icon_id</u>	<u>Integer</u>	<u>Required</u>
<u>Coordinates</u>	<u>One of</u>	<u>required</u>
<u>Object</u>		<u>Optional</u>
<u>lat</u>	number {LatLng}	<u>Optional</u>
<u>ing</u>	number {LatLng}	<u>Optional</u>

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

GET/change_active_map_icon

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

<u>Object</u>		
<u>Id</u>	integer or array[integer]	<u>Optional</u>
<u>active</u>	<u>boolean</u>	<u>Optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_map_icon

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
Map_icon_id	integer	required

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
--------	--	--

Status	Integer	optional
errors	string	optional

Model

mapIconPost

object {mapIconPost}		
<u>Name</u>	<u>String</u>	<u>Required</u>
<u>Description</u>	<u>String</u>	<u>Optional</u>
<u>Map icon id</u>	<u>Integer</u>	<u>Required</u>
<u>Coordinates</u>	<u>One of</u>	<u>required</u>
<u>Object</u>		<u>Optional</u>
<u>lat</u>	number {LatLng}	<u>Optional</u>
<u>ing</u>	number {LatLng}	<u>Optional</u>

Model

mapIcon

<u>Schema</u>		
<u>Object</u>		
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Path</u>	<u>String</u>	<u>optional</u>
<u>Width</u>	number or string	<u>optional</u>
<u>height</u>	number or string	<u>optional</u>

Driver

GET/get_user_drivers

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

<u>Object</u>		
<u>Items</u>	<u>Object</u>	<u>optional</u>
<u>Drivers</u>	<u>Object</u>	<u>optional</u>
<u>Total</u>	integer {pagination}	<u>optional</u>
<u>Per_page</u>	integer {pagination}	<u>optional</u>
<u>Current_page</u>	integer {pagination}	<u>optional</u>
<u>Last_page</u>	integer {pagination}	<u>optional</u>
<u>From</u>	integer {pagination}	<u>optional</u>

<u>to</u>	integer {pagination}	<u>optional</u>
<u>Next_page_url</u>	string or null {pagination}	<u>optional</u>
<u>Prev_page_url</u>	string or null {pagination}	<u>optional</u>
<u>url</u>	string {pagination}	<u>optional</u>

<u>data</u>	array[object] {driver}	<u>optional</u>
<u>Date</u>	integer or string	<u>optional</u>
<u>Id</u>	integer or string	<u>optional</u>
<u>User_id</u>	integer or string	<u>optional</u>
<u>Device_id</u>	integer or string	<u>optional</u>
<u>Device_port</u>	null or string	<u>optional</u>
<u>Name</u>	<u>String</u>	<u>optional</u>
<u>Rfid</u>	<u>String</u>	<u>optional</u>
<u>Phone</u>	<u>String</u>	<u>optional</u>
<u>Email</u>	<u>String</u>	<u>optional</u>
<u>Description</u>	<u>String</u>	<u>optional</u>
<u>Created_at</u>	<u>String</u>	<u>optional</u>
<u>Updated_at</u>	<u>String</u>	<u>optional</u>

<i>devices</i>	object {device}	<i>optional</i>
Id	string	optional
User_id	Integer or null	optional
Tracecar_device_id	string	optional
Icon_id	string	optional
Active	string	optional

Deleted	string	optional
Name	string	optional
Imei	string	optional
Fuel_measurement_id	string	optional
Fuel_quantity	string	optional
Fuel_price	string	optional
Fuel_per_km	string	optional
Sim_number	string	optional
Device_model	string	optional
Plate_number	string	optional
Vin	string	optional
Registration_number	string	optional
Object_owner	string	optional
expiration_date	string	optional
Tail_color	string	optional
Tail_length	string	optional
Engine_hours	string	optional
Detect_engine	string	optional
Min_moving_speed	string	optional
Min_fuel_filling	string	optional
Min_fuel_theft	string	optional
Snap_road	string	optional
Craated_at	string	optional
Updated_at	string	optional

pivot	object	optional
User_id	String	optional
Device_id	String	optional
Group_id	Null	optional
Current_driver_id	String	optional
Active	String	optional
Timezone_id	null	optional

Traccar	object	optional
Id	string	optional
Name	string	optional
Unique_id	string	optional
latestPosition_id	string	optional

lastValidLatitude	string	optional
lastValidLongitude	string	optional
Other	string	optional
Speed	string	optional
Time	string	optional
Server_time	string	optional
Acl_time	Null	optional
altitude	String	optional
Course	String	optional
Power	Null	optional
Address	null	optional
Protocol	string	optional
Latest_position	string	optional

icon	object	optional
Id	string	optional
Order	string	optional
Width	string	optional
Height	string	optional
path	string	optional

Sensors	array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
Name	string	optional
Type	string	optional
Tag_name	string	Optional
Add_to_history	string	Optional
On_value	Null	Optional
Off_value	Null	Optional
Shown_value_by	string	Optional
Fuel_tank_name	null	Optional
Full_tank	null	Optional
Full_tank_value	null	Optional
Min_value	null	Optional
Max_value	null	Optional
Formula	null	Optional
Odometer_value_by	Null	Optional
Odometer_value	Null	Optional
Odometer_value_unit	String	Optional

Temperature_max	Null	Optional
Temperature_max_value	Null	optional
Temperature_min	Null	optional
Temperature_min_value	Null	optional
Value	String	optional
Value_formula	String	optional
Show_in_popup	String	optional
Unit_of_measurement	string	optional
On_tag_value	Null	optional
Off_tag_value	Null	optional
On_type	Null	optional
Off_type	Null	optional
Calibrations	Null	optional

services	array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
Name	string	optional
Expiration_by	string	optional
Interval	string	optional
Last_services	string	optional
Trigger_event_left	string	optional
Renew_after_expiration	String	optional
Expires	String	optional
Expires_date	Null	optional
Remind	string	optional
Remind_date	Null	optional
Event_sent	string	optional
Expired	string	optional
Email	string	optional
Mobile_phone	string	optional
Distance_sum	string	optional
Top_speed	string	optional
Move_duraton	string	optional
Stop_duration	string	optional
Fuel_consumption	string	optional

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

GET/add_user_driver_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

<u>Object</u>		
<u>devices</u>	<u>object</u>	<u>Optional</u>
<u>Key</u>	<u>String</u>	<u>Optional</u>
<u>Status</u>	<u>integer</u>	<u>optional</u>

Object		
--------	--	--

Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/add_user_driver

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Object</u>		required
<u>Device_id</u>	<u>Integer</u>	required
<u>Name</u>	<u>String</u>	optional
<u>Rfid</u>	<u>String</u>	optional
<u>Phone</u>	<u>String</u>	optional
<u>Email</u>	<u>String</u>	optional
<u>description</u>	<u>String</u>	optional

Responses application/json

schema

object		
Status	Integer	optional
Items	Object	optional
Name	String	optional
User_id	Integer or string	optional
Created_at	String	optional
Updated_at	String	optional
id	integer	optional

GET/edit_user_driver_data

Definition:-

Query String

Lang	<small>string</small> 1 validations	Required
User_api_hash	<small>string</small> 1 validations	required
User_driver_id	<small>integer</small>	required

Responses application/json

<u>Object</u>		
<u>Item</u>	<u>object</u>	<u>optional</u>
<u>Id</u>	integer {ObjectID}	<u>Required</u>
<u>Device_id</u>	integer {driverPost}	<u>Required</u>
<u>Name</u>	string {driverPost}	<u>required</u>
<u>Rfid</u>	string {driverPost}	<u>optional</u>
<u>Phone</u>	string {driverPost}	<u>optional</u>
<u>Email</u>	string {driverPost}	<u>optional</u>
<u>Description</u>	string {driverPost}	<u>optional</u>
<u>Devices</u>	<u>Object</u>	<u>optional</u>
<u>Key</u>	<u>String</u>	<u>optional</u>
<u>Status</u>	<u>integer</u>	<u>optional</u>

POST/edit_user_driver

Definition:-

Query String

Lang		Required
------	--	----------

	string 1 validations	
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Object</u>		
<u>Item</u>	object	<u>optional</u>
<u>Id</u>	integer {ObjectID}	<u>Required</u>
<u>Device_id</u>	integer {driverPost}	<u>Required</u>
<u>Name</u>	string {driverPost}	<u>required</u>
<u>Rfid</u>	string {driverPost}	<u>optional</u>
<u>Phone</u>	string {driverPost}	<u>optional</u>
<u>Email</u>	string {driverPost}	<u>optional</u>
<u>Description</u>	string {driverPost}	<u>optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_user_driver

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_driver_id	integer	required

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
--------	--	--

Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

Model

Driver

<u>Object</u>		
<u>Date</u>	integer or string	<u>optional</u>
<u>Id</u>	integer or string	<u>optional</u>
<u>User_id</u>	integer or string	<u>optional</u>
<u>Device_id</u>	integer or string	<u>optional</u>
<u>Device_port</u>	Null or string	<u>optional</u>
<u>Name</u>	<u>String</u>	<u>optional</u>
<u>Rfid</u>	<u>String</u>	<u>optional</u>
<u>Phone</u>	<u>String</u>	<u>optional</u>
<u>Email</u>	<u>String</u>	<u>optional</u>
<u>Description</u>	<u>String</u>	<u>optional</u>
<u>Created_at</u>	<u>String</u>	<u>optional</u>
<u>Updated_at</u>	<u>String</u>	<u>optional</u>

<i>devices</i>	object {device}	<i>optional</i>
Id	string	optional
User_id	Integer or null	optional
Tracecar_device_id	string	optional
Icon_id	string	optional
Active	string	optional

Deleted	string	optional
Name	string	optional
Imei	string	optional
Fuel_measurement_id	string	optional
Fuel_quantity	string	optional
Fuel_price	string	optional
Fuel_per_km	string	optional
Sim_number	string	optional
Device_model	string	optional
Plate_number	string	optional
Vin	string	optional
Registration_number	string	optional
Object_owner	string	optional
expiration_date	string	optional
Tail_color	string	optional
Tail_length	string	optional
Engine_hours	string	optional
Detect_engine	string	optional
Min_moving_speed	string	optional
Min_fuel_filling	string	optional
Min_fuel_theft	string	optional
Snap_road	string	optional
Craated_at	string	optional
Updated_at	string	optional

pivot	object	optional
User_id	String	optional
Device_id	String	optional
Group_id	Null	optional
Current_driver_id	String	optional
Active	String	optional
Timezone_id	null	optional

Traccar	object	optional
Id	string	optional
Name	string	optional
Unique_id	string	optional
latestPosition_id	string	optional

lastValidLatitude	string	optional
lastValidLongitude	string	optional
Other	string	optional
Speed	string	optional
Time	string	optional
Server_time	string	optional
Acl_time	Null	optional
altitude	String	optional
Course	String	optional
Power	Null	optional
Address	null	optional
Protocol	string	optional
Latest_position	string	optional

icon	object	optional
Id	string	optional
Order	string	optional
Width	string	optional
Height	string	optional
path	string	optional

Sensors	array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
Name	string	optional
Type	string	optional
Tag_name	string	Optional
Add_to_history	string	Optional
On_value	Null	Optional
Off_value	Null	Optional
Shown_value_by	string	Optional
Fuel_tank_name	null	Optional
Full_tank	null	Optional
Full_tank_value	null	Optional
Min_value	null	Optional
Max_value	null	Optional
Formula	null	Optional
Odometer_value_by	Null	Optional
Odometer_value	Null	Optional
Odometer_value_unit	String	Optional

Temperature_max	Null	Optional
Temperature_max_value	Null	optional
Temperature_min	Null	optional
Temperature_min_value	Null	optional
Value	String	optional
Value_formula	String	optional
Show_in_popup	String	optional
Unit_of_measurement	string	optional
On_tag_value	Null	optional
Off_tag_value	Null	optional
On_type	Null	optional
Off_type	Null	optional
Calibrations	Null	optional

services	array[object]	optional
Id	string	optional
User_id	string	optional
Device_id	string	optional
Name	string	optional
Expiration_by	string	optional
Interval	string	optional
Last_services	string	optional
Trigger_event_left	string	optional
Renew_after_expiration	String	optional
Expires	String	optional
Expires_date	Null	optional
Remind	string	optional
Remind_date	Null	optional
Event_sent	string	optional
Expired	string	optional
Email	string	optional
Mobile_phone	string	optional
Distance_sum	string	optional
Top_speed	string	optional
Move_duraton	string	optional
Stop_duration	string	optional
Fuel_consumption	string	optional

Object		
Device_id	integer	required
Name	String	required
Rfid	String	optional
Phone	String	optional
Email	String	optional
description	String	optional

Command

GET/send_command_data

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

Schema		
Object		
Device_sms	array[object]	<u>Optional</u>

<u>Devices_gprs</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>Optional</u>

<u>Sms_templates</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>String</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>message</u>	<u>Null or string</u>	<u>optional</u>

<u>gprs_templates</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>String</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>message</u>	<u>Null or string</u>	<u>optional</u>

<u>commands</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>string</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>Optional</u>

<u>units</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>string</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>Optional</u>

<u>Number_index</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>integer</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>Optional</u>

<u>actions</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>integer</u>	<u>Optional</u>
<u>value</u>	<u>String</u>	<u>Optional</u>

<u>Device_protocols</u>	array[object]	<u>optional</u>
<u>3</u>	<u>string</u>	<u>Optional</u>

<u>Commands_all</u>	<u>object</u>	<u>optional</u>
<u>default</u>	<u>object</u>	<u>optional</u>
<u>EngineStop</u>	<u>String</u>	<u>optional</u>
<u>EngineResume</u>	<u>String</u>	<u>optional</u>
<u>alarmArm</u>	<u>String</u>	<u>optional</u>
<u>alarmDisarm</u>	<u>String</u>	<u>optional</u>
<u>positionSingle</u>	<u>String</u>	<u>optional</u>
<u>positionPeriodic</u>	<u>String</u>	<u>optional</u>
<u>positionStop</u>	<u>String</u>	<u>optional</u>
<u>movementAlarm</u>	<u>String</u>	<u>optional</u>
<u>setTimezone</u>	<u>String</u>	<u>optional</u>
<u>rebootDevice</u>	<u>String</u>	<u>optional</u>
<u>sendSms</u>	<u>String</u>	<u>optional</u>
<u>custom</u>	<u>String</u>	<u>optional</u>

<u>watch</u>	<u>object</u>	<u>optional</u>
<u>sosNumber</u>	<u>String</u>	<u>optional</u>
<u>alarmSos</u>	<u>String</u>	<u>optional</u>
<u>alarmBattery</u>	<u>String</u>	<u>optional</u>
<u>alarmRemove</u>	<u>String</u>	<u>optional</u>
<u>rebootDevice</u>	<u>String</u>	<u>optional</u>
<u>silenceTime</u>	<u>String</u>	<u>optional</u>
<u>alarmClock</u>	<u>String</u>	<u>optional</u>
<u>setPhonebook</u>	<u>String</u>	<u>optional</u>

<u>Pt502</u>	<u>object</u>	<u>optional</u>
<u>engineStop</u>	<u>String</u>	<u>optional</u>
<u>engineResume</u>	<u>String</u>	<u>optional</u>
<u>status</u>	<u>integer</u>	<u>optional</u>

POST/send_gprs_command

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Object</u>		
<u>Device_id</u>	<u>Integer</u>	<u>optional</u>
<u>Type</u>	<u>String</u>	<u>optional</u>
<u>message</u>	<u>string</u>	<u>optional</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/send_sms_command

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Object</u>		
<u>Message</u>	<u>String</u>	<u>Required</u>
<u>devices</u>	array[integer]	<u>required</u>

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

GET/get_device_commands

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
Device_id	integer	required

array[object]		
<u>Type</u>	<u>String</u>	<u>required</u>
<u>Title</u>	<u>string</u>	<u>Required</u>

<u>attributes</u>	array[object]	<u>optional</u>
<u>Type</u>	string string, ingeter, text, select	<u>required</u>
<u>Name</u>	<u>String</u>	<u>Required</u>
<u>Title</u>	<u>string</u>	<u>required</u>

<u>Options</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>String or integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Default</u>	<u>String or integer</u>	<u>optional</u>
<u>description</u>	<u>string</u>	<u>optional</u>

GPRS Template

GET/get_user_gprs_templates

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

<u>Object</u>		
<u>Items</u>	<u>Object</u>	<u>Optional</u>
user_gprs_templates	<u>object</u>	<u>optional</u>
<u>Total</u>	integer {pagination}	<u>optional</u>
<u>Per_page</u>	integer {pagination}	<u>optional</u>
<u>Current_page</u>	integer {pagination}	<u>optional</u>
<u>Last_page</u>	integer {pagination}	<u>optional</u>

<u>From</u>	integer {pagination}	<u>optional</u>
<u>to</u>	integer {pagination}	<u>optional</u>
<u>Next_page_url</u>	string or null {pagination}	<u>optional</u>
<u>Prev_page_url</u>	string or null {pagination}	<u>optional</u>
<u>url</u>	string {pagination}	<u>optional</u>

<u>Data</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>User_id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Message</u>	<u>String</u>	<u>optional</u>
<u>Created_at</u>	<u>String</u>	<u>optional</u>
<u>Updated_at</u>	<u>String</u>	<u>optional</u>
<u>status</u>	<u>integer</u>	<u>optional</u>

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/add_user_gprs_template_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

Object		
protocols	array[object]	optional
Id	String	optional
title	string	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/add_user_gprs_template

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

object {gprsTemplatePost}		
<u>Title</u>	<u>String</u>	<u>required</u>
<u>Message</u>	<u>String</u>	<u>required</u>
<u>protocol</u>	<u>String</u>	<u>required</u>

Responses application/json

Object		
Status	integer	optional
items	object {gprsTemplate}	optional
Id	Integer	optional
User_id	integer	optional
Title	string	optional
Message	string	optional
protocol	string	optional
Updated_at	string	optional
Created_at	string	

Object		
Status	Integer	optional

errors	object	optional
--------	--------	----------

Object		
Status	Integer	optional
errors	string	optional

GET/edit_user_gprs_template_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_gprs_template_id	integer	required

Responses application/json

Object		
Item	object {gprsTemplate}	optional
Id	Integer	optional
User_id	Integer	optional
Title	string	optional
Message	string	optional
Protocols	string	optional

Updated_at	string	optional
Created_at	string	optional

protocols	array[object]	optional
Id	String	optional
Title	String	optional
status	integer	optional

POST/edit_user_gprs_template

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Object</u>		
<u>Id</u>	integer {ObjectID}	required
<u>Title</u>	string {gprsTemplatePost}	required
<u>Message</u>	string {gprsTemplatePost}	required
<u>protocol</u>	string {gprsTemplatePost}	required

Responses application/json

Object		
protocols	array[object]	optional
Id	String	optional
title	string	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/destroy_user_gprs_template

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_gprs_template_id	integer	required

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/get_user_gprs_message

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_gprs_template_id	integer	required

Responses application/json

schema		
object	array[object]	optional
Status	integer	optional
message	string	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

Model

gprsTemplatePost

<u>Schema</u>		
<u>object</u>		
<u>Title</u>	<u>string</u>	<u>required</u>
<u>Message</u>	<u>string</u>	<u>required</u>
<u>protocol</u>	<u>string</u>	<u>required</u>

Model

gprsTemplate

<u>Schema</u>		
<u>Object</u>		

Id	Integer	optional
User_id	Integer	optional
Title	<u>string</u>	optional
Message	<u>string</u>	optional
Protocol	<u>string</u>	optional
Updated_at	<u>string</u>	optional
Created_at	<u>string</u>	optional

SMS Template

GET/get_user_sms_templates

Definition:-

Query String

Lang	<u>string</u> 1 validations	Required
User_api_hash	<u>string</u> 1 validations	required

Responses application/json

<u>Object</u>		
<u>Items</u>	<u>Object</u>	<u>Optional</u>
user_gprs_templates	<u>object</u>	<u>optional</u>
<u>Total</u>	<u>integer</u> {pagination}	<u>optional</u>
<u>Per_page</u>	<u>integer</u> {pagination}	<u>optional</u>

<u>Current_page</u>	integer {pagination}	<u>optional</u>
<u>Last_page</u>	integer {pagination}	<u>optional</u>
<u>From</u>	integer {pagination}	<u>optional</u>
<u>to</u>	integer {pagination}	<u>optional</u>
<u>Next_page_url</u>	string or null {pagination}	<u>optional</u>
<u>Prev_page_url</u>	string or null {pagination}	<u>optional</u>
<u>url</u>	string {pagination}	<u>optional</u>

<u>Data</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>User_id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Message</u>	<u>String</u>	<u>optional</u>
<u>Created_at</u>	<u>String</u>	<u>optional</u>
<u>Updated_at</u>	<u>String</u>	<u>optional</u>
<u>status</u>	<u>integer</u>	<u>optional</u>

400

Object		
Status	Integer	optional
errors	object	optional

401

Object		
Status	Integer	optional
errors	string	optional

GET/add_user_sms_template_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/add_user_sms_template

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

--	--	--

Request Body multipart/form-data

object {smsTemplatePost}		
<u>Title</u>	<u>String</u>	<u>Optional</u>
<u>message</u>	<u>string</u>	<u>optional</u>

Responses application/json

200

Object		
Status	integer	optional
items	object {gprsTemplate}	optional
Id	Integer	optional
User_id	integer	optional
Title	string	optional
Message	string	optional
protocol	string	optional
Updated_at	string	optional
Created_at	string	

400

Object		
Status	Integer	optional
errors	object	optional

401

Object		
Status	Integer	optional
errors	string	optional

GET/edit_user_sms_template_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_sms_template_id	integer	required

Responses application/json

Object		
Item	object {smsTemplate}	optional
id	Integer	optional
User_id	Integer	optional
Title	string	optional
Message	string	optional
Updated_at	string	optional
Created_at	string	optional
status	integer	optional

POST/edit_user_sms_template

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body multipart/form-data

<u>Schema</u>		
<u>Object</u>		
<u>id</u>	integer {ObjectID}	<u>required</u>
<u>Title</u>	string {smsTemplatePost}	<u>Optional</u>
<u>message</u>	string {smsTemplatePost}	<u>optional</u>

Responses application/json

200

schema		
object {success}		
status	integer	optional

400

Object		
Status	Integer	optional
errors	object	optional

401

Object		
Status	Integer	optional

errors	string	optional
--------	--------	----------

GET/destroy_user_sms_template

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_sms_template_id	integer	required

Responses application/json

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/get_user_sms_message

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required
User_sms_template_id	integer	required

Responses application/json

schema		
object {success}		
status	integer	optional
message	string	optional

Model

smsTemplatePost

Schema		
Object		
Title	String	Optional
message	string	optional

Model

smsTemplate

<u>Schema</u>		
<u>Object</u>		
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>User_id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	string	<u>optional</u>
<u>Message</u>	string	<u>optional</u>
<u>Updated_at</u>	string	<u>optional</u>
<u>Created_at</u>	string	<u>optional</u>

Task

GET/get_tasks

Definition

Query String

Ing	string default: en	Required
User_api_hash	string default: en	Required
search_device_id	Integer	optional
search_task_status	integer	optional
search_time_from	string 1 validations	optional
search_time_to	string 1 validations	optional
search_invoice_number	string	optional

Responses

Object		
Status	Integer	optional
Items	object	optional
Total	Integer	optional
Per_page	Integer	optional
Current_page	Integer	optional
Last_page	Integer	optional
From	Integer	optional
to	Integer	optional

<u>Data</u>	array[object] {Task}	optional
<u>Id</u>	<u>integer</u>	optional
<u>Device_id</u>	integer	optional
<u>Title</u>	<u>integer</u>	optional
<u>Comment</u>	<u>String</u>	optional
<u>Priority</u>	<u>String</u>	optional
<u>Status</u>	<u>Integer</u>	optional
<u>Pickup_address</u>	<u>String</u>	optional
pickup_address_lat	<u>Number</u>	optional
pickup_address_lng	<u>number</u>	optional
pickup_time_from	string 1 validations	optional
pickup_time_to	string format: date-time	optional
delivery_address	<u>String</u>	optional
delivery_address_lat	<u>Number</u>	optional
delivery_address_lng	<u>Number</u>	optional
delivery_time_from	string format: date-time	optional
delivery_time_to	string format: date-time	optional
statuses	array[object]	optional
url	<u>String</u>	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET /get_task/{id}

Definition

Path Parameters

<u>id</u>	<u>integer</u>	<u>optional</u>
-----------	----------------	-----------------

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses

<u>Schema</u>		<u>optional</u>
<u>Object</u>		<u>optional</u>
<u>Status</u>	<u>Integer</u>	<u>optional</u>
<u>Items</u>	object {Task}	<u>optional</u>

<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Device_id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Comments</u>	<u>String</u>	<u>optional</u>
<u>Priority</u>	<u>Integer</u>	<u>optional</u>
<u>Status</u>	<u>Integer</u>	<u>optional</u>
<u>Pickup_address</u>	<u>String</u>	<u>optional</u>
pickup_address_lat	<u>Number</u>	<u>optional</u>
pickup_address_lng	<u>Number</u>	<u>optional</u>
pickup_time_from	string format: date-time	<u>optional</u>
pickup_time_to	string format: date-time	<u>optional</u>
delivery_address	<u>String</u>	<u>optional</u>
delivery_address_lat	<u>Number</u>	<u>optional</u>
delivery_address_lng	<u>Number</u>	<u>optional</u>
delivery_time_from	string format: date-time	<u>optional</u>
delivery_time_to	string format: date-time	<u>optional</u>
statuses	array[object]	<u>optional</u>

POST/add_task

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

--	--	--

Request Body

<u>schema</u>		
<u>object</u> {taskPost}		
<u>Device_id</u>		<u>required</u>
<u>Title</u>		<u>required</u>
<u>Comment</u>		<u>required</u>
<u>Priority</u>		<u>required</u>
<u>status</u>		<u>required</u>
pickup_address		<u>required</u>
pickup_address_lat		<u>required</u>
pickup_address_lng		<u>required</u>
pickup_time_from		<u>required</u>
pickup_time_to		<u>required</u>
delivery_address		<u>required</u>
delivery_address_lat		<u>required</u>
delivery_address_lng		<u>required</u>
delivery_time_from		<u>required</u>
delivery_time_to		<u>required</u>
invoice_number		<u>optional</u>

Responses

<u>Schema</u>		<u>optional</u>
<u>Object</u>		<u>optional</u>
<u>Status</u>	<u>Integer</u>	<u>optional</u>
<u>Items</u>	<u>object</u> {Task}	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Device_id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Comments</u>	<u>String</u>	<u>optional</u>
<u>Priority</u>	<u>Integer</u>	<u>optional</u>
<u>Status</u>	<u>Integer</u>	<u>optional</u>
<u>Pickup_address</u>	<u>String</u>	<u>optional</u>

pickup_address_lat	<u>Number</u>	<u>optional</u>
pickup_address_lng	<u>Number</u>	<u>optional</u>
pickup_time_from	string format: date-time	<u>optional</u>
pickup_time_to	string format: date-time	<u>optional</u>
delivery_address	<u>String</u>	<u>optional</u>
delivery_address_lat	<u>Number</u>	<u>optional</u>
delivery_address_lng	<u>Number</u>	<u>optional</u>
delivery_time_from	string format: date-time	<u>optional</u>
delivery_time_to	string format: date-time	<u>optional</u>
statuses	array[object]	<u>optional</u>

400

Object		
Status	Integer	optional
errors	object	optional

401

Object		
Status	Integer	optional
errors	string	optional

POST/edit_task/{id}

Definition

Path Parameters

<u>id</u>	<u>integer</u>	<u>optional</u>
-----------	----------------	-----------------

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

POST/destroy_task

Definition

Query String

Lang	string	Required
------	--------	----------

	1 validations	
User_api_hash	string 1 validations	required

Request Body

<u>id</u>	<u>integer</u>	<u>optional</u>
-----------	----------------	-----------------

Responses

schema		
object {success}		
status	integer	optional

Object		
Status	Integer	optional
errors	object	optional

Object		
Status	Integer	optional
errors	string	optional

GET/get_task_signature/{taskStatusId}

Definition

Path Parameters

taskStatusId	<u>string</u>	<u>required</u>
--------------	---------------	-----------------

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses

Schema		
object		
Status	Integer	Optional
errors	object	optional

Schema		
object		
Status	Integer	Optional
errors	string	optional

GET/get_tasks_statuses

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

--	--	--

Responses

200

<u>Schema</u>		
<u>Object</u>		
<u>status</u>	<u>Integer</u>	<u>optional</u>
<u>Items</u>	<u>Array [object]</u>	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>title</u>	<u>string</u>	<u>optional</u>

400

Schema		
object		
Status	Integer	Optional
errors	object	optional

401

Schema		
object		
Status	Integer	Optional
errors	string	optional

ET/get_tasks_priorities

Definition

Query String

Lang	<div>string</div> <div>1 validations</div>	Required
User_api_hash		required

	<u>string</u> 1 validations	
--	--------------------------------	--

Responses

200

<u>Schema</u>		
<u>Object</u>		
<u>status</u>	<u>Integer</u>	<u>optional</u>
<u>Items</u>	<u>Array [object]</u>	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>title</u>	<u>string</u>	<u>optional</u>

400

Schema		
object		
Status	Integer	Optional
errors	object	optional

401

Schema		
object		
Status	Integer	Optional
errors	string	optional

Model

task

<u>Schema</u>		
<u>Object</u>		
<u>Id</u>	<u>integer</u>	optional
<u>Device_id</u>	<u>integer</u>	optional
<u>Title</u>	<u>string</u>	optional
<u>comment</u>	<u>String</u>	optional
<u>Priority</u>	<u>integer</u>	optional
<u>status</u>	<u>integer</u>	optional

pickup_address	<u>String</u>	optional
pickup_address_lat	<u>Number</u>	optional
pickup_address_lng	<u>Number</u>	optional
pickup_time_from	string format: date-time	optional
pickup_time_to	string format: date-time	optional
delivery_address	<u>String</u>	optional
delivery_address_lat	<u>number</u>	optional
delivery_address_lng	<u>Number</u>	optional
delivery_time_from	string 1 validations	optional
delivery_time_to	string 1 validations	optional
created_at	<u>String</u>	optional
updated_at	<u>String</u>	optional

<u>statuses</u>	array[object] {taskStatus}	optional
<u>Id</u>	<u>Integer</u>	optional
<u>Task_id</u>	<u>Integer</u>	optional
<u>comment</u>	<u>String</u>	optional
<u>Status</u>	<u>Integer</u>	optional
<u>Created_at</u>	<u>String</u>	optional
<u>Updated_at</u>	<u>String</u>	optional
<u>Invoice_number</u>	<u>String</u>	optional

Model

taskPost

<u>Schema</u>	
---------------	--

<u>Object</u>		
<u>Device_id</u>	<u>integer</u>	optional
<u>Title</u>	<u>string</u>	optional
<u>comment</u>	<u>String</u>	optional
<u>Priority</u>	<u>integer</u>	optional
<u>status</u>	<u>integer</u>	optional
pickup_address	<u>String</u>	optional
pickup_address_lat	<u>Number</u>	optional
pickup_address_lng	<u>Number</u>	optional
pickup_time_from	<u>string</u> format: date-time	optional
pickup_time_to	<u>string</u> format: date-time	optional
delivery_address	<u>String</u>	optional
delivery_address_lat	<u>number</u>	optional
delivery_address_lng	<u>Number</u>	optional
delivery_time_from	<u>string</u> 1 validations	optional
delivery_time_to	<u>string</u> 1 validations	optional
invoice_number	<u>String</u>	optional

Model

taskStatus

<u>Schema</u>		
<u>Object</u>		
<u>Id</u>	<u>Integer</u>	optional
<u>Task_id</u>	<u>Integer</u>	optional
<u>Comment</u>	<u>string</u>	optional
<u>status</u>	<u>Integer</u>	optional
<u>Created_at</u>	<u>string</u>	optional
<u>Updated_at</u>	<u>string</u>	optional

Setup

GET/edit_setup_data

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

<u>Schema</u>		
<u>Object</u>		
<u>Id</u>	<u>object</u>	<u>optional</u>
<u>Active</u>	<u>Integer</u>	<u>optional</u>
<u>Group_id</u>	<u>Integer</u>	<u>optional</u>
<u>Manager_id</u>	<u>integer</u>	<u>optional</u>
<u>Billing_plan_id</u>	<u>Null</u>	<u>optional</u>
<u>Map_id</u>	<u>Null</u>	<u>optional</u>
<u>Devices_limits</u>	<u>integer</u>	<u>optional</u>
<u>Email</u>	<u>Null</u>	<u>optional</u>
<u>password</u>	<u>string</u>	<u>optional</u>
subscription_expiration	<u>string</u>	<u>optional</u>
<u>Logged_at</u>	<u>string</u>	<u>optional</u>
<u>Api_hash</u>	<u>string</u>	<u>optional</u>
	<u>string</u>	<u>optional</u>

<u>Available_maps</u>	<u>object</u>	<u>optional</u>
<u>1</u>	<u>integer</u>	<u>optional</u>
<u>2</u>	<u>integer</u>	<u>optional</u>
<u>3</u>	<u>integer</u>	<u>optional</u>
<u>4</u>	<u>integer</u>	<u>optional</u>
<u>5</u>	<u>integer</u>	<u>optional</u>
<u>6</u>	<u>integer</u>	<u>optional</u>
<u>7</u>	<u>integer</u>	<u>optional</u>
<u>8</u>	<u>integer</u>	<u>optional</u>
<u>9</u>	<u>integer</u>	<u>optional</u>
sms_gateway_app_date	<u>string</u>	<u>optional</u>

sms_gateway_params	<u>object</u>	<u>optional</u>
request_method	<u>string</u>	<u>optional</u>
authentication	<u>string</u>	<u>optional</u>
<u>Username</u>	<u>string</u>	<u>optional</u>
<u>Password</u>	<u>Null</u>	<u>optional</u>
<u>encoding</u>	<u>null</u>	<u>optional</u>
open_geofence_groups	<u>string</u>	<u>optional</u>
open_device_groups	<u>string</u>	<u>optional</u>
<u>Created_at</u>	<u>string</u>	<u>optional</u>
<u>Updated_at</u>	<u>string</u>	<u>optional</u>
unit_of_altitude	<u>string</u>	<u>optional</u>
<u>lang</u>	<u>string</u>	<u>optional</u>
unit_of_distance	<u>string</u>	<u>optional</u>
unit_of_capacity	<u>string</u>	<u>optional</u>
timezone_id	<u>string</u>	<u>optional</u>
sms_gateway	<u>string</u>	<u>optional</u>
sms_gateway_url	<u>string</u>	<u>optional</u>

<u>timezones</u>	<u>array[object]</u>	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>

units_of_distance	<u>array[object]</u>	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>

<u>value</u>	<u>string</u>	<u>Optional</u>
--------------	---------------	-----------------

units_of_capacity	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>

units_of_altitude	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>value</u>	<u>string</u>	<u>Optional</u>
<u>Groups</u>	array[object]	<u>Optional</u>
sms_queue_count	<u>Integer</u>	<u>Optional</u>

request_method_select	array[object]	<u>optional</u>
<u>Id</u>	<u>string</u>	<u>optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

encoding_select	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer or string</u>	<u>optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

authentication_select	array[object]	<u>optional</u>
<u>Id</u>	<u>integer</u>	<u>optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

Dst_types	array[object]	<u>optional</u>
<u>Id</u>	<u>String</u>	<u>optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

user_dst	<u>null</u>	<u>optional</u>
----------	-------------	-----------------

<u>Months</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>String</u>	<u>optional</u>
<u>value</u>	<u>String</u>	<u>optional</u>

<u>weakdays</u>	<u>object</u>	<u>optional</u>
<u>Monday</u>	<u>String</u>	<u>optional</u>
<u>Tuesday</u>	<u>String</u>	<u>optional</u>
<u>Wednesday</u>	<u>String</u>	<u>optional</u>
<u>Thursday</u>	<u>String</u>	<u>optional</u>
<u>Friday</u>	<u>String</u>	<u>optional</u>
<u>Saturday</u>	<u>String</u>	<u>optional</u>
<u>sunday</u>	<u>String</u>	<u>optional</u>

<u>Week_pos</u>	<u>Object</u>	<u>optional</u>
<u>First</u>	<u>String</u>	<u>optional</u>
<u>last</u>	<u>String</u>	<u>optional</u>

<u>Dst_countries</u>	array[object]	<u>optional</u>
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Value</u>	<u>String</u>	<u>optional</u>
<u>status</u>	<u>Integer</u>	<u>optional</u>

Schema		
object		
Status	Integer	Optional
errors	object	optional

Schema		
object		
Status	Integer	Optional

errors	string	optional
--------	--------	----------

POST/edit_setup

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body application/json

<u>Schema</u>		
<u>Object</u>		
unit_of_distance	<u>string</u>	required
unit_of_capacity	<u>string</u>	required
unit_of_altitude	<u>string</u>	required
timezone_id	<u>integer</u>	required

<u>groups</u>	array[object]	required
<u>Id</u>	<u>Integer</u>	<u>optional</u>
<u>Title</u>	<u>String</u>	<u>optional</u>
<u>Sms_gateway</u>	<u>integer</u>	required
request_method	<u>String</u>	<u>optional</u>
encoding	<u>Integer</u>	<u>optional</u>
authentication	<u>Integer</u>	<u>optional</u>
username	<u>String</u>	<u>optional</u>
password	<u>String</u>	<u>optional</u>
auth_id	<u>String</u>	<u>optional</u>

auth_token	<u>String</u>	<u>optional</u>
senders_phone	<u>String</u>	<u>optional</u>
sms_gateway_url	<u>String</u>	<u>optional</u>
week_start_day	<u>Integer</u>	<u>optional</u>
dst_type	<u>string</u> exact, other, automatic	<u>optional</u>
date_from	<u>string</u> format: date-time	<u>optional</u>
date_to	<u>string</u> 1 validations	<u>optional</u>
month_from	<u>integer</u>	<u>optional</u>
month_to	<u>integer</u>	<u>optional</u>
week_pos_from	<u>integer</u>	<u>optional</u>
week_pos_to	<u>integer</u>	<u>optional</u>
week_day_from	<u>integer</u>	<u>optional</u>
week_day_to	<u>integer</u>	<u>optional</u>
time_from	<u>string</u> 1 validations	<u>optional</u>
time_to	<u>string</u> 1 validations	<u>optional</u>
dst_country_id	<u>Integer</u>	<u>optional</u>

Responses application/json

Schema		
object		
Status	Integer	Optional

Schema		
object		
Status	Integer	Optional
errors	object	optional

Schema		
object		
Status	Integer	Optional
errors	string	optional

GET/get_user_data

Definition:-

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Responses application/json

<u>Schema</u>		
<u>Object</u>		
<u>Email</u>	<u>String</u>	<u>optional</u>
<u>Expiration_date</u>	<u>Null or string</u>	<u>optional</u>
<u>Days_left</u>	<u>Null or integer</u>	<u>optional</u>
<u>plan</u>	<u>String</u>	<u>optional</u>
<u>Devices_limits</u>	<u>Integer</u>	<u>optional</u>
<u>Groups_id</u>	<u>integer</u>	<u>optional</u>

Schema		
object		
Status	Integer	Optional
errors	object	optional

Schema		
object		
Status	Integer	Optional
errors	string	optional

POST/change_password

Definition

Query String

Lang	string 1 validations	Required
User_api_hash	string 1 validations	required

Request Body

<u>Schema</u>		
<u>Object</u>		
<u>password</u>	<u>string</u>	<u>optional</u>

Responses

Schema		
object		
Status	Integer	Optional
errors	object	optional

Schema		
object		
Status	Integer	Optional
errors	string	optional

Model

user