SKYNET TECHNOLOGIES
Free Accessibility Checker

Accessibility Report

skeffling.net

Generated on January 10, 2026

Accessibility Report

URL https://skeffling.net/logscrub
Last Updated: January 10, 2026

Accessibility Score



Automated Accessibility score has limitations, click here to learn more

WCAG 2.0, 2.1 & 2.2



A AA AAA

Semi compliant under **WCAG 2.0, 2.1 & 2.2**

Clickables
Not Applicable or It May Require Manual Audit

Titles
0 Passed 3 Failed

Lists
Not Applicable or It May Require Manual Audit

Graphics
Not Applicable or It May Require Manual Audit

Forms
1 Passed 4 Failed

Document
3 Passed 0 Failed

Readability
29 Passed 124 Failed

Tables
Not Applicable or It May Require Manual Audit

General
19 Passed 2 Failed

Content

Audio/Video

Not Applicable or It May Require Manual Audit

Not Applicable or It May Require Manual Audit

Clickables

Description	WCAG 2.0, 2.1 & 2.2	Status
Anchor link should not be empty Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Buttons should be labelled properly Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Link should have a valid attributes Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Links that open in new tabs/windows should be tagged for assistive technology Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A AA AAA	Not Applicable or It May Require Manual Audit

Titles

Description	WCAG 2.0, 2.1 & 2.2	Status
Heading tag should not be empty. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Page must contain a element Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	1 Failures
Titles should have a consistent hierarchy Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit

A title should be provided for the document, using a non-empty title element in the head section Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	2 Failures

Lists

Description	WCAG 2.0, 2.1 & 2.2	Status
List item should contain a valid elements. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
List item has a , or role="list" parent element. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Ordered lists should be marked using element Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Unordered lists should be marked using element Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Description list item should have a parent element Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Description list should contain valid children elements Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind | Elderly	A	Not Applicable or It May Require Manual Audit

Graphics

Description	WCAG 2.0, 2.1 & 2.2	Status
All img tags must have alt attributes. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Img element with empty alt text must have absent or empty title attribute. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Non-functional icons/spacers should be excluded from assistive technology Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit

Forms

Description	WCAG 2.0, 2.1 & 2.2	Status
Hidden input field should not contain a label Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit
All Form fields should be labelled properly. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind | ADHD(Attention deficit hyperactivity disorder)	A	4 Failures 1 Successes
Autocomplete attribute must be used correctly Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | Seizure & Epileptic | Elderly		Not Applicable or It May Require Manual Audit
Form labels and accessible name should match Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit

All Forms should contain a submit button. Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Incorrect use of aria-describedby/labeledby Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Custom controls have ARIA roles Disabilities Affected: Visually Impaired | Blind	A	Not Applicable or It May Require Manual Audit
Custom controls have associated labels Disabilities Affected: Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit
Interactive controls are keyboard focusable Disabilities Affected: Visually Impaired | Motor Impaired | ADHD(Attention deficit hyperactivity disorder) | Elderly	A	Not Applicable or It May Require Manual Audit
Interactive elements indicate their purpose and state Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Provide Users the Option to Extend or Adjust Time Limits Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | ADHD(Attention deficit hyperactivity disorder) | Elderly	A	Not Applicable or It May Require Manual Audit

Document

Description	WCAG 2.0, 2.1 & 2.2	Status
The html element should have a valid lang attribute. Disabilities Affected:	A	1 Successes

Visually Impaired | Cognitive & Learning | ADHD(Attention deficit hyperactivity disorder)		
Meta viewport allows display scaling of at least 200%. Disabilities Affected: Visually Impaired | Elderly		1 Successes
element should not have "aria-hidden" attribute. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	1 Successes
Element must have a valid landmark. Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit

Readability

Description	WCAG 2.0, 2.1 & 2.2	Status
A contrast ratio of at least 3:1 should be provided. Disabilities Affected: Visually Impaired | Color Blind | Dyslexia | Elderly	AA AAA	124 Failures 27 Successes
Inline text spacing must be adjustable. Disabilities Affected: Visually Impaired | Elderly		1 Successes
Text line height must be adjustable. Disabilities Affected: Visually Impaired | Dyslexia | Elderly		1 Successes
Links can be distinguished from surrounding text in some way other than by color Disabilities Affected: Visually Impaired | Color Blind | Elderly	A	Not Applicable or It May Require Manual Audit

Tables

Description	WCAG 2.0, 2.1 & 2.2	Status
Headers attribute on td should be valid. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Table headings should be defined properly Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Layout tables must not contain captions. Disabilities Affected: Visually Impaired | Cognitive & Learning	A	Not Applicable or It May Require Manual Audit
Data tables should have caption element. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
Scope attribute must be used on th elements. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit

General

Description	WCAG 2.0, 2.1 & 2.2	Status
Elements should not have duplicate ID attributes Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | Dyslexia | ADHD(Attention deficit hyperactivity disorder) | Elderly	A	2 Successes
Obsolete presentational markup should not be used. Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired |	A	Not Applicable or It May Require Manual Audit

Blind

Iframe element requires a non-empty title attribute that identifies the frame. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind | ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Every page should include hidden links that allow skipping blocks Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Element should have a valid "presentation" role and only one role attribute Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired		Not Applicable or It May Require Manual Audit
ARIA attributes should be valid. Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	2 Failures 4 Successes
Accessible names for elements do not contain the visible label text. Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	Not Applicable or It May Require Manual Audit
While Popup is opened, it should contain at least one focusable element. Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Element does not have focusable descendants Disabilities Affected: Visually Impaired | Cognitive & Learning | Blind	A	13 Successes
Elements should not have tabindex greater than zero Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit
User focus is not accidentally trapped Disabilities Affected: Visually Impaired | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit

The page has a logical tab order Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit
The user's focus is directed to new content added to the page Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit
Off-screen content is hidden from assistive technology Disabilities Affected: Visually Impaired | Blind	A	Not Applicable or It May Require Manual Audit
Visual order on the page follows DOM order Disabilities Affected: Visually Impaired | Cognitive & Learning | Motor Impaired | Blind	A	Not Applicable or It May Require Manual Audit

Content

Description	WCAG 2.0, 2.1 & 2.2	Status
Web pages must avoid content that flashes or blinks more than three times per second. Disabilities Affected: Cognitive & Learning | Seizure & Epileptic	A AA AAA	Not Applicable or It May Require Manual Audit
If a webpage includes flashing content, a clear warning should be provided beforehand, giving users the option to skip or avoid it. Disabilities Affected: Cognitive & Learning | Seizure & Epileptic	A AA AAA	Not Applicable or It May Require Manual Audit

Audio/Video

Description	WCAG 2.0, 2.1 & 2.2	Status

Web content with animations, flashing, or auto-playing videos must include controls to pause, stop, or hide the content.

A | AA | AAA

Not Applicable or It May Require Manual Audit

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Blind | Seizure & Epileptic | ADHD(Attention deficit hyperactivity disorder) | Elderly

Page must contain a element

Ensures that the page, or at least one of its frames, contains an h1 element that appears before the start of the main content to allow screen reader users to use keyboard shortcuts to navigate the heading structure instead of wasting time listening to more of the web page to understand its structure.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2
A 1.3.1 Info and Relationships
AA 2.4.6 Headings and Labels

Index	Elements	Status
1	`<html lang="en">`	Failed

A title should be provided for the document, using a non-empty title element in the head section

Screen reader users use page titles to get an overview of the contents of the page. The page title element is the first thing screen reader users hear when first loading a web page.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2
A 2.4.2 Page Titled

Index	Elements	Status
1	`<select class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Failed
2	`<select disabled="" class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Failed

All Form fields should be labelled properly.

Provide every form control a label using aria-label, aria-labelledby. The title and aria-describedby attributes are

used to provide additional information such as a hint.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind | ADHD(Attention deficit hyperactivity disorder)

WCAG 2.0, 2.1 & 2.2

- A 1.3.1 Info and Relationships
- A 4.1.2 Name, Role, Value
- A 3.3.2 Labels or Instructions

Index	Elements	Status
1	`<select class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300"><option value="label">Label</op...</select>`	Failed
2	`<select disabled="" class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300"><option value="label">Label</op...</select>`	Failed
3	`<input type="text" placeholder="Search rules... (e.g. ip4, phone)" class="w-full px-3 py-1.5 text-sm border dark:border-gray-600 rounded-md mb-3 bg-white dark:bg-gray-700 dark:text-white placeholder-gray-400 dark:placeholder-gray-500 focus:outline-no...`	Failed
4	`<input type="file" accept=".json" class="hidden">`	Failed
5	`<input type="checkbox" class="rounded border-gray-300 dark:border-gray-600 text-blue-600 focus:ring-blue-500 bg-white dark:bg-gray-700" checked="">`	Success
6	`<select class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Success
7	`<input type="checkbox" class="rounded border-gray-300 dark:border-gray-600 text-blue-600 focus:ring-blue-500 bg-white dark:bg-gray-700">`	Success
8	`<select disabled="" class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-`	Success

	`white dark:bg-gray-700 dark:text-gray-300">`	
9	`<input type="text" placeholder="Search rules... (e.g. ip4, phone)" class="w-full px-3 py-1.5 text-sm border dark:border-gray-600 rounded-md mb-3 bg-white dark:bg-gray-700 dark:text-white placeholder-gray-400 dark:placeholder-gray-500 focus:outline-none focus:ring-1 focus:ring-blue-500 flex-shrink-0" value="">`	Success
10	`<textarea aria-label="Original log content - paste or type your log text here" class="w-full h-full p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg resize-none focus:ring-2 focus:ring-blue-500 focus:border-transparent bg-white dark:bg-gray-800 text-gray-900 dark:text-gray-100">`	Success

The html element should have a valid lang attribute.

It is essential to specify a valid language and ensure that it is valid so website text is pronounced correctly.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | ADHD(Attention deficit hyperactivity disorder)

WCAG 2.0, 2.1 & 2.2
A 3.1.1 Language of Page

Index	Elements	Status
1	`<html lang="en">`	Success

Meta viewport allows display scaling of at least 200%.

The document must not use the user-scalable="no" parameter in the element because it disables text scaling and zooming which is essential to users with low vision.

Disabilities Affected:
Visually Impaired | Elderly

WCAG 2.0, 2.1 & 2.2
AA 1.4.4 Resize Text

Index	Elements	Status
1	`<meta name="viewport" content="width=device-width, initial-scale=1.0">`	Success

element should not have "aria-hidden" attribute.

The document must not use the user-scalable="no" parameter in the element because it disables text scaling and zooming which is essential to users with low vision.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2
A 4.1.2 Name, Role, Value

Index	Elements	Status
1	`<body>`	Success

A contrast ratio of at least 3:1 should be provided.

All text elements must have sufficient contrast between text in the foreground and background colors behind it in accordance with WCAG 2 AA contrast ratio thresholds.

Disabilities Affected:
Visually Impaired | Color Blind | Dyslexia | Elderly

WCAG 2.0, 2.1 & 2.2
AA 1.4.3 Contrast (Minimum)
AAA 1.4.6 Contrast (Enhanced)

Index	Elements	Status
1	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-0" class="cursor-grab active:cursor-grabbing text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 select-none px-0.5 touch...`	Failed
2	`<span class="text-gray-300 dark:text-gray-600">|</span>`	Failed
3	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-7" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed

4	`<span class="text-green-500 mt-0.5">⌕</span>`	Failed
5	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-2" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
6	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-8" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
7	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-1" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
8	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-3" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
9	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-6" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
10	`<span class="text-gray-300 dark:text-gray-600 hidden md:inline">|</span>`	Failed
11	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span>`	Failed
12	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-5" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500`	Failed

	dark:text-gray-600 dark:hover:text-gray-400 selec...	
13	(4/4)	Failed
14	(1/4)	Failed
15	Getting Started:	Failed
16	Upload	Failed
17	<a href="https://ko-fi.com/pitstopper" target="_blank" rel="noopener noreferrer" class="text-sm text-orange-500 hover:text-orange-600 dark:text-orange-400 dark:hover:text-orange-300 hidden sm:inline" title="Buy us a coffee!">☕ Ko-fi</a>	Failed
18	<button class="text-sm hidden md:block text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">Go to Line</button>	Failed
19	PII Detection	Failed
20	API Key & Secret Removal	Failed
21	Credit Card Masking	Failed
22	IP Address Anonymization	Failed
23	Timestamp Shifting	Failed
24	Custom Regex Rules	Failed

25	`<strong>Large File Support</strong>`	Failed
26	`<strong>Multiple Output Formats</strong>`	Failed
27	`<strong>100% Client-Side</strong>`	Failed
28	`<h2 class="text-sm font-medium text-gray-800 dark:text-gray-200 mb-2">Why sanitize your logs?</h2>`	Failed
29	`<strong>posting to GitHub issues</strong>`	Failed
30	`<strong>compliance teams</strong>`	Failed
31	`<strong>sanitized test datasets</strong>`	Failed
32	`<span class="text-purple-600 dark:text-purple-400">Analyze</span>`	Failed
33	`<span class="text-blue-600 dark:text-blue-400">Scrub</span>`	Failed
34	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-4" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 selec...`	Failed
35	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-fu...</button>`	Failed
36	`<span class="text-sm text-gray-500 dark:text-gray-400 hidden sm:inline cursor-help" title="Your data never leaves your browser.">100% client-side</span>`	Failed

37	`<span class="text-xs text-gray-500 dark:text-gray-400 mr-1">Set all:</span>`	Failed
38	`<button class="text-xs px-2 py-1 rounded bg-blue-100 dark:bg-blue-900 text-blue-700 dark:text-blue-300 hover:bg-blue-200 dark:hover:bg-blue-800" title="Manage rule presets - save, load, or use built-in presets">▶ Presets</button>`	Failed
39	`<button class="text-xs px-2 py-1 rounded bg-green-100 dark:bg-green-900 text-green-700 dark:text-green-300 hover:bg-green-200 dark:hover:bg-green-800" title="Add a custom regex pattern for detecting PII">+ Regex</button>`	Failed
40	`<button class="text-xs px-2 py-1 rounded bg-orange-100 dark:bg-orange-900 text-orange-700 dark:text-orange-300 hover:bg-orange-200 dark:hover:bg-orange-800" title="Add exact text to match and replace (e.g., hostnames)">+ Text</button>`	Failed
41	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Contact">All</button>`	Failed
42	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Contact">None</button>`	Failed
43	`<span class="text-xs text-gray-500 dark:text-gray-400">(3/6)</span>`	Failed
44	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Network">All</button>`	Failed
45	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Network">None</button>`	Failed
46	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable`	Failed

	`all rules in Identity (US)">All</button>`	
47	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (US)">None</button>`	Failed
48	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/2)</span>`	Failed
49	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (UK)">All</button>`	Failed
50	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (UK)">None</button>`	Failed
51	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (Intl)">All</button>`	Failed
52	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (Intl)">None</button>`	Failed
53	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Financial">All</button>`	Failed
54	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Financial">None</button>`	Failed
55	`<span class="text-xs text-gray-500 dark:text-gray-400">(12/12)</span>`	Failed
56	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Tokens & Keys">All</button>`	Failed

57	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Tokens & Keys">None</button>`	Failed
58	`<span class="text-xs text-gray-500 dark:text-gray-400">(5/6)</span>`	Failed
59	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Secrets">All</button>`	Failed
60	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Secrets">None</button>`	Failed
61	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Location">All</button>`	Failed
62	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Location">None</button>`	Failed
63	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/7)</span>`	Failed
64	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Date & Time">All</button>`	Failed
65	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Date & Time">None</button>`	Failed
66	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in SQL">All</button>`	Failed

67	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in SQL">None</button>`	Failed
68	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/5)</span>`	Failed
69	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Exim">All</button>`	Failed
70	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Exim">None</button>`	Failed
71	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/4)</span>`	Failed
72	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Hashes">All</button>`	Failed
73	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Hashes">None</button>`	Failed
74	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Other">All</button>`	Failed
75	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Other">None</button>`	Failed
76	`<p class="text-xs text-gray-500 dark:text-gray-400 mt-1 ml-6">Same input → same replacement</p>`	Failed
77	`<label class="text-xs text-blue-600 hover:text-blue-800 dark:text-blue-400 dark:hover:text-blue-300 flex items-`	Failed

	`center gap-1 cursor-pointer" title="Upload a log file (.log, .txt, .json, .xml, .csv, .zip, .gz). Compressed files are automatically extracted.">`	
78	`<label class="text-sm font-medium text-gray-500 dark:text-gray-400 bg-gray-50 dark:bg-gray-900 px-2 py-0.5 rounded-t border-t border-l border-r dark:border-gray-600 -mb-px ml-3">Scrubbed</label>`	Failed
79	`<div class="flex-1 min-h-0 p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg bg-gray-50 dark:bg-gray-900 text-gray-500 dark:text-gray-400 overflow-auto">Scrubbed output will appear here...</div>`	Failed
80	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Diff</button>`	Failed
81	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Syntax</button>`	Failed
82	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Sync Scroll</button>`	Failed
83	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">`	Failed
84	`<h1 class="text-lg font-semibold text-gray-900 dark:text-white mb-2">Free Online Log Scrubber & PII Redaction Tool</h1>`	Failed
85	`<p class="text-sm text-gray-700 dark:text-gray-300 mb-3">Securely remove sensitive data from logs, text files, and documents. All processing happens in your browser — your data never leaves your device.</p>`	Failed

86	`<span><strong>PII Detection</strong> – emails, phone numbers, SSNs, addresses</span>`	Failed
87	`<span><strong>API Key & Secret Removal</strong> – AWS, Stripe, GitHub tokens</span>`	Failed
88	`<span><strong>Credit Card Masking</strong> – PCI-DSS compliant redaction</span>`	Failed
89	`<span><strong>IP Address Anonymization</strong> – IPv4 and IPv6 support</span>`	Failed
90	`<span><strong>Timestamp Shifting</strong> – anonymize log timestamps</span>`	Failed
91	`<span><strong>Custom Regex Rules</strong> – define your own patterns</span>`	Failed
92	`<span><strong>Large File Support</strong> – handles 100MB+ logs</span>`	Failed
93	`<span><strong>Multiple Output Formats</strong> – .txt, .zip, .gz download</span>`	Failed
94	`<span><strong>100% Client-Side</strong> – GDPR & privacy friendly</span>`	Failed
95	`<p class="text-sm text-gray-600 dark:text-gray-400 leading-relaxed">`	Failed
96	`<strong>Share logs safely with AI assistants</strong>`	Failed
97	`<textarea aria-label="Original log content - paste or type your log text here" class="w-full h-full p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg resize-none focus:ring-2 focus:ring-blue-500`	Failed

	focus:border-transparent bg-white dark:bg-gray-800 text-gray-900 dark:text-gray-100">	
98	1. Paste logs here, or use Upload/drag & drop	Failed
99	2. Click Analyze to detect PII and get rule suggestions	Failed
100	3. Enable/disable rules in Detection Rules panel	Failed
101	4. Click Scrub to apply replacements	Failed
102	5. Use diff view, fullscreen, and other tools to review, then Copy or Download	Failed
103	⚠ Always double-check for PII before sharing the file!	Failed
104	<h1 class="text-lg font-semibold text-gray-900 dark:text-white mb-2">Free Online Log Scrubber & ...</h1>	Failed
105	Securely remove sensitive data ...	Failed
106	PII Detection ...	Failed
107	API Key & Secret Re...	Failed
108	Credit Card Masking</st...	Failed
109	IP Address Anonymizatio...	Failed

110	`<span><strong>Timestamp Shifting</str...</span>`	Failed
111	`<span><strong>Custom Regex Rules</str...</span>`	Failed
112	`<span><strong>Large File Support</str...</span>`	Failed
113	`<span><strong>Multiple Output Formats...</span>`	Failed
114	`<span><strong>100% Client-Side</stron...</span>`	Failed
115	`<p class="text-sm text-gray-600 dark:text-gray-400 leading-relaxed"><strong>Share logs safely with ...</p>`	Failed
116	`<strong>Share logs safely with AI assis...</strong>`	Failed
117	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-fu...</button>`	Failed
118	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><svg class="w-4 h-4" fill="none...</button>`	Failed
119	`<p>1. Paste logs here, or use <spa...</p>`	Failed
120	`<p>2. Click <span class="text-purp...</p>`	Failed
121	`<p>3. Enable/disable rules in Dete...</p>`	Failed
122	`<p>4. Click <span class="text-blue...</p>`	Failed

123	`<p>5. Use diff view, fullscreen, a...</p>`	Failed
124	`<p class="text-yellow-600 dark:text-yellow-500 mt-2">⚠ Always double-check for PII b...</p>`	Failed
125	`<select class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Success
126	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span>`	Success
127	`<h1 class="text-xl font-bold text-gray-900 dark:text-white">LogScrub</h1>`	Success
128	`<a href="./help.html" class="text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-white">Help</a>`	Success
129	`<button class="text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-white">About</button>`	Success
130	`<a href="https://ko-fi.com/pitstopper" target="_blank" rel="noopener noreferrer" class="text-sm text-orange-500 hover:text-orange-600 dark:text-orange-400 dark:hover:text-orange-300 hidden sm:inline" title="Buy us a coffee!">☕ Ko-fi</a>`	Success
131	`<h1 class="text-lg font-semibold text-gray-900 dark:text-white mb-2">Free Online Log Scrubber & PII Redaction Tool</h1>`	Success
132	`<p class="text-sm text-gray-700 dark:text-gray-300 mb-3">Securely remove sensitive data from logs, text files, and documents. All processing happens in your browser — your data never leaves your device.</p>`	Success
133	`<span><strong>PII Detection</strong> — emails, phone`	Success

	numbers, SSNs, addresses	
134	PII Detection	Success
135	API Key & Secret Removal — AWS, Stripe, GitHub tokens	Success
136	API Key & Secret Removal	Success
137	Credit Card Masking — PCI-DSS compliant redaction	Success
138	Credit Card Masking	Success
139	IP Address Anonymization — IPv4 and IPv6 support	Success
140	IP Address Anonymization	Success
141	Timestamp Shifting — anonymize log timestamps	Success
142	Timestamp Shifting	Success
143	Custom Regex Rules — define your own patterns	Success
144	Custom Regex Rules	Success
145	Large File Support — handles 100MB+ logs	Success
146	Large File Support	Success

147	`<span><strong>Multiple Output Formats</strong> — .txt, .zip, .gz download</span>`	Success
148	`<strong>Multiple Output Formats</strong>`	Success
149	`<span><strong>100% Client-Side</strong> — GDPR & privacy friendly</span>`	Success
150	`<strong>100% Client-Side</strong>`	Success
151	`<h2 class="text-sm font-medium text-gray-800 dark:text-gray-200 mb-2">Why sanitize your logs?</h2>`	Success
152	`<p class="text-sm text-gray-600 dark:text-gray-400 leading-relaxed">`	Success
153	`<strong>Share logs safely with AI assistants</strong>`	Success
154	`<strong>posting to GitHub issues</strong>`	Success
155	`<strong>compliance teams</strong>`	Success
156	`<strong>sanitized test datasets</strong>`	Success
157	`<h2 class="font-semibold text-gray-900 dark:text-white">Detection Rules</h2>`	Success
158	`<input type="text" placeholder="Search rules... (e.g. ip4, phone)" class="w-full px-3 py-1.5 text-sm border dark:border-gray-600 rounded-md mb-3 bg-white dark:bg-gray-700 dark:text-white placeholder-gray-400 dark:placeholder-gray-500 focus:outline-none focus:ring-1 focus:ring-blue-500 flex-shrink-0" value="">`	Success
	`<button class="text-xs px-2 py-1 rounded-l bg-gray-100`	Success

159	`dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use label replacement strategy">Label</button>`	
160	`<button class="text-xs px-2 py-1 rounded bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use fake replacement strategy">Fake</button>`	Success
161	`<button class="text-xs px-2 py-1 rounded bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use redact replacement strategy">Redact</button>`	Success
162	`<button class="text-xs px-2 py-1 rounded-l bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use template replacement strategy">Template</button>`	Success
163	`<input type="file" accept=".json" class="hidden">`	Success
164	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Contact<span class="text-xs text-gray-500 dark:text-gray-400">(4/4)</span></button>`	Success
165	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Emails</span>`	Success
166	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Phone (US)</span>`	Success
167	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Phone (UK)</span>`	Success
168	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Phone (Intl)</span>`	Success
		Success

169	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Network<span class="text-xs text-gray-500 dark:text-gray-400">(3/6)</span></button>`	
170	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">IPv4 Addresses</span>`	Success
171	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">IPv6 Addresses</span>`	Success
172	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">MAC Addresses</span>`	Success
173	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Hostnames</span>`	Success
174	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">URLs</span>`	Success
175	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">URL Parameters</span>`	Success
176	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (US)<span class="text-xs text-gray-500 dark:text-gray-400">(1/4)</span></button>`	Success
177	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">SSN</span>`	Success
178	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">US ITIN</span>`	Success
179	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Passport Numbers</span>`	Success

180	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Driver's License</span>`	Success
181	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (UK)<span class="text-xs text-gray-500 dark:text-gray-400">(0/2)</span></button>`	Success
182	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">UK NHS Number</span>`	Success
183	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">UK National Insurance</span>`	Success
184	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (Intl)<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
185	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">AU Tax File Number</span>`	Success
186	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">India PAN</span>`	Success
187	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Singapore NRIC</span>`	Success
188	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Financial<span class="text-xs text-gray-500 dark:text-gray-400">(4/4)</span></button>`	Success
189	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Credit Cards</span>`	Success

190	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">IBAN</span>`	Success
191	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Bitcoin Addresses</span>`	Success
192	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Ethereum Addresses</span>`	Success
193	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▸</span>Tokens & Keys<span class="text-xs text-gray-500 dark:text-gray-400">(12/12)</span></button>`	Success
194	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">JWT Tokens</span>`	Success
195	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Bearer Tokens</span>`	Success
196	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">AWS Access Keys</span>`	Success
197	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">AWS Secret Keys</span>`	Success
198	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Stripe Keys</span>`	Success
199	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">GCP API Keys</span>`	Success
200	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">GitHub Tokens</span>`	Success
	`<span class="text-sm text-gray-700 dark:text-gray-300`	Success

201	`truncate">Slack Tokens</span>`	
202	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">OpenAI API Keys</span>`	Success
203	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Anthropic API Keys</span>`	Success
204	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">X AI API Keys</span>`	Success
205	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Cerebras API Keys</span>`	Success
206	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Secrets<span class="text-xs text-gray-500 dark:text-gray-400">(5/6)</span></button>`	Success
207	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Generic Secrets</span>`	Success
208	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">High Entropy Secrets</span>`	Success
209	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Private Keys</span>`	Success
210	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Basic Auth</span>`	Success
211	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">URL Credentials</span>`	Success
212	`<span class="text-sm text-gray-700 dark:text-gray-300 truncate">Session IDs</span>`	Success

213	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Location<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
214	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Date & Time<span class="text-xs text-gray-500 dark:text-gray-400">(0/7)</span></button>`	Success
215	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>SQL<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
216	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Exim<span class="text-xs text-gray-500 dark:text-gray-400">(0/5)</span></button>`	Success
217	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Hashes<span class="text-xs text-gray-500 dark:text-gray-400">(0/4)</span></button>`	Success
218	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Other<span class="text-xs text-gray-500 dark:text-gray-400">(1/4)</span></button>`	Success
219	`<span class="text-sm text-gray-700 dark:text-gray-300">Consistency Mode</span>`	Success
220	`<button class="text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-white" title="Hide the detection rules panel">◀ Hide Rules</button>`	Success

221	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Diff</button>`	Success
222	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Syntax</button>`	Success
223	`<button class="text-sm hidden md:block text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">Go to Line</button>`	Success
224	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Sync Scroll</button>`	Success
225	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">`	Success
226	`<label class="text-sm font-medium text-gray-700 dark:text-gray-300 bg-white dark:bg-gray-800 px-2 py-0.5 rounded-t border-t border-l border-r dark:border-gray-600 -mb-px ml-3">Original </label>`	Success
227	`<input type="file" accept=".log,.txt,.json,.xml,.csv,.zip,.gz,.gzip" class="hidden">`	Success
228	`<textarea aria-label="Original log content - paste or type your log text here" class="w-full h-full p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg resize-none focus:ring-2 focus:ring-blue-500 focus:border-transparent bg-white dark:bg-gray-800 text-gray-900 dark:text-gray-100">`	Success
229	`<p>1. Paste logs here, or use <span class="text-blue-600`	Success

	`dark:text-blue-400">Upload</span>/drag & drop</p>`	
230	`<p>2. Click <span class="text-purple-600 dark:text-purple-400">Analyze</span> to detect PII and get rule suggestions</p>`	Success
231	`<span class="text-purple-600 dark:text-purple-400">Analyze</span>`	Success
232	`<p>3. Enable/disable rules in Detection Rules panel</p>`	Success
233	`<p>4. Click <span class="text-blue-600 dark:text-blue-400">Scrub</span> to apply replacements</p>`	Success
234	`<span class="text-blue-600 dark:text-blue-400">Scrub</span>`	Success
235	`<p>5. Use diff view, fullscreen, and other tools to review, then Copy or Download</p>`	Success
236	`<p class="text-yellow-600 dark:text-yellow-500 mt-2">⚠ Always double-check for PII before sharing the file!</p>`	Success
237	`<span class="text-sm text-gray-500 dark:text-gray-400 hidden sm:inline cursor-help" title="Your data never leaves your browser.">100% client-side</span>`	Success
238	`<span class="text-xs text-gray-500 dark:text-gray-400 mr-1">Set all:</span>`	Success
239	`<button class="text-xs px-2 py-1 rounded bg-blue-100 dark:bg-blue-900 text-blue-700 dark:text-blue-300 hover:bg-blue-200 dark:hover:bg-blue-800" title="Manage rule presets - save, load, or use built-in presets">▶ Presets</button>`	Success
240	`<button class="text-xs px-2 py-1 rounded bg-green-100 dark:bg-green-900 text-green-700 dark:text-green-300 hover:bg-green-200 dark:hover:bg-green-800" title="Add a custom regex pattern for detecting PII">+ Regex</button>`	Success

241	`<button class="text-xs px-2 py-1 rounded bg-orange-100 dark:bg-orange-900 text-orange-700 dark:text-orange-300 hover:bg-orange-200 dark:hover:bg-orange-800" title="Add exact text to match and replace (e.g., hostnames)">+ Text</button>`	Success
242	`<span class="text-xs text-gray-500 dark:text-gray-400">(4/4)</span>`	Success
243	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Contact">All</button>`	Success
244	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Contact">None</button>`	Success
245	`<span class="text-xs text-gray-500 dark:text-gray-400">(3/6)</span>`	Success
246	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Network">All</button>`	Success
247	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Network">None</button>`	Success
248	`<span class="text-xs text-gray-500 dark:text-gray-400">(1/4)</span>`	Success
249	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (US)">All</button>`	Success
250	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (US)">None</button>`	Success

251	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/2)</span>`	Success
252	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (UK)">All</button>`	Success
253	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (UK)">None</button>`	Success
254	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (Intl)">All</button>`	Success
255	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (Intl)">None</button>`	Success
256	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Financial">All</button>`	Success
257	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Financial">None</button>`	Success
258	`<span class="text-xs text-gray-500 dark:text-gray-400">(12/12)</span>`	Success
259	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Tokens & Keys">All</button>`	Success
260	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Tokens & Keys">None</button>`	Success

261	`<span class="text-xs text-gray-500 dark:text-gray-400">(5/6)</span>`	Success
262	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Secrets">All</button>`	Success
263	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Secrets">None</button>`	Success
264	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Location">All</button>`	Success
265	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Location">None</button>`	Success
266	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/7)</span>`	Success
267	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Date & Time">All</button>`	Success
268	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Date & Time">None</button>`	Success
269	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in SQL">All</button>`	Success
270	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in SQL">None</button>`	Success
271	`<span class="text-xs text-gray-500 dark:text-`	Success

	`gray-400">(0/5)</span>`	
272	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Exim">All</button>`	Success
273	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Exim">None</button>`	Success
274	`<span class="text-xs text-gray-500 dark:text-gray-400">(0/4)</span>`	Success
275	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Hashes">All</button>`	Success
276	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Hashes">None</button>`	Success
277	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Other">All</button>`	Success
278	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Other">None</button>`	Success
279	`<p class="text-xs text-gray-500 dark:text-gray-400 mt-1 ml-6">Same input → same replacement</p>`	Success
280	`<label class="text-xs text-blue-600 hover:text-blue-800 dark:text-blue-400 dark:hover:text-blue-300 flex items-center gap-1 cursor-pointer" title="Upload a log file (.log, .txt, .json, .xml, .csv, .zip, .gz). Compressed files are automatically extracted.">`	Success
281	`<p class="font-semibold">Getting Started:</p>`	Success

282	`<span class="text-blue-600 dark:text-blue-400">Upload</span>`	Success
283	`<label class="text-sm font-medium text-gray-500 dark:text-gray-400 bg-gray-50 dark:bg-gray-900 px-2 py-0.5 rounded-t border-t border-l border-r dark:border-gray-600 -mb-px ml-3">Scrubbed</label>`	Success
284	`<div class="flex-1 min-h-0 p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg bg-gray-50 dark:bg-gray-900 text-gray-500 dark:text-gray-400 overflow-auto">Scrubbed output will appear here...</div>`	Success

Inline text spacing must be adjustable.

Ensure that text spacing set through style attributes can be adjusted with custom stylesheets.

Disabilities Affected:
Visually Impaired | Elderly

WCAG 2.0, 2.1 & 2.2
AA 1.4.12 Text Spacing (Level AA)

Index	Elements	Status
1	`<div class="flex items-center gap-1" style="opacity: 1; z-index: 0;">`	Success
2	`<div class="border-b dark:border-gray-700 pb-2 last:border-b-0" style="opacity: 1;">`	Success
3	`<div class="flex flex-col min-h-0 min-w-0 relative w-full md:w-0" style="flex: 0 0 50%;">`	Success

Text line height must be adjustable.

Ensure that text spacing set through style attributes can be adjusted with custom stylesheets.

Disabilities Affected:
Visually Impaired | Dyslexia | Elderly

WCAG 2.0, 2.1 & 2.2
AA 1.4.12 Text Spacing (Level AA)

Index	Elements	Status
1	`<div class="flex items-center gap-1" style="opacity: 1; z-index: 0;">`	Success
2	`<div class="border-b dark:border-gray-700 pb-2 last:border-b-0" style="opacity: 1;">`	Success
3	`<div class="flex flex-col min-h-0 min-w-0 relative w-full md:w-0" style="flex: 0 0 50%;">`	Success

Elements should not have duplicate ID attributes

The value assigned to an ID attribute must be unique to prevent the second instance from being overlooked by assistive technology. Put another way; ID attributes may not be used more than once in the same document to differentiate each element from another.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | Dyslexia | ADHD(Attention deficit hyperactivity disorder) | Elderly

WCAG 2.0, 2.1 & 2.2
A 1.3.1 Info and Relationships
A 4.1.2 Name, Role, Value

Index	Elements	Status
1	`<div id="DndDescribedBy-1" style="display: none;"> To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel. </div>`	Success
2	`<div id="DndDescribedBy-2" style="display: none;"> To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel. </div>`	Success
3	`<div id="DndDescribedBy-3" style="display: none;"> To pick up a draggable item, press the space bar. While dragging,`	Success

	use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	
4	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success
5	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success
6	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success
7	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success
8	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success
9	To pick up a draggable item, press the space bar. While dragging, use the arrow keys to move the item. Press space again to drop the item in its new position, or press escape to cancel.	Success

ARIA attributes should be valid.

ARIA attributes starting with aria- must contain valid values. These values must be spelled correctly and

correspond to values that make sense for a particular attribute in order to perform the intended accessibility function.

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Motor Impaired | Blind

WCAG 2.0, 2.1 & 2.2

A 1.3.1 Info and Relationships

A 4.1.2 Name, Role, Value

Index	Elements	Status
1	`<select class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Failed
2	`<select disabled="" class="text-xs border dark:border-gray-600 rounded px-1 py-0.5 disabled:opacity-50 w-16 bg-white dark:bg-gray-700 dark:text-gray-300">`	Failed
3	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-0" class="cursor-grab active:cursor-grabbing text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 select-none px-0.5 touch-none" title="Drag to reorder category">`	Success
4	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-7" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
5	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-2" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
6	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-8" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success

7	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-1" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
8	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-3" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
9	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-6" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
10	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-5" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
11	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-4" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
12	`<button class="absolute top-2 right-2 p-1.5 text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 rounded-full hover:bg-white/50 dark:hover:bg-gray-700/50 transition-colors" aria-label="Dismiss feature overview" title="Dismiss">`	Success
13	`<div id="DndLiveRegion-0" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-`	Success

```
space: nowrap;"></div>
```

14	`<div id="DndLiveRegion-1" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
15	`<div id="DndLiveRegion-2" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
16	`<div id="DndLiveRegion-3" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
17	`<div id="DndLiveRegion-4" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
18	`<div id="DndLiveRegion-5" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
19	`<div id="DndLiveRegion-6" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
20	`<div id="DndLiveRegion-7" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed;`	Success

	`top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	
21	`<div id="DndLiveRegion-8" role="status" aria-live="assertive" aria-atomic="true" style="position: fixed; top: 0px; left: 0px; width: 1px; height: 1px; margin: -1px; border: 0px; padding: 0px; overflow: hidden; clip: rect(0px, 0px, 0px, 0px); clip-path: inset(100%); white-space: nowrap;"></div>`	Success
22	`<textarea aria-label="Original log content - paste or type your log text here" class="w-full h-full p-4 font-mono text-sm border dark:border-gray-600 rounded-b-lg rounded-tr-lg resize-none focus:ring-2 focus:ring-blue-500 focus:border-transparent bg-white dark:bg-gray-800 text-gray-900 dark:text-gray-100">`	Success
23	`<section class="flex-shrink-0 bg-gradient-to-r from-blue-50 to-indigo-50 dark:from-gray-800 dark:to-gray-800 border border-blue-200 dark:border-gray-700 rounded-lg p-4 mb-4 relative" aria-label="Application features">`	Success

Element does not have focusable descendants

Element does not have focusable descendants

Disabilities Affected:
Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

A 1.3.1 Info and Relationships

A 4.1.2 Name, Role, Value

Index	Elements	Status
1	`<button class="text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 p-0.5" title="View regex">`	Success
2	`<option value="label">Label</option>`	Success
3	`<option value="fake">Fake</option>`	Success

4	`<option value="redact">Redact</option>`	Success
5	`<option value="template">Template</option>`	Success
6	`<input type="checkbox" class="rounded border-gray-300 dark:border-gray-600 text-blue-600 focus:ring-blue-500 bg-white dark:bg-gray-700" checked="">`	Success
7	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-0" class="cursor-grab active:cursor-grabbing text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 select-none px-0.5 touch-none" title="Drag to reorder category">`	Success
8	`<input type="checkbox" class="rounded border-gray-300 dark:border-gray-600 text-blue-600 focus:ring-blue-500 bg-white dark:bg-gray-700">`	Success
9	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-7" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
10	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-1" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
11	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-2" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
12	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-3" class="cursor-grab`	Success

	`active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	
13	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-5" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
14	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-6" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
15	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-8" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
16	`<button class="text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-white">About</button>`	Success
17	`<button class="absolute top-2 right-2 p-1.5 text-gray-400 hover:text-gray-600 dark:hover:text-gray-300 rounded-full hover:bg-white/50 dark:hover:bg-gray-700/50 transition-colors" aria-label="Dismiss feature overview" title="Dismiss">`	Success
18	`<button class="text-xs px-2 py-1 rounded-l bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use label replacement strategy">Label</button>`	Success
19	`<button class="text-xs px-1 py-1 rounded-r bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600 border-l border-gray-200 dark:border-gray-600" title="Configure label format">`	Success
		Success

20	`<button class="text-xs px-2 py-1 rounded bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use fake replacement strategy">Fake</button>`	
21	`<button class="text-xs px-2 py-1 rounded bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use redact replacement strategy">Redact</button>`	Success
22	`<button class="text-xs px-2 py-1 rounded-l bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600" title="Set all enabled rules to use template replacement strategy">Template</button>`	Success
23	`<button class="text-xs px-1 py-1 rounded-r bg-gray-100 dark:bg-gray-700 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-600 border-l border-gray-200 dark:border-gray-600" title="Configure global template format">`	Success
24	`<button class="text-xs px-2 py-1 rounded bg-blue-100 dark:bg-blue-900 text-blue-700 dark:text-blue-300 hover:bg-blue-200 dark:hover:bg-blue-800" title="Manage rule presets - save, load, or use built-in presets">▶ Presets</button>`	Success
25	`<button class="text-xs px-2 py-1 rounded bg-green-100 dark:bg-green-900 text-green-700 dark:text-green-300 hover:bg-green-200 dark:hover:bg-green-800" title="Add a custom regex pattern for detecting PII">+ Regex</button>`	Success
26	`<button class="text-xs px-2 py-1 rounded bg-orange-100 dark:bg-orange-900 text-orange-700 dark:text-orange-300 hover:bg-orange-200 dark:hover:bg-orange-800" title="Add exact text to match and replace (e.g., hostnames)">+ Text</button>`	Success
27	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Contact<span class="text-xs text-gray-500 dark:text-gray-400">(4/4)</span></button>`	Success

28	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Contact">All</button>`	Success
29	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Contact">None</button>`	Success
30	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Network<span class="text-xs text-gray-500 dark:text-gray-400">(3/6)</span></button>`	Success
31	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Network">All</button>`	Success
32	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Network">None</button>`	Success
33	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (US)<span class="text-xs text-gray-500 dark:text-gray-400">(1/4)</span></button>`	Success
34	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (US)">All</button>`	Success
35	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (US)">None</button>`	Success
36	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (UK)<span class="text-xs text-gray-500 dark:text-gray-400">(0/2)</span></button>`	Success

37	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (UK)">All</button>`	Success
38	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (UK)">None</button>`	Success
39	`<button role="button" tabindex="0" aria-disabled="false" aria-roledescription="sortable" aria-describedby="DndDescribedBy-4" class="cursor-grab active:cursor-grabbing text-gray-300 hover:text-gray-500 dark:text-gray-600 dark:hover:text-gray-400 select-none text-xs touch-none" title="Drag to reorder">`	Success
40	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Identity (Intl)<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
41	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Identity (Intl)">All</button>`	Success
42	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Identity (Intl)">None</button>`	Success
43	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Financial<span class="text-xs text-gray-500 dark:text-gray-400">(4/4)</span></button>`	Success
44	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Financial">All</button>`	Success
45	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Financial">None</button>`	Success

46	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Tokens & Keys<span class="text-xs text-gray-500 dark:text-gray-400">(12/12)</span></button>`	Success
47	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Tokens & Keys">All</button>`	Success
48	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Tokens & Keys">None</button>`	Success
49	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform rotate-90">▶</span>Secrets<span class="text-xs text-gray-500 dark:text-gray-400">(5/6)</span></button>`	Success
50	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Secrets">All</button>`	Success
51	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Secrets">None</button>`	Success
52	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Location<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
53	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Location">All</button>`	Success
54	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Location">None</button>`	Success

55	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Date & Time<span class="text-xs text-gray-500 dark:text-gray-400">(0/7)</span></button>`	Success
56	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Date & Time">All</button>`	Success
57	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Date & Time">None</button>`	Success
58	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>SQL<span class="text-xs text-gray-500 dark:text-gray-400">(0/3)</span></button>`	Success
59	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in SQL">All</button>`	Success
60	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in SQL">None</button>`	Success
61	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Exim<span class="text-xs text-gray-500 dark:text-gray-400">(0/5)</span></button>`	Success
62	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Exim">All</button>`	Success
63	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Exim">None</button>`	Success

64	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Hashes<span class="text-xs text-gray-500 dark:text-gray-400">(0/4)</span></button>`	Success
65	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Hashes">All</button>`	Success
66	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Hashes">None</button>`	Success
67	`<button class="flex items-center gap-1 text-sm font-medium text-gray-700 dark:text-gray-300 hover:text-gray-900 dark:hover:text-white"><span class="transition-transform ">▶</span>Other<span class="text-xs text-gray-500 dark:text-gray-400">(1/4)</span></button>`	Success
68	`<button class="text-xs text-blue-600 dark:text-blue-400 hover:text-blue-800 dark:hover:text-blue-300" title="Enable all rules in Other">All</button>`	Success
69	`<button class="text-xs text-gray-500 dark:text-gray-400 hover:text-gray-700 dark:hover:text-gray-300" title="Disable all rules in Other">None</button>`	Success
70	`<hr class="my-3 dark:border-gray-700 flex-shrink-0">`	Success
71	`<button class="text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-white" title="Hide the detection rules panel">◀ Hide Rules</button>`	Success
72	`<button class="text-sm flex items-center gap-1 hidden md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Diff</button>`	Success
73	`<button class="text-sm flex items-center gap-1 hidden`	Success

	`md:flex text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Syntax</button>`	
74	`<button class="text-sm hidden md:block text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">Go to Line</button>`	Success
75	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first"><span class="w-2 h-2 rounded-full bg-gray-300 dark:bg-gray-600"></span>Sync Scroll</button>`	Success
76	`<button class="text-sm hidden md:flex items-center gap-1 text-gray-300 dark:text-gray-600 cursor-not-allowed" title="Load a log file first">`	Success
77	`<button disabled="" class="px-4 py-2 bg-purple-600 text-white rounded-lg hover:bg-purple-700 disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2" title="Preview what will be detected without scrubbing">`	Success
78	`<button disabled="" class="px-4 py-2 bg-blue-600 text-white rounded-lg hover:bg-blue-700 disabled:opacity-50 disabled:cursor-not-allowed flex items-center gap-2" title="Apply all enabled detection rules and scrub the input text (⌘/Ctrl+Enter)">`	Success

Kick-start Website Accessibility Journey with All in One Accessibility®

Get Started ›

Bridge the accessibility gaps with manual accessibility audit!

Automated scans can identify many common accessibility violations, but some of WCAG 2.1, and 2.2 criteria can't be reliably tested with automation alone. That's the reason why we offer expert human or manual accessibility audit to fill those gaps & provide website accessibility and remediation insights.

Request Manual Accessibility Audit